# BELLSOUTH® / CLEC Agreement

# Customer Name: Cl2, Inc.

CI2, Inc 2004 ICA	2
Table of Contents	3
General Terms and Conditions	5
Signature Page	24
Att 1 - Resale	25
Att 1 - Resale Discounts and Rates	50
Att 2 - UNEs	64
Att 2 - UNE Rates	127
Att 3 - Network Interconnection	475
Att 3 - Local Interconnection Rates	506
Att4-Collocation - Central Office	515
Att 4 - Collocation - Remote Site	557
Att 4 - Collocation Rates	591
Att 5 - Access to Numbers and Number Portability	638
Att 6 - Ordering	642
Att 7 - Billing	649
Att 7 - ODUF ADUF CMDS Rates	666
Att 8 - Rights of Way	675
Att 9 - Perf Meas Intro	677
Att 9 - Performance Measurements	679
Att 10 - Disaster Recovery Plan	891
Att 11 - RER and NRR Process	900

Note: This page is not part of the actual signed contract/amendment, but is present for record keeping purposes only.

# **Interconnection Agreement**

Between

**BellSouth Telecommunications, Inc.** 

and

CI2, Inc.

# **TABLE OF CONTENTS**

#### **General Terms and Conditions**

$\mathbf{r}$		• . •	
- 1	12tir	itioı	10
	, C, I I I I	11 11 11	1.

- 1. CLEC Certification
- 2. Term of the Agreement
- 3. Operational Support Systems
- 4. Parity
- 5. White Pages Listings
- 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 7. Liability and Indemnification
- 8. Intellectual Property Rights and Indemnification
- 9. Proprietary and Confidential Information
- 10. Resolution of Disputes
- 11. Taxes
- 12. Force Majeure
- 13. Adoption of Agreements
- 14. Modification of Agreement
- 15. Non-waiver of Legal Rights
- 16. Indivisibility
- 17. Waivers
- 18. Governing Law
- 19. Assignments
- 20. Notices
- 21. Rule of Construction
- 22. Headings of No Force or Effect
- 23. Multiple Counterparts
- 24. Filing of Agreement
- 25. Compliance with Applicable Law
- 26. Necessary Approvals
- 27. Good Faith Performance
- 28. Nonexclusive Dealings
- 29. Rate True-Up
- 30. Survival
- 31. Entire Agreement

# **TABLE OF CONTENTS (cont'd)**

- **Attachment 1 Resale**
- **Attachment 2 Network Elements and Other Services**
- **Attachment 3 Network Interconnection**
- **Attachment 4 Physical Collocation Central Office**
- **Attachment 4 Physical Collocation Remote Site**
- **Attachment 5 Access to Numbers and Number Portability**
- Attachment 6 Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
- **Attachment 7 Billing**
- Attachment 8 Rights-of-Way, Conduits and Pole Attachments
- **Attachment 9 Performance Measurements**
- **Attachment 10- BellSouth Disaster Recovery Plan**
- Attachment 11-Bona Fide Request and New Business Request Process

# AGREEMENT GENERAL TERMS AND CONDITIONS

**THIS AGREEMENT** is made by and between BellSouth Telecommunications, Inc., (BellSouth), a Georgia corporation, and CI2, Inc. (CI2), a Georgia corporation, and shall be effective on the Effective Date, as defined herein. This Agreement may refer to either BellSouth or CI2 or both as a "Party" or "Parties."

#### WITNESSETH

WHEREAS, BellSouth is a local exchange telecommunications company authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, CI2 is or seeks to become a CLEC authorized to provide telecommunications services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, CI2 wishes to resell BellSouth's telecommunications services and purchase network elements and other services, and, solely in connection therewith, may wish to utilize collocation space as set forth in Attachment 4 of this Agreement; and

**WHEREAS**, the Parties wish to interconnect their facilities and exchange traffic pursuant to Sections 251 and 252 of the Act.

**NOW THEREFORE**, in consideration of the mutual agreements contained herein, BellSouth and CI2 agree as follows:

#### **Definitions**

**Affiliate** is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than 10 percent.

**Commission** is defined as the appropriate regulatory agency in each state of BellSouth's nine-state region (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.

**Effective Date** is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will also be effective thirty (30) days after the date of the last signature executing the amendment.

**End User** means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

**General Terms and Conditions** means this document including all of the terms, provisions and conditions set forth herein.

**Telecommunications** means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

**Telecommunications Service** means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

**Telecommunications Act of 1996 (Act)** means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

#### 1. CLEC Certification

- 1.1 Prior to execution of this Agreement, CI2 agrees to provide BellSouth in writing CI2's CLEC certification for all states covered by this Agreement except Kentucky prior to BellSouth filing this Agreement with the appropriate Commission for approval.
- 1.2 To the extent CI2 is not certified as a CLEC in each state covered by this Agreement as of the execution hereof, CI2 will notify BellSouth in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement. Upon notification, BellSouth will file this Agreement with the appropriate Commission for approval.

#### 2. Term of the Agreement

2.1 The term of this Agreement shall be three years, beginning on the Effective Date and shall apply to the BellSouth territory in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee. Notwithstanding any prior agreement of the Parties, the rates, terms and conditions of this Agreement shall not be applied retroactively prior to the Effective Date.

- 2.2 The Parties agree that by no earlier than two hundred seventy (270) days and no later than one hundred and eighty (180) days prior to the expiration of this Agreement, they shall commence negotiations for a new agreement to be effective beginning on the expiration date of this Agreement (Subsequent Agreement).
- If, within one hundred and thirty-five (135) days of commencing the negotiation referred to in Section 2.2 above, the Parties are unable to negotiate new terms, conditions and prices for a Subsequent Agreement, either Party may petition the Commission to establish appropriate terms, conditions and prices for the Subsequent Agreement pursuant to 47 U.S.C. 252.
- If, as of the expiration of this Agreement, a Subsequent Agreement has not been executed by the Parties, this Agreement shall terminate. Upon termination of this Agreement, BellSouth shall continue to offer services to CI2 pursuant to the terms, conditions and rates set forth in BellSouth's then current standard interconnection agreement. In the event that BellSouth's standard interconnection agreement becomes effective as between the Parties, the Parties may continue to negotiate a Subsequent Agreement or arbitrate disputed issues to reach a Subsequent Agreement as set forth in Section 2.3 above, and the terms of such Subsequent Agreement shall be effective as of the effective date as stated in the Subsequent Agreement.

# 3. Operational Support Systems

CI2 shall pay charges for Operational Support Systems (OSS) as set forth in this Agreement.

#### 4. Parity

When CI2 purchases Telecommunications Services from BellSouth pursuant to Attachment 1 of this Agreement for the purposes of resale to End Users, such services shall be equal in quality, subject to the same conditions, and provided within the same provisioning time intervals that BellSouth provides to its Affiliates, subsidiaries and End Users. To the extent technically feasible, the quality of a Network Element, as well as the quality of the access to such Network Element provided by BellSouth to CI2 shall be at least equal in quality to that which BellSouth provides to itself, its Affiliates or any other Telecommunications carrier. The quality of the interconnection between the network of BellSouth and the network of CI2 shall be at a level that is equal to that which BellSouth provides itself, a subsidiary, an Affiliate, or any other party. The interconnection facilities shall be designed to meet the same technical criteria and service standards that are used within BellSouth's network and shall extend to a consideration of service quality as perceived by BellSouth's End Users and service quality as perceived by CI2.

## 5. White Pages Listings

5.1 BellSouth shall provide CI2 and its customers access to white pages directory listings under the following terms:

- 5.1.1 <u>Listings</u>. CI2 shall provide all new, changed and deleted listings on a timely basis and BellSouth or its agent will include CI2 residential and business customer listings in the appropriate White Pages (residential and business) or alphabetical directories in the geographic areas covered by this Interconnection Agreement. Directory listings will make no distinction between CI2 and BellSouth subscribers.
- 5.1.2 <u>Rates.</u> So long as CI2 provides subscriber listing information (SLI) to BellSouth in accordance with Section 5.2 below, BellSouth shall provide to CI2 one (1) primary White Pages listing per CI2 subscriber at no charge other than applicable service order charges as set forth in BellSouth's tariffs.
- 5.2 Procedures for Submitting CI2 SLI are found in The BellSouth Business Rules for Local Ordering.
- 5.2.1 CI2 authorizes BellSouth to release all CI2 SLI provided to BellSouth by CI2 to qualifying third parties via either license agreement or BellSouth's Directory Publishers Database Service (DPDS), General Subscriber Services Tariff (GSST), Section A38.2, as the same may be amended from time to time. Such CI2 SLI shall be intermingled with BellSouth's own customer listings and listings of any other CLEC that has authorized a similar release of SLI.
- No compensation shall be paid to CI2 for BellSouth's receipt of CI2 SLI, or for the subsequent release to third parties of such SLI. In addition, to the extent BellSouth incurs costs to modify its systems to enable the release of CI2's SLI, or costs on an ongoing basis to administer the release of CI2 SLI, CI2 shall pay to BellSouth its proportionate share of the reasonable costs associated therewith. At any time that costs may be incurred to administer the release of CI2's SLI, CI2 will be notified. If CI2 does not wish to pay its proportionate share of these reasonable costs, CI2 may instruct BellSouth that it does not wish to release its SLI to independent publishers, and CI2 shall amend this Agreement accordingly. CI2 will be liable for all costs incurred until the effective date of the amendment.
- 5.2.3 Neither BellSouth nor any agent shall be liable for the content or accuracy of any SLI provided by CI2 under this Agreement. CI2 shall indemnify, hold harmless and defend BellSouth and its agents from and against any damages, losses, liabilities, demands, claims, suits, judgments, costs and expenses (including but not limited to reasonable attorneys' fees and expenses) arising from BellSouth's tariff obligations or otherwise and resulting from or arising out of any third party's claim of inaccurate CI2 listings or use of the SLI provided pursuant to this Agreement. BellSouth may forward to CI2 any complaints received by BellSouth relating to the accuracy or quality of CI2 listings.
- 5.2.4 Listings and subsequent updates will be released consistent with BellSouth system changes and/or update scheduling requirements.
- 5.3 <u>Unlisted/Non-Published Subscribers</u>. CI2 will be required to provide to BellSouth the names, addresses and telephone numbers of all CI2 customers who wish to be

omitted from directories. Unlisted/Non-Published SLI will be subject to the rates as set forth in BellSouth's GSST.

- 5.4 <u>Inclusion of CI2 End Users in Directory Assistance Database</u>. BellSouth will include and maintain CI2 subscriber listings in BellSouth's Directory Assistance databases at no recurring charge and CI2 shall provide such Directory Assistance listings to BellSouth at no recurring charge.
- 5.5 <u>Listing Information Confidentiality</u>. BellSouth will afford CI2's directory listing information the same level of confidentiality that BellSouth affords its own directory listing information.
- 5.6 <u>Additional and Designer Listings</u>. Additional and designer listings will be offered by BellSouth at tariffed rates as set forth in the General Subscriber Services Tariff.
- 5.7 <u>Directories</u>. BellSouth or its agent shall make available White Pages directories to CI2 subscribers at no charge or as specified in a separate agreement with BellSouth's agent.

# 6. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 6.1 Subpoenas Directed to BellSouth. Where BellSouth provides resold services or local switching for CI2, BellSouth shall respond to subpoenas and court ordered requests delivered directly to BellSouth for the purpose of providing call detail records when the targeted telephone numbers belong to CI2 End Users. Billing for such requests will be generated by BellSouth and directed to the law enforcement agency initiating the request. BellSouth shall maintain such information for CI2 End Users for the same length of time it maintains such information for its own End Users.
- 6.2 <u>Subpoenas Directed to CI2</u>. Where BellSouth is providing to CI2
  Telecommunications Services for resale or providing to CI2 the local switching
  function, then CI2 agrees that in those cases where CI2 receives subpoenas or
  court ordered requests regarding targeted telephone numbers belonging to CI2
  End Users, and where CI2 does not have the requested information, CI2 will
  advise the law enforcement agency initiating the request to redirect the subpoena
  or court ordered request to BellSouth for handling in accordance with 6.1 above.
- In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

# 7. Liability and Indemnification

- 7.1 <u>CI2 Liability</u>. In the event that CI2 consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, all such entities shall be jointly and severally liable for the obligations of CI2 under this Agreement.
- 7.2 <u>Liability for Acts or Omissions of Third Parties</u>. BellSouth shall not be liable to CI2 for any act or omission of another Telecommunications company providing services to CI2.

# 7.3 <u>Limitation of Liability</u>

- 7.3.1 Except for any indemnification obligations of the Parties hereunder, each Party's liability to the other for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any negligent act or omission in its performance of this Agreement, whether in contract or in tort, shall be limited to a credit for the actual cost of the services or functions not performed or improperly performed.
- Limitations in Tariffs. A Party may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any service, product or function provided or contemplated under this Agreement, that to the maximum extent permitted by Applicable Law, such Party shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount such Party would have charged that applicable person for the service, product or function that gave rise to such loss and (ii) consequential damages. To the extent that a Party elects not to place in its tariffs or contracts such limitations of liability, and the other Party incurs a loss as a result thereof, such Party shall indemnify and reimburse the other Party for that portion of the loss that would have been limited had the first Party included in its tariffs and contracts the limitations of liability that such other Party included in its own tariffs at the time of such loss.
- 7.3.3 Neither BellSouth nor CI2 shall be liable for damages to the other Party's terminal location, equipment or End User premises resulting from the furnishing of a service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by a Party's negligence or willful misconduct or by a Party's failure to ground properly a local loop after disconnection.
- 7.3.4 Under no circumstance shall a Party be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, each Party recognizes that the other Party may, from time to time, provide advice, make recommendations, or supply other analyses related to the services or facilities described in this Agreement, and, while each Party shall use diligent

efforts in this regard, the Parties acknowledge and agree that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.

- 7.3.5 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on either Party different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. The Party providing services hereunder, its Affiliates and its parent company, shall be indemnified, defended and held harmless by the Party receiving services hereunder against any claim, loss or damage arising from the receiving Party's use of the services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of the receiving Party's own communications, or (2) any claim, loss or damage claimed by the End User of the Party receiving services arising from such company's use or reliance on the providing Party's services, actions, duties, or obligations arising out of this Agreement.
- 7.5 <u>Disclaimer</u>. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, NEITHER PARTY MAKES ANY REPRESENTATIONS OR WARRANTIES TO THE OTHER PARTY CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. THE PARTIES DISCLAIM, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

# 8. Intellectual Property Rights and Indemnification

- 8.1 No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of telecommunications services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.
- 8.2 <u>Ownership of Intellectual Property</u>. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non-assignable, non-exclusive, non-transferable license to use

patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third Parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

- 8.3 Intellectual Property Remedies
- 8.3.1 <u>Indemnification</u>. The Party providing a service pursuant to this Agreement will defend the Party receiving such service or data provided as a result of such service against claims of infringement arising solely from the use by the receiving Party of such service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 7 preceding.
- 8.3.2 <u>Claim of Infringement</u>. In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of the Party who owns the affected network is likely to become, the subject of a claim, action, suit, or proceeding based on intellectual property infringement, then said Party shall promptly and at its sole expense and sole option, but subject to the limitations of liability set forth below:
- 8.3.2.1 modify or replace the applicable facilities or equipment (including software) while maintaining form and function, or
- 8.3.2.2 obtain a license sufficient to allow such use to continue.
- 8.3.2.3 In the event Section 8.3.2.1 or 8.3.2.2 are commercially unreasonable, then said Party may terminate, upon reasonable notice, this contract with respect to use of, or services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 8.3.3 <u>Exception to Obligations</u>. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor, provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would

necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

- 8.3.4 <u>Exclusive Remedy</u>. The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.
- 8.4 <u>Dispute Resolution.</u> Any claim arising under this Section 8 shall be excluded from the dispute resolution procedures set forth in Section 10 and shall be brought in a court of competent jurisdiction.

# 9. Proprietary and Confidential Information

- Proprietary and Confidential Information. It may be necessary for BellSouth and CI2, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 9.2 <u>Use and Protection of Information.</u> Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees of Recipient with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipient will not make any copies of the Information inspected by it.
- 9.3 <u>Exceptions</u>. Recipient will not have an obligation to protect any portion of the Information which:
- 9.3.1 (a) is made publicly available by the Discloser or lawfully by a nonparty to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- 9.4 Recipient agrees to use the Information solely for the purposes of negotiations pursuant to 47 U.S.C. 251 or in performing its obligations under this Agreement

and for no other entity or purpose, except as may be otherwise agreed to in writing by the Parties. Nothing herein shall prohibit Recipient from providing information requested by the FCC or a state regulatory agency with jurisdiction over this matter, or to support a request for arbitration or an allegation of failure to negotiate in good faith.

- 9.5 Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 9.6 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 9.7 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 9 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

# 10. Resolution of Disputes

Except as otherwise stated in this Agreement, if any dispute arises as to the interpretation of any provision of this Agreement or as to the proper implementation of this Agreement, the aggrieved Party shall petition the Commission for a resolution of the dispute. However, each Party reserves any rights it may have to seek judicial review of any ruling made by the Commission concerning this Agreement.

#### 11. Taxes

- 11.1 <u>Definition</u>. For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the services furnished hereunder or measured by the charges or payments therefore, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party.

- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party.</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- 11.3.3 If the purchasing Party determines that in its opinion any such taxes or fees are not payable, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to be payable, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with

respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.3.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- 11.4 Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party.
- 11.4.1 Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- To the extent permitted by applicable law, any such taxes and/or fees shall be shown as separate items on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective service is billed.
- If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.
- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys'

fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.

- 11.4.7 Each Party shall notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; such notice to be provided, if possible, at least ten (10) days prior to the date by which a response, protest or other appeal must be filed, but in no event later than thirty (30) days after receipt of such assessment, proposed assessment or claim.
- Mutual Cooperation. In any contest of a tax or fee by one Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.

# 12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by CI2, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non-performance and both Parties shall proceed whenever such causes are removed or cease.

#### 13. Adoption of Agreements

BellSouth shall make available, pursuant to 47 USC § 252 and the FCC rules and regulations regarding such availability, to CI2 any interconnection, service, or network element provided under any other agreement filed and approved pursuant to 47 USC § 252, provided a minimum of six months remains on the term of such agreement. The Parties shall adopt all rates, terms and conditions concerning such other interconnection, service or network element and any other rates, terms and conditions that are legitimately related to or were negotiated in exchange for or in conjunction with the interconnection, service or network element being adopted. The adopted interconnection, service, or network element and agreement shall apply to the same states as such other agreement. The term of the adopted agreement or provisions shall expire on the same date as set forth in the agreement that was adopted.

# 14. Modification of Agreement

- 14.1 If CI2 changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of CI2 to notify BellSouth of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change.
- 14.2 No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.
- In the event that any effective legislative, regulatory, judicial or other legal action materially affects any material terms of this Agreement, or the ability of CI2 or BellSouth to perform any material terms of this Agreement, CI2 or BellSouth may, on thirty (30) days' written notice, require that such terms be renegotiated, and the Parties shall renegotiate in good faith such mutually acceptable new terms as may be required. In the event that such new terms are not renegotiated within ninety (90) days after such notice, the Dispute shall be referred to the Dispute Resolution procedure set forth in this Agreement.

# 15. Non-waiver of Legal Rights

Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to pursue any and all legal and/or equitable remedies, including appeals of any such decision(s).

# 16. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. Without limiting the generality of the foregoing, each of the Parties acknowledges that any provision by BellSouth of collocation space under this Agreement is solely for the purpose of facilitating the provision of other services under this Agreement and that neither Party would have contracted with respect to the provisioning of collocation space under this Agreement if the covenants and promises of the other Party with respect to the other services provided under this Agreement had not been made. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are intended to be recouped against other payment obligations under this Agreement.

#### 17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

# 18. Governing Law

Where applicable, this Agreement shall be governed by and construed in accordance with federal and state substantive telecommunications law, including rules and regulations of the FCC and appropriate Commission. In all other respects, this Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

# 19. Assignments

Any assignment by either Party to any non-affiliated entity of any right, obligation or duty, or of any other interest hereunder, in whole or in part, without the prior written consent of the other Party shall be void. A Party may assign this Agreement in its entirety to an Affiliate of the Party without the consent of the other Party; provided, however, that the assigning Party shall notify the other Party in writing of such assignment thirty (30) days prior to the Effective Date thereof and, provided further, if the assignee is an assignee of CI2, the assignee must provide evidence of Commission CLEC certification. The Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, CI2 shall not assign this Agreement to any Affiliate or non-affiliated entity unless either (1) CI2 pays all bills, past due and current, under this Agreement, or (2) CI2's assignee expressly assumes liability for payment of such bills.

#### 20. Notices

20.1 Every notice, consent, approval, or other communications required or contemplated by this Agreement shall be in writing and shall be delivered by hand, by overnight courier or by US mail postage prepaid, address to:

#### **BellSouth Telecommunications, Inc.**

BellSouth Local Contract Manager 600 North 19<sup>th</sup> Street, 8<sup>th</sup> floor Birmingham, AL 35203

and

ICS Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375

#### CI2, Inc.

Pat Dixon 200 Galleria Parkway, NW, Suite 1200 Atlanta, GA 30339 (770) 425-2267

or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

- Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered the fifth day, or next business day after the fifth day, after it was deposited in the mails.
- 20.3 BellSouth will post changes to business processes and policies, not requiring an amendment to this Agreement, notices required to be posted to BellSouth's website, and any other information of general applicability to CLECs.

#### 21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

# 22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

#### 23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

#### 24. Filing of Agreement

Upon execution of this Agreement it shall be filed with the appropriate state regulatory agency pursuant to the requirements of Section 252 of the Act, and the Parties shall share equally any filing fees therefor. If the regulatory agency imposes any filing or public interest notice fees regarding the filing or approval of the Agreement, CI2 shall be responsible for publishing the required notice and the publication and/or notice costs shall be borne by CI2. Notwithstanding the foregoing, this Agreement shall not be submitted for approval by the appropriate state regulatory agency unless and until such time as CI2 is duly certified as a local exchange carrier in such state, except as otherwise required by a Commission.

# 25. Compliance with Applicable Law

Each Party shall comply at its own expense with Applicable Law.

# 26. Necessary Approvals

Each Party shall be responsible for obtaining and keeping in effect all approvals from, and rights granted by, governmental authorities, building and property owners, other carriers, and any other persons that may be required in connection with the performance of its obligations under this Agreement. Each Party shall reasonably cooperate with the other Party in obtaining and maintaining any required approvals and rights for which such Party is responsible.

# 27. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

## 28. Nonexclusive Dealings

This Agreement does not prevent either Party from providing or purchasing services to or from any other person nor, except as provided in Section 252(i) of the Act, does it obligate either Party to provide or purchase any services (except insofar as the Parties are obligated to provide access to Interconnection, services and Network Elements to CI2 as a requesting carrier under the Act).

# 29. Rate True-Up

- 29.1 This section applies to Network Interconnection and/or Unbundled Network Elements and Other Services rates that are expressly subject to true-up under this Agreement.
- 29.2 The designated true-up rates shall be trued-up, either up or down, based on final prices determined either by further agreement between the Parties, or by a final order (including any appeals) of the Commission. The Parties shall implement the

true-up by comparing the actual volumes and demand for each item, together with the designated true-up rates for each item, with the final prices determined for each item. Each Party shall keep its own records upon which the true-up can be based, and any final payment from one Party to the other shall be in an amount agreed upon by the Parties based on such records. In the event of any disagreement as between the records or the Parties regarding the amount of such true-up, the Parties shall submit the matter to the Dispute Resolution process in accordance with the provisions of this Agreement.

An effective order of the Commission that forms the basis of a true-up shall be based upon cost studies submitted by either or both Parties to the Commission and shall be binding upon BellSouth and CI2 specifically or upon all carriers generally, such as a generic cost proceeding.

#### 30. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

## 31. Entire Agreement

31.1 This Agreement means the General Terms and Conditions, the Attachments identified in Section 31.2 below, and all documents identified therein, as such may be amended from time to time and which are incorporated herein by reference, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties relating to the subject matter contained in this Agreement and merges all prior discussions between them. Any orders placed under prior agreements between the Parties shall be governed by the terms of this Agreement and CI2 acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior agreements between the Parties, related to the subject matter hereof, shall be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

31.2 This Agreement includes Attachments with provisions for the following:

Resale

Network Elements and Other Services

Network Interconnection
Collocation
Access to Numbers and Number Portability
Pre-Ordering, Ordering, Provisioning, Maintenance and Repair
Billing
Rights-of-Way, Conduits and Pole Attachments
Performance Measurements
BellSouth Disaster Recovery Plan
Bona Fide Request/New Business Request Process

The following services are included as options for purchase by CI2 pursuant to the terms and conditions set forth in this Agreement. CI2 may elect to purchase said services by written request to its Local Contract Manager if applicable:

Optional Daily Usage File (ODUF)
Enhanced Optional Daily Usage File (EODUF)
Access Daily Usage File (ADUF)
Line Information Database (LIDB) Storage
Centralized Message Distribution Service (CMDS)
Calling Name (CNAM)
LNP Data Base Query Service

# General Terms and Conditions Signature Page

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc.	CI2, Inc.
By: 4 9 M	By: WillA ANDRellA Bayets
Name: Kristen E. Rowe	Nathe: Alla Chi Molla Eduli
Title: Director	Title Fresi New / CEO
Date: 4/22/24/	Date: 4/20/2004
	1 '

Attachment 1

Page 1

# **Attachment 1**

Resale

# **Table of Contents**

1.	Discount Rates	3
2.	Definition of Terms	
3.	General Provisions	3
4.	BellSouth's Provision of Services to CI2	8
5.	Maintenance of Services	9
6.	Establishment of Service	9
7.	Discontinuance of Service	10
8.	Operator Services (Operator Call Processing and Directory Assistance)	11
9.	Line Information Database (LIDB)	13
10.	RAO Hosting	13
11.	Optional Daily Usage File (ODUF)	13
12.	Enhanced Optional Daily Usage File (EODUF)	14
Res	sale Restrictions	Exhibit A
Lin	e Information Database (LIDB) Storage Agreemt	Exhibit B
Op	tional Daily Usage File (ODUF)	Exhibit C
Enl	hanced Option Daily Usage File (EODUF)	Exhibit D
Res	sale Discounts and Rates	Exhibit E

### RESALE

#### 1. Discount Rates

- 1.1 The discount rates applied to CI2 purchases of BellSouth Telecommunications Services for the purpose of resale shall be as set forth in Exhibit E. Such discounts have been determined by the applicable Commission to reflect the costs avoided by BellSouth when selling a service for wholesale purposes.
- 1.2 The telecommunications services available for purchase by CI2 for the purposes of resale to CI2's End Users shall be available at BellSouth's tariffed rates less the discount set forth in Exhibit E to this Agreement and subject to the exclusions and limitations set forth in Exhibit A to this Agreement.

#### 2. Definition of Terms

- 2.1 COMPETITIVE LOCAL EXCHANGE COMPANY (CLEC) means a telephone company certificated by the Commission to provide local exchange service within BellSouth's franchised area.
- 2.2 CUSTOMER OF RECORD means the entity responsible for placing application for service; requesting additions, rearrangements, maintenance or discontinuance of service; payment in full of charges incurred such as non-recurring, monthly recurring, toll, directory assistance, etc.
- 2.3 DEPOSIT means assurance provided by a customer in the form of cash, surety bond or bank letter of credit to be held by BellSouth.
- 2.4 END USER means the ultimate user of the Telecommunications Service.
- 2.5 END USER CUSTOMER LOCATION means the physical location of the premises where an End User makes use of the telecommunications services.
- 2.6 NEW SERVICES means functions, features or capabilities that are not currently offered by BellSouth. This includes packaging of existing services or combining a new function, feature or capability with an existing service.
- 2.7 RESALE means an activity wherein a certificated CLEC, such as CI2, subscribes to the telecommunications services of BellSouth and then offers those telecommunications services to the public.

#### 3. General Provisions

3.1 All of the negotiated rates, terms and conditions set forth in this Attachment pertain to the resale of BellSouth's retail telecommunications services and other services specified in this Attachment. Subject to effective and applicable FCC and

Commission rules and orders, BellSouth shall make available to CI2 for resale those telecommunications services BellSouth makes available, pursuant to its General Subscriber Services Tariff and Private Line Services Tariff, to customers who are not telecommunications carriers.

- 3.1.1 When CI2 provides Resale service in a cross boundary area (areas that are part of the local serving area of another state's exchange) the rates, regulations and discounts for the tariffing state will apply. Billing will be from the serving state.
- 3.1.2 In Tennessee, if CI2 does not resell Lifeline service to any end users, and if CI2 agrees to order an appropriate Operator Services/Directory Assistance block as set forth in BellSouth's General Subscriber Services Tariff, the discount shall be 21.56%.
- 3.1.2.1 In the event CI2 resells Lifeline service to any end user in Tennessee, BellSouth will begin applying the 16% discount rate to all services. Upon CI2 and BellSouth's implementation of a billing arrangement whereby a separate Master Account (Q-account) associated with a separate Operating Customer Number (OCN) is established for billing of Lifeline service end users, the discount shall be applied as set forth in 3.1.2 preceding for the non-Lifeline affected Master Account (Q-account).
- 3.1.2.2 CI2 must provide written notification to BellSouth within 30 days prior to either providing its own operator services/ directory services or orders the appropriate operator services/directory assistance blocking, to qualify for the higher discount rate of 21.56%.
- 3.2 CI2 may purchase resale services from BellSouth for its own use in operating its business. The resale discount will apply to those services under the following conditions:
- 3.2.1 CI2 must resell services to other End Users.
- 3.2.2 CI2 cannot be a competitive local exchange telecommunications company for the single purpose of selling to itself.
- 3.3 CI2 will be the customer of record for all services purchased from BellSouth. Except as specified herein, BellSouth will take orders from, bill and receive payment from CI2 for said services.
- 3.4 CI2 will be BellSouth's single point of contact for all services purchased pursuant to this Agreement. BellSouth shall have no contact with the End User except to the extent provided for herein. Each Party shall provide to the other a nation wide (50 states) toll-free contact number for purposes of repair and maintenance.
- 3.5 BellSouth will continue to bill the End User for any services that the End User specifies it wishes to receive directly from BellSouth. BellSouth maintains the right

to serve directly any End User within the service area of CI2. BellSouth will continue to market directly its own telecommunications products and services and in doing so may establish independent relationships with End Users of CI2. Neither Party shall interfere with the right of any person or entity to obtain service directly from the other Party.

- 3.5.1 When an End User of CI2 or BellSouth elects to change his/her carrier to the other Party, both Parties agree to release the End User's service to the other Party concurrent with the due date of the service order, which shall be established based on the standard interval for the End User's requested service as set forth in the BellSouth Product and Services Interval Guide.
- 3.5.2 BellSouth and CI2 will refrain from contacting an End User who has placed or whose selected carrier has placed on the End User's behalf an order to change the End User's service provider from BellSouth or CI2 to the other Party until such time that the order for service has been completed.
- 3.6 Current telephone numbers may normally be retained by the End User and are assigned to the service furnished. However, neither Party nor the End User has a property right to the telephone number or any other call number designation associated with services furnished by BellSouth, and no right to the continuance of service through any particular central office. BellSouth reserves the right to change such numbers, or the central office designation associated with such numbers, or both, whenever BellSouth deems it necessary to do so in the conduct of its business and in accordance with BellSouth practices and procedures on a nondiscriminatory basis.
- 3.7 Where BellSouth provides resold services to CI2, BellSouth will provide CI2 with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. CI2 acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. CI2 acknowledges that there may be instances where there is a shortage of telephone numbers in a particular Common Language Location Identifier Code (CLLIC); and in such instances, CI2 shall return unused intermediate telephone numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- BellSouth will allow CI2 to designate up to 100 intermediate telephone numbers per CLLIC, for CI2's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. CI2 acknowledges that there may be instances where there is a shortage of telephone numbers in a particular CLLIC and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

- 3.9 Service is furnished subject to the condition that it will not be used for any unlawful purpose.
- 3.10 Service will be discontinued if any law enforcement agency advises that the service being used is in violation of the law.
- 3.11 BellSouth can refuse service when it has grounds to believe that service will be used in violation of the law.
- 3.12 BellSouth will cooperate with law enforcement agencies with subpoenas and court orders relating to CI2's End Users, pursuant to Section 6 of the General Terms and Conditions.
- 3.13 If CI2 or its End Users utilize a BellSouth resold telecommunications service in a manner other than that for which the service was originally intended as described in BellSouth's retail tariffs, CI2 has the responsibility to notify BellSouth. BellSouth will only provision and maintain said service consistent with the terms and conditions of the tariff describing said service.
- Facilities and/or equipment utilized by BellSouth to provide service to CI2 remain the property of BellSouth.
- White page directory listings for CI2 End Users will be provided in accordance with Section 5 of the General Terms and Conditions.
- 3.16 Service Ordering and Operational Support Systems (OSS)
- 3.16.1 CI2 must order services through resale interfaces, i.e., the Local Carrier Service Center (LCSC) and/or appropriate Complex Resale Support Group (CRSG) pursuant to this Agreement. BellSouth has developed and made available the interactive interfaces by which CI2 may submit a Local Service Request (LSR) electronically as set forth in Attachment 2 of this Agreement. Service orders will be in a standard format designated by BellSouth.
- 3.16.2 LSRs submitted by means of one of these interactive interfaces will incur an OSS electronic charge as set forth in Exhibit E to this Agreement. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (Mail, fax, courier, etc.) will incur a manual order charge as set forth in Exhibit E to this Agreement. Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 3.16.3 <u>Denial/Restoral OSS Charge.</u> In the event CI2 provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location.

- 3.16.4 <u>Cancellation OSS Charge.</u> CI2 will incur an OSS charge for an accepted LSR that is later canceled.
- 3.17 Where available to BellSouth's End Users, BellSouth shall provide the following telecommunications services at a discount to allow for voice mail services:
  - Message Waiting Indicator ("MWI"), stutter dialtone and message waiting light feature capabilities
  - Call Forward Busy Line ("CF/B")
  - Call Forward Don't Answer ("CF/DA")

Further, BellSouth messaging services set forth in BellSouth's Messaging Service Information Package shall be made available for resale without the wholesale discount.

- 3.18 BellSouth shall provide branding for, or shall unbrand, voice mail services for CI2 per the Bona Fide Request/New Business Request process as set forth in Attachment 6 of this Agreement.
- 3.19 BellSouth's Inside Wire Maintenance Service Plan is available for resale at rates, terms and conditions as set forth by BellSouth and without the wholesale discount.
- 3.20 In the event CI2 acquires an end user whose service is provided pursuant to a BellSouth Special Assembly, BellSouth shall make available to CI2 that Special Assembly at the wholesale discount at CI2's option. CI2 shall be responsible for all terms and conditions of such Special Assembly including but not limited to termination liability if applicable.
- 3.21 BellSouth shall provide 911/E911 for CI2 customers in the same manner that it is provided to BellSouth customers. BellSouth shall provide and validate CI2 customer information to the PSAP. BellSouth shall use its service order process to update and maintain, on the same schedule that it uses for its customers, the CI2 customer service information in the ALI/DMS (Automatic Location Identification/Location Information) databases used to support 911/E911 services.
- 3.22 BellSouth shall bill, and CI2 shall pay, the End User line charge associated with implementing Number Portability as set forth in BellSouth's FCC No. 1 tariff. This charge is not subject to the wholesale discount.
- 3.23 Pursuant to 47 CFR Section 51.617, BellSouth shall bill to CI2, and CI2 shall pay, the End User common line charges identical to the End User common line charges BellSouth bills its End Users.

## 4. BellSouth's Provision of Services to CI2

- 4.1 Resale of BellSouth services shall be as follows:
- 4.1.1 The resale of telecommunications services shall be limited to users and uses conforming to the class of service restrictions.
- 4.1.2 Hotel and Hospital PBX services are the only telecommunications services available for resale to Hotel/Motel and Hospital End Users, respectively. Similarly, Access Line Service for Customer Provided Coin Telephones is the only local service available for resale to Payphone Service Provider (PSP) customers. Shared Tenant Service customers can only be sold those local exchange access services available in BellSouth's A23 Shared Tenant Service Tariff in the states of Florida, Georgia, North Carolina and South Carolina, and in A27 in the states of Alabama, Kentucky, Louisiana, Mississippi and Tennessee.
- 4.1.3 BellSouth reserves the right to periodically audit services purchased by CI2 to establish authenticity of use. Such audit shall not occur more than once in a calendar year. CI2 shall make any and all records and data available to BellSouth or BellSouth's auditors on a reasonable basis. BellSouth shall bear the cost of said audit. Any information provided by CI2 for purposes of such audit shall be deemed Confidential Information pursuant to the General Terms and Conditions of this Agreement.
- 4.2 Subject to Exhibit A hereto, resold services can only be used in the same manner as specified in BellSouth's Tariffs. Resold services are subject to the same terms and conditions as are specified for such services when furnished to an individual End User of BellSouth in the appropriate section of BellSouth's Tariffs. Specific tariff features (e.g. a usage allowance per month) shall not be aggregated across multiple resold services.
- 4.3 CI2 may resell services only within the specific service area as defined in its certificate of operation approved by the Commission.
- 4.4 If CI2 cancels an order for resold services, any costs incurred by BellSouth in conjunction with provisioning of such order will be recovered in accordance with BellSouth's General Subscriber Services Tariffs and Private Line Services Tariffs.
- 4.5 <u>Service Jointly Provisioned with an Independent Company or Competitive Local Exchange Company Areas</u>
- 4.5.1 BellSouth will in some instances provision resold services in accordance with the General Subscriber Services Tariff and Private Line Tariffs jointly with an Independent Company or other Competitive Local Exchange Carrier.
- 4.5.2 When CI2 assumes responsibility for such service, all terms and conditions defined in the Tariff will apply for services provided within the BellSouth service area only.

- 4.5.3 Service terminating in an Independent Company or other Competitive Local Exchange Carrier area will be provisioned and billed by the Independent Company or other Competitive Local Exchange Carrier directly to CI2.
- 4.5.4 CI2 must establish a billing arrangement with the Independent Company or other Competitive Local Exchange Carrier prior to assuming an end user account where such circumstances apply.
- 4.5.5 Specific guidelines regarding such services are available on BellSouth's website @ www.interconnection.bellsouth.com.

#### 5. Maintenance of Services

- 5.1 Services resold pursuant to this Attachment and BellSouth's General Subscriber Service Tariff and Private Line Service Tariff and facilities and equipment provided by BellSouth shall be maintained by BellSouth.
- 5.2 CI2 or its End Users may not rearrange, move, disconnect, remove or attempt to repair any facilities owned by BellSouth except with the written consent of BellSouth.
- 5.3 CI2 accepts responsibility to notify BellSouth of situations that arise that may result in a service problem.
- 5.4 CI2 will contact the appropriate repair centers in accordance with procedures established by BellSouth.
- For all repair requests, CI2 shall adhere to BellSouth's prescreening guidelines prior to referring the trouble to BellSouth.
- BellSouth will bill CI2 for handling troubles that are found not to be in BellSouth's network pursuant to its standard time and material charges. The standard time and material charges will be no more than what BellSouth charges to its retail customers for the same services.
- 5.7 BellSouth reserves the right to contact CI2's End Users, if deemed necessary, for maintenance purposes.

#### 6. Establishment of Service

After receiving certification as a local exchange carrier from the applicable regulatory agency, CI2 will provide the appropriate BellSouth Advisory team manager the necessary documentation to enable BellSouth to establish accounts for resold services ("master account"). CI2 is required to provide the following before a master account is established: blanket letter of authorization, misdirected number form, proof of PSC/PUC certification, the Application for Master Account, an Operating Company Number ("OCN") assigned by the National

Exchange Carriers Association ("NECA") and a deposit and tax exemption certificate, if applicable.

- 6.1.1 If CI2 needs to change its OCN(s) under which it operates when CI2 has already bee conducting business utilizing those OCN(s), CI2 shall bear all costs incurred by BellSouth to convert CI2 CI2 to the new OCN(s). OCN conversion charges include all time required to make system updates to all of CI2's end user customer records. Appropriate charges will appear in the OC&C section of CI2's bill.
- 6.2 CI2 shall provide to BellSouth a blanket letter of authorization ("LOA") certifying that CI2 will have End User authorization prior to viewing the End User's customer service record or switching the End User's service. BellSouth will not require End User confirmation prior to establishing service for CI2's End User customer.
- BellSouth will accept a request directly from the End User for conversion of the End User's service from CI2 to BellSouth or will accept a request from another CLEC for conversion of the End User's service from CI2 to such other CLEC. Upon completion of the conversion BellSouth will notify CI2 that such conversion has been completed.

#### 7. Discontinuance of Service

- 7.1 The procedures for discontinuing service to an End User are as follows:
- 7.1.1 BellSouth will deny service to CI2's End User on behalf of, and at the request of, CI2. Upon restoration of the End User's service, restoral charges will apply and will be the responsibility of CI2.
- 7.1.2 At the request of CI2, BellSouth will disconnect a CI2 End User customer.
- 7.1.3 All requests by CI2 for denial or disconnection of an End User for nonpayment must be in writing.
- 7.1.4 CI2 will be made solely responsible for notifying the End User of the proposed disconnection of the service.
- 7.1.5 BellSouth will continue to process calls made to the Annoyance Call Center and will advise CI2 when it is determined that annoyance calls are originated from one of its End User's locations. BellSouth shall be indemnified, defended and held harmless by CI2 and/or the End User against any claim, loss or damage arising from providing this information to CI2. It is the responsibility of CI2 to take the corrective action necessary with its End Users who make annoying calls. (Failure to do so will result in BellSouth's disconnecting the End User's service.)

# 8. Operator Services (Operator Call Processing and Directory Assistance)

- 8.1 Operator Call Processing provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling-card calls). (2) operator or automated assistance for billing after the end user has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency Line Interrupt (ELI), Emergency Agency Call and Operator-assisted Directory Assistance.
- 8.1 Upon request for BellSouth Operator Call Processing, BellSouth shall:
- 8.1.1. Process 0+ and 0- dialed local calls
- 8.1.3.2 Process 0+ and 0- intraLATA toll calls.
- 8.1.4 Process calls that are billed to CI2 end user's calling card that can be validated by BellSouth.
- 8.1.5 Process person-to-person calls.
- 8.1.6 Process collect calls.
- 8.1.7 Provide the capability for callers to bill a third party and shall also process such calls.
- 8.1.8 Process station-to-station calls.
- 8.1.9 Process Busy Line Verify and Emergency Line Interrupt requests.
- 8.1.10 Process emergency call trace originated by Public Safety Answering Points.
- 8.1.11 Process operator-assisted directory assistance calls.
- 8.1.12 Adhere to equal access requirements, providing CI2 local end users the same IXC access that BellSouth provides its own operator service.
- 8.1.13 Exercise at least the same level of fraud control in providing Operator Service to CI2 that BellSouth provides for its own operator service.
- 8.1.14 Perform Billed Number Screening when handling Collect, Person-to-Person, and Billed-To-Third-Party calls.
- 8.1.15 Direct customer account and other similar inquiries to the customer service center designated by CI2.
- 8.1.16 Provide call records to CI2 in accordance with ODUF standards.

- 8.1.17 The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards.
- 8.2 Directory Assistance Service
- 8.2.1 Directory Assistance Service provides local and non-local end user telephone number listings with the option to complete the call at the caller's direction separate and distinct from local switching.
- 8.2.2 Directory Assistance Service shall provide up to two listing requests per call, if available and if requested by CI2's end user. BellSouth shall provide caller-optional directory assistance call completion service at rates set forth in BellSouth's General Subscriber Services Tariff to one of the provided listings.
- 8.3.1 <u>Directory Assistance Service Updates</u>
- 8.3.1 BellSouth shall update end user listings changes daily. These changes include:
- 8.3.2 New end user connections
- 8.3.3 End user disconnections
- 8.3.4 End user address changes
- 8.3.5 These updates shall also be provided for non-listed and non-published numbers for use in emergencies.
- 8.4. <u>Selective Call Routing using Line Class Codes (SCR-LCC)</u>
- 8.4.1 Where CI2 resells BellSouth's services and utilizes an operator services provider other than BellSouth, BellSouth will route CI2's end user calls to that provider through Selective Call Routing.
- 8.4.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for CI2 to have its Operator Call Processing and Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 8.4.3 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service and certain PBX services.
- 8.4.4 Where available, CI2 specific and unique LLCs are programmed in each BellSouth end office switch where CI2 intends to service end users with customized OCP/DA branding. The LCCs specifically identify CI2's end users so OCP/DA calls can be

routed over the appropriate trunk group to the requested OCP/DA platform. Additional line class codes are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and CI2 intends to provide CI2-branded OCP/DA to its end users in these multiple rate areas.

- 8.4.5 SCR-LCC supporting Custom Branding and Self Branding require CI2 to order dedicated transport and trunking from each BellSouth end office identified by CI2, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the CI2 Operator Service Provider for Self Branding. Separate trunk groups are required for OCP/DA. Rates for transport and trunks are set forth in applicable BellSouth Tariffs.
- 8.4.6 The rates for SCR-LCC are as set forth in Exhibit E of this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office.
- 8.4.7 Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by CI2 to the BellSouth Tops. The calls are routed to "No Announcement."

#### 9. Line Information Database (LIDB)

- 9.1 BellSouth will store in its Line Information Database (LIDB) records relating to service only in the BellSouth region. The LIDB Storage Agreement is included in this Attachment as Exhibit B.
- 9.2 BellSouth will provide LIDB Storage upon written request to CI2's Account Manager stating a requested activation date.

## 10. RAO Hosting

10.1 RAO Hosting is not required for resale in the BellSouth region.

#### 11. Optional Daily Usage File (ODUF)

- The Optional Daily Usage File (ODUF) Agreement with terms and conditions is included in this Attachment as Exhibit C. Rates for ODUF are as set forth in Exhibit E of this Attachment.
- 11.2. BellSouth will provide ODUF service upon written request to its Account Manager stating a requested activation date.

# 12. Enhanced Optional Daily Usage File (EODUF)

- 12.1 The Enhanced Optional Daily Usage File (EODUF) service Agreement with terms and conditions is included in this Attachment as Exhibit D. Rates for EODUF are as set forth in Exhibit E of this Attachment.
- BellSouth will provide EODUF service upon written request to its Account Manager stating a requested activation date.

# **EXCLUSIONS AND LIMITATIONS ON SERVICES AVAILABLE FOR RESALE (Note 3)**

Type of Service		AL		FL	(	GA	]	KY	]	LA	N	MS	]	NC		SC	,	TN
Type of Service	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount	Resale	Discount
1 Grandfathered Services (Note 1)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
2 Promotions - > 90 Days(Note 2)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
3 Promotions - ≤ 90 Days (Note 2)	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
4 Lifeline/Link Up Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
5 911/E911 Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
6 N11 Services	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes	Yes	Yes	No	No	Yes	Yes
7 MemoryCall®Service	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
8 Mobile Services	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
9 Federal Subscriber Line Charges	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
10 Nonrecuring Charges	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
11 End User Line Chg- Number Portability	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
12 Public Telephone Access Svc(PTAS)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	Yes
13 Inside Wire Maint Service Plan	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No	Yes	No
Applicable No	tes:																	
<ol> <li>Grandfathered</li> <li>Where available</li> </ol>											fied for t	the promo	tion hac	d it been p	rovided	by BellSo	uth dire	ctly.
3. Some of BellSo	outh's lo	cal exchar	ge and	toll teleco	mmunic	cations serv	vices are	e not avail	able in	certain cer	ntral offi	ices and a	reas.					

#### LINE INFORMATION DATA BASE (LIDB)

#### RESALE STORAGE AGREEMENT

#### I. Definitions (from Addendum)

- A. Billing number a number used by BellSouth for the purpose of identifying an account liable for charges. This number may be a line or a special billing number.
- B. Line number a ten-digit number assigned by BellSouth that identifies a telephone line associated with a resold local exchange service.
- C. Special billing number a ten-digit number that identifies a billing account established by BellSouth in connection with a resold local exchange service.
- D. Calling Card number a billing number plus PIN number assigned by BellSouth.
- E. PIN number a four-digit security code assigned by BellSouth that is added to a billing number to compose a fourteen-digit calling card number.
- F. Toll billing exception indicator associated with a billing number to indicate that it is considered invalid for billing of collect calls or third number calls or both, by CI2.
- G. Billed Number Screening refers to the query service used to determine whether a toll billing exception indicator is present for a particular billing number.
- H. Calling Card Validation refers to the query service used to determine whether a particular calling card number exists as stated or otherwise provided by a caller.
- I. Billing number information information about billing number or Calling Card number as assigned by BellSouth and toll billing exception indicator provided to BellSouth by CI2.
- J. Get-Data refers to the query service used to determine, at a minimum, the Account Owner and/or Regional Accounting Office for a line number. This query service may be modified to provide additional information in the future.
- K. Originating Line Number Screening ("OLNS") refers to the query service used to determine the billing, screening and call handling indicators, station type and Account Owner provided to BellSouth by CI2 for originating line numbers.
- L. Account Owner name of the local exchange telecommunications company that is providing dialtone on a subscriber line.

#### II. General

- A. This Agreement sets forth the terms and conditions pursuant to which BellSouth agrees to store in its LIDB certain information at the request of CI2 and pursuant to which BellSouth, its LIDB customers and CI2 shall have access to such information. In addition, this Agreement sets forth the terms and conditions for CI2's provision of billing number information to BellSouth for inclusion in BellSouth's LIDB. CI2 understands that BellSouth provides access to information in its LIDB to various telecommunications service providers pursuant to applicable tariffs and agrees that information stored at the request of CI2, pursuant to this Agreement, shall be available to those telecommunications service providers. The terms and conditions contained herein shall hereby be made a part of this Resale Agreement upon notice to CI2's account team and/or Local Contract Manager activate this LIDB Storage Agreement. The General Terms and Conditions of the Resale Agreement shall govern this LIDB Storage Agreement. The terms and conditions contained in the attached Addendum are hereby made a part of this LIDB Storage Agreement as if fully incorporated herein.
- B. BellSouth will provide responses to on-line, call-by-call queries to billing number information for the following purposes:

## 1. Billed Number Screening

BellSouth is authorized to use the billing number information to determine whether CI2 has identified the billing number as one that should not be billed for collect or third number calls.

#### 2. Calling Card Validation

BellSouth is authorized to validate a 14-digit Calling Card number where the first 10 digits are a line number or special billing number assigned by BellSouth, and where the last four digits (PIN) are a security code assigned by BellSouth.

#### 3. OLNS

BellSouth is authorized to provide originating line screening information for billing services restrictions, station type, call handling indicators, presubscribed interLATA and local carrier and account owner on the lines of CI2 from which a call originates.

#### 4. GetData

BellSouth is authorized to provide, at a minimum, the account owner and/or Regional Accounting Office information on the lines of CI2 indicating the local

service provider and where billing records are to be sent for settlement purposes. This query service may be modified to provide additional information in the future.

#### 5. Fraud Control

BellSouth will provide seven days per week, 24-hours per day, fraud monitoring on Calling Cards, bill-to-third and collect calls made to numbers in BellSouth's LIDB, provided that such information is included in the LIDB query. BellSouth will establish fraud alert thresholds and will notify CI2 of fraud alerts so that CI2 may take action it deems appropriate.

## III. Responsibilities of the Parties

A. BellSouth will administer all data stored in the LIDB, including the data provided by CI2 pursuant to this Agreement, in the same manner as BellSouth's data for BellSouth's End User customers. BellSouth shall not be responsible to CI2 for any lost revenue which may result from BellSouth's administration of the LIDB pursuant to its established practices and procedures as they exist and as they may be changed by BellSouth in its sole discretion from time to time.

#### B. Billing and Collection Customers

BellSouth currently has in effect numerous billing and collection agreements with various interexchange carriers and billing clearing houses and as such these billing and collection customers ("B&C Customers") query BellSouth's LIDB to determine whether to accept various billing options from End Users. Until such time as BellSouth implements in its LIDB and its supporting systems the means to differentiate CI2's data from BellSouth's data, the following shall apply:

- (1) BellSouth will identify CI2 end user originated long distance charges and will return those charges to the interexchange carrier as not covered by the existing B&C agreement. CI2 is responsible for entering into the appropriate agreement with interexchange carriers for handling of long distance charges by their end users.
- (2) BellSouth shall have no obligation to become involved in any disputes between CI2 and B&C Customers. BellSouth will not issue adjustments for charges billed on behalf of any B&C Customer to CI2. It shall be the responsibility of CI2 and the B&C Customers to negotiate and arrange for any appropriate adjustments.

#### IV. Fees for Service and Taxes

- A. CI2 will not be charged a fee for storage services provided by BellSouth to CI2, as described in this LIDB Resale Storage Agreement.
- B. Sales, use and all other taxes (excluding taxes on BellSouth's income) determined by BellSouth or any taxing authority to be due to any federal, state or local taxing jurisdiction with respect to the provision of the service set forth herein will be paid by

Attachment 1 Page 19 Exhibit B

CI2 in accordance with the tax provisions set forth in the General Terms and Conditions of this Agreement.

#### **Optional Daily Usage File**

- 1. Upon written request from CI2, BellSouth will provide the Optional Daily Usage File (ODUF) service to CI2 pursuant to the terms and conditions set forth in this section.
- 2. CI2 shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 3. The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a CI2 customer.
- 4. Charges for ODUF will appear on CI2's monthly bills. The charges are as set forth in Exhibit E to this Attachment. ODUF charges are billed once a month for the previous month's usage. CI2 will be billed at the ODUF rates that are in effect at the end of the previous month.
- 5. The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- Messages that error in CI2's billing system will be the responsibility of CI2. If, however, CI2 should encounter significant volumes of errored messages that prevent processing by CI2 within its systems, BellSouth will work with CI2 to determine the source of the errors and the appropriate resolution.
- 6. The following specifications shall apply to the ODUF feed.
- 6.1 ODUF Message to be Transmitted
- 6.1.1 The following messages recorded by BellSouth will be transmitted to CI2:
  - Message recording for per use/per activation type services (examples: Three Way Calling, Verify, Interrupt, Call Return, etc.)
  - Measured billable Local
  - Directory Assistance messages
  - IntraLATA Toll
  - WATS and 800 Service
  - N11

- Information Service Provider Messages
- Operator Services Messages
- Credit/Cancel Records
- Usage for Voice Mail Message Service
- 6.1.2 Rated Incollects (originated in BellSouth and from other companies) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 6.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to CI2.
- 6.1.4 In the event that CI2 detects a duplicate on ODUF they receive from BellSouth, CI2 will drop the duplicate message and will not return the duplicate to BellSouth).
- 6.2 ODUF Physical File Characteristics
- 6.2.1 The ODUF will be distributed to CI2 via CONNECT:Direct or Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- Data circuits (private line or dial-up) will be required between BellSouth and CI2 for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, CI2 will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. CI2 will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to CI2. Additionally, all message toll charges associated with the use of the dial circuit by CI2 will be the responsibility of CI2. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on CI2 end for the purpose of data transmission will be the responsibility of CI2.
- 6.2.3 If CI2 utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of CI2.

## 6.3 ODUF Packing Specifications

- 6.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 6.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CI2 which BellSouth RAO is sending the message. BellSouth and CI2 will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by CI2 and resend the data as appropriate.

The data will be packed using ATIS EMI records.

#### 6.4 ODUF Pack Rejection

6.4.1 CI2 will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI Error Codes will be used. CI2 will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to CI2 by BellSouth.

#### 6.5 ODUF Control Data

CI2 will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate CI2 received the pack and the acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by CI2 for reasons stated in the above section.

#### 6.6 ODUF Testing

Upon request from CI2, BellSouth shall send test files to CI2 for the ODUF. The Parties agree to review and discuss the file's content and/or format. For testing of usage results, BellSouth shall request that CI2 set up a production (live) file. The live test may consist of CI2's employees making test calls for the types of services CI2 requests on the ODUF. These test calls are logged by CI2, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

## **Enhanced Optional Daily Usage File**

- 1. Upon written request from CI2, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to CI2 pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 2. CI2 shall furnish all relevant information required by BellSouth for the provision of the EODUF.
- 3. The EODUF will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- 4. Charges for delivery of the EODUF will appear on CI2's monthly bills. EODUF charges are billed at the EODUF rates that are in effect at the end of the previous month. The charges are as set forth in Exhibit E to this Attachment.
- 5. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 6. Messages that error in the billing system of CI2 will be the responsibility of CI2. If, however, CI2 should encounter significant volumes of errored messages that prevent processing by CI2 within its systems, BellSouth will work with CI2 to determine the source of the errors and the appropriate resolution.
- 7. The following specifications shall apply to the EODUF feed.
- 7.1 <u>Usage To Be Transmitted</u>
- 7.1.1 The following messages recorded by BellSouth will be transmitted to CI2:

Customer usage data for flat rated local call originating from CI2's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include:

Date of Call

From Number

To Number

Connect Time

**Conversation Time** 

Method of Recording

From RAO

Rate Class

Message Type

**Billing Indicators** 

Bill to Number

- 7.1.2 BellSouth will perform duplicate record checks on EODUF records processed to O DUF. Any duplicate messages detected will be deleted and not sent to CI2.
- 7.1.3 In the event that CI2 detects a duplicate on EODUF they receive from BellSouth, CI2 will drop the duplicate message (CI2 will not return the duplicate to BellSouth).
- 7.2 Physical File Characteristics
- 7.2.1 The EODUF feed will be distributed to CI2 via Connect: Direct, Secure File Transfer Protocol (FTP)or another mutually agreed medium. The EODUF messages will be intermingled among CI2's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holiday.
- 7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and CI2 for the purpose of data transmission as set forth in Section 6.2.2 above.
- 7.2.3 If CI2 utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of CI2.
- 7.3 <u>Packing Specifications</u>
- 7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- 7.3.2 The OCN, From (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CI2 which BellSouth RAO is sending the message. BellSouth and CI2 will use the invoice sequencing to control data exchange.

Attachment 1 Page 25 Exhibit D

BellSouth will be notified of sequence failures identified by CI2 and resend the data as appropriate.

The data will be packed using ATIS EMI Records.

RESA	LE DIS	COUNTS AND RATES - Alabama												Attach	ment: 1	Exhi	bit: E
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									Po. 2011	poi zoit	Electronic-	Electronic-		Electronic-
														1st	Add'I	Disc 1st	Disc Add'l
														131	Addi	Diac iat	Disc Add I
							Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI I	ADIEI	DISCOUNTS														-	
AFFLI		Residence %					16.30										
-		Business %					16.30									-	
-		CSAs %					16.30									-	
ODED		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					10.30										
OFERA		(1) CLEC should contact its contract negotiator if it prefers the	o "etate	enecit	ic" OSS charges as	ordered by t	he State Comm	issions The	age charges	irrently contai	ned in this rate	a evhibit are	the BellSo	uth "regional	" service orde	ring charges	CL EC may
		ther the state specific Commission ordered rates for the service															
		OSS - Electronic Service Order Charge, Per Local Service				1			.,,				- J				
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELEC	TIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch						84.70	84.70	14.11	14.11						
ODUF/	EODUF :	SERVICES															
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.000011										
		ODUF: Message Processing, per message					0.004101										
		ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
	ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.22										

Version 3Q03: 11/12/2003 Page 1 of 14

RESALE DIS	SCOUNTS AND RATES - Florida												Attach	ment: 1	Exhi	bit: E
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
	10.12	m									per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring		001150	001111		Rates (\$)	001441	001141
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															
	Residence %					21.83										
	Business %					16.81										
	CSAs %					16.81										
	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers the ther the state specific Commission ordered rates for the servi-															
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE C	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	12.71	12.71						
ODUF/EODUF	SERVICES															
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
ENHAI	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.080698			1					l	ĺ	1

RES/	LE DIS	COUNTS AND RATES - Georgia												Attach	ment: 1	Exhi	bit: E
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	SORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	p = = = = = = = =	Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.444.
							Rec	Nonred		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A D D I I	CABLE	DISCOUNTS															
AFFLI	_	Residence %					20.30					1					
-		Business %					17.30					1					
-		CSAs %					17.30										
OPER		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					17.50										
O. Lit		(1) CLEC should contact its contract negotiator if it prefers the	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The (	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the service															
		OSS - Electronic Service Order Charge, Per Local Service					Ĭ										
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELEC	TIVE CA	LL ROUTING USING LINE CLASS CODES (SCR-LCC)															
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch						102.19	61.15	12.68	6.34						
ODUF		SERVICES															
		NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000068										
		ODUF: Message Processing, per message					0.002167										
		ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
		CED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.227409										

RESALE DI	SCOUNTS AND RATES - Kentucky												Attach	ment: 1	Exhi	bit: E
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE	DISCOUNTS															$\vdash$
ALLEGABLE	Residence %					16.79										<del> </del>
	Business %					15.54										
	CSAs %					15.54										
<b>OPERATION</b>	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	: (1) CLEC should contact its contract negotiator if it prefers the either the state specific Commission ordered rates for the servi															
	OSS - Electronic Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request (LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE O	CALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.53	93.53	15.58	15.58						
ODUF/EODUF	SERVICES															
OPTIO	ONAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000136										
	ODUF: Message Processing, per message					0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
ENHA	NCED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message				1	0.235889								1		1

RESALE DIS	COUNTS AND RATES - Louisiana												Attach	ment: 1	Exhi	ibit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						D	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ABBUIGABUE	NOON INTO															
APPLICABLE I						20.72										
	Residence % Business %					20.72										
-	CSAs %															
ODEDATIONAL	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					9.05										
	(1) CLEC should contact its contract negotiator if it prefers the	o "ototo	onooif	a" OCC abargas as	ardarad by	ha Stata Camm	issians The	OCC oborgos o	urrantly aantai	nad in this rat	o ovbibit or	the Bellee	uth "rogional	" comico orde	ring sharass	CI EC may
	ther the state specific Commission ordered rates for the servi															
	OSS - Electronic Service Order Charge, Per Local Service					J		,,				- g				
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request								0.00							
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						82.25	82.25								
ODUF/EODUF	SERVICES															
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
ENHAN	CED OPTIONAL DAILY USAGE FILE (EODUF)			·												
	EODUF: Message Processing, per message					0.250015										

RESA	LE DIS	COUNTS AND RATES - Mississippi												Attach	ment: 1	Exhi	bit: E
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 20.1	poi zoit	Electronic-	Electronic-		Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonred		Nonrecurring	Disconnect				Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDLI	CABLE	DISCOUNTS															
AFFLI		Residence %					15.75										
-		Business %					15.75					-					
-		CSAs %					15.75					-					
OBED		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"					15.75					1					
OFER		(1) CLEC should contact its contract negotiator if it prefers the	o "etate	enecit	ic" OSS charges as	ordered by t	he State Comm	issions The	age charges	urrently contai	ned in this rat	e evhihit are	the BellSo	uth "regional	" service orde	ring charges	CLEC may
		ther the state specific Commission ordered rates for the service															
		OSS - Electronic Service Order Charge, Per Local Service				1			.,,				- 3				
		Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request								0.00	0.00						
		(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELEC	TIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
		Selective Routing Per Unique Line Class Code Per Request Per															
		Switch						85.19	85.19	14.19	14.19						
ODUF/	EODUF	SERVICES															
	OPTIO	NAL DAILY USAGE FILE (ODUF)															
		ODUF: Recording, per message					0.0000063										
		ODUF: Message Processing, per message					0.004707										
		ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
		ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669	_									
	ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
		EODUF: Message Processing, per message					0.250424	_									

RESALE DIS	SCOUNTS AND RATES - North Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									Po. 20.1	Po. 2011	Electronic-			Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	Disc Aud I
						Rec	Nonre		Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I	DISCOUNTS															$\vdash$
ATT ETOABLE !	Residence %					21.50										
	Business %				+	17.60										
	CSAs %					17.60										
OPERATIONAL	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	exhibit are	the BellSo	uth "regional	" service orde	ring charges.	. CLEC may
	ither the state specific Commission ordered rates for the servi															
	OSS - Electronic Service Order Charge, Per Local Service					Ĭ		ľ				ľ				
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						188.59									
ODUF/EODUF	SERVICES															
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0003										
	ODUF: Message Processing, per message					0.0032										
	ODUF: Message Processing, per Magnetic Tape provisioned					54.61										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00004										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)			, and the second												
	EODUF: Message Processing, per message					0.2285406										

RESALE DIS	COUNTS AND RATES - South Carolina												Attach	ment: 1	Exhi	bit: E
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	<b>Manual Svc</b>	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												· ·	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
APPLICABLE I	DISCOUNTS															
	Residence %					14.80										
	Business %					14.80										
	CSAs %					8.98										
	SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	(1) CLEC should contact its contract negotiator if it prefers th															
elect ei	ther the state specific Commission ordered rates for the servi	ce orde	ring ch	arges, or CLEC may	elect the re	gional service of	ordering charg	e, however, Cl	EC can not ob	tain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	OSS - Electronic Service Order Charge, Per Local Service															
	Request (LSR) - Resale Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
	(LSR) - Resale Only				SOMAN		19.99	0.00	19.99	0.00						
SELECTIVE CA	ALL ROUTING USING LINE CLASS CODES (SCR-LCC)															
	Selective Routing Per Unique Line Class Code Per Request Per															
	Switch						84.89	84.89	14.14	14.14						
ODUF/EODUF																
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
ENHAN	ICED OPTIONAL DAILY USAGE FILE (EODUF)															
	EODUF: Message Processing, per message					0.258301										

RESALE	DISCOU	NTS AND	RATES	- Tennes	see			
CATEGOR	RY	RATE ELEMEN TS	Interim	Zone	BCS	USOC		
								Nonrecur
							Rec	ring
								First
APPLICAE	BLE DISCO							
		Residence						
		%					16.00	
		Business						
		%					16.00	
		CSAs %					16.00	
OPERATION	ONAL SUP	PORT SYS	TEMS (OS	S) - "REGIO	DNAL RAT	ES"		
	NOTE: (1)	CLEC sho	uld contac	t its contra	ct negotia	tor if it pref	ers the "st	ate specific
		OSS -						
		Electronic						
		Service						
		Order						
		Charge,						
		Per Local						
		Service						
		Request						
		(LSR) -						
		Resale				COMEC		2.50
		Only OSS -				SOMEC		3.50
		Manual						
		Service						
		Order						
		Charge,						
		Per Local						
		Service						
		Request						
		(LSR) -						
		Resale						
		Only				SOMAN		19.99
SELECTIV	E CALL R	OUTING US	SING LINE	CLASS CC	DES (SCR			
				55 50	(	/		

		Selective						
		Routing						
		Per						
		Unique						
		Line Class						
		Code Per						
		Request						
		Per						
		Switch						179.60
ODUF/EO	DUF SERVI							
		L DAILY US	SAGE FILE	(ODUF)				
		ODUF:						
		Recording						
		, per						
		message					########	
		ODUF:						
		Message						
		Processin						
		g, per						
		message					########	
		ODUF:						
		Message						
		Processin						
		g, per						
		Magnetic						
		Tape						
		provisione						
		d					52.75	
		ODUF:						
		Data .						
		Transmiss						
		ion						
		(CONNEC						
		T:DIRECT						
		), per						
	FAULANCE	message	AL DAUNC	UCACE E"			########	
	ENHANCE	D OPTION	AL DAILY	USAGE FIL	E (EODUF	)		
		EODUF:						
		Message						
		Processin						
		g, per					0.004	
		message					0.004	

					I		1	1
			ī	ī		ment: 1		bit: E
			Svc	Svc		Incremen		
			Order	Order	tal	tal	tal	tal
			Submitte		_		Charge -	
(4)			d Elec	d	Manual	Manual	Manual	Manual
RATES (\$)			per LSR	Manually	Svc	Svc	Svc	Svc
				per LSR	Order vs.		Order vs.	
					Electroni	Electroni	Electroni	
					c-1st	c-Add'l	c-Disc 1st	
								∆44,I
	Nonrecui	rring Disco			OSS P	ates (\$)		
Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Addi	11130	Addi	OCIVILO	OOMAN	JOINAIT	JOINAIT	JOHNAIN	OOMAN
c" OSS cha	arges as or	dered by t	he State Co	ommission	s. The OS	S charges	currently o	ontained
0.00	3.50	0.00						
0.00	0.00	0.00						
0.00	19.99	0.00						

179.60				
173.00				

-		
1		
1		
1		
]		

,	•			

# **Attachment 2**

**Network Elements and Other Services** 

# **TABLE OF CONTENTS**

5	UNBUNDLED NETWORK ELEMENT COMBINATIONS	42
6	TRANSPORT, CHANNELIZATION AND DARK FIBER	46
7	DATABASES	50
8	BELLSOUTH SWITCHED ACCESS (SWA) 8XX TOLL FREE DIALING TEN DIGIT SCREENIN	
SEF	RVICE	51
9	LINE INFORMATION DATABASE (LIDB)	51
10	SIGNALING	54
11	AUTOMATIC LOCATION IDENTIFICATION/DATA MANAGEMENT SYSTEM (ALI/DMS)	60
12	CALLING NAME (CNAM) DATABASE SERVICE	60
13	SERVICE CREATION ENVIRONMENT AND SERVICE MANAGEMENT SYSTEM (SCE/SMS)	
ΑD	VANCED INTELLIGENT NETWORK (AIN) ACCESS	62
14	OPERATIONAL SUPPORT SYSTEMS (OSS)	62
Ra	entes Exhibit	A

#### ACCESS TO NETWORK ELEMENTS AND OTHER SERVICES

# 1 <u>Introduction</u>

- This Attachment sets forth rates, terms and conditions for Network Elements and combinations of Network Elements that BellSouth agrees to offer to CI2 in accordance with its obligations under Section 251(c)(3) of the Act. Additionally, this Attachment sets forth the rates, terms and conditions for other facilities and services BellSouth makes available to CI2 (Other Services). The rates for each Network Element and combination of Network Elements and Other Services are set forth in Exhibit A of this Attachment. Additionally, the provision of a particular Network Element or Other Service may require CI2 to purchase other Network Elements or services. In the event of a conflict between this Attachment and any other section or provision of this Agreement, the provisions of this Attachment shall control.
- 1.2 For purposes of this Agreement, "Network Element" is defined to mean a facility or equipment CI2 used in the provision of a qualifying service, as defined by the FCC. CI2 may not access a Network Element for the sole purpose of providing non-qualifying services as defined by the FCC. For purposes of this Agreement, combinations of Network Elements shall be referred to as "Combinations."
- 1.3 BellSouth shall, upon request of CI2, and to the extent technically feasible, provide to CI2 access to its Network Elements for the provision of CI2's qualifying services. If no rate is identified in this Agreement, the rate will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.
- 1.4 CI2 may purchase and use Network Elements and Other Services from BellSouth in accordance with 47 C.F.R 51.309.
- 1.5 BellSouth shall comply with the requirements as set forth in the technical references within this Attachment 2.
- 1.6 To the extent any Network Elements, combinations of Network Elements, services or terms and conditions contained herein are based upon FCC rules and orders that are vacated by the DC Circuit Court of Appeals in an effective order, such Network Elements, combinations of Network Elements and services shall no longer be available pursuant to this Attachment. Upon the effective date of such order, CI2 will not attempt to order any such Network Elements, combinations of Network Elements or services that are subject to the vacatur. BellSouth and CI2 will work cooperatively to transition the embedded base of such Network Elements, combinations of Network Elements and services to tariffed services or to services offered pursuant to a separate commercial agreement, provided that the appropriate tariff rate or rate set forth in such commercial agreement shall apply

from the effective date of the vacatur. In the event CI2 has not entered into a separate commercial agreement, or transitioned such services to a tariffed service, or if the parties are unable to agree on a transition schedule for the embedded base Network Elements, combinations of Network Elements or services within thirty (30) calendar days of the effective date of the vacatur, BellSouth may disconnect those Network Elements, combinations of Network Elements or services upon thirty (30) calendar days notice. If CI2 has not entered into a commercial agreement necessary for certain Network Elements, combinations of Network Elements or services, and BellSouth disconnects such Network Elements, combinations of Network Elements or services pursuant to the preceding sentence, BellSouth's then current market rates shall apply to such Network Elements, combinations of Network Elements or services from the effective date of the vacatur until disconnection.

- Upon request, BellSouth shall convert a wholesale service, or group of wholesale services, to the equivalent unbundled Network Element, or combination of elements that is available to CI2 under Section 251(c)(3) of the Telecommunications Act of 1996. Nonrecurring switch-as-is rates for conversion of Network Elements are contained in Exhibit A of this Attachment. Conversion of a wholesale service or group of wholesale services shall be considered termination for purposes of any volume and/or term commitments and/or grandfathered status between CI2 and BellSouth. Any change from a wholesale service to a Network Element that requires a physical rearrangement of the Network Element will not be considered a conversion for purposes of this Agreement.
- 1.8 Except to the extent expressly provided otherwise in this Attachment, for Network Elements or combinations of Network Elements (collectively "Arrangements") that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement (for example, but not limited to, local channels or noncompliant EELs), CI2 will submit orders to rearrange, disconnect or convert those arrangements or services within thirty (30) calendar days of the last signature date of this Agreement. If orders to rearrange, disconnect or convert those Arrangements are not received by the thirty-first (31<sup>st</sup>) calendar day after the last signature date of this Agreement, BellSouth shall provide CI2 notice of those Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement, and CI2 shall submit orders to rearrange, disconnect or convert those Arrangements within sixteen (16) calendar days of the date of such notice from BellSouth. If CI2 fails to submit orders to rearrange, disconnect or convert such Arrangements within sixteen (16) calendar days of BellSouth's notice, BellSouth may disconnect those Arrangements without further notice.
- 1.8.1 In the event all orders to rearrange, disconnect or convert Arrangements are not received by the thirty-first (31<sup>st</sup>) calendar day after the last signature date of this

Agreement, then 1) in the event no orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30<sup>th</sup>) calendar day after BellSouth's notice, CI2 shall pay BellSouth the rate BellSouth could have charged had CI2 transitioned those Arrangements to another tariffed or contract service arrangement beginning on the Effective Date of this Agreement to the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed; or 2) in the event orders to rearrange, disconnect or convert an Arrangement are submitted prior to the thirtieth (30<sup>th</sup>) calendar day after BellSouth's notice, CI2 shall pay BellSouth the rate charged for such Arrangements under this Agreement until the date orders to rearrange, disconnect or convert such Arrangements or services are actually completed and the new rate applicable to such services as specified in BellSouth's tariffs or in a separate contract once the orders are actually completed. If CI2 has failed to identify at least 98% of the Arrangements that are no longer offered pursuant to, or are not in compliance with, the terms set forth in this Agreement prior to the thirty-first (31st) calendar day after the last signature date of this Agreement, then CI2 shall reimburse BellSouth for labor incurred in identifying such Network Elements or combinations of Network Elements pursuant to the rates set forth in the Access Tariff.

- 1.8.2 Where no re-termination or physical rearrangement of the Arrangement is required, CI2 will be charged a non-recurring switch-as-is-charge established for the individual Network Elements(s) as set forth in Exhibit A. For arrangements that require a re-termination or other physical rearrangement of the Arrangement to comply with the terms of this Agreement, full non-recurring charges for the applicable Network Element from Exhibit A of this Attachment will apply. To the extent an Arrangement requires re-termination or other physical rearrangement in order to comply with a tariff or separate agreement, the applicable rates, terms and conditions of such tariff or separate agreement shall apply. CI2 shall be responsible for all applicable disconnection charges pursuant to this Agreement for Arrangements that are disconnected or rearranged pursuant to these Sections 1.8 1.8.1.
- 1.8.3 CI2 may utilize Network Elements and Other Services to provide services as long as such services are consistent with industry standards and applicable BellSouth Technical References.
- 1.8.4 Except to the extent expressly provided otherwise in this Attachment, if a Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth to perform such routine network modifications. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.

1.8.5 Notwithstanding any other provision of this Agreement, BellSouth will not commingle or combine Network Elements or combinations of Network Elements with any service, network element or other offering that it is obligated to make available only pursuant to Section 271 of the Act.

## 1.9 Commingling of Services

- 1.9.1 Commingling means the connecting, attaching, or otherwise linking of a Network Element, or a Network Element combination, to one or more telecommunications services or facilities that CI2 has obtained at wholesale from BellSouth, or the combining of a Network Element or Network Element combination with one or more such wholesale telecommunications services or facilities.
- 1.9.2 Subject to the limitations set forth elsewhere in this Attachment, BellSouth shall not deny access to a Network Element or a combination of Network Elements on the grounds that one or more of the elements: 1) is connected to, attached to, linked to, or combined with such a facility or service obtained from BellSouth; or 2) shares part of BellSouth's network with access services or inputs for non-qualifying services.
- 1.9.3 BellSouth will not "ratchet" a commingled circuit. Unless otherwise agreed to by the Parties, the Network Element portion of such circuit will be billed at the rates set forth in this Agreement and the remainder of the circuit or service will be billed in accordance with BellSouth's tariffed rates.
- 1.9.4 When multiplexing equipment is attached to a commingled circuit, the multiplexing equipment will be billed from the same jurisdictional authorization (agreement or tariff) as the higher level of service and the Central Office Channel Interfaces will be billed from the same jurisdictional authorization (agreement or tariff) as the lower level of service.
- 1.10 If CI2 reports a trouble on a Network Element or Other Service and no trouble actually exists on the BellSouth portion, BellSouth will charge CI2 for any dispatching and testing (both inside and outside the Central Office (CO)) required by BellSouth in order to confirm the working status.

#### 1.11 Rates

- 1.11.1 The prices that CI2 shall pay to BellSouth for Network Elements and Other Services are set forth in Exhibit A to this Attachment. If CI2 purchases a service(s) from a tariff, all terms and conditions and rates as set forth in such tariff shall apply.
- 1.11.2 Rates, terms and conditions for order cancellation charges and Service Date Advancement Charges will apply in accordance with Attachment 6 and are incorporated herein by this reference.

- 1.11.3 If CI2 modifies an order (Order Modification Charge (OMC)) after being sent a Firm Order Confirmation (FOC) from BellSouth, any costs incurred by BellSouth to accommodate the modification will be paid by CI2 in accordance with FCC No. 1 Tariff, Section 5.
- 1.11.4 A one-month minimum billing period shall apply to all Network Elements and Other Services.

#### 2 Unbundled Loops

## 2.1 General

- 2.1.1 The local loop Network Element (Loop) is defined as a transmission facility between a distribution frame (or its equivalent) in BellSouth's central office and the Loop demarcation point at an End User's customer premises, including inside wire owned by BellSouth. Facilities that do not terminate at a demarcation point at an End User customer premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute Loops. The Loop Network Element includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's customer premises. CI2 shall purchase the entire bandwidth of the Loop and, except as required herein or as otherwise agreed to by the Parties, BellSouth shall not subdivide the frequency of the Loop.
- 2.1.1.1 The Loop does not include any packet switched features, functions or capabilities.
- 2.1.1.2 In new build (Greenfield) areas, where BellSouth has only deployed Fiber To The Home (FTTH) facilities, BellSouth is under no obligation to provide Loops.
- 2.1.1.3 In FTTH overbuild situations where BellSouth also has copper Loops, BellSouth will make those copper Loops available to CI2 on an unbundled basis, until such time as BellSouth chooses to retire those copper Loops using the FCC's network disclosure requirements. In these cases, BellSouth will offer a 64kbps second voice grade channel over its FTTH facilities.
- 2.1.1.4 Furthermore, in FTTH overbuild areas, BellSouth is not obligated to ensure that copper Loops in that area are capable of transmitting signals prior to receiving a request for access to such Loops by CI2. If a request is received by BellSouth for a copper Loop, BellSouth will restore the copper Loop to serviceable condition if technically feasible. In these instances of Loop orders in an FTTH overbuild area, BellSouth's standard Loop provisioning interval will not apply, and the order will

be handled on a project basis by which the Parties will negotiate the applicable provisioning interval.

- 2.1.1.5 For hybrid loops, where CI2 seeks access to a hybrid loop for the provision of broadband services, BellSouth shall provide CI2 with nondiscriminatory access to the time division multiplexing features, functions and capabilities of that hybrid loop, including DS1 or DS3, on an unbundled basis to establish a complete transmission path between BellSouth's central office and an End User's customer premises.
- 2.1.1.6 CI2 may not purchase Loops or convert Special Access circuits to Loops if such Loops will be used to provide wireless telecommunications services.
- 2.1.2 The provisioning of a Loop to CI2's collocation space will require cross office cabling and cross connections within the central office to connect the Loop to a local switch or to other transmission equipment. These cross connects are separate components that are not considered a part of the Loop, and thus, have a separate charge.
- 2.1.3 Where facilities are available, BellSouth will install Loops in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>. For orders of fifteen (15) or more Loops, the installation and any applicable Order Coordination as described below will be handled on a project basis, and the intervals will be set by the BellSouth project manager for that order. When Loops require a Service Inquiry (SI) prior to issuing the order to determine if facilities are available, the interval for the SI process is separate from the installation interval.
- 2.1.4 The Loop shall be provided to CI2 in accordance with BellSouth's TR73600 Unbundled Local Loop Technical Specification and applicable industry standard technical references.
- 2.1.5 BellSouth will only provision, maintain and repair the Loops to the standards that are consistent with the type of Loop ordered.
- 2.1.5.1 When a BellSouth technician is required to be dispatched to provision the Loop, BellSouth will tag the Loop with the Circuit ID number and the name of the ordering CLEC. When a dispatch is not required to provision the Loop, BellSouth will tag the Loop on the next required visit to the End User's location. If CI2 wants to ensure the Loop is tagged during the provisioning process for Loops that may not require a dispatch (e.g. UVL-SL1, UVL-SL2, and UCL-ND), CI2 may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A of this Attachment.
- 2.1.5.2 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by CI2 (e.g., incomplete

address, incorrect contact name/number, etc.), BellSouth will bill CI2 for each additional dispatch required to provision the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.6 **Loop Testing/Trouble Reporting**

- 2.1.6.1 CI2 will be responsible for testing and isolating troubles on the Loops. CI2 must test and isolate trouble to the BellSouth portion of a designed/non-designed unbundled Loop (e.g., UVL-SL2, UCL-D, UVL-SL1, UCL-ND, etc.) before reporting repair to the UNE Customer Wholesale Interconnection Network Services (CWINS) Center. Upon request from BellSouth at the time of the trouble report, CI2 will be required to provide the results of the CI2 test which indicate a problem on the BellSouth provided Loop.
- 2.1.6.2 Once CI2 has isolated a trouble to the BellSouth provided Loop, and had issued a trouble report to BellSouth on the Loop, BellSouth will take the actions necessary to repair the Loop if a trouble actually exists. BellSouth will repair these Loops in the same time frames that BellSouth repairs similarly situated Loops to its End Users.
- 2.1.6.3 If CI2 reports a trouble on a non-designed or designed Loop and no trouble actually exists, BellSouth will charge CI2 for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the Loop's working status.
- 2.1.6.4 In the event BellSouth must dispatch to the end-user's location more than once due to incorrect or incomplete information provided by CI2 (e.g., incomplete address, incorrect contact name/number, etc.), BellSouth will bill CI2 for each additional dispatch required to repair the circuit due to the incorrect/incomplete information provided. BellSouth will assess the applicable Trouble Determination rates from BellSouth's FCC or state tariffs.

## 2.1.7 <u>Order Coordination and Order Coordination-Time Specific</u>

- 2.1.7.1 "Order Coordination" (OC) allows BellSouth and CI2 to coordinate the installation of the SL2 Loops, Unbundled Digital Loops (UDL) and other Loops where OC may be purchased as an option, to CI2's facilities to limit End User service outage. OC is available when the Loop is provisioned over an existing circuit that is currently providing service to the End User. OC for physical conversions will be scheduled at BellSouth's discretion during normal working hours on the committed due date. OC shall be provided in accordance with the chart set forth below.
- 2.1.7.2 "Order Coordination Time Specific" (OC-TS) allows CI2 to order a specific time for OC to take place. BellSouth will make every effort to accommodate CI2's

specific conversion time request. However, BellSouth reserves the right to negotiate with CI2 a conversion time based on load and appointment control when necessary. This OC-TS is a chargeable option for all Loops except Unbundled Copper Loops (UCL) and is billed in addition to the OC charge. CI2 may specify a time between 9:00 a.m. and 4:00 p.m. (location time) Monday through Friday (excluding holidays). If CI2 specifies a time outside this window, or selects a time or quantity of Loops that requires BellSouth technicians to work outside normal work hours, overtime charges will apply in addition to the OC and OC-TS charges. Overtime charges will be applied based on the amount of overtime worked and in accordance with the rates established in the Access Services Tariff, Section E13.2, for each state. The OC-TS charges for an order due on the same day at the same location will be applied on a per Local Service Request (LSR) basis.

### 2.1.8 <u>CLEC to CLEC Conversions for Unbundled Loops</u>

- 2.1.8.1 The CLEC to CLEC conversion process for unbundled Loops may be used by CI2 when converting an existing unbundled Loop from another CLEC for the same End User. The Loop type being converted must be included in CI2's Interconnection Agreement before requesting a conversion.
- 2.1.8.2 To utilize the CLEC to CLEC conversion process, the Loop being converted must be the same Loop type with no requested changes to the Loop, must serve the same End User location from the same serving wire center, and must not require an outside dispatch to provision.
- 2.1.8.3 The Loops converted to CI2 pursuant to the CLEC to CLEC conversion process shall be provisioned in the same manner and with the same functionality and options as described in this Attachment for the specific Loop type.

	Order Coordination (OC)	Order Coordination  - Time Specific (OC-TS)	Test Points	DLR	Charge for Dispatch and Testing if No Trouble Found
SL-1 (Non- Designed)	Chargeable Option	Chargeable Option	Not available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
UCL-ND (Non- Designed)	Chargeable Option	Not Available	Not Available	Chargeable Option – ordered as Engineering Information Document	Charged for Dispatch inside and outside Central Office
Unbundled Voice Loops - SL-2 (including 2- and 4-wire UVL) (Designed)	Included	Chargeable Option	Included	Included	Charged for Dispatch outside Central Office
Unbundled Digital Loop (Designed)	Included	Chargeable Option (except on Universal Digital Channel)	Included (where appropriate)	Included	Charged for Dispatch outside Central Office
Unbundled Copper Loop (Designed)	Chargeable in accordance with Section 2	Not available	Included	Included	Charged for Dispatch outside Central Office

For UVL-SL1 and UCLs, CI2 must order and will be billed for both OC and OC-TS if requesting OC-TS.

#### 2.1.9 **Bulk Migration**

2.1.9.1 If CI2 requests to migrate twenty-five (25) or more UNE-Port/Loop Combination (UNE-P) customers to UNE-Loop (UNE-L) in the same Central Office on the same due date, CI2 must use the Bulk Migration process, which is described in the BellSouth CLEC Information Package, "UNE-Port/Loop Combination (UNE-P) to UNE-Loop (UNE-L) Bulk Migration." This CLEC Information package, incorporated herein by reference as it may be amended from time to time, is located at www.interconnection.bellsouth.com/guides/html/unes.html. The rates

for the Bulk Migration process shall be the nonrecurring rates associated with the Loop type being requested on the Bulk Migration, as set forth in Exhibit A of this Attachment. Additionally, OSS charges will also apply per LSR generated per customer account as provided for in the Bulk Migration Request. The migration of loops from Integrated Digital Loop Carrier (IDLC) will be done pursuant to Section 2.6 of this Attachment.

# 2.1.10 <u>Ordering Guidelines and Processes</u>

- 2.1.10.1 For information regarding Ordering Guidelines and Processes for various UNEs, CI2 should refer to the "Guides" section of the BellSouth Interconnection website, which is incorporated herein by reference, as amended from time to time. The website address is: http://www.interconnection.bellsouth.com/
- 2.1.10.2 Additional information may also be found in the individual CLEC Information Packages, as amended from time to time and which are incorporated herein by reference, located at the "CLEC UNE Products" website at the following address: http://www.interconnection.bellsouth.com/guides/html/unes.html
- 2.2 <u>Unbundled Voice Loops (UVLs)</u>
- 2.2.1 BellSouth shall make available the following UVLs:
- 2.2.1.1 2-wire Analog Voice Grade Loop SL1 (Non-Designed)
- 2.2.1.2 2-wire Analog Voice Grade Loop SL2 (Designed)
- 2.2.1.3 4-wire Analog Voice Grade Loop (Designed)
- Unbundled Voice Loops (UVL) may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. BellSouth, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide any given voice grade circuit. This change may occur at any time. In these situations, BellSouth will only ensure that the newly provided facility will support voice grade services. BellSouth will not guarantee that CI2 will be able to continue to provide any advanced services over the new facility. BellSouth will offer UVL in two different service levels Service Level One (SL1) and Service Level Two (SL2).
- 2.2.3 Unbundled Voice Loop SL1 (UVL-SL1) Loops are 2-wire Loop start circuits, will be non-designed, and will not have remote access test points. OC will be offered as a chargeable option on SL1 Loops when reuse of existing facilities has been requested by CI2. CI2 may also order OC-TS when a specified conversion time is requested. OC-TS is a chargeable option for any coordinated order and is

billed in addition to the OC charge. An Engineering Information (EI) document can be ordered as a chargeable option. The EI document provides Loop Make-Up information which is similar to the information normally provided in a Design Layout Record (DLR). Upon issuance of a non-coordinated order in the service order system, SL1 Loops will be activated on the due date in the same manner and time frames that BellSouth normally activates POTS-type Loops for its End Users.

- 2.2.4 For an additional charge BellSouth will make available Loop Testing so that CI2 may request further testing on new UVL-SL1 Loops. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.2.5 Unbundled Voice Loop SL2 (UVL-SL2) Loops may be 2-wire or 4-wire circuits, shall have remote access test points, and will be designed with a DLR provided to CI2. SL2 circuits can be provisioned with loop start, ground start or reverse battery signaling. OC is provided as a standard feature on SL2 Loops. The OC feature will allow CI2 to coordinate the installation of the Loop with the disconnect of an existing customer's service and/or number portability service. In these cases, BellSouth will perform the order conversion with standard order coordination at its discretion during normal work hours.

### 2.3 <u>Unbundled Digital Loops</u>

- 2.3.1 BellSouth will offer Unbundled Digital Loops (UDL). UDLs are service specific, will be designed, will be provisioned with test points (where appropriate), and will come standard with OC and a DLR. The various UDLs are intended to support a specific digital transmission scheme or service.
- 2.3.2 BellSouth shall make available the following UDLs, subject to restrictions set forth herein:
- 2.3.2.1 2-wire Unbundled ISDN Digital Loop
- 2.3.2.2 2-wire Unbundled ADSL Compatible Loop
- 2.3.2.3 2-wire Unbundled HDSL Compatible Loop
- 2.3.2.4 4-wire Unbundled HDSL Compatible Loop
- 2.3.2.5 4-wire Unbundled DS1 Digital Loop
- 2.3.2.6 4-wire Unbundled Digital Loop/DS0 64 kbps, 56 kbps and below
- 2.3.2.7 DS3 Loop
- 2.3.2.8 STS-1 Loop

- 2.3.3 2-Wire Unbundled ISDN Digital Loops will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point, OC, and a DLR. CI2 will be responsible for providing BellSouth with a Service Profile Identifier (SPID) associated with a particular ISDN-capable Loop and End User. With the SPID, BellSouth will be able to adequately test the circuit and ensure that it properly supports ISDN service.
- 2.3.3.1 Upon the Effective Date of this Agreement, Universal Digital Channel (UDC) elements will no longer be offered by BellSouth and no new orders for UDC will be accepted. Any existing UDCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UDCs that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by CI2 or BellSouth provides ninety (90) calendar days notice that such UDC must be terminated. CI2 may order an ISDN loop, if available, to provide the same functionality as the previously offered UDC product.
- 2.3.4 2-Wire ADSL-Compatible Loop. This is a designed Loop that is provisioned according to Revised Resistance Design (RRD) criteria and may be up to 18,000 feet long and may have up to 6,000 feet of bridged tap (inclusive of Loop length). The Loop is a 2-wire circuit and will come standard with a test point, OC, and a DLR.
- 2.3.5 2-Wire or 4-Wire HDSL-Compatible Loop. This is a designed Loop that meets Carrier Serving Area (CSA) specifications, may be up to 12,000 feet long and may have up to 2,500 feet of bridged tap (inclusive of Loop length). It may be a 2-wire or 4-wire circuit and will come standard with a test point, OC, and a DLR.
- 4-Wire Unbundled DS1 Digital Loop. This is a designed 4-wire Loop that is provisioned according to industry standards for DS1 or Primary Rate ISDN services and will come standard with a test point, OC, and a DLR. A DS1 Loop may be provisioned over a variety of loop transmission technologies including copper, HDSL-based technology or fiber optic transport systems. It will include a 4-Wire DS1 Network Interface at the End User's location.
- 2.3.7 4-Wire Unbundled Digital/DS0 Loop. These are designed 4-wire Loops that may be configured as 64kbps, 56kbps, 19kbps, and other sub-rate speeds associated with digital data services and will come standard with a test point, OC, and a DLR.
- 2.3.8 DS3 Loop. DS3 Loop is a two-point digital transmission path which provides for simultaneous two-way transmission of serial, bipolar, return-to-zero isochronous digital electrical signals at a transmission rate of 44.736 megabits per second (Mbps) that is dedicated to the use of the ordering CLEC in its provisioning of local exchange and associated exchange access services. It may provide transport

for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated DS3 transport is a metallic-based electrical interface.

- 2.3.9 STS-1 Loop. STS-1 Loop is a high-capacity digital transmission path with SONET VT1.5 mapping that is dedicated for the use of the ordering customer for the purpose of provisioning local exchange and associated exchange access services. It is a two-point digital transmission path which provides for simultaneous two-way transmission of serial bipolar return-to-zero synchronous digital electrical signals at a transmission rate of 51.84 megabits per second (Mbps). It may provide transport for twenty-eight (28) DS1 channels, each of which provides the digital equivalent of twenty-four (24) analog voice grade channels. The interface to unbundled dedicated STS-1 transport is a metallic-based electrical interface.
- 2.3.10 Both DS3 Loop and STS-1 Loop require a Service Inquiry (SI) in order to ascertain availability.
- 2.3.11 If DS3/STS-1 Loops are not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.
- 2.3.12 DS3 services come with a test point and a DLR. Mileage is airline miles, rounded up and a minimum of one mile applies. BellSouth TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995 applies to DS3 services.
- 2.3.13 CI2 may access a total capacity of two (2) DS3s per End User location at the Network Element rates set forth in Exhibit A.

### 2.4 <u>Unbundled Copper Loops (UCL)</u>

- 2.4.1 BellSouth shall make available Unbundled Copper Loops (UCLs). The UCL is a copper twisted pair Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters) and is not intended to support any particular telecommunications service. The UCL will be offered in two types Designed and Non-Designed.
- 2.4.2 <u>Unbundled Copper Loop Designed (UCL-D)</u>

- 2.4.2.1 The UCL-D will be provisioned as a dry copper twisted pair (2- or 4-wire) Loop that is unencumbered by any intervening equipment (e.g., filters, load coils, range extenders, digital loop carrier, or repeaters).
- 2.4.2.2 A UCL-D will be 18,000 feet or less in length and is provisioned according to Resistance Design parameters, may have up to 6,000 feet of bridged tap and will have up to 1300 Ohms of resistance.
- 2.4.2.3 The UCL-D is a designed circuit, is provisioned with a test point, and comes standard with a DLR. OC is a chargeable option for a UCL-D; however, OC is always required on UCLs where a reuse of existing facilities has been requested by CI2.
- 2.4.2.4 These Loops are not intended to support any particular services and may be utilized by CI2 to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. This facility will include a Network Interface Device (NID) at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.2.5 Upon the Effective Date of this Agreement, Unbundled Copper Loop Long (UCL-L) elements will no longer be offered by BellSouth and no new orders for UCL-L will be accepted. Any existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to the Effective Date of this Agreement. Existing UCL-Ls that were provisioned prior to the Effective Date of this Agreement may remain connected, maintained and repaired according to BellSouth's TR73600 and may remain connected until such time as they are disconnected by CI2 or BellSouth provides ninety (90) calendar days notice that such UCL-L must be terminated.

# 2.4.3 <u>Unbundled Copper Loop – Non-Designed (UCL-ND)</u>

2.4.3.1 The UCL–ND is provisioned as a dedicated 2-wire metallic transmission facility from BellSouth's Main Distribution Frame (MDF) to a customer's premises (including the NID). The UCL-ND will be a "dry copper" facility in that it will not have any intervening equipment such as load coils, repeaters, or digital access main lines (DAMLs), and may have up to 6,000 feet of bridged tap between the End User's premises and the serving wire center. The UCL-ND typically will be 1300 Ohms resistance and in most cases will not exceed 18,000 feet in length, although the UCL-ND will not have a specific length limitation. For Loops less than 18,000 feet and with less than 1300 Ohms resistance, the Loop will provide a voice grade transmission channel suitable for Loop start signaling and the transport of analog voice grade signals. The UCL-ND will not be designed and will not be provisioned with either a DLR or a test point.

- 2.4.3.2 The UCL-ND facilities may be mechanically assigned using BellSouth's assignment systems. Therefore, the Loop Makeup (LMU) process is not required to order and provision the UCL-ND. However, CI2 can request LMU for which additional charges would apply.
- 2.4.3.3 For an additional charge, BellSouth also will make available Loop Testing so that CI2 may request further testing on the UCL-ND. Rates for Loop Testing are as set forth in Exhibit A of this Attachment.
- 2.4.3.4 UCL-ND Loops are not intended to support any particular service and may be utilized by CI2 to provide a wide-range of telecommunications services as long as those services do not adversely affect BellSouth's network. The UCL-ND will include a NID at the customer's location for the purpose of connecting the Loop to the customer's inside wire.
- 2.4.3.5 OC will be provided as a chargeable option and may be utilized when the UCL-ND provisioning is associated with the reuse of BellSouth facilities. OC-TS does not apply to this product.
- 2.4.3.6 CI2 may use BellSouth's Unbundled Loop Modification (ULM) offering to remove excessive bridged taps and/or load coils from any copper Loop within the BellSouth network. Therefore, some Loops that would not qualify as UCL-ND could be transformed into Loops that do qualify, using the ULM process.

#### 2.5 Unbundled Loop Modifications (Line Conditioning)

- 2.5.1 Line Conditioning is defined as routine network modification that BellSouth regularly undertakes to provide xDSL services to its own customers. This may include the removal of any device, from a copper Loop or copper Sub-loop that may diminish the capability of the Loop or Sub-loop to deliver high-speed switched wireline telecommunications capability, including xDSL service. Such devices include, but are not limited to, load coils, excessive bridged taps, low pass filters, and range extenders. Excessive bridged taps are bridged taps that serves no network design purpose and that are beyond the limits set according to industry standards and/or the BellSouth TR 73600.
- 2.5.2 BellSouth will remove load coils only on copper loops and sub-loops that are less than 18,000 feet in length.
- 2.5.3 For any copper loop being ordered by CI2 which has over 6,000 feet of combined bridged tap will be modified, upon request from CI2, so that the loop will have a maximum of 6,000 feet of bridged tap. This modification will be performed at no additional charge to CI2. Loop conditioning orders that require the removal of bridged tap that serves no network design purpose on a copper loop that will result in a combined total of bridged tap between 2,500 and 6,000 feet will be performed at the rates set forth in Exhibit A of this Attachment.

- 2.5.4 CI2 may request removal of any unnecessary and non-excessive bridged tap (bridged tap between 0 and 2,500 feet which serves no network design purpose), at rates pursuant to BellSouth's Special Construction Process as mutually agreed to by the Parties.
- 2.5.5 Rates for ULM are as set forth in Exhibit A of this Attachment.
- 2.5.6 BellSouth will not modify a Loop in such a way that it no longer meets the technical parameters of the original Loop type (e.g., voice grade, ADSL, etc.) being ordered.
- 2.5.7 If CI2 requests ULM on a reserved facility for a new loop order, BellSouth may perform a pair change and provision a different loop facility in lieu of the reserved facility with ULM if feasible. The loop provisioned will meet or exceed specifications of the requested loop facility as modified. CI2 will not be charged for ULM if a different loop is provisioned. For loops that require a DLR or its equivalent, BellSouth will provide LMU detail of the loop provisioned.
- 2.5.8 CI2 shall request Loop make up information pursuant to this Attachment prior to submitting a service inquiry and/or a LSR for the Loop type that CI2 desires BellSouth to condition.
- 2.5.9 When requesting ULM for a Loop that BellSouth has previously provisioned for CI2, CI2 will submit a service inquiry to BellSouth. If a spare Loop facility that meets the loop modification specifications requested by CI2 is available at the location for which the ULM was requested, CI2 will have the option to change the Loop facility to the qualifying spare facility rather than to provide ULM. In the event that BellSouth changes the Loop facility in lieu of providing ULM, CI2 will not be charged for ULM but will only be charged the service order charges for submitting an order.

# 2.6 <u>Loop Provisioning Involving Integrated Digital Loop Carriers</u>

- 2.6.1 Where CI2 has requested an Unbundled Loop and BellSouth uses IDLC systems to provide the local service to the End User and BellSouth has a suitable alternate facility available, BellSouth will make such alternative facilities available to CI2. If a suitable alternative facility is not available, then to the extent it is technically feasible, BellSouth will implement one of the following alternative arrangements for CI2 (e.g. hairpinning):
  - 1. Roll the circuit(s) from the IDLC to any spare copper that exists to the customer premises.
  - 2. Roll the circuit(s) from the IDLC to an existing DLC that is not integrated.
  - 3. If capacity exists, provide "side-door" porting through the switch.

- 4. If capacity exists, provide "Digital Access Cross Connect System (DACS)-door" porting (if the IDLC routes through a DACS prior to integration into the switch).
- 2.6.2 Arrangements 3 and 4 above require the use of a designed circuit. Therefore, non-designed Loops such as the SL1 voice grade and UCL-ND may not be ordered in these cases.
- 2.6.3 If no alternate facility is available, and upon request from CI2, and if agreed to by both Parties, BellSouth may utilize its Special Construction (SC) process to determine the additional costs required to provision facilities. CI2 will then have the option of paying the one-time SC rates to place the Loop.

### 2.7 <u>Network Interface Device</u>

- 2.7.1 The NID is defined as any means of interconnection of the End User's customer premises wiring to BellSouth's distribution plant, such as a cross connect device used for that purpose. The NID is a single-line termination device or that portion of a multiple line termination device required to terminate a single line or circuit at the premises. The NID features two independent chambers or divisions that separate the service provider's network from the End User's customer premises wiring. Each chamber or division contains the appropriate connection points or posts to which the service provider and the End User each make their connections. The NID provides a protective ground connection and is capable of terminating cables such as twisted pair cable.
- 2.7.2 BellSouth shall permit CI2 to connect CI2's Loop facilities to the End User's customer premises wiring through the BellSouth NID or at any other technically feasible point.

#### 2.7.3 Access to NID

- 2.7.3.1 CI2 may access the End User's customer premises wiring by any of the following means and CI2 shall not disturb the existing form of electrical protection and shall maintain the physical integrity of the NID:
- 2.7.3.1.1 BellSouth shall allow CI2 to connect its Loops directly to BellSouth's multi-line residential NID enclosures that have additional space and are not used by BellSouth or any other telecommunications carriers to provide service to the premises.
- 2.7.3.1.2 Where an adequate length of the End User's customer premises wiring is present and environmental conditions permit, either Party may remove the customer premises wiring from the other Party's NID and connect such wiring to that Party's own NID;

- 2.7.3.1.3 Either Party may enter the subscriber access chamber or dual chamber NID enclosures for the purpose of extending a connect divisioned or spliced jumper wire from the customer premises wiring through a suitable "punch-out" hole of such NID enclosures; or
- 2.7.3.1.4 CI2 may request BellSouth to make other rearrangements to the End User customer premises wiring terminations or terminal enclosure on a time and materials cost basis.
- 2.7.3.2 In no case shall either Party remove or disconnect the other Party's Loop facilities from either Party's NIDs, enclosures, or protectors unless the applicable Commission has expressly permitted the same and the disconnecting Party provides prior notice to the other Party. In such cases, it shall be the responsibility of the Party disconnecting Loop facilities to leave undisturbed the existing form of electrical protection and to maintain the physical integrity of the NID. It will be CI2's responsibility to ensure there is no safety hazard, and CI2 will hold BellSouth harmless for any liability associated with the removal of the BellSouth Loop from the BellSouth NID. Furthermore, it shall be the responsibility of the disconnecting Party, once the other Party's Loop has been disconnected from the NID, to reconnect the disconnected Loop to a nationally recognized testing laboratory listed station protector, which has been grounded as per Article 800 of the National Electrical Code. If no spare station protector exists in the NID, the disconnected Loop must be appropriately cleared, capped and stored.
- 2.7.3.3 CI2 shall not remove or disconnect ground wires from BellSouth's NIDs, enclosures, or protectors.
- 2.7.3.4 CI2 shall not remove or disconnect NID modules, protectors, or terminals from BellSouth's NID enclosures.
- 2.7.3.5 Due to the wide variety of NID enclosures and outside plant environments, BellSouth will work with CI2 to develop specific procedures to establish the most effective means of implementing this section if the procedures set forth herein do not apply to the NID in question.
- 2.7.4 <u>Technical Requirements</u>
- 2.7.4.1 The NID shall provide an accessible point of interconnection and shall maintain a connection to ground.
- 2.7.4.2 If an existing NID is accessed, it shall be capable of transferring electrical analog or digital signals between the End User's customer premises and the distribution media and/or cross connect to CI2's NID.
- 2.7.4.3 Existing BellSouth NIDs will be provided in "as is" condition. CI2 may request BellSouth to do additional work to the NID on a time and material basis. When

CI2 deploys its own local Loops in a multiple-line termination device, CI2 shall specify the quantity of NID connections that it requires within such device.

# 2.8 **Sub-loop Elements**

2.8.1 Where facilities permit, BellSouth shall offer access to its Unbundled Sub-Loop (USL) elements as specified herein.

#### 2.8.2 **Unbundled Sub-Loop Distribution**

2.8.2.1 The Unbundled Sub-Loop Distribution facility is a dedicated transmission facility that BellSouth provides from an End User's point of demarcation to a BellSouth cross-connect device. The BellSouth cross-connect device may be located within a remote terminal (RT) or a stand-alone cross-box in the field or in the equipment room of a building. The unbundled sub-loop distribution media is a copper twisted pair that can be provisioned as a 2-Wire or 4-Wire facility. BellSouth will make available the following sub-loop distribution offerings where facilities exist:

Unbundled Sub-Loop Distribution – Voice Grade
Unbundled Copper Sub-Loop
Unbundled Sub-Loop Distribution – Intrabuilding Network Cable (aka riser cable)

- 2.8.2.2 Unbundled Sub-Loop Distribution Voice Grade (USLD-VG) is a copper sub-loop facility from the cross-box in the field up to and including the point of demarcation at the End User's premises and may have load coils.
- 2.8.2.3 Unbundled Copper Sub-Loop (UCSL) is a copper facility of any length provided from the cross-box in the field up to and including the End User's point of demarcation. If available, this facility will not have any intervening equipment such as load coils between the End User and the cross-box.
- 2.8.2.3.1 If CI2 requests a UCSL and it is not available, CI2 may request the copper Sub-Loop facility be modified pursuant to the ULM process to remove load coils and/or excessive bridged taps. If load coils and/or excessive bridged taps are removed, the facility will be classified as a UCSL.
- 2.8.2.4 Unbundled Sub-Loop Distribution Intrabuilding Network Cable (USLD-INC) is the distribution facility owned or controlled by BellSouth inside a building or between buildings on the same property that is not separated by a public street or road. USLD-INC includes the facility from the cross connect device in the building equipment room up to and including the point of demarcation at the End User's premises.
- 2.8.2.4.1 Upon request for USLD-INC from CI2, BellSouth will install a cross connect panel in the building equipment room for the purpose of accessing USLD-INC pairs from a building equipment room. The cross-connect panel will function as a

single point of interconnection (SPOI) for USLD-INC and will be accessible by multiple carriers as space permits. BellSouth will place cross-connect blocks in 25-pair increments for CI2's use on this cross-connect panel. CI2 will be responsible for connecting its facilities to the 25-pair cross-connect block(s).

- 2.8.2.5 For access to Voice Grade USLD and UCSL, CI2 shall install a cable to the BellSouth cross-box pursuant to the terms and conditions for physical collocation for remote sites set forth in this Agreement. This cable would be connected by a BellSouth technician within the BellSouth cross-box during the set-up process. CI2's cable pairs can then be connected to BellSouth's USL within the BellSouth cross-box by the BellSouth technician.
- 2.8.2.6 Through the SI process, BellSouth will determine whether access to Unbundled Sub-Loops at the location requested by CI2 is technically feasible and whether sufficient capacity exists in the cross-box. If existing capacity is sufficient to meet CI2's request, then BellSouth will perform the site set-up as described in the CLEC Information Package, located at the website address: http://www.interconnection.bellsouth.com/products/html/unes.html.
- 2.8.2.7 The site set-up must be completed before CI2 can order sub-loop pairs. For the site set-up in a BellSouth cross-connect box in the field, BellSouth will perform the necessary work to splice CI2's cable into the cross-connect box. For the site set-up inside a building equipment room, BellSouth will perform the necessary work to install the cross-connect panel and the connecting block(s) that will be used to provide access to the requested USLs.
- 2.8.2.8 Once the site set-up is complete, CI2 will request sub-loop pairs through submission of a LSR form to the Local Carrier Service Center (LCSC). OC is required with USL pair provisioning when CI2 requests reuse of an existing facility, and the Order Coordination charge shall be billed in addition to the USL pair rate. For expedite requests by CI2 for sub-loop pairs, expedite charges will apply for intervals less than five (5) calendar days.
- 2.8.2.9 Unbundled Sub-Loops will be provided in accordance with technical reference TR73600.

#### 2.8.3 Unbundled Network Terminating Wire (UNTW)

- 2.8.3.1 UNTW is unshielded twisted copper wiring that is used to extend circuits from an intra-building network cable terminal or from a building entrance terminal to an individual End User's point of demarcation. It is the final portion of the Loop that in multi-subscriber configurations represents the point at which the network branches out to serve individual subscribers.
- 2.8.3.2 This element will be provided in Multi-Dwelling Units (MDUs) and/or Multi-Tenants Units (MTUs) where either Party owns wiring all the way to the End

User's premises. Neither Party will provide this element in locations where the property owner provides its own wiring to the End User's premises, where a third party owns the wiring to the End User's premises.

### 2.8.3.3 <u>Requirements</u>

- 2.8.3.3.1 On a multi-unit premises, upon request of the other Party (Requesting Party), the Party owning the network terminating wire (Provisioning Party) will provide access to UNTW pairs on an Access Terminal that is suitable for use by multiple carriers at each Garden Terminal or Wiring Closet.
- 2.8.3.3.2 The Provisioning Party shall not be required to install new or additional NTW beyond existing NTW to provision the services of the Requesting Party.
- 2.8.3.3.3 In existing MDUs and/or MTUs in which BellSouth does not own or control wiring (INC/NTW) to the End Users premises, CI2 will install UNTW Access Terminals for BellSouth at no additional charge.
- 2.8.3.3.4 In situations in which BellSouth activates a UNTW pair, BellSouth will compensate CI2 for each pair activated commensurate to the price specified in CI2's Agreement.
- 2.8.3.3.5 Upon receipt of the UNTW SI requesting access to the Provisioning Party's UNTW pairs at a multi-unit premises, representatives of both Parties will participate in a meeting at the site of the requested access. The purpose of the site visit will include discussion of the procedures for installation and location of the Access Terminals. By request of the Requesting Party, an Access Terminal will be installed either adjacent to each of the Provisioning Party's Garden Terminal or inside each Wiring Closet. The Requesting Party will deliver and connect its central office facilities to the UNTW pairs within the Access Terminal. The Requesting Party may access any available pair on an Access Terminal. A pair is available when a pair is not being utilized to provide service or where the End User has requested a change in its local service provider to the Requesting Party. Prior to connecting the Requesting Party's service on a pair previously used by the Provisioning Party, the Requesting Party is responsible for ensuring the End User is no longer using the Provisioning Party's service or another CLEC's service before accessing UNTW pairs.
- 2.8.3.3.6 Access Terminal installation intervals will be established on an individual case basis.
- 2.8.3.3.7 The Requesting Party is responsible for obtaining the property owner's permission for the Provisioning Party to install an Access Terminal(s) on behalf of the Requesting Party. The submission of the SI by the Requesting Party will serve as certification by the Requesting Party that such permission has been obtained. If the property owner objects to Access Terminal installations that are in progress or

subsequent to completion and demands removal of Access Terminals, the Requesting Party will be responsible for costs associated with removing Access Terminals and restoring the property to its original state prior to Access Terminals being installed.

- 2.8.3.3.8 The Requesting Party shall indemnify and hold harmless the Provisioning Party against any claims of any kind that may arise out of the Requesting Party's failure to obtain the property owner's permission. The Requesting Party will be billed for nonrecurring and recurring charges for accessing UNTW pairs at the time the Requesting Party activates the pair(s). The Requesting Party will notify the Provisioning Party within five (5) business days of activating UNTW pairs using the LSR form.
- 2.8.3.3.9 If a trouble exists on a UNTW pair, the Requesting Party may use an alternate spare pair that serves that End User if a spare pair is available. In such cases, the Requesting Party will re-terminate its existing jumper from the defective pair to the spare pair. Alternatively, the Requesting Party will isolate and report troubles in the manner specified by the Provisioning Party. The Requesting Party must tag the UNTW pair that requires repair. If the Provisioning Party dispatches a technician on a reported trouble call and no UNTW trouble is found, the Provisioning Party will charge Requesting Party for time spent on the dispatch and testing the UNTW pair(s).
- 2.8.3.3.10 If the Requesting Party initiates the Access Terminal installation and the Requesting Party has not activated at least ten (10) percent of the capacity of the Access Terminal installed pursuant to the Requesting Party's request for an Access Terminal within six (6) months of installation of the Access Terminal, the Provisioning Party will bill the Requesting Party a nonrecurring charge equal to the actual cost of provisioning the Access Terminal.
- 2.8.3.3.11 If the Provisioning Party determines that the Requesting Party is using the UNTW pairs without reporting the activation of the pairs, the Requesting Party will be billed for the use of that pair back to the date the End User began receiving service from the Requesting Party at that location. Upon request, the Requesting Party will provide copies of its billing record to substantiate such date. If the Requesting Party fails to provide such records, then the Provisioning Party will bill the Requesting Party back to the date of the Access Terminal installation.

# 2.8.4 <u>Unbundled Sub-Loop Feeder</u>

2.8.4.1 Upon the Effective Date of this Agreement, Unbundled Sub-Loop Feeder (USLF) elements will no longer be offered by BellSouth at TELRIC prices. Within ninety (90) calendar days of the Effective Date of this Agreement, CI2 will either negotiate market-based rates for these elements or will issue orders to have these elements disconnected. If, after this ninety (90)-day period, market-based rates have not been negotiated and CI2 has not issued the appropriate disconnect orders,

BellSouth may immediately disconnect any remaining USLF elements and will bill CI2 any applicable disconnect charges.

# 2.8.5 <u>Unbundled Loop Concentration</u>

2.8.5.1 Upon the Effective Date of this Agreement, the Unbundled Loop Concentration (ULC) element will no longer be offered by BellSouth and no new orders for ULC will be accepted. Any existing ULCs that were provisioned prior to the Effective Date of this Agreement will be grandfathered at the rates set forth in the Parties' interconnection agreement that was in effect immediately prior to this Agreement and may remain connected, maintained and repaired according to BellSouth's TR73600 until such time as they are disconnected by CI2, or BellSouth provides ninety (90) calendar days notice that such ULC must be terminated.

### 2.8.6 **Dark Fiber Loop**

- 2.8.6.1 Dark Fiber Loop is an unused optical transmission facility, without attached signal regeneration, multiplexing, aggregation or other electronics, from the demarcation point at an End User's premises to the End User's serving wire center. Dark Fiber Loops may be strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for CI2 to utilize Dark Fiber Loops.
- 2.8.6.2 If Dark Fiber Loop is not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.

#### 2.8.6.3 Requirements

- 2.8.6.3.1 BellSouth shall make available Dark Fiber Loop where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Loop will not be deemed available if: (1) it is used by BellSouth for maintenance and repair purposes; (2) it is designated for use pursuant to a firm order placed by another customer; (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure; or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place the fiber for Dark Fiber Loop if none is available.
- 2.8.6.3.2 CI2 is solely responsible for testing the quality of the Dark Fiber to determine its usability and performance specifications.

- 2.8.6.3.3 BellSouth shall use its commercially reasonable efforts to provide to CI2 information regarding the location, availability and performance of Dark Fiber Loop within ten (10) business days after receiving a SI from CI2.
- 2.8.6.3.4 If the requested Dark Fiber Loop is available, BellSouth shall use commercially reasonable efforts to provision the Dark Fiber Loop to CI2 within twenty (20) business days after CI2 submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., Light Guide Interconnection (LGX)) to enable CI2 to connect CI2 provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Loop.

# 2.9 **Loop Makeup**

### 2.9.1 Description of Service

- 2.9.1.1 BellSouth shall make available to CI2 LMU information so that CI2 can make an independent judgment about whether the Loop is capable of supporting the advanced services equipment CI2 intends to install and the services CI2 wishes to provide. This section addresses LMU as a preordering transaction, distinct from CI2 ordering any other service(s). Loop Makeup Service Inquiries (LMUSI) and mechanized LMU queries for preordering LMU are likewise unique from other preordering functions with associated SIs as described in this Agreement.
- 2.9.1.2 BellSouth will provide CI2 LMU information consisting of the composition of the Loop material (copper/fiber); the existence, location and type of equipment on the Loop, including but not limited to digital loop carrier or other remote concentration devices, feeder/distribution interfaces, bridged taps, load coils, pairgain devices; the Loop length; the wire gauge and electrical parameters.
- 2.9.1.3 BellSouth's LMU information is provided to CI2 as it exists either in BellSouth's databases or in its hard copy facility records. BellSouth does not guarantee accuracy or reliability of the LMU information provided.
- 2.9.1.4 BellSouth's provisioning of LMU information to the requesting CLEC for facilities is contingent upon either BellSouth or the requesting CLEC controlling the Loop(s) that serve the service location for which LMU information has been requested by the CLEC. The requesting CLEC is not authorized to receive LMU information on a facility used or controlled by another CLEC unless BellSouth receives a Letter of Authorization (LOA) from the voice CLEC (owner) or its authorized agent on the LMUSI submitted by the requesting CLEC.
- 2.9.1.5 CI2 may choose to use equipment that it deems will enable it to provide a certain type and level of service over a particular BellSouth Loop as long as that equipment does not disrupt other services on the BellSouth network. The determination shall be made solely by CI2 and BellSouth shall not be liable in any way for the performance of the advanced data services provisioned over said

Loop. The specific Loop type (ADSL, HDSL, or otherwise) ordered on the LSR must match the LMU of the Loop reserved taking into consideration any requisite line conditioning. The LMU data is provided for informational purposes only and does not guarantee CI2's ability to provide advanced data services over the ordered Loop type. Further, if CI2 orders Loops that do not require a specific facility medium (i.e. copper only) or Loops that are not intended to support advanced services (such as UV-SL1, UV-SL2, or ISDN compatible Loops) and that are not inventoried as advanced services Loops, the LMU information for such Loops is subject to change at any time due to modifications and/or upgrades to BellSouth's network. CI2 is fully responsible for any of its service configurations that may differ from BellSouth's technical standard for the Loop type ordered.

## 2.9.2 <u>Submitting Loop Makeup Service Inquiries</u>

- 2.9.2.1 CI2 may obtain LMU information by submitting a mechanized LMU query or a Manual LMUSI. Mechanized LMUs should be submitted through BellSouth's OSS interfaces. After obtaining the Loop information from the mechanized LMU process, if CI2 needs further Loop information in order to determine Loop service capability, CI2 may initiate a separate Manual Service Inquiry for a separate nonrecurring charge as set forth in Exhibit A of this Attachment.
- 2.9.2.2 Manual LMUSIs shall be submitted according to the guidelines in the LMU CLEC Information Package, incorporated herein by reference, as it may be amended from time to time, which can be found at the following BellSouth website:

  <a href="http://interconnection.bellsouth.com/guides/html/unes.html">http://interconnection.bellsouth.com/guides/html/unes.html</a>. The service interval for the return of a Manual LMUSI is three (3) business days. Manual LMUSIs are not subject to expedite requests. This service interval is distinct from the interval applied to the subsequent service order.

#### 2.9.3 **Loop Reservations**

- 2.9.3.1 For a Mechanized LMUSI, CI2 may reserve up to ten (10) Loop facilities. For a Manual LMUSI, CI2 may reserve up to three (3) Loop facilities.
- 2.9.3.2 CI2 may reserve facilities for up to four (4) business days for each facility requested through LMU from the time the LMU information is returned to CI2. During and prior to CI2 placing an LSR, the reserved facilities are rendered unavailable to other customers, including BellSouth. If CI2 does not submit an LSR for a UNE service on a reserved facility within the four (4)-day reservation timeframe, the reservation of that spare facility will become invalid and the facility will be released.
- 2.9.3.3 Charges for preordering Manual LMUSI or Mechanized LMU are separate from any charges associated with ordering other services from BellSouth.

- 2.9.3.4 All LSRs issued for reserved facilities shall reference the facility reservation number as provided by BellSouth. CI2 will not be billed any additional LMU charges for the Loop ordered on such LSR. If, however, CI2 does not reserve facilities upon an initial LMUSI, CI2's placement of an order for an advanced data service type facility will incur the appropriate billing charges to include SI and reservation per Exhibit A of this Attachment.
- 2.9.3.5 Where CI2 has reserved multiple Loop facilities on a single reservation, CI2 may not specify which facility shall be provisioned when submitting the LSR. For those occasions, BellSouth will assign to CI2, subject to availability, a facility that meets the BellSouth technical standards of the BellSouth type Loop as ordered by CI2.

### 3 Line Sharing

- 3.1 General
- 3.1.1 Line Sharing is defined as the process by which CI2 provides digital subscriber line service over the same copper loop that BellSouth uses to provide voice service, with BellSouth using the low frequency portion of the loop and CI2 using the high frequency spectrum (as defined below) of the loop.
- 3.1.2 Line Sharing arrangements in service as of October 1, 2003, will be grandfathered until the earlier of the date the End User discontinues or moves service with CI2. Grandfathered arrangements pursuant to this Section will be billed at the rates set forth in Exhibit A.
- 3.1.3 For the period from October 2, 2003, through October 1, 2004, CI2 may request new Line Sharing arrangements. For Line Sharing arrangements placed in service between October 2, 2003, and October 1, 2004, the rates will be as set forth in Exhibit A. After October 1, 2004, CI2 may not request new Line Sharing arrangements under the terms of this Agreement.
- 3.1.4 The rates set forth herein will be applied retroactively back to the date set forth in the Triennial Review Order.
- 3.1.5 As of the earlier of October 2, 2006, or the date that the End User discontinues or moves service with CI2, all Line Sharing arrangements pursuant to Section 3.1.3 of this Attachment shall be terminated.
- 3.1.6 The High Frequency Spectrum is defined as the frequency range above the voiceband on a copper Loop facility carrying analog circuit-switched voiceband transmissions. Access to the High Frequency Spectrum is intended to allow CI2 the ability to provide Digital Subscriber Line (xDSL) data services to the End User for which BellSouth provides voice services. The High Frequency Spectrum shall be available for any version of xDSL complying with Spectrum Management Class 5 of ANSI T1.417, American National Standard for Telecommunications,

Spectrum Management for Loop Transmission Systems. BellSouth will continue to have access to the low frequency portion of the Loop spectrum (from 300 Hertz to at least 3000 Hertz, and potentially up to 3400 Hertz, depending on equipment and facilities) for the purposes of providing voice service. CI2 shall only use xDSL technology that is within the PSD mask for Spectrum Management Class 5 as found in the above-mentioned document.

- 3.1.7 Access to the High Frequency Spectrum requires an unloaded, 2-wire copper Loop. An unloaded Loop is a copper Loop with no load coils, low-pass filters, range extenders, DAMLs, or similar devices and minimal bridged taps consistent with ANSI T1.413 and T1.601.
- 3.1.8 BellSouth will provide Loop Modification to CI2 on an existing Loop in accordance with procedures as specified in Section 2 of this Attachment. BellSouth is not required to modify a Loop for access to the High Frequency spectrum if modification of that Loop significantly degrades BellSouth's voice service. If CI2 requests that BellSouth modify a Loop and such modification significantly degrades the voice services on the Loop, CI2 shall pay for the Loop to be restored to its original state.
- 3.1.9 Line Sharing shall only be available on Loops on which BellSouth is also providing, and continues to provide, analog voice service directly to the End User. In the event the End User terminates its BellSouth provided voice service for any reason, or in the event BellSouth disconnects the End User's voice service pursuant to its tariffs or applicable law, and CI2 desires to continue providing xDSL service on such Loop, CI2 shall be required to purchase a full stand-alone Loop UNE. To the extent commercially practicable, BellSouth shall give CI2 notice in a reasonable time prior to disconnect, which notice shall give CI2 an adequate opportunity to notify BellSouth of its intent to purchase such Loop. In those cases in which BellSouth no longer provides voice service to the End User and CI2 purchases the full stand-alone Loop, CI2 may elect the type of Loop it will purchase. CI2 will pay the appropriate recurring and nonrecurring rates for such Loop as set forth in Exhibit A to this Attachment. In the event CI2 purchases a voice grade Loop, CI2 acknowledges that such Loop may not remain xDSL compatible.
- 3.1.10 If CI2 reports a trouble on the High Frequency Spectrum of a Loop and no trouble actually exists on the BellSouth portion, BellSouth will charge CI2 for any dispatching and testing (both inside and outside the CO) required by BellSouth in order to confirm the working status. The rates charged for no trouble found (NTF) shall be as set forth in Exhibit A of this Attachment.
- Only one CLEC shall be permitted access to the High Frequency Spectrum of any particular Loop.
- 3.2 **Provisioning of Line Sharing and Splitter Space**

- 3.2.1 BellSouth will provide CI2 with access to the High Frequency Spectrum as follows:
- 3.2.1.1 To order High Frequency Spectrum on a particular Loop, CI2 must have a Digital Subscriber Line Access Multiplexer (DSLAM) collocated in the central office that serves the End User of such Loop.
- 3.2.1.2 CI2 may provide its own splitters or may order splitters in a central office once it has installed its DSLAM in that central office. BellSouth will install splitters within thirty-six (36) calendar days of CI2's submission of an error free Line Splitter Ordering Document (LSOD) to the BellSouth Complex Resale Support Group.
- 3.2.1.3 Once a splitter is installed on behalf of CI2 in a central office in which CI2 is located, CI2 shall be entitled to order the High Frequency Spectrum on lines served out of that central office. BellSouth will bill and CI2 shall pay the electronic or manual ordering charges as applicable when CI2 orders High Frequency Spectrum for End User service.
- 3.2.1.4 BellSouth shall test the data portion of the Loop to ensure the continuity of the wiring for CI2's data.

## 3.3 **BellSouth Provided Splitter – Line Sharing**

- 3.3.1 BellSouth will select, purchase, install, and maintain a central office POTS splitter and provide CI2 access to data ports on the splitter. The splitter will route the High Frequency Spectrum on the circuit to CI2's xDSL equipment in CI2's collocation space. At least thirty (30) calendar days before making a change in splitter suppliers, BellSouth will provide CI2 with a carrier notification letter, informing CI2 of change. CI2 shall purchase ports on the splitter in increments of eight (8), twenty-four (24), or ninety-six (96) ports in Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina and South Carolina. CI2 shall purchase ports on the splitter in increments of twenty-four (24) or ninety-six (96) ports in Tennessee.
- 3.3.2 BellSouth will install the splitter in (i) a common area close to CI2's collocation area, if possible; or (ii) in a BellSouth relay rack as close to CI2's DS0 termination point as possible. CI2 shall have access to the splitter for test purposes, regardless of where the splitter is placed in the BellSouth premises. For purposes of this section, a common area is defined as an area in the central office in which both Parties have access to a common test access point. A Termination Point is defined as the point of termination for CI2 on the main distributing frame in the central office and is not the demarcation point set forth in Attachment 4 of this Agreement. BellSouth will cross-connect the splitter data ports to a specified CI2 DS0 at such time that a CI2 End User's service is established.

### 3.4 <u>CLEC Provided Splitter – Line Sharing</u>

- 3.4.1 CI2 may at its option purchase, install and maintain central office POTS splitters in its collocation arrangements. CI2 may use such splitters for access to its customers and to provide digital line subscriber services to its customers using the High Frequency Spectrum. Existing Collocation rules and procedures and the terms and conditions relating to Collocation set forth in Attachment 4-Central Office shall apply.
- Any splitters installed by CI2 in its collocation arrangement shall comply with ANSI T1.413, Annex E, or any future ANSI splitter Standards. CI2 may install any splitters that BellSouth deploys or permits to be deployed for itself or any BellSouth affiliate.

### 3.5 **Ordering – Line Sharing**

- 3.5.1 CI2 shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation Connecting Facility Assignments (CFA) for use with High Frequency Spectrum.
- 3.5.2 BellSouth will provide CI2 the LSR format to be used when ordering the High Frequency Spectrum.
- 3.5.3 BellSouth will provision High Frequency Spectrum in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.5.4 BellSouth will provide CI2 access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and CI2 shall pay the rates for such services, as described in Exhibit A.

#### 3.6 **Maintenance and Repair – Line Sharing**

- 3.6.1 CI2 shall have access for repair and maintenance purposes to any Loop for which it has access to the High Frequency Spectrum. If CI2 is using a BellSouth owned splitter, CI2 may access the Loop at the point where the combined voice and data signal exits the central office splitter via a bantam test jack. If CI2 provides its own splitter, it may test from the collocation space or the Termination Point.
- 3.6.2 BellSouth will be responsible for repairing voice services and the physical line between the NID at the customer's premises and the Termination Point. CI2 will be responsible for repairing data services. Each Party will be responsible for maintaining its own equipment.

- 3.6.3 CI2 shall inform its End Users to direct data problems to CI2, unless both voice and data services are impaired, in which event the End Users should call BellSouth.
- 3.6.4 Once a Party has isolated a trouble to the other Party's portion of the Loop, the Party isolating the trouble shall notify the End User that the trouble is on the other Party's portion of the Loop.
- 3.6.5 Notwithstanding anything else to the contrary in this Agreement, when BellSouth receives a voice trouble and isolates the trouble to the physical collocation arrangement belonging to CI2, BellSouth will notify CI2. CI2 will provide at least one but no more than two (2) verbal CFA pair changes to BellSouth in an attempt to resolve the voice trouble. In the event a CFA pair change resolves the voice trouble, CI2 will provide BellSouth an LSR with the new CFA pair information within twenty-four (24) hours. If the owner of the collocation space fails to resolve the trouble by providing BellSouth with the verbal CFA pair changes, BellSouth may discontinue CI2's access to the High Frequency Spectrum on such Loop. BellSouth will not be responsible for any loss of data as a result of this action.

# 3.7 **Line Splitting**

- 3.7.1 Line splitting allows a provider of data services (a Data LEC) and a provider of voice services (a Voice CLEC) to deliver voice and data service to End Users over the same Loop. The Voice CLEC and Data LEC may be the same or different carriers.
- 3.7.2 In the event CI2 provides its own switching or obtains switching from a third party, CI2 may engage in line splitting arrangements with another CLEC using a splitter, provided by CI2, in a Collocation Arrangement at the central office where the loop terminates into a distribution frame or its equivalent.
- 3.7.3 Where CI2 is purchasing a UNE-port and a UNE-loop, BellSouth shall offer line splitting pursuant to the following sections in this Attachment.
- 3.7.4 CI2 shall provide BellSouth with a signed LOA between it and the Data LEC or Voice CLEC with which it desires to provision Line Splitting services, if CI2 will not provide voice and data services.
- 3.7.5 End Users currently receiving voice service from a Voice CLEC through a UNE-P may be converted to Line Splitting arrangements by CI2 or its authorized agent ordering Line Splitting Service. If the CLEC wishes to provide the splitter, the UNE-P arrangement will be converted to a stand-alone UNE Loop, a UNE port, two collocation cross connects and the high frequency spectrum line activation. If BellSouth owns the splitter, the UNE-P arrangement will be converted to a standalone UNE Loop, port, and one collocation cross connection.

3.7.6 When End Users on Loops using High Frequency Spectrum CO Based line sharing service are converted to Line Splitting, BellSouth will discontinue billing CI2 for the High Frequency Spectrum. BellSouth will continue to bill the Data LEC for all associated splitter charges if the Data LEC continues to use a BellSouth splitter. It is the responsibility of CI2 or its authorized agent to determine if the Loop is compatible for Line Splitting Service. CI2 or its authorized agent may use the existing Loop unless it is not compatible with the Data LEC's data service and CI2 or its authorized agent submits an LSR to BellSouth to change the Loop.

# 3.8 **Provisioning Line Splitting and Splitter Space**

- 3.8.1 The Data LEC, Voice CLEC or BellSouth may provide the splitter. When CI2 or its authorized agent owns the splitter, Line Splitting requires the following: a non-designed analog Loop from the serving wire center to the NID at the End User's location; a collocation cross connection connecting the Loop to the collocation space; a second collocation cross connection from the collocation space connected to a voice port; the high frequency spectrum line activation, and a splitter. The Loop and port cannot be a Loop and port combination (i.e. UNE-P), but must be individual stand-alone Network Elements. When BellSouth owns the splitter, Line Splitting requires the following: a non designed analog Loop from the serving wire center to the NID at the End User's location with CFA and splitter port assignments, and a collocation cross connection from the collocation space connected to a voice port.
- 3.8.2 An unloaded 2-wire copper Loop must serve the End User. The meet point for the Voice CLEC and the Data LEC is the point of termination on the MDF for the Data LEC's cable and pairs.
- 3.8.3 The foregoing procedures are applicable to migration to Line Splitting Service from a UNE-P arrangement, BellSouth Retail Voice Service, BellSouth High Frequency Spectrum (CO Based) Line Sharing.
- 3.8.4 For other migration scenarios to line splitting, BellSouth will work cooperatively with CLECs to develop methods and procedures to develop a process whereby a Voice CLEC and a Data LEC may provide services over the same Loop.

# 3.9 Ordering – Line Splitting

- 3.9.1 CI2 shall use BellSouth's LSOD to order splitters from BellSouth and to activate and deactivate DS0 Collocation CFA for use with Line Splitting.
- 3.9.2 BellSouth shall provide CI2 the LSR format to be used when ordering Line Splitting service.

- 3.9.3 BellSouth will provision Line Splitting service in compliance with BellSouth's Products and Services Interval Guide available at the website at <a href="http://www.interconnection.bellsouth.com">http://www.interconnection.bellsouth.com</a>.
- 3.9.4 BellSouth will provide CI2 access to Preordering LMU in accordance with the terms of this Agreement. BellSouth shall bill and CI2 shall pay the rates for such services as described in Exhibit A.
- 3.9.5 BellSouth will provide Loop modification to CI2 on an existing Loop in accordance with procedures developed in the Line Sharing Collaborative. High Frequency Spectrum (CO Based) Unbundled Loop Modification is a separate distinct service from Unbundled Loop Modification set forth in Section 2.5 of this Attachment. Procedures for High Frequency Spectrum (CO Based) Unbundled Loop Modification may be found on the web at:

  <a href="http://www.interconnection.bellsouth.com/html/unes.html">http://www.interconnection.bellsouth.com/html/unes.html</a>. Nonrecurring rates for this offering are as set forth in Exhibit A of this Attachment.

## 3.10 <u>Maintenance – Line Splitting</u>

- 3.10.1 BellSouth will be responsible for repairing voice services and the physical loop between the NID at the customer's premises and the termination point. CI2 will be responsible for maintaining the voice and data services. Each Party will be responsible for maintaining its own equipment.
- 3.10.2 CI2 shall inform its End Users to direct all problems to CI2 or its authorized agent.
- 3.10.3 If CI2 is not the data provider, CI2 shall indemnify, defend and hold harmless BellSouth from and against any claims, losses, actions, causes of action, suits, demands, damages, injury, and costs including reasonable attorney fees, which arise out of actions related to the data provider.

#### 4 <u>Local Switching</u>

4.1 BellSouth shall provide non-discriminatory access to local circuit switching capability and local tandem switching capability on an unbundled basis, except as set forth in the Sections below to CI2 for the provision of a telecommunications service.

### 4.2 Local Circuit Switching Capability, including Tandem Switching Capability

4.2.1 Local circuit switching capability is defined as all line-side and trunk-side facilities, plus the features, functions, and capabilities of the switch. The features, functions, and capabilities of the switch shall include the basic switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. Local circuit switching includes all vertical features that the switch is capable of

providing, including custom calling, custom local area signalling service features, and Centrex, as well as any technically feasible customized routing functions.

- 4.2.2 Notwithstanding BellSouth's general duty to unbundle local circuit switching, BellSouth shall not be required to unbundle local circuit switching for CI2 for a particular End User when CI2: (1) serves an End User with four (4) or more voice-grade (DS0) equivalents or lines served by BellSouth in Zone 1 of one of the following MSAs: Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA; or (2) serves an End User with a DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that CI2 is serving any End User as described in (2) above as of the Effective Date of this Agreement, such End User's arrangement may not remain in place and such Arrangement must be terminated by CI2 or transitioned by CI2, pursuant to Section 1.8 of this Attachment or BellSouth shall disconnect such Arrangements pursuant to Section 1.8.
- 4.2.3 Rates for unbundled switching at the DS1 level and above or for combinations with unbundled switching at the DS1 level and above provisioned prior to the Effective Date of this Agreement shall be those rates set forth in Exhibit A of this Attachment until April 1, 2004.
- 4.2.4 Local Switching that is not required to be provided as a UNE will be provided pursuant to a separate agreement or a tariff, at BellSouth's discretion.
- 4.2.5 Unbundled Local Switching consists of three separate unbundled elements:
  Unbundled Ports, End Office Switching Functionality, and End Office Interoffice
  Trunk Ports.
- 4.2.6 Unbundled Local Switching combined with Common Transport and, if necessary, Tandem Switching provides to CI2's End User local calling and the ability to presubscribe to a primary carrier for intraLATA and/or to presubscribe to a primary carrier for interLATA toll service.
- 4.2.7 Provided that CI2 purchases unbundled local switching from BellSouth and uses the BellSouth Carrier Identification Code (CIC) for its End Users' Local Preferred Interexchange Carrier (LPIC) or if a BellSouth local End User selects BellSouth as its LPIC, then the Parties will consider as local any calls originated by a CI2 local End User, or originated by a BellSouth local End User and terminated to a CI2 local End User, where such calls originate and terminate in the same LATA, except for those calls originated and terminated through switched access arrangements (i.e., calls that are transported by a Party other than BellSouth). For such calls, BellSouth will charge CI2 the UNE elements for the BellSouth facilities utilized. Neither Party shall bill the other originating or terminating switched access charges for such calls. Intercarrier compensation for local calls between

BellSouth and CI2 shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.

- 4.2.8 Where CI2 purchases unbundled local switching from BellSouth but does not use the BellSouth CIC for its End Users' LPIC, BellSouth will consider as local those direct dialed telephone calls that originate from a CI2 End User and terminate within the basic local calling area or within the extended local calling areas and that are dialed using seven (7) or ten (10) digits as defined and specified in Section A3 of BellSouth's General Subscriber Services Tariffs (GSST). For such local calls, BellSouth will charge CI2 the UNE elements for the BellSouth facilities utilized. Intercarrier compensation for local calls between BellSouth and CI2 shall be as described in BellSouth's UNE Local Call Flows set forth on BellSouth's website.
- 4.2.9 For any calls that originate and terminate through switched access arrangements (i.e., calls that are transported by a party other than BellSouth), BellSouth shall bill CI2 the UNE elements for the BellSouth facilities utilized. Each Party may bill the toll provider originating or terminating switched access charges as appropriate.

#### 4.2.10 **Unbundled Port Features**

- 4.2.10.1 Charges for Unbundled Port are as set forth in Exhibit A, and as specified in such exhibit, may or may not include individual features.
- 4.2.10.2 Where applicable and available, non-switch-based services may be ordered with the Unbundled Port at BellSouth's retail rates.
- 4.2.10.3 Any features that are not currently available but are technically feasible through the switch can be requested through the BFR/NBR process.
- 4.2.10.4 BellSouth will provide to CI2 selective routing of calls to a requested Operator System platform pursuant to this Attachment. Any other routing requests by CI2 will be made pursuant to the BFR/NBR Process as set forth in Attachment 11.

#### 4.2.11 **Remote Call Forwarding**

- 4.2.11.1 As an option, BellSouth shall make available to CI2 an unbundled port with Remote Call Forwarding capability (URCF service). URCF service combines the functionality of unbundled local switching, tandem switching and common transport to forward calls from the URCF service telephone number (the number dialed by the calling party) to another telephone number selected by the URCF service subscriber. When ordering URCF service, CI2 will ensure that the following conditions are satisfied:
- 4.2.11.1.1 That the End User of the forward-to number (service) agrees to receive calls forwarded using the URCF service (if such End User is different from the URCF service End User);

- 4.2.11.1.2 That the forward-to number (service) is equipped with sufficient capacity to receive the volume of calls that will be generated from the URCF service;
- 4.2.11.1.3 That the URCF service will not be utilized to forward calls to another URCF or similar service; and
- 4.2.11.1.4 That the forward-to number (service) is not a public safety number (e.g. 911, fire or police number).
- 4.2.11.2 In addition to the charge for the URCF service port, BellSouth shall charge CI2 the rates set forth in Exhibit A for unbundled local switching, tandem switching, and common transport, including all associated usage incurred for calls from the URCF service telephone number (the number dialed by the calling party) to the forward-to number (service).

# 4.2.12 **Provision for Local Switching**

- 4.2.12.1 BellSouth shall perform routine testing (e.g., Mechanized Loop Tests (MLT) and test calls such as 105, 107 and 108 type calls) and fault isolation on a mutually agreed upon schedule.
- 4.2.12.2 BellSouth shall control congestion points such as those caused by radio station call-ins and network routing abnormalities. All traffic shall be restricted in a non-discriminatory manner.
- 4.2.12.3 BellSouth shall perform manual call trace and permit customer originated call trace. BellSouth shall provide Switching Service Point (SSP) capabilities and signaling software to interconnect the signaling links destined to the Signaling Transfer Point Switch (STPS). These capabilities shall adhere to the technical specifications set forth in the applicable industry standard technical references.
- 4.2.12.4 BellSouth shall provide interfaces to adjuncts through Telcordia standard interfaces. These adjuncts can include, but are not limited to, the Service Circuit Node and Automatic Call Distributors. BellSouth shall offer to CI2 all Advanced Intelligent Network (AIN) triggers in connection with its SMS/SCE offering.
- 4.2.12.5 BellSouth shall provide access to SS7 Signaling Network or Multi-Frequency trunking if requested by CI2.

# 4.2.13 **Local Switching Interfaces**.

- 4.2.13.1 CI2 shall order ports and associated interfaces compatible with the services it wishes to provide as listed in Exhibit A. BellSouth shall provide the following local switching interfaces:
- 4.2.13.1.1 Standard Tip/Ring interface including loopstart or groundstart, on-hook signaling (e.g., for calling number, calling name and message waiting lamp);

- 4.2.13.1.2 Coin phone signaling;
- 4.2.13.1.3 Basic Rate Interface ISDN adhering to appropriate Telcordia Technical Requirements;
- 4.2.13.1.4 Two-wire analog interface to PBX;
- 4.2.13.1.5 Four-wire analog interface to PBX;
- 4.2.13.1.6 Four-wire DS1 interface to PBX or customer provided equipment (e.g. computers and voice response systems);
- 4.2.13.1.7 Primary Rate ISDN to PBX adhering to ANSI standards Q.931, Q.932 and appropriate Telcordia Technical Requirements;
- 4.2.13.1.8 Switched Fractional DS1 with capabilities to configure Nx64 channels (where N = 1 to 24); and
- 4.2.13.1.9 Loops adhering to Telcordia TR-NWT-08 and TR-NWT-303 specifications to interconnect Digital Loop Carriers.
- 4.2.14 All End Users of CI2 who have service provisioned via 4-Wire ISDN DS1 Port with E911 Locator Capability shall physically be located in the E911 Tandem Switch service area.
- 4.2.15 CI2 shall pass its End User's telephone number to BellSouth over the Primary Interface (PRI) trunk group via ANI or via direct Centralized Automated Message Accounting (CAMA) trunks to the appropriate E911 tandem switch.
- 4.2.16 CI2 shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 4.2.17 CI2 will be responsible and liable for any errors resulting from the submission of invalid telephone number and address/location data for the CLEC's End Users.

## 4.3 **Tandem Switching**

4.3.1 The Tandem Switching capability Network Element is defined as: (i) trunk-connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the Tandem Switches (as distinguished from separate end office switches), including but not limited to call recording, the routing of calls to operator services and signaling conversion features.

4.3.1.1 Where CI2 utilizes portions of the BellSouth network in originating or terminating traffic, the Tandem Switching rates are applied in call scenarios where the Tandem Switching Network Element has been utilized. Because switch recordings cannot accurately indicate on a per call basis when the Tandem Switching Network Element has been utilized for an interoffice call originating from a UNE port and terminating to a BellSouth, Independent Company or Facility-Based CLEC office, BellSouth has developed, based upon call studies, a melded rate that takes into account the average percentage of calls that utilize Tandem Switching in these scenarios. BellSouth shall apply the melded Tandem Switching rate for every call in these scenarios. BellSouth shall utilize the melded Tandem Switching Rate until BellSouth has the capability to measure actual Tandem Switch usage in each call scenario specifically mentioned above, at which point the rate for the actual Tandem Switch usage shall apply. The UNE Call Flows set forth on BellSouth's website, as amended from time to time and incorporated herein by this reference, illustrate when the full or melded Tandem Switching rates apply for specific scenarios.

# 4.3.2 <u>Technical Requirements</u>

- 4.3.2.1 Tandem Switching shall have the same capabilities or equivalent capabilities as those described in Telcordia TR-TSY-000540 Issue 2R2, Tandem Supplement, June 1, 1990. The requirements for Tandem Switching include but are not limited to the following:
- 4.3.2.1.1 Tandem Switching shall provide signaling to establish a tandem connection;
- 4.3.2.1.2 Tandem Switching will provide screening as jointly agreed to by CI2 and BellSouth;
- 4.3.2.1.3 Where applicable, Tandem Switching shall provide AIN triggers supporting AIN features where such routing is not available from the originating end office switch, to the extent such Tandem switch has such capability;
- 4.3.2.1.4 Where applicable, Tandem Switching shall provide access to Toll Free number database;
- 4.3.2.1.5 Tandem Switching shall provide connectivity to Public Safety Answering Point (PSAP)s where 911 solutions are deployed and the tandem is used for 911; and
- 4.3.2.1.6 Where appropriate, Tandem Switching shall provide connectivity for the purpose of routing transit traffic to and from other carriers.
- 4.3.2.2 BellSouth may perform testing and fault isolation on the underlying switch that is providing Tandem Switching. Such testing shall be testing routinely performed by BellSouth. The results and reports of the testing shall be made available to CI2.

- 4.3.2.3 BellSouth shall control congestion points and network abnormalities. All traffic will be restricted in a non-discriminatory manner.
- 4.3.2.4 Tandem Switching shall process originating toll free traffic received from CI2's local switch.
- 4.3.2.5 In support of AIN triggers and features, Tandem Switching shall provide SSP capabilities when these capabilities are not available from the Local Switching Network Element to the extent such Tandem Switch has such capability.
- 4.3.3 Upon CI2's purchase of overflow trunk groups, Tandem Switching shall provide an alternate routing pattern for CI2's traffic overflowing from direct end office high usage trunk groups.

# 4.4 <u>AIN Selective Carrier Routing for Operator Services, Directory Assistance</u> and Repair Centers

- 4.4.1 Where BellSouth provides local switching to CI2, BellSouth will provide AIN Selective Carrier Routing (AIN SCR) at the request of CI2. AIN SCR will provide CI2 with the capability of routing operator calls, 0+ and 0- and 0+ NPA Local Numbering Plan Area (LNPA), 555-1212 directory assistance, 1+411 directory assistance and 611 repair center calls to pre-selected destinations.
- 4.4.2 CI2 shall order AIN SCR through its Account Team and/or Local Contract Manager. AIN SCR must first be established regionally and then on a per central office per state basis.
- 4.4.3 AIN SCR is not available in DMS 10 switches.
- 4.4.4 Where AIN SCR is utilized by CI2, the routing of CI2's End User calls shall be pursuant to information provided by CI2 and stored in BellSouth's AIN SCR Service Control Point database. AIN SCR shall utilize a set of Line Class Codes (LCCs) unique to a basic class of service assigned on an "as needed" basis. The same LCCs will be assigned in each central office where AIN SCR is established.
- 4.4.5 Upon ordering AIN SCR Regional Service, CI2 shall remit to BellSouth the Regional Service Order nonrecurring charges set forth in Exhibit A of this Attachment. There shall be a nonrecurring End Office Establishment Charge per office due at the addition of each central office where AIN SCR will be utilized. Said nonrecurring charge shall be as set forth in Exhibit A of this Attachment. For each CI2 End User activated, there shall be a nonrecurring End User Establishment charge as set forth in Exhibit A of this Attachment. CI2 shall pay the AIN SCR Per Query Charge set forth in Exhibit A of this Attachment.
- 4.4.6 This Regional Service Order nonrecurring charge will be non-refundable and will be paid with one half due up-front with the submission of all fully completed

required forms including: Regional Selective Carrier Routing (SCR) Order Request-Form A, Central Office AIN SCRSCR Order Request - Form B, AIN SCR Central Office Identification Form - Form C, AIN SCR Routing Options Selection Form - Form D, and Routing Combinations Table - Form E. BellSouth has thirty (30) calendar days to respond to CI2's fully completed firm order as a Regional Service Order. With the delivery of this firm order response to CI2, BellSouth considers that the delivery schedule of this service commences. The remaining half of the Regional Service Order payment must be paid when at least ninety (90) percent of the Central Offices listed on the original order have been turned up for the service.

- 4.4.7 The nonrecurring End Office Establishment Charge will be billed to CI2 following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.8 End-User Establishment Orders will not be turned-up until the second payment is received for the Regional Service Order. The nonrecurring End-User Establishment Charges will be billed to CI2 following BellSouth's normal monthly billing cycle for this type of order.
- 4.4.9 Additionally, the AIN SCR Per Query Charge will be billed to CI2 following the normal billing cycle for per query charges.
- 4.4.10 All other network components needed, for example, unbundled switching, unbundled local transport, etc., will be billed per contracted rates.

# 4.5 <u>Selective Call Routing Using Line Class Codes (SCR-LCC)</u>

- 4.5.1 Where CI2 purchases unbundled local switching from BellSouth and utilizes an operator services provider other than BellSouth, BellSouth will route CI2's End User calls to that provider through Selective Call Routing.
- 4.5.2 Selective Call Routing using Line Class Codes (SCR-LCC) provides the capability for CI2 to have its Operator Call Processing/Directory Assistance (OCP/DA) calls routed to BellSouth's OCP/DA platform for BellSouth provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if line class code capacity is available in the requested BellSouth end office switches.
- 4.5.3 Custom Branding for Directory Assistance (DA) is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- Where available, CI2 specific and unique LCCs are programmed in each BellSouth end office switch where CI2 intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify CI2's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform.

Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and CI2 intends to provide CI2 -branded OCP/DA to its End Users in these multiple rate areas.

- 4.5.5 SCR-LCC supporting Custom Branding and Self Branding require CI2 to order dedicated trunking from each BellSouth end office identified by CI2, either to the BellSouth Traffic Operator Position System (TOPS) for Custom Branding or to the CI2 Operator Service Provider for Self Branding. Separate trunk groups are required for Operator Services and for DA. Rates for trunks are set forth in applicable BellSouth tariffs.
- 4.5.6 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by BellSouth from those end offices identified by CI2 to the BellSouth TOPS.
- 4.5.7 The Rates for SCR-LCC are as set forth in this Attachment. There is a nonrecurring charge for the establishment of each LCC in each BellSouth central office. Furthermore, for Unbranded and Custom Branded OCP/DA provided by BellSouth Operator Services with unbundled ports and unbundled port/loop switch combinations, monthly recurring usage charges shall apply for the UNEs necessary to provide the service, such as end office and tandem switching and common transport. A flat rated end office switching charge shall apply to Self-Branded OCP/DA when used in conjunction with unbundled ports and unbundled port/loop switch combinations.

### 5 Unbundled Network Element Combinations

- For purposes of this Section, references to "Currently Combined" Network Elements shall mean that the particular Network Elements requested by CI2 are in fact already combined by BellSouth in the BellSouth network. References to "Ordinarily Combined" Network Elements shall mean that the particular Network Elements requested by CI2 are not already combined by BellSouth in the location requested by CI2 but are elements that are typically combined in BellSouth's network. References to "Not Typically Combined" Network Elements shall mean that the particular Network Elements requested by CI2 are not elements that BellSouth combines for its use in its network.
- 5.1.1 Upon request, BellSouth shall perform the functions necessary to combine unbundled Network Elements in any manner, even if those elements are not ordinarily combined in BellSouth's network, provided that such combination is technically feasible and will not undermine the ability of other carriers to obtain access to unbundled Network Elements or to interconnect with BellSouth's network.

#### **5.2** Enhanced Extended Links (EELs)

- 5.2.1 EELs are combinations of unbundled Loops and unbundled dedicated transport as defined in this Attachment, together with any facilities, equipment, or functions necessary to combine those Network Elements. BellSouth shall provide CI2 with EELs where the underlying UNEs are available and in all instances where the requesting carrier meets the eligibility requirements, if applicable.
- High-capacity EELs are combinations of loop and transport UNEs or commingled loop and transport facilities at the DS1 and/or DS3 level as described in 47 CFR 51.318(b). High-capacity EELs must comply with the service eligibility requirements set forth in 5.2.4 below.
- By placing an order for a high-capacity EEL, CI2 thereby certifies that the service eligibility criteria set forth herein are met for access to a converted high-capacity EEL, a new high-capacity EEL, or part of a high-capacity commingled EEL as a UNE. BellSouth shall have the right to audit CI2's high-capacity EELs as specified below.
- If a high-capacity EEL or Ordinarily Combined Network Element is not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.

# 5.2.5 <u>Service Eligibility Criteria</u>

- 5.2.5.1 CI2 must certify for each high-capacity EEL that all of the following service eligibility criteria are met:
- 5.2.5.1.1 CI2 has received state certification to provide local voice service in the area being served;
- 5.2.5.2 For each combined circuit, including each DS1 circuit, each DS1 EEL, and each DS1-equivalent circuit on a DS3 EEL:
- 5.2.5.2.1 1) Each circuit to be provided to each End User will be assigned a local number prior to the provision of service over that circuit;
- 5.2.5.2.2 2) Each DS1-equivalent circuit on a DS3 EEL must have its own local number assignment so that each DS3 must have at least twenty-eight (28) local voice numbers assigned to it;
- 5.2.5.2.3 3) Each circuit to be provided to each End User will have 911 or E911 capability prior to provision of service over that circuit;

- 5.2.5.2.4 4) Each circuit to be provided to each End User will terminate in a collocation arrangement that meets the requirements of 47 CFR 51.318(c);
- 5.2.5.2.5 5) Each circuit to be provided to each End User will be served by an interconnection trunk over which CI2 will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.6 6) For each twenty-four (24) DS1 EELs or other facilities having equivalent capacity, CI2 will have at least one (1) active DS1 local service interconnection trunk over which CI2 will transmit the calling party's number in connection with calls exchanged over the trunk;
- 5.2.5.2.7 7) Each circuit to be provided to each End User will be served by a switch capable of switching local voice traffic.
- 5.2.6 BellSouth may, on an annual basis, audit CI2's records in order to verify compliance with the qualifying service eligibility criteria. The audit shall be conducted by a third party independent auditor, and the audit must be performed in accordance with the standards established by the American Institute for Certified Public Accountants (AICPA). To the extent the independent auditor's report concludes that CI2 failed to comply with the service eligibility criteria, CI2 must true-up any difference in payments, convert all noncompliant circuits to the appropriate service, and make the correct payments on a going-forward basis. In the event the auditor's report concludes that, CI2 did not comply in any material respect with the service eligibility criteria, CI2 shall reimburse BellSouth for the cost of the independent auditor. To the extent the auditor's report concludes that CI2 did comply in all material respects with the service eligibility criteria, BellSouth will reimburse CI2 for its reasonable and demonstrable costs associated with the audit. CI2 will maintain appropriate documentation to support its certifications.
- 5.2.7 In the event CI2 converts special access services to UNEs, CI2 shall be subject to the termination liability provisions in the applicable special access tariffs, if any.

# 5.3 <u>UNE Port/Loop Combinations</u>

- 5.3.1 Combinations of port and loop unbundled Network Elements along with switching and transport unbundled Network Elements provide local exchange service for the origination or termination of calls. Port/loop combinations support the same local calling and feature requirements as described in the Unbundled Local Switching or Port section of this Attachment and the ability to presubscribe to a primary carrier for intraLATA toll service and/or to presubscribe to a primary carrier for interLATA toll service.
- BellSouth is not required to provide combinations of port and loop Network Elements on an unbundled basis in locations where, pursuant to FCC and

Commission rules, BellSouth is not required to provide local circuit switching as an unbundled Network Element.

- 5.3.3 BellSouth shall not be required to provide local circuit switching as a UNE in density Zone 1, as defined in 47 CFR 69.123 as of January 1, 1999 of the Atlanta, GA; Miami, FL; Orlando, FL; Ft. Lauderdale, FL; Charlotte-Gastonia-Rock Hill, NC; Greensboro-Winston Salem-High Point, NC; Nashville, TN; and New Orleans, LA, MSAs to CI2 if CI2's customer has four (4) or more DS0 equivalent lines.
- 5.3.4 BellSouth shall not be required to provide local circuit switching as a UNE or combination of UNEs if the End User is being served by a BellSouth DS1 or higher capacity Loop in any service area covered by this Agreement. To the extent that CI2 is serving any End User as described above as of October 2, 2003, such arrangement may not remain in place any longer than April 1, 2004, after which such arrangement must be terminated by CI2 or BellSouth shall convert such arrangement to tariff pricing. The filing of this Agreement with the applicable Commission shall constitute the filing of the joint transition plan specified by the FCC.
- 5.3.5 BellSouth shall make 911 updates in the BellSouth 911 database for CI2's UNE port/Loop combinations. BellSouth will not bill CI2 for 911 surcharges. CI2 is responsible for paying all 911 surcharges to the applicable governmental agency.

#### 5.4 Rates

- 5.4.1 The rates for the Currently Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the rates associated with such combinations. Where a Currently Combined combination is not specifically set forth in Exhibit A, the rate for such Currently Combined combination of Network Elements shall be the sum of the recurring rates for those individual Network Elements in addition to the applicable non-recurring switch-as-is charge set forth in Exhibit A.
- 5.4.2 The rates for the Ordinarily Combined Network Elements specifically set forth in Exhibit A of this Attachment shall be the non-recurring and recurring charges for those combinations. Where an Ordinarily Combined combination is not specifically set forth in Exhibit A, the rate for such Ordinarily Combined combination of Network Elements shall be the sum of the recurring and non-recurring rates for those individual Network Elements as set forth in Exhibit A.
- 5.4.3 Except as set forth in this Section 5, BellSouth shall provide UNE port/loop combinations specifically set forth in Exhibit A that are Currently Combined or Ordinarily Combined in BellSouth's network at the cost-based rates in Exhibit A.
- 5.4.4 BellSouth shall provide other Currently Combined and Ordinarily Combined and Not Typically Combined UNE Combinations to CI2 in addition to those

specifically referenced in this Section 5 above, where available. To the extent CI2 requests a combination for which BellSouth does not have rates and methods and procedures in place to provide such combination, rates and/or methods and procedures for such combination will be developed pursuant to the BFR/NBR process.

### 6 Transport, Channelization and Dark Fiber

### 6.1 <u>Transport</u>

- 6.1.1 BellSouth shall provide nondiscriminatory access, in accordance with FCC Rules 51.311, 51.319, and Section 251(c)(3) of the Act to interoffice transmission facilities described in this Section 6 on an unbundled basis to CI2 for the provision of a qualifying service, as set forth herein.
- 6.1.1.1 Dedicated Transport is defined as BellSouth's interoffice transmission facilities, dedicated to a particular customer or carrier that CI2 uses for transmission between wire centers or switches owned by BellSouth and within the same LATA.
- Dark Fiber Transport, defined as BellSouth's optical transmission facilities without attached signal regeneration, multiplexing, aggregation or other electronics, between wire centers or switches owned by BellSouth and within the same LATA;
- 6.1.1.3 Common (Shared) Transport, defined as transmission facilities shared by more than one carrier, including BellSouth, between end office switches, between end office switches and tandem switches, and between tandem switches, in BellSouth's network. Where BellSouth Network Elements are connected by intraoffice wiring, such wiring is provided as part of the Network Element and is not Common (Shared) Transport.
- 6.1.1.3.1 Notwithstanding any other provision of this Agreement, BellSouth will only provide unbundled access to Common (Shared) Transport to the extent BellSouth is required to provide and is providing unbundled Local Circuit Switching to CI2.
- 6.1.2 BellSouth shall:
- 6.1.2.1 Provide CI2 exclusive use of Dedicated Transport to a particular customer or carrier, or shared use of the features, functions, and capabilities of interoffice transmission facilities shared by more than one customer or carrier;
- 6.1.2.2 Provide all technically feasible features, functions, and capabilities of the transport facility;
- 6.1.2.3 Permit, to the extent technically feasible, CI2 to connect such interoffice facilities to equipment designated by CI2, including but not limited to, CI2's collocated facilities; and

- 6.1.2.4 Permit, to the extent technically feasible, CI2 to obtain the functionality provided by BellSouth's digital cross-connect systems.
- 6.1.3 Technical Requirements of Common (Shared) Transport
- 6.1.3.1 Common (Shared) Transport provided on DS1, DS3, and STS-1 circuits shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Central Office to Central Office (CO to CO) connections in the applicable industry standards.
- 6.1.3.2 BellSouth shall be responsible for the engineering, provisioning, and maintenance of the underlying equipment and facilities that are used to provide Common (Shared) Transport.
- 6.1.3.3 At a minimum, Common (Shared) Transport shall meet all of the requirements set forth in the applicable industry standards.

### 6.2 **Dedicated Transport**

- 6.2.1 BellSouth shall offer Dedicated Transport in each of the following ways:
- 6.2.1.1 As capacity on a shared UNE facility.
- 6.2.1.2 As a circuit (e.g., DS0, DS1, DS3) dedicated to CI2.
- 6.2.2 Dedicated Transport may be provided over facilities such as optical fiber, copper twisted pair, and coaxial cable, and shall include transmission equipment such as line terminating equipment, amplifiers, and regenerators.
- 6.2.3 CI2 may obtain a maximum of twelve (12) unbundled dedicated DS3 circuits, or their equivalent, for any single route at the UNE rates set forth in Exhibit A for which dedicated DS3 transport is available as unbundled transport. Additional capacity may be purchased pursuant to the rates, terms and conditions as set forth in the applicable tariff. A route is defined as a transmission path between one of BellSouth's wire centers or switches and another of BellSouth's wire centers or switches. A route between two (2) points may pass through one or more intermediate wire centers or switches. Transmission paths between identical end points are the same "route", irrespective of whether they pass through the same intermediate wire centers or switches, if any.
- Any request to re-terminate one end of a circuit will require the issuance of new service and disconnection of the existing service and the applicable charges in Exhibit A shall apply, and the re-terminated circuit shall be considered a new circuit as of the installation date.
- 6.2.5 If Dedicated Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth

to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.

# 6.2.6 <u>Technical Requirements</u>

- 6.2.6.1 The entire designated transmission service (e.g., DS0, DS1, DS3) shall be dedicated to CI2 designated traffic.
- For DS1 or DS3 circuits, Dedicated Transport shall at a minimum meet the performance, availability, jitter, and delay requirements specified for Customer Interface to Central Office (CI to CO) connections in the applicable industry standards.
- 6.2.6.3 BellSouth shall offer the following interface transmission rates for Dedicated Transport:
- 6.2.6.3.1 DS0 Equivalent;
- 6.2.6.3.2 DS1;
- 6.2.6.3.3 DS3; and
- 6.2.6.3.4 SDH (Synchronous Digital Hierarchy) Standard interface rates are in accordance with International Telecommunications Union (ITU) Recommendation G.707 and Plesiochronous Digital Hierarchy (PDH) rates per ITU Recommendation G.704.
- 6.2.6.4 BellSouth shall design Dedicated Transport according to its network infrastructure. CI2 shall specify the termination points for Dedicated Transport.
- 6.2.6.5 At a minimum, Dedicated Transport shall meet each of the requirements set forth in the applicable industry technical references.
- 6.2.6.6 BellSouth Technical References:
- 6.2.6.6.1 TR-TSY-000191 Alarm Indication Signals Requirements and Objectives, Issue 1, May 1986.
- 6.2.6.6.2 TR 73501 LightGate® Service Interface and Performance Specifications, Issue D, June 1995.
- 6.2.6.6.3 TR 73525 MegaLink®Service, MegaLink Channel Service and MegaLink Plus Service Interface and Performance Specifications, Issue C, May 1996.

## 6.3 <u>Unbundled Channelization (Multiplexing)</u>

- Unbundled Channelization (UC) provides the optional multiplexing capability that will allow a DS1 (1.544 Mbps) or DS3 (44.736 Mbps) or STS-1 (51.84 Mbps) UNE or collocation cross connect to be multiplexed or channelized at a BellSouth central office. Channelization can be accomplished through the use of a multiplexer or a digital cross connect system at the discretion of BellSouth. Once UC has been installed, CI2 may request channel activation on an as needed basis and BellSouth shall connect the requested facilities via Central Office Channel Interfaces (COCIs). The COCI must be compatible with the lower capacity facility and ordered with the lower capacity facility. This service is available as defined in NECA 4.
- 6.3.2 BellSouth shall make available the following channelization systems and interfaces:
- 6.3.2.1 DS1 Channelization System: channelizes a DS1 signal into a maximum of twenty-four (24) DS0s. The following Central Office Channel Interfaces (COCI) are available: Voice Grade, Digital Data and ISDN.
- DS3 Channelization System: channelizes a DS3 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.3 STS-1 Channelization System: channelizes a STS-1 signal into a maximum of twenty-eight (28) DS1s. A DS1 COCI is available with this system.
- 6.3.2.4 AMI and B8ZS line coding with either Super Frame (SF) and Extended Super Frame (ESF) framing formats will be supported as an optional feature on DS1 facilities.
- 6.3.3 <u>Technical Requirements</u>
- 6.3.3.1 In order to assure proper operation with BellSouth provided central office multiplexing functionality, CI2's channelization equipment must adhere strictly to form and protocol standards. CI2 must also adhere to such applicable industry standards for the multiplex channel bank, for voice frequency encoding, for various signaling schemes, and for sub rate digital access.
- 6.3.3.2 TR 73501 LightGate<sup>®</sup> Service Interface and Performance Specifications, Issue D, June 1995

### 6.4 **Dark Fiber Transport**

- 6.4.1 Dark Fiber Transport is strands of optical fiber existing in aerial or underground structure. BellSouth will not provide line terminating elements, regeneration or other electronics necessary for CI2 to utilize Dark Fiber Transport.
- 6.4.2 If Dark Fiber Transport is not readily available but can be made available through routine network modifications, as defined by the FCC, CI2 may request BellSouth

to perform such routine network modifications. The request may not be used to place fiber. Each request will be handled as a project on an individual case basis. BellSouth will provide a price quote for the request, and upon receipt of payment by CI2, BellSouth shall perform the routine network modifications.

# 6.4.3 Requirements

- BellSouth shall make available Dark Fiber Transport where it exists in BellSouth's network and where, as a result of future building or deployment, it becomes available. Dark Fiber Transport will not be deemed available if (1) it is used by BellSouth for maintenance and repair purposes, (2) it is designated for use pursuant to a firm order placed by another customer, (3) it is restricted for use by all carriers, including BellSouth, because of transmission problems or because it is scheduled for removal due to documented changes to roads and infrastructure, or (4) BellSouth has plans to use the fiber within a two-year planning period. BellSouth is not required to place fibers for Dark Fiber Transport if there are none available.
- 6.4.3.2 CI2 is solely responsible for testing the quality of the Dark Fiber Transport to determine its usability and performance specifications.
- BellSouth shall use its best efforts to provide to CI2 information regarding the location, availability and performance of Dark Fiber Transport within ten (10) business days after receiving a request from CI2. Within such time period, BellSouth shall send written confirmation of availability of the Dark Fiber Transport.
- 6.4.3.4 If the requested Dark Fiber Transport is available, BellSouth shall use its commercially reasonable efforts to provision the Dark Fiber Transport to CI2 within twenty (20) business days after CI2 submits a valid, error free LSR. Provisioning includes identification of appropriate connection points (e.g., LGX) to enable CI2 to connect CI2 provided transmission media (e.g., optical fiber) or equipment to the Dark Fiber Transport.

### 7 Databases

Call Related Databases are the databases set forth in this Attachment, other than OSS, that are used in signaling networks for billing and collection, or the transmission, routing or other provision of a telecommunications service. Notwithstanding anything to the contrary herein, BellSouth shall only provide unbundled access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, Line Information Database (LIDB), Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, and Calling Name (CNAM) Database Service at the prices set

forth herein where BellSouth is required to provide and is providing unbundled access to local circuit switching to CI2.

7.2 To the extent unbundled local circuit switching is converted to market based switching pursuant to Section 4.2.2 of this Attachment, BellSouth may, at its discretion, provide access to BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit Screening Service, LIDB, Signaling, Signaling Link Transport, Signaling Transfer Points, SS7 AIN Access, Service Control Point\Databases, Local Number Portability Databases, SS7 Network Interconnection, Calling Name (CNAM) at market based rates pursuant to a separate agreement or tariff.

# 8 <u>BellSouth Switched Access (SWA) 8XX Toll Free Dialing Ten Digit</u> Screening Service

- 8.1 The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service database (8XX SCP Database) is a SCP that contains customer record information and the functionality to provide call-handling instructions for 8XX calls. The 8XX SCP IN software stores data downloaded from the national SMS/8XX database and provides the routing instructions in response to queries from the SSP or tandem. The BellSouth SWA 8XX Toll Free Dialing Ten Digit Screening Service (8XX TFD Service) utilizes the 8XX SCP Database to provide identification and routing of the 8XX calls, based on the ten digits dialed. At CI2's option, 8XX TFD Service is provided with or without POTS number delivery, dialing number delivery, and other optional complex features as selected by CI2.
- 8.2 The 8XX SCP Database is designated to receive and respond to queries using the ANSI Specification of Signaling System Seven (SS7) protocol.

### **9** Line Information Database

9.1 LIDB is a transaction-oriented database accessible through Common Channel Signaling (CCS) networks. For access to LIDB, CI2 must purchase appropriate signaling links pursuant to Section 10 of this Attachment. LIDB contains records associated with End User Line Numbers and Special Billing Numbers. LIDB accepts queries from other Network Elements and provides appropriate responses. The query originator need not be the owner of LIDB data. LIDB queries include functions such as screening billed numbers that provides the ability to accept Collect or Third Number Billing calls and validation of Telephone Line Number based non-proprietary calling cards. The interface for the LIDB functionality is the interface between BellSouth's CCS network and other CCS networks. LIDB also interfaces to administrative systems.

### 9.2 Technical Requirements

9.2.1 BellSouth will offer to CI2 any additional capabilities that are developed for LIDB during the life of this Agreement.

- 9.2.2 BellSouth shall process CI2's customer records in LIDB at least at parity with BellSouth customer records, with respect to other LIDB functions. BellSouth shall indicate to CI2 what additional functions (if any) are performed by LIDB in the BellSouth network.
- 9.2.3 Within two (2) weeks after a request by CI2, BellSouth shall provide CI2 with a list of the customer data items, which CI2 would have to provide in order to support each required LIDB function. The list shall indicate which data items are essential to LIDB function and which are required only to support certain services. For each data item, the list shall show the data formats, the acceptable values of the data item and the meaning of those values.
- 9.2.4 BellSouth shall provide LIDB systems for which operating deficiencies that would result in calls being blocked shall not exceed thirty (30) minutes per year.
- 9.2.5 BellSouth shall provide LIDB systems for which operating deficiencies that would not result in calls being blocked shall not exceed twelve (12) hours per year.
- 9.2.6 BellSouth shall provide LIDB systems for which the LIDB function shall be in overload no more than twelve (12) hours per year.
- 9.2.7 All additions, updates and deletions of CI2 data to the LIDB shall be solely at the direction of CI2. Such direction from CI2 will not be required where the addition, update or deletion is necessary to perform standard fraud control measures (e.g., calling card auto-deactivation).
- 9.2.8 BellSouth shall provide priority updates to LIDB for CI2 data upon CI2's request (e.g., to support fraud detection), via password-protected telephone card, facsimile, or electronic mail within one hour of notice from the established BellSouth contact.
- 9.2.9 BellSouth shall provide LIDB systems such that no more than 0.01% of CI2 customer records will be missing from LIDB, as measured by CI2 audits. BellSouth will audit CI2 records in LIDB against Data Base Administration System (DBAS) to identify record mismatches and provide this data to a designated CI2 contact person to resolve the status of the records and BellSouth will update system appropriately. BellSouth will refer record of mismatches to CI2 within one (1) business day of audit. Once reconciled records are received back from CI2, BellSouth will update LIDB the same business day if less than 500 records are received before 1:00PM Central Time. If more than 500 records are received, BellSouth will contact CI2 to negotiate a time frame for the updates, not to exceed three business days.
- 9.2.10 BellSouth shall perform backup and recovery of all of CI2's data in LIDB including sending to LIDB all changes made since the date of the most recent backup copy, in at least the same time frame BellSouth performs backup and

recovery of BellSouth data in LIDB for itself. Currently, BellSouth performs backups of the LIDB for itself on a weekly basis; and when a new software release is scheduled, a backup is performed prior to loading the new release.

- 9.2.11 BellSouth shall provide CI2 with LIDB reports of data which are missing or contain errors, as well as any misrouted errors, within a reasonable time period as negotiated between CI2 and BellSouth.
- 9.2.12 BellSouth shall prevent any access to or use of CI2 data in LIDB by BellSouth personnel that are outside of established administrative and fraud control personnel, or by any other Party that is not authorized by CI2 in writing.
- 9.2.13 BellSouth shall provide CI2 performance of the LIDB Data Screening function, which allows a LIDB to completely or partially deny specific query originators access to LIDB data owned by specific data owners, for Customer Data that is part of an NPA-NXX or RAO-0/1XX wholly or partially owned by CI2 at least at parity with BellSouth Customer Data. BellSouth shall obtain from CI2 the screening information associated with LIDB Data Screening of CI2 data in accordance with this requirement. BellSouth currently does not have LIDB Data Screening capabilities. When such capability is available, BellSouth shall offer it to CI2 under the BFR/NBR process as set forth in Attachment 11.
- 9.2.14 BellSouth shall accept queries to LIDB associated with CI2 customer records and shall return responses in accordance with industry standards.
- 9.2.15 BellSouth shall provide mean processing time at the LIDB within 0.50 seconds under normal conditions as defined in industry standards.
- 9.2.16 BellSouth shall provide processing time at the LIDB within 1 second for 99% of all messages under normal conditions as defined in industry standards.
- 9.3 <u>Interface Requirements</u>
- 9.3.1 BellSouth shall offer LIDB in accordance with the requirements of this subsection.
- 9.3.2 The interface to LIDB shall be in accordance with the technical references contained within.
- 9.3.3 The CCS interface to LIDB shall be the standard interface described herein.
- 9.3.4 The LIDB Data Base interpretation of the ANSI-TCAP messages shall comply with the technical reference herein. Global Title Translation (GTT) shall be maintained in the signaling network in order to support signaling network routing to the LIDB.
- 9.3.5 The application of the LIDB rates contained in Exhibit A to this Attachment will be based on a Percent CLEC LIDB Usage (PCLU) factor. CI2 shall provide

BellSouth a PCLU. The PCLU will be applied to determine the percentage of total LIDB usage to be billed to the other Party at local rates. CI2 shall update its PCLU on the first of January, April, July and October and shall send it to BellSouth to be received no later than thirty (30) calendar days after the first of each such month based on local usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PCLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.

# 10 <u>Signaling</u>

10.1 BellSouth shall offer access to signaling and access to BellSouth's signaling databases subject to compatibility testing and at the rates set forth in this Attachment. BellSouth may provide mediated access to BellSouth signaling systems and databases. Available signaling elements include signaling links, signal transfer points and service control points. Signaling functionality will be available with both A-link and B-link connectivity.

### 10.2 <u>Signaling Link Transport</u>

- 10.2.1 Signaling Link Transport is a set of two (2) or four (4) dedicated 56 kbps transmission paths between CI2 designated Signaling Points of Interconnection that provide appropriate physical diversity.
- 10.2.2 Technical Requirements
- 10.2.3 Signaling Link Transport shall consist of full duplex mode 56 kbps transmission paths and shall perform in the following two ways:
- 10.2.3.1 As an "A-link" Signaling Link Transport is a connection between a switch or SCP and a home Signaling Transfer Point switch pair; and
- 10.2.3.2 As a "B-link" Signaling Link Transport is a connection between two Signaling Transfer Point switch pairs in different company networks (e.g., between two Signaling Transfer Point switch pairs for two CLECs).
- 10.2.4 Signaling Link Transport shall consist of two (2) or more signaling link layers as follows:
- 10.2.4.1 An A-link layer shall consist of two (2) links.
- 10.2.4.2 A B-link layer shall consist of four (4) links.
- 10.2.4.3 A signaling link layer shall satisfy interoffice and intraoffice diversity of facilities and equipment, such that:

- 10.2.4.4 No single failure of facilities or equipment causes the failure of both links in an Alink layer (i.e., the links should be provided on a minimum of two (2) separate physical paths end-to-end); and
- 10.2.4.5 No two (2) concurrent failures of facilities or equipment shall cause the failure of all four (4) links in a B-link layer (i.e., the links should be provided on a minimum of three separate physical paths end-to-end).

# 10.2.5 <u>Interface Requirements</u>

10.2.5.1 There shall be a DS1 (1.544 Mbps) interface at CI2's designated SPOIs. Each 56 kbps transmission path shall appear as a DS0 channel within the DS1 interface.

# 10.3 **Signaling Transfer Points**

- 10.3.1 A STP is a signaling network function that includes all of the capabilities provided by the signaling transfer point switches (STPS) and their associated signaling links that enables the exchange of SS7 messages among and between switching elements, database elements and signaling transfer point switches.
- 10.3.2 Technical Requirements
- 10.3.2.1 STPs shall provide access to BellSouth Local Switching or Tandem Switching and to BellSouth Service Control Points/Databases connected to BellSouth SS7 network. STPs also provide access to third-party local or tandem switching and third-party-provided STPs.
- 10.3.2.2 The connectivity provided by STPs shall fully support the functions of all other Network Elements connected to the BellSouth SS7 network. This includes the use of the BellSouth SS7 network to convey messages that neither originate nor terminate at a signaling end point directly connected to the BellSouth SS7 network (i.e., transit messages). When the BellSouth SS7 network is used to convey transit messages, there shall be no alteration of the Integrated Services Digital Network User Part or Transaction Capabilities Application Part (TCAP) user data that constitutes the content of the message.
- If a BellSouth tandem switch routes traffic, based on dialed or translated digits, on SS7 trunks between a CI2 local switch and third party local switch, the BellSouth SS7 network shall convey the TCAP messages that are necessary to provide Call Management features (Automatic Callback, Automatic Recall, and Screening List Editing) between CI2 local STPs and the STPs that provide connectivity with the third party local switch, even if the third party local switch is not directly connected to BellSouth STPs.
- 10.3.2.4 STPs shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as defined in Telcordia ANSI Interconnection

Requirements. This includes GTT and SCCP Management procedures, as specified in ANSI T1.112.4. Where the destination signaling point is a CI2 or third party local or tandem switching system directly connected to BellSouth SS7 network, BellSouth shall perform final GTT of messages to the destination and SCCP Subsystem Management of the destination. In all other cases, BellSouth shall perform intermediate GTT of messages to a gateway pair of STPs in an SS7 network connected with BellSouth SS7 network and shall not perform SCCP Subsystem Management of the destination. If BellSouth performs final GTT to a CI2 database, then CI2 agrees to provide BellSouth with the Destination Point Code for CI2 database.

- 10.3.2.5 STPs shall provide all functions of the Operations, Maintenance and Administration Part (OMAP) as specified in applicable industry standard technical references, which may include, where available in BellSouth's network, MTP Routing Verification Test (MRVT) and SCCP Routing Verification Test (SRVT).
- Where the destination signaling point is a BellSouth local or tandem switching system or database, or is a CI2 or third party local or tandem switching system directly connected to the BellSouth SS7 network, STPs shall perform MRVT and SRVT to the destination signaling point. In all other cases, STPs shall perform MRVT and SRVT to a gateway pair of STPs in an SS7 network connected with the BellSouth SS7 network. This requirement may be superseded by the specifications for Internetwork MRVT and SRVT when these become approved ANSI standards and available capabilities of BellSouth STPs.

#### 10.4 **SS7**

- When technically feasible and upon request by CI2, SS7 AIN Access shall be made available in association with switching. SS7 AIN Access is the provisioning of AIN 0.1 triggers in an equipped BellSouth local switch and interconnection of the BellSouth SS7 network with CI2's SS7 network to exchange TCAP queries and responses with a CI2 SCP.
- SS7 AIN Access shall provide CI2 SCP access to an equipped BellSouth local switch via interconnection of BellSouth's SS7 and CI2 SS7 Networks. BellSouth shall offer SS7 AIN Access through its STPs. If BellSouth requires a mediation device on any part of its network specific to this form of access, BellSouth must route its messages in the same manner. The interconnection arrangement shall result in the BellSouth local switch recognizing the CI2 SCP as at least at parity with BellSouth's SCPs in terms of interfaces, performance and capabilities.

### 10.4.3 Interface Requirements

BellSouth shall provide the following STP options to connect CI2 or CI2-designated local switching systems to the BellSouth SS7 network:

- 10.4.3.1.1 An A-link interface from CI2 local switching systems; and,
- 10.4.3.1.2 A B-link interface from CI2 local STPs.
- Each type of interface shall be provided by one or more layers of signaling links.
- 10.4.3.3 The Signaling Point of Interconnection for each link shall be located at a cross-connect element in the CO where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the SPOIs. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.
- 10.4.3.4 BellSouth shall provide intraoffice diversity between the SPOI and BellSouth STPs so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.4.3.5 STPs shall provide all functions of the MTP as defined in the applicable industry standard technical references.
- 10.4.4 <u>Message Screening</u>
- BellSouth shall set message screening parameters so as to accept valid messages from CI2 local or tandem switching systems destined to any signaling point within BellSouth's SS7 network where the CI2 switching system has a valid signaling relationship.
- 10.4.4.2 BellSouth shall set message screening parameters so as to pass valid messages from CI2 local or tandem switching systems destined to any signaling point or network accessed through BellSouth's SS7 network where the CI2 switching system has a valid signaling relationship.
- 10.4.4.3 BellSouth shall set message screening parameters so as to accept and pass/send valid messages destined to and from CI2 from any signaling point or network interconnected through BellSouth's SS7 network where the CI2 SCP has a valid signaling relationship.

### 10.5 Service Control Points (SCP)/Databases

- 10.5.1 Call Related Databases provide the storage of, access to, and manipulation of information required to offer a particular service and/or capability. BellSouth shall provide access to the following Databases: Local Number Portability, LIDB, Toll Free Number Database, Automatic Location Identification/Data Management System, and Calling Name Database. BellSouth also provides access to Service Creation Environment and Service Management System (SCE/SMS) application databases and Directory Assistance.
- 10.5.2 A SCP is deployed in a SS7 network that executes service application logic in response to SS7 queries sent to it by a switching system also connected to the SS7

network. Service Management Systems provide operational interfaces to allow for provisioning, administration and maintenance of subscriber data and service application data stored in SCPs.

- 10.5.3 <u>Technical Requirements for SCPs/Databases</u>
- BellSouth shall provide physical access to SCPs through the SS7 network and protocols with TCAP as the application layer protocol.
- BellSouth shall provide physical interconnection to databases via industry standard interfaces and protocols (e.g. SS7, ISDN and X.25).
- 10.5.3.3 The reliability of interconnection options shall be consistent with requirements for diversity and survivability.

#### 10.6 **Local Number Portability Database**

10.6.1 The Permanent Number Portability (PNP) database supplies routing numbers for calls involving numbers that have been ported from one local service provider to another. BellSouth agrees to provide access to the PNP database at rates, terms and conditions as set forth by BellSouth and in accordance with an effective FCC or Commission directive.

### 10.7 **SS7 Network Interconnection**

- 10.7.1 SS7 Network Interconnection is the interconnection of CI2 local signaling transfer point switches or CI2 local or tandem switching systems with BellSouth signaling transfer point switches. This interconnection provides connectivity that enables the exchange of SS7 messages among BellSouth switching systems and databases, CI2 local or tandem switching systems, and other third-party switching systems directly connected to the BellSouth SS7 network.
- The connectivity provided by SS7 Network Interconnection shall fully support the functions of BellSouth switching systems and databases and CI2 or other third-party switching systems with A-link access to the BellSouth SS7 network.
- 10.7.3 If traffic is routed based on dialed or translated digits between a CI2 local switching system and a BellSouth or other third-party local switching system, either directly or via a BellSouth tandem switching system, then it is a requirement that the BellSouth SS7 network convey via SS7 Network Interconnection the TCAP messages that are necessary to provide Call Management services (Automatic Callback, Automatic Recall, and Screening List Editing) between the CI2 local signaling transfer point switches and BellSouth or other third-party local switch.

10.7.4 SS7 Network Interconnection shall provide: 10.7.4.1 Signaling Data Link functions, as specified in ANSI T1.111.2; 10.7.4.2 Signaling Link functions, as specified in ANSI T1.111.3; and 10.7.4.3 Signaling Network Management functions, as specified in ANSI T1.111.4. 10.7.5 SS7 Network Interconnection shall provide all functions of the SCCP necessary for Class 0 (basic connectionless) service as specified in ANSI T1.112. This includes GTT and SCCP Management procedures as specified in ANSI T1.112.4. Where the destination signaling point is a BellSouth switching system or DB, or is another third-party local or tandem switching system directly connected to the BellSouth SS7 network, SS7 Network Interconnection shall include final GTT of messages to the destination and SCCP Subsystem Management of the destination. Where the destination signaling point is a CI2 local or tandem switching system, SS7 Network Interconnection shall include intermediate GTT of messages to a gateway pair of CI2 local STPs and shall not include SCCP Subsystem Management of the destination. 10.7.6 SS7 Network Interconnection shall provide all functions of the Integrated Services Digital Network User Part as specified in ANSI T1.113. 10.7.7 SS7 Network Interconnection shall provide all functions of the TCAP as specified in ANSI T1.114. 10.7.8 If Internetwork MRVT and SRVT become approved ANSI standards and available capabilities of BellSouth STPs, SS7 Network Interconnection may provide these functions of the OMAP. 10.7.9 **Interface Requirements** 10.7.9.1 The following SS7 Network Interconnection interface options are available to connect CI2 or CI2-designated local or tandem switching systems or signaling transfer point switches to the BellSouth SS7 network: 10.7.9.1.1 A-link interface from CI2 local or tandem switching systems; and 10.7.9.1.2 B-link interface from CI2 STPs. 10.7.9.2 The Signaling Point of Interconnection for each link shall be located at a crossconnect element in the central office where the BellSouth STP is located. There shall be a DS1 or higher rate transport interface at each of the Signaling Points of interconnection. Each signaling link shall appear as a DS0 channel within the DS1 or higher rate interface.

- 10.7.9.3 BellSouth shall provide intraoffice diversity between the Signaling Points of Interconnection and the BellSouth STP, so that no single failure of intraoffice facilities or equipment shall cause the failure of both B-links in a layer connecting to a BellSouth STP.
- 10.7.9.4 The protocol interface requirements for SS7 Network Interconnection include the MTP, ISDNUP, SCCP, and TCAP. These protocol interfaces shall conform to the applicable industry standard technical references.
- 10.7.9.5 BellSouth shall set message screening parameters to accept messages from CI2 local or tandem switching systems destined to any signaling point in the BellSouth SS7 network with which the CI2 switching system has a valid signaling relationship.

# 11 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>

The ALI/DMS Database contains End User information (including name, address, telephone information, and sometimes special information from the local service provider or End User) used to determine to which PSAP to route the call. The ALI/DMS database is used to provide enhanced routing flexibility for E911. CI2 will be required to provide BellSouth daily updates to E911 database. CI2 shall also be responsible for providing BellSouth with complete and accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 service to its End Users.

# 11.2 <u>Technical Requirements</u>

- 11.2.1 BellSouth shall provide CI2 the capability of providing updates to the ALI/DMS database. BellSouth shall provide error reports from the ALI/DMS database to CI2 after CI2 provides End User information for input into the ALI/DMS database.
- 11.2.2 CI2 shall conform to the National Emergency Number Association (NENA) recommended standards for LNP and updating the ALI/DMS database.

# 12 Calling Name Database Service

- 12.1 CNAM is the ability to associate a name with the calling party number, allowing the End User (to which a call is being terminated) to view the calling party's name before the call is answered. The calling party's information is accessed by queries launched to the CNAM database. This service also provides CI2 the opportunity to load and store its subscriber names in the BellSouth CNAM SCPs.
- 12.2 CI2 shall submit to BellSouth a notice of its intent to access and utilize BellSouth CNAM Database Services. Said notice shall be in writing no less than sixty (60)

calendar days prior to CI2's access to BellSouth's CNAM Database Services and shall be addressed to CI2's Local Contract Manager.

- BellSouth's provision of CNAM Database Services to CI2 requires interconnection from CI2 to BellSouth CNAM SCPs. Such interconnections shall be established pursuant to Attachment 3 of this Agreement.
- In order to formulate a CNAM query to be sent to the BellSouth CNAM SCP, CI2 shall provide its own CNAM SSP. CI2's CNAM SSPs must be compliant with TR-NWT-001188, "CLASS Calling Name Delivery Generic Requirements".
- 12.5 If CI2 elects to access the BellSouth CNAM SCP via a third party CCS7 transport provider, the third party CCS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish CCS7 interconnection at the BellSouth Local Signal Transfer Points (LSTPs) serving the BellSouth CNAM SCPs that CI2 desires to query.
- If CI2 queries the BellSouth CNAM SCP via a third party national SS7 transport provider, the third party SS7 provider shall interconnect with the BellSouth CCS7 network according to BellSouth's Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. In addition, the third party provider shall establish SS7 interconnection at one or more of the BellSouth Gateway STPs. The payment of all costs associated with the transport of SS7 signals via a third party will be established by mutual agreement of the Parties and this Agreement shall be amended in accordance with modification of the General Terms and Conditions incorporated herein by this reference.
- The mechanism to be used by CI2 for initial CNAM record load and/or updates shall be determined by mutual agreement. The initial load and all updates shall be provided by CI2 in the BellSouth specified format and shall contain records for every working telephone number that can originate phone calls. It is the responsibility of CI2 to provide accurate information to BellSouth on a current basis.
- 12.8 Updates to the SMS shall occur no less than once a week, reflect service order activity affecting either name or telephone number, and involve only record additions, deletions or changes.
- 12.9 CI2 CNAM records provided for storage in the BellSouth CNAM SCP shall be available, on a SCP query basis only, to all Parties querying the BellSouth CNAM SCP. Further, CNAM service shall be provided by each Party consistent with state and/or federal regulation.

# 13 Service Creation Environment and Service Management System (SCE/SMS) **Advanced Intelligent Network Access** 13.1 BellSouth's SCE/SMS AIN Access shall provide CI2 the capability to create service applications in a BellSouth SCE and deploy those applications in a BellSouth SMS to a BellSouth SCP. 13.2 BellSouth's SCE/SMS AIN Access shall provide access to SCE hardware, software, testing and technical support (e.g., help desk, system administrator) resources available to CI2. Training, documentation, and technical support will address use of SCE and SMS access and administrative functions but will not include support for the creation of a specific service application. 13.3 BellSouth SCP shall partition and protect CI2 service logic and data from unauthorized access. 13.4 When CI2 selects SCE/SMS AIN Access, BellSouth shall provide training, documentation, and technical support to enable CI2 to use BellSouth's SCE/SMS AIN Access to create and administer applications. 13.5 CI2 access will be provided via remote data connection (e.g., dial-in, ISDN). 13.6 BellSouth shall allow CI2 to download data forms and/or tables to BellSouth SCP via BellSouth SMS without intervention from BellSouth. 14 **Operational Support Systems** 14.1 BellSouth has developed and made available electronic interfaces by which CI2 may submit LSRs electronically. 14.2 LSRs submitted by means of one of these electronic interfaces will incur an OSS electronic ordering charge. An individual LSR will be identified for billing purposes by its Purchase Order Number (PON). LSRs submitted by means other than one of these interactive interfaces (mail, fax, courier, etc.) will incur a manual order charge. All OSS charges are specified in Exhibit A of this Attachment. 14.3 Denial/Restoral OSS Charge 14.3.1 In the event CI2 provides a list of customers to be denied and restored, rather than an LSR, each location on the list will require a separate PON and therefore will be billed as one LSR per location. 14.4 Cancellation OSS Charge

14.4.1

CI2 will incur an OSS charge for an accepted LSR that is later canceled.

- Supplements or clarifications to a previously billed LSR will not incur another OSS charge.
- 14.6 Network Elements and Other Services Manual Additive
- 14.6.1 The Commissions in some states have ordered per element manual additive nonrecurring charges (NRC) for Network Elements and Other Services ordered by means other than one of the interactive interfaces. These ordered Network Elements and Other Services manual additive NRCs will apply in these states, rather than the charge per LSR. The per element charges are listed in Exhibit A.

UNBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
													Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	DATE ELEMENTS	Interi	7	BCS	USOC			RATES (\$)			Elec	_	Manual Svc	Manual Svc		Manual Svc
CATEGORT	RATE ELEMENTS	m	Zone	ьсэ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring		g Disconnect		•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Tho "	 Zone" shown in the sections for stand-alone loops or loops as	part of	2 comb	sination refers to Go	ographically	Dogworgand III	NE Zonos To	viow Goograp	higally Doayer	aged LINE Zone	Docianatio	one by Cont	ral Office refe	r to internet	Nobeito:	l
	/www.interconnection.bellsouth.com/become a clec/html/inter				ograpinicany	Deaveraged O	NE Zones. 10	view Geograp	incarry Deaver	aged ONE ZOIN	Designation	ons by cent	iai Oilice, reie	si to internet	reporte.	
	AL SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	:: (1) CLEC should contact its contract negotiator if it prefers th															
	either the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
	of the 9 states. E: (2) Any element that can be ordered electronically will be bill			a tha COMEC nata li	-4	antamam. Diaga	a sefes to Dell	Caushia I anal	O-do-i Ho			.f =			U. Fanthaa	
	annot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	AN, will be applied to a CLECs bill when it submits an LSR to B			s in this category rei	iects the chi	arge triat would	i be billed to a	OLLO Olice el	schollic orderi	ng capabilities	Come on-n	ine ioi tilat t	siement. Othe	erwise, the me	indai Ordenni	g charge,
	OSS - Electronic Service Order Charge, Per Local Service		1													
	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	OSS - Manual Service Order Charge, Per Local Service Request															
UNE CERVIC	(LSR) - UNE Only E DATE ADVANCEMENT CHARGE				SOMAN		15.66	0.00	1.97	0.00						
	: The Expedite charge will be maintained commensurate with	RallSau	ith's FC	C No 1 Tariff Section	n 5 ac annli	cable										
NOTE	The Expedite charge will be maintained commensurate with	Delloot	111310	o No.1 Tallii, George	ni 5 as appii	Cable.										
				UAL, UEANL, UCL,												
				UEF, UDF, UEQ,												
				UDL, UENTW, UDN,												
				UEA, UHL, ULC,												
				USL, U1T12, U1T48, U1TD1, U1TD3,												
				U1TDX, U1TO3,												
				U1TS1, U1TVX,												
				UC1BC, UC1BL,												
				UC1CC, UC1CL,												
				UC1DC, UC1DL,												
				UC1EC, UC1EL, UC1FC, UC1FL,												
				UC1GC, UC1GL,												
				UC1HC, UC1HL,												
				UDL12, UDL48,												
				UDLO3, UDLSX,												
				UE3, ULD12,												
				ULD48, ULDD1,												
				ULDD3, ULDDX, ULDO3, ULDS1,												
				ULDVX, UNC1X,												
				UNC3X, UNCDX,												
				UNCNX, UNCSX,												
				UNCVX, UNLD1,												
				UNLD3, UXTD1,												
	LINE Francisco Character Circuit and inc. Assistant LICOC and			UXTD3, UXTS1, U1TUC, U1TUD,												
	UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUB, U1TUA	SDASP		200.00									
UNBUNDLED	EXCHANGE ACCESS LOOP			OTTOD, OTTOA	SDAGE		200.00					<b>†</b>				
	RE ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.58	37.81	17.56	23.49	5.30						
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.05	37.81	17.56	23.49	5.30						
$\vdash$	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	3	UEANL UEANL	UEAL2 UEASL	34.34 12.58	37.81 37.81	17.56 17.56	23.49 23.49	5.30 5.30		1				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	12.58	37.81	17.56	23.49	5.30		<b>—</b>				
	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEASL	34.34	37.81	17.56	23.49	5.30						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEANL	URETL		8.33	0.83								
	Loop Testing - Basic 1st Half Hour		<b>—</b>	UEANL	URET1		34.16	34.16								
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.85	19.85	<u> </u>	<u> </u>	<u> </u>	L		<u> </u>		l l

Version 3Q03: 11/12/2003 Page 1 of 348

UNBUN	NDLE	NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
								Names		Nama a	Dianamant						
						+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge Without Outside Dispatch					-	FIISL	Auu i	FIISL	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	SOWAN
		(UVL-SL1)			UEANL	UREWO		15.78	8.94								
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
		providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.44									
		Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.15	8.15								
		Order Coordination for Specified Conversion Time for UVL-SL1						40.00									
-		(per LSR) Unbundled COPPER LOOP			UEANL	OCOSL		18.09							-	-	
		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	11.20	34.14	15.10	21.25	4.15				-	-	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	13.27	34.14	15.10	21.25	4.15					<b>-</b>	
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.07	34.14	15.10	21.25	4.15				t	t	
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83								
Γ		Manual Order Coordination 2 Wire Unbundled Copper Loop -					Ι Τ			Ι Τ							
		Non-Designed (per loop)		-	UEQ	USBMC		8.15						<b> </b>	<del>                                     </del>	<del>                                     </del>	
		Unbundled Copper Loop, Non-Design Copper Loop, billing for BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.44									
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.16	34.16	<del>                                     </del>					<del> </del>	1	
		Loop Testing - Basic Tst Hair Hour			UEQ	URETA	-	19.85	19.85							<b>-</b>	
		CLEC to CLEC Conversion Charge Without Outside Dispatch								i i					t	t	
		(UCL-ND)			UEQ	UREWO		14.27	7.43								
		XCHANGE ACCESS LOOP															
2		ANALOG VOICE GRADE LOOP															
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.58	37.81	17.56	23.49	5.30						
		Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.58	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.05	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	34.34	37.81	17.56	23.49	5.30						
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	34.34	37.81	17.56	23.49	5.30						
LINBLING		XCHANGE ACCESS LOOP		3	UEFSK UEFSB	UEABS	34.34	37.01	17.56	23.49	5.30				<del> </del>	1	
		ANALOG VOICE GRADE LOOP															
T i		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.38	88.00	55.00	47.24	7.44						
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	22.85	88.00	55.00	47.24	7.44						
. Т		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or			l	I											
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	36.14	88.00	55.00	47.24	7.44				ļ	ļ	
		Order Coordination for Specified Conversion Time (per LSR)		-	UEA	OCOSL		18.09				-			-	-	ļ
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.38	88.00	55.00	47.24	7.44				1	1	
-		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		-	OLA	OLANZ	14.30	00.00	55.00	41.24	1.44				<del> </del>	<del> </del>	
		Battery Signaling - Zone 2		2	UEA	UEAR2	22.85	88.00	55.00	47.24	7.44				1	1	
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3			UEA	UEAR2	36.14	88.00	55.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	55.14	18.09	55.50	71.24	71-1	1			1	1	
		CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.21	1.10								
4		ANALOG VOICE GRADE LOOP				1											
		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	25.34	131.97	94.51	59.14	14.50						-
		4-Wire Analog Voice Grade Loop - Zone 2 4-Wire Analog Voice Grade Loop - Zone 3			UEA UEA	UEAL4 UEAL4	38.58 60.02	131.97 131.97	94.51 94.51	59.14 59.14	14.50 14.50	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	-
		Order Coordination for Specified Conversion Time (per LSR)		3	UEA	OCOSL	00.02	18.09	94.31	J9.14	14.30	<b>-</b>			<b>-</b>	<b>-</b>	<del>                                     </del>
		CLEC to CLEC Conversion Charge without outside dispatch		<del></del>	UEA	UREWO		87.72	36.36	<del>                                     </del>		1		<b> </b>	<del>                                     </del>	<del>                                     </del>	t

UNBUN	DLE	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
0.1.2011		7.00000										Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-	-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.88	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	32.85	117.24	79.77	52.88	10.54						
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.55	117.24	79.77	52.88	10.54						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16								
2-	-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UAL	UAL2X	11.01	110.00	68.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UAL	UAL2X	12.73	110.00	68.00	47.24	7.44	1	1				
		2 Wire Unbundled ADSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UAL	UAL2X	14.30	110.00	68.00	47.24	7.44	1	1				
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 1		1	UAL	UAL2W	11.01	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 2		2	UAL	UAL2W	12.73	90.00	57.00	47.24	7.44						
		2 Wire Unbundled ADSL Loop without manual service inquiry &															
		facility reservaton - Zone 3		3	UAL	UAL2W	14.30	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	8.74	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	10.17	110.00	68.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 3		3	UHL	UHL2X	11.44	110.00	68.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 1		1	UHL	UHL2W	8.74	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 2		2	UHL	UHL2W	10.17	90.00	57.00	47.24	7.44						
		2 Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	11.44	90.00	57.00	47.24	7.44						
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.14	40.40								
4-	-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
$\vdash$		and facility reservation - Zone 1		1	UHL	UHL4X	13.95	148.36	68.00	51.70	9.73						
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l												
$\vdash$		and facility reservation - Zone 2		2	UHL	UHL4X	15.56	148.36	68.00	51.70	9.73				ļ		
		4-Wire Unbundled HDSL Loop including manual service inquiry		_	l					1	_	1	1				
$\vdash$		and facility reservation - Zone 3		3	UHL	UHL4X	15.25	148.36	68.00	51.70	9.73						
$\vdash$		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.09									
		4-Wire Unbundled HDSL Loop without manual service inquiry										1	1				
$\vdash \vdash$		and facility reservation - Zone 1	<b>—</b>	1	UHL	UHL4W	13.95	94.00	57.00	51.70	9.73			<b> </b>	ļ		
		4-Wire Unbundled HDSL Loop without manual service inquiry		_			4.5.50										
$\vdash$		and facility reservation - Zone 2		2	UHL	UHL4W	15.56	94.00	57.00	51.70	9.73	-	-		-		
		4-Wire Unbundled HDSL Loop without manual service inquiry		_	l	11111 4147	45.0-	04.00	F7 C0	F4 =0	0 =0	1	1				
$\vdash$		and facility reservation - Zone 3		3	UHL	UHL4W	15.25	94.00	57.00	51.70	9.73	-	-		-		
$\vdash \vdash$		Order Coordination for Specified Conversion Time (per LSR)	<b>—</b>		UHL UHL	OCOSL		18.09	10.10	ļ				<b> </b>	ļ		
H-	WIDE	CLEC to CLEC Conversion Charge without outside dispatch	<b>—</b>	-	UTL	UREWO		86.14	40.40	1		-	-	-	<del> </del>		
4-	-WIKE	DS1 DIGITAL LOOP	-	4	1161	USLXX	82.55	252.47	157.54	44.70	11.71			-	<b> </b>		
$\vdash$		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX					11.71						
$\vdash$		4-Wire DS1 Digital Loop - Zone 2	-		USL	USLXX	154.18 314.52	252.47 252.47	157.54 157.54	44.70	11.71						
$\vdash$	$\dashv$	4-Wire DS1 Digital Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3		OCOSL	314.52	18.09	157.54	44.70	11./1	<del>                                     </del>	<del>                                     </del>		<del>                                     </del>		
$\bot$		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSE		18.09		l .		L	<u> </u>	L	<u> </u>		

UNBUN	DLE	NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
								Names		I Namananania	Diagona					Disc 1st	DISC Add I
						+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
-		CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.05	FIRST	Addi	SOWIEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
4-		19.2. 56 OR 64 KBPS DIGITAL GRADE LOOP			USL	UKLWO		101.09	43.03			<del> </del>					+
4.		4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	26.09	126.27	88.80	59.14	14.50		1				+
		4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	35.95	126.27	88.80	59.14	14.50	<b>-</b>	<b>-</b>	-	-	-	+
		4 Wire Unbundled Digital 19.2 Kbps	-		UDL	UDL19	37.88	126.27	88.80	59.14	14.50		<b>-</b>	-	-	-	+
		4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL19	26.09	126.27	88.80	59.14	14.50		1	-	-	-	+
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 1	-		UDL	UDL56	35.95	126.27	88.80	59.14	14.50		<b>-</b>	-	-	-	+
		4 Wire Unbundled Digital Loop 56 Kbps - Zone 3	-		UDL	UDL56	37.88	126.27	88.80	59.14	14.50		<b>-</b>	-	-	-	+
			-	3	UDL	OCOSL	37.88	18.09	88.80	59.14	14.50	1					+
		Order Coordination for Specified Conversion Time (per LSR)	-	4			26.09		88.80	59.14	44.50	1					+
		4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	-		UDL	UDL64		126.27			14.50	1					+
-+		4 Wire Unbundled Digital Loop 64 Kbps - Zone 2	<del>                                     </del>		UDL	UDL64	35.95 37.88	126.27	88.80	59.14	14.50	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
-+		4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	-	3	UDL	UDL64	37.88	126.27	88.80	59.14	14.50	<del>                                     </del>	1	1	<del>                                     </del>	<del>                                     </del>	+
		Order Coordination for Specified Conversion Time (per LSR)	ļ		UDL	OCOSL		18.09	10 ==	<b> </b>		<b>_</b>	-	-	-	-	+
		CLEC to CLEC Conversion Charge without outside dispatch	ļ		UDL	UREWO		102.13	49.75			<b>.</b>	-	1	-	-	+
2-		Unbundled COPPER LOOP				+											4
		2-Wire Unbundled Copper Loop-Designed including manual	l	Ι.			44								1	1	
		service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.01	112.46	65.30	47.24	7.44						4
		2-Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	12.73	112.46	65.30	47.24	7.44						
		2 Wire Unbundled Copper Loop-Designed including manual															
		service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.30	112.46	65.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	11.01	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	12.73	91.46	54.30	47.24	7.44						
		2-Wire Unbundled Copper Loop-Designed without manual															
		service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	14.30	91.46	54.30	47.24	7.44						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.15	8.15								
		CLEC to CLEC Conversion Charge without outside dispatch															T
		(UCL-Des)			UCL	UREWO		97.23	42.48								
4-	-WIRE	COPPER LOOP										ĺ					
		4-Wire Copper Loop-Designed including manual service inquiry										ĺ					
		and facility reservation - Zone 1		1	UCL	UCL4S	17.36	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry											İ				1
		and facility reservation - Zone 2		2	UCL	UCL4S	20.76	135.21	88.05	51.70	9.73						
		4-Wire Copper Loop-Designed including manual service inquiry				1											†
		and facility reservation - Zone 3		3	UCL	UCL4S	28.21	135.21	88.05	51.70	9.73						
		Order Coordination for Unbundled Copper Loops (per loop)	<b>†</b>	Ť	UCL	UCLMC		8.15	8.15		5.70			1	1	1	1
		4-Wire Copper Loop-Designed without manual service inquiry	l					20	2.10			1		1	1	1	1
		and facility reservation - Zone 1	1 1	1	UCL	UCL4W	17.36	114.21	67.05	51.70	9.73			I	I	I	
		4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>	<u> </u>	002	002	11.00		07.00	00	00						1
		and facility reservation - Zone 2	l ı	2	UCL	UCL4W	20.76	114.21	67.05	51.70	9.73						
-		4-Wire Copper Loop-Designed without manual service inquiry	<u> </u>		002	002	20.70		07.00	00	00	1	<b>†</b>				+
		and facility reservation - Zone 3	l ,	3	UCL	UCL4W	28.21	114.21	67.05	51.70	9.73						
-		Order Coordination for Unbundled Copper Loops (per loop)	- '	3	UCL	UCLMC	20.21	8.15	8.15		3.73						+
-		CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		97.23	42.48								+
LOOP MO					OOL	OILLWO		31.23	72.70								+
1001	1	ATION			UAL, UHL, UCL,	+ +						<del> </del>					+
					UEQ, ULS, UEA,												
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l		UEANL, UEPSR,	1		l							1	1	
		pair less than or equal to 18k ft. per Unbundled Loop	,		UEPSB	ULM2L		0.00	0.00						1	1	
-		Unbundled Loop Modification Removal of Load Coils - 4 Wire	<del>- '-</del>	-	ULFOD	ULIVIZL		0.00	0.00	<del>                                     </del>		+	<del>                                     </del>	<del></del>	<del></del>	<del></del>	+
					LINI LICI LIEV	ULM4L		0.00	0.00					I	I	I	
		less than or equal to 18K ft, per Unbundled Loop	<u> </u>		UHL, UCL, UEA	ULIVI4L		0.00	0.00			<u> </u>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
			1		UAL, UHL, UCL,			l						I	I	I	
		Unbundled Lean Medification Research of Bridged Tea Bridge	1		UEQ,ULS,UEA,			l						I	I	I	
I		Unbundled Loop Modification Removal of Bridged Tap Removal,	I	1	UEANL, UEPSR,	1				1		1	1	1	1	1	
		per unbundled loop		l	UEPSB	ULMBT		32.41	32.41								

UNBUNDLI	ED NETWORK ELEMENTS - Alabama			T							T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	The state of the s						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	LICDOA		044.40									
	Up	- 1	1	UEANL	USBSA		244.42				-					
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.64									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '	1	ULANL	USBSB		22.04									
	Facility Set-Up	1		UEANL	USBSC		177.45									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		55.15									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	11.21	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	11.94	65.80	30.96	45.25	6.70						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_													
	Zone 3		3	UEANL	USBN2	16.86	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEANL	USBIVIC		8.15	8.15								-
	Zone 1		1	UEANL	USBN4	8.46	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<del>- '</del>	OLANE	OODINA	0.40	7 3.03	44.13	43.71	3.01						
	Zone 2		2	UEANL	USBN4	16.67	79.03	44.19	49.71	9.07						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	027412	002.11	10.07	7 0.00		10.11	0.01						
	Zone 3		3	UEANL	USBN4	32.57	79.03	44.19	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR2	2.27	53.01	18.17	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		ļ	UEANL	USBMC		8.15	8.15	10 =1							
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-		UEANL	USBR4	5.16	59.25	24.41	49.71	9.07						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.15	8.15								
	Loop Testing - Basic 1st Half Hour		1	UEANL	URET1		34.16	34.16								1
	Loop Testing - Basic Additional Half Hour		1	UEANL	URETA		19.85	19.85								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.22	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	8.76	65.80	30.96	45.25	6.70						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS2X	11.27	65.80	30.96	45.25	6.70						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.11	79.03	44.19	49.71	9.07						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS4X	12.61	79.03	44.19	49.71	9.07						<b></b>
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X	15.36	79.03	44.19	49.71	9.07					-	<del>                                     </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.15	8.15								1
<del>                                     </del>	Loop Testing - Basic 1st Half Hour		<del>                                     </del>	UEF	URET1		34.16	34.16			1				<del> </del>	<del>                                     </del>
	Loop Testing - Basic Additional Half Hour		<b>t</b>	UEF	URETA		19.85	19.85							<del> </del>	<del>                                     </del>
Unbu	ndled Network Terminating Wire (UNTW)				J.KETA		10.00	10.00								<u> </u>
151124	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.40	30.01				İ					
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.23	28.38								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		63.97	49.11								
	Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.87	5.87								1
LINE OTHER	Network Interface Device Cross Connect - 4W		1	UENTW	UNDC4		5.87	5.87								-
UNE OTHER,	PROVISIONING ONLY - NO RATE    NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00								-	<del>                                     </del>
<del></del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate	<b>-</b>	1	UENTW	UENCE	0.00	0.00				-					<del>                                     </del>
-	ONTIVE OF CUIT OF ESTADISHITION, PROVISIONING ONLY - NO Rate		1	UEANL,UEF,UEQ,U	OLINGE	0.00	0.00								<del>                                     </del>	t
			1	10-7111-,0-11,0-0,0	1						1	i			1	1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

Part   Part	UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach			bit: A
	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc			,,,			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Manual Svc
Distancified Consist Name, Provide/sign Obly - on-size							Rec										
Uncounted Cortest Name, Pressessing Ory in enter							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Distancied Six Loup Feeder A Wer Cross Bis Junger - no		Unbundled Contact Name Provisioning Only - no rate				UNECN	0.00	0.00									
Internation   Internation					0511,0271,0112,020	0.12011	0.00	0.00									
See   See					UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
Cooperative Comment of Cooperative Format Options on rate   USS, COOPER   0.00   0.0					LIEA LISI LICI LIDI	LISBER	0.00	0.00									
Unbounded DST Logo, Expanded Superinter Format option   USL   CCOPE   0.00   0.00																	
HIGH CAPACITY (MEMPLEC LOCAL LOCP)		Unbundled DS1 Loop - Expanded Superframe Format option -															
High Capacity Unbranded Local Loop - 1953 - Fex Mile per   UE3	111011048401				USL	CCOEF	0.00	0.00									<b>——</b>
Month   Might Capacity Unbundled Local Loop - DS3 - Facility   US3   LLND   3.38   US5PX   308.06   451.52   263.94   119.49   83.56	HIGH CAPACI		-	-		-	<del>                                     </del>			-		-					<del>                                     </del>
High Capacity Unbrundled Local Loop - SST - Facility   UES   UESPX   308.08   451.92   285.94   119.49   83.58		month			UE3	1L5ND	8.38										1
High Capacity Unburided Local Loop - STS-1 - Por Mile per																	
Month   Miles   Mile				-	UE3	UE3PX	308.98	451.52	263.94	119.49	83.58						<u> </u>
Termination per month					UDLSX	1L5ND	8.38										
LOOP Makesup - Preordering Without Reservation, per working or sparse facility under Michaulation (Inc.)   Loop Makesup - Preordering With Reservation, per working or sparse facility under Michaulation (Inc.)   Loop Makesup - Without Reservation, per working or sparse facility under Michaulation (Inc.)   Loop Makesup - Without Reservation, per working or sparse facility under Michaulation (Inc.)   Loop Makesup - Without Reservation, per working or sparse facility under Michaulation (Inc.)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility experted (Michaulation)   Loop Makesup - Without Reservation, per working or sparse facility   Loop Makesup - Without Reservation, per working or sparse facility   Loop Makesup - Without Reservation, per working or sparse facility   Loop Makesup - Without Reservation   Loop Makesup - Without R																	
Loop Neksup - Precording Without Reservation, per working or spare facility quiend (Manual).   Loop Neksup - Precording With Reservation, per spare facility quiend (Manual).   Loop Neksup - Precording With Reservation, per working or loop Nessup - Without Reservation Reservatio					UDLSX	UDLS1	319.83	451.52	263.94	119.49	83.58						<b></b>
Spaire facility Queried (Manual).	LOOP MAKE-						-										<del>                                     </del>
Queried (Manual)					UMK	UMKLW		20.00	20.00								
Line SHARING AND Line SPLITTING																	
Sparre facility queried (Mechanized)					UMK	UMKLP		21.00	21.00								
LINE SHARING AND LINE SPLITTING					UMK	UMKMQ		0.59	0.59								
NOTE 1:100/22003 - 1001/2005: 57% of the rate for UCLND	LINE SHARING																
NOTE 1:100/22004 - 1001/2005: 50% of the rate for UCLND							idnight Octobe	r 01, 2004 shal	I be billed as f	follows:							
NOTE 1: 100/2/2005 - 100/12/2005 - 178/cd the rate for UCLND			pper lo	op nor	-designed ("UCLND	)")											
NOTE 1: Above will apply to USOCS: ULSOT and ULSCT							-										<del>                                     </del>
"NOTE 2: The Line Sharing ponthly recurring rates with USOCs ULSDC and ULSCC applies only to circuits installed and inservice on or before October 1, 2003							1										<del>                                     </del>
Line Sharing Spitter, per System 96 Line Capacity   U.S   U.S.DA   155.97   188.79   0.00   177.98   0.00   0.00   177.98   0.00			SDC and	ULSC	C applies only to cit	rcuits install	ed and inservic	e on or before	October 1, 20	03							
Line Sharing Splitter, per System 96 Line Capacity   U.S. ULSDA   155.97   188.79   0.00   177.98   0.00   0.00   177.98   0.00   177.98   0.00   177.98   0.00   0.00   177.98   0.00					, , , , , , , , , , , , , , , , , , , ,				,								
Line Sharing Splitter, per System 24 Line Capacity   ULS   ULSDB   38.99   188.79   0.00   177.98   0.00	SPLIT																
Line Sharing Splitter, Per System, 8 Line Capacity   ULS   ULSD8   12.73   377.58   0.00   355.96   0.00																	<b></b>
Line Sharing-DLEC Owned Splitter in CO-CFA activation-deactivation (per LSOD)																	<del></del>
In Sharing - per Line Activation (BST Owned splitter - Central Office Located (5% of UCLND) - please see NOTE 1 (E:10/2/2003)   ULS ULSDT   ULS ULSDT   S.60   18.51   10.60   10.01   4.92     S ULSDT   S.60   18.51   10.60   10.01   4.92   ULS ULSDT   S.60   18.51   10.60   10.01   4.92   ULS ULSDT   S.60   18.51   10.60   10.01   4.92   ULS ULSDT   S.60   18.51   10.60   10.01   4.92   ULS ULSDT   S.60   18.51   10.60   10.01   4.92   ULS ULSDT   S.60   16.39   8.19   ULS ULSDT   S.60   16.39   8.19   ULS ULSDS   16.39   8.19   ULS ULSDT   S.60   S.	-				ULS	ULSD8	12.73	3/1.58	0.00	355.96	0.00						<del></del>
END USER ORDERING-CENTRAL OFFICE BASED LINE SHARING   Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see "NOTE 2   ULS   U					ULS	ULSDG		86.47	0.00	49.84	0.00						1
OBSOLETE see **NOTE 2	END U																
Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter-Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter ULS ULSDS 16.39 8.19  Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19  Line Sharing - per Line Activation (DLEC owned Splitter) -					111.5	LILSDC	0.61	18 51	10.60	10.01	1 92						
Central Office Located (25% of UCLND) - please see NOTE 1					020	02000	0.01	10.51	10.00	10.01	7.52						<b>—</b>
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)  Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter  ULS  ULS  ULSDT  8.40  18.51  10.60  10.01  4.92  ULS  ULSDT  8.40  18.51  10.60  10.01  4.92  Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter  ULS  ULS  ULS  ULSDS  16.39  8.19  Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)  ULS  ULS  ULS  ULS  ULS  ULS  ULS  UL		Central Office Located (25% of UCLND) - please see NOTE 1			IIIS	LILSDT	2.80	18 51	10.60	10.01	4 92						
Central Office Located (50% of UCLND) - please see NOTE 1					010	OLOD I	2.00	10.51	10.00	10.01	7.32						
Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005) Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter ULS ULSDS 16.39 8.19 Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter ULS ULSDS 16.39 8.19 Line Sharing - per Line Activation (DLEC owned Splitter) -		Central Office Located (50% of UCLND) - please see NOTE 1				0	_										1
Central Office Located (75% of UCLND) - please see NOTE 1	$\vdash$				ULS	ULSDT	5.60	18.51	10.60	10.01	4.92						<del></del>
Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter ULS ULSDS 16.39 8.19 Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19 Line Sharing - per Line Activation (DLEC owned Splitter) -		Central Office Located (75% of UCLND) - please see NOTE 1			IIIS	LILSDT	8 40	10 51	10.60	10.01	4 02						1
Rearrangement(BST Owned Splitter ULS ULSDS 16.39 8.19					020	JLUD I	0.40	10.01	10.00	10.01	4.32						
Rearrangement(DLEC Owned Splitter ULS ULSCS 16.39 8.19		Rearrangement(BST Owned Splitter			ULS	ULSDS		16.39	8.19								<b></b>
Line Sharing - per Line Activation (DLEC owned Splitter) -					ULS	ULSCS		16.39	8.19								1
					ULS	ULSCC	0.61	47.44	19.31	20.02	9.83						

UNBU	NDLE	D NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
				ļ				Names		I Managarania	Dianamant						
				<b>!</b>		+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Disconnect Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned				-		FIRST	Addi	FIRST	Addi	SOWIEC	SUMAN	SOMAN	SUMAN	SUMAN	SUMAN
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.80	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned		1	OLO	02001	2.00	77.77	10.01	20.02	0.00		<b>-</b>				1
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.60	47.44	19.31	20.02	9.83						
		Line Share Service, TRO per line activation, CLEC owned										1					
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.40	47.44	19.31	20.02	9.83						
		PLITTING															
	END U	SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
		Line Splitting - per line activation BST owned - physical		<u> </u>	UEPSR UEPSB	UREBP	0.61	37.01	21.19		9.83	ļ					<b></b>
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.01	21.19	20.02	9.83						
<u> </u>	MAINT	ENANCE		<del>                                     </del>		1		20.00	FF 00	1		<b></b>		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
<b>-</b>		No Trouble Found - per 1/2 hour increments - Basic  No Trouble Found - per 1/2 hour increments - Overtime		<del>                                     </del>		+		80.00 120.00	55.00 82.50					<del>                                     </del>			+
-		No Trouble Found - per 1/2 hour increments - Overtime  No Trouble Found - per 1/2 hour increments - Premium				-		160.00	110.00			1	-	-			<del> </del>
LINBLIN	DI ED I	DEDICATED TRANSPORT				-		160.00	110.00	-		1	-	-			<del> </del>
ONBON		OFFICE CHANNEL - DEDICATED TRANSPORT		<u> </u>		1						1	1	-			
	INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			011 177	120701	0.000000					1	1				1
		Facility Termination			U1TVX	U1TV2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	21.13	40.54	27.41	16.74	6.90						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	18.73	40.54	27.41	16.74	6.90						ļ
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.008838										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility				l											
<u> </u>		Termination		<u> </u>	U1TDX	U1TD5	15.12	40.54	27.41	16.74	6.90	1	-	-	ļ	<b> </b>	<del> </del>
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.577	0.000000							I			
		per month Interoffice Channel - Dedicated Transport - 64 kbps - Facility		<del>                                     </del>	U1TDX	1L5XX	0.008838			<del> </del>		<u> </u>	-	<del>                                     </del>	-		<del>                                     </del>
		Termination			U1TDX	U1TD6	15.12	40.54	27.41	16.74	6.90			I			
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per		<del>                                     </del>	OTIDA	סטווט	15.12	40.54	21.41	10.74	6.90	1	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>	+
		month			U1TD1	1L5XX	0.18							I			
		Interoffice Channel - Dedicated Tranport - DS1 - Facility		<del>                                     </del>	0.101	ILUAA	0.10					1	<b>-</b>	t			<del>                                     </del>
		Termination			U1TD1	U1TF1	60.16	89.27	81.81	16.35	14.44			I			
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		t		1	556	00.21	001	.0.50				<u> </u>	1		1
		month			U1TD3	1L5XX	4.09							I			
		Interoffice Channel - Dedicated Transport - DS3 - Facility		i –													1
<u> </u>		Termination per month		L	U1TD3	U1TF3	703.52	278.75	162.76	60.20	28.46	<u></u>	<u> </u>	<u> </u>			<u> </u>
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
		month		<u> </u>	U1TS1	1L5XX	4.09										
l		Interoffice Channel - Dedicated Transport - STS-1 - Facility														l	
		Termination		<u> </u>	U1TS1	U1TFS	701.37	278.75	162.76	60.20	28.46			L	ļ	ļ	<u> </u>
DARK	IBER			<u> </u>		ļ								L	ļ	ļ	<u> </u>
1		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			l	1								I			
<u> </u>		Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	23.29		10=	0.15		ļ		ļ			<b>↓</b>
<u> </u>		NRC Dark Fiber - Interoffice Channel		<u> </u>	UDF, UDFCX	UDF14		639.09	137.87	317.06	197.66	1	-	-	ļ	<b> </b>	<del> </del>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			LIDE LIDECY	1L5DL	00.00							I			
		Thereof per month - Local Loop		<u> </u>	UDF, UDFCX		60.32	600.00	407.07	047.00	407.00	<b> </b>	-	<del>                                     </del>	-		-
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		639.09	137.87	317.06	197.66	1	1	1	1	l	<u> </u>

UNBUN	DLED	NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
3.1.2311	Ī											Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			'''									l .	'	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
-				-		-		Monroe	in a	Monroourring	Disconnect	-		220	Potos (¢)		
$\vdash$				<u> </u>		-	Rec	Nonrec First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
SAA VCC	FSS T	EN DIGIT SCREENING						FIISL	Add I	FIISL	Auu i	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
OAA ACCI		8XX Access Ten Digit Screening, Per Call			OHD	+	0.00056										
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15		0.00000										
		Number Reserved			OHD	N8R1X		2.58	0.44								
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
		POTS Translations			OHD			5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Per 8XX No. Established With															
		POTS Translations			OHD	N8FTX		5.94	0.81	4.57	0.54						
		8XX Access Ten Digit Screening, Customized Area of Service															
$\vdash$		Per 8XX Number	-	-	OHD	N8FCX		2.58	1.29	1		-	-		<del> </del>		
		8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.	1		OHD	N8FMX		3.02	1.73				1				
<del></del>		8XX Access Ten Digit Screening, Change Charge Per Request	<del>                                     </del>	<del>                                     </del>	OHD	N8FAX		3.02	0.44	1		-			<del> </del>		
+		8XX Access Ten Digit Screening, Change Charge Fer Request		<del>                                     </del>	0110	1401 777		3.02	0.44	+							
		Features			OHD	N8FDX		2.58									
		8XX Access Ten Digit Screening, w/ 8FL No. Delivery	i e		OHD	12. 2/1	0.000565	2.00							İ		
		8XX Access Ten Digit Screening, w/ POTS No. Delivery			OHD		0.000565										
LINE INFO		TION DATA BASE ACCESS (LIDB)															
		LIDB Common Transport Per Query			OQT		0.00002										
		LIDB Validation Per Query			OQU		0.012002										
		LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		34.32		42.08							
SIGNALIN																	
		CCS7 Signaling Connection, Per 56Kbps Facility			LIDD	DTOOY	15.46	35.53	35.53	16.44	16.44						
-		CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	130.83 0.0000142										
		CCS7 Signaling Usage, Per Call Setup Message CCS7 Signaling Usage, Per TCAP Message		1	UDB	+	0.0000142										
		CCS7 Signaling Osage, Fer TCAF Message CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Connection, Per link (B link) (also known as D			000	1	10.10	00.00	00.00								
		link)			UDB	TPP++	15.46	35.53	35.53	16.44	16.44						
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000142										
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	650.33										
		CCS7 Signaling Point Code, per Originating Point Code															
		Establishment or Change, per STP affected			UDB	CCAPO		29.01	29.01	35.57	35.57						
E911 SER		10. 10. 10.					40.00	100.10		22.21							
		Local Channel - Dedicated - 2-wr Voice Grade				+	13.97	193.10	33.17	36.64	3.20						
+		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	-		+	0.008838			1						-	
		Interonice Transport - Dedicated - 2-wr voice Grade Per Facility Termination	1			1	21.13	40.54	27.41	16.74	6.90						
+		Local Channel - Dedicated - DS1 - Zone 1	<b> </b>	<b>t</b>		+	35.76	177.47	153.72	22.19	15.26		<b> </b>				
		Local Channel - Dedicated - DS1 - Zone 2	l			1	49.98	177.47	153.72	22.19	15.26				1		
		Local Channel - Dedicated - DS1 - Zone 3	i			1	107.63	177.47	153.72	22.19	15.26	İ			ĺ		1
		Interoffice Transport - Dedicated - DS1 Per Mile				I	0.18										
														_			
		Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	60.16	89.27	81.81	16.35	14.44						
CALLING		E (CNAM) SERVICE	ļ	<u> </u>	2011	<b>_</b>											
$\vdash$	!	CNAM For DB Owners - Service Establishment	-	-	OQV	+		22.95		21.11			<b> </b>		<b>.</b>		
+		CNAM For Non DB Owners - Service Establishment CNAM For DB Owners - Service Provisioning With Point Code	-	-	OQV	+		22.95		21.11						-	
		Establishment	1		OQV	1		990.88	732.84	268.93	197.74	1	1				
<del></del>		CNAM For Non DB Owners - Service Provisioning With Point	<del>                                     </del>	<del>                                     </del>		+		330.00	132.04	200.93	151.14	-			<del> </del>		
		Code Establishment	1		OQV	1		342.33	245.14	275.25	197.74	1	1				
		CNAM for DB Owners, Per Query	i e		OQV	1	0.000902	3.2.00	2.0.74	2.3.20					İ		
		CNAM for Non DB Owners, Per Query			OQV		0.000902										
SELECTIV	VE RO	UTING															
		Selective Routing Per Unique Line Class Code Per Request Per												_			
		Switch				1		84.70	84.70	14.11	14.11						
VIRTUAL			ļ	<b>_</b>						ļ							
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1		HEDOD HEDOD	VE4L0	0.00	40.00	44.00	0.00	F 44		1				
$\Box$		Splitting	<u> </u>	<u> </u>	UEPSR UEPSB	VE1LS	0.03	12.30	11.80	6.03	5.44	ı	l		L		

UNBUNDLE	D NETWORK ELEMENTS - Alabama									-				ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	Physical Collocation-2 Wire Cross Connects (Loop) for Line											-			-	1
	Splitting			UEPSR UEPSB	PE1LS	0.03	12.30	11.80	6.03	5.44						
AIN SELECTIV	/E CARRIER ROUTING			OLI OK OLI OD	I L ILO	0.03	12.50	11.00	0.03	3.44					-	
	Regional Service Establishment			SRC	SRCEC		101.098.91		8,590.70						t	
	End Office Establishment			SRC	SRCEO		169.88	169.88	1.70	1.70						
	Query NRC, per query			SRC		0.002749										
AIN - BELLSO	UTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,								40.00	40.00						
<del></del>	Initial Setup			A1N	CAMSE		39.44	39.44	40.69	40.69					1	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.83	7.83	9.09	9.09					1	
	AIN SMS Access Service - Port Connection - ISDN Access		<b>†</b>	A1N	CAM1P		7.83	7.83	9.09	9.09					<b>—</b>	1
	AIN SMS Access Service - User Identification Codes - Per User		t —	1				7.50	0.00	3.30	l					
	ID Code		<u></u>	A1N	CAMAU		35.00	35.00	27.06	27.06	<u> </u>	L			<u> </u>	
	AIN SMS Access Service - Security Card, Per User ID Code,															
	Initial or Replacement		<u> </u>	A1N	CAMRC		41.88	41.88	11.71	11.71						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.002188										
<del></del>	AIN SMS Access Service - Session, Per Minute AIN SMS Access Service - Company Performed Session, Per				-	0.59									1	
	Minute					0.73										
AIN - BELLSC	DUTH AIN TOOLKIT SERVICE					0.73									-	
AIN BEEEGO	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		39.44	39.44	40.69	40.69						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		4,202.17	4,202.17								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Term. Attempt				BAPTT		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7.00	7.00	0.00	0.00						
<del></del>	DN, Off-Hook Delay AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPID		7.83	7.83	9.09	9.09					1	
	DN, Off-Hook Immediate				BAPTM		7.83	7.83	9.09	9.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAI TIVI		7.03	7.03	9.03	9.03					-	1
	DN, 10-Digit PODP				BAPTO		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.47	34.47	14.36	14.36						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Feature Code				BAPTF	0.05	34.47	34.47	14.36	14.36						
<del></del>	AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.05									1	
	Subscription, Per Node, Per Query					0.00582										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access				1	0.00302									-	1
	Account, Per 100 Kilobytes					0.05										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service										1				1	
	Subscription		<u></u>	CAM	BAPMS	10.17	7.83	7.83	5.50	5.50						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
$\vdash$	Subscription		<u> </u>	CAM	BAPLS	2.87	8.66	8.66								ļ
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	7.39	7.83	7.00	5.50	5.50					1	
$\vdash$	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	-	-	CAIVI	DAPUS	7.39	1.83	7.83	5.50	5.50					-	1
	Service Subscription		1	CAM	BAPES	0.10	8.66	8.66							I	
ENHANCED E	XTENDED LINK (EELs)		<del>                                     </del>	C, 11VI	5,11 20	0.10	0.00	0.00			t	<u> </u>			<b>†</b>	1
NOTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as ' C	Ordinarily Comb	ined' Network	Elements.				1	ĺ
NOTE:	The monthly recurring and the Switch-As-Is Charge and not t	he non	-recurri	ng charges below v	will apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTEN	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS						•								
$\vdash$	First 2-Wire VG Loop (SL2) in Combination - Zone 1	<u> </u>		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44					ļ	ļ
1 1	First 2-Wire VG Loop (SL2) in Combination - Zone 2	ļ	2	UNCVX UNCVX	UEAL2 UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44 7.44					<del> </del>	1
-					11 IE AL 2			55 ()()	1/2/				ì		i	1
	First 2-Wire VG Loop (SL2) in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	ONCVX	OLALZ	30.14	88.00	00.00	77.27	7.44						<b>†</b>

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.53	6.58	4.72								
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Fort A 1 177 and 0 147 and 10 1 and 10			1110101		00.05	00.00	FF 00	47.04	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	1					
	Fook Additional 2 Wise VC Loop (CL 2) in Combination 7 and 2		3	UNCVX	UEAL2	20.44	88.00	55.00	47.24	7.44						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3  Voice Grade COCI - Per Month		3	UNCVX	1D1VG	36.14 0.53	6.58	4.72	47.24	7.44	<b> </b>					
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCVA	IDIVG	0.55	0.36	4.72			<u> </u>			1		1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTER				0.00	0.00	0.50	0.50	1					
											İ					
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50		1	I			1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
	Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Additional 4-Wire Analog Voice Grade Loop in same DS1			1110101		05.04	404.07	04.54	50.44	44.50						
	Interoffice Transport Combination - Zone 1 Additional 4-Wire Analog Voice Grade Loop in same DS1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50	1					
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVA	UEAL4	30.30	131.97	94.51	39.14	14.50	1		-			-
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Additional Voice Grade COCI in combination - per month		J	UNCVX	1D1VG	0.53	6.58	4.72	33.14	14.50	1					
	Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	1.5.10	0.00	0.00	2								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			<u> </u>		<u> </u>	
															I	
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50			ļ			1
	Figure A Mary Folding Bright Open Co. 1 Co. 1 Co. 1 Co. 1			LINORY	LIDLES		,	20.5-				1	I			
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	ļ	ļ	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18						1	I			1
	Interoffice Transport - Dedicated - DS1 - combination Facility			UNCIA	ILDXX	0.18			<del>                                     </del>		ļ		<del>                                     </del>	<b> </b>	-	<del>                                     </del>
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44		1	I			1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	<b> </b>	<b> </b>	<del>                                     </del>	<b> </b>		<del> </del>
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	10.54	3.79	1	<b> </b>	<b>I</b>			t
<del>-  </del>	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1	2	3.50	2					<u> </u>	1		
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			1			1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1										İ			1		
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50					<u> </u>	
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - in combination per month (2.4-												_			_
	64kbs)		ı	UNCDX	1D1DD	1.12	6.58	4.72			ļ					<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						ļ
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						1
	Per Month			UNC1X	1L5XX	0.18										
	interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.16										<del>                                     </del>
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	†					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72			İ			1	1	1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	•														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1												l			
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						<b></b>
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						400.00		==							
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50	ļ					ļ
	Additional OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	טטוטו	1.12	6.38	4.72			<b> </b>					<del> </del>
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED DS1	INTER				5.55	5.55	0.30	0.30	1					<del> </del>
	4-Wire DS1 Digital Loop in Combination - Zone 1			UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	1					
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71	İ					
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOAY			5 50		0.00	6.98						
EVTE	Is Charge  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATE	ED Des	INITED	UNC1X	UNCCC		5.59	5.59	6.98	6.98	<b>.</b>					
EXIE	First DS1Loop in Combination - Zone 1	ED D33		UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71	<b> </b>					<del> </del>
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First DS1Loop in Combination - Zone 3			UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71	1					
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		_		1											
	Per Month		L	UNC3X	1L5XX	4.09			<u>                                      </u>		<u> </u>		<u></u>	<u> </u>	<u></u>	<u></u>
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	•														
	month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						<u> </u>
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	1		ļ			<u> </u>
	DS1 COCI in combination per month		<u> </u>	UNC1X	UC1D1	12.70	6.58	4.72	<del>                                     </del>		ļ		-	<del> </del>	<del>                                     </del>	-
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>	OIVOIA	JJLAA	02.33	232.47	107.04	44.70	11.71	}		<b> </b>	<del> </del>	<del> </del>	+
	Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in DS3 Interoffice Transport Combination -		<u> </u>		55200	10-1.10	202.71	107.04	77.70	11.71				1	1	1
	Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-	•														
	Is Charge			UNC3X	UNCCC		5.59	5.59	6.98	6.98						<u> </u>
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRADI					22.2-				1		ļ			<del> </del>
	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2 UEAL2	14.38	88.00	55.00	47.24	7.44 7.44	ļ		-	<b>.</b>	<b>.</b>	₩
	2-WireVG Loop in combination - Zone 2 2-WireVG Loop in combination - Zone 3			UNCVX	UEAL2	22.85 36.14	88.00 88.00	55.00 55.00	47.24 47.24	7.44	-					+
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	OIVOVA	ULALZ	30.14	00.00	55.00	41.24	1.44	1		<b> </b>	<del> </del>	<del> </del>	<del>                                     </del>
	Month			UNCVX	1L5XX	0.008838										
						2.222200					İ			1	1	
	Interoffice Transport - 2-wire VG - Dedicated - Facility															

UNBUNDL	ED NETWORK ELEMENTS - Alabama					•					T -	T -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			110000	111000		5.50	5.50	0.00	0.00						
EVTE	Is Charge  NDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CBAD	EINTE	UNCVX	UNCCC		5.59	5.59	6.98	6.98						<b>-</b>
LATE	4-WireVG Loop in combination - Zone 1	GRAD	1 1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						-
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						<del>                                     </del>
	4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per															
	Month			UNCVX	1L5XX	0.008838										
	Interoffice Transport - 4-wire VG - Dedicated - Facility															
	Termination per month			UNCVX	U1TV4	18.73	40.54	27.41	16.74	6.90						
1	Nonrecurring Currently Combined Network Elements Switch -As-			LINCVY	UNCCC		5.59	5.59	6.98	6.00						
EYTE	Is Charge NDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE	UNCVX	UNCCC		5.59	5.59	6.98	6.98		-		-	-	+
	DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	8.38			<del>                                     </del>						1	<del>                                     </del>
	200 2000. 200p in combination per mile per month			0.130/	. 20112	0.00										<u> </u>
1	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.98	451.52	263.94	119.49	83.58		1				
	Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09										
	Interoffice Transport - Dedicated - DS3 combination - Facility															
	Termination per per month			UNC3X	U1TF3	703.52	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVE	Is Charge	0.4 1517	FDOFF	UNC3X	UNCCC		5.59	5.59	6.98	6.98						ļ
EXIE	NDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST STS-1 Local Lolp in combination - per mile per month	S-1 IN I	EROFF	UNCSX	1L5ND	8.38										
	STS-1 Local Loop in combination - per mile per month  STS-1 Local Loop in combination - Facility Termination per			UNCSA	ILSIND	0.30										1
	month			UNCSX	UDLS1	319.83	451.52	263.94	119.49	83.58						
	Interoffice Transport - Dedicated - STS-1 combination - per mile			O1400X	ODEOT	010.00	401.02	200.04	110.40	00.00						
	per month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility															
	Termination per month			UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						<b></b>
EXIE	NDED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	IRAN	1		U1L2X	24.00	117.24	79.77	52.88	40.54						<del> </del>
	First 2-Wire ISDN Loop in Combination - Zone 1 First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	21.88 32.85	117.24	79.77	52.88	10.54 10.54						<b>-</b>
	First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	Interoffice Transport - Dedicated - DS1 combination - per mile		Ŭ	ONOTOR	OTLEX	40.00	117.24	70.77	02.00	10.04						
	per month			UNC1X	1L5XX	0.18										
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	1/0 Channel System in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
$\vdash$	2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72							ļ	<u> </u>
1	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	70 77	52.00	10.54		1				
$\vdash$	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	1	ONCINA	UILZĀ	∠1.88	117.24	79.77	52.88	10.54		-		<b> </b>	<b> </b>	+
	Combination - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0.1011/1	U ILLA	02.00	117.24	10.11	02.00	10.04					1	
	Combination - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54		1				
	Additional 2-wire ISDN COCI (BRITE) - in combination- per															
	month			UNCNX	UC1CA	2.41	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-			l												
<u> </u>	Is Charge		4 15	UNC1X	UNCCC		5.59	5.59	6.98	6.98					ļ	<b>_</b>
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	בט STS				82.55	252.47	157.54	44.70	11 74	-	-				+
$\vdash$	First DS1 Loop Combination - Zone 1 First DS1 Loop Combination - Zone 2		2	UNC1X UNC1X	USLXX	82.55 154.18	252.47 252.47	157.54	44.70 44.70	11.71 11.71					-	<del>                                     </del>
<del>                                     </del>	First DS1 Loop Combination - Zone 2		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						+
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile			0.101/	30277	317.32	202.71	137.34	44.70	11.71	<b>†</b>				1	t
	Per Month			UNCSX	1L5XX	4.09						1				
	Interoffice Transport - Dedicated - STS-1 combination - Facility										Ì					
1 1	Termination per month	l	1	UNCSX	U1TFS	701.37	278.75	162.76	60.20	58.46	1	1		1		

	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	3/1 Channel System in combination per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
-+	DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	44.70	11.71	<b> </b>					+
-+-	Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCIX	OCIDI	12.70	0.56	4.72			1		-			+
	Is Charge			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS INT	EROFF		011000		0.00	0.00	0.00	0.00	1					<del>                                     </del>
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50			1	İ		<b>†</b>
	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50			1	İ		<b>†</b>
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50			1	İ		†
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Per Mile per month			UNCDX	1L5XX	0.008838										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month  Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDX	1L5XX	0.008838										
	Facility Termination per month			UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90						
EVTE	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge  NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	ODT	UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXIE		KANSP		UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44	<b>.</b>		-			+
-+	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44	<b> </b>					+
-+-	First 2-wire VG Loop (SL2) in Combination - Zone 3			UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44	1		-			+
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.18	00.00	33.00	41.24	7.44						
	First Interoffice Transport - Dedicated - DS1 combination -					ĺ										1
	Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.53	6.58	4.72	00.77		ļ					
$-\!\!\!\!-\!\!\!\!\!-$	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83	ļ	ļ	<del>                                     </del>	<b> </b>		
-+-	Per each DS1 COCI in combination per month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1		-	UNC1X	UC1D1	12.70	6.58	4.72	1		ļ		<del>                                     </del>	-		+
	Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1  Each Additional 2-Wire VG Loop(SL2) in the same DS1		1	UNCVX	UEAL2	14.38	88.00	55.00	47.24	7.44						
	Interoffice Transport Combination - Zone 2  Each Additional 2-Wire VG Loop(SL2) in the same DS1		2	UNCVX	UEAL2	22.85	88.00	55.00	47.24	7.44						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	36.14	88.00	55.00	47.24	7.44						
	Each Additional Voice Grade COCI - in combination - per month Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCVX	1D1VG	0.53	6.58	4.72								
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.18										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			1			
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72	10.33	17.44	1	<b> </b>	<b>I</b>			<del>                                     </del>
													i			
#	Nonrecurring Currently Combined Network Elements Switch -As-															

UNBUNDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	First 4-Wire Analog Voice Grade Local Loop in Combination -			ONOVA	OLAL4	30.30	101.01	34.31	33.14	14.50						
	Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 - Facility		1	ONOTA	TEOAX	0.10										
	Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1					
	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
İ	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
İ	Additional 4-Wire Analog Voice Grade Loop in same DS1						_							ĺ		1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	25.34	131.97	94.51	59.14	14.50			I			
İ	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.58	131.97	94.51	59.14	14.50						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.02	131.97	94.51	59.14	14.50						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.53	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/	/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -								==							
	Zone 1		1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDA	UDLS6	33.93	120.21	00.00	39.14	14.50	1	1	-			<del>                                     </del>
	Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per		-	ONODA	ODESO	37.00	120.21	00.00	33.14	14.50						
	Mile Per Month			UNC1X	1L5XX	0.18							1			
	First Interoffice Transport - Dedicated - DS1 - combination					2.10							t	İ		
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			1			
İ	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						1
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								1
İ	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u></u>	1	UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50					<u> </u>	<u> </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												_			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50	ļ		1	ļ		<b></b>
	OCU-DP COCI (data) COCI in combination per month (2.4-					,							1			
	64kbs)		-	UNCDX	1D1DD	1.12	6.58	4.72			<b></b>		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18							I			
	Each Additional DS1 Interoffice Channel Facility Termination in	-	-	ONCIA	ILOAA	0.18					<b> </b>	<del>                                     </del>	<del>                                     </del>	<del> </del>	<b> </b>	<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44			I			
-	Each Additional DS1 COCI in the same 3/1 channel system	<b>H</b>		014017	011111	00.10	03.27	01.01	10.33	14.44	<del>                                     </del>	<b>H</b>	t	<del>                                     </del>	l	<del>                                     </del>
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72					I			
-	Nonrecurring Currently Combined Network Elements Switch -As-			0.101/	30151	12.70	0.00	7.12					<b>†</b>			
			1	l	1				1		1	1	1	I	ı	1
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						1/60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															ĺ
	Transport Combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -				l											l
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						<b>——</b>
	Per each Channel System 1/0 in combination Per Month Per each OCU-DP COCI (data) in combination - per month (2.4-			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						
	64kbs)			UNCDX	1D1DD	1.12	6.58	4.72	22.20	24.02						<b>——</b>
<del>                                     </del>	3/1 Channel System in combination per month Per each DS1 COCI in combination per month			UNC3X UNC1X	MQ3 UC1D1	166.13 12.70	178.14 6.58	93.97 4.72	33.26	31.83						<del></del>
<del>                                     </del>	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNUTA	OCIDI	12.70	86.0	4.72	+							$\vdash$
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50	1					<u> </u>
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.12	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18										
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTEN	IDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Transport - Zone 2		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79						<u> </u>
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.41	6.58	4.72	10.54	3.19						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	12.70	6.58	4.72	110	230	Ì				1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 1		1	UNCNX	U1L2X	21.88	117.24	79.77	52.88	10.54						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2 Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2	UNCNX	U1L2X	32.85	117.24	79.77	52.88	10.54						
	Combination - Zone 3 Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCNX	U1L2X	48.55	117.24	79.77	52.88	10.54						<del>                                     </del>
	system combination- per month  Each Additional DS1 Interoffice Channel per mile in same 3/1			UNCNX	UC1CA	2.41	6.58	4.72								<del>                                     </del>
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	1L5XX	0.18										<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						<u> </u>

ONRONDER	ED NETWORK ELEMENTS - Alabama		1	1		Τ					lo o :	06		ment: 2	+	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system			LINGAY	LICADA	12.70	0.50	4.72								
	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC1X	UC1D1	12.70	6.58	4.72								
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT						0.00							
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.18										
	First Interoffice Transport - Dedicated - DS1 combination -								40.0=							
	Facility Termination Per Month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	3/1 Channel System in combination per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.18					1					
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILJAA	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	60.16	89.27	81.81	16.35	14.44						
	Each Additional DS1 COCI in the same 3/1 channel system			ONOTA	011111	00.10	03.21	01.01	10.55	14.44						
	combination per month			UNC1X	UC1D1	12.70	6.58	4.72								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.1017	00.5.	12.10	0.00	2							İ	İ
	1		1	UNC1X	USLXX	82.55	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	154.18	252.47	157.54	44.70	11.71						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	314.52	252.47	157.54	44.70	11.71						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	35.95	126.27	88.80	59.14	14.50						
	First 4-wires 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	37.88	126.27	88.80	59.14	14.50						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.008838										
<del>-  </del>	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility		-	UNCDX	ILJAA	0.000036										
	Termination per month			UNCDX	U1TD5	15.12	40.54	27.41	16.74	6.90						
_	Nonrecurring Currently Combined Network Elements Switch -As-		1	ONODA	01100	10.12	40.04	27.71	10.74	0.00						
	Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	26.09	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	35.95	126.27	88.80	59.14	14.50						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	37.88	126.27	88.80	59.14	14.50						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile			l		ı T										
	per month		<u> </u>	UNCDX	1L5XX	0.008838								ļ		
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility					<u>, ,  </u>	40				1					
	Termination per month		<del>                                     </del>	UNCDX	U1TD6	15.12	40.54	27.41	16.74	6.90					1	1
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.59	5.59	6.98	6.98						
ADDITIONAL	NETWORK ELEMENTS	<b>-</b>	<del>                                     </del>	OIACDV	UNCCC		5.59	5.59	6.98	0.98	-			-	1	1
	used as a part of a currently combined facility, the non-recurr	na cha	rnes de	not annly hut a	Switch As Is c	harge does ann	alv		<del>                                     </del>					<del> </del>	1	1
	used as a part of a currently combined facility, the non-recurr														1	<del> </del>
	curring Currently Combined Network Elements "Switch As Is"					is onarge t										
1	Nonrecurring Currently Combined Network Elements Switch -As-		1			1								İ		Ì
1	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-		i –													
	Is Charge - 56/64 kbps		<u>L</u>	UNCDX	UNCCC	<u> </u>	5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As-									-						
	Is Charge - DS1			UNC1X	UNCCC		5.59	5.59	6.98	6.98				1		1

UNBUNDLI	ED NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec		curring		g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - DS3			UNC3X	UNCCC		5.59	5.59	6.98	6.98						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - STS1			UNCSX	UNCCC		5.59	5.59	6.98	6.98						
Ontio	nal Features & Functions:		1	UNCOX	UNCCC		5.59	5.59	0.90	0.90	1			-	-	
Орио	inal realules & Fullctions.			U1TD1,										-		
	Clear Channel Capability Extended Frame Option - per DS1	- 1		ULDD1,UNC1X	CCOEF		OI	01	OI	OI						
	ordan ordanico capability Externada Franto option por Bo			U1TD1,	0002.		0.	0.						t	t	<u> </u>
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.85S	23.81S	1.99S	0.7741S						
				U1TD3, ULDD3,				_								
	C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3		219.13S	7.67S	0.7355S	0S	ļ	1		ļ	ļ	
MULT	TIPLEXERS		-	LINICAV	MO1	404.00	04.04	00.57	40.54	0.70	1	-	-	1	1	
	DS1 to DS0 Channel System per month  OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UNC1X	MQ1	101.06	91.04	62.57	10.54	9.79	1	-	-	<del>                                     </del>	<del>                                     </del>	
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.12	6.58	4.72	0.00	0.00				1	1	
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			ODL	10100	1.12	0.00	7.72	0.00	0.00	1					
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.12	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.41	6.58	4.72	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel			<u>_</u>												
	in the same SWC as collocation  Voice Grade COCI - DS1 to DS0 Channel System - per month			U1TUB	UC1CA	2.41	6.58	4.72	0.00	0.00						
	used for a Local Loop			UEA	1D1VG	0.53	6.58	4.72	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month			OLA	IDIVG	0.55	0.56	4.12	0.00	0.00				-		
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.53	6.58	4.72	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	166.13	178.14	93.97	33.26	31.83						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	166.13	178.14	93.97	33.26	31.83						
	DS1 COCI used with Loop per month			USL	UC1D1	12.70	6.58	4.72	0.00	0.00						
	DS1 COCI (used for connection to a channelized DS1 Local					40.00		. =0								
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.70	6.58	4.72	0.00	0.00	1			1	-	
	DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	U1TD1	UC1D1	12.70	6.58	4.72	0.00	0.00	1	-	-	<del>                                     </del>	<del>                                     </del>	
	month			ULDD1	UC1D1	12.70	6.58	4.72	0.00	0.00				I	I	
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)				30.51	12.70	0.00	7.72	3.30	0.00	l	t	1	<b>†</b>	<b>†</b>	
Excha	ange Ports				1			ĺ	1	1				1	1	
NOTE	: Although the Port Rate includes all available features in GA, I	ίΥ, LA	& TN, t	he desired features	will need to I	e ordered usir	retail USOC	s								
2-WIF	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.38	2.38	2.27	1.42	1.33	ļ	1		ļ	ļ	
	Funkanana Darta - O Mina Analas I in a Bort - 111 Online 12 - 3			LIEDOD	LIEDEO	4.00	0.00	0.00		1.00				1	1	
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.		-	UEPSR	UEPRC	1.38	2.38	2.27	1.42	1.33	<del>                                     </del>	1	-	<del>                                     </del>	<del>                                     </del>	
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.38	2.38	2.27	1.42	1.33				I	I	
<del>-  </del>	Exchange Ports - 2-Wire Arraing Line Port outgoing only - Kes.			0_1 OIX	JE: 110	1.36	2.30	2.21	1.42	1.33	l	t	1	<b>†</b>	<b>†</b>	
	dialing parity Port with Caller ID - Res.			UEPSR	UEPAR	1.38	2.38	2.27	1.42	1.33				I	I	
	Exchange Ports - 2-Wire VG unbundled res, low usage line port				1			İ	T	T				1	1	
	with Caller ID (LUM)			UEPSR	UEPAP	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan															
	without Caller Id			UEPSR	UEPWA	1.38	2.38	2.27	1.42	1.33	ļ			1	ļ	
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDET	4.00	0.00	0.00		1.00				I	I	
	Capability Subsequent Activity		-	UEPSR UEPSR	UEPRT USASC	1.38	2.38	2.27 0.00	1.42	1.33	<del>                                     </del>	1	-	<del>                                     </del>	<del>                                     </del>	
FFAT	URES			ULFOR	USASC	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>			<b>+</b>	
II EAI			<del>                                     </del>	UEPSR	UEPVF	1.98	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>-</b>	<del>                                     </del>	t	t	
	All Available Vertical Features															

NDOUDLE	D NETWORK ELEMENTS - Alabama					1					Т -	Г-		ment: 2	Exhibit: A	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Charge -	Incremental Charge - Manual Svc Order vs.	Increment Charge - Manual So Order vs.
		""											Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add'
						B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.  Exchange Ports - 2-Wire VG unbundled AL extended local		ļ	UEPSB	UEPBO	1.38	2.38	2.27	1.42	1.33				-	<b> </b>	
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAW	1.38	2.38	2.27	1.42	1.33						
	Exhange Ports - 2-Wire VG unbundled incoming only port with		1	OLI OD	OLI 74V	1.00	2.00	2.27	1.42	1.00	1					
	Caller ID - Bus			UEPSB	UEPB1	1.38	2.38	2.27	1.42	1.33						
	Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan															
	without Caller ID			UEPSB	UEPWB	1.38	2.38	2.27	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability		<u> </u>	UEPSB	UEPBE	1.38	2.38	2.27	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU	All Available Vertical Features			UEPSB	UEPVF	1.98	0.00	0.00			1					
	ANGE PORT RATES (DID & PBX)			UEPSB	UEPVF	1.98	0.00	0.00							<b> </b>	
EXCHA	2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	1.38	31.27	14.85	13.94	0.90	<b> </b>			-	1	
	2-Wire VG Unburidied 2-Way 1 BX Hullik 1 Res 2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.38	31.27	14.85	13.94	0.90	<b>+</b>					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.38	31.27	14.85	13.94	0.90	i e					
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.38	31.27	14.85	13.94	0.90						
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Alabama Calling Port			UEPSP	UEPA2	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.38	31.27	14.85	13.94	0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port     2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP UEPSP	UEPXC UEPXD	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90 0.90						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD		-	UEFSF	UEPAD	1.30	31.27	14.00	13.94	0.90	<b>-</b>			-	1	
	Capable Port			UEPSP	UEPXE	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLI GI	OLI AL	1.00	01.27	14.00	10.04	0.00	i e					
	Administrative Calling Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXL	1.38	31.27	14.85	13.94	0.90						
	Room Calling Port			UEPSP	UEPXM	1.38	31.27	14.85	13.94	0.90						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		1	LIEDOD	LIEDYO	4.00	04.07	44.0=	40.01	2.22						
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPSP UEPSP	UEPXO UEPXS	1.38 1.38	31.27 31.27	14.85 14.85	13.94 13.94	0.90	1	-		<del>                                     </del>	<b> </b>	1
	Subsequent Activity		-	UEPSP	USASC	0.00	0.00	0.00	13.94	0.90	<b> </b>			-	1	
FEATU		<b>-</b>	<del>                                     </del>	021 01	30,100	0.00	0.00	0.00			<b>†</b>			<del>                                     </del>	1	<del>                                     </del>
	All Available Vertical Features		t	UEPSP UEPSE	UEPVF	1.98	0.00	0.00						t	1	
	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.38	2.38	2.27	1.42	1.33						
	Transmission/usage charges associated with POTS circuit s															
	Access to B Channel or D Channel Packet capabilities will be	availa	ble onl	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	le Request/	New Busines	s Request Pro	ocess.	
	LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES	DN D				1. 11			A ( ) 4/4/04 ( ) -							
I ne DS	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports	DN Por	in this	s rate exhibit apply t	to the embed	ded base in pia	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates snail	revert to ta	riff rates or	a separate ag	reement.		
Reques	Exchange Ports - 2-Wire DID Port	arter the	errect	UEPEX	UEPP2	8.05	ursuant to a se 119.31	parate agreem 18.74	59.90	3.76				-	1	-
	Exchange Ports - 2-Wire DID Port  Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	<b>-</b>	<del>                                     </del>	OLFLA	ULFFZ	0.05	118.31	10.74	08.80	3.76	1			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		l		UEPDD	UEPDD	60.09	202.02	95.69	72.59	2.46				1		
	Icapability (E:4/1/2004)							52.99	47.79	10.74		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	l .
	capability (E:4/1/2004)  Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	9.79	72.77	52.99	47.79	10.74					I	
				UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF	9.79 1.98	0.00	0.00	47.79	10.74						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)								47.79	10.74						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.) All Features Offered			UEPTX, UEPSX UEPTX, UEPSX will also apply to c	UEPVF U1UMA ircuit switche	1.98 0.00 ed voice and/or	0.00 0.00 circuit switch	0.00 0.00 ed data transm	ission by B-Ch	nannels assoc	iated with 2					

UNBUNDLE	O NETWORK ELEMENTS - Alabama			•							T -	Γ-		ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															1
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.32	203.81	101.56	79.18	20.06						1
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.32	203.81	101.56	79.18	20.06						l .
	Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.11	22.03	15.93	6.40	5.79						l .
	Virtual collocation - Special Access & UNE, cross-connect per															l .
	DS1			UEPEX UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
Detaile	d E911 with Locator Capability (required with UEPEX port)															
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,804.00		156.08							
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.14									
	Additional PRI Telephone Numbers		-	OLFLA	OLF ID	0.00	175.14		1		<b> </b>		-	-	-	<del></del>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															<b>—</b>
	Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0697	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1D	0.0697	11.51									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or Additional]			UEPDX	UEP1E	0.00	0.049									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	23.02									
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										<b></b>
INTERF	ACE (Provsioning Only)															<b></b>
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
	Digital Data			UEPEX	PR71D	0.00	0.00	0.00								<b>——</b>
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00								-
	Additional Channel			LIEBEV .	DD=D1/		44.50									+
	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.53									-
	New or Additional - Digital Data "B" Channel		-	UEPEX	PR7BF	0.00	14.53									<del></del>
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.53					-				<del></del>
-	New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX UEPEX	PR7BS PR7BU	0.00	14.53 14.53					-				<del></del>
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.53				-					<del></del>
CALL T			-	OLFEA	FK/EA	0.00	14.53		1				-	-		<del>                                     </del>
UALL I	Inward		1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	+		1	<b>-</b>				<del></del>
	Outward			UEPEX UEPDX	PR7CO	0.00	0.00	0.00	1	<b> </b>	<del>                                     </del>		<del> </del>	l	<del>                                     </del>	
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00					<b> </b>		<b> </b>	<b>—</b>
	IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	-		OLI LA	. 10,00	0.00	0.00	0.00	1		<b> </b>	<b>-</b>			<b> </b>	
	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<del>                                     </del>						<b>†</b>		<b> </b>					
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res	_		UEPVR	UERLC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.38	2.38	2.27	1.42	1.33						
	curring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)  DLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC		0.10	0.10								
ONBON	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.38	2.38	2.27	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.38	2.38	2.27	1.42	1.33						

												Attach	ment: 2	Exhi	bit: A
										Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incrementa Charge -
ATEGORY RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add'
	1	<u> </u>				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
				1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.38	2.38	2.27	1.42	1.33						
Unbundled Remote Call Forwarding Service Expanded and															
Exception Local Calling			UEPVB	UERVJ	1.38	2.38	2.27	1.42	1.33						
Non-Recurring															
Unbundled Remote Call Forwarding Service - Conversion -															
Switch-as-is	1		UEPVB	USAC2		0.10	0.10								
Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
INBUNDLED LOCAL SWITCHING. PORT USAGE	1		UEFVB	USACC		0.10	0.10			<b> </b>					
End Office Switching (Port Usage)	<del>                                     </del>	<b>†</b>		+	+					<b> </b>				<b> </b>	
End Office Switching Function, Per MOU		t			0.0007025										
End Office Trunk Port - Shared, Per MOU	1	i –		1	0.0001638				İ			l	l	İ	
Tandem Switching (Port Usage) (Local or Access Tandem)									<u> </u>						
Tandem Switching Function Per MOU					0.000095										
Tandem Trunk Port - Shared, Per MOU					0.0002015										
Tandem Switching Function Per MOU (Melded)					0.000040993										
Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086947										
Melded Factor: 43.15% of the Tandem Rate	1									ļ					
Common Transport  Common Transport - Per Mile, Per MOU	1			-	0.0000000										
Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU	1			+	0.0000023 0.0003224					<b> </b>					
INBUNDLED PORT/LOOP COMBINATIONS - COST BASED RATES	1	1		1	0.0003224					1					
Cost Based Rates are applied where BellSouth is required by FCC a	nd/or St	ate Co	mmission rule to pr	ovide Unbur	dled Local Swi	tching or Swite	h Ports.			<b>+</b>					
Features shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
End Office and Tandem Switching Usage and Common Transport U											n Port/Loor	Combination	15.		
The first and additional Port nonrecurring charges apply to Not Curr														1	
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)							g cital ges sila				- Currently	Combined 30	ections.		
							g charges sha		Tuned in the r		- Currently	Combined 36	ections.		
UNE Port/Loop Combination Rates							g charges sha				Currently	Combined Se	ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			12.70		g charges sha				- Gurrentry	Combined St	ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		2			21.19		g charges sha				- currently	Combined Sc	ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3							g charges sha				Currently	Combined 36	ections.		
UNE Port/Loop Combination Rates  [2-Wire VG Loop/Port Combo - Zone 1		3	LIEDDY	LIEDLY	21.19 34.80		g charges sha				Currently	Combined 3c	ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1		3	UEPRX	UEPLX LIEPLX	21.19 34.80 11.55		g charges sha				Currently	Complined se	ections.		
UNE Port/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2		2 3 1 2	UEPRX	UEPLX	21.19 34.80 11.55 20.04		y charges sha				Currently	Committee se	ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3			21.19 34.80 11.55		y charges sha				Gurrenty		ections.		
UNE Port/Loop Combination Rates   2-Wire VG Loop/Port Combo - Zone 1   2-Wire VG Loop/Port Combo - Zone 2   2-Wire VG Loop/Port Combo - Zone 3   UNE Loop Rates   2-Wire Voice Grade Loop (SL1) - Zone 1   2-Wire Voice Grade Loop (SL1) - Zone 2		2 3 1 2	UEPRX	UEPLX	21.19 34.80 11.55 20.04	40.19	19.83	24.91	6.63		- Gurrentry		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3		2 3 1 2	UEPRX UEPRX	UEPLX UEPLX	21.19 34.80 11.55 20.04 33.65						- Gurrentry		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL	21.19 34.80 11.55 20.04 33.65	40.19	19.83	24.91	6.63				ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  [2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63		- Gurrentry		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Grade Loop Caller ID - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC	21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19	19.83 19.83	24.91 24.91	6.63		Guneraly		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Undurber outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Undurber outgoing only - res 2-Wire voice Undurber outgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63		Surrently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice unbundled Port outgoing only - res		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO	21.19 34.80 11.55 20.04 33.65 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63		- Ouriently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice Unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID (LUM)  2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19	19.83 19.83 19.83	24.91 24.91 24.91	6.63 6.63 6.63		- Currently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled Port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice Unbundled Low Usage Line Port without Caller ID		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63		- Ouriently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15	40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63				ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade Loop to utgoing only - res 2-Wire voice Unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM)  2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAR UEPAP UEPWA	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63		- Gurienty		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled seres, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63		- Ouriently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  FEATURES All Features Offered LOCAL NUMBER PORTABILITY		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63		- Ouriently		ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled seres, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability FEATURES All Features Offered		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAR UEPAP UEPWA	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63				Ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port with Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  FEATURES   All Features Offered   LOCAL NUMBER PORTABILITY   Local Number Portability (1 per port)   NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED   2-Wire Voice Grade Loop / Line Port Combination - Conversion -		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19	19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63				Ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res) 2-Wire voice unbundled port residence 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res 2-Wire voice unbundled sers, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  FEATURES  All Features Offered  LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF LNPCX	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 0.00	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63				Ections.		
UNE Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 2 2-Wire Voic Loop/Port Combo - Zone 3  UNE Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence 2-Wire voice unbundled port vith Caller ID - res 2-Wire voice unbundled port outgoing only - res 2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - res  2-Wire voice unbundles res, low usage line port with Caller ID (LUM) 2-Wire Voice Unbundled Alabama Residence Dialing Plan without Caller ID 2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  FEATURES  All Features Offered LOCAL NUMBER PORTABILITY Local Number Portability (1 per port)  NONRECURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is		2 3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPRL UEPRC UEPRO UEPAR UEPAP UEPAP UEPWA UEPWA UEPVF LNPCX	21.19 34.80 11.55 20.04 33.65 1.15 1.15 1.15 1.15 1.15 1.15	40.19 40.19 40.19 40.19 40.19 40.19 0.00	19.83 19.83 19.83 19.83 19.83 19.83 19.83	24.91 24.91 24.91 24.91 24.91	6.63 6.63 6.63 6.63 6.63				Ections.		

ONDONDL	ED NETWORK ELEMENTS - Alabama													ment: 2		ibit: A
											1	Svc Order			Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						(+)			per LSK	per Lak				
													Electronic-	Electronic-	Electronic-	
													1st	Add'l	Disc 1st	Disc Add'l
						1	Manna		Managarini	Diagramat			000	Datas (ft)		
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop - Non-Design		1	UEPRX	UEAEN	12.58	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	21.05	37.81	17.56	23.49	5.30						<del></del>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	34.34	37.81	17.56	23.49	5.30					1	+
			1	UEPRX	UEAED	14.38	88.00	55.00	47.24	7.44						+
	2 Wire Analog Voice Grade Extension Loop – Design															
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	22.85	88.00	55.00	47.24	7.44						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	36.14	88.00	55.00	47.24	7.44	ļ				ļ	<b>↓</b>
INTE	ROFFICE TRANSPORT										ļ				ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			1						· · · · · · · · · · · · · · · · · · ·						1
	Termination		l	UEPRX	U1TV2	21.13	40.54	27.41	16.74	6.90	1	]		1		1
İ	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				1				İ		1	1		ĺ	1	1
	or Fraction Mile		1	UEPRX	U1TVM	0.008838	0.00	0.00						1		1
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	0111111	0.000000	0.00	0.00			1					+
	Port/Loop Combination Rates		-		+						1				1	+
UNE			4		-	40.70					1				-	+
	2-Wire VG Loop/Port Combo - Zone 1		1			12.70										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.19										
	2-Wire VG Loop/Port Combo - Zone 3		3			34.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	33.65					i e				1	1
2-Wir	e Voice Grade Line Port (Bus)		Ť													+
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	40.19	19.83	24.91	6.63	<u>†                                      </u>				1	<del>                                     </del>
_	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.15	40.19	19.83	24.91	6.63	1					
											1				-	+
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPBX	UEPAW	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPBX	UEPWB	1.15	40.19	19.83	24.91	6.63						
	2-Wire voice unbundled Incoming Only Port without Caller ID				i						1				1	1
	Capability			UEPBX	UEPBE	1.15	40.19	19.83	24.91	6.63						
LOCA	AL NUMBER PORTABILITY															+
200/	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					1					+
EEAT	URES		-	OLI DX	LIVI OX	0.55					<del> </del>			-	<b>-</b>	
FEAT				HEDDY	LIED\/E	4.00	0.00	0.00			1				-	+
	All Features Offered			UEPBX	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		l		1						1	]		1		1
	Switch-as-is		Щ.	UEPBX	USAC2	<u> </u>	0.10	0.10			<u> </u>			<u> </u>	<u> </u>	1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change		l	UEPBX	USACC		0.10	0.10			1	]		1		1
ADDI	TIONAL NRCs				i						i e				1	1
1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			1							İ	i		i	i e	1
	Activity			UEPBX	USAS2		0.00	0.00				]		l		1
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		<del>                                     </del>	521 DA	00,102		0.00	0.00			<del>                                     </del>	<b> </b>		<del>                                     </del>	1	+
			l	LIEDBY	LIDET		0.00	0.00			1	]		1		1
0==-	Premise		-	UEPBX	URETL		8.33	0.83			<del> </del>			<b>!</b>	1	+
OFF/	ON PREMISES EXTENSION CHANNELS		<u> </u>	LIEBBY .							<b></b>				ļ	
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.58	37.81	17.56	23.49	5.30	<u> </u>				ļ	<b>↓</b>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.05	37.81	17.56	23.49	5.30				L	<u></u>	<u> </u>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	34.34	37.81	17.56	23.49	5.30						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	14.38	88.00	55.00	47.24	7.44						
			2	UEPBX	UEAED	22.85	88.00	55.00	47.24	7.44		i		i	i e	1
	12 Wire Analog Voice Grade Extension Loop – Design															
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	36.14	88.00	55.00	47.24	7.44						

ONRONDFI	ED NETWORK ELEMENTS - Alabama			T							_			ment: 2	+	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.000000	0.00	0.00								
0.14/15	or Fraction Mile EE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.008838	0.00	0.00								
	Port/Loop Combination Rates										-					
UNE	2-Wire VG Loop/Port Combo - Zone 1		1		+	12.70					1					$\leftarrow$
	2-Wire VG Loop/Port Combo - Zone 2		2		+	21.19										+
	2-Wire VG Loop/Port Combo - Zone 3		3		+	34.80										+
UNF	Loop Rates					04.00					<b>†</b>					+
0.12	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.04										†
	2-Wire Voice Grade Loop (SL 1) - Zone 3	İ	3	UEPRG	UEPLX	33.65										1
2-Wir	e Voice Grade Line Port Rates (RES - PBX)		i –													1
ĺ	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res	<u> </u>	<u></u>	UEPRG	UEPRD	1.15	69.08	32.41	37.43	6.20						<u> </u>
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
	All Features Offered			UEPRG	UEPVF	1.98	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.81	1.90								
ADDI	TIONAL NRCs				_											
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO	110400	0.00	0.00	0.00								
	Subsequent Activity PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPRG	USAS2	0.00	0.00	0.00								+
	Group						7.32	7.32								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User						1.32	1.32			-					
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS			OLI IKO	OKLIL		0.00	0.03								+
0117	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.38	88.00	55.00	47.24	7.44						+
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	22.85	88.00	55.00	47.24	7.44	1					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	36.14	88.00	55.00	47.24	7.44						<u> </u>
	Non-Wire Direct Serve Channel Voice Grade	i e	1	UEPRG	SDD2X	22.41	131.60	61.92	90.50	13.40						1
İ	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	23.88	131.60	61.92	90.50	13.40						1
i	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	33.72	131.60	61.92	90.50	13.40						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination		<u> </u>	UEPRG	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1	-													1
	or Fraction Mile		<u> </u>	UEPRG	U1TVM	0.008838	0.00	0.00							ļ	<b>↓</b>
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	ļ	<u> </u>													<b>↓</b>
UNE	Port/Loop Combination Rates	ļ	<u> </u>			10 =-					-				ļ	+
	2-Wire VG Loop/Port Combo - Zone 1	<b> </b>	1		_	12.70									1	+
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	-	3		+	21.19 34.80					-				1	+
LIME !	Loop Rates	<b>!</b>	3		+	34.80					-			-	1	+
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEPPX	UEPLX	11.55					<del>                                     </del>				1	+
	2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2	<del>                                     </del>	2	UEPPX	UEPLX	20.04					<b>H</b>				1	+
+	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	33.65					<b>-</b>				1	+
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)		۲	U_11/	OLI LX	55.05					<b>-</b>				1	+
2 3711	1 2.20 2.10 1 0111000 (200 1 27)	1	<del>                                     </del>		1						<del>                                     </del>				1	<del></del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus	1		UEPPX	UEPPC	1.15	69.08	32.41	37.43	6.20						1
<u> </u>	Line Side Unbundled Outward PBX Trunk Port - Bus	1	i –	UEPPX	UEPPO	1.15	69.08	32.41	37.43	6.20						†
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPPX	UEPP1	1.15	69.08	32.41	37.43	6.20	1				1	1

NRONDL	ED NETWORK ELEMENTS - Alabama													ment: 2	1	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
				İ			Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
1			t -			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Alabama	<b>-</b>	<del>                                     </del>				11100	Auui	11100	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
	Calling Port			UEPPX	UEPA2	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPPX	UEPLD	1.15	69.08	32.41	37.43	6.20	-					-
	2-Wire Voice Unbundled PBX LD Terminal Ports										ļ				ļ	ļ
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.15	69.08	32.41	37.43	6.20	ļ					
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPPX	UEPXE	1.15	69.08	32.41	37.43	6.20						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port	l	1	UEPPX	UEPXL	1.15	69.08	32.41	37.43	6.20		I		I	1	1
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	i	i			.,						ĺ	İ			
	Room Calling Port	l	1	UEPPX	UEPXM	1.15	69.08	32.41	37.43	6.20		I		I	1	1
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b> </b>	t		JE. 700	1.10	00.00	02.41	07.40	0.20	1	t e	<b> </b>	t	t	t
	Discount Room Calling Port	l	1	UEPPX	UEPXO	1.15	69.08	32.41	37.43	6.20		1				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	<b>-</b>	UEPPX	UEPXS	1.15	69.08	32.41	37.43	6.20	<del> </del>	-	-	-	-	<del> </del>
1.00			-	UEPPX	UEPAS	1.15	69.08	32.41	37.43	6.20						
LOC	AL NUMBER PORTABILITY			LIEDDY		0.45					ļ				ļ	ļ
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00			ļ					
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	1.98	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		7.91	1.90								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.91	1.90								
ADD	ITIONAL NRCs		t -	02.17	00,100		7.01	1.00	1		1				1	1
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
			<u> </u>	ULFFA	USASZ	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt						7.00	7.00								
	Group						7.32	7.32			ļ				ļ	ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			l												
	Premise			UEPPX	URETL		8.33	0.83			ļ					ļ
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.38	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	22.85	88.00	55.00	47.24	7.44						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	36.14	88.00	55.00	47.24	7.44						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	22.41	131.60	61.92	90.50	13.40						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.88	131.60	61.92	90.50	13.40		ĺ	ĺ			
	Non-Wire Direct Serve Channel Voice Grade	i –	3	UEPPX	SDD2X	33.72	131.60	61.92	90.50	13.40	1	i e	i e	1	1	
INTE	ROFFICE TRANSPORT	l -	Ť			002	.000	002	33.50		1	<del> </del>	<b> </b>	<b>†</b>	t	<del>                                     </del>
IIIVIE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b> </b>	t	<b>†</b>	+				+		1	t e	<b> </b>	t	t	<del>                                     </del>
	Termination	l	1	UEPPX	U1TV2	21.13	40.54	27.41	16.74	6.90		I	l	I	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<del>                                     </del>	1	OLFFA	UIIVZ	21.13	40.54	21.41	10.74	0.90	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		l	1	LIEDDY	LIATORA	0.000000	2.22	0.00				I	l	I	1	
	or Fraction Mile			UEPPX	U1TVM	0.008838	0.00	0.00	ļ		ļ			<b></b>		-
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	ΚΓ	<b>!</b>	L							<b>.</b>	ļ		<b></b>	<b></b>	<b>.</b>
UNE	Port/Loop Combination Rates	ļ	<u> </u>	ļ							ļ		ļ	ļ	ļ	ļ
	2-Wire VG Coin Port/Loop Combo – Zone 1	ļ	1	ļ		12.70					ļ		ļ	ļ	ļ	1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			21.19										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			34.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	11.55										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	20.04										
	2-Wire Voice Grade Loop (SL1) - Zone 3	i –	3	UEPCO	UEPLX	33.65					1	i	İ	1	1	
2-Wi	re Voice Grade Line Ports (COIN)	l -	Ť	<del>                                     </del>		55.55			<b>†</b>		1	<del> </del>	<b> </b>	<b>†</b>	t	<del>                                     </del>
	2-Wire Coin 2-Way without Operator Screening and without	<b> </b>	t	<b>†</b>	+				+		1	t e	<b> </b>	t	t	<del>                                     </del>
	Blocking (AL, KY, LA, MS)	l	1	UEPCO	UEPRF	1.15	40.19	19.83	24.91	6.63		1				
1		├	+	UEPCO	UEPRE	1.15	40.19	19.83	24.91	6.63	<del> </del>	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
								19 83	24.91	h h3	1			i		1
	2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		-	OLI CO	OLITE	1.10	40.13	10.00		0.00				1		<b>i</b>

ONRONDFI	ED NETWORK ELEMENTS - Alabama			T							I a			ment: 2	+	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEDDD	4.45	40.40	10.00	04.04	0.00						
	(AL, LA, MS)  2-Wire Coin 2-Way with Operator Screening & Blocking:		-	UEPCO	UEPRB	1.15	40.19	19.83	24.91	6.63	<b>.</b>					
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL)			UEPCO	UEPRK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	40.19	19.83	24.91	6.63						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	40.19	19.83	24.91	6.63						
	2-Wire Coin Outward Smartline with 900/976 (all states except			-2.00	52. OK	1.10	70.10	10.00	24.01	0.00						
	LA)			UEPCO	UEPCR	1.15	40.19	19.83	24.91	6.63						
ADDI	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.56	0.00	0.00	0.00	0.00						
LOCA	AL NUMBER PORTABILITY															
NONE	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35			-							
NONE	RECURRING CHARGES - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -								-							
	Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			021 00	00/102		0.10	0.10			i e					
	Switch with change			UEPCO	USACC		0.10	0.10								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		UNLIL		0.33	0.03			<b>†</b>					
	Port/Loop Combination Rates		J	1												
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE I	Loop Rates		_	LIEDED	LIEGEO	44.00										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		1 2	UEPFR UEPFR	UECF2	14.38 22.85			-		1					
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	36.14	-		<del>                                     </del>		1				1	1
2-Wir	e Voice Grade Line Port Rates (Res)		- 3	OLI I IX	JE01 2	50.14										
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.38	90.38	57.27	48.66	8.77						İ
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing					,										
	parity port with Caller ID - res			UEPFR	UEPAR	1.38	90.38	57.27	48.66	8.77	1					
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Residence Dialing Plan			OLI I IX	OLI AF	1.30	30.36	31.21	40.00	0.77	1				1	1
	without Caller ID			UEPFR	UEPWA	1.38	90.38	57.27	48.66	8.77						
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFR	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	1L5XX	0.000000										
EEAT	or Fraction Mile			UEPFR	ILDXX	0.008838					1			<b> </b>	<b> </b>	-
FEAT	All Features Offered			UEPFR	UEPVF	1.98	0.00	0.00			1				1	1
LOCA	AL NUMBER PORTABILITY			02.110	JE: VI	1.30	5.00	0.00								
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35			1							
NONF	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is				USAC2											
				UEPFR			8.48	1.87	1					1		

INBUNDLI	ED NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
			1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at								1							
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WIR	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE I	Port/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.38										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	36.14										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice Grade unbundled Alabama extended local dialing															
	parity port with Caller ID - bus			UEPFB	UEPAW	1.38	90.38	57.27	48.66	8.77						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.38	90.38	57.27	48.66	8.77						
	2-Wire Voice Unbundled Alabama Business Dialing Plan without															
	Caller ID			UEPFB	UEPWB	1.38	90.38	57.27	48.66	8.77						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFB	U1TV2	21.13	40.54	27.41	16.74	6.90						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.008838										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	1.98	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.48	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		8.48	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise	<u> </u>	<u></u>	UEPFB	URETN		11.21	1.10								
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	PBX)												
UNE	Port/Loop Combination Rates		<b>.</b>			4.5.50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.76										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.23										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			37.52										
			ı			14.38										
UNE I	Loop Rates		-													
UNE I	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2											
UNE I	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85						-				
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3															
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	22.85										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)		2	UEPFP UEPFP	UECF2 UECF2	22.85 36.14	140.07	60.05	64.40	0.24						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX) Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		2	UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC	22.85 36.14	119.27	69.85	61.18	8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		2	UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO	22.85 36.14 1.38 1.38	119.27	69.85	61.18	8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus		2	UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC	22.85 36.14										
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama		2	UEPFP UEPFP UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO UEPP1	22.85 36.14 1.38 1.38 1.38	119.27 119.27	69.85 69.85	61.18 61.18	8.34 8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port		2	UEPFP UEPFP UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO UEPP1 UEPA2	22.85 36.14 1.38 1.38 1.38	119.27 119.27 119.27	69.85 69.85	61.18 61.18 61.18	8.34 8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports		2	UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO UEPP1 UEPA2 UEPLD	22.85 36.14 1.38 1.38 1.38 1.38	119.27 119.27 119.27 119.27	69.85 69.85 69.85 69.85	61.18 61.18 61.18 61.18	8.34 8.34 8.34 8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		2	UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO UEPP1 UEPA2 UEPLD UEPXA	22.85 36.14 1.38 1.38 1.38 1.38 1.38	119.27 119.27 119.27 119.27 119.27	69.85 69.85 69.85 69.85 69.85	61.18 61.18 61.18 61.18 61.18	8.34 8.34 8.34 8.34						
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 e Voice Grade Loop (SL2) - Zone 3 e Voice Grade Line Port Rates (BUS - PBX)  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled 2-Way Combination PBX Alabama Calling Port 2-Wire Voice Unbundled PBX LD Terminal Ports		2	UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP UEPFP	UECF2 UECF2 UEPPC UEPPO UEPP1 UEPA2 UEPLD	22.85 36.14 1.38 1.38 1.38 1.38	119.27 119.27 119.27 119.27	69.85 69.85 69.85 69.85	61.18 61.18 61.18 61.18	8.34 8.34 8.34 8.34						

UNBUNDLED N	IETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							N		I							
						Rec		curring	Nonrecurring					Rates (\$)		
			-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Vire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDED	LIEDVE	4.00	440.07	00.05	04.40	0.04						
	pable Port			UEPFP	UEPXE	1.38	119.27	69.85	61.18	8.34	+					<del></del>
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy ministrative Calling Port			UEPFP	UEPXL	1.38	119.27	69.85	61.18	8.34						ĺ
	Vire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLFIF	OLFAL	1.30	119.27	09.03	01.10	0.34	+	1				<del></del>
	om Calling Port			UEPFP	UEPXM	1.38	119.27	69.85	61.18	8.34						l
	Vire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			OLITI	OLI AW	1.00	110.21	00.00	01.10	0.04	1	1				
	count Room Calling Port			UEPFP	UEPXO	1.38	119.27	69.85	61.18	8.34						l
	Vire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.38	119.27	69.85	61.18	8.34	1					
	MBER PORTABILITY															
Loc	cal Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
	ICE TRANSPORT															
Inte	eroffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	mination			UEPFP	U1TV2	21.13	40.54	27.41	16.74	6.90						
	eroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	Fraction Mile			UEPFP	1L5XX	0.008838										
FEATURES																
	Features Offered			UEPFP	UEPVF	1.98	0.00	0.00								
	RRING CHARGES (NRCs) - CURRENTLY COMBINED															
	Vire Loop / Dedicated IO Transport / 2 Wire Line Port															ĺ
	mbination - Conversion - Switch-as-is			UEPFP	USAC2		8.48	1.87								<b></b>
	Vire Loop / Dedicated IO Transport / 2 Wire Line Port			HEDED	110400		0.40	4.07								
	mbination - Conversion - Switch with change		-	UEPFP	USACC		8.48	1.87			1					
	bundled Miscellaneous Rate Element, Tag Designed Loop at d User Premise			UEPFP	URETN		11.21	1.10								
	T/LOOP COMBINATIONS - COST BASED RATES			UEPFP	UREIN		11.21	1.10			-	-				<del></del>
	DICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	DODT			1						+	1				<del></del>
	Loop Combination Rates	TOKT									+					<del>                                     </del>
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1			22.40					+					<del></del>
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			30.88					1					
	Vire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			44.17										
UNE Loop																
2-W	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	14.38										
2-W	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD1	22.85										
2-W	Vire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	36.14										
UNE Port R																
	change Ports - 2-Wire DID Port			UEPPX	UEPD1	8.02	207.31	73.74	107.14	11.20						
	RRING CHARGES - CURRENTLY COMBINED		<u> </u>													<b></b>
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Combination -			LIEBBY							1					1
	itch-as-is			UEPPX	USAC1		7.31	1.87								
	Vire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			LIEDDY	110010		7.04	4.07								1
ADDITION	h BellSouth Allowable Changes		-	UEPPX	USA1C		7.31	1.87		-	1	1	-	<b> </b>	-	<del></del>
			-	UEPPX	USAS1		26.78	26.78		-	1	1	-	<b> </b>	-	<del></del>
	Vire DID Subsequent Activity - Add Trunks, Per Trunk bundled Miscellaneous Rate Element, Tag Designed Loop at		+	ULFFA	USAST		∠0.78	20.78			1	-			-	<del></del>
	d User Premise			UEPPX	URETN		11.21	1.10			1					1
	Number/Trunk Group Establisment Charges		<del>                                     </del>	OLIFA	OKLIN		11.21	1.10			+			<del> </del>		<del>                                     </del>
	Trunk Termination (One Per Port)		<b>†</b>	UEPPX	NDT	0.00	0.00	0.00			<del>                                     </del>	<del>                                     </del>				<b>—</b>
	ditional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00			<u> </u>					<b>—</b>
	Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00		İ			İ	İ	İ	
	serve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00		l	1		l	İ	l	
	serve DID Numbers			UEPPX	NDV	0.00	0.00	0.00						1		
LOCAL NU	MBER PORTABILITY				1											
	cal Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
2-WIRE ISE	ON DIGITAL GRADE LOOP WITH 2-WIRE ISON DIGITAL LI	NE SIDE	PORT													
	Loop Combination Rates															
	ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -												l			1 -
. I IUN	E Zone 1		1	UEPPB UEPPR	₹	27.28				1	1	1	1	1	1	1

JNBUNDLE	D NETWORK ELEMENTS - Alabama													Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	Е	scs	USOC			RATES (\$)			I .	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						1	Rec	Nonrec		Nonrecurring					Rates (\$)		
-	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		-			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	UNE Zone 2		2	UEPPB	UEPPR		37.86										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02.12	02		07.00										
	UNE Zone 3		3	UEPPB	UEPPR		53.84										
UNE Lo	pop Rates					110101	10.00										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.03								-	-	
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.62										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	45.60								1	1	
UNE Po	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.24	190.01	132.76	100.67	21.28						
NONRE	ECURRING CHARGES - CURRENTLY COMBINED		-	<b> </b>		1	<del>                                     </del>					ļ	-		-	-	<u> </u>
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			LIEPPR	UEPPR	USACB	0.00	38.51	27.02								
ADDITI	ONAL NRCs		<del>                                     </del>	CLIID	JLITIN	COAOD	0.00	30.31	21.02						<b>—</b>		<del>                                     </del>
7.22111	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			1		1	1										<u> </u>
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User					1											
1.0041	Premise			UEPPB	UEPPR	URETL		8.33	0.83								ļ
LOCAL	. NUMBER PORTABILITY Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00						-	-	<u> </u>
B-CHA	NNEL USER PROFILE ACCESS:			OLFFB	ULFFR	LINFOX	0.33	0.00	0.00								<del>                                     </del>
2 0	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO	C,MS, &	TN)	LIEDDD	UEPPR	LIALICD	0.00	0.00	0.00						-		
-	CVS/CSD (DMS/5ESS)  CVS (EWSD)			UEPPB UEPPB	UEPPR	U1UCD U1UCE	0.00	0.00	0.00						1	<del> </del>	-
-	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								<del>                                     </del>
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
	CAL FEATURES																
	All Vertical Features - One per Channel B User Profile  OFFICE CHANNEL MILEAGE			UEPPB	UEPPR	UEPVF	1.98	0.00	0.00						-	-	
INTERN	Interoffice Channel mileage each, including first mile and			1		1											+
	facilities termination			UEPPB	UEPPR	M1GNC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage each, additional mile			UEPPB		M1GNM	0.008838	0.00	0.00								
	DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK					<u> </u>								L	1	Ļ	<u> </u>
	IE-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wire I	SDN DS1	Digital Tru	nk Port in th	is rate exhibit a	pply to the em	bedded base i	n place as of 1	0/2/03 until 4/	1/04. After 4	1/1/04 these	rates shall re	vert to tariff r	ates or a sepa	rate
agreem	tent. Sts for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T	runk Po	ort afte	r the effec	tive date o	of this amend	lment shall be n	rovided nursi	ant to a senar	ate agreement	or tariff at Bel	South's di	scretion.	I	1	1	
	ort/Loop Combination Rates			1		1		parec	ant to a copar	l grooment	o. ta at 20.				1	1	
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 1		1	UEPPP		1	166.87										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP			000.50										
	Zone 2 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		2	UEPPP		-	238.50						-		-	-	<del>                                     </del>
	Zone 3		3	UEPPP			398.85										
UNE Lo	pop Rates		Ĺ														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	82.55										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	154.18										
LINE D	4-Wire DS1 Digital Loop - UNE Zone 3 ort Rate		3	UEPPP		USL4P	314.52					1			-	-	-
UNE PO	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<del>                                     </del>	UEPPP		UEPPP	84.32	456.28	259.10	123.88	31.77		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
NONRE	ECURRING CHARGES - CURRENTLY COMBINED			JE111		02111	04.02	-100.20	200.10	120.00	01.11						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port						1										
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.07	78.56								<u> </u>
IADDITI	ONAL NRCs		1	1		<u>l</u>						<u> </u>		<u> </u>	I	I	

אחםאור,	DLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
														Incremental	Incremental		
													Submitted		Charge -	Charge -	Charge -
		DATE EL EMENTO	Interi	<b>-</b>	500	11000			DATEO (6)			Elec	Manually		Manual Svc	Manual Svc	
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
—				-				Mana		Managarinia	Disconnect	1		222	Detec (ft)		
-				-			Rec		curring			001150	001111		Rates (\$)	001141	001441
-+	-	4 Mins DC4 Look /4 M/ ICDN Digit Till Dock College Action						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			LIEDDD	PR7TF		0.40									
-		Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		-	UEPPP	PR/IF		0.49									
		Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		11.51									
-		4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -		-	UEPPP	PR/10		11.51									
		Subsequent Inward Tel Numbers			UEPPP	PR7ZT		23.02									
		NUMBER PORTABILITY			UEPPP	PR/ZI		23.02				<b> </b>					
		Local Number Portability (1 per port)			UEPPP	LNPCN	1.75					<b> </b>					
		FACE (Provsioning Only)		-	UEFFF	LINECIN	1.75					-					
IIN		Voice/Data		-	UEPPP	PR71V	0.00	0.00	0.00			-					
$-\!\!+$		Voice/Data Digital Data		<del>                                     </del>	UEPPP	PR71V PR71D	0.00	0.00	0.00	<del>                                     </del>		-		-	-	-	
-+		Inward Data		<del>                                     </del>	UEPPP	PR71D PR71E	0.00	0.00	0.00	<del>                                     </del>		-		-	-	-	-
N.I		Additional "B" Channel		<del>                                     </del>	OLFFF	FIVIE	0.00	0.00	0.00	+	1	}		<b> </b>	<b> </b>	1	<b>-</b>
IN		New or Additional - Voice/Data B Channel		-	UEPPP	PR7BV	0.00	14.53	-	-				-	-	-	
-+		New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel		-	UEPPP	PR7BF	0.00	14.53		<del>                                     </del>		1				-	
-+		New or Additional - Digital Data B Channel  New or Additional Inward Data B Channel		-	UEPPP	PR7BD	0.00	14.53		<del>                                     </del>		1				-	
-		YPES			UEPPP	PR/BD	0.00	14.53				<b> </b>					
				-	UEPPP	PR7C1	0.00	0.00	0.00			-					
-		Inward Outward		-	UEPPP	PR7C0	0.00	0.00	0.00								
-+				-	UEPPP	PR7CC	0.00	0.00	0.00			-					
		Two-way ice Channel Mileage		-	UEPPP	PR/CC	0.00	0.00	0.00			-					
— <u>III</u>		Fixed Each Including First Mile			UEPPP	1LN1A	60.34	89.27	81.81	16.35	14.44	<b> </b>					
-+		Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.18	89.27	81.81	10.35	14.44	<b> </b>					
		DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		-	ULFFF	ILINID	0.10			-		<b>-</b>					-
		E-P DS1 combination rates below for 4-Wire DS1 Digital Loop	with 4	-Wiro F	DITS Trunk Bort is	n thic rate ovhi	hit apply to the	a ambaddad b	l aco in placo ac	of 10/2/02 unt	I 4/1/04 After	4/1/04 those	ratoe eball	rovert to tarif	f rates or a se	narato agroo	mont
— <u>"</u>	DULIDE	tsts for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the effe	octive d	late of	this amondment st	hall he provide	d nursuant to	e constante	ase iii piace as	f at RollSouth's	discretion	4/ 1/04 tilese	rates silali	levert to tarn	Trates or a se	parate agree	l lent.
		ort/Loop Combination Rates	201140 0	late of	lino amenament or	lan be provide	a parsaant to	a separate agri	l l l l l l l l l l l l l l l l l l l	l at Benedatin							
		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC		142.64					1					
-+		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2			UEPDC		214.26										
-+		4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3			UEPDC		374.61										
U		oop Rates		Ť	02. 50		07 1.01										
		4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	82.55										
		4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	154.18					İ					
-		4-Wire DS1 Digital Loop - UNE Zone 3			UEPDC	USLDC	314.52										
U		ort Rate															
		4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	60.09	454.49	253.23	117.29	14.17						
N		CURRING CHARGES - CURRENTLY COMBINED															
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.49	67.02								
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
		- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		100 10	67.02								
						USAWA		129.49									
- 1		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			OLI DO	USAWA		129.49									
		4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				USAWB			67.02								
Al					UEPDC			129.49									
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs															
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)															
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	USAWB		129.49	67.02								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCS  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			UEPDC	USAWB		129.49	67.02								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC UEPDC	USAWB		129.49	67.02								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent  Channel Activation/Chan - 1-Way Outward Trunk			UEPDC UEPDC	USAWB		129.49	67.02								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquit Channel			UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC		129.49 14.48 14.48	14.48 14.48 14.48								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk wout DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB		129.49 14.48 14.48	67.02 14.48 14.48								
A	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Details on the Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			UEPDC UEPDC UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC  UDTTD		129.49 14.48 14.48 14.48	14.48 14.48 14.48								
	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk Wout DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC		129.49 14.48 14.48	14.48 14.48 14.48								
	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans  R 8 ZERO SUBSTITUTION			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC  UDTTD  UDTTE		129.49 14.48 14.48 14.48 14.48	14.48 14.48 14.48 14.48 14.48								
	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk wout DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans  18 2 ERO SUBSTITUTION  B82S - Superframe Format			UEPDC UEPDC UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC  UDTTD		129.49 14.48 14.48 14.48	14.48 14.48 14.48								
	DDITI	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsquent Channel Activation/Chan Inward Trunk w/out DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans  R 8 ZERO SUBSTITUTION			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC  UDTTD  UDTTE		129.49 14.48 14.48 14.48 14.48	14.48 14.48 14.48 14.48 14.48								
Bi	IPOL <i>A</i>	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqut Channel Activation/Chan Inward Trunk wout DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID  4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans  18 2 ERO SUBSTITUTION  B82S - Superframe Format			UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC UEPDC	USAWB  UDTTA  UDTTB  UDTTC  UDTTD  UDTTE  CCOSF		129.49 14.48 14.48 14.48 14.48 0.00i	14.48 14.48 14.48 14.48 14.48 600.00s								

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec		curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Teleph	none Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers		ļ	UEPDC UEPDC	UDTGZ ND4	0.00	0.00					-				
	DID Numbers for each Group of 20 DID Numbers  DID Numbers, Non- consecutive DID Numbers, Per Number			UEPDC	ND5	0.00	0.00				1					
	Reserve Non-Consecutive DID Nos.		1	UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers		1	UEPDC	NDV	0.00	0.00	0.00								
Dedica	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	1 Digita	I I oon			0.00	0.00	0.00								
200.00	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	. Digita			1											
	Termination)			UEPDC	1LNO1	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.18	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.18	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00							
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT	4														
Systen	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti System can have up to 24 combinations of rates depending on	ivations	ad num	har of parts used	-											
The UN	NE-P DS1 combination rates below for 4-Wire DS1 Loop with 0	hannel	ization	with Port in this rat	e exhihit ann	ly to the embe	l dded hase in r	lace as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement	
	ests for 4-Wire DS1 Loop with Channelization with Port after th											I	to turni rutes	or a separate	ugreement.	
	OS1 Loop		1								T					
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	82.55	0.00	0.00			1					
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	154.18	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	314.52	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1		<u> </u>	UEPMG	VUM24	101.40	0.00	0.00			ļ					
	48 DSO Channel Capacity - 1 per 2 DS1s		<u> </u>	UEPMG	VUM48	202.80	0.00	0.00		-	1		<b> </b>	<b> </b>	<b> </b>	
	96 DSO Channel Capacity -1per 4 DS1s		<del>                                     </del>	UEPMG	VUM96	405.60	0.00	0.00	<b> </b>	-	<b></b>		<b> </b>	<b> </b>	<b> </b>	
_	144 DS0 Channel Capacity - 1 per 6 DS1s 192 DS0 Channel Capacity -1 per 8 DS1s	-	<del>                                     </del>	UEPMG UEPMG	VUM14 VUM19	608.40 811.20	0.00	0.00			<u> </u>					
-+	240 DS0 Channel Capacity - 1 per 10 DS1s	<del>                                     </del>	<del>                                     </del>	UEPMG	VUM2O	1,014.00	0.00	0.00			<b> </b>	-	<b> </b>	<b> </b>	<b> </b>	
	288 DS0 Channel Capacity - 1 per 10 DS1s		<del>                                     </del>	UEPMG	VUM28	1,216.80	0.00	0.00								
_	384 DS0 Channel Capacity - 1 per 12 DS1s		<del>                                     </del>	UEPMG	VUM38	1,622.40	0.00	0.00			<b> </b>	<u> </u>				
1	480 DS0 Channel Capacity - 1 per 10 DS1s	l	t	UEPMG	VUM4O	2,028.00	0.00	0.00	1							
	576 DS0 Channel Capacity -1 per 24 DS1s		t	UEPMG	VUM57	2,433.60	0.00	0.00	İ	İ	1		İ	İ	İ	
	672 DS0 Channel Capacity - 1 per 28 DS1s		i –	UEPMG	VUM67	2,839.20	0.00	0.00								
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanı														
	imum System configuration is One (1) DS1, One (1) D4 Channe															
Multip	les of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.										
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes			UEPMG	USAC4	0.00	150.48	8.36								
	n Additions at End User Locations Where 4-Wire DS1 Loop with				nation Curre	ntly Exists and	t l									
	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	\'s												
			1			0.00	716.11	468.04	148.75	17.65						
New (N	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	/ 10.11	400.04						<u> </u>		
New (N				UEPMG	VUMD4	0.00	710.11	400.04								
New (N	and Assoc Fea Activation (E:4/1/2004)			UEPMG UEPMG	CCOSF	0.00		600.00s								

	ED NETWORK ELEMENTS - Alabama												Attachi	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		
1												Submitted		Charge -	Charge -	Charge -
1		lustani									Elec	Manually		Manual Svc	Manual Svc	_
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
1		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
1													1st	Add'l	Disc 1st	Disc Add'l
															Disc ist	DISC Add I
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Altern	nate Mark Inversion (AMI)															
	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00								
	Extended Superframe Format		D	UEPMG	MCOPO	0.00	0.00	0.00								
	ange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		-											
Excha	ange Ports  Line Side Combination Channelized PBX Trunk Port - Business		-		+						-					
.	(E:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business		-	ULFFA	OLFCX	1.13	0.00	0.00	0.00	0.00						1
.	(E:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
	Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.10	0.00	0.00	0.00	0.00	<b>-</b>					
.	(E:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port				1		3.30	3.30	3.50	0.00					İ	1
.	(E:4/1/2004)			UEPPX	UEPDM	8.05	0.00	0.00	0.00	0.00		1				1
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –				İ										l	1
.	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
.	Service) (E:4/1/2004)			UEPPX	UEPCY	1.15										
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
.	(AL, KY, LA, MS, & TN) (Conversion from Network Access															
.	Service) (E:4/1/2004)			UEPPX	UEPCT	1.15										
	2-Wire Channelized PBX Area Calling Service Combination Port															
	(AL Only) (E:4/1/2004)			UEPPX	UEPA4	1.15	0.00	0.00								
.	2 Wire Channelized PBX Area Calling Service Outgoing Only															
	Port (AL Only) (E:4/1/2004)			UEPPX	UEPA3	1.15	0.00	0.00								
Featu	ure Activations - Unbundled Loop Concentration															
.	Feature (Service) Activation for each Line Port Terminated in D4															
	Bank			UEPPX	1PQWM	0.56	54.55									
.	Feature (Service) Activation for each Trunk Port Terminated in			LIEDDY	4DOW(1)	0.50	77.00									
Tolon	D4 Bank phone Number/ Group Establishment Charges for DID Service		-	UEPPX	1PQWU	0.56	77.03									
гегер	DID Trunk Termination (1 per Port)		-	UEPPX	NDT	0.00	0.00	0.00			-					
	DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			1					-
	Non-Consecutive DID Numbers - per number		-	UEPPX	ND5	0.00	0.00	0.00								1
	Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00			<b>-</b>					
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			1					
Local	Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	TURES - Vertical and Optional															
	Switching Features Offered with Line Side Ports Only				1											
	All Features Available			UEPPX	UEPVF	1.98	0.00	0.00								
	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES															
	st Based Rates are applied where BellSouth is required by FCC															
	atures shall apply to the Unbundled Port/Loop Combination - C															
	d Office and Tandem Switching Usage and Common Transport															L
	e first and additional Port nonrecurring charges apply to Not Co	urrently	Comb	ined Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	RCs may
	also and are categorized accordingly.														1	
	arket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til turther notice	е.									-
	P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		-		1							ļ			<b> </b>	<del>                                     </del>
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo		-		+						1				-	<del>                                     </del>
UNE	Port/Loop Combination Rates (Non-Design)				1											<del>                                     </del>
.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP91		12.70						1				I
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OFLAI	+	12.70					-				-	-
				UEP91		21.19						1				1
	Non-Design							i e			1					1
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	OLF91	+	21.10										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
LINE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP91		34.80										
UNE F	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															

ONBONDLE	D NETWORK ELEMENTS - Alabama			1	-						la c :	06		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP91		24.00										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP91		24.00										$\leftarrow$
	Design		3	UEP91		37.29										
UNEL	poop Rate		L Č	OLI 01		07.20			1							+
ONE E	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	11.55					1				1	<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	20.04										<b>—</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	22.85										1
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	36.14										1
UNE P																
	tes (Except North Carolina and Sout Carolina)					İ										
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local					i										
	Area		L	UEP91	UEPYB	1.15	40.19	19.83	24.91	6.63	<u></u>			<u> </u>	<u> </u>	<u> </u>
	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic															
	Local Area			UEP91	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area			UEP91	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP91	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY	, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP91	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term			UEP91	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Switching			LIEDO	LIDEGO	0.5100										
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.5488										
Local	Number Portability			LIEDO.	LLIBOO											
F	Local Number Portability (1 per port)		-	UEP91	LNPCC	0.35										
Feature			-	LIEDOA	LIED) (E	1.00										
-	All Standard Features Offered, per port		-	UEP91	UEPVF	1.98	405.50		1					<b> </b>	<del>                                     </del>	+
	All Select Features Offered, per port		-	UEP91	UEPVS	0.00	405.52				-	ļ		<b> </b>	<del>                                     </del>	+
NARS	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	1.98									<del>                                     </del>	+
NAKS	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00				<b> </b>	<del>                                     </del>	+
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Indial		<del>                                     </del>	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>			<del> </del>	+	+
	Unbundled Network Access Register - Outdial		<del>                                     </del>	UEP91	UAROX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>				+	+
Miccol	laneous Terminations		<del>                                     </del>	OLITAI	JANUA	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>				+	+
	Trunk Side		<del>                                     </del>	<del>                                     </del>	+	+			1		<b>H</b>			<del> </del>	t	+
	Trunk Side Trunk Side Terminations, each		<del>                                     </del>	UEP91	CENA6	8.05	119.31	18.74	59.90	3.76	<b>H</b>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	fice Channel Mileage - 2-Wire		<del>                                     </del>	OL1 31	OLIVAU	0.03	113.31	10.74	35.50	3.76	<b>H</b>			<del>                                     </del>	<del>                                     </del>	+
interor	Interoffice Channel Facilities Termination - Voice Grade		<del>                                     </del>	UEP91	M1GBC	21.13	40.54	27.41	16.74	6.90	<b>H</b>			<del>                                     </del>	<del>                                     </del>	+
+	Interoffice Channel mileage, per mile or fraction of mile		<del>                                     </del>	UEP91	M1GBM	0.008838	70.54	21.41	10.74	0.30	<b>H</b>			<del>                                     </del>	<del>                                     </del>	+
Feature	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	<del>                                     </del>	021 31	WITODW	0.000036			+ +						<b>+</b>	<del></del>
	annel Bank Feature Activations					+									<u> </u>	<del></del>
10- 0116	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.56								<b></b>		+

NBU	NDLE	NETWORK ELEMENTS - Alabama													ment: 2	1	bit: A
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
- 1							1	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	ı
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								11100	Auu	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.56										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop										İ					
		Slot			UEP91	1PQW7	0.56										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -					Ì										
		Different Wire Center			UEP91	1PQWP	0.56										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP91	1PQWQ	0.56										
		Feature Activation on D-4 Channel Bank WATS Loop Slot		-	UEP91	1PQWA	0.56					ļ		<b> </b>	<del>                                     </del>	<del>                                     </del>	ļ
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex Conversion - Currently Combined Switch-As-Is with allowed				+				<u> </u>		1		-	<del>                                     </del>	<del>                                     </del>	-
		changes, per port			UEP91	USAC2	l	0.10	0.10						1	1	
		Conversion of Existing Centrex Common Block			UEP91	USACN	+	37.75	16.58	<del>                                     </del>		<u> </u>		-	<del>                                     </del>	<del>                                     </del>	
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	667.21	10.30	<del>                                     </del>		<del>                                     </del>			t	t	<del>                                     </del>
		New Centrex Customized Common Block			UEP91	M1ACC	0.00	667.21				1					1
		Secondary Block, per Block			UEP91	M2CC1	0.00	78.02				İ					İ
		NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.73				İ					İ
		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP91	URETN		11.21	1.10								
		CENTREX - 5ESS (Valid in All States)															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
		ort/Loop Combination Rates (Non-Design)										ļ					1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	UEP95		12.70										
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		- 1	UEP95	-	12.70					<b>.</b>			-	-	
		Non-Design		2	UEP95		21.19										
_		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	+	21.13					1					
		Non-Design		3	UEP95		34.80										
		ort/Loop Combination Rates (Design)		Ť								İ					İ
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		15.53										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.00										
T		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		37.29								ļ	ļ	
		pop Rate		_	LIEDOE	LIE COA	44.55							<b> </b>	-	-	
		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.55					ļ		<b> </b>	<del>                                     </del>	<del>                                     </del>	ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		2	UEP95 UEP95	UECS1 UECS1	20.04 33.65					ļ		<b> </b>	<del>                                     </del>	<del>                                     </del>	ļ
		2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP95 UEP95	UECS1 UECS2	33.65 14.38			<del>                                     </del>		ļ		-	<del>                                     </del>	<del>                                     </del>	ļ
$\dashv$		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95 UEP95	UECS2	14.38 22.85								+	+	
		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95 UEP95	UECS2	36.14			<del>                                     </del>		1		<b> </b>	<del> </del>	<del> </del>	
		ort Rate		-	021 00	02002	30.14					1			<b>I</b>	<b>I</b>	1
	All Stat					1	1								<u> </u>	<u> </u>	
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	40.19	19.83	24.91	6.63				1	1	
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	40.19	19.83	24.91	6.63	İ					İ
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area			UEP95	UEPYH	1.15	40.19	19.83	24.91	6.63	<u> </u>		<u> </u>			<u> </u>
$\Box$		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
		Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	90.38	57.27	48.66	8.77				L	L	
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	90.38	57.27	48.66	8.77						
	_	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPY9	1.15	40.19	19.83	24.91	6.63						

NOUNDEL	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY	Y, LA, MS, SC, & TN Only			LIEDAE	LIEBOA		10.10	10.00	2121							
	2-Wire Voice Grade Port (Centrex )		-	UEP95	UEPQA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP95 UEP95	UEPQB UEPQH	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						-
	2-Wire Voice Grade Port (Centrex with Caller 10)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire			UEF95	UEFQH	1.15	40.19	19.03	24.91	0.03						1
	Center)2,3			UEP95	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			02.00	02. 0	0	00.00	01.21	.0.00	0	1					
	Term 2,3			UEP95	UEPQZ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	40.19	19.83	24.91	6.63	<u></u>		<u> </u>	<u> </u>		<u> </u>
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Local	Switching							· · · · ·		· · · · ·						
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.5488										
Local I	Number Portability															
F	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Featur				UEP95	UEPVF	1.98										
	All Standard Features Offered, per port  All Select Features Offered, per port		<u> </u>	UEP95 UEP95	UEPVF	0.00	405.52									-
	All Centrex Control Features Offered, per port			UEP95	UEPVC	1.98	405.52				1					-
NARS				OLF 95	OLF VC	1.50										
IVAINO	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	8.05	119.31	18.74	59.90	3.76						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	60.09	202.02	95.69	72.59	2.46						
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.48									
Interof	fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		<u> </u>	UEP95	M1GBC	21.13	40.54	27.41	16.74	6.90						-
	Interoffice Channel mileage, per mile or fraction of mile		1	UEP95	M1GBC	0.008838	40.54	27.41	10.74	0.90						-
Featur	e Activations (DS0) Centrex Loops on Channelized DS1 Service	Α		OLI 33	WITODW	0.000030										
	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
i i																
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56							<u></u>			
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP95	1PQW7	0.56										1
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOS	40014/0	0 =0										I
	Different Wire Center		-	UEP95	1PQWP	0.56								ļ	1	-
	Facture Activation on D.4 Changel Beats British Line Law Class			LIEDOE	1PQWV	0.56										1
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop		-	UEP95	1PQVVV	0.56	-				-					+
	Slot			UEP95	1PQWQ	0.56										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										<b>†</b>
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex		<b>†</b>			2.00										t
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10						<u> </u>		<u> </u>
	Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.75	16.58		•						
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	667.21									
1	NAR Establishment Charge, Per Occasion		<u> </u>	UEP95	URECA	0.00	72.73									⊢—
A .1													i e	1		1
Additio	onal Non-Recurring Charges (NRC) Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1						1		1					

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETNI		44.04	4.40								
IINE-D	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.21	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		1			-										
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEDOD		24.40										
	Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D	-	21.19										
	Non-Design		3	UEP9D		34.80										
UNE P	ort/Loop Combination Rates (Design)		Ť													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP9D		24.00										
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP9D		24.00										
	Design		3	UEP9D		37.29										
UNE L	poop Rate		Ť	02. 03		01.20										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	11.55										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	20.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	36.14										
ALL S	ort Rate		<u> </u>													
ALL 3	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			OLI OD	OLI IX	1.10	40.10	10.00	24.01	0.00						
	Area			UEP9D	UEPYB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local						40.40	10.00								
	Area		-	UEP9D	UEPYD	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		<del>                                     </del>	OLI 3D	OLFIL	1.15	40.19	15.03	24.91	0.03						
	Area			UEP9D	UEPYF	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local															
	Area			UEP9D	UEPYG	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			LIEBOD	LIEDVE	4.45	40.40	10.00	04.04	0.00						
	Area			UEP9D	UEPYT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			02. 00	521 10	1.13	40.10	10.00	2-7.51	0.00						
	Area			UEP9D	UEPYV	1.15	40.19	19.83	24.91	6.63						.
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEBOD	LIEDY"											,
$\vdash$	Area  2 Wire Voice Grade Port (Centrey/Caller ID/Mea Wtg Lamp	-		UEP9D	UEPYH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			021 00	JE: 1 VV	1.13	70.19	13.03	24.31	0.03						
	Basic Local Area			UEP9D	UEPYJ	1.15	40.19	19.83	24.91	6.63						,
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	90.38	57.27	48.66	8.77						,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDVO		20.00		40.00	8.77						, [
<u> </u>	Basic Local Area	<u> </u>	<u> </u>	UEP9D	UEPYO	1.15	90.38	57.27	48.66	8.77	L					

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O Mire Veice Conde Dest (Control/differ CMC /EDC MECCO) 2.4	ļ			+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.15	90.38	57.27	48.66	8.77						, ,
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area			UEP9D	UEPYS	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.15	90.38	57.27	48.66	8.77						į
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL, KY	, LA, MS, SC, & TN Only															
L	2-Wire Voice Grade Port (Centrex)	ļ		UEP9D	UEPQA	1.15	40.19	19.83	24.91	6.63						
<b>—</b>	2-Wire Voice Grade Port (Centrex 800 termination)	<u> </u>	1	UEP9D	UEPQB	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4	<u> </u>		UEP9D UEP9D	UEPQC UEPQD	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4  2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4	1		UEP9D	UEPQF	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4	<u> </u>		UEP9D	UEPQG	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.15	40.19	19.83	24.91	6.63						1
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex with Caller ID)	ļ		UEP9D	UEPQH	1.15	40.19	19.83	24.91	6.63						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOW	4.45	40.40	40.00	04.04	0.00						1
<b></b>	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4	<u> </u>		UEP9D UEP9D	UEPQW UEPQJ	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1	1	DEP9D	UEPQJ	1.15	40.19	19.03	24.91	0.03						
	2,3			UEP9D	UEPQM	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.15	90.38	57.27	48.66	8.77						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.15	90.38	57.27	48.66	8.77						Ī
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	90.38	57.27	48.66	8.77						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	90.38	57.27	48.66	8.77						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	90.38	57.27	48.66	8.77						<del> </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	90.38	57.27	48.66	8.77						}
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	90.38	57.27	48.66	8.77						

UNBUNDLE	D NETWORK ELEMENTS - Alabama													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDOZ	4.45	00.00	F7.07	40.00	0.77						ĺ
	Term 2,3		1	UEP9D	UEPQZ	1.15	90.38	57.27	48.66	8.77						<b>——</b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.15	40.19	19.83	24.91	6.63						ĺ
1	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.15	40.19	19.83	24.91	6.63						
	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.5488										
	lumber Portability															<b></b>
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										<del></del>
Feature	All Standard Features Offered, per port		-	UEP9D	UEPVF	1.98					-	-				<del></del>
	All Select Features Offered, per port		<del>                                     </del>	UEP9D	UEPVF	0.00	405.52						<del> </del>			
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	1.98	-+03.32									
NARS	and the second second property of the second			-									İ			
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						<b></b>
	aneous Terminations															<b></b>
2-Wire	Trunk Side Trunk Side Terminations, each		-	UEP9D	CEND6	8.05	119.31	18.74	59.90	3.76						<del>                                     </del>
4-Wiro	Digital (1.544 Megabits)		1	UEP9D	CENDO	8.05	119.31	18.74	59.90	3.76						<b>——</b>
	DS1 Circuit Terminations, each			UEP9D	M1HD1	60.09	202.02	95.69	72.59	2.46						<del>                                     </del>
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.48	55.05	72.00	2.40						
	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	21.13	40.54	27.41	16.74	6.90						
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.008838										
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е	ļ													<b></b>
D4 Cha	nnel Bank Feature Activations			UEP9D	1PQWS	0.50										<del>                                     </del>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										<del> </del>
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										ĺ
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			OLI OD	II QWO	0.00										
	Slot			UEP9D	1PQW7	0.56										ĺ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -								ĺ							
	Different Wire Center			UEP9D	1PQWP	0.56										1
																i .
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP9D	1PQWV	0.56										<del>                                     </del>
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.56										1
	Feature Activation on D-4 Channel Bank WATS Loop Slot		1	UEP9D	1PQWA	0.56										<b> </b>
	ecurring Charges (NRC) Associated with UNE-P Centrex			OLI OD	II QW/	0.00										
	NRC Conversion Currently Combined Switch-As-Is with allowed				1											
	changes, per port		<u> </u>	UEP9D	USAC2		0.10	0.10								<u> </u>
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	667.21						ļ			<u> </u>
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	667.21									<del></del>
	NAR Establishment Charge, Per Occasion and Non-Recurring Charges (NRC)			UEP9D	URECA	0.00	72.73									<del> </del>
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				+											<b></b>
	Premise			UEP9D	URETL		8.33	0.83								1
	Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		5.55	0.00					İ			
	End Use Premise			UEP9D	URETN		11.21	1.10		<u> </u>						L
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)							·								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE Po	ort/Loop Combination Rates (Non-Design)		<b>_</b>													<del></del>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9E		21.19										İ

UNBUNDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	ibit: A
	***************************************										Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
İ		Interi									Elec	Manually		Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
ĺ													Electronic-	Electronic-	Electronic-	Electronic-
ĺ													1st	Add'l	Disc 1st	Disc Add'l
$\vdash$						Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$	245 404 4045 44 5 4 5 4 6 4 5 4 6						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOE		04.00										
LINE	Non-Design		3	UEP9E	+	34.80					-					
UNE P	ort/Loop Combination Rates (Design)				+						-					
1 1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design		1	UEP9E		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLF9L	+	15.55					1			1		
1 1	Design		2	UEP9E		24.00										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI OL		24.00										1
1 1	Design		3	UEP9E		37.29										
UNE L	oop Rate		Ť								İ					
1 2 2 2	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.55							İ	İ		
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	20.04										1
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	33.65										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.38										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	22.85										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	36.14										
	ort Rate															
AL, FL	., KY, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.15	40.19	19.83	24.91	6.63						
1 1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
$\longrightarrow$	Area			UEP9E	UEPYB	1.15	40.19	19.83	24.91	6.63						
1 1	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local				1											
$\vdash$	Area			UEP9E	UEPYH	1.15	40.19	19.83	24.91	6.63						
1 1	2-Wire Voice Grade Port (Centrex from diff Serving Wire								40.00							
	Center)2,3 Basic Local Area		-	UEP9E	UEPYM	1.15	90.38	57.27	48.66	8.77	1					
1 1	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			UEP9E	UEPYZ	4.45	90.38	57.27	40.00	8.77						
$\vdash$	Service Term - Basic Local Area		-	UEP9E	UEPYZ	1.15	90.38	51.21	48.66	8.77	<b> </b>					<del> </del>
1 1	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP9E	UEPY9	1.15	40.19	19.83	24.91	6.63						
$\vdash$	2-Wire Voice Grade Port Terminated on 800 Service Term -			OLF9L	OLF19	1.13	40.19	19.03	24.51	0.03	1					
1 1	Basic Local Area			UEP9E	UEPY2	1.15	40.19	19.83	24.91	6.63						
AL KY	/, LA, MS, & TN Only			OLI OL	OLI 12	1.10	40.10	10.00	24.01	0.00						1
7.2,	2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.15	40.19	19.83	24.91	6.63	İ					
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPQB	1.15	40.19	19.83	24.91	6.63	İ					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.15	40.19	19.83	24.91	6.63			İ	İ		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				1	- 1					İ		1	1		1
<u>                                      </u>	Center)2,3	<u></u>		UEP9E	UEPQM	1.15	90.38	57.27	48.66	8.77	<u> </u>		<u> </u>	<u> </u>		<u></u>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term			UEP9E	UEPQZ	1.15	90.38	57.27	48.66	8.77			L			<u> </u>
$\vdash$	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	40.19	19.83	24.91	6.63			ļ	ļ		<b></b>
<del></del>	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	40.19	19.83	24.91	6.63						<b></b>
Local	Switching			LIEBAE	LUBERR	0.545										<b></b>
$\vdash$	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.5488					ļ					<b>_</b>
Local	Number Portability			LIEDOE	LNDOO	0.65							<b></b>	ļ		<del> </del>
F	Local Number Portability (1 per port)		-	UEP9E	LNPCC	0.35					ļ		<b> </b>	<b> </b>		<del> </del>
Feature	All Standard Features Offered, per port		-	UEP9E	UEPVF	1.98								-		<del>                                     </del>
$\vdash$	All Select Features Offered, per port		-	UEP9E UEP9E	UEPVF	0.00	405.52							-		<del>                                     </del>
<del>                                     </del>	All Centrex Control Features Offered, per port			UEP9E	UEPVC	1.98	+05.52				1		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
NARS	7 ar Control Control Features Orieled, per port			OLI JL	JLI VO	1.50					<del>                                     </del>		<b> </b>	<b> </b>		<del>                                     </del>
IVAILO	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						<b> </b>
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00	1		<b>i</b>	<b>i</b>		1
<del>                                     </del>	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00			1	1		1
Miscel	laneous Terminations				1		2.20	2.30	5.50	2.50			İ	İ		1
	Trunk Side				1	İ							İ	İ		Î .
	Trunk Side Terminations, each			UEP9E	CEND6	8.05	119.31	18.74	59.90	3.76	İ		1	1		1
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	60.09	202.02	95.69	72.59	2.46	Ì		İ			1

NBUNDLE	D NETWORK ELEMENTS - Alabama					•					Γ-		Attach			ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	DOO OL I Asti ata I D Ol I			LIEDOE	M1HDO	0.00	First 14.48	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interes	DS0 Channel Activated Per Channel  ffice Channel Mileage - 2-Wire			UEP9E	MIHDO	0.00	14.48								-	
Intero	Interoffice Channel Facilities Termination			UEP9E	M1GBC	21.13	40.54	27.41	16.74	6.90					-	1
_	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.008838	40.54	27.41	10.74	6.90					-	1
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service			OLI SL	IVITODIVI	0.000000										
	annel Bank Feature Activations	Ī	1			-										
2.0	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.56										
						0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
	Slot		L	UEP9E	1PQW7	0.56					<u> </u>				<u> </u>	<u> </u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center	<u></u>	L	UEP9E	1PQWP	0.56			<u> </u>		<u> </u>				L	<u></u>
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop												·			
	Slot			UEP9E	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.56										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.75	16.58								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	667.21									
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	667.21									
A 1 1741	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.73									
Additio	onal Non-Recurring Charges (NRC)		1		_						-					
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF9E	UKEIL	-	0.33	0.03								
	End Use Premise			UEP9E	URETN		11.21	1.10								
IINE-P	CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)			OLF 9L	UKLIN		11.21	1.10								1
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo				+											
	ort/Loop Combination Rates (Non-Design)															1
0.12	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															1
	Non-Design		1	UEP93		12.70										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		21.19										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1													
	Non-Design		3	UEP93		34.80										
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Design		1	UEP93		15.53										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		24.00									L	ļ
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	l											1	
1	Design		3	UEP93	+	37.29									-	1
UNE L	oop Rate		-	LIEDOS	LIE004	44.55									<del>                                     </del>	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93 UEP93	UECS1	11.55 20.04									<del>                                     </del>	<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2												<del>                                     </del>	1
_	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	<b>-</b>	3	UEP93 UEP93	UECS1 UECS2	33.65 14.38					-				<del>                                     </del>	1
-+	2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP93	UECS2	14.38 22.85					-				<del>                                     </del>	<b> </b>
	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP93	UECS2	36.14					<b>-</b>				+	1
LINE P	Port Rate	-	3	OLF 30	ULUSZ	30.14					-				<del>                                     </del>	<del>                                     </del>
	/, LA, MS, & TN only	<b>H</b>	<del>                                     </del>	1	+	+									t	<del>                                     </del>
	, En, mo, a litting	1	1	1					ı		1				<u> </u>	+
AL, KI	2-Wire Voice Grade Port (Centrey ) Basic Local Area			LIEP93	ΠΕΡΥΔ	1 15	40 10	19 22	24 01	6 63						
AL, KI	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEP93	UEPYA	1.15	40.19	19.83	24.91	6.63						

UNBUN	IDLE	O NETWORK ELEMENTS - Alabama													ment: 2	1	ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Dee	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															1
		Area			UEP93	UEPYH	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term - Basic Local Area			UEP93	UEPYZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	OLF 93	OLFIZ	1.13	90.30	31.21	40.00	0.77	<del> </del>					+
		2-Wire Voice Grade Port Terminated in 80 Service Term -			UEP93	UEPY9	1.15	40.19	19.83	24.91	6.63						
					LIEDOO	LIEDVO	4.45	10.10	40.00	04.04	0.00						
		Basic Local Area			UEP93 UEP93	UEPY2 UEPQA	1.15 1.15	40.19 40.19	19.83 19.83	24.91 24.91	6.63 6.63	<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
-+		2-Wire Voice Grade Port (Centrex )										<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB	1.15	40.19	19.83	24.91	6.63	<del>                                     </del>	1	1	<del>                                     </del>	<del>                                     </del>	+
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	40.19	19.83	24.91	6.63	<b>_</b>	-	-	-	-	+
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800 Service Term			UEP93	UEPQZ	1.15	90.38	57.27	48.66	8.77						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	40.19	19.83	24.91	6.63						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	40.19	19.83	24.91	6.63						
Le		witching															
		Centrex Intercom Funtionality, per port			UEP93	URECS	0.5488										
Le		lumber Portability															
		Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Fe	eature																
		All Standard Features Offered, per port			UEP93	UEPVF	1.98										
		All Centrex Control Features Offered, per port			UEP93	UEPVC	1.98										
N.	IARS																
		Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
2-		Trunk Side															
		Trunk Side Terminations, each			UEP93	CEND6	8.05	119.31	18.74	59.90	3.76						
4-		Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each			UEP93	M1HD1	60.09	202.02	95.69	72.59	2.46	ļ		<b>.</b>	<b></b>	<b></b>	<del>                                     </del>
		DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.48									
In		ice Channel Mileage - 2-Wire			L	1				ļ				ļ	ļ	ļ	↓
		Interoffice Channel Facilities Termination			UEP93	M1GBC	21.13	40.54	27.41	16.74	6.90	ļ		<b>.</b>	<b>.</b>	<b>.</b>	<del></del>
		Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.008838										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е									<u> </u>		<b>_</b>	-	-	<del></del>
D		nnel Bank Feature Activations				1001110	0.50										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.56										<del>                                     </del>
		Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP93	1PQW6	0.56										-
		Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP93	1PQW7	0.56										-
		Different Wire Center			UEP93	1PQWP	0.56										<u> </u>
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.56										
		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot			UEP93	1PQWQ	0.56			<u>                                     </u>							
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.56										
N		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP93	USAC2		0.10	0.10								
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.75	16.58								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	667.21					T			T .	Τ .

UNBUI	NDLE	D NETWORK ELEMENTS - Alabama												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	DRY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect		<u> </u>	OSS	Rates (\$)	<u>l</u>	<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	667.21									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.73									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP93	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
	Note 4	- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

	ND: F	NETWORK ELEMENTO. T												1			
UNBU	NDLE	D NETWORK ELEMENTS - Florida										Ι			ment: 2		bit: A
												I .	1	Incremental			
													Submitted	Charge -	Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	
OAILO	0	NATE ELEMENTO	m	20110	200	0000			τιλί Ευ (ψ)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Diac iat	Disc Add I
							Rec		curring		Disconnect				Rates (\$)		
-								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	l hically Deavera	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet \	Nebsite:	L
		ww.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	tm	. ,											
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"							L								L
		(1) CLEC should contact its contract negotiator if it prefers the															
		ther the state specific Commission ordered rates for the servi the 9 states.	ice orae	ring ci	narges, or CLEC may	elect the re	gional service o	ordering charg	je, nowever, Ci	LEC can not or	otain a mixture	of the two	regardiess i	f CLEC nas a	Interconnecti	on contract e	stabiisned in
		(2) Any element that can be ordered electronically will be bill	ed acco	rdina	to the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	IIv. For thos	e elements
		nnot be ordered electronically at present per the LOH, the list		•						•	` '		•			•	
	SOMA	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
		OSS - Electronic Service Order Charge, Per Local Service				00115-											
⊢—		Request (LSR) - UNE Only OSS - Manual Service Order Charge, Per Local Service Request	-	-	<del>                                     </del>	SOMEC		3.50	0.00	3.50	0.00	1	1				-
		(LSR) - UNE Only				SOMAN		11.90	0.00	1.83	0.00						
UNE S	RVICE	DATE ADVANCEMENT CHARGE				001111111		11.00	0.00		0.00						1
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL, UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3, U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL, UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1, UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
UNBUN		XCHANGE ACCESS LOOP							L								
<u> </u>	2-WIRE	ANALOG VOICE GRADE LOOP		4	UEANL	UEAL2	10.69	40.57	00.00	05.00	0.57	ļ	-				
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.20	49.57 49.57	22.83 22.83	25.62 25.62	6.57 6.57		-				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	26.97	49.57	22.83	25.62	6.57		<u> </u>				
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	10.69	49.57	22.83	25.62	6.57						
$ldsymbol{ldsymbol{eta}}$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEASL	15.20	49.57	22.83	25.62	6.57						
<u> </u>		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.97	49.57	22.83	25.62	6.57	ļ	-				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83								
<b>—</b>		Loop Testing - Basic 1st Half Hour			UEANL	URET1		48.65	48.65		i		l				
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95								

Version 3Q03: 11/12/2003 Page 41 of 348

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															l
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST						40.40									
	providing make-up (Engineering Information - E.I.)  Manual Order Coordination for UVL-SL1s (per loop)		-	UEANL UEANL	UEANM UEAMC		13.49	9.00			1					
	Order Coordination for OVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1		-	UEANL	UEAIVIC		9.00	9.00			<b> </b>				-	<del></del>
	(per LSR)			UEANL	OCOSL		23.02									l
2-WIRE	Unbundled COPPER LOOP		-	OLANE	OCCOL		25.02				1					<del></del>
2 *****	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	7.69	44.98	20.90	24.88	6.45	1					<del></del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	10.92	44.98	20.90	24.88	6.45	†				t	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	19.38	44.98	20.90	24.88	6.45		1	l	İ	1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise	L		UEQ	URETL		8.33	0.83	<u> </u>		<u> </u>		<u> </u>		<u> </u>	<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)			UEQ	USBMC		9.00									
	Unbundled Copper Loop, Non-Design Cooper Loop, billing for				Ι				ı 7						_	1
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49									
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		48.65	48.65								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		23.95	23.95								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	LIDEWO		44.07	7.40								
LINDUNDI ED I	(UCL-ND) EXCHANGE ACCESS LOOP			UEQ	UREWO		14.27	7.43	-		-	-		-		<del></del>
	E ANALOG VOICE GRADE LOOP				+						<b> </b>					-
Z-WINI	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-		+						1				-	<del></del>
	Zone 1		1	UEPSR UEPSB	UEALS	10.69	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLALO	10.03	49.51	22.00	25.02	0.57	1					<del></del>
	Zone 1		1	UEPSR UEPSB	UEABS	10.69	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-				1	10.00										
	Zone 2		2	UEPSR UEPSB	UEALS	15.20	49.57	22.83	25.62	6.57						ĺ
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.20	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															l
	Zone 3		3	UEPSR UEPSB	UEALS	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		_													l
	Zone 3		3	UEPSR UEPSB	UEABS	26.97	49.57	22.83	25.62	6.57						
	EXCHANGE ACCESS LOOP  E ANALOG VOICE GRADE LOOP		<b>-</b>		+				<del>                                     </del>		ļ		-	<del>                                     </del>	<del>                                     </del>	<del></del>
Z-WIRE	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del>                                     </del>		1				<del>                                     </del>		1	1	<b> </b>	1	<del>                                     </del>	<del>                                     </del>
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.24	135.75	82.47	63.53	12.01					I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<del>-</del> -	02.1	J 27 112	12.27	100.70	UZ.47	00.00	12.01		<u> </u>			<b>-</b>	<u> </u>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.40	135.75	82.47	63.53	12.01					I	1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or				1 - 1				33.20			İ	l	İ	1	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	30.87	135.75	82.47	63.53	12.01					1	1
j	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.02									
İ	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse								l i							
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.24	135.75	82.47	63.53	12.01						1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		l .	l	1										1	1
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.40	135.75	82.47	63.53	12.01					ļ	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				LIEAGO	22.25									I	1
	Battery Signaling - Zone 3		3	UEA	UEAR2	30.87	135.75	82.47	63.53	12.01	ļ		<b> </b>	<b>.</b>	<del>                                     </del>	<del>                                     </del>
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	UEA UEA	OCOSL UREWO		23.02 87.71	36.35	<del>                                     </del>		-				<del>                                     </del>	<del></del>
	Loop Tagging - Service Level 2 (SL2)		-	UEA	URETL		11.21	1.10				-			<del>                                     </del>	<del></del>
4-WIDE	E ANALOG VOICE GRADE LOOP	-	<del>                                     </del>	OLA	UNLIL		11.21	1.10	<del>                                     </del>		}	-	<b> </b>	<del> </del>	<del>                                     </del>	<del>                                     </del>
-4-441KE	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	18.89	167.86	115.15	67.08	15.56	<u> </u>		-	<del> </del>	<del>                                     </del>	<del></del>
+	4-Wire Analog Voice Grade Loop - Zone 1	<b>-</b>		UEA	UEAL4	26.84	167.86	115.15	67.08	15.56	<del>                                     </del>		<b> </b>	<del> </del>	t	<b>—</b>
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	47.62	167.86	115.15	67.08	15.56					<u> </u>	
İ	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	52	23.02	10	300	.0.00				İ	1	
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.71	36.35	1		<del>                                     </del>		<b>-</b>			

UNBUNDI	LED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
	<del></del>											Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			to to a									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	r	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-W	/IRE IS	SDN DIGITAL GRADE LOOP															
		-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	19.28	147.69	94.41	62.23	10.71	İ					
	2-	-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.40	147.69	94.41	62.23	10.71						
		-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	48.62	147.69	94.41	62.23	10.71						
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.61	44.15			İ					
2-W		ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								İ					
		Wire Unbundled ADSL Loop including manual service inquiry															
		a facility reservation - Zone 1		1	UAL	UAL2X	8.30	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry															
		facility reservation - Zone 2		2	UAL	UAL2X	11.80	149.53	103.85	75.05	15.63						
		Wire Unbundled ADSL Loop including manual service inquiry					5			1 2.30					İ		1
		facility reservation - Zone 3		3	UAL	UAL2X	20.94	149.53	103.85	75.05	15.63						
		Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.02							İ		İ
		Wire Unbundled ADSL Loop without manual service inquiry &															
		acility reservaton - Zone 1		1	UAL	UAL2W	8.30	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &									****						
		acility reservaton - Zone 2		2	UAL	UAL2W	11.80	124.83	71.12	60.64	9.12						
		Wire Unbundled ADSL Loop without manual service inquiry &		<del>-</del>							****						
		acility reservaton - Zone 3		3	UAL	UAL2W	20.94	124.83	71.12	60.64	9.12						
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		23.02			***						
	C	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.19	40.39								
2-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		Wire Unbundled HDSL Loop including manual service inquiry	Ī	1													
		facility reservation - Zone 1		1	UHL	UHL2X	7.22	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry															
		a facility reservation - Zone 2		2	UHL	UHL2X	10.26	159.09	113.41	75.05	15.63						
		Wire Unbundled HDSL Loop including manual service inquiry										İ					
		facility reservation - Zone 3		3	UHL	UHL2X	18.21	159.09	113.41	75.05	15.63						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	_	23.02									
		Wire Unbundled HDSL Loop without manual service inquiry										İ					
		nd facility reservation - Zone 1		1	UHL	UHL2W	7.22	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		nd facility reservation - Zone 2		2	UHL	UHL2W	10.26	134.40	80.69	60.64	9.12						
		Wire Unbundled HDSL Loop without manual service inquiry															
		and facility reservation - Zone 3		3	UHL	UHL2W	18.21	134.40	80.69	60.64	9.12						
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02				İ					
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39						ĺ		
4-W		HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP						İ					İ		1
		Wire Unbundled HDSL Loop including manual service inquiry													ĺ		
		nd facility reservation - Zone 1		1	UHL	UHL4X	10.86	193.31	138.98	77.15	12.61						1
		-Wire Unbundled HDSL Loop including manual service inquiry															
1 1		nd facility reservation - Zone 2		2	UHL	UHL4X	15.44	193.31	138.98	77.15	12.61		1				I
	4-	-Wire Unbundled HDSL Loop including manual service inquiry															
1 1	aı	nd facility reservation - Zone 3		3	UHL	UHL4X	27.39	193.31	138.98	77.15	12.61		1				I
		Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.02									
		-Wire Unbundled HDSL Loop without manual service inquiry					j	j									
		nd facility reservation - Zone 1		1	UHL	UHL4W	10.86	168.62	115.47	62.74	11.22		1				I
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L I		nd facility reservation - Zone 2		2	UHL	UHL4W	15.44	168.62	115.47	62.74	11.22	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	4-	-Wire Unbundled HDSL Loop without manual service inquiry															
L l		nd facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.39	168.62	115.47	62.74	11.22	<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
	0	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	İ	23.02									
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.12	40.39								
4-W		DS1 DIGITAL LOOP															
		-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	70.74	313.75	181.48	61.22	13.53						
		-Wire DS1 Digital Loop - Zone 2		2	USL	USLXX	100.54	313.75	181.48		13.53						
	- 4	-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	178.39	313.75	181.48	61.22	13.53						
	14-	- Wile Do i Digital Loop - Zone 3															

ONBONDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.07	43.04								1
4-WIRE	19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	22.20	161.56	108.85		15.56						1
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	55.99	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	22.20	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	31.56	161.56	108.85	67.08	15.56						1
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	55.99	161.56	108.85	67.08	15.56						ſ
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02									(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	22.20	161.56	108.85	67.08	15.56						(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	31.56	161.56	108.85	67.08	15.56						(
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	55.99	161.56	108.85	67.08	15.56						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.02		Î				Î	Î		
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.11	49.74	İ			ĺ	ĺ	ĺ		
	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual															
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	8.30	148.50	102.82	75.05	15.63						1
	2-Wire Unbundled Copper Loop-Designed including manual					0.00										
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.80	148.50	102.82	75.05	15.63						1
	2 Wire Unbundled Copper Loop-Designed including manual			002	002. 2	11.00	1 10.00	102.02	7 0.00	10.00	<b>†</b>					<b>——</b>
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	20.94	148.50	102.82	75.05	15.63						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	20.04	9.00	9.00		10.00	<b>†</b>					<b>——</b>
	2-Wire Unbundled Copper Loop-Designed without manual			OOL	OCLIVIC		3.00	3.00								<b>—</b>
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	8.30	123.81	70.09	60.64	9.12						1
	2-Wire Unbundled Copper Loop-Designed without manual		<u>'</u>	OOL	OCLI W	0.50	125.01	70.03	00.04	3.12						<b>—</b>
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.80	123.81	70.09	60.64	9.12						l .
	2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	UCLEVV	11.00	123.01	70.09	60.64	9.12	<b>-</b>	-			-	<del>                                     </del>
	service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	20.94	123.81	70.09	60.64	9.12						1
		-	3			20.94	9.00			9.12						<del></del>
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		9.00	9.00								<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		07.04	40.47								1
	(UCL -Des)			UCL	UREWO		97.21	42.47								<del></del>
	COPPER LOOP				<b>.</b>											<del></del>
	4-Wire Copper Loop-Designed including manual service inquiry		١.			44.00										1
	and facility reservation - Zone 1		1	UCL	UCL4S	11.83	177.87	132.76	77.15	17.73						<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4S	16.81	177.87	132.76	77.15	17.73						1
	4-Wire Copper Loop-Designed including manual service inquiry															1
	and facility reservation - Zone 3		3	UCL	UCL4S	29.82	177.87	132.76		17.73						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	4-Wire Copper Loop-Designed without manual service inquiry	1			1 7		$\neg$								_	1
	and facility reservation - Zone 1		1	UCL	UCL4W	11.83	153.18	100.03	62.74	11.22	1					L
	4-Wire Copper Loop-Designed without manual service inquiry															1
	and facility reservation - Zone 2		2	UCL	UCL4W	16.81	153.18	100.03	62.74	11.22						1
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	29.82	153.18	100.03	62.74	11.22						1
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								(
	CLEC to CLEC Conversion Charge without outside dispatch			UCL	UREWO		97.21	42.47								
LOOP MODIFIC	CATION															
				UAL, UHL, UCL,					Î				Î	Î		
		1	l	UEQ, ULS, UEA,			l					l	l	l	1	1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	l		UEANL, UEPSR,			l									1
	pair less than or equal to 18k ft, per Unbundled Loop	1		UEPSB	ULM2L		0.00	0.00				1			I	1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	1		UHL, UCL, UEA	ULM4L		0.00	0.00				1			I	1
				UAL, UHL, UCL,	1				1				ĺ	ĺ		
		l		UEQ, ULS, UEA,			l									1
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,			l					1			I	1
	per unbundled loop	1	l	UEPSB	ULMBT		10.52	10.52				l		l	1	1
SUB-LOOPS		<del>                                     </del>	t —	-	<del>                                     </del>			2	†		1	<b>†</b>	†	†	t	

UNBUNDLE	ED NETWORK ELEMENTS - Florida			T								Γ-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	The state of the s						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Sub-L	oop Distribution															
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-	Ι.		UEANL	LICDCA		407.00									
$\vdash$	Up	'	1	UEANL	USBSA		487.23					-				
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	١.,		UEANL	USBSB		6.25									
<del>                                     </del>	Sub-Loop - Per Building Equipment Room - CLEC Feeder	- '	+	OLANL	USBSB		0.25								-	
	Facility Set-Up	L		UEANL	USBSC		169.25									
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	- 1		UEANL	USBSD		38.65									
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.46	60.19	21.78	47.50	5.26						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
$\vdash$	Zone 2		2	UEANL	USBN2	9.18	60.19	21.78	47.50	5.26					1	ļ
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIEANII	LIODAYO	40.0-									I	
$\vdash$	Zone 3	<b> </b>	3	UEANL	USBN2	16.29	60.19	21.78	47.50	5.26				<b> </b>	<del>                                     </del>	<del> </del>
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00							I	
$\vdash$	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+	UEAINL	USBIVIC		9.00	9.00			1				-	
	Zone 1		1	UEANL	USBN4	7.37	68.83	30.42	49.71	6.60						
<del>                                     </del>	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		+ '-	OLANE	CODINA	7.57	00.03	30.42	43.71	0.00					-	
	Zone 2		2	UEANL	USBN4	10.47	68.83	30.42	49.71	6.60						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		<u> </u>	02/11/2	005.11		00.00	00.12	10.7 1	0.00					t	
	Zone 3		3	UEANL	USBN4	18.58	68.83	30.42	49.71	6.60						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	- 1		UEANL	USBR2	3.96	51.84	13.44	47.50	5.26						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.07	9.00	9.00	40.74	0.00						
<del></del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		1	UEANL	USBR4	9.37	55.91	17.51	49.71	6.60					1	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
<del>                                     </del>	Loop Testing - Basic 1st Half Hour		+	UEANL	URET1		48.65	48.65							-	
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.95	23.95			1					
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	-	1	UEF	UCS2X	5.15	60.19	21.78	47.50	5.26					t	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS2X	7.31	60.19	21.78	47.50	5.26						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.98	60.19	21.78	47.50	5.26						
														l		
$\vdash$	Order Coordination for Unbundled Sub-Loops, per sub-loop pair		<u> </u>	UEF	USBMC		9.00	9.00							1	ļ
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	<u> </u>	1	UEF	UCS4X	5.36	68.83	30.42	49.71	6.60					-	ļ
<del>                                     </del>	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	+		UEF	UCS4X	7.61	68.83	30.42	49.71	6.60	1				1	-
$\vdash$	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	<del></del>	3	UEF	UCS4X	13.51	68.83	30.42	49.71	6.60	-			<b> </b>	<del>                                     </del>	+
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00							I	
<del>                                     </del>	Loop Testing - Basic 1st Half Hour	<b>-</b>	<del>                                     </del>	UEF	URET1		48.65	48.65			<del>                                     </del>				<del> </del>	<u> </u>
	Loop Testing - Basic Additional Half Hour		1	UEF	URETA		23.95	23.95			<u> </u>	1			<b>†</b>	1
Unbu	ndled Network Terminating Wire (UNTW)		<del>                                     </del>	1			20.00	20.00							1	İ
	Unbundled Network Terminating Wire (UNTW) per Pair	İ	1	UENTW	UENPP	0.4572	18.02									1
Netwo	ork Interface Device (NID)															
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		71.49	48.87								
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		113.89	89.07								ļ
	Network Interface Device Cross Connect - 2 W	<b>!</b>		UENTW	UNDC2		7.63	7.63							ļ	ļ
LINE OTHER	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	-	1	UENTW	UNDC4		7.63	7.63			1				1	-
ONE OTHER,	NID - Dispatch and Service Order for NID installation		1	UENTW	UNDBX	0.00	0.00				1	-			<del>                                     </del>	<b>+</b>
$\vdash$	UNTW Circuit Id Establishment, Provisioning Only - No Rate	-	+	UENTW	UENCE	0.00	0.00					-			<del>                                     </del>	1
	GIVE VV GIEGILIG ESTADIISTITICITI, FTOVISIONING ONly - NO Rate	-		UEANL,UEF,UEQ,U	OLINOL	0.00	0.00								<del>                                     </del>	<u> </u>
											1		i e			1
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									

UNBUNDL	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						_	Nonrec	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate				USBFR	0.00	0.00				ļ					
	Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		ļ	USL	CCOSF	0.00	0.00									
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	Ino rate	1	<del>                                     </del>	OOL	COULT	0.00	0.00				1				<del> </del>	
I JAI AC	High Capacity Unbundled Local Loop - DS3 - Per Mile per	t	<del>                                     </del>								1				1	
, 1	month			UE3	1L5ND	10.92						1				
	High Capacity Unbundled Local Loop - DS3 - Facility								İ						İ	
I	Termination per month		L	UE3	UE3PX	386.88	556.37	343.01	139.13	96.84	<u> </u>	<u></u>		<u></u>	<u></u>	<u> </u>
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per															
	month			UDLSX	1L5ND	10.92										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	426.60	556.37	343.01	139.13	96.84						
LOOP MAKE																
	Loop Makeup - Preordering Without Reservation, per working or			1.15.41.6	1 18 4121 147		50.47	50.47								
$\overline{}$	spare facility queried (Manual).  Loop Makeup - Preordering With Reservation, per spare facility		ļ	UMK	UMKLW		52.17	52.17								
	queried (Manual).			UMK	UMKLP		55.07	55.07								
	Loop MakeupWith or Without Reservation, per working or			OWIK	OWINE		55.01	33.07			<u> </u>				1	
	spare facility queried (Mechanized)			UMK	UMKMQ		0.6784	0.6784								
LINE SHARII	NG AND LINE SPLITTING			O.V.I. C	O.V.I. C.V.Q		0.0.01	0.0.01			†					
	1: The Line Sharing monthly recurring rates for all installation	ns com	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
NOTE	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
	E 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT		<u> </u>		L	<u> </u>										
	TE 2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 200	03		ļ					
	SHARING TTERS-CENTRAL OFFICE BASED		ļ													
SPLI	Line Sharing Splitter, per System 96 Line Capacity	-	<del>                                     </del>	ULS	ULSDA	119.72	379.13	0.00	347.90	0.00		<b> </b>				
-+	Line Sharing Splitter, per System 96 Line Capacity  Line Sharing Splitter, per System 24 Line Capacity		<del>                                     </del>		ULSDB	29.93	379.13	0.00	347.90	0.00	<b> </b>	<b> </b>			<b> </b>	
	Line Sharing Splitter, Per System 24 Line Capacity  Line Sharing Splitter, Per System, 8 Line Capacity		t	ULS	ULSD8	8.33	379.13	0.00	347.90	0.00					1	
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-					2.20	2. 2 0	2.30	250	2.30					İ	
I	deactivation (per LSOD)		L	ULS	ULSDG		173.66	0.00	97.42	0.00	<u> </u>	<u></u>		<u></u>	<u></u>	<u> </u>
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
. —	Line Sharing - per Line Activation (BST Owned splitter) -															
	OBSOLETE see **NOTE 2		<u> </u>	ULS	ULSDC	0.61	29.68	21.28	19.57	9.61				ļ	ļ	
. 1	Line Share Service, TRO per line activation, BST owned splitter -	1										1				
. 1	Central Office Located (25% of UCLND) - please see NOTE 1				ULSDT	4.00	00.00	04.00	10.55	0.01						
-+-	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -		<del>                                     </del>	ULS	OLSDI	1.99	29.68	21.28	19.57	9.61	-	-				
1	Central Office Located (50% of UCLND) - please see NOTE 1															
1	(E:10/2/2004)			ULS	ULSDT	3.98	29.68	21.28	19.57	9.61		1				
-+	Line Share Service, TRO per line activation, BST owned splitter -		t			5.50	20.00	220	.5.07	3.01					1	
	Central Office Located (75% of UCLND) - please see NOTE 1											1				
	(E:10/2/2005)		L	ULS	ULSDT	5.97	29.68	21.28	19.57	9.61		<u> </u>			<u> </u>	<u> </u>
I	Line Sharing - per Subsequent Activity per Line Rearrangement															
								40.44	1		i .	ı	1	1		I
	- (BST Owned Splitter)			ULS	ULSDS		21.68	16.44								
	- (BST Owned Splitter) Line Sharing - per Subsequent Activity per Line Rearrangement															
	- (BST Owned Splitter)			ULS	ULSCS		21.68	16.44								

UNBU	NDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring			···		Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	1.99	47.44	19.31	20.67	12.74						
-		Line Share Service, TRO per line activation, CLEC owned			OLO	OLOG1	1.55	77.77	19.51	20.07	12.74					<b>-</b>	+
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	3.98	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see															
-	LINE	NOTE 1 (E:10/2/2005)			ULS	ULSCT	5.97	47.44	19.31	20.67	12.74		-	1	1	-	1
		PLITTING SER ORDERING-CENTRAL OFFICE BASED				+							1	+	+	+	<del>                                     </del>
	-140 0	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61							<b>—</b>	<b>—</b>	<u> </u>	<u> </u>
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	29.68	21.28	19.57	9.61						
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	1.134	29.68	21.28	19.57	9.61						
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime				_		120.00	82.50								
LINDLIN	DI ED I	No Trouble Found - per 1/2 hour increments - Premium DEDICATED TRANSPORT						160.00	110.00					-	-	-	
		OFFICE CHANNEL - DEDICATED TRANSPORT														-	1
	IIII	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -												<u> </u>	-	-	1
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination			U1TVX	U1TV2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0091										ļ
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			UTIVX	UTIRZ	25.32	47.35	31.78	18.31	7.03			-	-	-	<b>-</b>
		Per Mile per month			U1TVX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			011474	120701	0.0001					i e			t	t	
		- Facility Termination			U1TVX	U1TV4	22.58	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility						47.05			= 00						
		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile		-	U1TDX	U1TD5	18.44	47.35	31.78	18.31	7.03	<del>                                     </del>	1	-	-	-	<del>                                     </del>
		per month			U1TDX	1L5XX	0.0091										
-		Interoffice Channel - Dedicated Transport - 64 kbps - Facility			5.15A	TEO//	3.0031					1	<del>                                     </del>	<b>†</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Termination			U1TDX	U1TD6	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month			U1TD1	1L5XX	0.1856									1	ļ
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			114704		00.11	405 = 1	00 :-	04 :-	40.0=			1	1	1	
		Termination			U1TD1	U1TF1	88.44	105.54	98.47	21.47	19.05	<b> </b>	-		-	-	<del>                                     </del>
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	3.87							1	1	1	
		Interoffice Channel - Dedicated Transport - DS3 - Facility			סווט	ILUAA	3.07					1	<del>                                     </del>	<b> </b>	<b>-</b>	<b>-</b>	<del>                                     </del>
		Termination per month			U1TD3	U1TF3	1,071.00	335.46	219.28	72.03	70.56						
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															i e
		month			U1TS1	1L5XX	3.87										
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
DARK -	IDES	Termination			U1TS1	U1TFS	1,056.00	335.46	219.28	72.03	70.56	<u> </u>					<del>                                     </del>
DARK F	IRFK	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				+						1	-	1	1	1	-
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	26.85							1	1	1	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14	20.00	751.34	193.88	356.21	230.11			<b>—</b>	<b>—</b>	<b>-</b>	<u> </u>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			,												
		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	55.04									<u> </u>	
		NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		751.34	193.88	356.21	230.11						

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS 1	EN DIGIT SCREENING															
	8XX Access Ten Digit Screening, Per Call			OHD		0.0006252										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.15	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		8.78	1.18	5.77	0.70						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		4.15	2.07								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78								
<del>                                     </del>	8XX Access Ten Digit Screening, Change Charge Per Request	<b>-</b>		OHD	N8FAX		4.85	0.70			<b>-</b>				<b>-</b>	<del></del>
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features			OHD	N8FDX		4.15	4.15								
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query 8XX Access Ten Digit Screening, w/ POTS No. Delivery, per			OHD		0.0006252										<u> </u>
	query			OHD		0.0006252										
LINE INFORMA	TION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.0000203										L
ļ	LIDB Validation Per Query			OQU	LIDDD!/	0.0136959	== 10	== 10	== 40	== 10						
SIGNALING (C	LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRBPX		55.13	55.13	55.13	55.13					1	<b>├</b>
	CCS7 Signaling Termination, Per STP Port		-	UDB	PT8SX	135.05			<b> </b>		-				-	<del></del>
	CCS7 Signaling Termination, Fer 31F Fort			UDB	F 100A	0.0000607									-	<del>                                     </del>
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31					t	
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	17.93	43.57	43.57	18.31	18.31						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000152	40.01	40.01	10.01	10.01	1					<del>                                     </del>
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	694.32										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.03	46.03	46.03	46.03						ĺ
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1					21.94	265.84	46.97	37.63	4.00						<b></b>
<del></del>	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2	ļ				29.62	265.84	46.97		4.00	1					<b>├</b>
<del>                                     </del>	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3	-	<u> </u>			57.22	265.84	46.97	37.63	4.00	1	-		<del>                                     </del>	1	<del>                                     </del>
<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility	-	-		<del>                                     </del>	0.0091			+			-	-		<del>                                     </del>	<del></del>
	Termination					25.32	47.35	31.78	18.31	7.03					1	1
	Local Channel - Dedicated - DS1 - Zone 1					35.28	216.65	183.54	21.47	19.05						
	Local Channel - Dedicated - DS1 - Zone 2	1				47.63	216.65	183.54		19.05						
	Local Channel - Dedicated - DS1 - Zone 3					92.01	216.65	183.54		19.05						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.1856										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					88.44	105.54	98.47	21.47	19.05					1	1
CALLING NAM	E (CNAM) SERVICE					00.44	100.04	55.47	21.47	10.00						
	CNAM For DB Owners - Service Establishment	ĺ		OQV			25.35	25.35	19.01	19.01						
	CNAM For Non DB Owners - Service Establishment			OQV			25.35	25.35	19.01	19.01						
	CNAM For DB Owners - Service Provisioning With Point Code Establishment			OQV			1,592.00	1,177.00	352.36	259.09						
	CNAM For Non DB Owners - Service Provisioning With Point Code Establishment			OQV			546.51	393.82	358.06	259.09						
	CNAM for DB Owners, Per Query	i e		OQV		0.001024								İ	1	
	CNAM for Non DB Owners, Per Query	1		OQV		0.001024			1	l				İ	1	
SELECTIVE RO	DUTING															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						93.55	93.55	12.71	12.71						
	LOCATION						00.00	55.50		.=./1		<b></b>				<del></del>

UNBUNDL	ED NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
ı		1			1		Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-+	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1	1				11131	Auu i	11130	Auu i	JOINEC	JOINAIN	JONIAN	JONAN	JOHAN	JOHIAN
	Splitting			UEPSR UEPSB	VE1LS	0.0502	11.57	11.57	0.00	0.00						
PHYSICAL C	OLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0276	8.22	7.22	5.74	4.58						
AIN SELECT	VE CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		193,444.00		7,737.00							
	End Office Establishment			SRC	SRCEO		187.36	187.36	0.69	0.69						
	Query NRC, per query			SRC		0.0031868										
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State, Initial Setup			A1N	CAMSE		43.56	43.56	44.93	44.93						
	AIN SMS Access Service - Port Connection - Dial/Shared Access	<u></u>	<u>L</u>	A1N	CAMDP		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		8.64	8.64	10.03	10.03						
	AIN SMS Access Service - User Identification Codes - Per User															
	ID Code	1		A1N	CAMAU		38.66	38.66	29.88	29.88	-				1	
	AIN SMS Access Service - Security Card, Per User ID Code, Initial or Replacement			A1N	CAMRC		75.10	75.10	12.93	12.93						
-	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			AIN	CAIVIRC	0.0028	75.10	75.10	12.93	12.93	-					1
-	AIN SMS Access Service - Storage, Fer Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute	1	-	1	1	0.7809					1				-	1
+	AIN SMS Access Service - Gession, Per Minute  AIN SMS Access Service - Company Performed Session, Per					0.7609								1		
	Minute					0.4609										
AIN - BELLS	OUTH AIN TOOLKIT SERVICE	1	1			0.4000					<b>†</b>					
	AIN Toolkit Service - Service Establishment Charge, Per State,															İ
	Initial Setup			CAM	BAPSC		43.56	43.56	44.93	44.93						
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,439.00	8,439.00								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	i	1					·								
	DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		38.06	38.06	15.86	15.86						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP	1	1		BAPTC		20.00	20.00	45.00	45.00					I	
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per	<del> </del>	<del>                                     </del>	1	BAPIC		38.06	38.06	15.86	15.86	-				<del>                                     </del>	1
	DN, Feature Code				BAPTF		38.06	38.06	15.86	15.86					1	
	AIN Toolkit Service - Query Charge, Per Query	<del>                                     </del>	<b>†</b>	<del>                                     </del>	DAL IT	0.0535927	30.00	30.00	13.00	13.00	<del>                                     </del>			<del> </del>	<del> </del>	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit	<b>1</b>	<del>                                     </del>	1	1	0.0000021					<del>                                     </del>				<b>I</b>	1
	Subscription, Per Node, Per Query	1				0.0063698									I	
1	AIN Toolkit Service - SCP Storage Charge, Per SMS Access	t	t —	1	i	2.2300000	İ		1					İ	1	Ì
1	Account, Per 100 Kilobytes					0.06									1	
İ	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service	i –	i –													
	Subscription	<u> </u>	<u>L</u>	CAM	BAPMS	8.34	8.64	8.64	6.08	6.08						
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription	<u> </u>	<u> </u>	CAM	BAPLS	3.73	9.56	9.56								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	1							ı 7						_	
	Subscription	ļ	<u> </u>	CAM	BAPDS	4.73	8.64	8.64	6.08	6.08				ļ	1	1
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit	1													I	
	Service Subscription	<u> </u>	<u> </u>	CAM	BAPES	0.12	9.56	9.56	ļ		-			ļ	-	ļ
	EXTENDED LINK (EELs)	<u></u>	mad 25	Constants As 1: Of		lu fan Libir		dalama t 1 a	landin anito Co	in a all Minteres	. Flamerica			ļ	-	ļ
	The monthly recurring and non-recurring charges below will													-	<del>                                     </del>	<del>                                     </del>
NOTE	: The monthly recurring and the Switch-As-Is Charge and not t	TED DO	-recurr	ING CHARGES DELOW W	iii appiy tor	UNE combinati	ons provision	ea as Current	ly Combined' N	etwork Eleme	nts.				<del>                                     </del>	<del> </del>
EVIE	First 2-Wire VG Loop (SL2) in Combination - Zone 1	טט טס׳		UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81				<del> </del>	<del>                                     </del>	1
	II II SI Z-VVIIE VO LOUD (OLZ) III OUIIIDIII aliui - Zuiie I	1	1 1	OINOVA	ULALZ	12.24	127.59			2.61	1			1	1	
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						

CATEGORY  RATE ELEMENTS  Interi m  Zone BCS  USOC  RATES (I)  REC  ROTE RATES (II)  REC  ROTE RATES (III)  REC  ROTE RATES (III)  REC  REC  Nonrecurring Nonrecurring Disconnect  First Addr1  SOME SOMAN S	Exhibit: A	ment: 2	Attachi												NBUNDLED NETWORK ELEMENTS - Florida
Interroffice Transport - Dedicated - DS1 combination - Per Mile   DNC1X   115XX   0.1866   First   Add/T   First   Add/T   SOMEC   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   SOMAN   Soman   S	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Submitted Manually	Submitted Elec			RATES (\$)			USOC	BCS	Zone		
Interesting Transport - Dedicated - DS1 combination - Per Mile   UNC1X   USX		Rates (\$)	oss			Disconnect	Nonrecurring	curring	Nonrec						
Deer month   Deer month   December   Decem	SOMAN SOMAN			SOMAN	SOMEC					Rec					
Interoffice Transport - Dedicated - DS1 combination - Facility   UNC1X															Interoffice Transport - Dedicated - DS1 combination - Per Mile
Termination per month   UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95										0.1856	1L5XX	UNC1X			
Vicioe Grade COCI- Per Month						17.95	45.61								Termination per month
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 1															
Each Additional 2-Wire VG Loop (St. 2) in Combination - Zone 2						0.00	0.00	7.08	10.07	1.38	1D1VG	UNCVX			Voice Grade COCI - Per Month
Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3						2.81	42.79	60.54	127.59	12.24	UEAL2	UNCVX	1		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1
Voice Grade COCI - Per Month   UNCXX   IDTVG   1.38   10.07   7.08   0.00   0.00   0.00						2.81	42.79	60.54	127.59	17.40	UEAL2	UNCVX	2		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2
Voice Grade COCI - Per Month   UNCXX   IDTVG   1.38   10.07   7.08   0.00   0.00   0.00						2.91	42.70	60.54	127.50	20.97	LIEALO	LINICAY	2		Fach Additional 2 Wire VG Loop (SL 2) in Combination - Zono 3
Nonrecurring Currently Combined Network Elements Switch -As Is Change   LINCIX   LINCIC   B. 8.98   B. 98													3		
Is Charge   UNC1X						0.00	0.00	7.00	10.07	1.00	15110	ONOVA			
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1 1 UNCVX UEAL4 18.89 127.59 60.54 42.79 2.81  First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 26.84 127.59 60.54 42.79 2.81  First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 3 UNCVX UEAL4 47.62 127.59 60.54 42.79 2.81  Interoffice Transport - Dedicated - DS1 - Combination - Per Mile Per Month UNC1X 1L5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1L5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month UNC1X 1.5XX 0.1856  Interoffice Transport Combination - Zone 1 1 1 UNCVX UEAL4 18.89 127.59 60.54 42.79 2.81 Interoffice Transport Combination - Zone 2 2 UNC1X UEAL4 47.62 127.59 60.54 42.79 2.81 Interoffice Transport Combination - Per month UNC1X 1.5XX 0.1856  Interoffice Transport Combination - Per month UNC1X 1.5XX 0.1856  INC1X UNC1X 1.5XX 0.1856  INC1X UNC1X 1.5XX 0.1856  INC1X UNC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1X 1.5XX 0.1856  INC1						8.98	8.98	8.98	8.98						Is Charge
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2   2 UNCVX   UEAL4   26.84   127.59   60.54   42.79   2.81											PORT	ROFFICE TRANSF	1 INTER	TED DS	EXTENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3						2.81	42.79	60.54	127.59	18.89	UEAL4	UNCVX	1		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1856   UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95   UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95   UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1						2.81	42.79	60.54	127.59	26.84	UEAL4	UNCVX	2		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1856     UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95     UNC1X   U1TF1   88.44   174.46   122.46   45.61   17.95   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1   UNC1X   U1TF1						0.04	40.70	00.54	407.50	47.00		1.10.07			First AMfor Analysis Value Control on the Control of the Table 2
Per Month						2.81	42.79	60.54	127.59	47.62	UEAL4	UNCVX	3		
Month										0.1856	1L5XX	UNC1X			Per Month
1/10 Channel System in combination Per Month						17 05	45.61	122.46	174.46	88 11	LI1TE1	LINC1Y			
Voice Grade COCI in combination - per month						17.95	40.01								
Additional 4-Wire Analog Voice Grade Loop in same DS1						0.00	0.00				1D1VG				
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCVX   UEAL4   26.84   127.59   60.54   42.79   2.81															
Interoffice Transport Combination - Zone 2						2.81	42.79	60.54	127.59	18.89	UEAL4	UNCVX	1		
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL4   47.62   127.59   60.54   42.79   2.81						2.81	42.79	60.54	127.59	26.84	UEAL4	UNCVX	2		Interoffice Transport Combination - Zone 2
Additional Voice Grade COCI in combination - per month							40.70								
Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81					-								3		
Is Charge						0.00	0.00	7.08	10.07	1.38	IDIVG	UNCVX	$\vdash$		
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81						8.98	8.98	8.98	8.98		UNCCC	UNC1X			
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81				İ		2.30	2.30	2.30					DS1 IN	CATED	
						2.81	42.79	60.54	127.59	22.20	UDL56	UNCDX	1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2   2 UNCDX   UDL56   31.56   127.59   60.54   42.79   2.81						2.81	42.79	60.54	127.59	31.56	UDL56	UNCDX	2		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81						2.81	42.79	60.54	127.59	55.99	UDL56	UNCDX	3		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3
Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1856										0.1856	1L5XX	UNC1X			Per Month
Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X U1TF1 88.44 174.46 122.46 45.61 17.95						17.95	45.61	122.46	174.46	88.44	U1TF1	UNC1X			
1/0 Channel System in combination Per Month         UNC1X         MQ1         146.77         101.42         71.62															
OCU-DP COCI (data) per month (2.4-64kbs) UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00						0.00	0.00	7.08	10.07	2.10	1D1DD	UNCDX			
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCDX UDL56 22.20 127.59 60.54 42.79 2.81						2.81	42.79	60.54	127.59	22.20	UDL56	UNCDX	1		Interoffice Transport Combination - Zone 1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1						2.81	42.79	60.54	127.59	31.56	UDL56	UNCDX	2		Interoffice Transport Combination - Zone 2
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCDX UDL56 55.99 127.59 60.54 42.79 2.81													3		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3
Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)  UNCDX 1D1DD 2.10 10.07 7.08 0.00 0.00								7.08			1D1DD	Ì			Additional OCU-DP COCI (data) - in combination per month (2.4

UNBUND	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Fxhi	ibit: A
CITECITE		1	1	I	1						Svc Order	Svc Order	Incremental	Incremental	Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				,				
CATEGORI	NATE ELEMENTO	m	20116	B00	0000			KATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<b>——</b>			-		+	1	Nonrec	rrina	Nonrecurring	Disconnect		l .	000	Rates (\$)		
$\vdash$		1			+	Rec	First		First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$	Name of the Original Control Name of Florida Original Ass		1		-		FIRST	Add'l	FIRST	Addi	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAY	1111000		0.00	0.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						<b></b>
EXI	ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D51 IN	TEROFFICE TRANS	SPORT											<b></b>
				LINIORY.					40 70							
$\vdash$	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						<b></b>
			_		l											
$\vdash$	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						<b></b>
			_													
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						L
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
$\vdash$	Per Month	ļ		UNC1X	1L5XX	0.1856										<b></b>
	interoffice Transport - Dedicated - DS1 combination - Facility	1									l	1		l		
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1				1											
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	t													
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER						0.00							
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		1				<del>                                     </del>
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	0.10.1%	002/01	110.00	20	121102	0			1				<del>                                     </del>
	Per Month			UNC1X	1L5XX	0.1856										
	Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TEO/OX	0.1000						1				<del>                                     </del>
	Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	01111	00.44	174.40	122.40	45.01	17.33						<del></del>
	Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EVT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED D63	INTED				0.90	0.90	0.90	0.90	-	-				<del> </del>
E ^ 1	First DS1Loop in Combination - Zone 1	ED D33	INIER	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	-	-				<del> </del>
$\vdash$	First DS1Loop in Combination - Zone 1 First DS1Loop in Combination - Zone 2	1	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	<b>-</b>			1		$\vdash$
$\vdash$	First DS1Loop in Combination - Zone 2 First DS1Loop in Combination - Zone 3	<del>                                     </del>		UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		-		-		<del></del>
$\vdash$		<del>                                     </del>	3	UNUIA	USLAA	170.39	211.75	121.02	31.44	14.45		-				<del> </del>
1 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		LINCOV	41.577	2.07					l	1		l		
$\vdash$	Per Month	<del>                                     </del>	<u> </u>	UNC3X	1L5XX	3.87					<del>                                     </del>			<u> </u>		
1 1	Interoffice Transport - Dedicated - DS3 - Facility Termination per	1		LINIOOV	114750	4 074 00	044 :-	400.00	00.00	40.00	l	1		l		
$\vdash$	month	<b></b>	<u> </u>	UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						<b></b>
	3/1Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						ļ
$\sqcup$	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						L
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1														
$oxed{oxed}$	Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						L
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1														
$\sqcup \sqcup$	Zone 2	<u> </u>	2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						<u> </u>
	Additional DS1Loop in DS3 Interoffice Transport Combination -											1				
	Zone 3	<u> </u>	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45		<u> </u>				<u> </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	-								_					_	
	Is Charge	1		UNC3X	UNCCC		8.98	8.98	8.98	8.98	1	1				
EXT	ENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	È INTE	ROFFICE TRANSPO	ORT						İ	l		İ		
-	2-WireVG Loop in combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81	İ	l		İ		
1 1																1
<del>                                      </del>	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						

UNBU	NDLE	D NETWORK ELEMENTS - Florida			_									Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1				1								Submitted	Submitted		Charge -	Charge -	Charge -
1			l	1								Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				-				
CAILG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
				1								1	1	1st	Add'l	Disc 1st	Disc Add'l
-			-	-		1	-	Manne		Nonrecurring	Dianamant			222	Rates (\$)		
$\vdash$							Rec	Nonrec									
$\vdash$								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
		Month		<u> </u>	UNCVX	1L5XX	0.0091										
		Interoffice Transport - 2-wire VG - Dedicated - Facility															
		Termination per month			UNCVX	U1TV2	25.32	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	RT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						
$\vdash$		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	47.62	127.59	60.54		2.81						
-		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	47.02	127.59	00.54	42.13	2.01	-	-		-		
		Month		1	UNCVX	1L5XX	0.0004					l	I	l	I	l	
$\vdash$				-	UNCVA	ILOXX	0.0091			-	-	<b>.</b>	<b>.</b>	<b>-</b>	1	-	
		Interoffice Transport - 4-wire VG - Dedicated - Facility		1	1110101				====			I	I	l	I	l	
		Termination per month			UNCVX	U1TV4	22.58	94.70	52.59	50.49	21.53						
		Nonrecurring Currently Combined Network Elements Switch -As-	•														
		Is Charge			UNCVX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.92										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	386.88	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	3.87										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	1,071.00	314.45	130.88	38.60	18.23						
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-		<del>                                     </del>	011007	01110	1,07 1.00	014.40	100.00	00.00	10.20						
		Is Charge			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
$\vdash$	CVTCN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	FRAFE		UNCCC		0.90	0.90	0.90	0.90						
$\vdash$	EXIEN		2-1 IN I	EKUFF		41 END	10.00										
$\vdash$		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.92										
		STS-1 Local Loop in combination - Facility Termination per															
		month		<u> </u>	UNCSX	UDLS1	426.60	249.97	162.05	67.10	26.82						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	3.87										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT								ĺ	ĺ	ĺ	1	ĺ	
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81	İ	İ	İ	1	İ	
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	i e	i e	i e	1	i e	
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 3			UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	<del>                                     </del>	<del>                                     </del>	<b> </b>	t	<b>†</b>	
$\vdash$		Interoffice Transport - Dedicated - DS1 combination - per mile	-	l -	5.1511/1	S ILEX	70.02	127.00	00.00	72.73	2.01	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	
		per month			UNC1X	1L5XX	0.1856										
$\vdash$			-	-	UNUIA	ILOAA	U. 100b			-		-	-	-	-	-	
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAV	LIATEA	00.44	474 40	100.10	45.04	47.05						
$\vdash$		Termination per month		<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				-		
$\vdash$		1/0 Channel System in combination - per month		<b>!</b>	UNC1X	MQ1	146.77	101.42	71.62								
$\vdash$		2-wire ISDN COCI (BRITE) - in combination - per month		<u> </u>	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	ļ	ļ	ļ	ļ		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1								l	l	l	I	l	
		Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
1 7		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81	l	l	l	I	l	
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81	l	l	l	I	l	
$\vdash$		Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ť			.0.02	.2	00.00		2.51	i e	i e	i e	1	i e	
		month		1	UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00	l	l	l	I	1	
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	<del>                                     </del>	5.1011/1	30104	5.00	10.07	7.00	0.00	0.00	<del> </del>	<del> </del>	<b> </b>	<del>                                     </del>	1	
		Is Charge		1	UNC1X	UNCCC		8.98	8.98	8.98	8.98	l	l	l	I	1	
$\vdash$	EVTEN	IS Charge DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STO	1 INTE				8.98	8.98	8.98	8.98	-	-		<del>                                     </del>		
$\vdash$	EXIEN		ED SIS				70.74	047.75	404.00	54.44	44.45	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash \vdash \vdash$		First DS1 Loop Combination - Zone 1	<u> </u>		UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	<b>.</b>	<b>.</b>	-	-	<b>.</b>	
$\vdash$		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	l	l	<u> </u>	<u> </u>	1	

											Svc Order	Svc Order	Incremental	Ingramantal	1	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Sv Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic Disc Add
	+				1	B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	3.87										
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	1,056.00	314.45	130.88	38.60	18.23						
	3/1 Channel System in combination per month		i i	UNCSX	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
, [	Nonrecurring Currently Combined Network Elements Switch -As-		1	LINICOV	LINICCO		2.00	0.00	0.00	0.00	1					
EVTE	Is Charge	DC INT		UNCSX	UNCCC		8.98	8.98	8.98	8.98						
EXIEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	PS IN I	EROFF	UNCDX	UDL56	22.20	127.59	60 F4	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54 60.54	42.79	2.81						
	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	ODESO	55.55	127.00	00.54	42.13	2.01						
	Per Mile per month			UNCDX	1L5XX	0.0091										
.	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	PS INT	FROFE		ONCCC		0.30	0.30	0.30	0.30						
EXTE	4-wire 64 kbps Lcoal Loop in Combination - Zone 1	7 0 1141		UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0091										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			UNCDA	ILJAA	0.0091										
	Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						
ı	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		0.1000		0.00	0.00	0.00	0.00						
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -		<b> </b>	5.101/	TEO//	5.1050									1	1
	Facility Termination per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	146.77	101.42	71.62		50					İ	
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
.   _	Each Additional 2-Wire VG Loop(SL 2) in the same DS1		١. ً		<b>-</b>	40 -			10.55							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.24	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	17.40	127.59	60.54	42.79	2.81						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	30.87	127.59	60.54	42.79	2.81						
	Each Additional Voice Grade COCI in combination - per month	<b>-</b>	3	UNCVX	1D1VG	1.38	127.59	7.08	0.00	0.00	-					<b>!</b>
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<b>-</b>	0.1017	10140	1.30	10.07	1.00	0.00	0.00					<del> </del>	
`——			1	l	1						l					
	Channel System per month			UNC1X	1L5XX	0.1856										
				UNC1X UNC1X	1L5XX U1TF1	0.1856 88.44	174.46	122.46	45.61	17.95						

UNBUNE	DLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
				1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
ļ	_							N		T 81	. D'		l		D-1 (A)		
-							Rec	Nonrec		Nonrecurring		SOMEC	SOMAN		Rates (\$)	0011411	001441
-		Nonrecurring Currently Combined Network Elements Switch -As-						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	l'	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	8.98	8.98						i
FY	(TENI	DED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FROFE	ICE TR				0.90	0.30	0.90	0.50						
		First 4-Wire Analog Voice Grade Local Loop in Combination -	<u> </u>	1	ANOTOR OF THE	1											
		Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						i
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
		Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						í
		First 4-Wire Analog Voice Grade Local Loop in Combination -															
	- 2	Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						l
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.1856										
		First Interoffice Transport - Dedicated - DS1 - Facility											1		I		i
$\vdash$		Termination Per Month	<u> </u>	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95				ļ		<b>——</b>
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								<b></b>
$\vdash$		Per each Voice Grade COCI in combination - per month		<u> </u>	UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00		<b> </b>		<del>                                     </del>		
$\vdash$		3/1 Channel System in combination per month	-	<del> </del>	UNC3X UNC1X	MQ3 UC1D1	211.19 13.76	199.28 10.07	118.64 7.08	40.34 0.00	39.07 0.00	-	-		1		
-		Per each DS1 COCI in combination per month		-	UNCIX	OCTOT	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	18.89	127.59	60.54	42.79	2.81						í
<del></del>		Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	DINCVX	ULAL4	10.09	127.59	00.54	42.73	2.01				-		
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	26.84	127.59	60.54	42.79	2.81						ł
		Additional 4-Wire Analog Voice Grade Loop in same DS1		-	ONOVA	OLAL	20.04	127.00	00.54	42.73	2.01						
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	47.62	127.59	60.54	42.79	2.81						ł
		Each Additional DS1 Interoffice Channel per mile in same 3/1		Ť													
		Channel System per month			UNC1X	1L5XX	0.1856										ł
		Each Additional DS1 Interoffice Channel Facility Termination in															·
		same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						í
	1	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	1.38	10.07	7.08	0.00	0.00						ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-															i
		ls Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EX		DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											<b></b>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		1	LINODY	1101 50	00.00	407.50	00.54	40.70	0.04						ł
$\vdash$		Zone 1		1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81						<del></del>
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		2	UNCDX	UDL56	24.50	407.50	CO 54	40.70	2.81						ł
		Zone 2 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDLS6	31.56	127.59	60.54	42.79	2.81				-		
		Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81				I		i
		First Interoffice Transport - Dedicated - DS1 combination - Per	<b>-</b>	-	OI TODA	JDLJU	33.38	121.39	00.34	42.19	2.01		<b> </b>		t		
		Mile Per Month	l		UNC1X	1L5XX	0.1856						1		I		ł
		First Interoffice Transport - Dedicated - DS1 - combination		<b>1</b>	-						İ				1		i
	1	Facility Termination Per Month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		ł .
		Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	146.77	101.42	71.62								i
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
$\perp$		Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l												1		ł .
$\vdash$		Interoffice Transport Combination - Zone 1	ļ	1	UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81				-		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	l	_	LINCDY	LIDLEC	04.50	407.50	00.51	40.70	0.01				1		ł .
$\vdash$		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<del>                                     </del>	2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81				<del>                                     </del>		
		Interoffice Transport Combination - Zone 3	l	3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81		1		I		ł .
$\vdash$		OCU-DP COCI (data) COCI in combination per month (2.4-		- 3	OINODA	ODESO	55.99	121.39	00.54	42.79	2.01		<b> </b>		<del>                                     </del>		
		64kbs)	l		UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00		1		I		ł
		Each Additional DS1 Interoffice Channel per mile in same 3/1	l	<b>†</b>	5.10DA	.5100	2.10	10.07	7.00	0.00	0.00	<b>-</b>			<b>-</b>		
		Channel System per month	l		UNC1X	1L5XX	0.1856						1		I		1
		Each Additional DS1 Interoffice Channel Facility Termination in	i e	1		,	5550				İ				1		(
		same 3/1 Channel System per month	l		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95		1		I		ł
		Each Additional DS1 COCI in the same 3/1 channel system						İ									i
		combination per month	<u> </u>	L	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00				<u> </u>		1

UNBUNDLI	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	oit: A
													Incremental	Incremental	Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zono	BCS	USOC			RATES (\$)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	ВСЭ	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_ 1	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	OFFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
<del> </del>	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.01						
	Transport Combination - Zone 2		2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
$\vdash$	Mile Per Month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.1856			<u> </u>							
	First Interoffice Transport - Dedicated - DS1 combination -	1		UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.05						
$\vdash$	Per each Channel System 1/0 in combination Per Month	1	<del>                                     </del>	UNC1X UNC1X	MQ1	146.77	174.46	71.62	45.61	17.95				-		
	Per each OCU-DP COCI (data) in combination - per month (2.4-	<del>                                     </del>	<del>                                     </del>	014017	IVICEI	140.77	101.42	11.02						<del> </del>		
	64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	22.20	127.59	60.54	42.79	2.81						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIBLOA	04.50	407.50	00.54	40.70	0.04						
	Interoffice Transport Combination - Zone 2  Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System	1	<u> </u>	ONODA	ODLOT	00.00	127.00	00.04	42.70	2.01						
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	2.10	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1		1													
	Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	ļ	ļ	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	_	-	ONCIA	ОСТОТ	13.70	10.07	7.00	0.00	0.00						
	Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPO	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	LINICNIY	1141.07	07.40	407.50	00.00	40.70	0.01						
<b>—</b>	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	<del>                                     </del>	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Transport - Zone 3		3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81						
	First Interoffice Transport - Dedicated - DS1 combination - Per	t		5.10117	JILLA	70.02	121.05	00.00	72.13	2.01						
	Mile per month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
$\vdash$	Facility Termination per month	ļ	<u> </u>	UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
$\vdash$	Per each Channel System 1/0 in combination - per month	-	<u> </u>	UNC1X	MQ1	146.77	101.42	71.62	<u> </u>							
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	1		UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	3/1 Channel System in combination per month	<u> </u>	<del>                                     </del>	UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07	-					
	Per each DS1 COCI in combination per month	1	<del>                                     </del>	UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00	<b>†</b>	1		1		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	i i		1			.100	2.00	2.00						
	Combination - Zone 1		1	UNCNX	U1L2X	19.28	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1														
	Combination - Zone 2	ļ	2	UNCNX	U1L2X	27.40	127.59	60.60	42.79	2.81						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		3	LINICNIY	1141.07	40.00	407.50	00.00	40.70	0.01						
$\vdash$	Combination - Zone 3  Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel	1	3	UNCNX	U1L2X	48.62	127.59	60.60	42.79	2.81		-				
	system combination- per month			UNCNX	UC1CA	3.66	10.07	7.08	0.00	0.00						
	12/2 20monduon por mondi		1	12.70.01	100.071	0.00	10.01	7.50	0.00	0.00				·		

UNBUNDLE	D NETWORK ELEMENTS - Florida			ı							Ι			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1			11041/	41.5007	0.4050										
	Channel System per month		-	UNC1X	1L5XX	0.1856					1					
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTEN	Is Charge	TDANK	DODT	UNC1X	UNCCC		8.98	8.98	8.98	8.98	ļ					<b></b>
EXIEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN				====	0.17.77	101.00	=							<b></b>
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45	1					<b>.</b>
	First 4-wire DS1 Digital Local Loop in Combination - Zone 2	-		UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45	<b>}</b>	-	-	-	-	——
<b></b>	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45	<b>}</b>	-	-	-	-	<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1856										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	3/1 Channel System in combination per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						ļ
	Per each DS1 COCI combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1856										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	88.44	174.46	122.46	45.61	17.95						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	13.76	10.07	7.08	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	70.74	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	100.54	217.75	121.62	51.44	14.45						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	178.39	217.75	121.62	51.44	14.45						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
EVTEN	IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		0.90	0.90	0.90	0.90	1	1				<del>                                     </del>
LATEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	NILKO		UNCDX	UDL56	22.20	127.59	60.54	42.79	2.81	1	1				<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	31.56	127.59	60.54	42.79	2.81	1	1				<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	55.99	127.59	60.54	42.79	2.81	<b>+</b>					<del>                                     </del>
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile			ONODA	ODESO	33.99	127.55	00.54	72.13	2.01	1	1				<del>                                     </del>
	per month			UNCDX	1L5XX	0.0091										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	18.44	94.70	52.59	50.49	21.53						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINORY			0.00	0.00	0.00	0.00						
EVTEN	Is Charge	NITEDO	FEIGE	UNCDX	UNCCC		8.98	8.98	8.98	8.98	1					<del></del>
EXIEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NIEKO			UDL64	22.20	127.59	60.54	42.79	2.04	<b>}</b>	-	-	-	-	<del></del>
	First 4-wire 64 kbps Local Loop in combination - Zone 1	-		UNCDX						2.81	<b>}</b>	-	-	-	-	<del></del>
	First 4-wire 64 kbps Local Loop in combination - Zone 2	-	2	UNCDX	UDL64	31.56	127.59	60.54	42.79	2.81	1	<u> </u>				
<del>                                     </del>	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDX	UDL64	55.99	127.59	60.54	42.79	2.81			-	-	-	<del></del>
	per month			UNCDX	1L5XX	0.0091										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	18.44	94.70	52.59	50.49	21.53						1
	Nonrecurring Currently Combined Network Elements Switch -As-		İ				8.98									
ADDITIONAL A	Is Charge IETWORK ELEMENTS	<b>-</b>	+	UNCDX	UNCCC		8.98	8.98	8.98	8.98	<del>                                     </del>	-		-	-	<del></del>
	NETWORK ELEMENTS  used as a part of a currently combined facility, the non-recuri	na cha	rage d	not apply but a 9	Switch As Is at	arge doos ann	dy				<del>                                     </del>	-		-	-	<del></del>
	used as a part of a currently combined facility, the non-recuri used as ordinarily combined network elements in All States, t															<del></del>
	curring Currently Combined Network Elements in All States, to					To io cliarge C	aves nut.		<del>                                     </del>		1	<b>H</b>	<b>l</b>	<b>l</b>	l	<del>                                     </del>
Nonec	Nonrecurring Currently Combined Network Elements Switch As-	Juange	, one a	ppines to each con	iomation)											
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		8.98	8.98	8.98	8.98						

UNBUNDLI	ED NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 56/64 kbps			UNCDX	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		8.98	8.98	8.98	8.98						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV	1111000		0.00	0.00	0.00	0.00						
Ontio	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	8.98	8.98						
Optio	nal Features & Functions:		1	U1TD1,	+									-		
	Clear Channel Capability Extended Frame Option - per DS1	I		ULDD1,UNC1X	CCOEF		OI	Ol	OI	OI						
	Clear Channel Capability Super FrameOption - per DS1	I		U1TD1, ULDD1,UNC1X	CCOSF		OI	01	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1	ı		ULDD1, U1TD1, UNC1X, USL	NRCCC		184.92S	23.82S	2.07\$	0.8S						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		219.09S	7.67S	0.773S	0\$						
MULT	TIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	146.77	101.42	71.62								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.10	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.10	10.07	7.08	0.00	0.00						
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	3.66	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	3.66	10.07	7.08	0.00	0.00						
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.38	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	1.38	10.07	7.08	0.00	0.00						
	DS3 to DS1 Channel System per month			UNC3X	MQ3	211.19	199.28	118.64	40.34	39.07						
	STS-1 to DS1 Channel System per month			UNXCS	MQ3	211.19	199.28	118.64	40.34	39.07						
	DS1 COCI used with Loop per month			USL	UC1D1	13.76	10.07	7.08								
	DS1 COCI (used for connection to a channelized DS1 Local Channel in the same SWC as collocation) per month		1	U1TUA	UC1D1	13.76	10.07	7.08	0.00	0.00						
	DS1 COCI used with Interoffice Channel per month		<del>                                     </del>	U1TD1	UC1D1	13.76	10.07	7.08	0.00	0.00	<del>                                     </del>				<del>                                     </del>	<del>                                     </del>
	DS3 Interface Unit (DS1 COCI) used with Local Channel per month			ULDD1	UC1D1	13.76	10.07	7.08	0.00	0.00						
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)		t		30.5.	10.70	10.07	7.50	0.00	0.00	<b>†</b>			1	1	<b>—</b>
	ange Ports			İ	İ									İ	1	1
	: Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	S								
	RE VOICE GRADE LINE PORT RATES (RES)															
	Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.40	3.74	3.63	1.88	1.80					ļ	<u> </u>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida area calling with Caller ID - Res.			UEPSR	UEPAF	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Florida Residence Area												_			
	Calling Plan, without Caller ID capability  Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA9	1.40	3.74	3.63	1.88	1.80					-	-
	dialing port for use with CREX7 and Caller ID  Exchange Ports - 2-Wire VG unbundled Florida extended			UEPSR	UEPA1	1.40	3.74	3.63	1.88	1.80						-
	dialing port for use with CREX7, without Caller ID capability			UEPSR	UEPA8	1.40	3.74	3.63	1.88	1.80						

UNBUNDLE	D NETWORK ELEMENTS - Florida			•								Γ-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	curring	Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled res, low usage line port															
	with Caller ID (LUM)			UEPSR	UEPAP	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.40	3.74	3.63	1.88	1.80						
FEATU	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00	1							
FEAT	All Available Vertical Features		1	UEPSR	UEPVF	2.26	0.00	0.00	-		-					
2-WID	E VOICE GRADE LINE PORT RATES (BUS)			UEFSK	UEPVF	2.20	0.00	0.00	1		1					
Z-VVIKI	Exchange Ports - 2-Wire Analog Line Port without Caller ID -								1		1					
	Bus			UEPSB	UEPBL	1.40	3.74	3.63	1.88	1.80						
	Exchange Ports - 2-Wire VG unbundled Line Port with			OLI OB	OLI DL	1.40	0.14	0.00	1.00	1.00						
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.40	3.74	3.63	1.88	1.80						
		1											1			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.40	3.74	3.63	1.88	1.80						
	Exhange Ports - 2-Wire VG unbundled incoming only port with															
	Caller ID - Bus			UEPSB	UEPB1	1.40	3.74	3.63	1.88	1.80						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.40	3.74	3.63	1.88	1.80						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
=======================================	All Available Vertical Features			UEPSB	UEPVF	2.26	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)		-	LIEBOE	UEPRD	4.40	00.00	10.10	40.05	0.7407						
	2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE		1.40	39.06	18.18	12.35	0.7187						
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP UEPSP	UEPPC UEPPO	1.40 1.40	39.06 39.06	18.18	12.35 12.35	0.7187 0.7187		-				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus  2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPPO UEPP1	1.40	39.06	18.18 18.18	12.35	0.7187	-					
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187	1					
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.40	39.06	18.18	12.35	0.7187	1					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPSP	UEPXE	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPSP	UEPXM	1.40	39.06	18.18	12.35	0.7187						
1 -	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital								_							
	Discount Room Calling Port		<u> </u>	UEPSP	UEPXO	1.40	39.06	18.18	12.35	0.7187						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		ļ	UEPSP	UEPXS	1.40	39.06	18.18	12.35	0.7187			ļ	<b> </b>	<b> </b>	
FFAT	Subsequent Activity		-	UEPSP	USASC	0.00	0.00	0.00	<del>                                     </del>	-			<del>                                     </del>	<b> </b>	<b> </b>	<b></b>
FEATU	All Available Vertical Features		├	UEPSP UEPSE	UEPVF	2.26	0.00	0.00	<del>                                     </del>		-		-			
EVCU	ANGE PORT RATES (COIN)	-	-	ULFOF UEFOE	OEFVF	2.20	0.00	0.00	+			-				<b> </b>
EACH	Exchange Ports - Coin Port	-	1		1	1.40	3.74	3.63	1.88	1.80	<del>                                     </del>	<b>-</b>				
NOTE:	Transmission/usage charges associated with POTS circuit so	witched	USAGE	will also apply to ci	rcuit switche						iated with 2-	wire ISDN r	orts.			<del>                                     </del>
	Access to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	LOCAL EXCHANGE SWITCHING(PORTS)			,g 2		,		, supub							I	
	ANGE PORT RATES								1			İ		İ	İ	
	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Por	in this	rate exhibit apply t	o the embedo	led base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 the	ese rates shall	revert to tai	riff rates or	a separate ag	reement.		
	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports															
	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.73	78.41	15.82		4.26						
	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
	capability (E:4/1/2004)	1	1	UEPDD	UEPDD	54.95	151.11	77.75	48.81	3.10						
	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	8.83	46.83	50.68	27.64	11.93						
				UEPTX, UEPSX UEPTX, UEPSX UEPTX, UEPSX	U1PMA UEPVF U1UMA	8.83 2.26 0.00	46.83 0.00 0.00	50.68 0.00 0.00	27.64	11.93						

UNBUN	DLF	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhil	bit: A
3.12311												Svc Order	Svc Order	Incremental		Incremental	Incremental
			1									Submitted	Submitted		Charge -	Charge -	Charge -
			1									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	de Request/	New Busines:	s Request Pro	cess.	
E	XCHA	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	82.74	174.61	95.17	49.80	18.23						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	82.74	174.61	95.17	49.80	18.23						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.32	27.77	15.52	5.93	4.77						
		Virtual collocation - Special Access & UNE, cross-connect per			HEDEY HEDDY	011041/	7.50	455.00	44.00								
		DS1		-	UEPEX UEPDX	CNC1X	7.50	155.00	14.00								
D		E911 with Locator Capability (required with UEPEX port)		-		1											
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per State	1	1	UEPEX	UEP1A	0.00	1,809.00		151.12			1		I		
$\vdash$		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<del>                                     </del>	1	OLFEA	UEF IA	0.00	1,009.00		151.12		<del>                                     </del>	<b>-</b>		+		
		Locator Capability - Subsequent Profile Changes, Additions,	1			1									I		
		Deletions			UEPEX	UEP1B	0.00	175.66							1		
NI NI		Additional PRI Telephone Numbers	<del>                                     </del>	<del>                                     </del>	OLI LA	OLF ID	0.00	173.00			<del> </del>				<del>                                     </del>		
I IN		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	<b>†</b>			+				1		<b>-</b>			t		
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0699	0.5412									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						0.0									
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0699	12.71	12.71								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.5412									
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]	i														
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.42	25.42								
L		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
11		ACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
L		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
N		Additional Channel			LIEBEV .	DD=D\/		4 = 40									
-		New or Additional - Voice/Data "B" Channel		-	UEPEX	PR7BV	0.00	15.48									
$\vdash$		New or Additional - Digital Data "B" Channel New or Additional Inward Data "B" Channel	<del>                                     </del>	-	UEPEX UEPDX	PR7BF PR7BD	0.00	15.48 15.48		1	-	1		-	<del>                                     </del>		
$\vdash$		New or Additional Inward Data "B" Channel  New or Additional Useage Sensitive Voice Data "B" Channel	<del> </del>	+	UEPDX	PR7BS	0.00	15.48		1		-	-	-	<del>                                     </del>		-
$\vdash$		New or Additional Useage Sensitive Voice Data "B" Channel  New or Additional Useage Sensitive Digital Data "B" Channel	<del> </del>	+	UEPEX	PR7BU	0.00			1		-	-	-	<del>                                     </del>		-
$\vdash$		New or Additional DRI "D" Channel	<del>                                     </del>	-	UEPEX	PR7BU PR7EX	0.00	15.48			-		-	<b> </b>	<del>                                     </del>		
-	ALL T		<del>                                     </del>		OLFLA	I IN I LA	0.00	15.48		1	1	<b>H</b>		l	t		
H		Inward	<b>†</b>		UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1		<b>-</b>			t		
$\vdash$		Outward	<b>1</b>	<b>†</b>	UEPEX	PR7CO	0.00	0.00	0.00	1		<del>                                     </del>	<b>-</b>		<b>I</b>		
$\vdash$		Two-way	<b>1</b>	<b>†</b>	UEPEX	PR7CC	0.00	0.00	0.00	1		<del>                                     </del>	<b>-</b>		<b>I</b>		
10		DLED PORT with REMOTE CALL FORWARDING CAPABILITY	Ý			1 22	3.30	0.00	0.00		1				<u> </u>		
		DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				1	İ				İ			İ	1		
<u> </u>		Unbundled Remote Call Forwarding Service, Area Calling, Res	1		UEPVR	UERAC	1.40	3.74	3.63	1.88	1.80		İ	l	1		
							-				1						
		Unbundled Remote Call Forwarding Service, Local Calling - Res	:[		UEPVR	UERLC	1.40	3.74	3.63	1.88	1.80				I		
	1	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.40	3.74	3.63	1.88	1.80						
N		curring															
1 T		Unbundled Remote Call Forwarding Service - Conversion -															
oxdot		Switch-as-is	ļ		UEPVR	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with				1									1		
$\sqcup \bot$		allowed change (PIC and LPIC)	ļ	<u> </u>	UEPVR	USACC		0.102	0.102		ļ				ļ		
U	NBUN	DLED REMOTE CALL FORWARDING - Bus	ļ	<b> </b>		<del>                                     </del>									<b>.</b>		
1 1			1	1									1		I		
		Unbundled Remote Call Forwarding Service, Area Calling - Bus	l		UEPVB	UERAC	1.40	3.74	3.63	1.88	1.80	l			L		

	INDLE	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	bit: A
		Torrad										1	Svc Order Submitted	Incremental	Incremental Charge -	Incremental Charge -	
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic- 1st	Manual Svc Order vs. Electronic- Add'l	Manual Svc Order vs. Electronic- Disc 1st	Manual Sv Order vs. Electronic Disc Add
																DISC ISI	DISC Add I
	-			-		-	Rec	Nonred First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	1					-		FIISt	Addi	Filst	Addi	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.40	3.74	3.63	1.88	1.80						
		Unbundled Remote Call Forwarding Service Expanded and			UEPVB	UERVJ	1.40	3.74	3.63	1.88	1.80						
	Non-R	Exception Local Calling			UEPVB	UERVJ	1.40	3.74	3.03	1.88	1.80						
	I COLL IX	Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is			UEPVB	USAC2		0.102	0.102								
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		0.102	0.102								
UNBUN		LOCAL SWITCHING, PORT USAGE Office Switching (Port Usage)	-	<del>                                     </del>		+	1					1					
	Liiu U	End Office Switching Function, Per MOU	<b>-</b>	<del>                                     </del>		+	0.0007662					<del>                                     </del>					
		End Office Trunk Port - Shared, Per MOU		t		+	0.0007662					<u> </u>					
	Tande	em Switching (Port Usage) (Local or Access Tandem)															
		Tandem Switching Function Per MOU					0.0001319										
		Tandem Trunk Port - Shared, Per MOU					0.000235										
		Tandem Switching Function Per MOU (Melded)					0.000027185										
		Tandem Trunk Port - Shared, Per MOU (Melded)  Melded Factor: 20.61% of the Tandem Rate		1			0.000048434										
	Comm	non Transport															
	00111111	Common Transport - Per Mile, Per MOU					0.0000035										
		Common Transport - Facilities Termination Per MOU					0.0004372										
UNBUN		PORT/LOOP COMBINATIONS - COST BASED RATES															
		Based Rates are applied where BellSouth is required by FCC ar															
		res shall apply to the Unbundled Port/Loop Combination - Cos											. D	0			
		Office and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr															
			entry C												actions		
						1			g onarges sna				Currently	Combined Se	ections.		
	JUNE P	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates							g onarges sna				Ouriently	Combined Se	ections.		
	UNE P	Port/Loop Combination Rates    2-Wire VG Loop/Port Combo - Zone 1		1			10.94		g ondiges sna				Ouriently	Combined Se	ections.		
	UNE P	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2		2			15.05		g onargos ona				Currently	Combined Se	ections.		
		Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		_					y onarges sna				Gurrenay	Combined Se	ections.		
		Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates		3	LIEDDY.		15.05 25.80		g ondriges ond				Currently	Combined Se	ections.		
		Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3	UEPRX	UEPLX	15.05 25.80 9.77		g onui geo onu				Currently	Combined se	ections.		
		Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  -cop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		3 1 2	UEPRX	UEPLX UEPLX	15.05 25.80 9.77 13.88		g ondi geo ondi				Currently	Combined se	ections.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2		UEPLX	15.05 25.80 9.77		g ond geo ond				Gartanay	Combined se	ections.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3		3 1 2	UEPRX	UEPLX UEPLX	15.05 25.80 9.77 13.88	53.31	26.46	27.50	8.37		Guitanay	Combined se	actions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  .oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  9 Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res		3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC	15.05 25.80 9.77 13.88 24.63	53.31	26.46 26.46	27.50	8.37 8.37		Guitanay	Committee	ections.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX	9.77 13.88 24.63	53.31	26.46		8.37		Gartanay	Committee se	ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	15.05 25.80 9.77 13.88 24.63 1.17 1.17	53.31 53.31 53.31	26.46 26.46 26.46	27.50 27.50	8.37 8.37 8.37		Gartanay	Committee se	ections.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPRL UEPRC	15.05 25.80 9.77 13.88 24.63	53.31	26.46 26.46	27.50	8.37 8.37		Gartanay	Committee se	ections.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  .oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port - residence  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled see, low usage line port with Caller ID		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	15.05 25.80 9.77 13.88 24.63 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50	8.37 8.37 8.37			Committee se	ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50	8.37 8.37 8.37 8.37			Committee	ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Loop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 3  2-Wire Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Florida Area Calling with Caller ID - res  2-Wire voice unbundled Florida Area Calling with Caller ID (LUM)  2-Wire voice unbundled Florida extended dialing with Caller ID  2-Wire voice unbundled Florida extended dialing port without Caller ID capability		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF	15.05 25.80 9.77 13.88 24.63 1.17 1.17	53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50	8.37 8.37 8.37			Committee se	ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAA1	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37			Committee se	ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAP UEPA1 UEPA8	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37				ctions.		
	UNE L	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37				ctions.		
	2-Wire	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAF UEPAA UEPAB	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37				ctions.		
	2-Wire	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3		3 1 2	UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX	UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAF UEPAF UEPAB UEPAB UEPAB	15.05 25.80 9.77 13.88 24.63 1.17 1.17 1.17 1.17 1.17 1.17 1.17	53.31 53.31 53.31 53.31 53.31 53.31 53.31 53.31	26.46 26.46 26.46 26.46 26.46 26.46 26.46	27.50 27.50 27.50 27.50 27.50 27.50 27.50	8.37 8.37 8.37 8.37 8.37 8.37 8.37				ctions.		

NRONDL	ED NETWORK ELEMENTS - Florida													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															T
	Switch-as-is			UEPRX	USAC2		0.102	0.102								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		0.102	0.102								
ADDI	TIONAL NRCs															T
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															1
	Premise			UEPRX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS				1											1
	2 Wire Analog Voice Grade Extension Loop – Non-Design	Ì	1	UEPRX	UEAEN	10.69	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Extension Loop – Non-Design	Ì	2	UEPRX	UEAEN	15.20	49.57	22.83	25.62	6.57						1
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	26.97	49.57	22.83	25.62	6.57						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.24	135.75	82.47	63.53	12.01						1
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.40	135.75	82.47	63.53	12.01	1			ĺ		1
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	30.87	135.75	82.47	63.53	12.01						1
INTE	ROFFICE TRANSPORT				1											1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											1
	Termination			UEPRX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															1
	or Fraction Mile			UEPRX	U1TVM	0.0091	0.00	0.00								
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)													Î		
	Port/Loop Combination Rates													Î		
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	24.63										
2-Wir	e Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.17	53.31	26.46	27.50	8.37						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPBX	UEPBE	1.17	53.31	26.46	27.50	8.37						<del>                                     </del>
LOCA	AL NUMBER PORTABILITY	<u> </u>		LIEDDY	LNDCV						ļ					4
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										ļ
FEA	TURES		-	LIEDDY	LIED)/E	0.00	0.00	0.00			1					+
	All Features Offered	-	<del>                                     </del>	UEPBX	UEPVF	2.26	0.00	0.00			ļ			-		+
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<del>                                     </del>	-		+ -				<del>                                     </del>		ļ		-	<b> </b>	-	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1		LIEDBY	116460		0.400	0.400								
	Switch-as-is	ļ	1	UEPBX	USAC2		0.102	0.102			<u> </u>		<b> </b>	-	<b> </b>	+
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1	1	LIEDDY	USACC		0.400	0.400								
400	Switch with change	-	-	UEPBX	USACC		0.102	0.102	<del></del>							+
ADDI	TIONAL NRCs  2-Wire Voice Grade Loop/Line Port Combination - Subsequent	-	-		+								-	-	-	+
	Activity	1		UEPBX	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	1	OLI DA	UUAUZ		0.00	0.00			<b> </b>					+
	Premise	1		UEPBX	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS	<del>                                     </del>	<del>                                     </del>	OLI DA	SINETE	+	0.33	0.03								+
3.17	2 Wire Analog Voice Grade Extension Loop – Non-Design	l -	1	UEPBX	UEAEN	10.69	49.57	22.83	25.62	6.57						+
_	2 Wire Analog Voice Grade Extension Loop – Non-Design	<del>                                     </del>	2	UEPBX	UEAEN	15.20	49.57	22.83	25.62	6.57	<b>†</b>		<b> </b>		<b> </b>	†
	2 Wire Analog Voice Grade Extension Loop – Non-Design	1		UEPBX	UEAEN	26.97	49.57	22.83	25.62	6.57	1		<b> </b>	<b>i</b>	<b> </b>	<del>+</del>
-	2 Wire Analog Voice Grade Extension Loop – Non-Besign	l -	1	UEPBX	UEAED	12.24	135.75	82.47	63.53	12.01						+
		<b>-</b>		UEPBX	UEAED		135.75	82.47		12.01	<del>                                     </del>			<del></del>	<del>                                     </del>	<del>                                     </del>
	12 Wire Analog Voice Grade Extension Loop – Design		2			17.40 1	135.75									
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	17.40 30.87	135.75	82.47	63.53	12.01						+

ONRONDL	ED NETWORK ELEMENTS - Florida													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Dee	Nonred	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	25.32	47.35	31.78								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPBX	U1TVM	0.0091	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															-
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1		+	10.94			1		-	-	-	-	-	-
	2-Wire VG Loop/Port Combo - Zone 1		2		+	15.05					1	-	-	-	-	<del> </del>
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80					1	1	1	1	1	1
UNF	Loop Rates		Ŭ		+	20.00			1		1					<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.77					1			t	t	
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEPRG	UEPLX	24.63										
2-Wii	e Voice Grade Line Port Rates (RES - PBX)			-				•								
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.17	174.81	100.65	75.88	12.73	ļ					
LOC	AL NUMBER PORTABILITY			LIEBBO	LUBOR	0.15										ļ
FEAT	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								-
FEA	TURES All Features Offered			UEPRG	UEPVF	2.26	0.00	0.00			-					<del>                                     </del>
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPRG	UEFVF	2.20	0.00	0.00			1	1	1	1	1	1
NON	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+									-	-	+
	Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			021.10	00,102		0.10				1					
	Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.86	7.86								-
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83								
OEE/	ON PREMISES EXTENSION CHANNELS		-	UEPRG	UKETL		8.33	0.83			1	-	-	-	-	<del> </del>
0.17	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	12.24	135.75	82.47	63.53	12.01				-	-	+
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.40	135.75	82.47		12.01	1					
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	30.87	135.75	82.47		12.01						1
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.92	120.38	43.56		10.54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.36	120.38	43.56		10.54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	32.58	120.38	43.56	95.00	10.54						
INTE	ROFFICE TRANSPORT				1				-		<u> </u>					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDO	LIATE (O	05.00	47.05	04.70					I	I	I	
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPRG	U1TV2	25.32	47.35	31.78	+				-	-	-	<del>                                     </del>
	or Fraction Mile			UEPRG	U1TVM	0.0091	0.00	0.00					I	I	I	
2-WII	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			02. 10	C 1 1 V 1 V 1	0.0001	0.00	0.00	1		<b> </b>		<b>-</b>	<b>-</b>	<b>-</b>	<del>                                     </del>
	Port/Loop Combination Rates												1	1	1	
	2-Wire VG Loop/Port Combo - Zone 1		1			10.94										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.05										
	2-Wire VG Loop/Port Combo - Zone 3		3			25.80										
UNE	Loop Rates		L .	LIEBBY	lueni :						ļ		ļ	ļ	ļ	ļ
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.77			1	-	<u> </u>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX UEPPX	UEPLX	13.88 24.63			-	-	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
2-///:	re Voice Grade Line Port Rates (BUS - PBX)		3	ULFFA	UEPLA	∠4.03			+	-	1	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
Z-VVII	5 TOISE STAGE LINE I OIT NAIES (BUS - FBA)								1		<b> </b>	<del>                                     </del>	<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.17	174.81	100.65	75.88	12.73			I	I	I	
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.17	174.81	100.65		12.73			1	1	1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	1.17	174.81	100.65	75.88	12.73						

NRONDI	ED NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
							•				Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
ATEGORI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													100	Addi	D100 100	DISC Add I
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPPX	UEPXA	1.17	174.81	100.65	75.88	12.73	OCIVILO	JOINAIN	JOHIAN	JOINAIN	JOHIAN	JOHAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD														1	
	Capable Port			UEPPX	UEPXE	1.17	174.81	100.65	75.88	12.73						
			-	OLITA	OLI AL	1.17	174.01	100.00	75.00	12.75	-			-	<del> </del>	-
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.17	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		<del>                                     </del>			,	01	.00.00	. 0.00	.2.70				<b>-</b>	t	<b>i</b>
			1	UEPPX	UEPXO	1.17	474.04	400.05	75.00	40.70	I			1	1	1
	Discount Room Calling Port		-				174.81	100.65	75.88	12.73	<b></b>	<b>—</b>		<b></b>		<b></b>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.17	174.81	100.65	75.88	12.73						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							1	
FΕΛ	TURES		t	<del>                                     </del>		50	0.00	0.00	1		t	1		†	t	t
1			-	UEPPX	UEPVF	2.26	0.00	0.00			-			-	<del>                                     </del>	-
	All Features Offered			UEPPX	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OL: 17	00/102		0.10				-				†	
				LIEDDY	110400		0.45	4.04								
	Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OL: 17	00/102	0.00	0.00	0.00			-				†	
							7.00	7.00								
	Group		_				7.86	7.86								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS														1	
- 10	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	12.24	135.75	82.47	63.53	12.01	-				†	
				UEPPX		17.40					-			-	ļ	-
	Local Channel Voice grade, per termination		2		P2JHX		135.75	82.47	63.53	12.01						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	30.87	135.75	82.47	63.53	12.01						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.92	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	18.36	120.38	43.56	95.00	10.54						
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	32.58	120.38	43.56	95.00	10.54						
INITE	ROFFICE TRANSPORT		J	OLITA	ODDZX	32.30	120.50	+0.00	33.00	10.04	-			-	<del> </del>	-
INIE			_													
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1	İ							I			1	1	1
J	Termination		1	UEPPX	U1TV2	25.32	47.35	31.78			I			1	1	1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		1	UEPPX	U1TVM	0.0091	0.00	0.00			1			1	1	1
0.140	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR		<del>                                     </del>	OLI I A	O I I VIVI	0.0081	0.00	0.00	<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	<del></del>	<del>                                     </del>
		11	-	-	+				<b> </b>		<b></b>	<b>—</b>		<b></b>		<b></b>
UNE	Port/Loop Combination Rates								ļ							
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.94										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.05										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3	İ		25.80					i			i		i
LINE			-	t	+	25.00	-		<del>                                     </del>		<b> </b>			<b> </b>	<del>                                     </del>	<b> </b>
UNE	Loop Rates		<b>.</b>	LIEBOO	UEDLY	. =-					<del>                                     </del>			ļ	1	<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.77									ļ	
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	13.88			<u> </u>		<u> </u>	L		<u> </u>		<u> </u>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	24.63										
2-W	re Voice Grade Line Ports (COIN)		ΙŤ		1	50					i			i		i
- **	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		<del>                                     </del>	<del>                                     </del>	+				<del>                                     </del>					<del> </del>	<del>                                     </del>	1
			1	LIEBOO	LIEDGE		== = :				1			1	1	1
	900/976, 1+DDD (FL)			UEPCO	UEP2F	1.17	53.31	26.46	27.50	8.37	ļ			ļ		ļ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(FL)		1	UEPCO	UEPFA	1.17	53.31	26.46	27.50	8.37	1			1	1	1
-	2-Wire Coin 2-Way with Operator Screening and Blocking:		<del>                                     </del>			,	00.01	20.40	200	0.01	<b>-</b>			<b>i</b>	t	<b>i</b>
			1	LIEDCO	LIEDOO	4 47	F0 04	00.40	07.50	0.07	1			1		1
-	900/976, 1+DDD, 011+, and Local (FL)			UEPCO	UEPCG	1.17	53.31	26.46	27.50	8.37					ļ	
	2-Wire Coin Outward with Operator Screening and 011 Blocking		l	1			J							l		
1	(AL. FL)		l	UEPCO	UEPRK	1.17	53.31	26.46	27.50	8.37	I			I	1	I

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and Blocking:															l
	900/976, 1+DDD, 011+ (FL)			UEPCO	UEPOF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Coin Outward with Operator Screening and Blocking:			LIEBOO	UEPCQ	4.47	50.04	00.40	07.50	0.07						l
	900/976, 1+DDD, 011+, and Local (FL, GA) 2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO UEPCO	UEPCK	1.17 1.17	53.31 53.31	26.46 26.46	27.50 27.50	8.37 8.37	-	-				-
	2-Wire Coin Outward Smartline with 900/976 (all states except		-	UEPCO	UEPCK	1.17	55.51	20.40	27.50	0.37	1	1				
	LA)			UEPCO	UEPCR	1.17	53.31	26.46	27.50	8.37						
ADDITI	ONAL UNE COIN PORT/LOOP (RC)			021 00	OLI OIX	1.17	00.01	20.40	27.00	0.07	1	1				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.86	0.00	0.00	0.00	0.00						
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)		ĺ	UEPCO	LNPCX	0.35										
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPCO	USAC2		0.102	0.102								1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															1
	Switch with change		<u> </u>	UEPCO	USACC		0.102	0.102								<del></del>
ADDITI	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEBOO	110400		0.00	0.00								l
	Activity		-	UEPCO	USAS2		0.00	0.00								<del></del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								l
2.WIDE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	IINE	OPT (		UKEIL		0.33	0.03			1	1				<del></del>
	ort/Loop Combination Rates	LINE	I	l l												<del></del>
JOINE 1 V	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	13.64					1	1				<del></del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
	oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	30.87										
	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port outgoing only - res		-	UEPFR	UEPRO	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled Florida Area Calling with Caller ID - res		1	UEPFR	UEPAF	1.40	174.81	100.65	75.88	12.73						1
+	2-Wire voice unbundled Florida Area Calling with Caller ID - res 2-Wire voice unbundles res, low usage line port with Caller ID		-	ULFFR	UEFAF	1.40	174.81	100.05	15.88	12./3			<del> </del>		-	<del></del>
1	(LUM)		1	UEPFR	UEPAP	1.40	174.81	100.65	75.88	12.73						1
INTER	DEFICE TRANSPORT		<b> </b>		52.74	10	174.01	100.00	70.00	12.73	<b>†</b>	<b>†</b>			1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1				İ				İ		İ	
1	Termination			UEPFR	U1TV2	25.32	47.35	31.78								1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0091										
FEATU																
	All Features Offered			UEPFR	UEPVF	2.26	0.00	0.00								
	NUMBER PORTABILITY		<u> </u>	LUEDED	LUBOY											<del>                                     </del>
	Local Number Portability (1 per port)		<u> </u>	UEPFR	LNPCX	0.35							-			<del></del>
	CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>		+						1	1	<del> </del>		-	<del></del>
	2-wire Loop / Dedicated IO Transport / 2 wire Line Port Combination - Conversion - Switch-as-is		1	UEPFR	USAC2		16.97	3.73								1
+	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLITA	USAUZ		10.97	5.75								<del>                                     </del>
1	Combination - Conversion - Switch-With-Change		1	UEPFR	USACC		16.97	3.73								1
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				3000		10.07	0.70					1			
1	End User Premise		1	UEPFR	URETN		11.21	1.10								1
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (		† †										İ	
	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										

JNBUNDL	ED NETWORK ELEMENTS - Florida										T -		Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFB	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	30.87										ļ
2-Wi	re Voice Grade Line Port (Bus)		-	UEPFB	UEPBL	1.40	174.81	100.65	75.88	12.73						
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB	UEPBC	1.40	174.81	100.65	75.88	12.73					-	-
	2-Wire voice unbundled port with Caller + E484 ID - bus  2-Wire voice unbundled port outgoing only - bus		-	UEPFB	UEPBO	1.40	174.81	100.65	75.88	12.73						<b>+</b>
	2-Wire voice unburidled port outgoing only - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus		-	UEPFB	UEPB1	1.40	174.81	100.65	75.88	12.73						<b>+</b>
1.00	AL NUMBER PORTABILITY			OLFIB	OLFBI	1.40	174.01	100.03	75.00	12.73					-	-
LOC	Local Number Portability (1 per port)		-	UEPFB	LNPCX	0.35			<del>                                     </del>							-
INTE	ROFFICE TRANSPORT			OLITO	LIVIOA	0.55			+						t	<del>                                     </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1										<u> </u>	<b>†</b>
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	25.32	47.35	31.78								ļ
	or Fraction Mile			UEPFB	1L5XX	0.0091										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	2.26	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		16.97	3.73								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.21	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		UKLTN		11.21	1.10							-	
	Port/Loop Combination Rates		1	1 57,9											1	<b>†</b>
0.12	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.64										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.80										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			32.27										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.24										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.40										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	30.87										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.40	174.81	100.65	75.88	12.73						
-	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.40	174.81	100.65	75.88	12.73					1	<u> </u>
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.40	174.81	100.65	75.88	12.73						<del>                                     </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.40	174.81	100.65	75.88	12.73						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														<u> </u>	
	Room Calling Port 2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	1.40	174.81	100.65	75.88	12.73						
	Discount Room Calling Port			UEPFP	UEPXO	1.40	174.81	100.65	75.88	12.73						
LOC	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port AL NUMBER PORTABILITY			UEPFP	UEPXS	1.40	174.81	100.65	75.88	12.73					<del>                                     </del>	-
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTE	ROFFICE TRANSPORT				$\perp$				ļ							1
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	25.32	47.35	31.78								

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonred			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile		<u> </u>	UEPFP	1L5XX	0.0091										
FEAT	URES		<u> </u>	LIEDED	LIEDVE	0.00	0.00	0.00								
NONE	All Features Offered		-	UEPFP	UEPVF	2.26	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED				-	_			-		-					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFP	110 4 60		40.07	0.70								
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<u> </u>	UEPFP	USAC2		16.97	3.73			+	-				
	Combination - Conversion - Switch with change			UEPFP	USACC		16.97	3.73								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEFFF	USACC	-	16.97	3.73			+	-				
1	End User Premise		1	UEPFP	URETN		11.21	1.10	I						I	I
IINBIINDI ED	PORT/LOOP COMBINATIONS - COST BASED RATES		<del>                                     </del>	ULPFF	UKETIN	+	11.21	1.10	+	1	+	<del>                                     </del>			+	+
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	<del>                                     </del>		+	+			+	1	+	<del>                                     </del>	<b> </b>	l	+	+
	Port/Loop Combination Rates	FURI	-		+	_			<del>                                     </del>	-	+	-	-	-	<del></del>	<del></del>
UNE	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		+	20.95			<del>                                     </del>	-	+	-	-	-	<del></del>	<del></del>
-	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		2		+	20.95			<del></del>	<b> </b>	+	<del>                                     </del>	-	-	<del></del>	<del></del>
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	39.58			+	1	+	<del>                                     </del>	<b> </b>	l	+	+
IINE I	Loop Rates		3		+	39.38			+	1	+	<del>                                     </del>	<b> </b>	l	+	+
UNE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.24					+	-				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		2	UEPPX	UECD1	17.40			-	ļ	<b>-</b>	<b>-</b>			-	-
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		3	UEPPX	UECD1	30.87			-		+	1			-	-
LINE	Port Rate		3	UEPFA	DECDI	30.07			-		+	1			-	-
ONL	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD1	8.71	214.16	98.29			1					
NONE	RECURRING CHARGES - CURRENTLY COMBINED		1	ULFFX	OLFDI	0.71	214.10	30.23	-		+	1			-	-
INOINI	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -				-	1			<del> </del>		+					
	Switch-as-is			UEPPX	USAC1		7.85	1.87								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			ULFFX	USACT		7.00	1.07			1					
	with BellSouth Allowable Changes			UEPPX	USA1C		7.85	1.87								
ADDI	TIONAL NRCs			OLITA	OOATO	1	7.00	1.07	<del> </del>		+					
ADDI	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1	1	32.26	32.26	<del> </del>		+					
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	OLITA	OOAOT		32.20	32.20			+					
	End User Premise			UEPPX	URETN		11.21	1.10								
Telen	hone Number/Trunk Group Establisment Charges			OLI I X	ORLIN		11.21	1.10				1				1
ТСІСР	DID Trunk Termination (One Per Port)		1	UEPPX	NDT	0.00	0.00	0.00			+					
	DID Numbers, Establish Trunk Group and Provide First Group				1	5.00	3.00	3.00	<u> </u>		1				<u> </u>	<u> </u>
	of 20 DID Numbers		1	UEPPX	NDZ	0.00	0.00	0.00	I					1	I	I
1	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.00	0.00	0.00	1		1				1	1
1	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX	ND5	0.00	0.00	0.00	1		1		i	i	1	1
1	Reserve Non-Consecutive DID numbers			UEPPX	ND6	0.00	0.00	0.00	1		1				1	1
<del>- 1</del>	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00	t						t	t
LOCA	AL NUMBER PORTABILITY				1	2.00	2.00	2.00	t						t	t
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00				İ				
2-WIR	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT													
	Port/Loop Combination Rates					1			t						t	t
i	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1	UNE Zone 1		1	UEPPB UEPF	R	22.63			I					1	I	I
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
1	UNE Zone 2		2	UEPPB UEPP	₹	29.05			I					1	I	I
i	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -															
	UNE Zone 3		3	UEPPB UEPP	₹	45.84			<u> </u>				<u></u>			
UNE I	Loop Rates															
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPF	USL2X	15.25										
[	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB UEPP	R USL2X	21.67			<u> </u>			<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
1	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPF	USL2X	38.46										
	Port Rate															
JUNE F																
UNE	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPPR	UEPPB	7.38	194.52	145.09								

UNBUNDL'	.ED NETWORK ELEMENTS - Florida													Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	scs	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Increment Charge
														1st	Add'l	Disc 1st	DISC Add
							Rec	Nonred			g Disconnect				Rates (\$)	_	
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	25.22	17.00								
ADDI	ITIONAL NRCs																
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOC/	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	HANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CH	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	(TN)														
	R TERMINAL PROFILE		T								1				ĺ		
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER7	TICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	2.26	0.00	0.00								
INTE	ROFFICE CHANNEL MILEAGE							0.00									
	Interoffice Channel mileage each, including first mile and																
	facilities termination			LIFPPR	UEPPR	M1GNC	25.3291	47.35	31.78	18.31	7.03						
<del></del>	Interoffice Channel mileage each, additional mile					M1GNM	0.0091	0.00	0.00	10.01	7.00	1					
4-WII	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	CPORT	1	OLITE	OLITIK	WITCHWI	0.0001	0.00	0.00			1					
	UNE-P DS1 combination rates below for in this rate exhibit appl			lded hase	in nlace a	s of 10/2/03 i	ıntil 4/1/Ω4 Δff	er 4/1/04 these	rates shall rev	l vert to tariff rat	les or a senara	te commerc	ial agreeme	nt			
	uests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital T																
	Port/Loop Combination Rates	I	I	l the enec	otive date c	T tills dillend	ment snan be	oroviaca parse	ant to a sepan	die agreement	l cr tarm at bei	T and	I				
OILE	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1						1					-
	Zone 1		1	UEPPP			153.48										
$\vdash$	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		<u> </u>	OLITI			100.40										
	Zone 2		2	UEPPP			183.28										
-	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			OLFFF			103.20				1						
	Zone 3		3	UEPPP			261.12										
LINE	Loop Rates		3	OLFFF		-	201.12				1	+	-				-
UNE	4-Wire DS1 Digital Loop - UNE Zone 1	-	1	UEPPP		USL4P	70.74										
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 1	-	2	UEPPP		USL4P	100.54										
												1					
	4-Wire DS1 Digital Loop - UNE Zone 3	-	3	UEPPP		USL4P	178.38										
UNE	Port Rate	-		LIEDDD		LIEDDD	00.74	400.00	070.05								
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPPP		UEPPP	82.74	488.36	276.65								
NONE	RECURRING CHARGES - CURRENTLY COMBINED																
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
1 1																	
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	84.17	61.38								
ADDI	Combination - Conversion -Switch-as-is (E:4/1/2004)  ITIONAL NRCs			UEPPP		USACP	0.00	84.17	61.38								
ADDI	Combination - Conversion - Switch-as-is (E:4/1/2004)   ITIONAL NRCs						0.00		61.38								
ADDI	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)			UEPPP UEPPP		USACP PR7TF	0.00	0.5412	61.38								
ADDI	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP		PR7TF	0.00	0.5412									
ADDI	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)						0.00		61.38								
ADDI	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP		PR7TF PR7TO	0.00	0.5412	12.71								
	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers			UEPPP		PR7TF	0.00	0.5412									
	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY			UEPPP UEPPP		PR7TF PR7TO PR7ZT		0.5412	12.71								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPPP		PR7TF PR7TO	0.00	0.5412	12.71								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY			UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN	1.75	0.5412	12.71								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPPP UEPPP		PR7TF PR7TO PR7ZT		0.5412	12.71								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  IRFACE (Provsioning Only)			UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN	1.75	0.5412 12.71 25.42	12.71 25.42								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  EFFACE (Provsioning Only)  Voice/Data			UEPPP UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN PR71V	1.75	0.5412 12.71 25.42	12.71 25.42 0.00								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  ERFACE (Provsioning Only)  Voice/Data  Digital Data Inward Data			UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	1.75 0.00 0.00	0.5412 12.71 25.42 0.00 0.00	12.71 25.42 0.00 0.00								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  IRFACE (Provsioning Only)  Voice/Data  Digital Data  Inward Data  or Additional "B" Channel			UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN PR71V PR71D	1.75 0.00 0.00	0.5412 12.71 25.42 0.00 0.00	12.71 25.42 0.00 0.00								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  INFACE (Provsioning Only)  Voice/Data  Digital Data  Inward Data  or Additional "B" Channel  New or Additional - Voice/Data B Channel			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E PR7BV	1.75 0.00 0.00 0.00	0.5412 12.71 25.42 0.00 0.00 0.00	12.71 25.42 0.00 0.00								
LOCA	Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop/4-W ISDN Digit Trk Port - Subsqt Actvy-Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  IRFACE (Provsioning Only)  Voice/Data  Digital Data  Inward Data  or Additional "B" Channel			UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		PR7TF PR7TO PR7ZT LNPCN PR71V PR71D PR71E	1.75 0.00 0.00 0.00 0.00	0.5412 12.71 25.42 0.00 0.00 0.00	12.71 25.42 0.00 0.00								

ATTERIORY  RATE ELEMENTS  Intelligence of the company of the compa	BUNDLED	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
ARTE ELEMENTS   Name												Svc Order	Svc Order				Incrementa
ATE ELEMENTS with a part of the part of th						1											Charge -
CATEGORY   RATE ELEMENTS   m   Sone   SCS   USOC   RATE (9)   pp   1,88   pr   1,80   code vs.   Code vs.			to to a									1					Manual Svo
Best Company   Best	EGORY	RATE ELEMENTS	1	Zone	BCS	USOC			RATES (\$)				-				Order vs.
141   Add   Diss 1 to			m						.,,			per Loix	per Lor				Electronic-
No.   Prize   April   Prize   April   SOME																	Disc Add'l
Mile														151	Auu	DISC 1St	DISC Add I
Diseased   Diseased						Ī	Boo	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
Cutesed								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Incompany																	
Instruction Chain Melange	0	Dutward															
Fixed Each Indicinity Fixed Aid   Company					UEPPP	PR7CC	0.00	0.00	0.00								
Each Anter France Accessor Advisor St   Company   Comp																	
A-WINE DOT DIGITAL LOOP WITH A WINE DOTTS TRUNK PORT								105.54	98.47	21.47	19.05						
The UNE-P DS Combination rates below for in this rate exhibit apply to the embedded base in place as of 19230 until 47/04. After 45/04 these traces shall revent to suffit rates or a separate commercial agreement.					UEPPP	1LN1B	0.1856										
Requests for Affire DST Digital Loop with Affire DTS after the effective date of his amountment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.						1											
Web   Proceed   Web												te commerc	ial agreeme	nt.			
AVECTOR   TOUR			ective d	ate of t	this amendment sha	all be provide	d pursuant to	a separate agre	ement or tarif	f at BellSouth's	s discretion.						
AVEC SET Digital Loop/AVEC DITS Trans Port - LIVE Zone 2   2   CEPDC   155.648				L .	LIEDDO	ļ						ļ				ļ	
WINDELLOOP   WINDER   CONTROL   WINDER   CONTROL   WINDER   WIND				1		1						<u> </u>				<b>_</b>	
UMEPOR STORE			<b>—</b>			+		-		ļ	-			<b>.</b>	<b>.</b>	-	
4-Wine DS1 Opinal Loop - UNE Zone 1				3	UEPDC	+	233.33			ļ						-	
4-Wire QST Digital Loop - UNE Zene 2   2   UEPDC   US.D.C   170.34			<b>—</b>	_	LIEDDO	LIOI DO	70	-		ļ	-			<b>.</b>	<b>.</b>	-	
A-Wire OST Digital Long- U-WE Zone 3   3   UEPPC   USDC   178.38			-					<b> </b>		<del> </del>	<del> </del>	<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
URF POR Table   A-Wire DDITS Digital Trunk Port (E4/12/094)			<b>—</b>					<del> </del>		<del> </del>	<del> </del>	<b> </b>	-	<b> </b>	<b> </b>	<del>                                     </del>	
H-Wire DOTS Digital Trunk Port (E-M1/2004)   UEPPC				3	UEPDC	USLDC	178.38					-	-				
NONKECURRING CHARGES - CURRENTLY COMBINED			-	-	LIEDDO	LIDDAT	54.05	404.00	250.02			1					
4-Wire DST Digital Looy / 4-Wire DDTS Trunk Port Combination   UEPDC					UEPDC	ווטטטוו	54.95	404.00	259.25								
Switch-asis (E-M1/2004)   UEPC   USACA   95.31   46.71						1				<b> </b>		-					
4-Wire DST Digital Loop / 4-Wire DDTS Trunk Port Combination   UEPDC USAWA					LIEDDC	LISACA		05.21	16.71								
- Conversion with DS1 Changes (E:41/2004) - 4Wire DS1 Changes (E:41/2004) - Conversion with Change - Trunk (E:4					OLFDC	USAC4		95.51	40.71			<del> </del>		1	1		
4-Wire DST logital Logo / 4-Wire DDTS Trunk Port Combination   UEPDC					LIEPDC	LISAWA		95 31	46 71								
Conversion with Change = Trunk (E-41/2004)					02. 20	00/11/1		00.01	10.7 1			1					
ADDITIONAL NRCs					UEPDC	USAWB		95.31	46 71								
A-Wire DST Loop / 4-Wire DDTS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk					02. 20	00/11/2		00.01	10.7 1								
Subsequent Channel Activation/Chan - 2-Way Trunk																	
A-Wire DST Loop / 4-Wire DDTS Trunk Part - Subsequent Channel Activation/Chan - 1-May Outward Trunk Word DDTS - Subsquir Channel Activation/Chan Inward Trunk Word DDTS Trunk Part - Subsquir Channel Activation/Chan Inward Trunk Word DDTS Trunk Part - Subsquir Channel Activation/Chan Inward Trunk Word DDTS Trunk Part - Subsquir Chan Activation Per Chan - Inward Trunk with DD UEPDC UDTTD 15.68 15.69					UEPDC	UDTTA		15.69	15.69								
Channel Activation/Chan - 1-Way Outward Trunk   UEPDC   UDTTB   15.69   15.69																	
A-Wire DST Loop / 4-Wire DDTS Trunk Port - Subsqnt Chanel   Activation/Chan Inward Trunk wido DID   UEPDC UDTTC   15.69   15.69					UEPDC	UDTTB		15.69	15.69								
A-Wire DS1 Loop / A-Wire DDITS Trunk Port - Subsqnt Chan   Activation Per Chan - Inward Trunk with DID   UEPDC   UDITD   15.69   15.69																	
Activation Per Chan - Inward Trunk with DID	A	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.69	15.69								
A-Wire DST Loop / 4-Wire DDTS Trunk Port - Subsqnt Chan   Activation / Chan - 2-Way DID w User Trans   UEPDC   UDTTE   15.69   15.69	4-	I-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
Activation / Chain - 2-Way DID w User Trans   UEPDC   UDTTE   15.69   15.69	A	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.69	15.69								
BIPOLÂR 8 ZERO SUBSTITUTION																	
B8ZS - Superframe Format					UEPDC	UDTTE		15.69	15.69								
B8ZS - Extended Superframe Format																	
Alternate Mark Inversion  AMI - Superframe Format  AMI - Superframe Format  AMI - Superframe Format  DEPDC  MCOSF  O.00  O.00  O.00  Telephone Number for 1-Way Dutward Trunk Group  Telephone Number for 1-Way Outward Trunk Group  UEPDC  UDTGX  Telephone Number for 1-Way Outward Trunk Group  UEPDC  UDTGY  O.00  Telephone Number for 1-Way Outward Trunk Group  UEPDC  UDTGY  O.00  Telephone Number for 1-Way Outward Trunk Group  UEPDC  UDTGY  O.00  Telephone Number for 1-Way Outward Trunk Group Without DID  UEPDC  UDTGY  O.00  DID Numbers, Statishish Trunk Group and Provide First Group  of 20 DID Numbers  UEPDC  NDZ  O.00  DID Numbers for each Group of 20 DID Numbers  UEPDC  NDZ  O.00  DID Numbers, Non-consecutive DID Numbers, Per Number  UEPDC  NDS  O.00  Reserve Non-Consecutive DID Nos.  Reserve Non-Consecutive DID Nos.  Reserve DID Numbers  UEPDC  NDS  O.00  Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port  Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities)  UEPDC  1LNO1  88.44  105.54  98.47  21.47  19.05																	
AMI - Superframe Format					UEPDC	CCOEF		0.00i	655.00s								
AMI - Extended SuperFrame Format  Telephone Number/Trunk Group Establisment Charges  Telephone Number for 2-Way Trunk Group  Telephone Number for 1-Way Outward Trunk Group  Telephone Number for 1-Way Outward Trunk Group  UEPDC  UDTGY  DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers  DID Numbers for each Group of 20 DID Numbers  UEPDC  NDZ  NDA  DID Numbers, Non- consecutive DID Numbers, Per Number  Reserve Non-Consecutive DID Nos.  UEPDC  NDS  UEPDC  NDS  ND6  ND6  ND6  ND7  ND6  ND7  ND6  ND7  ND7																	
Telephone Number for 2-Way Trunk Group    Telephone Number for 1-Way Outward Trunk Group   UEPDC   UDTGY   0.00   UEPDC   UDTGY   0.00     Telephone Number for 1-Way Outward Trunk Group   UEPDC   UDTGY   0.00   UEPDC   UDTGY   0.00     Telephone Number for 1-Way Inward Trunk Group Without DID   UEPDC   UDTGZ   0.00   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UEPDC   UDTGZ   UDT							ļ			ļ				ļ	ļ	ļ	
Telephone Number for 2-Way Trunk Group					UEPDC	MCOPO		0.00	0.00							L	
Telephone Number for 1-Way Outward Trunk Group  Telephone Number for 1-Way Inward Trunk Group  UEPDC  UDTGY  0.00  Telephone Number for 1-Way Inward Trunk Group Without DID  UEPDC  UDTGZ  0.00  UEPDC  UDTGZ  0.00  UEPDC  NDZ  0.00  0.00  0.00  0.00  DID Numbers for each Group of 20 DID Numbers  UEPDC  NDZ  0.00  NDS  0.00  DID Numbers, Non- consecutive DID Numbers, Per Number  UEPDC  NDS  0.00  Reserve Non-Consecutive DID Numbers  UEPDC  NDS  0.00  Reserve DID Numbers  UEPDC  NDS  0.00  DEPDC  NDS  0.00  NDS  0.00  DEPDC  NDS  0.00  Reserve DID Numbers  UEPDC  NDS  0.00  Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port  Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities  UEPDC  1LNO1  88.44  105.54  98.47  21.47  19.05						1				ļ		ļ				<b></b>	
Telephone Number for 1-Way Inward Trunk Group Without DID												ļ				ļ	
DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers   UEPDC NDZ 0.00 0.00 0.00   NDZ   NDZ 0.00 0.00   NDZ   NDZ 0.00 0.00   NDZ 0.00   ND										<b> </b>		1		ļ	ļ	-	
Of 20 DID Numbers   UEPDC   NDZ   0.00   0.00   0.00   0.00   0.00				-	UEPDC	UDIGZ	0.00	-		ļ		ļ	-	-	-	<del>                                     </del>	
DID Numbers for each Group of 20 DID Numbers   UEPDC   ND4   0.00					LIEDDO	ND7	0.00	0.00	0.00							1	
DID Numbers, Non- consecutive DID Numbers , Per Number   UEPDC   ND5   0.00				-				0.00	0.00	ļ		ļ	-	-	-	<del>                                     </del>	
Reserve Non-Consecutive DID Nos.			-	-				-		<del> </del>	-	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Reserve DID Numbers UEPDC NDV 0.00 0.00 0.00 0.00 0.00 Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) UEPDC 1LNO1 88.44 105.54 98.47 21.47 19.05			-	-				0.00	0.00	1		1	-			<del>                                     </del>	
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port  Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  UEPDC 1LNO1 88.44 105.54 98.47 21.47 19.05			<b>-</b>	-						1		<b> </b>		-	-	<del></del>	
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  UEPDC 1LNO1 88.44 105.54 98.47 21.47 19.05			1 Digital	Loor			0.00	0.00	0.00	1				-	-	<del></del>	
Termination)   UEPDC   1LNO1   88.44   105.54   98.47   21.47   19.05			i Digital	Loop	WIGH 4-WINE DONES I	I				1		1	<b>-</b>			+	
					LIEPDC	11 NO1	88 44	105.54	09.47	21 /7	10.05					I	
Intereffice Channel Milegra, Additional rate par mile, 0.9 miles IIIEDDC 41 N/OA 0.4650 0.00	<del>     </del>	ommanori)	<b>-</b>		OLI DO	ILINOI	00.44	100.04	30.47	21.47	19.05			<b> </b>	<b> </b>	<del>                                     </del>	
TO THE CONTROL OF THE CONTROL OF THE PORT	lo.	nteroffice Channel Mileage - Additional rate per mile - 0-8 miles		1	UEPDC	1LNOA	0.1856	0.00	0.00			1	l			1	

	D NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	bit: A
regory	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
			1		+	<del>                                     </del>	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	I.	<u> </u>
_					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities							71441		71001	0020	00	00	00	00	00
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.1856	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC LNPCP	0.1856	0.00	0.00	0.00							
_	Local Number Portability, per DS0 Activated Central Office Termininating Point			UEPDC UEPDC	CTG	3.15 0.00		0.00	0.00		-					
4-WIDI	E DS1 LOOP WITH CHANNELIZATION WITH PORT			UEPDC	CIG	0.00										
	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	vations			+											
	System can have up to 24 combinations of rates depending on			ber of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit app	oly to the embe	edded base in	place as of 10/2	2/03 until 4/1/04	. After 4/1/04	hese rates	shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after the															
	OS1 Loop															
	4-Wire DS1 Loop - UNE Zone 1			UEPMG	USLDC	70.74		0.00								
	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	100.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	178.38	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	າຮ)				ļ										
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	118.06		0.00								
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	236.12		0.00								
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	472.24	0.00	0.00								
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	708.36		0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	944.48		0.00								
_	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O VUM28	1,180.60		0.00								
_	288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG UEPMG	VUM38	1,416.72 1,888.96	0.00	0.00								
_	480 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM4O	2,361.20		0.00								
_	576 DS0 Channel Capacity - 1 per 24 DS1s			UEPMG	VUM57	2,833.44		0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3.305.68		0.00								
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chanr	neliztio					0.00								
	imum System configuration is One (1) DS1, One (1) D4 Channel						1									
	les of this configuration functioning as one are considered Ad															
Multip		ld'l afte		inimum system con	figuration is											
Multip		ld'I afte		inimum system con	figuration is											
	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes		r the m	UEPMG	USAC4	counted. 0.00	96.77	4.24								
	NRC - Conversion (Currently Combined) with or without		r the m	UEPMG	USAC4	counted. 0.00		4.24								
Syster	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1	h Chan	r the m	UEPMG ion with Port Comb	USAC4	counted. 0.00		4.24								
Syster	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	h Chan	r the m	UEPMG ion with Port Comb 's	USAC4	0.00 ently Exists and	d									
System New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  n Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)	h Chan	r the m	UEPMG ion with Port Comb	USAC4	counted. 0.00	d	4.24	145.32	17.24						
System New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes in Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) in 8 Zero Substitution	h Chan	r the m	UEPMG ion with Port Comb 's	USAC4	0.00 ently Exists and	d		145.32	17.24						
System New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ur 8 Zero Substitution [Clear Channel Capability Format, superframe - Subsequent	h Chan	r the m	UEPMG ion with Port Comb 's UEPMG	USAC4 ination Curre	0.00 ently Exists and	726.11	468.21	145.32	17.24						
System New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  n Additions at End User Locations Where 4-Wire DS1 Loop wit  Not Currently Combined) in all states, except in Density Zone 1  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port  and Assoc Fea Activation (E:4/1/2004)  Ir 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent  Activity Only	h Chan	r the m	UEPMG ion with Port Comb 's	USAC4	0.00 ently Exists and	d		145.32	17.24						
System New (N	INRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes in Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 in Density Zone 1 in Density Zone 1 in Density Zone 1 in Density Zone 1 in Zone Change Ch	h Chan	r the m	UEPMG  UEPMG  UEPMG	USAC4 ination Curre  VUMD4  CCOSF	0.00 ently Exists and 0.00 0.00	726.11 0.00i	468.21 655.00s	145.32	17.24						
Syster New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only	h Chan	r the m	UEPMG ion with Port Comb 's UEPMG	USAC4 ination Curre	0.00 ently Exists and 0.00 0.00	726.11	468.21	145.32	17.24						
Syster New (N	INRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes in Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 in Density Zone 1 in Density Zone 1 in Density Zone 1 in Density Zone 1 in Zone Change Ch	h Chan	r the m	UEPMG  UEPMG  UEPMG	USAC4 ination Curre  VUMD4  CCOSF	0.00 ently Exists and 0.00 0.00	726.11 0.00i	468.21 655.00s	145.32	17.24						
Syster New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  ate Mark Inversion (AMI)	h Chan	r the m	UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre VUMD4  CCOSF  CCOEF	0.00 ently Exists and 0.00 0.00 0.00	726.11 0.00i 0.00i	468.21 655.00s 655.00s	145.32	17.24						
Syster New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes  Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1  1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)  If 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  ate Mark Inversion (AMI)  Superframe Format	th Chan	nelizat	UEPMG UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre  VUMD4  CCOSF  CCOEF	0.00 ently Exists and 0.00 0.00 0.00 0.00	726.11 0.00i 0.00i	468.21 655.00s 655.00s	145.32	17.24						
Syster New (N Bipola Altern:	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)  If 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only  ate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format	th Chan	nelizat	UEPMG UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre  VUMD4  CCOSF  CCOEF	0.00 ently Exists and 0.00 0.00 0.00 0.00	726.11 0.00i 0.00i	468.21 655.00s 655.00s	145.32	17.24						
Syster New (N Bipola Altern:	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  nge Ports Associated with 4-Wire DS1 Loop with Channelization	th Chan	nelizat	UEPMG UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre  VUMD4  CCOSF  CCOEF	0.00 ently Exists and 0.00 0.00 0.00 0.00	726.11 0.00i 0.00i	468.21 655.00s 655.00s	145.32	17.24						
Syster New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) ar 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI)  Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)	th Chan	nelizat	UEPMG UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre  VUMD4  CCOSF  CCOEF	0.00 ently Exists and 0.00 0.00 0.00 0.00	726.11 0.00i 0.00i 0.00i	468.21 655.00s 655.00s	145.32	17.24						
Syster New (N	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes an Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) are 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelizationge Ports  Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business	th Chan	nelizat	UEPMG   VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX	0.00 ently Exists and 0.00 0.00 0.00 0.00 0.00 1.40	726.11 0.00i 0.00i 0.00 0.00	468.21 655.00s 655.00s 0.00 0.00	0.00	0.00							
Syster New (N Bipola Altern:	INRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop wit Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) IT 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Inge Ports Associated with 4-Wire DS1 Loop with Channelization ge Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)	th Chan	nelizat	UEPMG ion with Port Comb 's UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USAC4 ination Curre  VUMD4  CCOSF  CCOEF  MCOSF  MCOPO	0.00 entity Exists and 0.00 0.00 0.00 0.00 0.00	726.11 0.00i 0.00i 0.00i	468.21 655.00s 655.00s								
Syster New (N Bipola Altern:	INRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)  If 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  ate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  Extended Superframe Format  Inge Ports Associated with 4-Wire DS1 Loop with Channelizationge Ports  Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)  Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)  Line Side Inward Only Channelized PBX Trunk Port without DID	th Chan	nelizat	UEPMG   VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX  UEPOX	0.00 entity Exists and 0.00 0.00 0.00 0.00 1.40	726.11 0.00i 0.00i 0.00i 0.00 0.00	468.21 655.00s 655.00s 0.00 0.00	0.00	0.00							
Syster New (N Bipola Altern:	NRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes n Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004) 17 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format nge Ports Associated with 4-Wire DS1 Loop with Channelization nge Ports Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID (E:4/1/2004)	th Chan	nelizat	UEPMG   VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX	0.00 ently Exists and 0.00 0.00 0.00 0.00 0.00 1.40	726.11 0.00i 0.00i 0.00 0.00	468.21 655.00s 655.00s 0.00 0.00	0.00	0.00							
Syster New (N Bipola Altern:	INRC - Conversion (Currently Combined) with or without BellSouth Allowed Changes m Additions at End User Locations Where 4-Wire DS1 Loop with Not Currently Combined) in all states, except in Density Zone 1 1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)  If 8 Zero Substitution  Clear Channel Capability Format, superframe - Subsequent Activity Only  ate Mark Inversion (AMI)  Superframe Format  Extended Superframe Format  Extended Superframe Format  Inge Ports Associated with 4-Wire DS1 Loop with Channelizationge Ports  Line Side Combination Channelized PBX Trunk Port - Business (E:4/1/2004)  Line Side Outward Channelized PBX Trunk Port - Business (E:4/1/2004)  Line Side Inward Only Channelized PBX Trunk Port without DID	th Chan	nelizat	UEPMG   VUMD4  CCOSF  CCOEF  MCOSF  MCOPO  UEPCX  UEPOX	0.00 entity Exists and 0.00 0.00 0.00 0.00 1.40	726.11 0.00i 0.00i 0.00i 0.00 0.00	468.21 655.00s 655.00s 0.00 0.00	0.00	0.00							

UNBU	NDLE	NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		5 . T T T T T T T T T T T T T T T T T T	Interi	l_								Elec	,	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		+	_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.6402	25.40	13.41	3.96	3.93						
		Feature (Service) Activation for each Trunk Port Terminated in						=0.40		==							
	Talamb	D4 Bank one Number/ Group Establishment Charges for DID Service	-	1	UEPPX	1PQWU	0.6402	78.16	18.42	56.03	10.95						<b>├</b>
	reiepn	DID Trunk Termination (1 per Port)		1	UEPPX	NDT	0.00	0.00	0.00								$\vdash$
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	lumber Portability		ļ													
	A T. I	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		RES - Vertical and Optional	-	1		+											<b>├</b>
-	Local	witching Features Offered with Line Side Ports Only All Features Available	-	1	UEPPX	UEPVF	2.26	0.00	0.00								$\vdash$
UNRUN	DI ED C	ENTREX PORT/LOOP COMBINATIONS - COST BASED RATE	S	1	ULFFX	OLF VI	2.20	0.00	0.00								
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sw	ritch Ports.								
		ires shall apply to the Unbundled Port/Loop Combination - C								dled Port section	on of this Rate	Exhibit.					
	3. End	Office and Tandem Switching Usage and Common Transport irst and additional Port nonrecurring charges apply to Not C	Usage	rates in	the Port section of	f this rate exh	nibit shall apply	to all combina	tions of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
			urrently	Comb	ined Combos. For	Currently Co	mbined Combo	os, the nonrecu	rring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections.	Additional NR	Cs may
		lso and are categorized accordingly.															
		tet Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	ase Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only VG Loop/2-Wire Voice Grade Port (Centrex) Combo	()	-		+											$\vdash$
		ort/Loop Combination Rates (Non-Design)	-	1		+											
	OI4L I C	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		1		+											
		Non-Design		1	UEP91		10.94										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		15.05										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP91		25.80										
	UNE Po	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP91		13.41										1
-		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	-	1	UEP91	+	13.41										
		Design		2	UEP91		18.57										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<b>†</b>	-	02.01	1	10.07										$\vdash$
		Design		3	UEP91	1	32.04										1
	UNE Lo	op Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.77										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	13.88										
<u> </u>		2-Wire Voice Grade Loop (SL 1) - Zone 3	<b>!</b>	3	UEP91	UECS1	24.63										$\vdash$
<b>—</b>		2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	₩	1	UEP91 UEP91	UECS2 UECS2	12.24 17.40					-	-		-	-	$\vdash$
		2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	-	3	UEP91	UECS2	30.87										-
$\vdash$	UNE Po		<del>                                     </del>	"	OLI 31	OLOGZ	30.07								1	<b> </b>	$\vdash$
		es (Except North Carolina and Sout Carolina)	t	t		1	1					<b>†</b>			1	1	$\vdash$
		2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP91	UEPYA	1.17	53.31	26.46	27.50	8.37	İ			İ	İ	
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1						İ			1	1	
		Area	<u> </u>		UEP91	UEPYB	1.17	53.31	26.46	27.50	8.37				<u></u>	<u> </u>	<u>1</u> l
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic							<del></del>								
		Local Area	<u> </u>	1	UEP91	UEPYH	1.17	53.31	26.46	27.50	8.37						ullet
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)	1		LIEDO4	LIED. C.							1				1
		Note 2, 3 Basic Local Area	<u> </u>	1	UEP91	UEPYM	1.17	139.49	86.10	65.41	13.81				ļ	ļ	
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area	1		UEP91	UEPYZ	1.17	139.49	86.10	65.41	13.81		1				1
$\vdash$		2-Wire Voice Grade Port terminated in on Megalink or equivalent	1	<del>                                     </del>	OEFSI	UEFTZ	1.17	139.49	86.10	05.41	13.81	1			<b> </b>	<del> </del>	$\vdash$
		- Basic Local Area	1	1	UEP91	UEPY9	1.17	53.31	26.46	27.50	8.37		1				1
		2000 2000 7 100	<u> </u>		02.01	OL: 10	1.17	00.01	20.70	21.00	0.01	1			L		

NRONDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															í
	Basic Local Area			UEP91	UEPY2	1.17	53.31	26.46	27.50	8.37						
Georg	jia and Florida Only		-	UEP91	UEPHA	1.17	50.04	26.46	27.50	0.07						<del></del>
-	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPHB	1.17	53.31 53.31	26.46	27.50	8.37 8.37						<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPHH	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex from diff Serving Wire		<b>-</b>	OLF91	OLFIIII	1.17	33.31	20.40	21.50	0.37						
	Center)2,3			UEP91	UEPHM	1.17	139.49	86.10	65.41	13.81						1
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02. 0.	02		100.10	00.10	00.11	10.01	1					
	Service Term			UEP91	UEPHZ	1.17	139.49	86.10	65.41	13.81						ı
				-												
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPH9	1.17	53.31	26.46	27.50	8.37	<u></u>	<u> </u>				
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPH2	1.17	53.31	26.46	27.50	8.37						i
Local	Switching					_				•						
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										<b></b>
Featu				115504												<b>——</b>
	All Standard Features Offered, per port			UEP91	UEPVF	2.26										<del></del>
-	All Select Features Offered, per port			UEP91	UEPVS	0.00	370.70									<b>——</b>
NARS	All Centrex Control Features Offered, per port		<u> </u>	UEP91	UEPVC	2.26					-					<del></del>
NAKS	Unbundled Network Access Register - Combination		1	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	-					<b></b>
-	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00	1					
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations			OLI 01	O/ II (O/)	0.00	0.00	0.00	0.00	0.00	1					
	e Trunk Side				1											
	Trunk Side Terminations, each			UEP91	CENA6	8.73										i
Intero	ffice Channel Mileage - 2-Wire				1											·
	Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	25.32										i —
	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0091										i
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										<b>——</b>
	Feeture Astination on D.4 Changel Back EVIII City City			LIEDO4	400040	0.00	l									í
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		-	UEP91	1PQW6	0.66			<b> </b>			<b> </b>				<del></del>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	100///7	0.66	l									í
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		+	OFLAI	1PQW7	0.00					-	-	-	-	-	
	Different Wire Center			UEP91	1PQWP	0.66	l					1				í
	Director Wile Center		<b>t</b>	OL1 01	II WWF	0.00	-				<b>-</b>	<b> </b>				
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66	l									í
	Feature Activation on D-4 Channel Bank Title Line/Trunk Loop				1	5.50	i		İ							<u> </u>
	Slot			UEP91	1PQWQ	0.66	l									í
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66	İ									
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		21.50	8.42								1
	Conversion of Existing Centrex Common Block			UEP91	USACN		5.17	8.32								
	New Centrex Standard Common Block		<u> </u>	UEP91	M1ACS	0.00	618.82									
	New Centrex Customized Common Block		ļ	UEP91	M1ACC	0.00	618.82				-					<del></del>
	Secondary Block, per Block		-	UEP91	M2CC1	0.00	71.31									
LINE	NAR Establishment Charge, Per Occasion		-	UEP91	URECA	0.00	66.48		<b> </b>			<b> </b>				
	P CENTREX - 5ESS (Valid in All States)  e VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1						1					
	Port/Loop Combination Rates (Non-Design)		-		+ +		+									
ONE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del>                                     </del>		<del>                                     </del>		+					<b> </b>				
			1	UEP95					1	i e	1					

NBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs. Electronic
1						1									DISC ISL	Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O.M. W. V.O.L. and O.M. and V. Sanda David (O. a.l. a. David O. a.l. a.		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo			UEP95		15.05										
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95	+	15.05					-	-				
	Non-Design		3	UEP95		25.80										
LINE P	ort/Loop Combination Rates (Design)		3	OLF 93	1	25.60					1			1	1	
O.V.E.	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Design		1	UEP95		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		18.57										
İ	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		32.04										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	24.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.24					ļ			ļ	ļ	
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	30.87										
	ort Rate															
All Sta			-	LIEBOE	LIEDVA	4.47	50.04	00.40	07.50	0.07						
	2-Wire Voice Grade Port (Centrex ) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)			UEP95 UEP95	UEPYA UEPYB	1.17 1.17	53.31 53.31	26.46 26.46		8.37 8.37	-					
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			UEP95	UEPYB	1.17	53.31	26.46	27.50	8.37	-	-				
	Area			UEP95	UEPYH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDVZ	4 47	420.40	00.40	05.44	42.04						
_	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPYZ	1.17	139.49	86.10	65.41	13.81	-					
	- Basic Local Area			UEP95	UEPY9	1.17	53.31	26.46	27.50	8.37						
-	2-Wire Voice Grade Port Terminated on 800 Service Term -			UEF95	UEP19	1.17	33.31	20.40	21.50	0.37	1			1	1	
	Basic Local Area			UEP95	UEPY2	1.17	53.31	26.46	27.50	8.37						
AL. K	Y, LA, MS, SC, & TN Only			021 00	OLI 12	1.17	00.01	20.40	27.00	0.07	1	1		1	1	
	GA Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	1.17	53.31	26.46	27.50	8.37	1					
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP95	UEPHZ	1.17	139.49	86.10	65.41	13.81	ļ		ļ	1	1	
	O Million Victor Complete Book sources and the second seco			LIEDOS	LIEDU'S		== =:							I	I	1
_	2-Wire Voice Grade Port terminated in on Megalink or equivalent		<b></b>	UEP95	UEPH9	1.17	53.31	26.46	27.50	8.37				-	-	
1	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95	UEPH2	1.17	53.31	26.46	27.50	8.37	<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Local	Switching  Control Intercon Funtionality, per part		-	UEP95	LIBECC	0.7384			<del>                                     </del>		<del>                                     </del>	1	<b> </b>	<del>                                     </del>	<del>                                     </del>	
Local	Centrex Intercom Funtionality, per port  Number Portability		-	UEF93	URECS	0.7384					<b> </b>	-		+	+	-
Local	Local Number Portability (1 per port)		<b>!</b>	UEP95	LNPCC	0.35					<del>                                     </del>	<b>—</b>	<del>                                     </del>	t	t	
Featur			<b>!</b>	OLI 30	LIVI OC	0.33					<del>                                     </del>	<b>—</b>	<del>                                     </del>	t	t	
. catal	All Standard Features Offered, per port		<b>†</b>	UEP95	UEPVF	2.26					<b> </b>	<del>                                     </del>		<b>I</b>	<b>I</b>	<b>†</b>
	All Select Features Offered, per port		t	UEP95	UEPVS	0.00	370.70				1		i	1	1	
	All Centrex Control Features Offered, per port			UEP95	UEPVC	2.26	2.2.70						İ	t	t	
NARS																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			İ	1	1	İ
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
	laneous Terminations															
2-Wire	Trunk Side		$L^{}$													
	Trunk Side Terminations, each			UEP95	CEND6	8.73										

UNBUNDLE	ED NETWORK ELEMENTS - Florida												Attachi	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Di					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
4-Wire	e Digital (1.544 Megabits)			LIEDOE	MALIDA	54.05										
	DS1 Circuit Terminations, each DS0 Channels Activated, each			UEP95 UEP95	M1HD1 M1HDO	54.95 0.00	15.69									
Intero	ffice Channel Mileage - 2-Wire		-	UEF95	MILLIPO	0.00	15.69									<del>                                     </del>
Intero	Interoffice Channel Facilities Termination			UEP95	M1GBC	25.32										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0091										
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Ch	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop			02.00		0.00										
	Slot			UEP95	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					0.00										
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.66										
Non-R	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed			LIEBAE												
	changes, per port  Conversion of Existing Centrex Common Block, each			UEP95 UEP95	USAC2 USACN	0.00	21.50 5.17	8.42 8.32								
-+	New Centrex Standard Common Block			UEP95	M1ACS	0.00	618.82	0.32								
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	618.82									
	NAR Establishment Charge, Per Occasion			UEP95	URECA	0.00	66.48									
Additi	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
LINE E	P CENTREX - DMS100 (Valid in All States)		-	UEP95	UREIN		11.21	1.10								<del> </del>
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															-
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
UNE	Non-Design		3	UEP9D		25.80										
UNE P	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+											-
	Design		1	UEP9D		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		18.57								_		
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
IINE -	Design .oop Rate		3	UEP9D	1	32.04										
UNE L	2-Wire Voice Grade Loop (SL 1) - Zone 1	-	1	UEP9D	UECS1	9.77									-	+
+-	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP9D	UECS1	13.88			<del>                                     </del>							<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	24.63	1									
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.24										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	17.40										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	30.87										
	Port Rate				1											<b>_</b>
ALL S	TATES  2-Wire Voice Grade Port (Centrex ) Basic Local Area		-	UEP9D	UEPYA	1.17									<del> </del>	
	12-vvire voice Grade Port (Centrex ) Basic Local Area			UEF9D	UEPTA	1.17									l	

UNBUNDLE	D NETWORK ELEMENTS - Florida													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			l l	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring		g Disconnect		•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			LIEDOD	LIEDVO	4.47	50.04	00.40	07.50	0.07						
	Area 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			UEP9D	UEPYB	1.17	53.31	26.46	27.50	8.37						<b>+</b>
	Area			UEP9D	UEPYC	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local															
	Area			UEP9D	UEPYD	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local				1											
	Area			UEP9D	UEPYE	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			OLI OD	OL: II	1.17	00.01	20.40	27.00	0.07						1
	Area			UEP9D	UEPYG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			l												
	Area			UEP9D	UEPYT	1.17	53.31	26.46	27.50	8.37						<b>_</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			DEP9D	UEFTU	1.17	55.51	20.40	27.50	0.37						<del> </del>
	Area			UEP9D	UEPYV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPYH	1.17	50.04	20, 40	07.50	0.07						
	Area 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.17	53.31	26.46	27.50	8.37						<del>                                     </del>
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area			UEP9D	UEPYJ	1.17	53.31	26.46	27.50	8.37						<u> </u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDAD	LIEDVAA	4.47	50.04	00.40	07.50	0.07						
	2,3-Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.17	53.31	26.46	27.50	8.37						
	Basic Local Area			UEP9D	UEPYO	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			02.02			00.01	20.10	27.00	0.07						
	Basic Local Area			UEP9D	UEPYP	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.17	139.49	86.10	65.41	13.81						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			02.00	021111	1.17	100.49	55.10	00.41	10.01						
	Basic Local Area			UEP9D	UEPYS	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			LIEBOR												
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY4	1.17	139.49	86.10	65.41	13.81	-					
	Basic Local Area			UEP9D	UEPY5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			02. 00	02110	1.17	100.40	55.10	00.41	10.01						
	Basic Local Area			UEP9D	UEPY6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			l												
	Basic Local Area			UEP9D	UEPY7	1.17	139.49	86.10	65.41	13.81						₩
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			OLI 3D	OLF 12	1.17	135.49	00.10	03.41	13.01	<del>                                     </del>					$\vdash$
	Basic Local Area			UEP9D	UEPY9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
	Local Area			UEP9D	UEPY2	1.17	53.31	26.46	27.50	8.37						<u> </u>
FL & G	A Only			LIEDOD	LIEDLIA	4 47	F0.01	00.40	07.50	0.07						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination)	<del>                                     </del>	-	UEP9D UEP9D	UEPHA UEPHB	1.17 1.17	53.31 53.31	26.46 26.46		8.37 8.37	ļ		<b> </b>	-	<b> </b>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)4	<b>!</b>	-	UEP9D UEP9D	UEPHB	1.17	53.31	26.46	27.50	8.37	<del>                                     </del>	-		-		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4 2-Wire Voice Grade Port (Centrex / EBS-M5009)4	<del>                                     </del>	-	UEP9D UEP9D	UEPHD	1.17	53.31	26.46		8.37	-		-	-	-	+
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4  2-Wire Voice Grade Port (Centrex / EBS-M5209)4	1		UEP9D UEP9D	UEPHD	1.17	53.31	26.46	27.50	8.37	}	<b>-</b>	1	<b>l</b>	1	+
	Z TVIIG VOIGO GIAGE I OIL (GEILLEN / LDG-IVIG203/4	ı	1	UEP9D	UEPHF	1.17	53.31	26.46		8.37	Ļ			L		<del></del>

UNBUNDLE	D NETWORK ELEMENTS - Florida												Attach	ment: 2	Exhi	bit: A
											Svc Order		Incremental			Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Auu	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPHU	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPHV	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPH3	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4			UEP9D	UEPHW	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex/Msq Wtg Lamp Indication)4			UEP9D	UEPHJ	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2.3			UEP9D	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2,0			02. 02	02		100.10	00.10	00	10.01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	1.17	139.49	86.10	65.41	13.81						
	2 Wile voice Grade Fort (Scriffe Valle) GWO / EBO F GE 1/2,0,4			OLI OD	OLITIO	1.17	100.40	00.10	00.41	10.01						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Fort (Certifex diller SWC / LBS-WS009)2,3,4			OLF 9D	OLFTIF	1.17	133.43	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Fort (Certifex diller SWC /LBS-3209)2,3,4			OLF 9D	ULFTIQ	1.17	133.43	00.10	05.41	13.01	1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	1.17	139.49	86.10	65.41	13.81						
	2-Wile Voice Grade Fort (Certifex/diller SVVC /EBS-IVIST12)2,3,4		-	UEP9D	UEPHK	1.17	139.49	00.10	05.41	13.01						
	2 Mins Vaiss Conda Book (Contract/differ CN/C (EBC ME242))2 2 4			LIEDOD	LIEDLIC	4 47	400.40	00.40	CF 44	40.04						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4		-	UEP9D	UEPHS	1.17	139.49	86.10	65.41	13.81						
	2 Mins Vaiss Conda Book (Contract/differ CM/C (EBC ME000)2 2 4			LIEDOD	LIEDIIA	4 47	400.40	00.40	CF 44	40.04						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPHZ	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPH2	1.17	53.31	26.46	27.50	8.37						
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7384										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	2.26										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	54.95										
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.69		i							
Interof	fice Channel Mileage - 2-Wire															
1	Interoffice Channel Facilities Termination		1	UEP9D	M1GBC	25.32								İ		İ
1	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0091										1
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e	t			3.0001								i	i	1
Featur																
	annel Bank Feature Activations	Ī			1											

IRONDL	ED NETWORK ELEMENTS - Florida													ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incrementa Charge - Manual Sv Order vs.
		m									per zert	per Lore	Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic
						Dee	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.66										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -			LIEDOD	4D014/D	0.00										
_	Different Wire Center			UEP9D	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
_	Feature Activation on D-4 Channel Bank Tivate Line/Trunk Loop			OLI OD	11 0000	0.00										
	Slot			UEP9D	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.66										
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed							<del></del>								
	changes, per port			UEP9D	USAC2		21.50	8.42								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		5.17	8.32								
_	New Centrex Standard Common Block	<b>!</b>		UEP9D	M1ACS	0.00	618.82									
_	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	618.82									
A -1 -1:	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	66.48									
Addi	tional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use			-	+											
	Premise			UEP9D	URETL		8.33	0.83								
-	Unbundled Miscellaneous Rate Element, Tag Design Loop at			OLF 9D	UNLIL		0.33	0.03								
	End Use Premise			UEP9D	URETN		11.21	1.10								
UNE-	P CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9E		10.94										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_													
	Non-Design		2	UEP9E		15.05										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		3	UEP9E		25.80										
LIME	Non-Design   Port/Loop Combination Rates (Design)		3	UEF9E	+	25.60										
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				+											
	Design		1	UEP9E		13.41										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			02. 02		10.11										
	Design		2	UEP9E		18.57										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		32.04										
UNE	Loop Rate															
_	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9E	UECS1	9.77										
_	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	13.88										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP9E UEP9E	UECS1 UECS2	24.63 12.24									-	
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9E UEP9E	UECS2	17.40									-	
-	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3	<del>                                     </del>	3	UEP9E	UECS2	30.87									<del>                                     </del>	
UNF	Port Rate	1		0 L 1 U L	02002	30.07					1				1	<b>†</b>
	E, KY, LA, MS, & TN only	1			1						İ					İ
1	2-Wire Voice Grade Port (Centrex ) Basic Local Area	i		UEP9E	UEPYA	1.17	53.31	26.46	27.50	8.37	İ					İ
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP9E	UEPYB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1			1											
	Area			UEP9E	UEPYH	1.17	53.31	26.46	27.50	8.37					ļ	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						400 :-			40						
_	Center)2,3 Basic Local Area	<b>!</b>	-	UEP9E	UEPYM	1.17	139.49	86.10	65.41	13.81					<b>.</b>	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	l	1	LIEBAE	LIEDV7	1.17	139.49	86.10	65.41	13.81						
	Contino Torm Pagin Local Area															
	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1.17	139.49	00.10	03.41	13.01						

NADONADEL	D NETWORK ELEMENTS - Florida											1		ment: 2		bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	•
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.17	53.31	26.46	27.50	8.37						
Florida																
	2-Wire Voice Grade Port (Centrex)			UEP9E	UEPHA	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9E	UEPHB	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPHH	1.17	53.31	26.46	27.50	8.37						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP9E	UEPHM	1.17	139.49	86.10	65.41	13.81						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		<u> </u>	UEP9E	UEPHZ	1.17	139.49	86.10	65.41	13.81						-
	O Wise Vales Condo Dout towning and in an Manalist and in last			LIEDOE	LIEDLIO	4 47	50.04	00.40	07.50	0.07						I
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		-	UEP9E	UEPH9	1.17 1.17	53.31	26.46 26.46	27.50	8.37 8.37	1	ļ		-	1	<del>                                     </del>
Local	2-Wire Voice Grade Port Terminated on 800 Service Term Switching		-	UEP9E	UEPH2	1.17	53.31	26.46	27.50	8.37	1	ļ		-	1	<del>                                     </del>
Local	Centrex Intercom Funtionality, per port		-	UEP9E	URECS	0.7384					-	1		<b> </b>	1	-
Local	Number Portability			OLF9L	UKLUS	0.7304			<del>                                     </del>		1					
Locari	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35					1					
Feature				02.02	2.11 00	0.00						İ				
	All Standard Features Offered, per port			UEP9E	UEPVF	2.26						†				
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	370.70									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	2.26										
NARS																
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscell	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9E	CEND6	8.73										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9E	M1HD1	54.95										
	DS0 Channel Activated Per Channel			UEP9E	M1HDO	0.00	15.69									
Interon	fice Channel Mileage - 2-Wire			LIEDOE	M1GBC	05.00						-				
	Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile		-	UEP9E UEP9E	M1GBC M1GBM	25.32 0.0091						1				
Footure	e Activations (DS0) Centrex Loops on Channelized DS1 Service	_		UEF9E	IVITGDIVI	0.0091					1	<b> </b>				
	Innel Bank Feature Activations	e							<del>                                     </del>							
D4 One	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66					1					
	reaction notivation on b 4 channel bank centrex 2005 diet			OLI OL	11 QVV0	0.00										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										1
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop								i					ĺ		
	Slot		L	UEP9E	1PQW7	0.66			<u> </u>		<u> </u>			<u> </u>		<u></u>
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9E	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop								i i							
	Slot		Ш.	UEP9E	1PQWQ	0.66							<u> </u>			
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex							•		•						
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9E	USAC2		21.50	8.42								
	Conversion of Existing Centrex Common Block, each		<u> </u>	UEP9E	USACN		5.17	8.32								
	New Centrex Standard Common Block		<u> </u>	UEP9E	M1ACS	0.00	618.82									
	New Centrex Customized Common Block		ļ	UEP9E	M1ACC	0.00	618.82				-			<b> </b>		
	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)		├	UEP9E	URECA	0.00	66.48				-	ļ			1	-
	nai Non-Recurring Charges (NRC)	1	1	1	1				1		1	1		ı	1	1
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		1				1		1		1					

UN	BUNDLE	D NETWORK ELEMENTS - Florida												Attachi	nent: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAT	EGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		<u> </u>
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9E	URETN		11.21	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	Note 2	- Requres Interoffice Channel Mileage															
	Note 3 - Installation is combination of Installation charge for SL			Port													
	Note 4	- Requires Specific Customer Premises Equipment															
	Note: Rates displaying an "R" in Interim column are interim and			rate tru	e-up as set forth in C	Seneral Term	s and Condition	ns.									

HINDI	INDI E	D NETWORK ELEMENTS - Georgia												Attach	mont. 2	Evhi	bit: A
OND	MULE	D NET WORK ELEWIEN 13 - Georgia		I								Svc Order	Svc Order	Attach Incremental	ment: 2	Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec	Nonred			Disconnect				Rates (\$)		
-	1							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	nart of	a comi	ination refers to Ge	l ographically	Deaveraged II	NF Zones To	view Geogran	l hically Deaver:	l aged LINE Zon	e Designatio	ns by Cent	ral Office refu	er to internet	Nehsite:	
		vww.interconnection.bellsouth.com/become_a_clec/html/inter				ograpinoany	Deaveragea o	NE Ediles. 10	view ocograp	induity Deaver	aged ONE LON	o Designatio	no by oun	rai Oilloc, ici	or to internet	reporte.	
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"		1													
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by the	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the reg	gional service	ordering charg	e, however, Cl	EC can not of	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic orderi	ng capabilities	s come on-li	ne for that o	element. Oth	erwise, the ma	anual ordering	g charge,
	SOMAI	N, will be applied to a CLECs bill when it submits an LSR to B	ellSout	h.													
1		OSS - Electronic Service Order Charge, Per Local Service						_	_								
<u> </u>	<del> </del>	Request (LSR) - UNE Only	<b>.</b>	-		SOMEC		3.50	0.00	3.50	0.00	ļ	<b> </b>	-	1	<b> </b>	<b> </b>
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		11.73	0.00	6.13	0.00		1				
IINE C	EDVICE	DATE ADVANCEMENT CHARGE		<u> </u>		SOIVIAIN		11.73	0.00	0.13	0.00	<b>.</b>					
ONL 3		The Expedite charge will be maintained commensurate with	ReliSou	th's FC	C No 1 Tariff Section	n 5 ac annli	rahla					1					
	INOTE.	The Expedite charge will be maintained commensurate with	Denoou	1	C NO.1 Tallii, Geolio	ii o as appin	cable.					1					
					UAL, UEANL, UCL,												
					UEF, UDC, UDF,												
					UEQ, UDL, UENTW,												
					UDN, UEA, UHL,												
					ULC, USL, U1T12,												
					U1T48, U1TD1,												
					U1TD3, U1TDX,												
					U1TO3, U1TS1,												
					U1TVX, UC1BC,												
					UC1BL, UC1CC, UC1CL, UC1DC,												
					UC1DL, UC1EC,												
					UC1EL, UC1FC,												
					UC1FL, UC1GC.												
					UC1GL, UC1HC,												
					UC1HL, UDL12,												
					UDL48, UDLO3,												
					UDLSX, UE3,												
					ULD12, ULD48,												
					ULDD1, ULDD3,												
					ULDDX, ULDO3,												
					ULDS1, ULDVX,												
					UNC1X, UNC3X,												
					UNCDX, UNCNX, UNCSX, UNCVX,												
					UNLD1, UNLD3,												
					UXTD1, UXTD3,												
					UXTS1, U1TUC,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUD, U1TUB.												
		Day			U1TUA	SDASP		200.00									
UNBUI		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEAL2	10.51	40.02	9.99	5.61	1.72						
<u> </u>	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	15.85	40.02	9.99	5.61	1.72			ļ			
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL	UEAL2	31.97	40.02	9.99	5.61	1.72			<b> </b>		<b> </b>	<b> </b>
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1			UEANL	UEASL	10.51	40.02	9.99	5.61	1.72	ļ			1		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3			UEANL UEANL	UEASL UEASL	15.85 31.97	40.02 40.02	9.99 9.99	5.61 5.61	1.72 1.72	ļ			1		
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>	3	OLAINL	UEAOL	31.97	40.02	9.99	10.0	1.72	1	-	-	1	-	<b> </b>
1		Premise			UEANL	URETL		8.33	0.83				1				
	1	Loop Testing - Basic 1st Half Hour	<b>†</b>	<b>†</b>	UEANL	URET1		25.12	25.12			1	<b> </b>		1		
	1	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62		1						
		11 3			(- ·						1						

Version 3Q03: 11/12/2003 Page 79 of 348

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL UEANL	UEANM UEAMC		7.30 18.92	7.30 18.92								
	Manual Order Coordiantion for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		18.92	18.92			-			-		
	(per LSR)			UEANL	OCOSL		57.79									
2-WIRI	E UNBUNDLED COPPER LOOP - NON-DESIGNED			OLANE	OCCOL		51.15									
2 *****	2 Wire Unbundled Copper Loop Non-Designed- Zone 1		1	UEQ	UEQ2X	11.02	44.69	22.40	0.00	0.00	1					
	2 Wire Unbundled Copper Loop Non-Designed- Zone 2			UEQ	UEQ2X	12.72	44.69	22.40	0.00	0.00						
<u> </u>	2 Wire Unbundled Copper Loop Non-Designed-Zone 3			UEQ	UEQ2X	20.22	44.69	22.40		0.00		İ	İ	1	İ	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				1											
	Premise		L	UEQ	URETL		8.33	0.83	<u>                                      </u>			<u> </u>	<u> </u>	<u> </u>		<u> </u>
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)		<u> </u>	UEQ	USBMC		18.92	18.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for												I		l	
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		7.30	7.30								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		25.12	25.12								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		13.62	13.62								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP	44:	!!С	On match the laws		b - note - 1151	DI V\									
UNE L	oop Rates for Line Splitting (In Ga. PSC ordered the line spli 2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	tting io		UEPSR UEPSB	UEALS	9.56	10.05	7.36	1.37	1.28		-				
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1  2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	-	1	UEPSR UEPSB	UEABS	9.56	10.05	7.36	1.37	1.28	1			-		
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 1	i i	2	UEPSR UEPSB	UEALS	14.86	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Loop (SL1) for Line Splitting - Zone 2	i i		UEPSR UEPSB	UEABS	14.86	10.05	7.36	1.37	1.28	<b>†</b>					
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i i	3	UEPSR UEPSB	UEALS	31.66	10.05	7.36	1.37	1.28	1			1		
	2-Wire Voice Grade Loop (SL1)for Line Splitting - Zone 3	i		UEPSR UEPSB	UEABS	31.66	10.05	7.36	1.37	1.28						
UNBUNDLED	EXCHANGE ACCESS LOOP															
	E ANALOG VOICE GRADE LOOP				1											
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	11.57	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		l .		[ ]				I I	_				I		
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.08	79.85	24.65	18.92	7.87				ļ		
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		57.79				-		<b> </b>	-	<b> </b>	ļ
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			UEA	UEAR2	11.57	70.05	04.05	18.92	7.87				1		
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	11.5/	79.85	24.65	18.92	7.87				<del>                                     </del>		
	Battery Signaling - Zone 2		2	UEA	UEAR2	16.95	79.85	24.65	18.92	7.87						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse			ULA	ULANZ	10.93	79.00	24.03	10.92	7.07	1			-		
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.08	79.85	24.65	18.92	7.87						
	Order Coordination for Specified Conversion Time (per LSR)		Ŭ	UEA	OCOSL	00.00	57.79	24.00	10.02	7.07	1			1		
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
<u> </u>	Loop Tagging - Service Level 2 (SL2)		t	UEA	URETL		11.19	1.10	1				İ	1	İ	İ
4-WIRI	E ANALOG VOICE GRADE LOOP		t		<del>                                     </del>				1				İ	1	İ	İ
1	4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	17.80	93.01	28.17	19.52	8.12						1
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	21.68	93.01	28.17	19.52	8.12						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	30.25	93.01	28.17	19.52	8.12						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		57.79									
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.72	36.36								
		. –	1	ı	1						1		I	1	_	l
2-WIRI	E ISDN DIGITAL GRADE LOOP		_								<del>†</del>					
2-WIRI	2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	21.89	180.06	35.25	18.23	6.97						
2-WIRI			1 2 3	UDN UDN UDN	U1L2X U1L2X U1L2X	21.89 25.27 40.17	180.06 180.06	35.25 35.25 35.25	18.23 18.23 18.23	6.97 6.97 6.97						

ONRONDI	ED NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc	Charge - Manual Svc		Charge - Manual Sv
ATEGORI	NATE ELEMENTS	m	Zone		3333			10.120 (¢)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		120.98	33.04								
2-WI	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOF	)												
	Wire Unbundled ADSL Loop including manual service inquiry     A facility reservation - Zone 1	ı	1	UAL	UAL2X	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2	ı	2	UAL	UAL2X	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop including manual service inquiry	Ι.		UAL	1141.07	00.00	44.00	04.55	0.00	0.00						
	& facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UAL	UAL2X OCOSL	20.62	44.69 57.79	31.55	0.00	0.00						+
	2 Wire Unbundled ADSL Loop without manual service inquiry &		-	UAL	UCUSL		57.79		_							+
	facility reservation - Zone 1	l ,	1	UAL	UAL2W	11.23	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	12.97	44.69	31.55	0.00	0.00						
	2 Wire Unbundled ADSL Loop without manual service inquiry &	'		UAL	UALZVV	12.91	44.09	31.33	0.00	0.00						<del>                                     </del>
	facility reservaton - Zone 3	ı	3	UAL	UAL2W	20.62	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		57.79									
0.140	CLEC to CLEC Conversion Charge without outside dispatch	TIDLE		UAL	UREWO		44.69	29.29								-
2-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP													
	Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1	ı	1	UHL	UHL2X	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2	1	2	UHL	UHL2X	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop including manual service inquiry			UHL	UHL2X	14.48	44.69	31.55	0.00	0.00						
	& facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL	OCOSL	14.40	57.79	31.33	0.00	0.00						+
	2 Wire Unbundled HDSL Loop without manual service inquiry		1	OFF	OCCOL		51.13									+
	and facility reservation - Zone 1	- 1	1	UHL	UHL2W	7.88	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	ı	2	UHL	UHL2W	9.09	44.69	31.55	0.00	0.00						
	2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL2W	14.48	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL	OCOSL	14.40	57.79	31.33	0.00	0.00					-	+
	CLEC to CLEC Conversion Charge without outside dispatch		1	UHL	UREWO		44.69	31.55							1	
4-WI	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP	0.12	O. L. T. O		11.00	01.00								<del>                                     </del>
	4 Wire Unbundled HDSL Loop including manual service inquiry		1			40.00	44.00									
-	and facility reservation - Zone 1  4-Wire Unbundled HDSL Loop including manual service inquiry		1	UHL	UHL4X	10.39	44.69	31.55	0.00	0.00						-
	and facility reservation - Zone 2	I	2	UHL	UHL4X	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4X	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	l ŭ	UHL	OCOSL	10.07	57.79	01.00	0.00	0.00						<del>                                     </del>
	4-Wire Unbundled HDSL Loop without manual service inquiry		1		1		*****									1
	and facility reservation - Zone 1	ı	1	UHL	UHL4W	10.39	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 2	ı	2	UHL	UHL4W	12.00	44.69	31.55	0.00	0.00						
	4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 3		3	UHL	UHL4W	19.07	44.69	31.55	0.00	0.00						
	Order Coordination for Specified Conversion Time (per LSR)	<u> </u>	3	UHL	OCOSL	15.07	57.79		0.00	0.00					<u> </u>	<del>                                     </del>
	CLEC to CLEC Conversion Charge without outside dispatch	I		UHL	UREWO		44.69	31.55								
4-WI	RE DS1 DIGITAL LOOP															
	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	41.02	211.93	72.49	38.24	7.20				ļ	ļ	
	4-Wire DS1 Digital Loop - Zone 2	ļ	2	USL	USLXX	46.41	211.93	72.49	38.24	7.20					ļ	
	4-Wire DS1 Digital Loop - Zone 3	ļ	3	USL	USLXX	62.03	211.93	72.49	38.24	7.20						
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	-	<b>├</b>	USL USL	OCOSL UREWO		57.79 100.91	42.97						-	1	+
4_38/1	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP	-	<del>                                     </del>	USL	UKEWU		100.91	42.97	<del>                                     </del>						<del></del>	+
4-1/1	4 Wire Unbundled Digital 19.2 Kbps	<del>                                     </del>	1	UDL	UDL19	21.86	196.66	37.00	18.82	7.20				<del> </del>	<del>                                     </del>	+
	4 Wire Unbundled Digital 19.2 Kbps	l	2	UDL	UDL19	28.36	196.66	37.00	18.82	7.20	-				<b>-</b>	$\vdash$
	4 Wire Unbundled Digital 19.2 Kbps	<b>!</b>		UDL	UDL19	38.22	196.66	37.00	18.82	7.20	t e			<b> </b>	t	+

UNBUND	DLED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
CATEGOR		Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						_ 1	Nonrec	urrina	Nonrecurring	Disconnect		1	OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	28.36	196.66	37.00		7.20						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	21.86	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	28.36	196.66	37.00	18.82	7.20						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.22	196.66	37.00	18.82	7.20						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		57.79									
L	CLEC to CLEC Conversion Charge without outside dispatc h			UDL	UREWO		101.95	49.66								
2-V	WIRE Unbundled COPPER LOOP															-
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.02	44.69	31.55	0.00	0.00			I			1
$\vdash$	2-Wire Unbundled Copper Loop-Designed including manual		-	UOL	UCLPB	12.02	44.09	31.05	0.00	0.00	<b> </b>	-	+	<b> </b>		<del></del>
	service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	13.88	44.69	31.55	0.00	0.00			1			1
$\vdash$	2 Wire Unbundled Copper Loop-Designed including manual			OOL	OCLFB	13.00	44.09	31.33	0.00	0.00	1	<b>-</b>	+			<del></del>
	service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)		Ŭ	UCL	UCLMC	22.07	18.92	18.92	0.00	0.00	1					
	2-Wire Unbundled Copper Loop-Designed without manual			001	COLINIC		10.02	10.02			1					
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	12.02	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual		Ė	002	002. 11	12.02	11.00	01.00	0.00	0.00						
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	13.88	44.69	31.55	0.00	0.00						
	2-Wire Unbundled Copper Loop-Designed without manual								0.00							
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.07	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		44.69	31.55								
4-V	WIRE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.65	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															ĺ
	and facility reservation - Zone 2	ı	2	UCL	UCL4S	19.22	44.69	31.55	0.00	0.00						
	4-Wire Copper Loop-Designed including manual service inquiry															ĺ
	and facility reservation - Zone 3	ı	3	UCL	UCL4S	30.55	44.69	31.55	0.00	0.00						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		18.92	18.92								
	4-Wire Copper Loop-Designed without manual service inquiry		1	1101	1101 414	40.05	44.00	04.55	0.00	0.00						ĺ
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	16.65	44.69	31.55	0.00	0.00		-				<del></del>
	4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4W	19.22	44.69	31.55	0.00	0.00			1			1
$\vdash$	4-Wire Copper Loop-Designed without manual service inquiry			OOL	JOL4VV	19.22	44.09	31.35	0.00	0.00	<b> </b>	-	+	<b> </b>		<del>                                     </del>
	and facility reservation - Zone 3	- 1	3	UCL	UCL4W	30.55	44.69	31.55	0.00	0.00			I			1
$\vdash$	Order Coordination for Unbundled Copper Loops (per loop)		-	UCL	UCLMC	30.33	18.92	18.92	0.00	0.00	<b> </b>		<b>-</b>			<b>—</b>
$\vdash$	CLEC to CLEC conversion Charge without outside dispatch			UCL	UREWO		44.69	31.55					<u> </u>			
LOOP MOD	DIFICATION						55	050					<u> </u>			
				UAL, UHL, UCL,	i						1		1	İ		
				UEQ, ULS, UEA,									1			1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,									I			1
	pair less than or equal to 18k ft, per Unbundled Loop	- 1		UEPSB	ULM2L		0.00	0.00					1			1
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop	- 1		UHL, UCL, UEA	ULM4L		0.00	0.00								
				UAL, UHL, UCL,										l		1
				UEQ, ULS, UEA,									I			1
	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	l								I			1
0.10	per Unbundled Loop			UEPSB	ULMBT		17.91		ļ		ļ		ļ			<b>↓</b>
SUB-LOOP					1				1		1		-	<b> </b>		<del></del>
Sul	b-Loop Distribution Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+						<u> </u>		<del>                                     </del>			<del></del>
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up			UEANL	USBSA		255.76						I			1
	loh			OLAINL	USDSA	I l	∠55.76		1		L	L	1	I		<u> </u>

UNDUNDLI	ED NETWORK ELEMENTS - Georgia			T	1							1 -		ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									Par = 211	p	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'
															D130 131	DISC Add
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							=									
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up		-	UEANL	USBSB		7.29									
	Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		175.09									
-+	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel		+	UEAINL	USBSC		175.09				1			-	-	
	Set-Up			UEANL	USBSD		51.61									
	Unbundled Sub-Loops, Riser Cable, 2-Wire per Loop, Working		1	OLANE	CODOD		31.01									
	and Spare Loop Activation			UEANL	USBRC	3.61	28.46	3.85	2.20	0.01						
	Unbundled Sub-Loops, Riser Cable, 4-Wire per Loop, Working			02/11/2	005.10	0.01	20.10	0.00	2.20	0.01	1			1		1
	and Spare Loop Activation			UEANL	USBRD	7.67	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN2	6.52	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN2	10.18	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN2	19.51	28.46	3.85	2.20	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 1		1	UEANL	USBN4	5.93	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.71	31.07	4.79	2.27	0.01						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	18.85	31.07	4.79	2.27	0.01						
								40.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	0.04	18.92	18.92								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR2	3.61	28.46	3.85	2.20	0.01						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	-	+	UEANL	USBR4	7.67	31.07	4.79	2.27	0.01	-					-
	Sub-Loop 4-Wire intrabuliding Network Cable (INC)	-	+	UEAINL	USBR4	7.07	31.07	4.79	2.21	0.01	1			-	-	-
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		18.92	18.92								
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		25.12	25.12			1			1		1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		13.62	13.62								
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.94	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS2X	7.51	28.46	3.85	2.20	0.01						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS2X	9.22	28.46	3.85	2.20	0.01						
	i i															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS4X	6.37	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2		2	UEF	UCS4X	6.32	31.07	4.79	2.27	0.01						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	9.10	31.07	4.79	2.27	0.01						
		1	1	l										I	I	
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		18.92	18.92			ļ			ļ	ļ	
	Loop Testing - Basic 1st Half Hour			UEF	URET1		25.12	25.12			ļ			ļ	ļ	
	Loop Testing - Basic Additional Half Hour			UEF	URETA		13.62	13.62								
Unbu	ndled Network Terminating Wire (UNTW)		₩	UENTW	UENPP	0.500	05.40	40.00			<u> </u>			<del>                                     </del>	<del>                                     </del>	-
Not	Unbundled Network Terminating Wire (UNTW) per Pair ork Interface Device (NID)		1	UENTW	UENPP	0.533	25.12	12.28	-		1		-	<del>                                     </del>	<del>                                     </del>	
NetWo	Network Interface Device (NID) - 1-2 lines	-	+	UENTW	UND12		32.86	20.69	-		<b> </b>	-		<del>                                     </del>	+	<del>                                     </del>
	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines	+	+	UENTW	UND12 UND16		56.03	43.86	-		<b> </b>	-		<del>                                     </del>	+	<del>                                     </del>
	Network Interface Device (NID) - 1-6 lines	+	1	UENTW	UNDC2		2.45	2.45	1		<del>                                     </del>			t	t	<b>—</b>
	Network Interface Device Cross Connect - 2 W	<del>-</del> -	<b>†</b>	UENTW	UNDC4		2.45	2.45	1		1			<del>                                     </del>	<del>                                     </del>	<b>-</b>
UNE OTHER	PROVISIONING ONLY - NO RATE		<del>                                     </del>	J_111177	511004		2.73	2.40	1		<b> </b>	<b>-</b>		<b>I</b>	<b>I</b>	<del>                                     </del>
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00							t	<u> </u>	
<del></del>	UNTW Circuit Id Establishment, Provisioning Only - No Rate		1	UENTW	UENCE	0.00	0.00							<u> </u>	<u> </u>	
	and the state of t		<del>                                     </del>	UEANL,UEF,UEQ,U	1	2.00	2.00							1	1	
	Unbundled Contract Name, Provisioning Only - No Rate	1	1	ENTW	UNECN	0.00	0.00				1	I		I	1	1
<del></del>	PROVISIONING ONLY - NO RATE		1	† · ·		2.00	2,00				1	1			1	1

UNBUNDLI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
															Disc 1st	DISC Add I
						Rec		curring	Nonrecurring			·		Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									-
	rate			UEA,UDN,UCL,UDC	LISBEO	0.00	0.00									l
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no		1	OLA,ODIN,OOL,ODO	OODI Q	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									l
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
	no rate			USL	CCOEF	0.00	0.00									
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP	<u> </u>	<u> </u>								ļ					1
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	11 END	40.07										1
	month High Capacity Unbundled Local Loop - DS3 - Facility	-	<del> </del>	UE3	1L5ND	10.97					<del>                                     </del>			-		<del></del>
	Termination per month			UE3	UE3PX	253.38	1,753.23	131.90	112.91	75.88						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	10.97										
	High Capacity Unbundled Local Loop - STS-1 - Facility															İ
	Termination per month			UDLSX	UDLS1	305.42	1,753.23	131.90	112.91	75.88						
LOOP MAKE																<b>——</b>
	Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		15.19	15.19								ĺ
	Loop Makeup - Preordering With Reservation, per spare facility		<u> </u>	UIVIK	UIVIKLVV		15.19	15.19								<del></del>
	queried (Manual).			UMK	UMKLP		19.85	19.85								
	Loop MakeupWith or Without Reservation, per working or spare facility gueried (Mechanized)			UMK	UMKMQ		0.82	0.82								İ
	IG AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	n-designed ("UCLND	")											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															
	: 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND : 1: Above will apply to USOCS: ULSDT and ULSCT		ļ								1					<del></del>
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	EDC an	1111 60	C applies only to si	cuite inetall	od and inconvic	o on or hoforo	Octobor 1 20	N2		1					<del></del>
	SHARING	I an	T	C applies only to cit	Cuits instair	l and inservic	e on or before	October 1, 20	l I							<del></del>
	TTERS-CENTRAL OFFICE BASED		<del>                                     </del>													
J	Line Sharing Splitter, per System 96 Line Capacity		i –	ULS	ULSDA	131.00	0.00	0.00	0.00	0.00				İ		
	Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	32.00	0.00	0.00	0.00	0.00						
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	11.00	0.00	0.00	0.00	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activation- deactivation (per LSOD)			ULS	ULSDG		66.34	0.00	51.20	0.00						1
END	USER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.76	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.51	10.51	7.70	7.00	4.20						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	8.27	10.51	7.70	7.00	4.20						
	Line Sharing - per Subsequent Activity per Line			111.6	ULSDS		00.00	40.00	40.04	4.00						1
	Rearrangement(BST Owned Splitter Line Sharing - per Subsequent Activity per Line			ULS			36.23	13.23	16.94	1.69						
	Rearrangement(DLEC Owned Splitter  Line Sharing - per Line Activation (DLEC owned Splitter) -	-	<u> </u>	ULS	ULSCS		36.23	13.23	16.94	1.69	-					<del>                                     </del>
	OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	17.82	9.36	8.53	4.30						1

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1	1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see						47.00									
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.76	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.51	17.82	9.36	8.53	4.30						
	Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCI	5.51	17.02	9.30	0.55	4.30						
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.27	17.82	9.36	8.53	4.30						
LINE S	SPLITTING															
	ISER ORDERING-CENTRAL OFFICE BASED				1 1											
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.6297	20.10	12.40	7.68	4.30						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.6288	20.10	12.40	7.68	4.30						
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic	ļ			1		80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT	-			+ +											
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSAA	0.0057					-					
	Facility Termination			U1TVX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVX	OTTVZ	12.07	40.40	13.40	10.50	3.00			1		1	
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.			011177	120/01	0.0007					1					
	Facility Termination			U1TVX	U1TR2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade					_										
	Per Mile per month			U1TVX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	10.78	48.46	19.48	16.58	5.00						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0057										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination	ļ	<u> </u>	U1TDX	U1TD5	7.83	48.46	19.48	16.58	5.00			ļ		ļ	ļ
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			LIATOV	41.5307											
	per month	<del>                                     </del>	<u> </u>	U1TDX	1L5XX	0.0057							<b>.</b>	-	<b>.</b>	
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	1		U1TDX	U1TD6	7.83	48.46	19.48	16.58	5.00						1
<del> </del>	Termination Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	├	<del>                                     </del>	UTIDA	סטווט	7.83	48.46	19.48	10.58	5.00		-				-
	month	1	1	U1TD1	1L5XX	0.1154										
<del>                                     </del>	Interoffice Channel - Dedicated Tranport - DS1 - Facility	<del>                                     </del>	<del>                                     </del>	0.101	ILUAA	0.1154					<b>-</b>					
	Termination	1	1	U1TD1	U1TF1	34.19	111.03	80.28	31.36	21.73						
<del>                                     </del>	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per	t	<del>                                     </del>			04.10	111.00	55.20	31.50	21.75	<b>†</b>	<b>†</b>	1		1	
	month	1		U1TD3	1L5XX	2.53										1
	Interoffice Channel - Dedicated Transport - DS3 - Facility	İ	i –	-												
I	Termination per month	<u> </u>	L	U1TD3	U1TF3	342.02	320.47	86.32	66.77	52.81	<u></u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u></u>
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per															
	month		<u> </u>	U1TS1	1L5XX	2.53										
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	1	-		1 _ 7	$\neg$			I							
	Termination		<u> </u>	U1TS1	U1TFS	358.67	320.47	86.32	66.77	52.81						
DARK FIBER			<u> </u>		1											
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1		LIDE LIBEOV	41.505	00.00										1
	Thereof per month - Interoffice Channel		<u> </u>	UDF, UDFCX	1L5DF	23.29	. ==== ===	89.75	73.64	18.70	-	-	<b> </b>	-	<b> </b>	<del>                                     </del>
	NDC Dork Eibor Intereffice Channel															
	NRC Dark Fiber - Interoffice Channel		ļ	UDF, UDFCX	UDF14		1,776.53	89.75	73.64	18.70	-					
	NRC Dark Fiber - Interoffice Channel  Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction Thereof per month - Local Loop			UDF, UDFCX	1L5DL	46.84	1,776.53	89.75	73.64	18.70						

											Svc Order	Svc Order	Incremental	Incremental	Incremental	1
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Elec per LSR	Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	l .	l
<del>-  </del>			<b>-</b>			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING							71441	101	71441	0020	00				
	8XX Access Ten Digit Screening, Per Call			OHD		0.0008543										
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX		ĺ													
	Number Reserved			OHD	N8R1X		2.50	0.43								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.65	0.76	4.24	0.51						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.65	0.76	4.24	0.51						
	8XX Access Ten Digit Screening, Customized Area of Service															
-	Per 8XX Number			OHD	N8FCX		2.50	1.25								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68								
-+-	8XX Access Ten Digit Screening, Change Charge Per Request		-	OHD OHD	N8FAX		2.93	0.43			-					
-+-	8XX Access Ten Digit Screening, Change Charge Per Request 8XX Access Ten Digit Screening, Call Handling and Destination		<del>                                     </del>	טויט	NOI AV		2.93	0.43			-				<del> </del>	<del>                                     </del>
	Features			OHD	N8FDX		2.50									
	8XX Access Ten Digit Screening, w/8FL No. Delivery		l —	OHD	7101 DX	0.0008543	2.50				<b>-</b>					
	8XX Access Ten Digit Screening, w/POTS No. Delivery			OHD		0.0008543										
LINE INFORM	ATION DATA BASE ACCESS (LIDB)					0.000000										
	LIDB Common Transport Per Query			OQT		0.0000682										
	LIDB Validation Per Query		ĺ	OQU		0.0266962										
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX		33.24	33.24	39.35	39.35						
SIGNALING (C	CCS7)															
	CCS7 Signaling Connection, Per 56Kbps Facility			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	108.80										
	CCS7 Signaling Usage, Per Call Setup Message			UDB		0.0000132										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000527	0.4 ===		10.01							
	CCS7 Signaling Connection, Per link (A link) (same as E.3.1)		-	UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Connection, Per link (B link) (also known as D link) (same as E.3.1)			UDB	TPP++	8.73	34.77	34.77	16.91	16.91						
	CCS7 Signaling Usage, Per ISUP Message (same as E.3.3)			UDB	IFF++	0.0000132	34.11	34.77	16.91	10.91						
	CCS7 Signaling Usage, Fel ISUP Message (same as E.S.S)		-	UDB	STU56	907.44										
<del>-  </del>	CCS7 Signaling Osage Surrogate, per link  CCS7 Signaling Point Code, Establishment or Change, per STP		<b>-</b>	ODD	01030	307.44										
	affected			UDB	CCAPO		28.15	28.15	33.32	33.32						
E911 SERVICE																
	Local Channel - Dedicated - 2-wr Voice Grade					7.74	121.07	53.30	46.40	13.37						
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0057			i							
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															
	Termination					12.87	48.46	19.48	16.58	5.00						
	Local Channel - Dedicated - DS1 - Zone 1					18.47	149.46	111.20	40.36	26.12						
	Local Channel - Dedicated - DS1 - Zone 2				1	56.30	149.46	111.20	40.36	26.12						ļ
	Local Channel - Dedicated - DS1 - Zone 3		<u> </u>		+	164.70	149.46	111.20	40.36	26.12						
-+-	Interoffice Transport - Dedicated - DS1 Per Mile		<u> </u>		+	0.1154									<del>                                     </del>	<b>.</b>
	Interoffice Transport - Dedicated - DS1 Per Facility Termination				1	34.19	111.03	80.28	31.36	21.73						
CALLING NAM	IE (CNAM) SERVICE		-		+	34.19	111.03	00.28	31.30	21.73					-	-
JALLING NAM	CNAM For DB Owners - Service Establishment		<u> </u>	OQV	+		22.90		20.32						<del> </del>	<del> </del>
-	CNAM For Non DB Owners - Service Establishment		<b>-</b>	OQV	+		22.90		20.32						<b> </b>	<del> </del>
$\overline{}$	CNAM For DB Owners - Service Provisioning With Point Code				1		22.00		20.02						1	1
	Establishment		1	OQV	1		959.77	709.83	251.47	184.91						
-	CNAM For Non DB Owners - Service Provisioning With Point				1						İ					
	Code Establishment			OQV	1		331.89	237.45	257.65	184.91						
	CNAM for DB Owners, Per Query			OQV		0.0009924										
	CNAM for Non DB Owners, Per Query			OQV		0.0009924										
	CNAM (Non-Databs Owner), NRC, applies when using the															
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00								
CELECTIVE D	OUTING		l													ļ
SELECTIVE RO																
SELECTIVE R	Selective Routing Per Unique Line Class Code Per Request Per Switch						102.19	61.15	12.68	6.34						

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Vistoria College Control Control Control Control						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	VE1LS	0.0188	0.00	0.00	0.00	0.00						
PHYSICAL CO				OLF SK OLF SB	VLILS	0.0100	0.00	0.00	0.00	0.00						
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0197	0.00	0.00								
AIN SELECTIV	/E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		101,311.67	101,311.67	7,833.25	7,833.25						
igwdown	End Office Establishment			SRC SRC	SRCEO SRCLP		158.92 2.06	158.92 2.06	1.64	1.64						
<b></b>	Line/Port NRC, per end user Query NRC, per query			SRC	SKCLP	0.0020368	2.06	2.06							-	<u> </u>
AIN - BELLSC	UTH AIN SMS ACCESS SERVICE			SKC	+	0.0020308										-
1 1	AIN SMS Access Service - Service Establishment, Per State,		t		1											
	Initial Setup	L	L	A1N	CAMSE	<u>                                      </u>	41.41	41.41	41.63	41.63	<u> </u>			<u> </u>	<u> </u>	
$\vdash \vdash \vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access		ļ	A1N	CAMDP		8.15	8.15	9.16	9.16						ļ
$\vdash \vdash \vdash$	AIN SMS Access Service - Port Connection - ISDN Access		<u> </u>	A1N	CAM1P		8.15	8.15	9.16	9.16						<b></b>
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		35.29	35.29	26.50	26.50						
<b></b>	AIN SMS Access Service - Security Card, Per User ID Code,			AIN	CAIVIAU		35.29	35.29	26.50	26.50					-	-
	Initial or Replacement			A1N	CAMRC		40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			7.1114	O7 WII (O	0.0038	40.24	40.24	11.72	11.72						
	AIN SMS Access Service - Session, Per Minute					1.81										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8323										
AIN - BELLSC	UTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,			CAM	BAPSC		44.44	41.41	41.63	41.63						
$\vdash$	Initial Setup AIN Toolkit Service - Training Session, Per Customer		<u> </u>	CAIVI	BAPVX		41.41 4,236.62	4,236.62	41.63	41.03						
	AIN Toolkit Service - Training Session, Fer Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAFVA		4,230.02	4,230.02							<del> </del>	
	DN, Term. Attempt				BAPTT		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Delay				BAPTD		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.15	8.15	9.16	9.16						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		33.98	33.98	44.00	44.00						
	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		33.98	33.98	14.09	14.09					-	
	DN. CDP				BAPTC		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				27 11 10		00.00	00.00								
	DN, Feature Code				BAPTF		33.98	33.98	14.09	14.09						
	AIN Toolkit Service - Query Charge, Per Query					0.0271438										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0059195										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access					0.04										
$\vdash$	Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service		<del>                                     </del>		+	0.04	-								+	<del>                                     </del>
	Subscription			CAM	BAPMS	14.78	8.15	8.15	5.71	5.71					1	
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service		<b>†</b>				50	3.70	51	J I						
	Subscription	<u></u>	<u>L</u>	CAM	BAPLS	6.46	8.98	8.98								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service							<u> </u>								
$\vdash$	Subscription		<u> </u>	CAM	BAPDS	8.54	8.15	8.15	5.71	5.71					ļ	<b></b>
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES	0.22	8.98	8.98								
ENHANCEDE	Service Subscription XTENDED LINK (EELs)		<del>                                     </del>	CAIVI	BAPES	0.22	8.98	8.98							<del>                                     </del>	-
NOTE	The monthly recurring and non-recurring charges below will	applv a	nd the	Switch-As-Is Charn	e will not and	oly for UNF con	binations pro	visioned as ' C	ordinarily Comb	ined' Network	Elements				<b>-</b>	+
NOTE	The monthly recurring and the Switch-As-Is Charge and not t	he non-	-recurri	ng charges below v	will apply for	UNE combinati	ons provisione	ed as ' Current	ly Combined' N	etwork Eleme	nts.				1	
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTER	ROFFICE TRANSPO	RT											
	First 2-Wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86					1	<u> </u>

ACTIONN BATE REMENTS HIME   2000   10	UNBUNDI F	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
MATE ELEMENTS	5.155115E											Svc Order	Svc Order				Incremental
RATE CLEMENTS   March																	
ATTEMPS NAME FOLIA DESIGNATION OF THE ADMINISTRATION OF THE ADMINI			to to a														
Best	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)				,				
The Author   Company   C			m						.,			per Lor	per Lor				
Part   Deliver																	
Part   Part																DISC 1St	DISC Add I
PRIZ   MIN   Color (BLT)   Commission 2 mag   Solution   Solutio							Rec										
State   Stat												SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Description   Description				3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
Biological Production Confidence - District International Confidence - Policy   Confid																	1
Terrentotro per month	-				UNC1X	1L5XX	0.1154										
10 Charmodiscone Sizeren in contensation for Motion   M					LINIOAN		04.40	07.70	45.70	40.00	07.07						í
Vender Grade COCO - Per More   Light Commission - Zone 1   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 2   Light Commission - Zone 3   Light Commission - Zone 2	<b></b>								45.73	43.80	27.97						
Each Additional 2 Winn VG Loop (St. 2) in Combination - Zone 1   L NACVX	<del>                                     </del>								2 90	16.86	1.04						
Each Additional Z-Wire VGLoop (St. 2) in Combination - Zone 2   2 UNCVX		Voice Grade GGG1-1 et Wortti			ONCVX	IDIVO	0.4003	21.00	2.30	10.00	1.04						
Each Additional Z-Wire VGLoop (St. 2) in Combination - Zone 2   2 UNCVX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						i
Cach Additional 2-Wire VOLCO (Et. 2) in Contribution - Zone 3   3 UNCV   UEAL   53.06   196.56   26.36   16.42   6.86																	
Cach Additional 2-Wire VOLCO (Et. 2) in Contribution - Zone 3   3 UNCV   UEAL   53.06   196.56   26.36   16.42   6.86		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						ı
Vaces Grader COD - Per Monter   UNCYX   101/0G   0.4899   27:33   2.90   16.86   1.04															1		1
Nonexaming Currenty Combined Network Elements Switch - As-   NaCIX	LI			3				195.94				<u> </u>	<u> </u>	<u> </u>			<u>.                                    </u>
INCLUS   I					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						i
Extracted 4-Wirk Work Ending Vision Grade Loop in Combination - Zone 1																	1
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1								5.70	5.70	6.61	6.61						
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 21.68 196.94 36.38 18.42 6.86	EXTE	NDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	PRT											<b></b>
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2 2 UNCVX UEAL4 21.68 196.94 36.38 18.42 6.86																	í
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   30.25   195.94   36.38   18.42   6.86		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						<b></b>
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   30.25   195.94   36.38   18.42   6.86							0.4.00										í
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X	<b>—</b>	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X		First 4 Wiss Apples Vaiss Conda Lass is Combination 7 2		_	LINIOVO	LIEAL 4	20.05	405.04	20.20	40.40	0.00						i I
Per Month	<b></b>			3	UNCVX	UEAL4	30.25	195.94	30.38	18.42	0.80						
Interoffice Transport - Dedicated - DS1 - Facility Termination Per   NOTIX   U1TF1   34.19   87.76   45.73   43.80   27.97   170 Channel System in combination - per month   NOTIX   M01   69.75   86.10   1.04   1.05					LINC1Y	11 5YY	0.1154										1
Month					ONOTA	TESTA	0.1154										
10 Channel System in combination per Month					UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						i
Voice Grade COCI in combination - per month																	
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						·
Interoffice Transport Combination - Zone 1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						ı
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3 3 UNCVX UEAL4 30.25 195.94 36.38 18.42 6.86 Interoffice Transport Combination - Zone 2 1 UNCX UDL56 21.86 Interoffice Transport Combination - Per Month UNCX UDL56 21.86 Interoffice Transport Combination - Zone 1 UNCX UDL56 21.86 Interoffice Transport Combination - Zone 2 UNCDX UDL56 21.86 Interoffice Transport Occurrently Combination - Zone 2 UNCDX UDL56 21.86 Interoffice Transport Occurrently Combination - Zone 2 UNCDX UDL56 21.86 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 3 Interoffice Transport - Dedicated - DS1 - combination - Zone 1 Interoffice Transport - Dedicated - DS1 - combination - Zone 1 Interoffice Transport - Dedicated - DS1 - combination - Zone 2 Interoffice Transport - Dedicated - DS1 - combination - Zone 2 Interoffice Transport - Dedicated - DS1 - combination - Zone 2 Interoffice Transport - Dedicated - DS1 - combination - Zone 2 I																	í
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL4   30,25   195,94   36,38   18,42   6,88   Additional Voice Grade COCI In combination - per month   UNCVX   DIVIG   0.4689   27,33   2,90   16,86   1,04   1,				2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						i
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   0.4689   27.33   2.90   16.86   1.04																	í
Nonrecurring Currently Combined Network Elements Switch -As-   Is Charge				3													<b></b>
Is Charge   UNC1X					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						<b></b>
EXTENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					LINIOAN			F 70	F 70	0.04	0.04						i
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EVTE		CATED	DE4 IN				5.70	5.70	6.61	6.61				-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X 1L5XX 0.1154  UNC1X 1L5XX	EXIE	ADED 4-MAIKE 30 KDF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	אוופע	LKOFFICE IKANS	J OK I				<del>                                     </del>			-	-	-		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 28.36 195.94 36.38 18.42 6.86  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 38.22 195.94 36.38 18.42 6.86  Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month UNC1X 1L5XX 0.1154  Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month UNC1X 1L5XX 0.1154  UNC1X 1L5XX		First 4-Wire 56Khps Digital Grade Loop in Combination - Zone 1		1	LINCDX	LIDL 56	21.86	195 94	36.38	18 42	6 86		1				1
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86	<del>                                     </del>	11 1130 - VVIII OUTOPS DIGITAL OFACE LOOP III COMBINATION - ZONE I	<b>-</b>		OI TODA	JDLJ0	21.00	130.34	30.30	10.42	0.00		<b>-</b>		<b> </b>		$\leftarrow$
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   38.22   195.94   36.38   18.42   6.86		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		1				1
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154   UNC1X   1L5XX   0.1154   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   UNC1X   UNC1X   MQ1   69.75   86.10   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   UNC1X   U1TF1   UNC1X   UNC1X   U1TF1   U1TF1			l	Ė		1	20.00		55.50	2	0.50				1		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.1154   UNC1X   1L5XX   0.1154   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97   UNC1X		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1				1
Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   34.19   87.76   45.73   43.80   27.97																	1
Termination Per Month			<u></u>		UNC1X	1L5XX	0.1154							<u> </u>			<u>.                                    </u>
1/0 Channel System in combination Per Month																	
OCU-DP COCI (data) per month (2.4-64kbs)						_			45.73	43.80	27.97						
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   21.86   195.94   36.38   18.42   6.86																	
Interoffice Transport Combination - Zone 1	$\vdash$				UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						<b>.</b>
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   28.36   195.94   36.38   18.42   6.86					LINODY			,					1				1
Interoffice Transport Combination - Zone 2	$\vdash$			1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86			<b> </b>	ļ		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3  Additional OCU-DP COCI (data) - in combination per month (2.4-				_	LINCDY	LIDLEC	20.22	405.04	20.00	40.40	0.00						ı
Interoffice Transport Combination - Zone 3   3 UNCDX UDL56   38.22   195.94   36.38   18.42   6.86	$\vdash$		<b>-</b>		UNCDX	UDLOB	28.36	195.94	36.38	18.42	6.86	-	-			-	
Additional OCU-DP COCI (data) - in combination per month (2.4-				2	LINCDX	LIDL 56	38 33	105 04	36 30	19.42	6.96		1				1
					OITODA	CDLOG	50.22	133.34	30.30	10.42	0.00	<u> </u>					
		64kbs)		1	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	1	1				1

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
0.4750.00%	DATE EL EMENTO	Interi	<b>-</b>	D00				DATEO (6)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						_
EXTE	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
						0.4.00										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	That 4 White Out to be Digital Oracle 2000 in Combination 2016 2			ONODA	ODLO-	20.00	100.04	00.00	10.42	0.00						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154										
1 1	interoffice Transport - Dedicated - DS1 combination - Facility			LINGAY	LIATE:											
$\vdash$	Termination Per Month	<b>!</b>		UNC1X UNC1X	U1TF1 MQ1	34.19 69.75	87.76 86.10	45.73	43.80	27.97	ļ			<b> </b>		
-	1/0 Channel System in combination Per Month  OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	<b>.</b>					
-	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	טטוטו	0.9963	21.33	2.90	10.00	1.04						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1									0.00						
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
	Additional OCU-DP COCI (data) - in combination - per month				1											
	(2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04	ļ					
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61						
FXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS1	INTER				5.70	5.70	0.01	0.01	<b>†</b>					
EXIL	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.1154					ļ					,
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINICAY	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UTIFT	34.19	07.70	45.73	43.00	21.91	<b> </b>					
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				0.70	0.70	0.01	0.01						
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
1 1	Interoffice Transport - Dedicated - DS3 combination - Per Mile			LINIONY	41.500											,
$\vdash$	Per Month	-		UNC3X	1L5XX	2.53			<del>                                     </del>		1					,———
1 1	Interoffice Transport - Dedicated - DS3 - Facility Termination per month	1		UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
	3/1Channel System in combination per month	<del>                                     </del>		UNC3X	MQ3	121.90	323.31	11.01	45.50	32.00	1			<b> </b>		
	DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional DS1Loop in DS3 Interoffice Transport Combination -	İ														
	Zone 1		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
1 1 -	Additional DS1Loop in DS3 Interoffice Transport Combination -	1							Ι Π							, 7
$\vdash$	Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
1 1	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	3	LINCAV	USLXX	62.03	209.45	70.44	37.91	6.00						
<del>                                     </del>	Zone 3 Additoinal DS1 COCI in combination per month	1	3	UNC1X UNC1X	UC1D1	7.35	209.45	2.90	16.86	6.86 1.04	1			<del> </del>		
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOIX	COIDI	7.33	21.33	2.90	10.00	1.04						
	Is Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						i
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE	ROFFICE TRANSPO	DRT											
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
	2-WireVG Loop in combination - Zone 2			UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86	ļ					
	2-WireVG Loop in combination - Zone 3	l	3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						

UNBUN	DLED	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		·····-	m									per LSK	per LSK				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
$\vdash$				1		+ +		Nonrec	urring	Nonrecurring	Disconnect		l	OSS	Rates (\$)		
$\vdash$				1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		1		+ +		11130	Addi	11100	Addi	COME	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Month			UNCVX	1L5XX	0.0057										
$\vdash$		Interoffice Transport - 2-wire VG - Dedicated - Facility	<b>!</b>	1	ONOVA	120/01	0.0007										
		Termination per month			UNCVX	U1TV2	12.87	66.53	33.61	43.42	27.60						
$\vdash$		Nonrecurring Currently Combined Network Elements Switch -As-	1	<u> </u>	UNCVA	UTIVZ	12.07	00.55	33.01	43.42	27.00	-	-		-	-	-
		Nomecuring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		5.70	5.70	6.61	6.61						
-	VTENI	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	E INITEI				5.70	5.70	0.01	0.01	-	-		-	-	-
F		4-WireVG Loop in combination - Zone 1	GRAD	<u> </u>	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
$\vdash$						UEAL4	21.68	195.94		18.42	6.86						
$\vdash$		4-WireVG Loop in combination - Zone 2		2	UNCVX				36.38								
$\vdash$		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per	I		LINOVY	41.577	0.0057					l	1		I	1	I
$\vdash \vdash$		Month	<b>!</b>	<del>                                     </del>	UNCVX	1L5XX	0.0057			1	-	-	ļ		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
1 1		Interoffice Transport - 4-wire VG - Dedicated - Facility	1		LINOVY	LIATO /A	10.70	00.50	00.01	40.70	07.00	1	1		I	I	I
$\vdash$		Termination per month			UNCVX	U1TV4	10.78	66.53	33.61	43.42	27.60						
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
<b></b> _		ls Charge	L		UNCVX	UNCCC		5.70	5.70	6.61	6.61						
E		DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE													
$\vdash$		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	10.97										
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	253.38	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	2.53										
		Interoffice Transport - Dedicated - DS3 combination - Facility															
oxdot		Termination per month			UNC3X	U1TF3	342.02	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
oxdot		ls Charge			UNC3X	UNCCC		5.70	5.70	6.61	6.61						
E		DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
oxdot		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	10.97										
		STS-1 Local Loop in combination - Facility Termination per															
oxdot		month			UNCSX	UDLS1	305.42	1,260.47	628.84	41.53	20.76						
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	2.53										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	358.67	325.91	77.07	49.56	32.88						
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		ls Charge			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
E)		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	E TRAN														
oxdot		First 2-Wire ISDN Loop in Combination - Zone 1	ļ		UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
	T	Interoffice Transport - Dedicated - DS1 combination - per mile											1				
		per month			UNC1X	1L5XX	0.1154										
		Interoffice Transport - Dedicated - DS1 combination - Facility											1				
		Termination per month	<u> </u>	<u></u>	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		1/0 Channel System in combination - per month			UNC1X	MQ1	69.75	86.10									
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 1	<u> </u>	1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2	1	2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86				1		1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 3	1	3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86				1		1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
1 1		month	1		UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04	1	1		I	I	I
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1													
		Is Charge	1		UNC1X	UNCCC		5.70	5.70	6.61	6.61	1	1		I	I	I
E'	XTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE								İ	İ				
	İ	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	_	First DS1 Loop Combination - Zone 2	1	2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86	İ	İ				
$\vdash$	- 1	FIIST DS I LOOP COMBINATION - ZONE Z															

ACT   Control	UNBUNDLED	NETWORK ELEMENTS - Georgia													ment: 2	Exhi	
No.   No.	CATEGORY	RATE ELEMENTS		Zone	BCS	usoc						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
Interdiffice Transport - Declarated - 5TS-1 combination - Per Wile   NPCSX   11,500   2,53   1,500							Rec		curring								
Par Notes							IXEC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Interediffice Transport - Declarated - STRS - Complement - Feedbly   ONCESX   UTTE   366.67   77.07   46.56   20.60																	
STEMPORT STATES   S		· o. month			UNCSX	1L5XX	2.53										
DSI COCC   normalisation per month					UNCSX		358.67	325.91	77.07	49.56	32.88						
Additional Distlops in the same STS-1 insertice Transport Combination: Zone 1 Additional Distlops in the same STS-1 insertice Transport Additional Distlops in the same STS-1 insertice Transport Combination: Zone 1 Additional Distlops in the same STS-1 insertice Transport Combination: Zone 3 Additional Distlops in the same STS-1 insertice Transport Combination: Zone 3 Additional Distlops in the same STS-1 insertice States Addition Combination: Zone 3 Additional Distlops in the same STS-1 insertice States Addition Combination: Zone 3 Additional Distlops in the same STS-1 insertice States Addition Combination: Zone 3 Additional Distlops in the same STS-1 insertice States Addition UNCSX UNCS																	
Combination - 2					UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
Additional DS Lucy in the same STS-1 Interoffice Transport Commissions - Zoure 2 Additional DS Lucy in the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the same STS-1 Interoffice Transport Commission Society of the State																	
Combination 2-Name 2   2   UNICIX   USUX   6.6.1   206.45   70.4.4   37.91   6.86				1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
Additional DSI Logo in the same STS1 - Interdiffice Transport   3 IUNC1X				_	LINICAV	LICLYY	40.44	200 45	70.44	27.04	0.00						
Combination - Zamin 3			-		UNUIX	USLAX	46.41	209.45	70.44	37.91	6.86	-		-	-	-	
SST COCI in combination per month   NRCTX   UCID1   7.35   27.33   2.00   16.86   1.04			1	3	UNC1X	usi xx	62 03	209 45	70.44	37 01	6.86						
Noncecuring Currently Combined Newtook Elements Switch - 4e-   UNCSX   UNCCC   S.70			<b>-</b>										<u> </u>				
SCHANGE   STRONGE - WINES 64 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTEROFFECE TRANSPORT			1	<u> </u>		30.51	7.00	21.00	2.30	10.50	1.04	<u> </u>	<b>†</b>	1	1	1	
EXTENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KBPS INTERCEPTICE TRANSPORT   1					UNCSX	UNCCC		5.70	5.70	6.61	6.61						
4-wire 56 kipps Local Loop in combination - Zone 1			BPS INT	EROFF				20	2.70	1.51	2.31		İ	İ	İ	l	
Having 68 kbps Local Loop in combination - Zone 3   SINCDX   UDL56   38.22   195.94   36.38   18.42   6.86				1	UNCDX												
Interdiffee Transport - Declicated - 4-wire 64 kbps combination - Facility Termination per month   UNCDX   U1TD5   7.83   66.53   33.61   43.42   27.60	4	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX						6.86						
Per Mile per month	4	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
Interoffice Transport - Dedicated -4-wire 68 kbps combination -   UNCDX																	
Facility Termination per month   UNCDX UTTDS 7.83 66.53 3.3.61 43.42 27.60					UNCDX	1L5XX	0.0057										
Norrecurring Currently Combined Network Elements Switch -As-   UNCDX																l	
UNCDX				<u> </u>	UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60			ļ	ļ		
EXTENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KBPS INTEROFFICE TRANSPORT    4-wire 64 kbps Local Loop in Combination - Zone 2			1														
4-wire 64 khps Local Loop in Combination - Zone 1			 			UNCCC		5.70	5.70	6.61	6.61			ļ	ļ	<b> </b>	
4-wire 64 kbps Local Loop in Combination - Zone 3   2   UNCDX   UDL64   28.36   195.94   36.38   18.42   6.86			SPS INT			LIDI 64	04.00	405.04	20.00	40.40	0.00			<del>                                     </del>	<del>                                     </del>	<b> </b>	
A-wire 64 kbps Local Loop in Combination - Zone 3   3 UNCDX   UDL64   38.22   195.94   36.38   18.42   6.86			-														
Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			<b>!</b>									-	-				
Per Mile per month			<del>                                     </del>	٦	ONODA	ODL04	30.22	155.54	30.30	10.42	0.00			<del> </del>	<del> </del>	-	
Interoffice Transport - Dedicated - 4-wire 64 ktpps combination - Facility Termination per month			1		UNCDX	11.5XX	0.0057										
Facility Termination per month						.20,51	3.0007							1	1		
Nonrecurring Currently Combined Network Elements Switch -As-   UNCDX   UNCCC   5.70   5.70   6.61   6.61   6.61			1		UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
Is Charge						1 -		22.20	22.31	12.72	50			İ	İ	İ	
EXTENDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE TRANSPORT w 3/1 MUX			1		UNCDX	UNCCC		5.70	5.70	6.61	6.61						
First 2-wire VG Loop (SL2) in Combination - Zone 2   2 UNCVX	EXTEND	DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP														
First 2-wire VG Loop (SL2) in Combination - Zone 3   3 UNCVX   UEAL2   33.08   195.94   36.38   18.42   6.86																	
First Interoffice Transport - Dedicated - DS1 combination - Per   Mile																	
Mile				3	UNCVX	UEAL2	33.08	195.94	36.38	18.42	6.86						
First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			1														
Facility Termination per month			ļ	ļ	UNC1X	1L5XX	0.1154			1				ļ	ļ	<b> </b>	
Per each DS1 Channelization System Per Month			1		LINICAY	LIATEA	24.42	07.70	45.70	40.00	07.07						
Per each Voice Grade COCI - Per Month per month			<b> </b>	<u> </u>					45.73	43.80	27.97			<del>                                     </del>	<del>                                     </del>	<b> </b>	
3/1 Channel System in combination per month			<del>                                     </del>	<b>-</b>					2.00	16.00	1.04	-		<b> </b>	<b> </b>	-	
Per each DS1 COCI in combination per month				-				21.33	∠.90	10.86	1.04		-				
Each Additional 2-Wire VG Loop(SL 2) in the same DS1								27 33	2 00	16.86	1 04			<b> </b>	<b> </b>		
Interoffice Transport Combination - Zone 1			l	l —	5.1017	30.01	1.55	21.00	2.30	10.00	1.04	<del>                                     </del>	<b>-</b>				
Each Additional 2-Wire VG Loop(SL2) in the same DS1			1	1	UNCVX	UEAL2	11.57	195.94	36.38	18.42	6.86						
Interoffice Transport Combination - Zone 2			i e	<u> </u>	-	<del>                                     </del>			22.30	1.5.72	2.30			İ	İ		
Each Additional 2-Wire VG Loop(SL2) in the same DS1			1	2	UNCVX	UEAL2	16.95	195.94	36.38	18.42	6.86						
Each Additional Voice Grade COCI in combination - per month UNCVX 1D1VG 0.4689 27.33 2.90 16.86 1.04  Each Additional DS1 Interoffice Channel per mile in same 3/1 UNC1X 1L5XX 0.1154																	
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.1154			L	3								L				<u> </u>	
Channel System per month UNC1X 1L5XX 0.1154					UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
			l													l	
					UNC1X	1L5XX	0.1154										
		Each Additional DS1 Interoffice Channel Facility Termination in	1			[ <u></u> -											
			ļ											ļ	ļ		

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
<b></b>							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
EVE	Is Charge	LEDOFE	IOF TO	UNC1X	UNCCC		5.70	5.70	6.61	6.61						<b>├</b>
EXI	ENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT First 4-Wire Analog Voice Grade Local Loop in Combination -	ERUFF	ICE IR	ANSPORT W/ 3/1 WI	UX						-					⊢—
	Zone 1		4	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						
<del>                                     </del>	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	UNCVA	ULAL4	17.00	193.94	30.30	10.42	0.00						<u> </u>
	Zone 2		2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86						İ
	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OL/ L	21.00	100.04	00.00	10.42	0.00				1		
	Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 - Facility															
	Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				<u> </u>	<u> </u>	1
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	69.75	86.10	•								
$\Box$	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire Analog Voice Grade Loop in same DS1					4=00										
$\vdash$	Interoffice Transport Combination - Zone 1	ļ	1	UNCVX	UEAL4	17.80	195.94	36.38	18.42	6.86						<b>——</b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	LINIOVO	LIEAL 4	04.00	405.04	20.20	40.40	0.00						ĺ
$\vdash$	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1	1	2	UNCVX	UEAL4	21.68	195.94	36.38	18.42	6.86				-		<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	30.25	195.94	36.38	18.42	6.86						ĺ
<b>—</b>	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	3	UNCVA	ULAL4	30.23	193.94	30.30	10.42	0.00				-		
	Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.1104								1		
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.4689	27.33	2.90	16.86	1.04						
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	3PS INT	EROFF	ICE TRANSPORT W	/ 3/1 MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
$\vdash$	Zone 2	<b>.</b>	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86		<b> </b>		<del>                                     </del>	<b> </b>	-
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86		1		I		1
$\vdash$	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	UNCDX	UDLOB	38.22	195.94	30.38	18.42	0.86	-			+		<del></del>
	Mile Per Month	1		UNC1X	1L5XX	0.1154						1		I		1
	First Interoffice Transport - Dedicated - DS1 - combination	l	<del>                                     </del>	0.101/	.20/01	0.1104			1		<u> </u>			<b>-</b>		<b>—</b>
	Facility Termination Per Month	1		UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97		1		I		1
	Per each 1/0 Channel System in combination Per Month	i –		UNC1X	MQ1	69.75	86.10			257				1		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		i –	UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1							<del></del>								1
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86				L		<b>└</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1										1		I		1
$\vdash$	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86				-		<del></del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	3	LINCDY	LIDLES	20.00	405.04	20.00	40.40	0.00		1		I		1
$\vdash$	Interoffice Transport Combination - Zone 3  OCU-DP COCI (data) COCI in combination per month (2.4-	1	3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86	-	-	-	<del>                                     </del>		<del></del>
	64kbs)	1		UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04		1		I		1
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	<del>                                     </del>	ONODA	טטוטו	0.9903	21.33	2.90	10.00	1.04	-	<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>
	Channel System per month	1		UNC1X	1L5XX	0.1154						1		I		1
<del>                                     </del>	Each Additional DS1 Interoffice Channel Facility Termination in	<b>†</b>	<b>†</b>	CHOIN	ILUAA	0.1154			1			<b>-</b>		t		<del>                                     </del>
	same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97				1		1
	Each Additional DS1 COCI in the same 3/1 channel system	t	t		1	00	50		.5.50	257				1	İ	
1 1	combination per month	1		UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04	1	1		I		1

UNBU	JNDLEI	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	oit: A
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
								Nonrec		Monroourring	Dissennest				Rates (\$)		
						+	Rec	First	Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-							,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		71001			00,	00		
		Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
-	EXTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						1
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		<u> </u>	ONODA	ODLO4	21.00	133.34	30.30	10.42	0.00						
		Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			LINODY	LIDLO4	00.00	105.04	00.00	40.40	0.00						1
-		Transport Combination - Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						
		Mile Per Month			UNC1X	1L5XX	0.1154										1
		First Interoffice Transport - Dedicated - DS1 combination -															
		Facility Termination Per Month		ļ	UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						<b>.</b>
<u> </u>		Per each Channel System 1/0 in combination Per Month		<u> </u>	UNC1X	MQ1	69.75	86.10		1							
		Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						1
		3/1 Channel System in combination per month			UNC3X	MQ3	121.90	27.00	2.00	10.00	1.04						
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
-		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86						
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86						1
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			ONOBA	OBEO+	20.00	100.04	00.00	10.42	0.00						
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						1
		Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
-		combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.9963	27.33	2.90	16.86	1.04						
		Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										1
		Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TEO/OC	0.1104										
		same 3/1 Channel System per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						1
		Each Additional DS1 COCI in the same 3/1 channel system															1
-		combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						1
	EXTEN	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX	Olto IX	0.1000		0.10	00	0.01	0.01						
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
		Transport - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86						-
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						ı
		First 2-Wire ISDN Loop in a DS1 Interoffice Combination			011011/1	UTLEA	20.20	195.54	50.50	10.42	0.00						<u> </u>
		Transport - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						ı
		First Interoffice Transport - Dedicated - DS1 combination - Per				41 => c :			·								
-		Mile per month  First Interoffice Transport - Dedicated - DS1 combination -		-	UNC1X	1L5XX	0.1154			1							
		First interoffice Transport - Dedicated - DST combination - Facility Termination per month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
		Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	69.75	86.10	10.10	10.00	27.07						
		•															
<u> </u>	<b>_</b>	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						
<b> </b>	<del>                                     </del>	3/1 Channel System in combination per month Per each DS1 COCI in combination per month	-	-	UNC3X UNC1X	MQ3 UC1D1	121.90 7.35	27.33	2.90	16.86	1.04						
<b> </b>		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		<del>                                     </del>	ONCIA	OCIDI	1.35	21.33	2.90	10.00	1.04						
		Combination - Zone 1		1	UNCNX	U1L2X	19.82	195.94	36.38	18.42	6.86		<u> </u>				<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
<u> </u>	<b>_</b>	Combination - Zone 2		2	UNCNX	U1L2X	26.26	195.94	36.38	18.42	6.86						-
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	42.17	195.94	36.38	18.42	6.86						
		Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	011011/	JILZA	42.17	133.34	30.30	10.42	0.00						
		system combination- per month			UNCNX	UC1CA	1.66	27.33	2.90	16.86	1.04						, ,
		•															

ONRONDLE	D NETWORK ELEMENTS - Georgia			ı		1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	[				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system															
-	combination per month  Nonrecurring Currently Combined Network Elements Switch -As-		<u> </u>	UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	SPORT		011000		0.70	0.70	0.01	0.01	1					
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
<u> </u>	First 4-wire DS1 Digital Looal Loop in Combination - Zone 2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86					İ	l
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3			UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86					1	
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.1154										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	3/1 Channel System in combination per month			UNC3X	MQ3	121.90										
	Per each DS1 COCI combination per month			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.1154										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	34.19	87.76	45.73	43.80	27.97						
	combination per month  Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	UC1D1	7.35	27.33	2.90	16.86	1.04						
	1 Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	41.02	209.45	70.44	37.91	6.86						
	2		2	UNC1X	USLXX	46.41	209.45	70.44	37.91	6.86						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone 3		3	UNC1X	USLXX	62.03	209.45	70.44	37.91	6.86						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
EXTEN	DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE	TRANSPORT												
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	21.86	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	28.36	195.94	36.38	18.42	6.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	38.22	195.94	36.38	18.42	6.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD5	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
FXTFN	DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE		514000		5.70	5.70	0.01	0.01						
EXILI	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	21.86	195.94	36.38	18.42	6.86	<del>                                     </del>					
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	28.36	195.94	36.38	18.42	6.86					1	
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.22	195.94	36.38	18.42	6.86						İ
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0057										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	7.83	66.53	33.61	43.42	27.60						
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC	7.00	5.70	5.70	6.61	6.61						
ADDITIONAL N	IS Charge IETWORK ELEMENTS		<del>                                     </del>	OINCDV	UNCCC		5.70	5.70	10.0	10.0	<del>                                     </del>				<del> </del>	
	used as a part of a currently combined facility, the non-recurr	na cha	rnes de	notanniv huta 9	Switch As Is of	harge does ann	ılv								<del> </del>	<b> </b>
	used as a part of a currently combined facility, the hon-recurr														<del> </del>	-
	curring Currently Combined Network Elements in All States, it					no io citatye (	iosa not.				<b>-</b>					
11011160	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - 2 wire/4-Wire VG	Ja. 90	,5110 6	UNCVX	UNCCC		5.70	5.70	6.61	6.61						

UNRIII	NDI F	NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	hit: A
0.4001	.0221	THE THE STATE CONTROL OF THE STATE OF THE ST		ı								Svc Order	Svc Order	Incremental		Incremental	Incremental
1												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec		curring	Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As-															
$\vdash$		Is Charge - 56/64 kbps			UNCDX	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-															
$\vdash$		Is Charge - DS1			UNC1X	UNCCC		5.70	5.70	6.61	6.61						
		Nonrecurring Currently Combined Network Elements Switch -As-			LINIOOV			5.70	5.70	0.04	0.04						
$\vdash$		Is Charge - DS3 Nonrecurring Currently Combined Network Elements Switch -As-		ļ	UNC3X	UNCCC		5.70	5.70	6.61	6.61	-					
		Is Charge - STS1			UNCSX	UNCCC		5.70	5.70	6.61	6.61						
$\vdash$	Intion	al Features & Functions:			UNCOA	UNCCC		5.70	5.70	0.01	0.01						
<b>├</b> ──	эрион	arreatures & runctions.			U1TD1,	+									1		
		Clear Channel Capability Extended Frame Option - per DS1	1		ULDD1,UNC1X	CCOEF		OL	OI	OI	οι						
		croar charmer capability Extended Frame option per 201	i i		U1TD1.	0002.		0.	0.								
1 1		Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI		1				
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,			-	-								
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.62S	23.78S	2.03S	0.79S						
		, ,		i –	U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i	<u> </u>	UE3, UNC3X	NRCC3	<u> </u>	218.74S	7.66S	0.7591S	0S		<u> </u>				<u> </u>
	MULTIF	PLEXERS															
		DS1 to DS0 Channel System per month			UNC1X	MQ1	69.75	86.10									
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
$\perp$		Local Channel in the same SWC as collocation			U1TUD	1D1DD	0.9963	11.98	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
$\vdash$		month for a Local Loop			UDN	UC1CA	1.66	15.81	11.39	6.61	6.61						
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	1.66	15.81	11.39	6.61	6.61						
$\vdash$	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	1.00	15.01	11.39	0.01	0.01						
		used for a Local Loop			UEA	1D1VG	0.4689	11.98	11.39	6.61	6.61						
$\vdash$	_	Voice Grade COCI - DS1 to DS0 Channel System - per month			ULA	IDIVG	0.4009	11.90	11.39	0.01	0.01				1		
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	0.4689	11.98	11.39	6.61	6.61						
$\vdash$		DS3 to DS1 Channel System per month			UNC3X	MQ3	121.90	11.00	11.00	0.01	0.01						
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	121.90										
		DS1 COCI used with Loop per month		t —	USL	UC1D1	7.35	15.81	11.39	6.61	6.61				İ		İ
		DS1 COCI (used for connection to a channelized DS1 Local	1	i –	ĺ		50		30			İ			İ		l
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	7.35	15.81	11.39	6.61	6.61		1				
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															l
$oxed{oxed}$		month		<u> </u>	ULDD1	UC1D1	7.35	15.81	11.39	6.61	6.61						
		OCAL EXCHANGE SWITCHING(PORTS)															
		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s	ļ					ļ		ļ
$\vdash$	2-WIRE	VOICE GRADE LINE PORT RATES (RES)		<u> </u>	LIEBOD	LUEDE:											
$\vdash$		Exchange Ports - 2-Wire Analog Line Port- Res.		<u> </u>	UEPSR	UEPRL	1.09	2.42	2.31	1.37	1.28				ļ		<b> </b>
		Evolungo Porto 2 Wiro Angles Line Port with Celler ID Day			LIEDOD	UEPRC	4.00	0.40	0.04	4.07	4.00						
$\vdash$		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.	-	<u> </u>	UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28	-			-		
		Evolungo Porto - 2 Wiro Anglog Line Port outgoing only - De-			UEPSR	UEPRO	1.09	2.42	2.31	1.37	1.28		1				
+		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port		<del>                                     </del>	UEFSK	UEPKU	1.09	2.42	∠.31	1.37	1.28		<b> </b>		-		-
		with Caller ID (LUM)			UEPSR	UEPAP	1.09	2.42	2.31	1.37	1.28						
$\vdash$	-	Exchange Ports - 2-Wire Voice Georgia basic dialing port	-	<del>                                     </del>	OLI OIX	OLFAF	1.09	2.42	2.31	1.37	1.20	<b>-</b>					
		without Caller ID			UEPSR	UEPWC	1.09	2.42	2.31	1.37	1.28		1				
$\vdash$		2-Wire voice unbundled Georgia basic dialing port for use with	<b>†</b>	<del>                                     </del>	021 010	JL1 110	1.09	2.42	2.31	1.37	1.20	<b>-</b>	<b> </b>				1
		Caller ID - res			UEPSR	UEPWQ	1.09	2.42	2.31	1.37	1.28		1				
			<del>                                     </del>		i -	1	50			1	0		t				
$\vdash$		2-Wire voice unbundled Georgia basic dialing port - outgoing		1													

UNBUNDL	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
1											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPSR	UEPRT	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port without Caller ID capability,															
	Georgia			UEPSR	UEPRV	1.09	2.42	2.31	1.37	1.28						
	2-Wire Voice Grade Unbundled Port with Caller ID capability,															
	Georgia			UEPSR	UEPRU	1.09	2.42	2.31	1.37	1.28						
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00								
FEAT	URES				I											
	All Available Vertical Features			UEPSR	UEPVF	0.775	0.00	0.00								
2-WIR	RE VOICE GRADE LINE PORT RATES (BUS)															
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
$\vdash$	Bus But OW're VO at a Hellie Bet ith	<b>!</b>	1	UEPSB	UEPBL	1.09	2.42	2.31	1.37	1.28	-		<b>.</b>	-		<b>.</b>
	Exchange Ports - 2-Wire VG unbundled Line Port with	1		LIEDOD	LIEDDO	4.00	0.10	0.01		4		1				
$\vdash$	unbundled port with Caller+E484 ID - Bus.	<b></b>	1	UEPSB	UEPBC	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing	1		LIEDOD	LIEDWS		!					1				
$\vdash$	Port, with Caller ID capability	<b>!</b>	1	UEPSB	UEPWP	1.09	2.42	2.31	1.37	1.28	-		<b>.</b>	-		<b>.</b>
	Enhance Body OMfor Analysis's Body of Street			LIEDOD	LIEDDO	4.00	0.40	0.04	4.07	4.00						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.09	2.42	2.31	1.37	1.28						
	Exhange Ports - 2-Wire VG unbundled incoming only port with				l											
	Caller ID - Bus			UEPSB	UEPB1	1.09	2.42	2.31	1.37	1.28						
	Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan				l l											
	without Caller ID			UEPSB	UEPWD	1.09	2.42	2.31	1.37	1.28						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.09	2.42	2.31	1.37	1.28						
L	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEAT	URES		1	LIEDOD	LIED) /E	0.775	0.00	0.00								
EVOL	All Available Vertical Features IANGE PORT RATES (DID & PBX)	1	1	UEPSB	UEPVF	0.775	0.00	0.00	-			-				-
EXCH				LIEDOE	LIEDDD	4.00	28.88	40.00	44.40	0.00						
$\vdash$	2-Wire VG Unbundled 2-Way PBX Trunk - Res	1	1	UEPSE	UEPRD UEPPC	1.09 1.09		13.63	11.48	0.83		-				-
$\vdash$	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus 2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus		_	UEPSP UEPSP	UEPPO	1.09	28.88 28.88	13.63 13.63	11.48 11.48	0.83 0.83	-					
<b></b>	2-Wire VG Line Side Unbundled Uncoming PBX Trunk - Bus			UEPSP	UEPPO UEPP1	1.09	28.88	13.63	11.48	0.83	-					
$\vdash$	2-Wire Analog Long Distance Terminal PBX Trunk - Bus	1	+	UEPSP	UEPLD	1.09	28.88	13.63		0.83	<b>-</b>	-				-
$\vdash$	2-Wire Voice Unbundled PBX LD Terminal Ports		_	UEPSP	UEPLD	1.09	28.88	13.63	11.48 11.48	0.83	-					
$\vdash$	2-Wire Vice Unbundled 2-Way PBX Usage Port	1	+	UEPSP	UEPXA	1.09	28.88	13.63	11.48	0.83	<b>-</b>	-				-
-	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1	1	UEPSP	UEPXB	1.09	28.88	13.63	11.48	0.83	1					
	2-Wire Voice Unburidled PBX LD DDD Terminals Port		1	UEPSP	UEPXC	1.09	28.88	13.63	11.48	0.83	1					
+-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.09	28.88	13.63	11.48	0.83						
<del></del>	2-Wire Voice Unburidled PBX LD Terminal Switchboard IDD	<del>                                     </del>		021 01	JLI AD	1.09	20.00	10.00	11.40	0.00	<b>H</b>		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	Capable Port			UEPSP	UEPXE	1.09	28.88	13.63	11.48	0.83						
-+-	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>		021 01	JLI AL	1.09	20.00	10.00	11.40	0.00	<u> </u>					<b> </b>
	Administrative Calling Port	1		UEPSP	UEPXL	1.09	28.88	13.63	11.48	0.83		1				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l -		02. 01	SEI AL	1.03	20.00	10.00	11.40	0.00						
	Room Calling Port	1		UEPSP	UEPXM	1.09	28.88	13.63	11.48	0.83		1				
$\vdash$	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<del>                                     </del>		0.	J=. 70VI	1.00	20.00	10.00	1170	0.00	<u> </u>					<b> </b>
	Discount Room Calling Port	1		UEPSP	UEPXO	1.09	28.88	13.63	11.48	0.83		1				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	i e		UEPSP	UEPXS	1.09	28.88	13.63	11.48	0.83			i	i		i
	2-Wire voice unbundled Georgia basic dialing port - 1-Way	t			1		20.00	.0.50		3.30			i	i		i
	Oudial Trunk	1		UEPSP	UEPWS	1.09	28.88	13.63	11.48	0.83		1				
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	i e							1	2.00			i	i		i
	Trunk			UEPSP	UEPWT	1.09	28.88	13.63	11.48	0.83						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX	1		-	1 1				1	2.30		1	İ	İ		İ
	Trunk			UEPSP	UEPPQ	1.09	28.88	13.63	11.48	0.83						
	Subsequent Activity	t		UEPSP	USASC	0.00	0.00	0.00	1	2.30			i	i		i
FEAT		1							İ			1	İ	İ		İ
1	All Available Vertical Features	1		UEPSP UEPSE	UEPVF	0.775	0.00	0.00	1			İ	İ	İ		İ
	IANGE PORT RATES (COIN)	1			1 1					İ	1	Í	İ	İ		
EXCH	IANGE PORT RATES (COIN)	1														
	Exchange Ports - Coin Port  :: Transmission/usage charges associated with POTS circuit s				†	1.09	2.42	2.31	1.37	1.28						

UNE	UNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
				1								Svc Order	Svc Order	Incremental			Incremental
												Submitted			Charge -	Charge -	Charge -
			Inten!									Elec		Manual Svc	Manual Svc		Manual Svo
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .00	2.007.00.
							Rec		curring		Disconnect				Rates (\$)		
								First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
		Access to B Channel or D Channel Packet capabilities will be	e availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
UNB		LOCAL EXCHANGE SWITCHING(PORTS)															
		ANGE PORT RATES	DND	10. 46.14					0	A ( 4/4/0.4 / l		L			L		
-		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS											ritt rates or	a separate ag	reement.		
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports   Exchange Ports - 2-Wire DID Port	arter the	errecti	UEPEX	UEPP2	5.50	122.26	18.65		3.45	iscretion.					
	+	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	-		UEPEX	UEFFZ	5.50	122.20	10.00	54.62	3.43	1			-		
		capability (E:4/1/2004)			UEPDD	UEPDD	41.20	200.96	93.00	65.81	2.33						
	+	Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	6.09	76.39	51.50	45.67	10.36					1	
	+	All Features Offered			UEPTX, UEPSX	UEPVF	0.775	0.00	0.00		10.00	<b>-</b>					
	+	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			1					
	NOTE	Transmission/usage charges associated with POTS circuit st	witched	usage							nannels assoc	iated with 2	wire ISDN r	orts.	<u> </u>	1	
	NOTE	Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Red	quest Process.	Rates for the	packet capabi	ilities will be de	etermined via t	he Bona Fid	le Request/	New Busines	s Request Pro	cess.	
		ANGE PORT RATES (continued)		Γ.	<b>y</b>								,				
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1							İ	l				1	İ	
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	65.13	198.74	97.29	72.95	17.69						
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	65.13	198.74	97.29	72.95	17.69						
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	0.3726										
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	0.3726										
	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,818.00									
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															
-	Na	Deletions			UEPEX	UEP1B	0.00	176.57									
-	New o	r Additional PRI Telephone Numbers Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-	-													
		Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C	0.0703	0.50									
	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	-		UEPEX	UEFIC	0.0703	0.50				1			-		
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0703	10.72	10.72								
	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			OLI LX	OLI ID	0.0700	10.72	10.72	1		<b>-</b>					
		Telephone Numbers - Inward Data Only Option [New or															
		Additional			UEPDX	UEP1E	0.00	0.50									
	1	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]						0.00									
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	21.43	21.43				1		I		1
	LOCA	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New o	r Additional Channel								ļ					1	ļ	
		New or Additional - Voice/Data "B" Channel		<u> </u>	UEPEX	PR7BV	0.00	28.71							ļ		
		New or Additional - Digital Data "B" Channel		<u> </u>	UEPEX	PR7BF	0.00	28.71							ļ		
		New or Additional Inward Data "B" Channel		ļ	UEPDX	PR7BD	0.00	28.71		<b> </b>	-	-			-	ļ	
<u> </u>	+	New or Additional Useage Sensitive Voice Data "B" Channel	-	-	UEPEX	PR7BS	0.00			<del> </del>	-	1			<del>                                     </del>	<b> </b>	
<del>                                     </del>	+	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel	<b>-</b>	+	UEPEX UEPEX	PR7BU PR7EX	0.00	28.71		1		-	-	-	<del>                                     </del>		-
<del> </del>	CALL	TYPES	<del>                                     </del>	-	ULPEA	L.K.LY	0.00	28.71		1			<b> </b>		<del>                                     </del>	<del> </del>	<b> </b>
<del> </del>	CALL	Inward	<del>                                     </del>	-	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1			<b> </b>		<del>                                     </del>	<del> </del>	<b> </b>
	+	Outward		<del>                                     </del>	UEPEX OLFDX	PR7CO	0.00	0.00	0.00	<del> </del>			<b> </b>		<del>                                     </del>	<b> </b>	<b> </b>
<b>-</b>	+	Two-way	<b>-</b>		UEPEX	PR7CC	0.00	0.00	0.00	<del> </del>		<b>-</b>	<b>-</b>		<del>                                     </del>	<b> </b>	<b>-</b>
	UNRII	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	<b>†</b>	OLI LA	. 10,00	0.00	0.00	0.00	1		<del>                                     </del>	<b> </b>		<b>I</b>		<b> </b>
		NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE		<b>†</b>						İ					1	İ	
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.09	2.42	2.31	1.37	1.28				<u> </u>	1	
		1 Carrier Can't Critarian g Cornect, 7 - Ca Canning, 1100		<u> </u>	I · · · ·		00	72	01		20		L			1	

UNBUNDLE	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	Incrementa Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR UEPVR	UERTE UERTR	1.09 1.09	2.42 2.42	2.31 2.31	1.37 1.37	1.28 1.28	ļ					-
Non-P	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEFVK	UEKIK	1.09	2.42	2.31	1.37	1.20						
14011-14	Unbundled Remote Call Forwarding Service - Conversion -															<del>                                     </del>
	Switch-as-is			UEPVR	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVR	USACC		2.01	0.31								
UNBU	NDLED REMOTE CALL FORWARDING - Bus															
	Habitadlad Danata Call Faminadia a Canica Assa Callina B			LIED\/D	LIEDAC	1	0.40	0.04	4.07	4.00						
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.09	2.42	2.31	1.37	1.28	1					
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.09	2.42	2.31	1.37	1.28						
	Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.09	2.42	2.31	1.37	1.28	1					<del>                                     </del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus			UEPVB	UERTR	1.09	2.42	2.31	1.37	1.28						<b>†</b>
	Unbundled Remote Call Forwarding Service Expanded and															
	Exception Local Calling			UEPVB	UERVJ	1.09	2.42	2.31	1.37	1.28						
Non-R	Recurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.01	0.31								
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVB	USACC		2.01	0.31								
UNBUNDLED	LOCAL SWITCHING, PORT USAGE															
End O	Office Switching (Port Usage)															
	End Office Switching Function, Per MOU					0.0006153										
Tanda	End Office Trunk Port - Shared, Per MOU					0.0001226										<del> </del>
Tande	em Switching (Port Usage) (Local or Access Tandem)  Tandem Switching Function Per MOU					0.0000972					<b>.</b>					-
	Tandem Trunk Port - Shared, Per MOU					0.0000972										-
	Tandem Switching Function Per MOU (Melded)					0.000017904					1					
	Tandem Trunk Port - Shared, Per MOU (Melded)					0.00002868					İ					1
	Melded Factor: 18.42% of the Tandem Rate															
Comm	non Transport															
	Common Transport - Per Mile, Per MOU					0.0000027										<u> </u>
UNDUNDUED.	Common Transport - Facilities Termination Per MOU PORT/LOOP COMBINATIONS - COST BASED RATES					0.0001914					1					<del>                                     </del>
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Cor	mmission rule to nr	l ovide Unbun	dled Local Swit	ching or Swite	h Porte								$\vdash$
	res shall apply to the Unbundled Port/Loop Combination - Cos								d Port section	of this Rate E	xhibit.					+
	Office and Tandem Switching Usage and Common Transport Us											n Port/Loon	Combination	ns.	İ	
The fir	rst and additional Port nonrecurring charges apply to Not Curr	ently Co	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges shal	Il be those ide	ntified in the N	lonrecurring	- Currently	Combined s	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	Port/Loop Combination Rates					10:-								ļ		ļ
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46					ļ			<b>.</b>	-	<del>                                     </del>
	2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3		3			15.76 32.56					1					
LINE	Loop Rates		3			32.56					1			<del> </del>	1	-
ONEL	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.56					1			1		<b>†</b>
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	14.86								İ	İ	<b>†</b>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	31.66										
2-Wire	e Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPRX	UEPRL	0.9019	10.05	7.36	1.37	1.28	ļ					ļ
	2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	0.9019	10.05	7.36	1.37	1.28	ļ			<del> </del>	-	ļ
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPRX	UEPAP	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port without Caller ID capability - res			UEPRX	UEPWC	0.9019	10.05	7.36	1.37	1.28						

UNBUND	LED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Dee	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - res			UEPRX	UEPWQ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPRX	UEPWR	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability  2-Wire Voice Grade Unbundled Port without Caller ID, Georgia	-		UEPRX UEPRX	UEPRT	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	1					+
	2-Wire Voice Grade Unbundled Port with Caller ID, Georgia	-	1	UEPRX	UEPRU	0.9019	10.05	7.36	1.37	1.28	1		-			
FF/	ATURES			OLFKA	OLFKO	0.5015	10.03	7.30	1.37	1.20	1	ł	1			+
	All Features Offered			UEPRX	UEPVF	0.775	0.00	0.00				<b>†</b>				+
LOC	CAL NUMBER PORTABILITY			02.100	02. 11	00	0.00	0.00	t		i e	İ				<b>†</b>
	Local Number Portability (1 per port)	l		UEPRX	LNPCX	0.35						İ				1
NOI	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								1
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1						_	1				1			1
4.00	Switch with change			UEPRX	USACC		0.10	0.10								
ADI	DITIONAL NRCs				1											
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEDDY	110400	0.00	0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User	-	1	UEPRX	USAS2	0.00	0.00	0.00	-		1		-			
	Premise			UEPRX	URETL		8.33	0.83								
OFF	F/ON PREMISES EXTENSION CHANNELS			OLITOX	OKLIL		0.55	0.03			1					+
0	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.51	40.02	9.99	5.61	1.72	1					+
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.85	40.02	9.99	5.61	1.72	1	İ				+
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.97	40.02	9.99	5.61	1.72	1					1
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	11.57	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.08	79.85	24.65	18.92	7.87						
INT	EROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility							10.10	40.50	= 00						
	Termination	-		UEPRX	U1TV2	12.87	48.46	19.48	16.58	5.00	1					+
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRX	U1TVM	0.0057	0.00	0.00								
2-1/	VIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLFKA	OTTVIVI	0.0037	0.00	0.00	1		1	ł	1			+
	E Port/Loop Combination Rates															+
0	2-Wire VG Loop/Port Combo - Zone 1		1			10.46			t		i e	İ				<b>†</b>
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76					1					
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNI	E Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1	ļ	1	UEPBX	UEPLX	9.56			1		ļ	ļ	1			<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 2	<b>!</b>	2	UEPBX	UEPLX	14.86			<del>                                     </del>		<u> </u>	ļ	<del>                                     </del>	<b> </b>	-	<del>                                     </del>
2 14	2-Wire Voice Grade Loop (SL1) - Zone 3 Vire Voice Grade Line Port (Bus)	<b> </b>	3	UEPBX	UEPLX	31.66			<del>                                     </del>		<b></b>	<b> </b>	<del>                                     </del>	<b> </b>	<b> </b>	+
Z-VV	2-Wire voice unbundled port without Caller ID - bus	<del>                                     </del>	-	UEPBX	UEPBL	0.9019	10.05	7.36	1.37	1.28		-	<del>                                     </del>			+
	2-Wire voice unbundled port without Caller ID - bus  2-Wire voice unbundled port with Caller + E484 ID - bus	1	<del>                                     </del>	UEPBX	UEPBC	0.9019	10.05	7.36		1.28	1	1	<del>                                     </del>	<del> </del>	<b> </b>	+
	2-Wire voice unbundled port with Carlet + E404 ID - bus	<del>                                     </del>		UEPBX	UEPBO	0.9019	10.05	7.36	1.37	1.28		<del>                                     </del>	t			+
	2-Wire voice unburidled incoming only port with Caller ID - Bus	<b>†</b>		UEPBX	UEPB1	0.9019	10.05	7.36	1.37	1.28			1			<del>                                     </del>
	2-Wire voice unbundled Georgia basic dialing port, without				1								1	İ	İ	†
	Caller ID capability - bus	<u> </u>	L	UEPBX	UEPWD	0.9019	10.05	7.36	1.37	1.28	<u></u>	<u> </u>	L	<u></u>	<u></u>	
	2-Wire voice unbundled Georgia basic dialing port for use with															
	Caller ID - bus	ļ		UEPBX	UEPWP	0.9019	10.05	7.36	1.37	1.28						1
	2-Wire voice unbundled Incoming Only Port without Caller ID			l	1	. 7			_				_			
	Capability	ļ		UEPBX	UEPBE	0.9019	10.05	7.36	1.37	1.28	ļ	ļ				<b></b>
LOC	CAL NUMBER PORTABILITY	<b>!</b>	-	LIEDDY	LNDCY	0.0=			<del>                                     </del>		<u> </u>	ļ	<del>                                     </del>	<b> </b>	-	
lee,	Local Number Portability (1 per port)  ATURES	1	-	UEPBX	LNPCX	0.35			<b>-</b>		<del>                                     </del>	1	<del>                                     </del>	-		<del>                                     </del>
IFEA			<del>                                     </del>	UEPBX	UEPVF	0.775	0.00	0.00	<del>                                     </del>		<del> </del>	1	1	-	-	+
i i	All Features Offered															

ONBONDE	ED NETWORK ELEMENTS - Georgia			T							1-	1-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDDY	LICACO		0.40	0.40								
$\vdash$	Switch-as-is  2-Wire Voice Grade Loop / Line Port Combination - Conversion -			UEPBX	USAC2		0.10	0.10								
1 1	Switch with change			UEPBX	USACC		0.10	0.10								
ADDI <sup>*</sup>	TIONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00								<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User				l											
055#	Premise CHANNELO			UEPBX	URETL		8.33	0.83								<b></b>
OFF/C	ON PREMISES EXTENSION CHANNELS		1	UEPBX	UEAEN	10.51	40.02	9.99	5.61	1 70					-	<u> </u>
$\overline{}$	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.85	40.02	9.99	5.61	1.72 1.72					<del> </del>	<del>                                     </del>
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.97	40.02	9.99	5.61	1.72						<del>                                     </del>
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	11.57	79.85	24.65	18.92	7.87					1	<b>†</b>
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	16.95	79.85	24.65	18.92	7.87						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	33.08	79.85	24.65	18.92	7.87						
INTEF	ROFFICE TRANSPORT															<del></del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDDY	11477.00	40.05										
$\vdash$	Termination			UEPBX	U1TV2	12.87	48.46	19.48	16.58	5.00						<b></b>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPBX	U1TVM	0.0057	0.00	0.00								
2-WIE	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	UTTVIVI	0.0057	0.00	0.00								
	Port/Loop Combination Rates															+
0.12	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										
	2-Wire VG Loop/Port Combo - Zone 3		3			32.56										
UNE I	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.56										<u> </u>
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.86										ļ
2-Wir	2-Wire Voice Grade Loop (SL 1) - Zone 3 e Voice Grade Line Port Rates (RES - PBX)		3	UEPRG	UEPLX	31.66									-	<b></b>
2-99116	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+										<del> </del>	
	Res			UEPRG	UEPRD	0.9019	10.05	7.36	1.37	1.28						
LOCA	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES															
$\vdash$	All Features Offered			UEPRG	UEPVF	0.775	0.00	0.00								
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
1 1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAC2		0.10	0.10								
$\vdash$	Conversion - Switch-As-Is  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USACZ		0.10	0.10								
	Conversion - Switch with Change			UEPRG	USACC		0.10	0.10								
ADDI <sup>*</sup>	TIONAL NRCs							*****								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								<u> </u>
_	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
$\vdash \vdash \vdash$	Group			ļ			6.70	6.70							<del> </del>	<del> </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRG	URETL		8.33	0.83							1	
OFF#	ON PREMISES EXTENSION CHANNELS			ULPRU	UKEIL		0.33	0.83			-				+	+
0.170	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	11.57	79.85	24.65	18.92	7.87					<b>—</b>	<b>†</b>
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	16.95	79.85	24.65	18.92	7.87	İ					i e
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	33.08	79.85	24.65	18.92	7.87	Ì					
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.74	56.92	7.70	4.40	0.02						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	19.76	56.92	7.70	4.40	0.02						L
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	37.18	56.92	7.70	4.40	0.02						<del>                                     </del>
INTER	ROFFICE TRANSPORT			<del>                                     </del>	_						-				1	<del> </del>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0057	0.00	0.00								
2-WIR	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			ULFRG	OTTVIVI	0.0037	0.00	0.00								<del> </del>
	Port/Loop Combination Rates					1			†						t	
	2-Wire VG Loop/Port Combo - Zone 1		1			10.46										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.76										ļ
IINE I	2-Wire VG Loop/Port Combo - Zone 3		3			32.56									-	<u> </u>
UNE	_oop Rates   2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	9.56			-						-	<b>-</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	14.86										<del> </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	31.66										
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus		<u> </u>	UEPPX UEPPX	UEPPC UEPPO	0.9019 0.9019	10.05 10.05	7.36 7.36	1.37 1.37	1.28 1.28	-					<del>                                     </del>
	Line Side Unbundled Outward PBX Trunk Port - Bus  Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPPO UEPP1	0.9019	10.05	7.36	1.37	1.28					-	<b>-</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports		<del>                                     </del>	UEPPX	UEPLD	0.9019	10.05	7.36	1.37	1.28						+
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		1	UEPPX	UEPXA	0.9019	10.05	7.36	1.37	1.28					1	<u> </u>
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		<u> </u>	UEPPX	UEPXD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			LIEDDY	UEPXE	0.0040	40.05	7.00	4.07	4.00						
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		<u> </u>	UEPPX	UEPXE	0.9019	10.05	7.36	1.37	1.28					-	<b>-</b>
	Administrative Calling Port			UEPPX	UEPXL	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy		1	OLI I X	OLI AL	0.0010	10.00	7.00	1.07	1.20					1	<u> </u>
	Room Calling Port			UEPPX	UEPXM	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire voice unbundled Georgia basic dialing port - 1-Way		<u> </u>	UEPPX	UEPXS	0.9019	10.05	7.36	1.37	1.28					1	<del> </del>
	Oudial Trunk			UEPPX	UEPWS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-Way		<del>                                     </del>	OLITA	OLI WO	0.0010	10.00	7.00	1.07	1.20						
	Trunk			UEPPX	UEPWT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - 2-way PBX															
	Trunk		<u> </u>	UEPPX	UEPPQ	0.9019	10.05	7.36	1.37	1.28	-					ļ
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Ports			UEPPX	UEPPS	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX Toll		<del>                                     </del>	ULFFA	UEFFS	0.9019	10.05	7.36	1.3/	1.28	<del>                                     </del>				<del>                                     </del>	+
	Terminal Ports			UEPPX	UEPPT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD		l			Ì										
	DDD Terminal Port			UEPPX	UEPPU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX LD															
	Terminal Switchboard Port		<u> </u>	UEPPX	UEPPV	0.9019	10.05	7.36	1.37	1.28						<b>_</b>
	2-Wire voice unbundled Georgia basic dialing port - PBX LD Terminal Switchboard DDD Capable Port		1	UEPPX	UEPPW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire voice unbundled Georgia basic dialing port - PBX 2-Way		<u> </u>	OLITA	JLFFVV	0.5019	10.05	1.30	1.37	1.20	<del>                                     </del>					<del>                                     </del>
	Trunk			UEPPX	UEPPC	0.9019	10.05	7.36	1.37	1.28						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEAT	URES		<u> </u>	LIEDDY	LIED) (E	0.777	0.00	0.00			<u> </u>					<b></b>
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		1	UEPPX	UEPVF	0.775	0.00	0.00							<del>                                     </del>	<del>                                     </del>
NONE	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<del>                                     </del>		+	+					<del>                                     </del>				-	+
	Conversion - Switch-As-Is		1	UEPPX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		l		1			20	1							1
	Conversion - Switch with Change		<u> </u>	UEPPX	USACC		0.10	0.10								
ADDI	TIONAL NRCs															

ONBONDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt														Î	
	Group						6.70	6.70								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														Î	
	Premise			UEPPX	URETL		8.33	0.83								
OFF/O	N PREMISES EXTENSION CHANNELS														Î	
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	11.57	79.85	24.65	18.92	7.87					Î	
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	16.95	79.85	24.65	18.92	7.87						
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	33.08	79.85	24.65		7.87						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.74	56.92	7.70		0.02						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	19.76	56.92	7.70		0.02				İ	İ	
	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	37.18	56.92	7.70		0.02	İ .			1	İ	
INTER	OFFICE TRANSPORT		Ť							****	1					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1		1									<b>†</b>	<b>i</b>	<b>†</b>
	Termination			UEPPX	U1TV2	12.87	48.46	19.48	16.58	5.00						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		1	OLITA	011172	12.07	10.10	10.40	10.00	0.00	1					<del>                                     </del>
	or Fraction Mile			UEPPX	U1TVM	0.0057	0.00	0.00								
2.WIDE	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	J DT	-	ULFFX	OTTVIVI	0.0037	0.00	0.00	-		-	-		-		<del>                                     </del>
	ort/Loop Combination Rates	1	-		+				-		-	-		-		<del>                                     </del>
UNE P	2-Wire VG Coin Port/Loop Combo – Zone 1	-	1		+	10.46			-		-	-		-		<del>                                     </del>
	2-Wire VG Coin Port/Loop Combo – Zone 1	-	2		+	15.76			-		-	-		-		<del>                                     </del>
	2-Wire VG Coin Port/Loop Combo – Zone 2		3		_	32.56					-					<del>                                     </del>
			3			32.30										<del>                                     </del>
UNE LO	pop Rates	-	-	LIEDOO	LIEDLY	0.50										
	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPCO	UEPLX	9.56										
	2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	14.86										
0.145	2-Wire Voice Grade Loop (SL1) - Zone 3	-	3	UEPCO	UEPLX	31.66										
2-wire	Voice Grade Line Ports (COIN)			LIEDOO	LIEBOO	0.0040	10.05	7.00	4.07	4.00						<b>.</b>
	2-Wire Coin 2-Way with Operator Screening (GA)			UEPCO	UEPGC	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,															
	900/976, 1+DDD (GA)			UEPCO	UEP2G	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking															
	(GA)			UEPCO	UEPGA	0.9019	10.05	7.36	1.37	1.28						<b>.</b>
	2-Wire Coin 2-Way with Operator Screening and 900/976															
	Blocking (GA)			UEPCO	UEPGB	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Coin 2-Way with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (GA)			UEPCO	UEPCH	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Coin Outward with Operator Screening and 011 Blocking				l l											
	(GA, KY, MS)			UEPCO	UEPRJ	0.9019	10.05	7.36	1.37	1.28	ļ			ļ		
	2-Wire Coin Outward with Operator Screening and Blocking:											1		I		
	900/976, 1+DDD, 011+, and Local (FL, GA)			UEPCO	UEPCQ	0.9019	10.05	7.36	1.37	1.28	ļ			ļ		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)		<u> </u>	UEPCO	UEPCK	0.9019	10.05	7.36	1.37	1.28	ļ			<b>.</b>		<u> </u>
	2-Wire Coin Outward Smartline with 900/976 (all states except											1		I		
	LA)		<u> </u>	UEPCO	UEPCR	0.9019	10.05	7.36	1.37	1.28						
	ONAL UNE COIN PORT/LOOP (RC)															L
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.59	0.00	0.00	0.00	0.00						L
LOCAL	NUMBER PORTABILITY															L
	Local Number Portability (1 per port)		<u> </u>	UEPCO	LNPCX	0.35										
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -											1				
	Switch-as-is			UEPCO	USAC2		0.10	0.10			<u> </u>					<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -									l		l				
	Switch with change		L_	UEPCO	USACC		0.10	0.10		<u> </u>	<u> </u>	<u>                                     </u>		<u> </u>	<u> </u>	<u>                                      </u>
ADDIT	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
1	Activity	<u></u>	<u>L_</u>	UEPCO	USAS2		0.00	0.00		<u> </u>	L	<u></u>		<u> </u>	<u> </u>	<u></u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPCO	URETL		8.33	0.83				l				
	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E I INE I	PORT (		1 1			. ,,,		i	1	l		1	i	

UNBUNDLE	ED NETWORK ELEMENTS - Georgia			1							1-	1_		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates		1			05.50										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		-	25.53 30.92									-	
-	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3			47.04									1	-
UNE I	Loop Rates		Ť													
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	11.57										1
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.08										
2-Wire	e Voice Grade Line Port Rates (Res)															ļ
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.09	166.05	43.66	41.89	15.44						ļ
-	2-Wire voice unbundled port with Caller ID - res		1	UEPFR	UEPRC	1.09 1.09	166.05	43.66	41.89 41.89	15.44					1	<del> </del>
	2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID		1	UEPFR	UEPRO	1.09	166.05	43.66	41.89	15.44					-	<del> </del>
	(LUM)	1	1	UEPFR	UEPAP	1.09	166.05	43.66	41.89	15.44					I	
	2-Wire voice unbundled Georgia basic dialing port, without	1		02.110	JE1 / 11	1.03	100.00	-10.00	41.00	10.44					<b>—</b>	t
	Caller ID capability - res	1	1	UEPFR	UEPWC	1.09	166.05	43.66	41.89	15.44					I	
	2-Wire voice unbundled Georgia basic dialing port for use with								İ							
	Caller ID - res			UEPFR	UEPWQ	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled Georgia basic dialing port - outgoing															
	only			UEPFR	UEPWR	1.09	166.05	43.66	41.89	15.44						ļ
INTER	ROFFICE TRANSPORT															ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	12.87	48.46	19.48	16.58	5.00						
_	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFR	01172	12.07	40.40	19.40	16.36	5.00						-
	or Fraction Mile			UEPFR	1L5XX	0.0057	0.00	0.00								
FEAT				OLITIK	TEO/O	0.0007	0.00	0.00								
	All Features Offered			UEPFR	UEPVF	0.775	0.00	0.00								
LOCA	L NUMBER PORTABILITY								İ							
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		1	UEPFR	USAC2		7.85	1.86							1	<del> </del>
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	OLFIK	USACC		7.00	1.00							1	-
	End User Premise			UEPFR	URETN		11.19	1.10								
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (													
UNE F	Port/Loop Combination Rates		l '	·					İ							
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			25.53										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	ļ	3			47.04										<b></b>
UNE I	Loop Rates	<del>                                     </del>	1	UEPFB	UECF2	11.57					-	-			<del>                                     </del>	<del> </del>
	2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2	-	2	UEPFB	UECF2	11.57									-	+
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.08									<del> </del>	<del>                                     </del>
2-Wire	e Voice Grade Line Port (Bus)		Ť	02.70	52012	55.00								1	1	
	2-Wire voice unbundled port without Caller ID - bus	i		UEPFB	UEPBL	1.09	166.05	43.66	41.89	15.44	İ	İ		İ	1	1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.09	166.05	43.66	41.89	15.44						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.09	166.05	43.66	41.89	15.44						1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.09	166.05	43.66	41.89	15.44				ļ		ļ
	2-Wire voice unbundled Georgia basic dialing port, without	1	1	LIEDED	LIEDWD	4.00	400.05	40.00	44.00	45.44					I	
	Caller ID capability - bus	<del>                                     </del>	-	UEPFB	UEPWD	1.09	166.05	43.66	41.89	15.44	-	-			<del>                                     </del>	<del>                                     </del>
	2-Wire voice unbundled Georgia basic dialing port for use with Caller ID - bus	1		UEPFB	UEPWP	1.09	166.05	43.66	41.89	15.44					1	
LOCA	L NUMBER PORTABILITY	-	<del>                                     </del>	OLITB	OLF WF	1.09	100.05	45.00	41.09	13.44					<del> </del>	<del>                                     </del>
LOCA	Local Number Portability (1 per port)	1		UEPFB	LNPCX	0.35									<b>—</b>	<del>                                     </del>
INTER	ROFFICE TRANSPORT	i e				5.55								İ	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	İ									Ì			1		
1	Termination	<u> </u>	L	UEPFB	U1TV2	12.87	48.46	19.48	16.58	5.00	<u> </u>			<u> </u>	<u> </u>	<u> </u>

UNBUNDLI	ED NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					$\perp$		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDED	1L5XX	0.0057	0.00	0.00								
EEAT	or Fraction Mile		1	UEPFB	ILSXX	0.0057	0.00	0.00							-	<del> </del>
FLAT	All Features Offered			UEPFB	UEPVF	0.775	0.00	0.00							1	
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			02	02. 1.	00	0.00	0.00								
1.0	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFB	USAC2		7.85	1.86								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch with change			UEPFB	USACC		7.85	1.86								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
0.14/15	End User Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	 - 1 INT	ODT /	UEPFB	URETN		11.19	1.10							1	<del> </del>
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE Port/Loop Combination Rates	LINE	JORT (	PBX)											-	<b>-</b>
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	<b>-</b>	1	-	+ +	25.53					1	1			<del>                                     </del>	+
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			30.92										<del> </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			47.04									t	
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	11.57										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	16.95										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.08										ļ
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)				$\perp$											ļ
	Live Oil a Halana Had On allineita of Man PRV Tanal Road R			UEPFP	UEPPC	4.00	100.05	40.00	44.00	45.44						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPC	1.09 1.09	166.05 166.05	43.66 43.66	41.89 41.89	15.44 15.44					1	
	Line Side Unbundled Incoming PBX Trunk Port - Bus		1	UEPFP	UEPP1	1.09	166.05	43.66	41.89	15.44					-	<del>                                     </del>
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.09	166.05	43.66	41.89	15.44					1	-
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.09	166.05	43.66	41.89	15.44						1
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.09	166.05	43.66	41.89	15.44						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.09	166.05	43.66	41.89	15.44						ļ
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							40.00								
	Administrative Calling Port			UEPFP	UEPXL	1.09	166.05	43.66	41.89	15.44					1	<del> </del>
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.09	166.05	43.66	41.89	15.44					1	
+	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital	<b>-</b>	<del>                                     </del>	OLFIF	ULF AIVI	1.09	100.03	43.00	41.09	15.44					<del> </del>	+
	Discount Room Calling Port			UEPFP	UEPXO	1.09	166.05	43.66	41.89	15.44					I	
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.09	166.05	43.66	41.89	15.44					1	
İ	2-Wire voice unbundled Georgia basic dialing port - 1-Way															
	Oudial Trunk			UEPFP	UEPWS	1.09	166.05	43.66	41.89	15.44						ļ
	2-Wire voice unbundled Georgia basic dialing port - 2-Way	l		l		_									1	
	Trunk		<b>_</b>	UEPFP	UEPWT	1.09	166.05	43.66	41.89	15.44						<b>_</b>
LOCA	L NUMBER PORTABILITY	-	-	UEPFP	LNPCP	3.15	0.00	0.00			-				1	<del>                                     </del>
INTE	Local Number Portability (1 per port)  ROFFICE TRANSPORT	-	<del>                                     </del>	UEPFP	LINPUP	3.15	0.00	0.00	<del>                                     </del>					-	<del>                                     </del>	+
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>			+										t	<b>†</b>
	Termination			UEPFP	U1TV2	12.87	48.46	19.48	16.58	5.00					1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile					01	.2.10		12.00	2.00					1	
	or Fraction Mile	L	L	UEPFP	1L5XX	0.0057	0.00	0.00	<u> </u>		<u></u>	<u></u>		<u> </u>	<u> </u>	<u> </u>
FEAT	URES							-		-						
	All Features Offered			UEPFP	UEPVF	0.775	0.00	0.00								ļ
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<u> </u>	<u> </u>												ļ	<b>↓</b>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	LICACO		7.05	4.00							I	
	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		-	UEPFP	USAC2		7.85	1.86			-	-			<del>                                     </del>	<del> </del>
. [	Combination - Conversion - Switch with change			UEPFP	USACC		7.85	1.86							I	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at				30,100		7.00	1.00							<u> </u>	
	End User Premise	l		UEPFP	URETN		11.19	1.10			1	1		I	I	

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	US	ос		RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	RE VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT	-	<u> </u>							1					
UNE	Port/Loop Combination Rates  2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	<u> </u>		17.0	5				1					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	-		22.4					<b>-</b>					
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3			38.5					<b>†</b>					
UNF	Loop Rates				<u> </u>	30.0	0		1		1					1
ONE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD	1 11.5	7				i e					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX	UECD						1					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD						İ				İ	İ
UNE	Port Rate		Ť	1	1 2 2 2 2	30.0		İ	1			1		İ		
	Exchange Ports - 2-Wire DID Port			UEPPX	UEPD	1 5.4	8 174.55	13.64	59.31	4.27	İ			1		İ
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -															
	Switch-as-is			UEPPX	USAC	1	6.66	1.86	<u> </u>							
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion															
	with BellSouth Allowable Changes			UEPPX	USA1		6.66	1.86								
ADDI	TIONAL NRCs															
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPPX	URET	V	11.19	1.10								
Telep	phone Number/Trunk Group Establisment Charges															
	DID Trunk Termination (One Per Port)			UEPPX	NDT	0.0	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group						_									
	of 20 DID Numbers			UEPPX	NDZ	0.0		0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX	ND4	0.0		0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPPX	ND5	0.0		0.00			1					1
	Reserve Non-Consecutive DID numbers			UEPPX UEPPX	ND6 NDV	0.0		0.00			-	-		-		-
1.00	Reserve DID Numbers AL NUMBER PORTABILITY			UEPPX	NDV	0.0	0.00	0.00			-	-		-		-
LUCA	Local Number Portability (1 per port)		-	UEPPX	LNPC	3.1	5 0.00	0.00			<b> </b>					<b> </b>
2.1///	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LII	NE SIDE	DODI		LINEC	3.1	5 0.00	0.00	1		1					1
	Port/Loop Combination Rates	VE SIDE	I	1			+				<u> </u>			1		<u> </u>
ONE	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						+				<b>†</b>					<b>†</b>
	UNE Zone 1		1	UEPPB UE	PPR	19.4	4									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	OLITE OL		10.7	7				<b>†</b>					1
	UNE Zone 2		2	UEPPB UEF	PPR	24.4	5									
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02.12							İ				İ	İ
	UNE Zone 3		3	UEPPB UEF	PPR	38.0	9									
UNE	Loop Rates										İ			1		İ
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEP	PR USL2	( 14.2	5									
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2		PPR USL2											ļ
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEP	PR USL2	32.9	0									
UNE	Port Rate								ļ							
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB UEPF	PR UEPP	B 5.1	9 161.36	141.68	43.68	8.37				ļ		ļ
NON	RECURRING CHARGES - CURRENTLY COMBINED										ļ					
.	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port			LIEDDD		_										
ADD	Combination - Conversion TIONAL NRCs			UEPPB UEPF	PR USAC	B 0.0	0 42.52	26.99	-		-				ļ	1
ADDI			-	<del>                                     </del>			+		<del> </del>		-			<u> </u>	1	ļ
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk			UEPPB UEP	PR USAS	.	0.00									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-	<b>-</b>	UCPPD UEP	FR USAS	٠	0.00	1	1		}	-		<del>                                     </del>	1	}
1	End User Premise			UEPPB UEP	PR URET	u	11.19	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFFB UEP	IN UNEI	4	11.19	1.10	+		<b> </b>	<b>-</b>		-	1	<b> </b>
	Premise			UEPPB UEP	PR URET		8.33	0.83								
Loca	AL NUMBER PORTABILITY			OLITO OLF	I IX OIXLI	-	0.33	0.83	1			-			1	<u> </u>
1 200,	Local Number Portability (1 per port)			UEPPB UEP	PR LNPC	K 0.3	5 0.00	0.00						1		
D CH	IANNEL USER PROFILE ACCESS:			<u> </u>		0.0	5.00	3.30	İ					i	Ì	İ
ID-LN																

UNBUNDLE	D NETWORK ELEMENTS - Georgia														ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	k TN)														
USER	TERMINAL PROFILE		1									ļ					
VEDT	User Terminal Profile (EWSD only)	-	-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00			1					
VERII	CAL FEATURES All Vertical Features - One per Channel B User Profile	+	+	UEPPB	UEPPR	UEPVF	0.775	0.00	0.00			<b>-</b>				-	
INTER	COFFICE CHANNEL MILEAGE	+	+	UEFFB	UEPPK	UEFVF	0.775	0.00	0.00			1				1	
INTER	Interoffice Channel mileage each, including first mile and	+	+									<b>†</b>					
	facilities termination			LIEPPB	UEPPR	M1GNC	12.8757	48.46	19.48	16.58	5.00						
	Interoffice Channel mileage each, additional mile	1	1	UEPPB		M1GNM	0.0057	0.00	0.00	10.00	0.00	†					
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	K PORT															
The U	NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embe											nt.			
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
UNE P	ort/Loop Combination Rates																
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1		l												_	
<b></b>	Zone 1	1	1	UEPPP		1	106.15					ļ				ļ	ļ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 2		2	UEPPP			111.54										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 3	-	3	UEPPP			127.15					ļ					
UNE L	oop Rates	-	4	UEPPP		LICL 4D	44.00					1					
<b></b>	4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2	1	1 2	UEPPP		USL4P USL4P	41.02 46.41					-					
<b></b>	4-Wire DS1 Digital Loop - UNE Zone 2	+	3	UEPPP		USL4P	62.03					<b>-</b>				-	
LINE P	Port Rate	+	3	UEFFF		USL4P	62.03					1				1	
ONLI	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	+	UEPPP		UEPPP	65.13	365.73	187.42	73.41	21.80	<b>†</b>					
NONR	ECURRING CHARGES - CURRENTLY COMBINED	1	1	OLITI		OLITI	00.10	000.70	107.42	70.41	21.00	i e					
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	1									1					
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	122.56	77.97								
ADDIT	TONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-		1														
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.50									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		10.72									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers	ļ	ļ	UEPPP		PR7ZT		21.43									
LOCA	L NUMBER PORTABILITY		ļ			LUBOU											
INITED	Local Number Portability (1 per port)	+	+	UEPPP		LNPCN	1.75					-				<del>                                     </del>	1
INTER	FACE (Provsioning Only) Voice/Data	+	+	UEPPP		PR71V	0.00	0.00	0.00			<del>                                     </del>			-	<del>                                     </del>	1
<del>                                     </del>	Digital Data	+	+	UEPPP		PR71D	0.00	0.00	0.00			1			<del> </del>	t	1
	Inward Data	1	+	UEPPP		PR71E	0.00	0.00	0.00							<b>-</b>	1
New o	or Additional "B" Channel	1	†				0.00	0.00	0.00			1			1	<b>I</b>	1
1.5	New or Additional - Voice/Data B Channel	1	†	UEPPP		PR7BV	0.00	13.59								1	
	New or Additional - Digital Data B Channel	1		UEPPP		PR7BF	0.00	13.59							ĺ	1	
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	13.59									
CALL	TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00								
	Two-way	<b>_</b>		UEPPP		PR7CC	0.00	0.00	0.00						ļ	1	
Intero	ffice Channel Mileage	1	1									ļ				ļ	
<b>  </b>	Fixed Each Including First Mile	1	1	UEPPP		1LN1A	34.31	111.03	80.28	31.36	21.73	ļ				ļ	<u> </u>
4 1	Each Airline-Fractional Additional Mile	1		UEPPP		1LN1B	0.1154					-				-	<b></b>
	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	lu to the	l omb	ddod bee	la aless	o of 10/0/00	m4il 4/4/04 A ***	or 4/4/04 4h a	rotoo al-all	tort to toriff and		to oom:	ol oarses	24	-	<del>                                     </del>	1
ı iine U	NE-P DS1 combination rates below for in this rate exhibit appl											re commerc	iai agreemei	IL.	ļ	ļ	<del> </del>
	sete for 4-Wire DS1 Digital Loop with 4-Wire DDITE offer the off	factive -	tate of	this amor			d nuremant to	congrato sero	amant ar tarif	at Rolleauth's	discretion	I					
Reque	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates	fective o	date of	this amen	ndment sha	all be provide	ed pursuant to a	a separate agre	ement or tarif	f at BellSouth's	discretion.						

UNBUNDL	ED NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
		Interi									Svc Order Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Incrementa Charge - Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		87.61										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		103.22										1
UNE	Loop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	41.02										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	46.41										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	62.03										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	41.20	392.25	185.06	80.17	7.86						
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		132.19	66.79								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		132.19	66.79								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		132.19	66.79								
ADDI	TIONAL NRCs			1			-							1		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Service Activity Per Service Order			UEPDC	USAS4		0.00	0.00								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		13.95	13.95								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		13.95	13.95								
BIPO	LAR 8 ZERO SUBSTITUTION														t	
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	392.25s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	392.25s								
Alter	nate Mark Inversion															1
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								ĺ
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group		<u> </u>	UEPDC	UDTGY	0.00			ļ						ļ	ļ
	Telephone Number for 1-Way Inward Trunk Group Without DID		<u> </u>	UEPDC	UDTGZ	0.00			ļ						ļ	<b></b>
	DID Numbers, Establish Trunk Group and Provide First Group		1	LIEBBO	ND7	0.00	0.00								I	
<del>                                     </del>	of 20 DID Numbers		-	UEPDC UEPDC	NDZ ND4	0.00	0.00	0.00			-			-	<del>                                     </del>	<del>                                     </del>
	DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers , Per Number	-	-	UEPDC	ND4 ND5	0.00			<del>                                     </del>						<del>                                     </del>	<del>                                     </del>
$\vdash$	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			-				-	
<del>-  </del>	Reserve DID Numbers		<del>                                     </del>	UEPDC	NDV	0.00	0.00	0.00							<del>                                     </del>	<del> </del>
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loon			0.00	0.00	0.00			<del>                                     </del>			<del> </del>	<del> </del>	<del>                                     </del>
Dean	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)	Digital	СООР	UEPDC	1LNO1	34.19	111.03	80.28	31.36	21.73						
	,								31.36	21.73						
<b></b>	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles		<u> </u>	UEPDC	1LNOA	0.1154	0.00	0.00	ļ		-			ļ	-	<del>                                     </del>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25 miles			UEPDC	1LNOB	0.1154	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.1154	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15										
	Central Office Termininating Point			UEPDC	CTG	0.00										

4-WIRE DS1 LOOP WITH CHANN System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24. The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z UNE DS0 Channel Capacity 48 DS0 Channel Capacity 96 DS0 Channel Capacity 144 DS0 Channel Capacity 152 DS0 Channel Capacity 152 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 384 DS0 Channel Capacity 480 DS0 Channel Capacity 576 DS0 Channel Capacity 576 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration Multiples of this configuration NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Le New (Not Currently Combined) in	NELIZATION WITH PORT annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 0 with Channelization with Port after th Zone 1 Zone 2 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y- 1 per DS1 y-1 per 2 DS1s y-1 per 4 DS1s tty-1 per 8 DS1s tty-1 per 8 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 10 DS1s tty-1 per 20 DS1s tty-1 per 20 DS1s tty-1 per 20 DS1s tty-1 per 20 DS1s tty-1 per 20 DS1s	n type ar Channel ne effect	nd num	with Port in this rat	t shall be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14			Add'I		Add'I	Submitted Elec per LSR  SOMEC	Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS SOMAN	Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
4-WIRE DS1 LOOP WITH CHANN System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 of The UNEP DS1 combination rate Requests for 4-Wire DS1 Loop • UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-Wire DS1 Loop - UNE Zo 6-Wire DS1 Loop - UNE Zo 6-BS0 Channel Capacity 192 DS0 Channel Capacity 192 DS0 Channel Capacity 240 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 672 DS0 Channel Capacity 576 DS0 Channel Capacity 576 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration for NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Lo New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	NELIZATION WITH PORT annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 1 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per DS1 y - 1 per 4 DS1s ity - 1 per 6 DS1s ity - 1 per 6 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s	m tivations n type ar Channel ne effect	nd num lization tive date	ber of ports used with Port in this rat of this amendmen UEPMG xhibit app t shall be pro USLDC USLDC USLDC VUM24 VUM48 VUM46 VUM96	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  Add'I  blace as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	Elec per LSR SOMEC	Manually per LSR	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Manual Svc Order vs. Electronic- Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l	
4-WIRE DS1 LOOP WITH CHANN System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 of The UNEP DS1 combination rate Requests for 4-Wire DS1 Loop • UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-Wire DS1 Loop - UNE Zo 6-Wire DS1 Loop - UNE Zo 6-BS0 Channel Capacity 192 DS0 Channel Capacity 192 DS0 Channel Capacity 240 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 672 DS0 Channel Capacity 576 DS0 Channel Capacity 576 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration for NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Lo New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	NELIZATION WITH PORT annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 1 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per DS1 y - 1 per 4 DS1s ity - 1 per 6 DS1s ity - 1 per 6 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s	m tivations n type ar Channel ne effect	nd num lization tive date	ber of ports used with Port in this rat of this amendmen UEPMG xhibit app t shall be pro USLDC USLDC USLDC VUM24 VUM48 VUM46 VUM96	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  Add'I  blace as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	per LSR  SOMEC	per LSR	Manual Svc Order vs. Electronic- 1st OSS SOMAN	Manual Svc Order vs. Electronic- Add'l Rates (\$)	Order vs. Electronic- Disc 1st  SOMAN	Manual Svc Order vs. Electronic- Disc Add'l	
4-WIRE DS1 LOOP WITH CHANN System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 of The UNEP DS1 combination rate Requests for 4-Wire DS1 Loop • UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-C 4-Wire DS1 Loop - UNE Zo 4-Wire DS1 Loop - UNE Zo 5-C 5-C 5-C 5-C 5-C 5-C 5-C 5-C 5-C 5-C	NELIZATION WITH PORT annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 1 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per DS1 y - 1 per 4 DS1s ity - 1 per 6 DS1s ity - 1 per 6 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 20 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s	m tivations n type ar Channel ne effect	nd num lization tive date	ber of ports used with Port in this rat of this amendmen UEPMG xhibit app t shall be pro USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM96	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  Add'I  blace as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	SOMEC	SOMAN	Electronic- 1st OSS SOMAN	Electronic- Add'l Rates (\$) SOMAN	Electronic- Disc 1st	Electronic- Disc Add'l	
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24/ The UNE-P DS1 combination rate Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 240 DS0 Channel Capacit 280 DS0 Channel Capacit 480 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 672 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 4 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	tivations n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  place as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	SOMEC	SOMAN	Electronic- 1st OSS SOMAN	Electronic- Add'l Rates (\$) SOMAN	Electronic- Disc 1st	Electronic- Disc Add'l	
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 192 DS0 Channel Capacit 288 DS0 Channel Capacit 480 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 576 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 4 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  place as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	hese rates		1st OSS SOMAN	Add'I Rates (\$) SOMAN	Disc 1st	Disc Add'l	
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 192 DS0 Channel Capacit 288 DS0 Channel Capacit 480 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 576 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with 4 with Channelization with Port after th Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  place as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	hese rates		OSS	Rates (\$) SOMAN	SOMAN		
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 288 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 576 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with t with Channelization with Port after th Zone 1 Zone 2 Zone 3 Cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	dded base in p t to a separate  0.00 0.00 0.00 0.00	Add'I  place as of 10/2 agreement or  0.00 0.00	First /03 until 4/1/04	Add'I	hese rates		SOMAN	SOMÁN		SOMAN	
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 288 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 576 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with t with Channelization with Port after th Zone 1 Zone 2 Zone 3 Cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00	olace as of 10/2 agreement or 0.00 0.00	/03 until 4/1/04	. After 4/1/04	hese rates					SOMAN	
System is 1 DS1 Loop, 1 D4 Cha Each System can have up to 24 The UNE-P DS1 combination rat Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Loop - UNE Z 4-Wire DS1 Channel Capacit 192 DS0 Channel Capacit 192 DS0 Channel Capacit 288 DS0 Channel Capacit 480 DS0 Channel Capacit 480 DS0 Channel Capacit 576 DS0 Channel Capacit 576 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration f NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	annel Bank, and up to 24 Feature Act combinations of rates depending or tes below for 4-Wire DS1 Loop with t with Channelization with Port after th Zone 1 Zone 2 Zone 3 Cities (D4 Channel Bank Configuration y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s tity - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 12 DS1s tity - 1 per 24 DS1s tity - 1 per 24 DS1s tity - 1 per 28 DS1s tity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop with	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG l be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.		
Each System can have up to 24 of The UNE-P DS1 combination rate Requests for 4-Wire DS1 Loop w UNE DS1 Loop   4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Loop - UNE Z( 4-Wire DS1 Channel Capacity  196 DS0 Channel Capacity  192 DS0 Channel Capacity  192 DS0 Channel Capacity  288 DS0 Channel Capacity  288 DS0 Channel Capacity  180 Ch	combinations of rates depending or tes below for 4-Wire DS1 Loop with 1 with Channelization with Port after the Zone 1 Zone 2 Zone 3 cities (D4 Channel Bank Configuration 2 - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s ty - 1 per 6 DS1s tity - 1 per 6 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 10 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 2 DS1s tity - 1 per 20 DS1s tity - 1 per 20 DS1s tity - 1 per 20 DS1s tity - 1 per 28 DS1s ASSOCiated with 4-Wire DS1 Loop with ASSOCIATED STATES TO THE STATES TO TH	n type ar Channel ne effect	lization tive date	with Port in this rate of this amendmen  UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	t shall be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
The UNE-P DS1 combination rate Requests for 4-Wire DS1 Loop w UNE DS1 Loop    4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   5-Wire DS1 Loop - UNE Zc   4-Wire DS1 Loop - UNE Zc   5-Wire DS1 Loop - UNE Zc   5-Wire DS2 Channel Capacity   5-Wire DS2 Channel Capacity   5-Wire DS2 Channel Capacity   5-Wire DS3 Channel Capacity	tes below for 4-Wire DS1 Loop with 0 with Channelization with Port after the Zone 1 Zone 2 Zone 3 Zone 2 Zone 3 Zo	Channel ne effect	ive date	with Port in this rate of this amendmen  UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	t shall be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
Requests for 4-Wire DS1 Loop w UNE DS1 Loop  4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS0 Channel Capacity BS0 Channel Capacity 96 DS0 Channel Capacity 144 DS0 Channel Capacity 149 DS0 Channel Capacity 240 DS0 Channel Capacity 240 DS0 Channel Capacity 240 DS0 Channel Capacity 240 DS0 Channel Capacity 280 DS0 Channel Capacity 672 DS0 Channel Capacity 480 DS0 Channel Capacity 480 DS0 Channel Capacity 672 DS0 Channel Capacity 672 DS0 Channel Capacity Non-Recurring Charges (NRC) A Minimum System configuration Multiples of this configuration function of the Conversion (Currenty Combined) in NRC - Conversion (Currenty Combined) in 1 DS1/D4 Channel Bank - and Assoc Fea Activation	with Channelization with Port after the Zone 1 Zone 2 Zone 3 Zone	ne effect	1 2	e of this amendmen  UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	t shall be pro USLDC USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00 0.00	0.00 0.00				shall revert	to tariff rates	or a separate	agreement.	
UNE DS1 Loop  4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc 4-Wire DS1 Loop - UNE Zc UNE DS0 Channel S1 Loop - UNE Zc UNE DS0 Channel Capacity 48 DS0 Channel Capacity 96 DS0 Channel Capacity 192 DS0 Channel Capacity 192 DS0 Channel Capacity 240 DS0 Channel Capacity 288 DS0 Channel Capacity 384 DS0 Channel Capacity 480 DS0 Channel Capacity 672 DS0 Channel Capacity 672 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration Multiples of this configuration Multiples of this configuration System Additions at End User Le New (Not Currently Combined) is 1 DS1/D4 Channel Bank - and Assoc Fea Activation	Zone 1 Zone 2 Zone 2 Zone 3 cities (D4 Channel Bank Configuration of the state of t		1 2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	USLDC USLDC USLDC VUM24 VUM48 VUM96 VUM14	41.02 46.41 62.03 43.04 86.06	0.00 0.00 0.00	0.00	tariff at BellSo	uth's discretion	on.					
4-Wire DS1 Loop - UNE Zc	Zone 2 Zone 3 Zo	ons)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14	46.41 62.03 43.04 86.06	0.00 0.00 0.00	0.00								
4-Wire DS1 Loop - UNE ZC 4-Wire DS1 Loop - UNE ZC UNE DS0 Channel Ization Capacity  94 DS0 Channel Capacity 96 DS0 Channel Capacity 144 DS0 Channel Capacity 144 DS0 Channel Capacity 142 DS0 Channel Capacity 240 DS0 Channel Capacity 240 DS0 Channel Capacity 240 DS0 Channel Capacity 280 DS0 Channel Capacity 480 DS0 Channel Capacity 480 DS0 Channel Capacity 480 DS0 Channel Capacity 672 DS0 Channel Capacity 672 DS0 Channel Capacity Mon-Recurring Charges (NRC) A Minimum System configuration Multiples of this configuration function of the Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	Zone 2 Zone 3 Zo	nns)	2	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14	46.41 62.03 43.04 86.06	0.00 0.00 0.00	0.00								
4-Wire DS1 Loop - UNE Zo UNE DSO Channelization Capacit 24 DSO Channel Capacity 48 DSO Channel Capacity 96 DSO Channel Capacity 144 DSO Channel Capacity 144 DSO Channel Capacity 142 DSO Channel Capacity 240 DSO Channel Capacity 288 DSO Channel Capacity 384 DSO Channel Capacity 676 DSO Channel Capacity 672 DSO Channel Capacity 672 DSO Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration fit NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Le New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	Zone 3  cities (D4 Channel Bank Configuratio y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 4 DS1s ity - 1 per 6 DS1s ity - 1 per 6 DS1s ity - 1 per 10 DS1s ity - 1 per 10 DS1s ity - 1 per 12 DS1s ity - 1 per 16 DS1s ity - 1 per 22 DS1s ity - 1 per 24 DS1s ity - 1 per 24 DS1s ity - 1 per 24 DS1s ity - 1 per 28 DS1s ity - 1 per 28 DS1s	ns)		UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14	62.03 43.04 86.06	0.00									
UNE DSO Channelization Capaci 24 DSO Channel Capacity 48 DSO Channel Capacity 96 DSO Channel Capacity 194 DSO Channel Capacity 192 DSO Channel Capacity 192 DSO Channel Capacity 240 DSO Channel Capacity 288 DSO Channel Capacity 288 DSO Channel Capacity 384 DSO Channel Capacity 480 DSO Channel Capacity 480 DSO Channel Capacity 576 DSO Channel Capacity 576 DSO Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration for NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	cities (D4 Channel Bank Configuration y 1 per DS1 y 1 per 2 DS1s y 1 per 4 DS1s ity 1 per 6 DS1s ity 1 per 6 DS1s ity 1 per 10 DS1s ity 1 per 10 DS1s ity 1 per 12 DS1s ity 1 per 12 DS1s ity 1 per 12 DS1s ity 1 per 20 DS1s ity 1 per 20 DS1s ity 1 per 24 DS1s ity 1 per 28 DS1s ity 1 per 28 DS1s	ons)	3	UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG	VUM24 VUM48 VUM96 VUM14	43.04 86.06	0.00	0.00								1
24 DSO Channel Capacity 48 DSO Channel Capacity 96 DSO Channel Capacity 144 DSO Channel Capacity 144 DSO Channel Capacity 240 DSO Channel Capacity 240 DSO Channel Capacity 288 DSO Channel Capacity 480 DSO Channel Capacity 480 DSO Channel Capacity 480 DSO Channel Capacity 576 DSO Channel Capacity 672 DSO Channel Capacity Non-Recurring Charges (NRC) A Minimum System configuration Multiples of this configuration for NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	y - 1 per DS1 y - 1 per 2 DS1s y - 1 per 2 DS1s ty - 1 per 4 DS1s tty - 1 per 6 DS1s tty - 1 per 8 DS1s tty - 1 per 10 DS1s tty - 1 per 12 DS1s tty - 1 per 12 DS1s tty - 1 per 12 DS1s tty - 1 per 20 DS1s tty - 1 per 24 DS1s tty - 1 per 28 DS1s	ons)		UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14	86.06										
48 DSO Channel Capacity 96 DSO Channel Capacity 144 DSO Channel Capacity 144 DSO Channel Capacity 192 DSO Channel Capacity 240 DSO Channel Capacity 288 DSO Channel Capacity 384 DSO Channel Capacity 480 DSO Channel Capacity 676 DSO Channel Capacity 672 DSO Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration function of the NRC - Conversion (Currenty BellSouth Allowed Changes) System Additions at End User Long New (Not Currently Combined) in 1 DS1/D4 Channel Bank - and Assoc Fea Activation	y - 1 per 2 DS1s y - 1per 4 DS1s ity - 1 per 6 DS1s ity - 1 per 6 DS1s ity - 1 per 10 DS1s ity - 1 per 12 DS1s ity - 1 per 16 DS1s ity - 1 per 20 DS1s ity - 1 per 24 DS1s ity - 1 per 24 DS1s ity - 1 per 28 DS1s			UEPMG UEPMG UEPMG UEPMG	VUM48 VUM96 VUM14	86.06										
96 DSO Channel Capacity 144 DSO Channel Capacity 192 DSO Channel Capacity 240 DSO Channel Capacity 288 DSO Channel Capacity 384 DSO Channel Capacity 480 DSO Channel Capacity 672 DSO Channel Capacity 672 DSO Channel Capacity 672 DSO Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration function of the configuration of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration function of the configuration	y -1per 4 DS1s ty - 1 per 6 DS1s ty -1 per 8 DS1s ty -1 per 10 DS1s ty - 1 per 12 DS1s ty -1 per 12 DS1s ty -1 per 16 DS1s ity -1 per 20 DS1s ity -1 per 24 DS1s ty -1 per 28 DS1s Associated with 4-Wire DS1 Loop with			UEPMG UEPMG UEPMG	VUM96 VUM14		0.00	0.00								
144 DS0 Channel Capacity 192 DS0 Channel Capacity 240 DS0 Channel Capacity 288 DS0 Channel Capacity 288 DS0 Channel Capacity 480 DS0 Channel Capacity 480 DS0 Channel Capacity 576 DS0 Channel Capacity 672 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration funds of the conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity - 1 per 6 DS1s ity -1 per 8 DS1s ity -1 per 10 DS1s ity -1 per 12 DS1s ity -1 per 12 DS1s ity -1 per 16 DS1s ity -1 per 20 DS1s ity -1 per 24 DS1s ity -1 per 28 DS1s Associated with 4-Wire DS1 Loop with			UEPMG UEPMG	VUM14	172.16		0.00								
192 DS0 Channel Capaciti 240 DS0 Channel Capaciti 288 DS0 Channel Capaciti 384 DS0 Channel Capaciti 480 DS0 Channel Capaciti 576 DS0 Channel Capaciti 672 DS0 Channel Capaciti Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration fund of the conversion (Current BellSouth Allowed Change System Additions at End User L. New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity -1 per 8 DS1s ty - 1 per 10 DS1s ity -1 per 12 DS1s ity -1 per 16 DS1s ity -1 per 20 DS1s ty -1 per 24 DS1s ity -1 per 28 DS1s Associated with 4-Wire DS1 Loop wit			UEPMG			0.00	0.00								
240 DS0 Channel Capaciti 288 DS0 Channel Capaciti 384 DS0 Channel Capaciti 480 DS0 Channel Capaciti 576 DS0 Channel Capaciti 672 DS0 Channel Capaciti Non-Recurring Charges (NRC) A A Minimum System configuration full tiples of this configuration full NRC - Conversion (Current BellSouth Allowed Change System Additions at End User Long New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ty - 1 per 10 DS1s ty - 1 per 12 DS1s ty - 1 per 12 DS1s ty - 1 per 20 DS1s ty - 1 per 24 DS1s ty - 1 per 28 DS1s Associated with 4-Wire DS1 Loop wit					258.24	0.00	0.00								
288 DSO Channel Capaciti 384 DSO Channel Capaciti 480 DSO Channel Capaciti 576 DSO Channel Capaciti 576 DSO Channel Capaciti 672 DSO Channel Capaciti Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration fund Change BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity - 1 per 12 DS1s ity - 1 per 16 DS1s ity - 1 per 20 DS1s ity -1 per 24 DS1s ity -1 per 28 DS1s Associated with 4-Wire DS1 Loop wit			LIEDMC	VUM19	344.32	0.00	0.00								
384 DS0 Channel Capacity 480 DS0 Channel Capacity 576 DS0 Channel Capacity 672 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration fund of the conversion (Current BellSouth Allowed Changes System Additions at End User L. New (Not Currently Combined) is 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity - 1 per 16 DS1s tty - 1 per 20 DS1s ity -1 per 24 DS1s ity -1 per 28 DS1s Associated with 4-Wire DS1 Loop wit		1		VUM2O	430.40	0.00	0.00								
480 DS0 Channel Capacity 576 DS0 Channel Capacity 672 DS0 Channel Capacity Non-Recurring Charges (NRC) A A Minimum System configuration Multiples of this configuration fit NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Le New (Not Currently Combined) is 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity - 1 per 20 DS1s ity -1 per 24 DS1s ity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop wit			UEPMG	VUM28	516.48	0.00	0.00								
576 DS0 Channel Capacit 672 DS0 Channel Capacit Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration ft NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User Le New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation	ity -1 per 24 DS1s ity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop wit		1	UEPMG	VUM38	688.64	0.00	0.00								
672 DS0 Channel Capacit   Non-Recurring Charges (NRC)     A Minimum System configuratio     Multiples of this configuration fund of the conversion (Curren BellSouth Allowed Change	ity - 1 per 28 DS1s Associated with 4-Wire DS1 Loop wit	1		UEPMG	VUM4O	860.80	0.00	0.00								
Non-Recurring Charges (NRC) A A Minimum System configuratio Multiples of this configuration fu  NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii  1 DS1/D4 Channel Bank - and Assoc Fea Activation	Associated with 4-Wire DS1 Loop wit			UEPMG	VUM57	1,032.96	0.00	0.00								
A Minimum System configuratio Multiples of this configuration ft NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation				UEPMG	VUM67	1,205.12	0.00	0.00								
Multiples of this configuration for NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L. New (Not Currently Combined) in 1 DS1/D4 Channel Bank - and Assoc Fea Activation	on is One (1) DS1. One (1) D4 Channe						stem									
NRC - Conversion (Curren BellSouth Allowed Change System Additions at End User L. New (Not Currently Combined) in 1 DS1/D4 Channel Bank - and Assoc Fea Activation																
BellSouth Allowed Change System Additions at End User L. New (Not Currently Combined) ii 1 DS1/D4 Channel Bank - and Assoc Fea Activation		dd'l afte	r the m	inimum system con	figuration is	counted.										
System Additions at End User L.  New (Not Currently Combined) in  1 DS1/D4 Channel Bank - and Assoc Fea Activation																ĺ
New (Not Currently Combined) in 1 DS1/D4 Channel Bank - and Assoc Fea Activation				UEPMG	USAC4	0.00	153.24	8.37								
1 DS1/D4 Channel Bank - and Assoc Fea Activation					ination Curre	ntly Exists and	1									
and Assoc Fea Activation		1 of Top	8 MSA	\'s												
	- Additionally Add NRC for each Port															1
Bipolar 8 Zero Substitution	(E:4/1/2004)		ļ	UEPMG	VUMD4	0.00	379.04	253.97	69.43	8.35						
		1	1													
	Format, superframe - Subsequent															
Activity Only	5	1	1	UEPMG	CCOSF	0.00	0.00i	392.25s								
	Format - Extended Superframe -															
Subsequent Activity Only		-		UEPMG	CCOEF	0.00	0.001	392.25s								<b>——</b>
Alternate Mark Inversion (AMI)		1	-	LIEDMO	140005	0.00	0.00	0.00								<b>—</b>
Superframe Format		1	1	UEPMG	MCOSF	0.00	0.00	0.00								<b>-</b>
Extended Superframe For		ion with	Dort	UEPMG	MCOPO	0.00	0.00	0.00			ļ	ļ				<del>                                     </del>
Exchange Ports Associated with	h 4-Wire DS1 Loop with Channelizati	I WITH	ron		+											<del></del>
	hannelized PBX Trunk Port - Business	1	1		+	-	-		<b></b>							<del></del>
(E:4/1/2004)	HAHHERZEU FDA HUNK POR - BUSINESS		1	UEPPX	UEPCX	1.09	0.00	0.00	0.00	0.00	1	1			J	1
	nelized PBX Trunk Port - Business	+	1	ULPFA	UEPUX	1.09	0.00	0.00	0.00	0.00	-	-				<del></del>
(E:4/1/2004)	TEILEG FOA TIUTK FUIT - DUSINESS		1	UEPPX	UEPOX	1.09	0.00	0.00	0.00	0.00					J	1
	nannelized PBX Trunk Port without DID	+	1	OLFFA	JLFUA	1.09	0.00	0.00	0.00	0.00	<b> </b>	-				<del></del>
(E:4/1/2004)	IAITHERZEU FOA TTUNK PORT WITHOUT DID	1	1	UEPPX	UEP1X	1.09	0.00	0.00	0.00	0.00	1	1				1
	ndled Channelized DID Trunk Port	+	1	ULFFA	UEFIA	1.09	0.00	0.00	0.00	0.00					-	$\vdash \vdash \vdash$
(E:4/1/2004)	Idied Chaimenzed DID Hullk Full		1	UEPPX	UEPDM	5.50	0.00	0.00	0.00	0.00	1	1			J	1
Feature Activations - Unbundled	d Loon Concentration	1	1	OLI I A	OLI DIVI	5.50	0.00	0.00	0.00	0.00					-	<b></b>
	on for each Line Port Terminated in D4	+	<del>                                     </del>		+	<u> </u>	<u> </u>									<del>                                     </del>
Bank	oo. buon Line i on reminated III D4		1	UEPPX	1PQWM	0.4689	12.90	6.80	1.96	1.95	1	1			J	1
Daim	on for each Trunk Port Terminated in	1	1	02117	AT SQ V V I V I	0.4009	12.30	0.00	1.50	1.33	<b> </b>	<b> </b>				<b>—</b>
D4 Bank	on to cash frank for formulated in		1	UEPPX	1PQWU	0.4689	38.09	9.18	26.77	5.34					J	1
	ablishment Charges for DID Service	1	<del>                                     </del>			3300	55.00	5.10	20.77	3.04						<b>—</b>
DID Trunk Termination (1)		1	t	UEPPX	NDT	0.00	0.00	0.00								
	le 1st 20 DID Nos. (FL,GA, NC,& SC)	t	t e	UEPPX	NDZ	0.00	0.00	0.00								
DID Numbers - groups of 2		1	1	UEPPX	ND4	0.00	0.00	0.00								
Non-Consecutive DID Num		1	1	UEPPX	ND5	0.00	0.00	0.00								
Reserve Non-Consecutive	mbers - per number	t	1	UEPPX	ND6	0.00	0.00	0.00			l	i				

UNBUNDI	ED NETWORK ELEMENTS - Georgia												Attach	ment: 2	Fyhi	bit: A
5.1D511DL		1	1		1	I					Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted			Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc		
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)				per LSR				Order vs.
		m						== (+)			per LSR	per LSK	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
		i –	1			Rec	Nonred	curring	Nonrecurring	g Disconnect		•	oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Loca	al Number Portability															
	Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	TURES - Vertical and Optional															
Loca	al Switching Features Offered with Line Side Ports Only		ļ		ļ											
LINIDI NIDI E	All Features Available		-	UEPPX	UEPVF	0.775	0.00	0.00								
	D CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE		Ct-t- (		nanciala Ilada	undlad Lasal C	italiaa aa C.	itali Danta				-				
	ost Based Rates are applied where BellSouth is required by FC eatures shall apply to the Unbundled Port/Loop Combination -								dlad Dart saati	on of this Bots	Evhibit					
												`oin Dort/Lo	on Combine	iono		-
3. En	nd Office and Tandem Switching Usage and Common Transpor ne first and additional Port nonrecurring charges apply to Not (	TUSage	Comb	ined Combos For	Currently Co	mbined Combo	to all combina	irring charges	ehall he those	identified in t	he Nonrecu	rring - Curr	op Combinat	od sections	Additional NE	Ce may
	y also and are categorized accordingly.	uncitiy	COIIID	inea combos. To	Currently Co	ilibilied Collibe	os, the nomect	iring charges	Silali be tilose	identined in t	ne nomecu	ining - Curre	entry Combin	su sections.	Additional N	.O3 may
	larket Rates for Unbundled Centrex Port/Loop Combination wil	he neg	otiated	on an Individual Ca	se Rasis un	til further notic	Δ		I	1			1	1	1	
	-P CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN onl		Liated	air maividual Ga		rararer motic	-				<del>                                     </del>	<b>-</b>				<b>—</b>
	ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	,			1						1					
	Port/Loop Combination Rates (Non-Design)				1						1					<del> </del>
J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1	1		1					1			1	1	1	
	Non-Design		1	UEP91		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo															
	Non-Design		2	UEP91		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Non-Design		3	UEP91		32.56										
UNE	Port/Loop Combination Rates (Design)												ĺ		ĺ	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	-														
	Design		1	UEP91		12.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		2	UEP91		17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	-														
	Design		3	UEP91		33.98										
UNE	Loop Rate			LIEBOA	115001	0.50										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.56										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEP91	UECS1	14.86										
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1		3	UEP91 UEP91	UECS1 UECS2	31.66 11.57					-					
	2-Wire Voice Grade Loop (SL 2) - Zone 1	+	2	UEP91	UECS2	16.95					1					<del></del>
	2-Wire Voice Grade Loop (SL 2) - Zone 3	+	3	UEP91	UECS2	33.08					1					<del></del>
LINE	Ports		-	OLI 31	00002	33.00							1	1	1	
	States (Except North Carolina and Sout Carolina)	+	1		+											
711 0	2-Wire Voice Grade Port (Centrex ) Basic Local Area	<del>                                     </del>	1	UEP91	UEPYA	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1	1		1	5.55.0				20		İ				
	Area	1		UEP91	UEPYB	0.9019	10.05	7.36	1.37	1.28						I
1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic	T T			1											
	Local Area		<u> </u>	UEP91	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area	<u></u>	<u></u>	UEP91	UEPYM	0.9019	82.27	26.96	20.29	9.15			<u> </u>		<u> </u>	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term - Basic Local Area		1	UEP91	UEPYZ	0.9019	82.27	26.96	20.29	9.15						Ь——
	2-Wire Voice Grade Port terminated in on Megalink or equivalen	t			l			_								I
	- Basic Local Area	<del>                                     </del>	1	UEP91	UEPY9	0.9019	10.05	7.36	1.37	1.28						<b>↓</b>
	2-Wire Voice Grade Port Terminated on 800 Service Term -	1		LIEDO4	LIEDVO											I
	Basic Local Area	<del>                                     </del>	1	UEP91	UEPY2	0.9019	10.05	7.36	1.37	1.28						<b>↓</b>
Geor	rgia and Florida Only	<del>                                     </del>	1	LIEDO4	LIEDITA		10.0-				-		ļ	ļ	ļ	<b>└</b>
	2-Wire Voice Grade Port (Centrex )	+	1	UEP91	UEPHA	0.9019	10.05	7.36	1.37	1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)	+	1	UEP91	UEPHB	0.9019	10.05 10.05	7.36	1.37	1.28 1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire	+	1	UEP91	UEPHH	0.9019	10.05	7.36	1.37	1.28	1		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	Center)2.3			UEP91	UEPHM	0.9019	82.27	26.96	20.29	9.15						1
	INCHEUS.	1	1	OLFBI	UEPHIVI	0.9019	02.21	∠0.96	20.29	9.15	<del>                                     </del>	-			<u> </u>	<del>                                     </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800	T														

CATEGORY   RATE ELEMENTS   Intert	I Incremental Charge - Charge - Manual Svc Order vs. Incremental Charge - Manual Svc Order vs.	bit: A Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l SOMAN
CATEGORY   RATE ELEMENTS   Interim   Zone   BCS   USOC   RATES (\$)	Charge - Manual Svc Order vs. Electronic- Add'l Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Interimated   Zone   BCS   USOC   RATES (\$)   Eloc   per LSR   Manual by per LSR   per	Manual Svc Order vs. Electronic- Add'l Disc 1st	Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   Min   Zone   BCS   USOC   RATES (\$)   per LSR   per LSR   Corder voic   Solution	Order vs. Electronic- Add'l Electronic- Disc 1st  S Rates (\$)	Order vs. Electronic- Disc Add'l
Centrex Intercom Funionality, per port   UEP91   UEP	Electronic- Add'l Electronic- Disc 1st  S Rates (\$)	Electronic- Disc Add'l
1st	Add'I Disc 1st S Rates (\$)	Disc Add'l
Rec	S Rates (\$)	
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP91		SOMAN
2-Wire Voice Grade Port terminated in on Megalink or equivalent   UEP91   UEPH9   0.9019   10.05   7.36   1.37   1.28	SOMAN SOMAN	SOMAN
2-Wire Voice Grade Port Terminated on 800 Service Term		
2-Wire Voice Grade Port Terminated on 800 Service Term		
Local Switching		
Centrex Intercom Funtionality, per port		
Local Number Portability   Local Number Portab		
Local Number Portability (1 per port)		
Features		
All Standard Features Offered, per port		
All Select Features Offered, per port		
All Centrex Control Features Offered, per port   UEP91   UEPVC   0.00		
NARS       Unbundled Network Access Register - Combination   UEP91   UARCX   0.00		
Unbundled Network Access Register - Combination		
Unbundled Network Access Register - Indial		
Unbundled Network Access Register - Outdial   UEP91		
Miscellaneous Terminations   2-Wire Trunk Side		
2-Wire Trunk Side		
Interoffice Channel Mileage - 2-Wire  Interoffice Channel Facilities Termination - Voice Grade  UEP91 MIGBC 12.87 48.46 19.48 16.58 5.00  Interoffice Channel mileage, per mile or fraction of mile  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP91 1PQWS 0.4689  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  UEP91 1PQW6 0.4689		
Interoffice Channel Facilities Termination - Voice Grade UEP91 M1GBC 12.87 48.46 19.48 16.58 5.00 Interoffice Channel mileage, per mile or fraction of mile UEP91 M1GBM 0.0057  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP91 1PQWS 0.4689  Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1PQW6 0.4689  Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop	1	
Interoffice Channel mileage, per mile or fraction of mile  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  Feature Activation on D-4 Channel Bank FX line Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop		
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service		
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP91 1PQWS 0.4689  Feature Activation on D-4 Channel Bank FX line Side Loop Slot  UEP91 1PQW6 0.4689		
Feature Activation on D-4 Channel Bank Centrex Loop Slot   UEP91   1PQWS   0.4689		
Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP91 1PQW6 0.4689  Feature Activation on D-4 Channel Bank FX Trunk Side Loop		
Feature Activation on D-4 Channel Bank FX Trunk Side Loop		
Feature Activation on D-4 Channel Bank FX Trunk Side Loop		
Siot UCF91 IPQW7 0.4669 Feature Activation on D-4 Channel Bank Centrex Loop Slot -		
Different Wire Center UEP91 1PQWP 0.4689		
Different Wife Certei CEP91 IPQWP 0.4009	+	
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP91 1PQWV 0.4689		
Feature Activation on D-4 Channel Bank Tijie Line/Trunk Loop	+	
Slot		
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP91 1PQWA 0.4689		
Non-Recurring Charges (NRC) Associated with UNE-P Centrex		
Conversion - Currently Combined Switch-As-Is with allowed		
New Centrex Standard Common Block         UEP91         M1ACS         0.00         317.90         37.59         48.99         5.92		
New Centrex Customized Common Block         UEP91         M1ACC         0.00         317.90         37.59         48.99         5.92		
Secondary Block, per Block   UEP91 M2CC1 0.00 77.10		
NAR Establishment Charge, Per Occasion UEP91 URECA 0.00 0.00		
Additional Non-Recurring Charges (NRC)		
Unbundled Miscellaneous Rate Element, Tag Loop at End Use		
Premise         UEP91         URETL         8.33         0.83		
Unbundled Miscellaneous Rate Element, Tag Design Loop at		
End Use Premise		
UNE-P CENTREX - 5ESS (Valid in All States)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo		
	+ + +	-
UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	+ + + + + + + + + + + + + + + + + + + +	
Non-Design 10.46		
12-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		
Non-Design 15.76		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		
Non-Design 3   UEP95   32.56		
UNE Port/Loop Combination Rates (Design)		
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo		
Design   1   UEP95   12.47		

UNBUNDLE	D NETWORK ELEMENTS - Georgia													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		17.85										<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		33.98										<b>.</b>
	pop Rate		1	LIEBOE	115004	0.50										-
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95 UEP95	UECS1 UECS1	9.56 14.86										<b></b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95 UEP95	UECS1	31.66										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		1	UEP95	UECS2	11.57										<del>                                     </del>
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	16.95										+
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.08										<del>                                     </del>
UNE Po	ort Rate		۲		02002	55.55									1	
All Stat		i e	t —										İ	İ	İ	
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	0.9019	10.05	7.36	1.37	1.28						<b>†</b>
1	2-Wire Voice Grade Port (Centrex 800 termination)	l	i –	UEP95	UEPYB	0.9019	10.05	7.36	1.37	1.28			l	l	İ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		i –												1	
	Area	<u></u>	L	UEP95	UEPYH	0.9019	10.05	7.36	1.37	1.28			<u> </u>	<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area		<u>L</u>	UEP95	UEPYM	0.9019	82.27	26.96	20.29	9.15				<u></u>		
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP95	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP95	UEPY2	0.9019	10.05	7.36	1.37	1.28						ļ
FL & G																
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPHA	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPHB	0.9019	10.05	7.36	1.37	1.28						<b></b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1		ļ	UEP95	UEPHH	0.9019	10.05	7.36	1.37	1.28						<del></del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPHM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPHIVI	0.9019	82.27	26.96	20.29	9.15						-
	Term 2,3			UEP95	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
	Term 2,3		1	OLF 95	OLFTIZ	0.9019	02.21	20.90	20.25	9.13						-
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPH9	0.9019	10.05	7.36	1.37	1.28						
_	2-Wire Voice Grade Port Terminated in 60 Wegalink of equivalent		1	UEP95	UEPH2	0.9019	10.05	7.36	1.37	1.28						<del>                                     </del>
	Switching			OLI SO	OLITIZ	0.0010	10.00	7.00	1.07	1.20						
2000. 0	Centrex Intercom Funtionality, per port			UEP95	URECS	0.4237										<b>†</b>
Local N	lumber Portability	1	i –											İ		
	Local Number Portability (1 per port)		i –	UEP95	LNPCC	0.35									1	
Feature	es															
	All Standard Features Offered, per port			UEP95	UEPVF	0.775										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	0.00									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00										
NARS	-															
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						<u> </u>
	Unbundled Network Access Register - Indial	<b>!</b>	<u> </u>	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
	Unbundled Network Access Register - Outdial	ļ	<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00			<b> </b>	<b> </b>	ļ	<del>                                     </del>
	aneous Terminations	<b> </b>	<del>                                     </del>		+ +				-				<b> </b>	<b> </b>	<del>                                     </del>	₩
	Trunk Side	<del>                                     </del>	<del>                                     </del>	LIEDOE	CENIDO	F F0	400.00	40.05	F4.00	0.45			-	-	<b> </b>	-
	Trunk Side Terminations, each Digital (1.544 Megabits)	<b>!</b>	<del>                                     </del>	UEP95	CEND6	5.50	122.26	18.65	54.82	3.45				-		₩
	DS1 Circuit Terminations, each	<del>                                     </del>	<del>                                     </del>	UEP95	M1HD1	41.20	200.96	93.00	65.81	2.33			<b> </b>	<b> </b>	<del> </del>	├
	DS0 Channels Activated, each	<b>!</b>	<del>                                     </del>	UEP95 UEP95	M1HD1 M1HDO	0.00	13.95	93.00	18.60	∠.33				-		+
	ice Channel Mileage - 2-Wire	<del>                                     </del>	<del>                                     </del>	OLI 33	WITIDO	0.00	13.33						<b>l</b>	l	<del> </del>	<del></del>
meron	Interoffice Channel Facilities Termination	<del>                                     </del>	<del>                                     </del>	UEP95	M1GBC	12.87	48.46	19.48	16.58	5.00			<b>l</b>	l	<del> </del>	$\vdash$
-+-	Interoffice Channel mileage, per mile or fraction of mile	1	<del>                                     </del>	UEP95	M1GBC M1GBM	0.0057	70.70	13.40	10.36	5.00						<del></del>
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e	1		O D W	3.0007							<b> </b>	<b> </b>	<b>i</b>	$\vdash$
	nnel Bank Feature Activations	Ť	+	l	+ +				<del>                                     </del>		<del>                                     </del>		<b> </b>	<b> </b>		

UNBUNDI	ED NETWORK ELEMENTS - Georgia													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incrementa Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
		1	1		+	_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.4689										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP95	1PQW6	0.4689										ļ
	Slot			UEP95	1PQW7	0.4689										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		1	021 00	11 QVV	0.4000			1							
	Different Wire Center			UEP95	1PQWP	0.4689										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot	ļ		UEP95	1PQWV	0.4689										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP95	1PQWQ	0.4689										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.4689					†					<u> </u>
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion	-	<del> </del>	UEP95 UEP95	M1ACC URECA	0.00	317.90 0.00	37.59	48.99	5.92	<b>.</b>					
Δdd	itional Non-Recurring Charges (NRC)		-	UEF95	UKECA	0.00	0.00									
Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP95	URETN		11.19	1.10								
	-P CENTREX - DMS100 (Valid in All States)		-								ļ					
	re VG Loop/2-Wire Voice Grade Port (Centrex) Combo Port/Loop Combination Rates (Non-Design)	-			-				1							
OIVE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Non-Design		1	UEP9D		10.46										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															1
	Non-Design		2	UEP9D		15.76										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		32.56										
LIME	Non-Design   Port/Loop Combination Rates (Design)	-	3	UEP9D	-	32.56			1							
ONL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo															
	Design		1	UEP9D		12.47										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP9D		17.85										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.00										
LIBUT	Design Loop Rate	<b> </b>	3	UEP9D	+	33.98					1				1	-
UNE	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	9.56					}				1	+
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	14.86					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	31.66										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	11.57										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	16.95										<b>.</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	33.08									1	<del>                                     </del>
	Port Rate STATES	<del>                                     </del>	1		+				<del> </del>		-	-			-	<del>                                     </del>
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<b>†</b>	UEP9D	UEPYA	0.9019	10.05	7.36	1.37	1.28	<del>                                     </del>				-	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	<b>†</b>	<b>†</b>	05	32	0.0010				20						<b>†</b>
	Area			UEP9D	UEPYB	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area	ļ	1	UEP9D	UEPYC	0.9019	10.05	7.36	1.37	1.28						ļ
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYD	0.9019	10.05	7.36	1.37	1.28						
+	Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	<del>                                     </del>	<del>                                     </del>	OEFSD	UEFID	0.9019	10.05	1.36	1.37	1.28						<del>                                     </del>
	Area			UEP9D	UEPYE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
1	Area	1	1	UEP9D	UEPYF	0.9019	10.05	7.36	1.37	1.28						1

UNBUNDLE	D NETWORK ELEMENTS - Georgia										r -	T -	Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Area			UEP9D	UEPYG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			02.05	020	0.00.0	10.00	7.00	1.07	20						
	Area			UEP9D	UEPYT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			OLF9D	OLFTO	0.9019	10.03	7.30	1.37	1.20						
	Area			UEP9D	UEPYV	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			UEP9D	UEPY3	0.9019	10.05	7.36	1.37	1.28						
	Area			UEP9D	UEPYH	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication))4 Basic Local Area			UEP9D	UEPYW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI OD	OLI 10	0.0010	10.00	7.00	1.07	1.20						
	2,3-Basic Local Area			UEP9D	UEPYM	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			LIEDOD	LIEDVO	0.0040	00.07	20.00	00.00	0.45						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPYO	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPYP	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area		-	UEP9D	UEPYQ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			OLI OD	OLI III	0.0010	OZ.ZI	20.00	20.20	0.10						
	Basic Local Area			UEP9D	UEPYS	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPY4	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			OEF9D	UEF14	0.9019	02.21	20.90	20.29	9.15						
	Basic Local Area			UEP9D	UEPY5	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	0.9019	82.27	26.96	20.29	9.15						
	Basic Local Area			UEP9D	UEPY7	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	0.9019	82.27	26.96	20.29	9.15						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic			02.05	020	0.00.0	10.00	7.00	1.07	20						
	Local Area			UEP9D	UEPY2	0.9019	10.05	7.36	1.37	1.28						
FL & G	GA Only			UEP9D	UEPHA	0.9019	10.05	7.26	1 27	1.28						
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPHA	0.9019	10.05	7.36 7.36	1.37 1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPHC	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPHD	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPHE	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPHF	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPHG	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPHT	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D	UEPHU	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		<b></b>	UEP9D	UEPHV	0.9019	10.05	7.36	1.37	1.28						
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5316)4		₩	UEP9D UEP9D	UEPH3	0.9019	10.05	7.36	1.37	1.28					-	<u> </u>
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPHH	0.9019	10.05	7.36	1.37	1.28					-	$\vdash$
	Indication)4			UEP9D	UEPHW	0.9019	10.05	7.36	1.37	1.28						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPHJ	0.9019	10.05	7.36	1.37	1.28	İ				İ	İ

UNBUN	DLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhil	bit: A
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
								Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					0.0040										
$\vdash$		2,3			UEP9D	UEPHM	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPHO	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPHP	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPHQ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPHR	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3,4			UEP9D	UEPHS	0.9019	82.27	26.96	20.29	9.15						
+		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPH4	0.9019	82.27	26.96	20.29	9.15						
-		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPH5	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPH6	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPH7	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPHZ	0.9019	82.27	26.96	20.29	9.15						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPH9	0.9019	10.05	7.36	1.37	1.28						
		2-Wire Voice Grade Port Terminated in 60 Wegalink of equivalent	1		UEP9D	UEPH2	0.9019	10.05	7.36		1.28						
L	ocal S	witching						10.00	7.00		1120						
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.4237										i
L	ocal N	lumber Portability Local Number Portability (1 per port)	ļ		UEP9D	LNPCC	0.35										<del>                                     </del>
F	eature	7 ( 1 1 7			UEP9D	LINECC	0.35										
Ť	Juliu	All Standard Features Offered, per port			UEP9D	UEPVF	0.775										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	0.00									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
N	ARS																<b> </b>
		Unbundled Network Access Register - Combination	ļ		UEP9D	UARCX	0.00	0.00	0.00		0.00						<del></del>
		Unbundled Network Access Register - Inward Unbundled Network Access Register - Outdial			UEP9D UEP9D	UAR1X UAROX	0.00	0.00	0.00		0.00						
N	iscell	aneous Terminations			OLI 3D	UAROX	0.00	0.00	0.00	0.00	0.00						(
		Trunk Side				1											
		Trunk Side Terminations, each			UEP9D	CEND6	5.50	122.26	18.65	54.82	3.45						
4	Wire	Digital (1.544 Megabits)															
		DS1 Circuit Terminations, each	ļ		UEP9D	M1HD1	41.20	200.96	93.00	65.81	2.33						<b></b>
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	13.95									<b>-</b>
ır	terom	ice Channel Mileage - 2-Wire			LIEDOD	MACRO	10.07	48.46	19.48	16.50	E 00						<del>                                     </del>
<del>                                     </del>		Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile	1	<del>                                     </del>	UEP9D UEP9D	M1GBC M1GBM	12.87 0.0057	48.46	19.48	16.58	5.00	1	1				
F	eature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		021 30	IVITODIVI	0.0037			1							
		nnel Bank Feature Activations				1				ĺ				1	ĺ		í .
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.4689			<u> </u>							
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.4689										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.4689										l
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.4689										
$\vdash$																	
$\vdash$		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop	-		UEP9D	1PQWV	0.4689						-				
		Slot			UEP9D	1PQWQ	0.4689										

UNBUNDLE	D NETWORK ELEMENTS - Georgia												Attach	ment: 2	Exhi	bit: A
	_										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to all									Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.4689										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP9D	USAC2		0.10	0.10								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	317.90	37.59	48.99	5.92						
	New Centrex Customized Common Block			UEP9D	M1ACC	0.00	317.90	37.59	48.99	5.92						
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	0.00									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															'
	End Use Premise			UEP9D	URETN		11.19	1.10								
Additio	onal Non-Recurring Charges (NRC)															<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP9E	URETL											
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN											
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Loc	op and	Port													
	- Requires Specific Customer Premises Equipment															<u> </u>
Note:	Rates displaying an "R" in Interim column are interim and sub	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.										

LINDI	INDI E	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	hit. A
UNDO	INDLE	NETWORK ELEMENTS - Remucky	1	ı	I	I						Svc Order	Svc Order	Incremental			
												l l					
												Elec	Submitted	Charge - Manual Svc	Charge - Manual Svc	Charge - Manual Svc	Charge -
CATE	SORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually				Manual Svc
CAIL	JOICI	KATE EEEMENTO	m	20116	500	0000			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1							Nonre	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
	1						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	1																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	bination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deavera	aged UNE Zon	e Designation	ns by Cent	ral Office, refe	er to internet	Nebsite:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter				. ,			٠.	•	· ·	Ü	•	,			
OPER/		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
	NOTE:	(1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	fic" OSS charges as	ordered by t	he State Comm	issions. The	OSS charges c	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		f the 9 states.		Ū		,	•		,				Ü				
		(2) Any element that can be ordered electronically will be bill	ed acco	rding	to the SOMEC rate lis	sted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine i	if a product	can be order	ed electronica	Ily. For those	e elements
		nnot be ordered electronically at present per the LOH, the list															
		N, will be applied to a CLECs bill when it submits an LSR to B					3				3				,		3 3 .,
		OSS - Electronic Service Order Charge, Per Local Service		Ī													
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
		OSS - Manual Service Order Charge, Per Local Service Request															
		(LSR) - UNE Only				SOMAN		7.86	0.00	0.99	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE										İ					
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
	1				,												
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
HNRU	NDI ED E	EXCHANGE ACCESS LOOP	<del>                                     </del>	<del>                                     </del>	OTTOB, OTTOA	ODAGE		200.00	<b> </b>	1	1	}	<b>-</b>	1	1		
01400		ANALOG VOICE GRADE LOOP		<del>                                     </del>		<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>		<del>                                     </del>	1		
<b>—</b>	Z-VVIIVE	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	10.56	46.66	22.57	26.65	7.65	<del> </del>		<del>                                     </del>	1		
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	<del>                                     </del>		UEANL	UEAL2	15.34	46.66	22.57	26.65	7.65	}	<b>-</b>	1	1		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEAL2	31.11	46.66	22.57	26.65	7.65	<del> </del>		<b> </b>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	-		UEANL	UEASL	10.56	46.66	22.57	26.65	7.65	<del> </del>		<b> </b>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1	-	2	UEANL	UEASL	15.34	46.66	22.57	26.65	7.65	<del> </del>		<b> </b>	t		
-	+	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	-		UEANL	UEASL	31.11	46.66	22.57	26.65	7.65	<del> </del>		<b> </b>	t		
-	+	Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>	, s	OLAINL	ULAGE	31.11	40.00	22.37	20.05	7.05	-	-	-	1		
1		Premise		1	UEANL	URETL		8.33	0.83				1				
-	+	Loop Testing - Basic 1st Half Hour	-	<del>                                     </del>	UEANL	URET1		46.88	46.88		-	1	-		<b> </b>		
-	+		-	<del>                                     </del>	UEANL	URETA		24.16			-	1	-		<b> </b>		
	1	Loop Testing - Basic Additional Half Hour	1	l	OLANL	UKETA		24.16	24.16	1	1	1	1	1	1		

Version 3Q03: 11/12/2003 Page 116 of 348

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UVL-SL1)			UEANL	UREWO		15.78	8.94								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.49	13.49								ļ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		9.00	9.00								
	Order Coordination for Specified Conversion Time for UVL-SL1															
	(per LSR)			UEANL	OCOSL		23.01	23.01								ļ
2-WIRI	Unbundled COPPER LOOP		1	LIEO	UEQ2X	10.58	44.97	20.89	25.64	6.65						ļ
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1 2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ UEQ	UEQ2X UEQ2X	11.51	44.97	20.89	25.64	6.65	-	-		-		
											-	-		-		
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3 Unbundled Miscellaneous Rate Element, Tag Loop at End User		3	UEQ	UEQ2X	13.19	44.97	20.89	25.64	6.65			-	-	<del></del>	<del>                                     </del>
	Premise			UEQ	URETL		8.33	0.83							I	
+	Manual Order Coordination 2 Wire Unbundled Copper Loop -	<b>H</b>	<del>                                     </del>	0LQ	JILIL		0.33	0.03	<del>                                     </del>		1		<del> </del>	<del> </del>	t	<del>                                     </del>
	Non-Designed (per loop)			UEQ	USBMC		9.00	9.00							I	
+	Unbundled Copper Loop, Non-Design Copper Loop, billing for	<b>†</b>	<del>                                     </del>	0_0	JUDINO		3.00	3.00			1	<b>-</b>			<b>I</b>	<b>†</b>
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.49	13.49								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		46.88	46.88			İ					
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		24.16	24.16			1				1	<b>†</b>
	CLEC to CLEC Conversion Charge Without Outside Dispatch			024	U.V.E.I.Y.		20	20			1				1	<b>†</b>
	(UCL-ND)			UEQ	UREWO		14.27	7.43								
UNBUNDLED	EXCHANGE ACCESS LOOP										İ					
	E ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	15.34	46.66	22.57	26.65	7.65						<b></b>
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-			LIEBOD LIEBOD		04.44	40.00	00.57	00.05	7.05						
	Zone 3		3	UEPSR UEPSB	UEALS	31.11	46.66	22.57	26.65	7.65	ļ					
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	24.44	46.66	22.57	26.65	7.65						
LINDUNDI ED I	EXCHANGE ACCESS LOOP		3	UEPSR UEPSB	UEABS	31.11	46.66	22.57	20.00	7.00	-					<del>                                     </del>
	E ANALOG VOICE GRADE LOOP	-	<u> </u>		+ +						1				-	+
Z-VVIKI	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	<u> </u>		+ +						1				-	+
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	12.67	134.89	81.87	73.65	14.88					1	
+	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	<b>†</b>	<del>                                     </del>		322	12.07	104.00	01.07	, 0.00	14.00	1	<b>†</b>	1		<b>†</b>	<b>—</b>
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	17.45	134.89	81.87	73.65	14.88					I	
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or										İ					
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	33.22	134.89	81.87	73.65	14.88						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		23.01									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	12.67	134.89	81.87	73.65	14.88						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2		2	UEA	UEAR2	17.45	134.89	81.87	73.65	14.88						<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1 7										_	
	Battery Signaling - Zone 3		3	UEA	UEAR2	33.22	134.89	81.87	73.65	14.88			ļ	ļ	1	<b></b>
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UEA	OCOSL		23.01				ļ				ļ	<b></b>
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.72	36.36			ļ				-	<b>_</b>
	Loop Tagging - Service Level 2 (SL2)		<u> </u>	UEA	URETL		11.21	1.10			1					<b>_</b>
4-WIRI	ANALOG VOICE GRADE LOOP		<b>L</b>	1154	LIE AL C		,		=0.0:		-				-	<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 1	<b>—</b>		UEA	UEAL4	29.26	164.11	112.36	78.91	18.66	<u> </u>		ļ	<b>.</b>	-	<b>├</b>
				UEA	UEAL4	34.25	164.11	112.36	78.91	18.66	1	1	1	1	1	1
	4-Wire Analog Voice Grade Loop - Zone 2															
	4-Wire Analog Voice Grade Loop - Zone 2  4-Wire Analog Voice Grade Loop - Zone 3  Order Coordination for Specified Conversion Time (per LSR)		3	UEA UEA	UEAL4 OCOSL	85.06	164.11 23.01	112.36	78.91	18.66						

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CHECHEL	NETWORK ELEMENTO ROMAGNY										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC ISL	DISC Add I
						_	Nonrec	curring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	18.44	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	25.08	146.77	95.02	71.38	13.83			Î	Î		
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	42.87	146.77	95.02	71.38	13.83			Î	Î		
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		23.01			Î			Î	Î		
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.63	44.16		Î			Î	Î		
2-WIR	E ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP	)												
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UAL	UAL2X	10.82	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UAL	UAL2X	11.79	141.98	79.73	69.02	11.47						
	2 Wire Unbundled ADSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UAL	UAL2X	12.87	141.98	79.73	69.02	11.47						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 1		1	UAL	UAL2W	10.82	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 2		2	UAL	UAL2W	11.79	121.18	69.00	69.09	11.54						
	2 Wire Unbundled ADSL Loop without manual service inquiry &															
	facility reservaton - Zone 3		3	UAL	UAL2W	12.87	121.18	69.00	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		23.01									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.20	40.40								
2-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	8.75	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	9.56	151.54	89.29	69.09	11.54						
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	10.61	151.54	89.29	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01									
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL2W	8.75	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL2W	9.56	130.74	78.56	69.09	11.54						
	2 Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL2W	10.61	130.74	78.56	69.09	11.54						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		23.01	10.10								
4 14	CLEC to CLEC Conversion Charge without outside dispatch	TID: - :	000	UHL	UREWO		86.14	40.40	-							
4-WIR	E HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	IIBLE	LOOP	-					-	-	-		<b>.</b>	ļ	-	
	4 Wire Unbundled HDSL Loop including manual service inquiry			L	11111 457	10.0-	405 7-	100 50	74.0-	1100						
$\vdash$	and facility reservation - Zone 1	<b>—</b>	1	UHL	UHL4X	13.95	185.75	123.50	74.95	14.69	<del>                                     </del>	-	<b> </b>	<del> </del>	<del> </del>	
	4-Wire Unbundled HDSL Loop including manual service inquiry	Ι.		L	11111 47	45.00	405.75	400.50	74.05	44.00		1				
$\vdash$	and facility reservation - Zone 2		2	UHL	UHL4X	15.68	185.75	123.50	74.95	14.69	-	-	-	-	-	
	4-Wire Unbundled HDSL Loop including manual service inquiry		3	UHL	11111 457	10.00	405 7-	100 50	74.0-	1100		1				
$\vdash$	and facility reservation - Zone 3  Order Coordination for Specified Conversion Time (per LSR)	-	3	UHL	UHL4X OCOSL	16.98	185.75 23.01	123.50	74.95	14.69	-		-			
$\vdash$	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>-</b>	<del>                                     </del>	UITL	OCOSL		∠3.01		1	-	-		-	-	-	
	and facility reservation - Zone 1		1	UHL	UHL4W	13.95	164.95	114.04	77.32	15.80		1				
$\vdash$	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>-</b>	+ -	OI IL	OI IL4VV	13.95	104.95	114.04	11.32	15.60	-		-	-	-	
	and facility reservation - Zone 2		2	UHL	UHL4W	15.68	164.95	114.04	77.32	15.80						
<del>                                     </del>	4-Wire Unbundled HDSL Loop without manual service inquiry		-	OI IL	UI IL+VV	13.00	104.95	114.04	11.32	13.00			<del> </del>	<del> </del>	<del> </del>	
	and facility reservation - Zone 3		3	UHL	UHL4W	16.98	164.95	114.04	77.32	15.80		1				
<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)		-	UHL	OCOSL	10.50	23.01	114.04	11.32	15.60	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
<del>                                     </del>	CLEC to CLEC Conversion Charge without outside dispatch		$\vdash$	UHL	UREWO		86.14	40.40	<del>                                     </del>	<del> </del>			<del> </del>	<del> </del>	<del> </del>	
4-W/ID	E DS1 DIGITAL LOOP	<b>-</b>	<del>                                     </del>	J	OI LEVIO		00.14	40.40	<b>†</b>							
4-4411	4-Wire DS1 Digital Loop - Zone 1	<b>-</b>	1	USL	USLXX	86.47	306.69	174.44	65.83	14.55	<b>-</b>		<b> </b>	<b> </b>	<b> </b>	
<del>                                     </del>	4-Wire DS1 Digital Loop - Zone 2	<b>-</b>		USL	USLXX	114.10	306.69	174.44		14.55						
	4-Wire DS1 Digital Loop - Zone 3	<b>—</b>	3	USL	USLXX	297.76	306.69	174.44	65.83	14.55	<u> </u>					
	Order Coordination for Specified Conversion Time (per LSR)		۲	USL	OCOSL	201.10	23.01	17-3-4-4	00.00	14.00	1	<b> </b>	<b> </b>	<b> </b>	<b> </b>	
	1		-	1	0000L		20.01			1	<u> </u>	1	L	L	L	

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge -
						D	Nonrec	urring	Nonrecurring	Disconnect		1	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.09	43.04								
4-WIF	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															ـــــــ
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	32.48	157.81	106.06	78.91	18.66	ļ					<b>——</b>
<b></b>	4 Wire Unbundled Digital 19.2 Kbps 4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL UDL	UDL19 UDL56	36.37 27.59	157.81 157.81	106.06 106.06	78.91 78.91	18.66 18.66			-			-
<del>                                     </del>	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	32.48	157.81	106.06	78.91	18.66			<del> </del>			<del>                                     </del>
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	36.37	157.81	106.06	78.91	18.66	i e					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		23.01				†					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	27.59	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	32.48	157.81	106.06	78.91	18.66						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	36.37	157.81	106.06	78.91	18.66						
	Order Coordination for Specified Conversion Time (per LSR)		ļ	UDL	OCOSL		23.01	10.55								
0.14/15	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.13	49.75								<b>——</b>
2-WIF	RE Unbundled COPPER LOOP		<u> </u>		+						<b>.</b>	-	-			<del></del>
	2-Wire Unbundled Copper Loop-Designed including manual service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	10.82	140.95	78.70	69.09	11.54						l
<b>—</b>	2-Wire Unbundled Copper Loop-Designed including manual		<u> </u>	OOL	OCEI D	10.02	140.55	70.70	09.09	11.54	1					<del></del>
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	11.79	140.95	78.70	69.09	11.54						l
	2 Wire Unbundled Copper Loop-Designed including manual										İ					
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	12.87	140.95	78.70	69.09	11.54						l
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00								
	2-Wire Unbundled Copper Loop-Designed without manual															l
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	10.82	120.15	67.97	69.09	11.54						
	2-Wire Unbundled Copper Loop-Designed without manual															l
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.79	120.15	67.97	69.09	11.54	<b>.</b>	-	-			-
	2-Wire Unbundled Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCLPW	12.87	120.15	67.97	69.09	11.54						l
	Order Coordination for Unbundled Copper Loops (per loop)		- 3	UCL	UCLMC	12.07	9.00	9.00	03.03	11.54	<b>†</b>					<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch										†					
	(UCL-Des)			UCL	UREWO		97.23	42.48								l
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4S	16.92	170.31	108.06	74.95	14.69						
	4-Wire Copper Loop-Designed including manual service inquiry					4=00	.=		=							
<del>                                     </del>	and facility reservation - Zone 2	-	2	UCL	UCL4S	17.36	170.31	108.06	74.95	14.69			-			<b>—</b>
	4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	28.10	170.31	108.06	74.95	14.69						
h	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	20.10	9.00	9.00	74.95	14.05	1	1	1			
	4-Wire Copper Loop-Designed without manual service inquiry	<b>†</b>			502.710		5.55	5.50			1	t	<b>†</b>	1	1	
	and facility reservation - Zone 1		1	UCL	UCL4W	16.92	149.52	97.33	74.95	14.69			1			1
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	17.36	149.52	97.33	74.95	14.69						
	4-Wire Copper Loop-Designed without manual service inquiry				I		Ι . Τ						_		1	1
$\vdash$	and facility reservation - Zone 3	<b>.</b>	3	UCL	UCL4W	28.10	149.52	97.33	74.95	14.69	ļ		<del>                                     </del>	<b>!</b>	<b>.</b>	-
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		9.00	9.00					-			<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch (UCL-Des)			UCL	UREWO		97.23	42.48					I			1
LOOP MODIF				OOL	OKEVVO		37.23	72.70			<b>†</b>					<del>                                     </del>
1				UAL, UHL, UCL,												
				UEQ, ULS, UEA,	1								I			1
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,	1								I			1
	pair less than or equal to 18k ft, per Unbundled Loop	<u></u>	<u></u>	UEPSB	ULM2L	<u> </u>	9.24	9.24	<u> </u>						<u> </u>	<u></u>
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		9.24	9.24					1	ļ	ļ	
				UAL, UHL, UCL,	1								1			1
	Unbundled Lean Medification Removal of Bridged Ten Removal			UEQ, ULS, UEA,	1								I			1
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEANL, UEPSR, UEPSB	ULMBT		10.47	10.47					1			1
	Ipor univariated toop			021 00	OLIVID I		10.47	10.47	ıl			1	1	ı	ı	

UNBL	JNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
		•										I .	1	Incremental	Incremental	Incremental	
												I .	Submitted		Charge -	Charge -	Charge -
CATE	CORV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually		Manual Svc	Manual Svc	
CATE	JUKT	RATE ELEMENTS	m	Zone	BUS	USUC			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
CUDI	OODC							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L		op Distribution															<b>-</b>
	OUD-LC	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															1
		Up	- 1		UEANL	USBSA		207.91	207.91								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	-		UEANL	USBSB		12.50	12.50								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up			UEANL	USBSC		80.87	80.87								
-	1	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel	- '		UEAINL	USBSC		00.07	00.07								1
		Set-Up	- 1		UEANL	USBSD		45.04	45.04								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	<u> </u>	Zone 1	- 1	1	UEANL	USBN2	6.34	85.03	39.05	59.81	7.90	-					
1		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN2	9.06	85.03	39.05	59.81	7.90						
<b>—</b>	1	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		OLAIVL	CODINZ	5.00	05.03	35.03	35.01	1.90	<b>†</b>	<del>                                     </del>				<del>                                     </del>
		Zone 3	- 1	3	UEANL	USBN2	14.82	85.03	39.05	59.81	7.90		<u> </u>				
<u> </u>	1	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00				1				
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	8.14	102.31	56.32	65.24	10.88						
-	<del>                                     </del>	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	OLANL	USBN4	0.14	102.31	30.32	05.24	10.00						<del> </del>
		Zone 2		2	UEANL	USBN4	8.63	102.31	56.32	65.24	10.88						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
		Zone 3		3	UEANL	USBN4	25.60	102.31	56.32	65.24	10.88						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-	<del>                                     </del>	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.57	68.35	22.36	59.81	7.90						<del> </del>
										99.01							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
-		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	4.98	76.49	30.51	65.24	10.88						ļ
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		24.16	24.16								
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	5.45	85.03	39.05	59.81	7.90						
-	-	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1		UEF	UCS2X	7.06 9.67	85.03	39.05	59.81	7.90						
-	+	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS2X	9.67	85.03	39.05	59.81	7.90	1	<del>                                     </del>				-
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1			UEF	UCS4X	7.09	102.31	56.32	65.24	10.88						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	T		UEF	UCS4X	8.66	102.31	56.32	65.24	10.88						
-	1	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	- 1	3	UEF	UCS4X	19.40	102.31	56.32	65.24	10.88		-				
1		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		9.00	9.00								
		Loop Testing - Basic 1st Half Hour			UEF	URET1		46.88	46.88								
		Loop Testing - Basic Additional Half Hour			UEF	URETA		24.16	24.16								
	Unbun	dled Network Terminating Wire (UNTW)			LIEN ITTAL												
<u> </u>	Notice	Unbundled Network Terminating Wire (UNTW) per Pair k Interface Device (NID)		-	UENTW	UENPP	0.53	23.51	23.51			ļ	-				<del> </del>
-	Networ	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		73.53	49.47			1	<del>                                     </del>				-
	1	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		115.96	91.91								
		Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		8.56	8.56								
	<u> </u>	Network Interface Device Cross Connect - 4W			UENTW	UNDC4		8.56	8.56								
UNE O	THER, P	ROVISIONING ONLY - NO RATE  NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1	1				<del>                                     </del>
<b>-</b>	1	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00				<del>                                     </del>					<del>                                     </del>
	1				UEANL,UEF,UEQ,U		5.55	0.00									
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE O	THER, P	ROVISIONING ONLY - NO RATE										l	L	l			

UNBUND	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
													Svc Order Submitted Manually	Incremental Charge - Manual Svc		Incremental Charge - Manual Svc	
CATEGOR	Υ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic-	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINEON	0.00	0.00									
<b></b>		Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			UDIN,UEA,UHL,ULC	UNECIN	0.00	0.00				-					
		rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									ł
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															i -
		rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									ł
		Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									i
		Unbundled DS1 Loop - Expanded Superframe Format option -															ĺ
		no rate			USL	CCOEF	0.00	0.00									<b></b>
HIGH CAP		Y UNBUNDLED LOCAL LOOP															<del></del>
		High Capacity Unbundled Local Loop - DS3 - Per Mile per month			UE3	1L5ND	9.25										i
		High Capacity Unbundled Local Loop - DS3 - Facility	<b>-</b>	<del>                                     </del>	OLO	ILUND	9.25					<del>                                     </del>	1		<del> </del>		
		Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per			UE3	UE3PX	308.31	551.38	338.08	173.00	120.42						
		month			UDLSX	1L5ND	9.25										l
		High Capacity Unbundled Local Loop - STS-1 - Facility															i
		Termination per month			UDLSX	UDLS1	320.51	551.38	338.08	173.00	120.42						<b></b>
LOOP MAI																	<del></del>
		Loop Makeup - Preordering Without Reservation, per working or spare facility queried (Manual).			UMK	UMKLW		23.40	23.40								ł
-		Loop Makeup - Preordering With Reservation, per spare facility		<u> </u>	UIVIK	UIVIKLVV		23.40	23.40								
		queried (Manual).  Loop MakeupWith or Without Reservation, per working or			UMK	UMKLP		24.85	24.85								ļ
		spare facility queried (Mechanized)			UMK	UMKMQ		0.67	0.67								l
		AND LINE SPLITTING															
NO	TE 1	: The Line Sharing monthly recurring rates for all installation	ns com	pleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							i
		: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
		: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND															<b></b>
		: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															<b></b>
		: Above will apply to USOCS: ULSDT and ULSCT 2: The Line Sharing monthly recurring rates with USOCs ULS	200	1111 00	C				0-4-14 204	22							
		2: The Line Sharing monthly recurring rates with USOCS OLS	SDC an	d ULSC	c applies only to cil	cuits install	ed and inservic	e on or before	October 1, 200	03							
		ERS-CENTRAL OFFICE BASED															
J.		Line Sharing Splitter, per System 96 Line Capacity		t	ULS	ULSDA	198.83	379.05	0.00	358.55	0.00						
		Line Sharing Splitter, per System 24 Line Capacity		i i	ULS	ULSDB	49.71	379.05	0.00	358.55	0.00		İ		1		
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	16.94	377.71	0.00	357.29	0.00						
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton- deactivation (per LSOD)			ULS	ULSDG		173.62	0.00	100.40	0.00						
EN		SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
		Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1 (E:10/2/2003)			ULS	ULSDT	2.65	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	5.29	37.16	21.28	20.17	9.90						
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	7.94	37.16	21.28	20.17	9.90						
		Line Sharing - per Subsequent Activity per Line						00.00	40.10								_ <del></del>
		Rearrangement(BST Owned Splitter) Line Sharing - per Subsequent Activity per Line			ULS	ULSDS		32.90	16.43								
		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -		<u> </u>	ULS	ULSCS		32.90	16.43			-					<del></del>
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						l

UNBUN	NDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.65	47.44	19.31	20.67	12.74						
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	5.29	47.44	19.31	20.67	12.74	ļ					ļ
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	7.94	47.44	19.31	20.67	12.74						
<b>—</b>	INE C	PLITTING			ULS	ULSCI	7.94	47.44	19.31	20.07	12.74	<b>-</b>			-	-	<del> </del>
		SER ORDERING-CENTRAL OFFICE BASED										<b>+</b>				-	-
l f		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61					İ					
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.02	21.20	21.10	9.87	Ì	İ		1	1	1
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.02	21.20	21.10	9.87						1
l l	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00		· · · · ·						1
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								ļ
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								ļ
		DEDICATED TRANSPORT															
	NTER	OFFICE CHANNEL - DEDICATED TRANSPORT										ļ					
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -			U1TVX	1L5XX	0.01										
$\vdash$		Per Mile per month Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -		-	UTIVX	ILSXX	0.01					<b> </b>					<b>-</b>
		Facility Termination			U1TVX	U1TV2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			OTTVA	OTIVE	23.11	47.04	31.70	22.11	0.73	<b>+</b>				-	+
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			01117	120701	0.01					†			t	t	
		Facility Termination			U1TVX	U1TR2	29.11	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -															
		Per Mile per month			U1TVX	1L5XX	0.01										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
		- Facility Termination			U1TVX	U1TV4	25.86	47.34	31.78	22.77	8.75						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile				41 =207											
-		per month			U1TDX	1L5XX	0.0115					ļ					
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LUTDY	LIATOS	20.07	47.05	24.70	22.77	0.75						
$\vdash$		Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile			U1TDX	U1TD5	20.97	47.35	31.78	22.77	8.75	1			<del>                                     </del>	<del>                                     </del>	+
		per month			U1TDX	1L5XX	0.0115								1	1	
$\vdash$		Interoffice Channel - Dedicated Transport - 64 kbps - Facility				.20.50	3.0110			1		1	<b>-</b>		<b>I</b>	<b>I</b>	t
		Termination			U1TDX	U1TD6	20.97	47.35	31.78	22.77	8.75				I	I	
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															1
		month			U1TD1	1L5XX	0.23									<u> </u>	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility			1				<del></del>		<del></del>						
		Termination			U1TD1	U1TF1	96.04	105.52	98.46	23.09	20.49						1
l T	_	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			l										_	_	
$\vdash$		month			U1TD3	1L5XX	4.97										<b></b>
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATEO	4 475 45	225 42	040.04	00.57	07.75				1	1	
$\vdash \vdash$		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per		-	U1TD3	U1TF3	1,175.15	335.40	219.24	89.57	87.75	1	-		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Interoffice Channel - Dedicated Transport - 515-1 - Per Mille per Imonth			U1TS1	1L5XX	4.97								I	I	
+		Interoffice Channel - Dedicated Transport - STS-1 - Facility			01101	ILUAA	4.97			1		<b>†</b>			<del>                                     </del>	<del>                                     </del>	+
		Termination			U1TS1	U1TFS	1,149.51	335.40	219.24	89.57	87.75				I	I	
DARK FI	IBER					1	.,	222.10		55.01	20		İ		1	1	1
T		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			İ	1				1		Ì	İ		1	1	1
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	30.74					<u> </u>			<u> </u>	<u> </u>	
		NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		732.53	192.67	377.27	241.67						
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
igsquare		Thereof per month - Local Loop			UDF, UDFCX	1L5DL	47.01			ļ					L	L	ļ
I I		NRC Dark Fiber - Local Loop		<u> </u>	UDF, UDFCX	UDFL4		732.53	192.67	377.27	241.67						

UNBUNDL	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
												Svc Order		Incremental		Incremental
												Submitted	Charge -	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	Zana	BCS	USOC			DATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всъ	USUC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCESS	TEN DIGIT SCREENING															<u> </u>
	8XX Access Ten Digit Screening, Per Call		-	OHD		0.0006478									1	<del> </del>
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X		4.14	0.70								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		8.78	1.18	7.08	0.86						
	8XX Access Ten Digit Screening, Customized Area of Service			OLID	NOFOY			0.07								
<del></del>	Per 8XX Number		-	OHD	N8FCX		4.14	2.07			-				<del>                                     </del>	<del>                                     </del>
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		4.85	2.78							1	
	8XX Access Ten Digit Screening, Change Charge Per Request		<b>t</b>	OHD	N8FAX		4.85	0.70							t	<b>†</b>
	8XX Access Ten Digit Screening, Call Handling and Destination				10		4.00	0.70			<b>†</b>				<b>†</b>	t
	Features			OHD	N8FDX		4.14	4.14							I	
	8XX Access Ten Digit Screening w/ 8FL No. Delivery,		L	OHD		0.0006478										
	8XX Access Ten Digit Screening, w/ POTS No. Delivery,			OHD		0.0006478		· · · · ·		· · · · ·						1
LINE INFORM	ATION DATA BASE ACCESS (LIDB)															
	LIDB Common Transport Per Query			OQT		0.000023										
$\vdash$	LIDB Validation Per Query			OQU	NDDDV	0.0137322	55.40		07.50							
SIGNALING (	LIDB Originating Point Code Establishment or Change		<u> </u>	OQT, OQU	NRBPX		55.12		67.59						-	
SIGNALING (	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	20.71	43.56	43.56	22.45	22.45					<del> </del>	<del> </del>
<b>—</b>	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	151.39	40.00	40.00	22.40	22.40						1
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000656									t	
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
	CCS7 Signaling Connection, Per link (B link) (also known as D link)			UDB	TPP++	20.71	43.56	43.56	22.45	22.45						
<b>—</b>	CCS7 Signaling Usage, Per ISUP Message			UDB	1	0.0000164	40.00	40.00	22.40	22.40						1
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	751.08									t	
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		46.02	46.02	56.43	56.43						
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		46.02	46.02	56.43	56.43						
E911 SERVIC					+	40.57	005.70	40.00	40.70	4.00						
$\vdash$	Local Channel - Dedicated - 2-wr Voice Grade Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile		-		+	18.57 0.0115	265.78	46.96	46.79	4.98					<del>                                     </del>	+
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		<del>                                     </del>		+	0.0115								<del> </del>	<del> </del>	+
	Termination				1	29.11	47.34	31.78	22.77	8.75					I	
	Local Channel - Dedicated - DS1 - Zone 1		<b>†</b>		1	40.46	209.60	176.51	30.21	21.07				İ	1	
	Local Channel - Dedicated - DS1 - Zone 2					43.39	209.60	176.51	30.21	21.07				<u> </u>		
	Local Channel - Dedicated - DS1 - Zone 3					164.50	209.60	176.51	30.21	21.07						
	Interoffice Transport - Dedicated - DS1 Per Mile					0.23										
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					96.04	105.52	98.46	23.09	20.49						
<b>CALLING NA</b>	ME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30						ļ
$\vdash$	CNAM For Non DB Owners - Service Establishment			OQV			25.34	25.34	23.30	23.30				ļ	1	<b></b>
	CNAM For DB Owners - Service Provisioning With Point Code			001/	1		4 504 5 1	4							I	
<del></del>	Establishment CNAM For Non DB Owners - Service Provisioning With Point		-	OQV	+		1,591.54	1,177.08	431.95	317.61	-				<del>                                     </del>	<del>                                     </del>
	Code Establishment			oqv	1		546.40	393.74	438.93	317.61					I	
	CNAM for DB Owners, Per Query		<del>                                     </del>	OQV	+	0.0010348	340.40	333.74	430.93	317.01					<del> </del>	<del>                                     </del>
	CNAM for Non DB Owners, Per Query			OQV	+	0.0010348					<b>†</b>				<b>†</b>	t
	CNAM (Non-Databs Owner), NRC, applies when using the				1				i i		İ			ĺ	1	1
	Character Based User Interface (CHUI)			OQV	CDDCH		595.00	595.00			<u> </u>				<u> </u>	
SELECTIVE F								· · · · ·		· · · · ·						
	Selective Routing Per Unique Line Class Code Per Request Per				1										_	
	Switch						93.53	93.53	15.58	15.58					1	]

UNBUNDLE	ED NETWORK ELEMENTS - Kentucky												Attachi	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR			Incremental Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Names		I Namananania	Dianamant					D130 131	Disc Add I
-					1	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
VIRTUAL COI	LOCATION				+		FIISL	Auu i	Filst	Addi	SOWIEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	VE1LS	0.0309	24.68	23.68	12.14	10.95						
PHYSICAL CO																
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0333	24.68	23.68	12.14	10.95						
AIN SELECTI	VE CARRIER ROUTING Regional Service Establishment		1	SRC	SRCEC	-	193,401.00	193,401.00	9,483.34	9,483.34					-	
-	End Office Establishment			SRC	SRCEO		193,401.00	193,401.00	9,483.34	9,483.34					-	
	Line/Port NRC, per end user		1	SRC	SRCLP		2.06	2.06	0.00	0.00						<del>                                     </del>
	Query NRC, per query			SRC	O. COL.	0.0037502	2.00	2.00							t	
AIN - BELLSO	OUTH AIN SMS ACCESS SERVICE															
	AIN SMS Access Service - Service Establishment, Per State,															
	Initial Setup		<u> </u>	A1N	CAMSE		43.55	43.55	44.93	44.93						
1   -				l											_	
$\vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access		<u> </u>	A1N	CAMDP	<u> </u>	8.64	8.64	10.03	10.03						
-	AIN SMS Access Service - Port Connection - ISDN Access		ļ	A1N	CAM1P		8.64	8.64	10.03	10.03					1	
	AIN SMS Access Service - User Identification Codes - Per User ID Code			A1N	CAMAU		38.65	38.65	29.88	29.88						
	AIN SMS Access Service - Security Card, Per User ID Code,		1	AIN	CAIVIAU		36.03	30.03	29.00	29.00					1	1
	Initial or Replacement			A1N	CAMRC		75.08	75.08	12.93	12.93						
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			,,,,,	0, 11 10	0.0025	70.00	70.00	12.00	12.00					t	
	AIN SMS Access Service - Session, Per Minute					0.666										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.4608										
AIN - BELLSO	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		43.55	43.55	44.93	44.93						
-	AIN Toolkit Service - Training Session, Per Customer				BAPVX		8,436.93	8,436.93	-						-	-
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		8.64	8.64	10.03	10.03						
	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DALLI		0.04	0.04	10.03	10.03						<del>                                     </del>
	DN, Off-Hook Delay				BAPTD		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, Off-Hook Immediate				BAPTM		8.64	8.64	10.03	10.03						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		51.01	51.01	18.50	18.50						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO		F4 04	E4 04	40.50	40.50					1	
$\vdash$	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per		<del>                                     </del>		BAPTC	_	51.01	51.01	18.50	18.50					-	<del>                                     </del>
	DN, Feature Code				BAPTF		51.01	51.01	18.50	18.50					I	
	AIN Toolkit Service - Query Charge, Per Query		t		27 11 11	0.0549207	51.01	51.01	10.00	10.00					1	
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit		i i		1						İ				1	
	Subscription, Per Node, Per Query		<u> </u>	<u> </u>		0.0066492	I		<u> </u>		<u> </u>				<u> </u>	
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes		<u> </u>			0.07			ļ						1	
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D 4 D4 **										I	
$\vdash$	Subscription		<u> </u>	CAM	BAPMS	7.87	8.64	8.64	6.08	6.08					<del>                                     </del>	+
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	3.26	9.56	9.56							I	
<del>                                     </del>	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		<del>                                     </del>	CAIVI	DAPLO	3.20	9.50	9.50	+						<del> </del>	<del>                                     </del>
	Subscription			CAM	BAPDS	4.72	8.64	8.64	6.08	6.08					I	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit		t		220	7.72	0.04	0.04	0.00	0.00					1	
	Service Subscription			CAM	BAPES	0.11	9.56	9.56							1	
	XTENDED LINK (EELs)															
	: The monthly recurring and non-recurring charges below will															
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS				10.0=	405.00	00.40	50.00	7.01						
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	<u> </u>				I .	

UNB	UNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
0												Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	1		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = = = = = = = = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						
		First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - DS1 combination - Per Mile				41 = 204											1
		per month			UNC1X	1L5XX	0.19										
		Interoffice Transport - Dedicated - DS1 combination - Facility								=====							1
	+	Termination per month			UNC1X	U1TF1 MQ1	79.02	181.24	123.53	56.72	22.32	<b> </b>					
	+	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X	1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67	<b> </b>					
-	+	voice Grade COCI - Per Month			UNCVX	IDIVG	0.62	0.71	4.84			<b> </b>					
		Each Additional 2 Wire VC Loop (CL 2) in Combination 7 and 1		1	LINCVV	UEAL2	12.67	105.00	60.48	E0 60	7.84						1
-	+	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		<u> </u>	UNCVX	ULALZ	12.07	125.22	00.48	59.69	1.04	1	<b>H</b>				
		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						1
-	+	Lacit / additional 2-14/116 40 Loop (OL 2) iii Combination - Zone 2			014047	ULALZ	17.43	120.22	00.40	55.05	7.04						·
1		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						1
	+	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.62	6.71	4.84		7.04						
		Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	IDIVO	0.02	0.71	7.07			1	1				
		Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						1
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	ED DS	1 INTER								İ					i .
	1			1								İ					
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						1
													İ				
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						1
	1	,															
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						1
		Interoffice Transport - Dedicated - DS1 combination - Per Mile															i
		Per Month			UNC1X	1L5XX	0.19										ı
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per															
		Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						ı
		1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						1
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															1
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		Additional 4-Wire Analog Voice Grade Loop in same DS1															1
		Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		Additional 4-Wire Analog Voice Grade Loop in same DS1		_													1
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
		Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOO		0.00	0.00	44.47	44.47						1
-	EVTE	Is Charge DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIGIOUS	CATED	Dea IN		UNCCC		8.98	8.98	11.17	11.17	-					
<b>-</b>	EXIEN	שבט 4-vvike או השרט בא ו באטבט DIGHAL LOOP WITH DEDI	AIED	או ופת	IEKUFFICE IKAI	NOPUKI				1		<del>                                     </del>	-	-	-	-	
1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
$\vdash$	+	I not wine somble bigital Grade Loop in Combination - Zone T		<del>- '-</del>	OINODA	00100	21.59	123.22	00.48	99.69	1.04	1	<del>                                     </del>				
1	1	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84	1					
$\vdash$	+	I not 4 trie sortupe Digital Grade Loop III Combination - 20118 2			0.4007	00200	32.40	123.22	00.40	39.09	1.04	1	<b>H</b>				
1		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
<b>—</b>	1	Interoffice Transport - Dedicated - DS1 combination - Per Mile	<b>-</b>		5.10DA	00200	30.37	120.22	00.40	55.05	7.04	<b>†</b>	<del>                                     </del>				
		Per Month			UNC1X	1L5XX	0.19										
<b>—</b>	1	Interoffice Transport - Dedicated - DS1 - combination Facility		<b>†</b>		.20,01	0.10			1		1	<del>                                     </del>				
1	1	Termination Per Month	1	1	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	1					ı
	1	1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74		1.67	1					
	†	OCU-DP COCI (data) per month (2.4-64kbs)		t	UNCDX	1D1DD	1.32	6.71	4.84								
	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1				1-1-2		J 1				<b>†</b>					
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						1
	1	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1								1					
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	1					
	•	•											•				

UNBUND	DLED NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RY RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2	4-	1		<del> </del>		11100	Auui	11130	Addi	COMILO	COMPAR	COMPAR	COMPAN	COMPAR	COMPAN
	64khs)			UNCDX	1D1DD	1.32	6.71	4.84								
<b>-</b>	Nonrecurring Currently Combined Network Elements Switch	10	-	ONODX	10100	1.02	0.71	4.04								
	Is Charge	15-		UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EV	KTENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DE	DICATED	DS1 IN				0.30	0.30	11.17	11.17	1					
LA	TENDED 4-WIKE 04 RBF3 EXTENDED DIGITAL LOOF WITH DE	DICATED	I IN	LKOFFICE TRANS	TOKI						1					
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone	4	1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
<b></b>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone	-	+ '-	UNCDA	UDL04	27.59	123.22	00.40	59.69	7.04	<b>-</b>	-				
	First 4 Miss CAIChan Dinital Conda Lann in Combination 7 and	_	2	LINCDY	UDL64	20.40	405.00	00.40	50.00	7.04						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone	2		UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	ļ					
1	First A Wiss Odd as Pictual Ossila Lass to Ossila 1 and 5			LINORY	LIBLA	00.07	405.00	00.10	50.00	<b>_</b>	1	l	l	l		
$\vdash$	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone	3	3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	-		<b>.</b>	ļ		
1	Interoffice Transport - Dedicated - DS1 combination - Per Mile		1							1	1	l	l	l		
$\vdash$	Per Month		<b>!</b>	UNC1X	1L5XX	0.19			ļ		<b></b>	ļ				
1 1	interoffice Transport - Dedicated - DS1 combination - Facility	1	1		l											
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
$\vdash$	1/0 Channel System in combination Per Month		<b> </b>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67		ļ				
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs			UNCDX	1D1DD	1.32	6.71	4.84								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - in combination - per month															
	(2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -	\s-														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXT	KTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDIC	ATED DS1	INTER	OFFICE TRANSPOR	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.19										
	Interoffice Transport - Dedicated - DS1 combination - Facility												Î	Î		
	Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Nonrecurring Currently Combined Network Elements Switch -	NS-														
	Is Charge		1	UNC1X	UNCCC		8.98	8.98	11.17	11.17		1				
EXT	KTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDIC	TED DS	INTER		RT.							İ	İ			
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97			ĺ	ĺ		
	First DS1Loop in Combination - Zone 2	1	2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		ĺ	ĺ	ĺ		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97			ĺ	ĺ		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile		Ì		1							İ	İ			
1 1	Per Month		1	UNC3X	1L5XX	4.09						1				
	Interoffice Transport - Dedicated - DS3 - Facility Termination p	er	†		1	50			İ	İ			i	i		
1 1	month	1	1	UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
	3/1Channel System in combination per month	1	†	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30			i	i		
	DS1 COCI in combination per month	1	†	UNC1X	UC1D1	11.80	6.71	4.84	.5.72	5.50	1	i e	i e	i e		
	Additional DS1Loop in DS3 Interoffice Transport Combination	.	†		1-0.5.	00	3.71				1	1	1	1		
1 1	Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97		1				
$\vdash$	Additional DS1Loop in DS3 Interoffice Transport Combination		+		30200	55.47	210.70	117.00	00.00	17.57	t	<b>†</b>	<b> </b>	<b> </b>		
1 1	Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97		1				
$\vdash$	Additional DS1Loop in DS3 Interoffice Transport Combination		+-	0.4017	302707	117.10	210.70	117.00	03.30	17.37	<u> </u>	<b>-</b>				
1 1	Zone 3	1	3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
$\vdash$	Additional DS1 COCI in combination per month	-	+ -	UNC1X	UC1D1	11.80	6.71	4.84	05.30	17.37	t	<del> </del>	<b> </b>	<b> </b>		
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -	10-	+	011017	00101	11.00	0.71	7.04	<del> </del>		<del>                                     </del>	<del>                                     </del>	<del> </del>			
	Is Charge	10	1	UNC3X	UNCCC		8.98	8.98	11.17	11.17		1				
Eva	IS Charge  KTENDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOI	CE GDAD	E INTE			1	0.98	0.98	11.17	11.17	<del>                                     </del>	<b>-</b>	1	1		
EX	2-WireVG Loop in combination - Zone 1	JE GRAL	1 1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	<del>                                     </del>	-	-			
$\vdash$	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2	+		UNCVX	UEAL2	17.45	125.22	60.48		7.84	<del>                                     </del>				-	
	z-vviievo Loop in combination - Zone z		2	UNCVA	UEALZ	17.45	125.22	bU.48	59.69	7.84	L	L	L	L		

UNBL	NDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
															- (2)		
							Rec	Nonrec		Nonrecurring					Rates (\$)		
-		2-WireVG Loop in combination - Zone 3		2	UNCVX	UEAL2	33.22	First 125.22	Add'I 60.48	First 59.69	Add'l 7.84	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		3	UNCVX	UEALZ	33.22	125.22	60.48	59.69	7.84				-		
		Month			UNCVX	1L5XX	0.01										
		Interoffice Transport - 2-wire VG - Dedicated - Facility		1	ONCVA	ILJAA	0.01					ł			1		
		Termination per month			UNCVX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		Nonrecurring Currently Combined Network Elements Switch -As-			0.1017	02	20.00	00.00	00.01	00.01		İ					
		Is Charge			UNCVX	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	Ė INTE	ROFFICE TRANSPO	ORT											
		4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
		4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
1		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per				I								1	_		
		Month		<u> </u>	UNCVX	1L5XX	0.01					ļ		ļ	1	ļ	ļ
1		Interoffice Transport - 4-wire VG - Dedicated - Facility				l			=0						I		
<u> </u>		Termination per month		<u> </u>	UNCVX	U1TV4	21.28	98.09	53.67	56.31	22.42			ļ	-	ļ	<b> </b>
		Nonrecurring Currently Combined Network Elements Switch -As-	1		UNCVX	UNCCC		8.98	8.98	44 47	44.47				1		
-	EVTEN	Is Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTER	EEICE		UNCCC		8.98	8.98	11.17	11.17				-		
-	EXIEN	DS3 Local Loop in combination - per mile per month	INTERC	JEFICE	UNC3X	1L5ND	9.25					<b> </b>					
-		D33 Local Loop III combination - per mile per month		1	UNCOX	TESIND	9.20					ł			1		
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	308.31	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.09	207.00	147.00	00.40	02.01						
		Interoffice Transport - Dedicated - DS3 combination - Facility				1						İ					
		Termination per month			UNC3X	U1TF3	966.89	350.56	141.58	48.00	23.39						
		Nonrecurring Currently Combined Network Elements Switch -As-		i –													
		Is Charge			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	9.25										
		STS-1 Local Loop in combination - Facility Termination per															
		month CT T T T T T T T T T T T T T T T T T T			UNCSX	UDLS1	320.51	237.36	147.69	83.43	32.67						
		Interoffice Transport - Dedicated - STS-1 combination - per mile			LINIOOV	41.500/	4.00										
		per month		ļ	UNCSX	1L5XX	4.09					<b> </b>	-				
		Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
		Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCOX	01113	943.79	330.30	141.30	40.00	23.35	ł			1		
		Is Charge			UNCSX	UNCCC		8.98	8.98	11.17	11.17				1		
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	011007	514000		0.90	0.90	11.17	11.17		<del>                                     </del>		<b>-</b>		
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84			1	1	1	
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84		İ		1		İ
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84						
		Interoffice Transport - Dedicated - DS1 combination - per mile															
		per month		<u> </u>	UNC1X	1L5XX	0.19										
1		Interoffice Transport - Dedicated - DS1 combination - Facility				I								1	_		
		Termination per month		ļ	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32			ļ	1	ļ	
		1/0 Channel System in combination - per month		<u> </u>	UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	ļ			ļ		
		2-wire ISDN COCI (BRITE) - in combination - per month		├	UNCNX	UC1CA	2.84	6.71	4.84			-		-	<del>                                     </del>		
1		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		4	UNCNX	U1L2X	18.44	105.00	60.48	59.69	7.84				I		
<b>—</b>	<b>-</b>	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	<del>  1</del>	ONCINA	UILZX	18.44	125.22	bU.48	59.69	7.84	<del>                                     </del>	-		<del>                                     </del>		-
		Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84				1		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0140147	UTLEX	25.06	120.22	00.40	55.05	7.04		<u> </u>		<b>-</b>		
		Combination - Zone 3		3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84				1		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per		Ť		1	.2.07	.20.22	33.10	55.55	7.54			İ	1	İ	İ
1		month			UNCNX	UC1CA	2.84	6.71	4.84						I		
		Nonrecurring Currently Combined Network Elements Switch -As-				1											
		Is Charge		<u>L</u>	UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS						•								
		First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						
		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97	<u> </u>		İ	I	İ	

UNBUNDLI	ED NETWORK ELEMENTS - Kentucky										Т-			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						<del> </del>
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile Per Month			UNCSX	1L5XX	4.09										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	TESAX	4.03			+ +		1					
	Termination per month			UNCSX	U1TFS	945.79	350.56	141.58	48.00	23.39						
	3/1 Channel System in combination per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30						
	DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional DS1Loop in the same STS-1 Interoffice Transport		١.			00.47										
	Combination - Zone 1		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97						ļ
	Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
<del>                                     </del>	Additional DS1Loop in the same STS-1 Interoffice Transport	<del>                                     </del>	-	ONCIA	USLAA	114.10	210.70	114.00	03.90	17.97	<u> </u>	<del>                                     </del>			1	+
	Combination - Zone 3		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97						
	DS1 COCI in combination per month		Ť	UNC1X	UC1D1	11.80	6.71	4.84			1					1
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	l		UNCSX	UNCCC		8.98	8.98	11.17	11.17						ļ
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	PS INT			LIDLE?		/0= 0-			-2:	<u> </u>	1				<u> </u>
	4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84 7.84						ļ
-	4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56 UDL56	32.48 36.37	125.22 125.22	60.48 60.48	59.69 59.69	7.84	-	-				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDA	UDLS6	30.37	125.22	60.46	59.69	7.04						
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -					2.2.										1
	Facility Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge	<u> </u>		UNCDX	UNCCC		8.98	8.98	11.17	11.17						ļ
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF		LIDI C4	27.59	125.22	CO 40	59.69	7.84						<del>                                     </del>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1 4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64 UDL64	32.48	125.22	60.48 60.48	59.69	7.84						<b>-</b>
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						+
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		Ŭ	ONODA	OBLOT	00.07	120.22	00.40	00.00	7.04						
	Per Mile per month			UNCDX	1L5XX	0.01										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
	Facility Termination per month			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42						ļ
1	Nonrecurring Currently Combined Network Elements Switch -As-															
EVTE	Is Charge NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	DANCE	OPT	UNCDX	UNCCC		8.98	8.98	11.17	11.17	<del>                                     </del>	1			1	<del>                                     </del>
EVIE	First 2-wire VG Loop (SL2) in Combination - Zone 1	NANSP		UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84	<del>                                     </del>	<b>—</b>			1	<del>                                     </del>
	First 2-wire VG Loop (SL2) in Combination - Zone 2	1	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84						t
	First 2-wire VG Loop (SL2) in Combination - Zone 3	1	3	UNCVX	UEAL2	33.22	125.22	60.48	59.69	7.84						1
	First Interoffice Transport - Dedicated - DS1 combination - Per					İ	İ									
	Mile			UNC1X	1L5XX	0.19										ļ
	First Interoffice Transport - Dedicated - DS1 combination -			LINGAY		70.00	404.04	100 ==	50.70	00.00						
$\vdash$	Facility Termination per month	-	-	UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32	<b>_</b>	-			ļ	<del>                                     </del>
$\vdash$	Per each DS1 Channelization System Per Month  Per each Voice Grade COCI - Per Month per month	-	<del>                                     </del>	UNC1X UNCVX	MQ1 1D1VG	113.33 0.62	57.26 6.71	14.74 4.84	1.86	1.67	1	-		<b> </b>	<b> </b>	+
	3/1 Channel System in combination per month	-	<del>                                     </del>	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					1	<del>                                     </del>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84	10.12	0.00	1					<b>†</b>
	Each Additional 2-Wire VG Loop(SL 2) in the same DS1	i			i i											1
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	12.67	125.22	60.48	59.69	7.84						
	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
$\vdash$	Interoffice Transport Combination - Zone 2	ļ	2	UNCVX	UEAL2	17.45	125.22	60.48	59.69	7.84	<u> </u>	1			ļ	<b>_</b>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	1	3	UNCVX	UEAL2	33.22	125.22	60.48	50.60	704						
<del>                                     </del>	Interoffice Transport Combination - Zone 3  Each Additional Voice Grade COCI in combination - per month	-	3	UNCVX	1D1VG	0.62	6.71	4.84	59.69	7.84	<del>                                     </del>	-		-	-	+
	Each Additional DS1 Interoffice Channel per mile in same 3/1		<b>†</b>	O. NO VA	IDIVG	0.02	0.71	4.04			1	<del>                                     </del>		<b> </b>	-	<del>                                     </del>
1 1	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in					İ										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						

NRONDE	ED NETWORK ELEMENTS - Kentucky	_		1	1	ı					la a :	06		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84							<b></b>	
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EYTE	NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INT	FEROFE	ICE TR				0.90	0.90	11.17	11.17					<del>                                     </del>	-
- LXIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	I	<u> </u>		T										<del>                                     </del>	-
	Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84						
	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84					<b></b>	
	First Interoffice Transport - Dedicated - DS1 combination - Per	1		LINICAY	1L5XX	0.19										
$-\!\!\!\!+\!\!\!\!-$	Mile Per Month First Interoffice Transport - Dedicated - DS1 - Facility	1	<del>                                     </del>	UNC1X	ILDAX	0.19			+		-			<b> </b>	+	-
	Termination Per Month	1		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
-+-	Per each 1/0 Channel System in combination Per Month	1		UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	<b>-</b>				<del> </del>	<del>                                     </del>
-+	Per each Voice Grade COCI in combination - per month	t		UNCVX	1D1VG	0.62	6.71	4.84	1.00	1.07						t e
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	29.26	125.22	60.48	59.69	7.84					ļ	
	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	34.25	125.22	60.48	59.69	7.84					<b></b>	
	Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	85.06	125.22	60.48	59.69	7.84						
	Each Additional DS1 Interoffice Channel per mile in same 3/1	<u> </u>	3	UNCVA	UEAL4	65.06	125.22	60.46	59.69	7.04					<del>                                     </del>	-
	Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	120/01	0.10										
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.62	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -						40= 00			= 0.4						
	Zone 1	ļ	1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>	-	OINCDA	JULJO	32.48	125.22	60.48	59.69	1.04	<del>                                     </del>				<del> </del>	<del>                                     </del>
	Zone 3	1	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per	t	Ť			22.07		227.10	1 22.00						<u> </u>	
	Mile Per Month	<u></u>	L	UNC1X	1L5XX	0.19	l		<u> </u>		<u></u>			<u> </u>	<u>                                       </u>	<u></u>
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32					ļ	
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84	15.10						<b></b>	
	3/1 Channel System in combination per month	<u> </u>		UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30					<del> </del>	
	Per each DS1 COCI in combination per month  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	<del>                                     </del>	UNC1X	UC1D1	11.80	6.71	4.84	+		-			<b> </b>	+	-
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84						
-+	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	<del></del>		32230	21.00	120.22	00.40	55.55	7.04	t				<del>                                     </del>	t
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	ļ	3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84					<u> </u>	
	OCU-DP COCI (data) COCI in combination per month (2.4-		1						I T							
		1						4.84	1		1	1	1	1		1
	64kbs)			UNCDX	1D1DD	1.32	6.71	4.04	<b> </b>							-
	64kbs) Each Additional DS1 Interoffice Channel per mile in same 3/1						6.71	4.04								
	64kbs)			UNC1X	1D1DD 1L5XX	0.19	6.71	4.04								

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring	Disconnect		•		Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17	ļ					
EXIE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	PFFICE	TRANSPORT W/ 3/1	MUX				-		1				1	
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice			UNCDA	ODL04	21.35	123.22	00.40	39.09	7.04						
	Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice										†				t	
	Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67	ļ					
	Per each OCU-DP COCI (data) in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	3/1 Channel System in combination per month		<u> </u>	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	<b>.</b>	-			-	
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCOX	IVIQS	130.20	113.40	30.33	13.12	3.30	1	1			1	
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		<u> </u>	ONODA	OBLOT	27.00	120.22	00.40	00.00	7.04	i e					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84						
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System															
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.32	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.19					ļ					
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system			UNCIX	OTIF	79.02	101.24	123.33	30.72	22.32	<b>+</b>				-	
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-								†		†				t	
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination								====	=						
<b></b>	Transport - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84	1				1	
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 3	1	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84					I	
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	ONCINA	UILZA	42.01	123.621	60.48	59.69	1.04	1	<del>                                     </del>		<del> </del>	<del> </del>	
	Mile per month			UNC1X	1L5XX	0.19									1	
	First Interoffice Transport - Dedicated - DS1 combination -	i e			1	21.10								İ	1	İ
	Facility Termination per month	L		UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32		L		<u> </u>	<u> </u>	<u> </u>
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
		1		l	I				ı 7						_	
<b> </b>	Per each 2-wire ISDN COCI (BRITE) in combination - per month	ļ		UNCNX	UC1CA	2.84	6.71	4.84							ļ	
<del>                                     </del>	3/1 Channel System in combination per month	-	-	UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30	ļ	1		-	1	
<del>                                     </del>	Per each DS1 COCI in combination per month  Additional 2-wire ISDN Loop in same DS1Interoffice Transport	-	-	UNC1X	UC1D1	11.80	6.71	4.84	<del>                                     </del>		-		-		<del>                                     </del>	
	Combination - Zone 1		1	UNCNX	U1L2X	18.44	125.22	60.48	59.69	7.84					1	
<del>                                     </del>	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	+-	ONOINA	UILZA	10.44	123.22	60.48	59.69	1.04	1	<del>                                     </del>		1	<del>                                     </del>	
	Combination - Zone 2		2	UNCNX	U1L2X	25.08	125.22	60.48	59.69	7.84					1	
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	i e	T-		1	20.00		55.10	55.55					İ	1	İ
<u> </u>	Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	42.87	125.22	60.48	59.69	7.84	<u></u>	<u></u>		<u> </u>	<u> </u>	<u></u>
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
1 1	system combination- per month	l	L	UNCNX	UC1CA	2.84	6.71	4.84	<u> </u>		<u></u>	<u></u>			<u> </u>	<u> </u>

ONBONDLE	D NETWORK ELEMENTS - Kentucky			1		1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	F						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in			UNCIA	ILSAA	0.19			1						<del> </del>	1
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	UNCCC		8.98	8.98	44.47	11.17						
EVTER	Is Charge  NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	POPT		UNCCC		8.98	8.98	11.17	11.17	-				-	-
LATEN	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IIVAIN		UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	1				-	-
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 1		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	First 4-wire DS1 Digital Leoal Loop in Combination - Zone 3			UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97	<b>H</b>			<del>                                     </del>	<del>                                     </del>	t
<del>-  </del>	First Interoffice Transport - Dedicated - DS1 combination - Per		- 3	UNUIA	JOLAA	231.70	210.70	114.00	03.90	11.91					<del>                                     </del>	<del>                                     </del>
	Mile Per Month			UNC1X	1L5XX	0.19										
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination Per Month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	3/1 Channel System in combination per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.19										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	79.02	181.24	123.53	56.72	22.32						
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	11.80	6.71	4.84								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		4		LICLYY	00.47	240.70	444.00	62.00	47.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	86.47	210.70	114.60	63.96	17.97	-				-	-
	2 Additional 4-Wire DST Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	114.10	210.70	114.60	63.96	17.97						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	Nonrecurring Currently Combined Network Elements Switch -As-		3	UNC1X	USLXX	297.76	210.70	114.60	63.96	17.97					-	-
	Is Charge			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
EYTEN	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FEICE		014000		0.30	0.30	11.17	11.17						
LXILI	First 4-wire 56 kbps Local Loop in combination - Zone 1	TILKO		UNCDX	UDL56	27.59	125.22	60.48	59.69	7.84	1					
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	32.48	125.22	60.48	59.69	7.84						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	36.37	125.22	60.48	59.69	7.84	<b>†</b>					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile		Ŭ	0.1027	02200	00.01	120.22	00.10	00.00	7.01					t	t
	per month			UNCDX	1L5XX	0.01										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	17.25	98.09	53.67	56.31	22.42						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
EVTEN	Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	UTEDO			UNCCC		8.98	8.98	11.17	11.17						
EXIEN		NIERO		UNCDX	UDL64	27.59	125.22	60.48	59.69	7.84						
	First 4-wire 64 kbps Local Loop in combination - Zone 1 First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	32.48	125.22	60.48	59.69	7.84	-					
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	36.37	125.22	60.48	59.69	7.84	<b>-</b>				-	-
+	First 14-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		3	UNCDA	UDL64	30.37	125.22	00.40	59.69	7.04	1				-	-
	per month			UNCDX	1L5XX	0.01										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCDX	U1TD6	17.25	98.09	53.67	56.31	22.42	-				<del>                                     </del>	-
	Is Charge			UNCDX	UNCCC		8.98	8.98	11.17	11.17						
ADDITIONAL I	NETWORK ELEMENTS				3		0.00	3.00	/						1	1
	used as a part of a currently combined facility, the non-recurr	ng cha	rges do	not apply, but a	Switch As Is cl	harge does and	oly.								1	1
	used as ordinarily combined network elements in All States, the													İ	1	1
	curring Currently Combined Network Elements "Switch As Is"															
	Nonrecurring Currently Combined Network Elements Switch -As-										I -					

UNBUND	LED NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			LINODY	UNCCC		0.00	8.98	44.47	44.47						ĺ
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDX	UNCCC		8.98	8.98	11.17	11.17	<b>.</b>					<del></del>
	Is Charge - DS1			UNC1X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As- ls Charge - DS3			UNC3X	UNCCC		8.98	8.98	11.17	11.17						
	Nonrecurring Currently Combined Network Elements Switch -As-															ĺ
0(	Is Charge - STS1			UNCSX	UNCCC		8.98	8.98	11.17	11.17	ļ					
Орт	ional Features & Functions:			U1TD1,	+				-		-					
	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		OI	01	OI	01						
	Clear Channel Capability Super FrameOption - per DS1	1		U1TD1, ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,												
	Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.91S	23.82S	1.99S	0.78S						
	C-bit Parity Option - Subsequent Activity - per DS3	i		U1TD3, ULDD3, UE3, UNC3X	NRCC3		205.70S	7.20S	.6924S	0S						
MU	LTIPLEXERS															
	DS1 to DS0 Channel System per month			UNC1X	MQ1	113.33	57.26	14.74	1.86	1.67						
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.32	10.07	7.08								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															ĺ
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.32	10.07	7.08			ļ					
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month for a Local Loop			UDN	UC1CA	2.84	10.07	7.08								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.84	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	0.6228	10.07	7.08								
	Voice Grade COCI - DS1 to DS0 Channel System - per month										İ					
	used for connection to a channelized DS1 Local Channel in the															İ
	same SWC as collocation			U1TUC	1D1VG	0.6228	10.07	7.08								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	158.20	115.48	56.53	15.12	5.30						
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	158.20	115.48	56.53	15.12	5.30	ļ					
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		1	USL	UC1D1	11.80	10.07	7.08	-		<b>.</b>					<del></del>
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.80	10.07	7.08	1							1
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.80	10.07	7.08			1					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
LINE IN E	month COLUMN (PORTS)		-	ULDD1	UC1D1	11.80	10.07	7.08			ļ					⊢—
	D LOCAL EXCHANGE SWITCHING(PORTS) hange Ports	<del>                                     </del>	-	1	+				<b>-</b>		1		-			<del></del>
	nange Ports  [E: Although the Port Rate includes all available features in GA, I	KY I A	R TN +	he desired features	will need to b	e ordered usin	ng retail USOC	L	<del>                                     </del>		1		<b> </b>	<b> </b>	<del> </del>	<del>                                     </del>
	IRE VOICE GRADE LINE PORT RATES (RES)	I LA	S 114, L	no assired realures	The second to t	c cruereu usii	ig retail 0000									<b>—</b>
	Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.  Exchange Ports - 2-Wire VG unbundled KY extended local			UEPSR	UEPRO	1.49	3.74	3.63	2.23	2.13						
	dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPRM	1.49	3.74	3.63	2.23	2.13						<del>                                     </del>
	with Caller ID (LUM)  Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan		ļ	UEPSR	UEPAP	1.49	3.74	3.63	2.23	2.13	1					<del>                                     </del>
	without Caller ID			UEPSR	UEPWE	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPSR	UEPRT	1.49	3.74	3.63	2.23	2.13						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky										1			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Subsequent Activity			UEPSR	USASC	0.00	First 0.00	Add'I 0.00	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEATU				UEFSK	USASC	0.00	0.00	0.00			1				1	
I LAI	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00			1					
2-WIR	E VOICE GRADE LINE PORT RATES (BUS)			02. 0.1	02	0.00	0.00	0.00			i e					
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -															
	Bus			UEPSB	UEPBL	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.49	3.74	3.63	2.23	2.13						
	Exchange Ports - 2-Wire VG unbundled KY extended local			LIEDOD	LIEDDIA	4.40	0.74	0.00	0.00	0.40						
	dialing parity Port with Caller ID - Bus.  Exhange Ports - 2-Wire VG unbundled incoming only port with	-		UEPSB	UEPBM	1.49	3.74	3.63	2.23	2.13	1				<del>                                     </del>	-
	Caller ID - Bus			UEPSB	UEPB1	1.49	3.74	3.63	2.23	2.13					I	
	Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan			OLI OD	OLI DI	1.40	0.14	0.00	2.20	2.10					<u> </u>	
	without Caller ID			UEPSB	UEPWF	1.49	3.74	3.63	2.23	2.13						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.49	3.74	3.63	2.23	2.13						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATU																
EVOL	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (DID & PBX)  2-Wire VG Unbundled 2-Way PBX Trunk - Res		-	UEPSE	UEPRD	1.49	39.05	18.17	15.38	0.89	<b>+</b>				-	
	2-Wire VG Unburidied 2-Way PBX Trunk - Res  2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus		-	UEPSP	UEPPC	1.49	39.05	18.17	15.38	0.89	<b>-</b>				-	
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.49	39.05	18.17	15.38	0.89						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.49	39.05	18.17	15.38	0.89	1					
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.49	39.05	18.17	15.38	0.89						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPSP	UEPXD	1.49	39.05	18.17	15.38	0.89	1				1	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port Without LUD			UEPSP	UEPXF	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPSP	UEPXG	1.49	39.05	18.17	15.38	0.89					<del> </del>	
	2-Wire Voice Unbundled PBX Kentucky Premium Callling Port			UEPSP	UEPXH	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Kentucky Area Callling															
	Port Without LUD			UEPSP	UEPXJ	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPSP	UEPXL	1.49	39.05	18.17	15.38	0.89	ļ					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPSP	UEPXM	1.49	20.05	18.17	15.38	0.89						
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPSP	UEPXIVI	1.49	39.05	18.17	15.38	0.89					-	
	Discount Room Calling Port			UEPSP	UEPXO	1.49	39.05	18.17	15.38	0.89						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.49	39.05	18.17	15.38	0.89	i e					
<u> </u>	Subsequent Activity			UEPSP	USASC	0.00	0.00	0.00	12.00	2.00						
FEAT																
	All Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00								
EXCH	ANGE PORT RATES (COIN)															
	Exchange Ports - Coin Port					1.49	3.74	3.63	2.23	2.13						
	Switching Features offered with Port	uitobe -		will also annly to a	irouit owit-b-	d voice end/e-	oirouit owitch	ad data tra	ionian by P. Ch	onnolo oosaa	inted with 0	wire ICDM	o rto		<del>                                     </del>	
	<ul> <li>Transmission/usage charges associated with POTS circuit st</li> <li>Access to B Channel or D Channel Packet capabilities will be</li> </ul>													Ponnoet Dre	L	
NOTE	Exchange port - 4-wire ISDN trunk port -all available features	avanal	716 0111	, anough brit/New	Dusiliess Re	quest Flocess.	rates for the	packet capabi	mues will be de	neminieu via i	IIIE DUIIA FIL	ae ivednesi/i	TEM DUSINESS	nequest FIC	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
1	included				UEPEX	101.60	188.36	95.15	61.92	22.67					I	
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	ANGE PORT RATES															

UNBL	INDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
,												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			laster.	1								Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						(4)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1		Nonre	curring	Nonrecurring	g Disconnect	1	1	OSS	Rates (\$)	l	
						1	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	The DS	i I Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit annly t	o the embed	ded hase in nla									COMPAN	COMPAR
		sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											I Tates of	l separate ag	Tecinicit.		<b>——</b>
	rtoquot	Exchange Ports - 2-Wire DID Port	1	CITCOL	UEPEX	UEPP2	10.51	92.18	15.82		5.30	loor ction.	<b>†</b>				<b>——</b>
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID			OLI LX	OLITZ	10.01	02.10	10.02	02.10	0.00	<b>†</b>					
		capability (E:4/1/2004)			UEPDD	UEPDD	74.77	164.86	77.74	60.69	3.86						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.46	60.60	50.67	32.83	14.17	<b>†</b>					
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	32.03	14.17	<u> </u>					<del> </del>
	1	Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00	1	<del> </del>	1	<b>†</b>		<del>                                     </del>		<del>                                     </del>
	NOTE:	Transmission/usage charges associated with POTS circuit si	witched								hannala acces	iotod with 2	wire ICDM r	a o rito			<del></del>
															Dominat Dea		<del></del>
		Access to B Channel or D Channel Packet capabilities will be NGE PORT RATES (continued)	avaliai	oie oniy	through BFR/New	Business Re	quest Process.	Rates for the	раскет сараві	littles will be a	etermined via t	ne Bona Fi	de Request/	New Busines	s Request Pro	cess.	<del></del>
	EXCHA					+						-	-				<del></del>
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911			HEDEV	LIEDEY	404.00	400.00	05.45	04.00	00.07						ĺ
	<u> </u>	Locator Capability (E:4/1/2004)	<b>—</b>	<b>.</b>	UEPEX	UEPEX	101.60	188.36	95.15	61.92	22.67	<u> </u>	-	<b>.</b>	-	-	<b>├</b>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	101.60	188.36	95.15		22.67						<b>!</b>
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.48	44.23	31.98	12.81	11.57	ļ	ļ				<del></del>
		Virtual collocation - Special Access & UNE, cross-connect per			HEREY HERE:					40							1
		DS1			UEPEX UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						<b>!</b>
	Detaile	d E911 with Locator Capability (required with UEPEX port)															<u> </u>
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															ĺ
		State			UEPEX	UEP1A	0.00	1,811.00		156.69							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions,															ĺ
		Deletions			UEPEX	UEP1B	0.00	175.82									İ
	New or	Additional PRI Telephone Numbers															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability 2-way Telephone Numbers, per number in															ĺ
		E911 profile [New or Additional]			UEPEX	UEP1C	0.07	0.54									ĺ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															ĺ
		E911 profile [New or Additional]			UEPEX	UEP1D	0.07	12.71	12.71								ĺ
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward												Î			
		Telephone Numbers - Inward Data Only Option [New or															ĺ
		Additional]			UEPDX	UEP1E	0.00	0.54									ĺ
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]											İ				
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	25.41	25.41								ĺ
	LOCAL	NUMBER PORTABILITY						_				İ					
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					t					
	INTER	FACE (Provsioning Only)					0			Ì	1			i	1	i	
	1	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00	Ì	1	İ	1	i e	1	i e	
	t	Digital Data			UEPEX	PR71D	0.00	0.00	0.00	Ì	1			i	1	i	
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00	Ì	1	İ	1	i e	1	i e	
	New or	Additional Channel					5.00	0.00	3.00		1	1	1	1	1	1	
		New or Additional - Voice/Data "B" Channel		<del>                                     </del>	UEPEX	PR7BV	0.00	15.48		1	t	<b>†</b>	<del>                                     </del>		<b>†</b>		<b>—</b>
	t e	New or Additional - Digital Data "B" Channel		<b> </b>	UEPEX	PR7BF	0.00	15.48		<del> </del>	t	<del> </del>	1	<b> </b>	t	<b>†</b>	
	<del>                                     </del>	New or Additional Inward Data "B" Channel		<b>-</b>	UEPDX	PR7BD	0.00	15.48		<del> </del>	<del> </del>	<del> </del>	1	<b> </b>	1	<b> </b>	<del></del>
	<del>                                     </del>	New or Additional Useage Sensitive Voice Data "B" Channel	<b>H</b>	<del>                                     </del>	UEPEX	PR7BS	0.00	15.48		1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	<del>                                     </del>	New or Additional Useage Sensitive Voice Data B Channel	<del>                                     </del>	<del>                                     </del>	UEPEX	PR7BU	0.00	15.48		1	t	<del> </del>	1	<b> </b>	t	1	<del></del>
	1	New or Additional PRI "D" Channel	<del>                                     </del>	1	UEPEX	PR7EX	0.00	15.48		1	+	1	<del>                                     </del>	1	<del>                                     </del>	1	<del>                                     </del>
	CALL 1			<del>                                     </del>	0L1 LX	. A/LA	0.00	15.46		1	<del>                                     </del>	†	<del> </del>	<del> </del>	<del> </del>	<u> </u>	<del></del>
	OALL	Inward	<del>                                     </del>	1	UEPEX UEPDX	PR7C1	0.00	0.00	0.00	1	+	1	<del>                                     </del>	1	<del>                                     </del>	1	<del>                                     </del>
	<del>                                     </del>	Outward	<b>-</b>	<del>                                     </del>	UEPEX UEPDX	PR7CO	0.00	0.00	0.00	<b> </b>	<del>                                     </del>	<b>†</b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del></del>
	-	Two-way	<b>-</b>	-	UEPEX	PR7CC	0.00	0.00	0.00	1	<del>                                     </del>	1	-	-	<del></del>	-	<del></del>
	LIMBUT	Two-way  IDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,—	-	UEPEX	FR/CC	0.00	0.00	0.00	1	<del>                                     </del>	+	1	<del>                                     </del>	1	<u> </u>	<del></del>
				-		+				<b>+</b>	<del>                                     </del>	1	<u> </u>	-	<del>                                     </del>		<del></del>
	ONBON	IDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE	-	<del>                                     </del>	LIED\/D	LIEDAG	4.40	3.74	0.00	1	<del>                                     </del>	<b>}</b>	-	<b> </b>	<del>                                     </del>	<del> </del>	<del></del>
	<b>!</b>	Unbundled Remote Call Forwarding Service, Area Calling, Res	-	<del>                                     </del>	UEPVR	UERAC	1.49	3.74	3.63	1	<del>                                     </del>	<b>}</b>	-	<b> </b>	<del>                                     </del>	<del> </del>	+
	1	Habita diad Barreta Call Familia III - Control Collins		1	LIED\/D	LIEDLO		0	0.00		I	1			I		1
		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.49	3.74	3.63	ļ	<b></b>	ļ	ļ				<del></del>
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.49	3.74	3.63		1	]	l		l		

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
					1	B	Nonrec	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.49	3.74	3.63								
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with			UEPVR	USACC		0.10	0.10								
LINBU	allowed change (PIC and LPIC)  NDLED REMOTE CALL FORWARDING - Bus			UEPVR	USACC		0.10	0.10								
ONBOI	NDLED REMOTE CALL FORWARDING - Bus				+									-		
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	1.49	3.74	3.63								
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	l		UEPVB	UERTE	1.49	3.74	3.63	1	1	<b>†</b>		1	1	1	
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus	1		UEPVB	UERTR	1.49	3.74	3.63	İ	ĺ		İ		1		
	Unbundled Remote Call Forwarding Service Expanded and						-									
<u>                                     </u>	Exception Local Calling	<u></u>	L	UEPVB	UERVJ	1.49	3.74	3.63	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>
Non-Ro	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		0.10	0.10								
	Unbundled Remote Call Forwarding Service - Conversion with															
	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10	1				ļ		ļ	
	LOCAL SWITCHING, PORT USAGE								1					ļ		
End Of	ffice Switching (Port Usage)		<u> </u>		1	0.05			1					ļ		
$\vdash$	End Office Switching Function, Per MOU				1	0.0011971				ļ			ļ	1	ļ	ļ
	End Office Trunk Port - Shared, Per MOU	1	<b>_</b>			0.0002112			ļ		1					
Tander	m Switching (Port Usage) (Local or Access Tandem)		ļ		+	0.000401			ļ				ļ	-	ļ	<b>_</b>
	Tandem Switching Function Per MOU	-	-		+	0.000194			1	<del> </del>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<b>.</b>
$\vdash$	Tandem Trunk Port - Shared, Per MOU  Tandem Switching Function Per MOU (Melded)	-	-		+	0.0002416 0.000094381			1	-	1		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	Tandem Switching Function Per MOU (Melded)  Tandem Trunk Port - Shared, Per MOU (Melded)	-	-		+	0.000094381			1	-	1		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
$\vdash$	Melded Factor: 48.65% of the Tandem Rate	<b>-</b>	+		+	0.00011/538			1		-	-		<del>                                     </del>		-
Comm	non Transport	<b>H</b>	<b>!</b>		+				1	<del> </del>	<b>H</b>		<del>                                     </del>	t	<del>                                     </del>	<del>                                     </del>
Commi	Common Transport - Per Mile, Per MOU	<b>-</b>			+	0.000003			1		<b>-</b>		<b> </b>	t	<b> </b>	<del>                                     </del>
	Common Transport - Facilities Termination Per MOU	<b>†</b>	<b>†</b>		t	0.0007466			1		<del>                                     </del>	<b>-</b>		<b>I</b>		<b>H</b>
UNBUNDLED	PORT/LOOP COMBINATIONS - COST BASED RATES				†	0.000.700								<b>†</b>		
	Based Rates are applied where BellSouth is required by FCC ar	nd/or St	ate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.		İ			İ	1	İ	
	es shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.		1		1	1
	ffice and Tandem Switching Usage and Common Transport Us											n Port/Loor	Combination	ns.		
	st and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Combi	ned Combos th	ne nonrecurrin	g charges sha	II be those ide	ntified in the N	onrecurring	g - Currently	Combined s	ections.		
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UNE P	ort/Loop Combination Rates															
$\vdash$	2-Wire VG Loop/Port Combo - Zone 1		1		1	10.79				ļ			ļ	1	ļ	ļ
$\vdash$	2-Wire VG Loop/Port Combo - Zone 2		2		1	15.52								-		
	2-Wire VG Loop/Port Combo - Zone 3		3		1	31.74								-		
UNE Lo	oop Rates		1	HEDDY	LIEDLY	0.01			1					<del>                                     </del>		-
$\longrightarrow$	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	9.64			1		-		-	<del>                                     </del>	-	<u> </u>
$\vdash$	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	14.37 30.59			-					<del>                                     </del>		
2-14/:	Voice Grade Line Port Rates (Res)	<del>                                     </del>	3	UEPRX	UEPLA	30.59				1		-	<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
2-44116	2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1.15	21.29	15.49	2.85	2.67			<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>
<del>                                     </del>	2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	1	<del>                                     </del>	UEPRX	UEPRC	1.15	21.29	15.49		2.67	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
	2-Wire voice unburidled port with Caller 15 - res  2-Wire voice unbundled port outgoing only - res	<b>†</b>	<b>†</b>	UEPRX	UEPRO	1.15	21.29	15.49		2.67	<del>                                     </del>	<b>-</b>		<b>I</b>		<b>H</b>
	2-Wire voice dribtinded port dagging drily 1183 2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - res			UEPRX	UEPRM	1.15	21.29	15.49	2.85	2.67						
<del>                                     </del>	2-Wire voice unbundles res, low usage line port with Caller ID	1	<del>                                     </del>	OLI IVA	OLI IVIVI	1.15	21.29	15.49	2.05	2.07	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
1 1	(LUM)			UEPRX	UEPAP	1.15	21.29	15.49	2.85	2.67				I		
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan without Caller ID			UEPRX	UEPWE	1.15	21.29	15.49	2.85	2.67						
	2-Wire voice unbundled Low Usage Line Port without Caller ID Capability			UEPRX	UEPRT	1.15	21.29	15.49		2.67						

ARONDL	ED NETWORK ELEMENTS - Kentucky			1							I			ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FEAT	TURES															
	All Features Offered			UEPRX	UEPVF	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY			HEDDY	LNDOV	0.05										
NON	Local Number Portability (1 per port)		1	UEPRX	LNPCX	0.35			-							
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+				<b>+</b> + + + + + + + + + + + + + + + + + +						-	
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	OLI IXX	OOAOZ		0.10	0.10	<del>                                     </del>							
	Switch with change			UEPRX	USACC		0.10	0.10								
ADD	TIONAL NRCs								† †						t	İ
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity		L	UEPRX	USAS2	0.00	0.00	0.00	<u> </u>		<u> </u>				<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise		<u></u>	UEPRX	URETL		8.33	0.83	<u> </u>							<u> </u>
OFF/	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	10.56	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	15.34	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	31.11	46.66	22.57	26.65	7.65						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	12.67	134.89	81.87	73.65	14.88						
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	17.45	134.89	81.87	73.65	14.88						
INITE	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	33.22	134.89	81.87	73.65	14.88						1
INIE	ROFFICE TRANSPORT		1		+				-							-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	ULFRA	01172	23.93	90.09	33.07	30.31	22.42					-	
	or Fraction Mile			UEPRX	U1TVM	0.0095	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)			OLITOX	OTT VIVI	0.0000	0.00	0.00							1	
	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			10.79										
	2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.59										
2-Wii	re Voice Grade Line Port (Bus)															
_	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.15	21.29	15.49	2.85	2.67						1
	2-Wire voice unbundled port with Caller + E484 ID - bus		<del>                                     </del>	UEPBX UEPBX	UEPBC UEPBO	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67					<del>                                     </del>	ļ
	2-Wire voice unbundled port outgoing only - bus     2-Wire voice Grade unbundled Kentucky extended local dialing	<b>-</b>	<del>                                     </del>	ULPDA	UEFBU	1.15	21.29	15.49	∠.85	2.07	-				<del>                                     </del>	<del>                                     </del>
	parity port with Caller ID - bus			UEPBX	UEPBM	1.15	21.29	15.49	2.85	2.67	1				I	
	2-Wire voice unbundled incoming only port with Caller ID - Bus		<b>-</b>	UEPBX	UEPB1	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>				<b>-</b>	
	2-Wire Voice Unbundled Kentucky Business Dialing Plan		<del>                                     </del>	021 0/1	02. 01	1.13	21.29	15.45	2.03	2.07	<b>†</b>				<b>I</b>	1
	without Caller ID			UEPBX	UEPWF	1.15	21.29	15.49	2.85	2.67	1				I	
	2-Wire voice unbundled Incoming Only Port without Caller ID		t		1 / / /	5	220	.0.10		2.57					<u> </u>	
	Capability			UEPBX	UEPBE	1.15	21.29	15.49	2.85	2.67	1				I	
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT	TURES															
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED		<u> </u>						ļ						1	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -										1				I	
_	Switch-as-is		<u> </u>	UEPBX	USAC2		0.10	0.10							-	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			LIEDBY	LIEACO		0.40	0.40							1	
ADDI	Switch with change TIONAL NRCs	<b>-</b>	<del>                                     </del>	UEPBX	USACC		0.10	0.10	<del>                                     </del>		-				<del>                                     </del>	$\vdash$
IADDI		-	<del>                                     </del>		+				<del>                                     </del>		<b>-</b>				<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															

UNBUN	DLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
0.1.2011.	1											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>	-			1		+		Nonrec	urring	Nonrecurring	Disconnect		l	088	Rates (\$)		L
	_						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Miscellaneous Rate Element, Tag Loop at End User						11100	Addi	1 11 31	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
		Premise			UEPBX	URETL		8.33	0.83								
OF		PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	10.56	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	15.34	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	31.11	46.66	22.57	26.65	7.65						
		2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	12.67	134.89	81.87	73.65	14.88						
		2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX UEPBX	UEAED	17.45 33.22	134.89 134.89	81.87	73.65	14.88 14.88						
INC		2 Wire Analog Voice Grade Extension Loop – Design FFICE TRANSPORT		3	UEPBX	UEAED	33.22	134.89	81.87	73.65	14.88						
IIN		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<del>                                     </del>	<del>                                     </del>		+				<del>                                     </del>		-		<del> </del>	<del> </del>		1
		Termination	1		UEPBX	U1TV2	23.95	98.09	53.67	56.31	22.42						
		nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			7		22.00	55.01	1 22.01		İ	İ	İ			İ
		or Fraction Mile	1		UEPBX	U1TVM	0.0095	0.00	0.00								
2-1	WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
UN		rt/Loop Combination Rates							· · · · ·		· · · · ·						
$\vdash \vdash$		2-Wire VG Loop/Port Combo - Zone 1		1			10.79								ļ		
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
H.,		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										
UN		op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	9.64										
		2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.59										
2-1		/oice Grade Line Port Rates (RES - PBX)		Ŭ	OLI IKO	OLI EX	00.00										
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
		Res			UEPRG	UEPRD	1.15	21.29	15.49	2.85	2.67						
LC		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FE	EATU				UEDDO.		2.22										
N/C		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00								
INC.		CURRING CHARGES (NRCs) - CURRENTLY COMBINED 2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1		+											
		Conversion - Switch-As-Is			UEPRG	USAC2		8.45	1.91								
<b>—</b>		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			OLI IKO	00/102		0.40	1.01								
		Conversion - Switch with Change			UEPRG	USACC		8.45	1.91								
AE		DNAL NRCs															
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt	1														
$\vdash$		Group	-	-		+		7.86	7.86	<del>                                     </del>				<b> </b>	<b>!</b>		<b> </b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise	1		UEPRG	URETL		8.33	0.83								
0.5		PREMISES EXTENSION CHANNELS	-	<del>                                     </del>	ULFRU	UKEIL		0.33	0.83	<del>                                     </del>					<del> </del>		
OF		Local Channel Voice grade, per termination	<del>                                     </del>	1	UEPRG	P2JHX	12.67	134.89	81.87	73.65	14.88	-		<b> </b>	<del> </del>		
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	17.45	134.89	81.87	73.65	14.88						
		Local Channel Voice grade, per termination	i	3	UEPRG	P2JHX	33.22	134.89	81.87	73.65	14.88	İ	İ	1	ĺ		1
		Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	12.68	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	18.12	170.06	78.10	119.62	15.80						
		Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.64	170.06	78.10	119.62	15.00						
IN	ITERO	FFICE TRANSPORT		<b> </b>													
	Į,	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1		LIEDDC	11471/0	00.05	00.00	F0 07	50.04	20.40						
+		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	-	UEPRG	U1TV2	23.95	98.09	53.67	56.31	22.42					-	
		interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile	1		UEPRG	U1TVM	0.0095	0.00	0.00								
2-1		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<del>                                     </del>	<del>                                     </del>	OLI INO	O I I VIVI	0.0095	0.00	0.00			-		<b> </b>	<del> </del>		
		rt/Loop Combination Rates				1											
		2-Wire VG Loop/Port Combo - Zone 1	i	1			10.79					İ	İ	1			1
		2-Wire VG Loop/Port Combo - Zone 2		2			15.52										
		2-Wire VG Loop/Port Combo - Zone 3		3			31.74										

UNBU	NDLE	NETWORK ELEMENTS - Kentucky													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
1						1		Nonred	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)		
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	LINEL	oop Rates				+ -		11131	Auu i	11130	Addi	JOINEO	JONAN	JONIAN	JOHAN	JOHAN	JONAN
		2-Wire Voice Grade Loop (SL 1) - Zone 1		4	UEPPX	UEPLX	9.64					-	<b> </b>	<b> </b>			<del></del>
	-			1									ļ				
		2-Wire Voice Grade Loop (SL 1) - Zone 2			UEPPX	UEPLX	14.37										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.59					1					
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)										1					
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.15	21.29	15.49	2.85	2.67						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.15	21.29	15.49	2.85	2.67		i e				-
	<b>-</b>	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.15	21.29	15.49		2.67	1	1	1			<del></del>
		2-Wire Voice Unbundled OutDial Alabama NAR Area Calling			OLITA	OLI I	1.10	21.20	10.40	2.00	2.01	1	<b>†</b>				+
	1	Port		1	UEPPX	UEPOA						1			1		
-	<del>                                     </del>	2-Wire Voice Unbundled PBX LD Terminal Ports		<del>                                     </del>	UEPPX	UEPLD	1.15	21.29	15.49	2.85	2.67	+	<del> </del>	<del> </del>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	<del>                                     </del>	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		<del>                                     </del>	UEPPX	UEPKA	1.15	21.29	15.49	2.85	2.67	+	<b>†</b>	}	<del>                                     </del>	<del>                                     </del>	+
				-								<b>!</b>	-	ł	<del>                                     </del>	-	<del></del>
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		<b>—</b>	UEPPX	UEPXB	1.15	21.29	15.49		2.67	<b>!</b>	1	1	-	-	<del></del>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		<b>—</b>	UEPPX	UEPXC	1.15	21.29	15.49		2.67	<b>!</b>	1	1	-	-	<del></del>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.15	21.29	15.49	2.85	2.67	<b>.</b>	1	1	1		<del></del>
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area Calling Port without LUD			UEPPX	UEPXF	1.15	21.29	15.49	2.85	2.67						
					UEPPX							-	ł	<b> </b>			<del></del>
		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port				UEPXG	1.15	21.29	15.49		2.67				ļ		
		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPPX	UEPXH	1.15	21.29	15.49	2.85	2.67		ļ				
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port without LUD			UEPPX	UEPXJ	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled OutDial Kentucky NAR Area Calling Port			UEPPX	UEPOK	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.15	21.29	15.49	2.85	2.67						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
		Discount Room Calling Port			UEPPX	UEPXO	1.15	21.29	15.49	2.85	2.67		ļ				
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.15	21.29	15.49	2.85	2.67						
		NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
	FEATU																
		All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00								
		CURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ	ļ	ļ	1		ļ
	1	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1									1		I		
	ļ	Conversion - Switch-As-Is			UEPPX	USAC2		8.45	1.91			ļ	ļ	ļ	1		ļ
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		8.45	1.91								
$\dashv$		ONAL NRCs						3. 10						Ì	1	i	
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		t		1 1				1		t	1	1	t	l	<b>†</b>
		Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								<u> </u>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.86	7.86								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPX	URETL		8.33	0.83								
-	OFF/C:	PREMISES EXTENSION CHANNELS		-	ULPPA	UREIL		8.33	0.83	-		<del>                                     </del>	1	1	<del>                                     </del>	<del>                                     </del>	<del> </del>
				_	LIEDDY	DO ILIY	10.0=	404.00	04.6=	70.00	1100	<del>                                     </del>	+	+	1	<del>                                     </del>	<del>                                     </del>
		Local Channel Voice grade, per termination			UEPPX	P2JHX	12.67	134.89	81.87		14.88	<b> </b>	<b>}</b>	1	<del>                                     </del>	<b> </b>	<del> </del>
		Local Channel Voice grade, per termination		2	UEPPX	P2JHX	17.45	134.89	81.87		14.88	<b>!</b>	1	1	-	-	<del></del>
		Local Channel Voice grade, per termination			UEPPX	P2JHX	33.22	134.89	81.87	73.65	14.88	<b></b>	<b>_</b>		<b></b>		<b></b>
		Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	12.68	170.06	78.10		15.80	ļ					<b></b>
		Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	18.12	170.06	78.10		15.80	ļ	ļ		<b>.</b>	ļ	<b></b>
		Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	29.64	170.06	78.10	119.62	15.00			1	<del> </del>		<del>                                     </del>
-		DFFICE TRANSPORT		-		+				-		<b> </b>	<b>}</b>	1	<del>                                     </del>	<b> </b>	<del> </del>
	l	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	23.95	98.09	53.67	56.31	22.42						

ONROND	ED NETWORK ELEMENTS - Kentucky				_,									ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
					-		Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	<u> </u>
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile						11131	лиит	11100	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAR
	or Fraction Mile			UEPPX	U1TVM	0.0095	0.00	0.00								
2-WI	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE	Port/Loop Combination Rates															
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			10.79										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			15.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			31.74										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	9.64										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	14.37										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.59			1					ļ	-	<del>                                     </del>
2-Wi	re Voice Grade Line Ports (COIN)		-	<del>                                     </del>	1				1		ļ			<b>.</b>	<del>                                     </del>	<del>                                     </del>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS)			UEPCO	UEPRF	4.45	21.29	45.40	0.05	2.67					I	
			-	UEPCO	_	1.15		15.49 15.49	2.85		<del> </del>			<del>                                     </del>	<del>                                     </del>	-
	2-Wire Coin 2-Way with Operator Screening (AL, KY) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011,	<b>-</b>	-	UEPCO	UEPRE	1.15	21.29	15.49	2.85	2.67	<del>                                     </del>		-		<del>                                     </del>	<del>                                     </del>
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (KY)			UEPCO	UEPKA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (GA, KY, MS)			UEPCO	UEPRJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.15	21.29	15.49	2.85	2.67						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.15	21.29	15.49	2.85	2.67	<b>†</b>					<b>†</b>
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.15	21.29	15.49	2.85	2.67						
ADD	ITIONAL UNE COIN PORT/LOOP (RC)		-	ULFCO	OLFCK	1.13	21.23	13.45	2.03	2.07	<u> </u>			1		+
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	2.57	0.00	0.00	0.00	0.00	<b>†</b>					<b>†</b>
LOC	AL NUMBER PORTABILITY			02. 00	0.1200	2.01	0.00	0.00	0.00	0.00	i e					1
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NON	RECURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADD	ITIONAL NRCs				1 2 - 1 - 1		2.10	2.10						İ	t	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
_	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
2-///	Premise RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	OPT /		UKEIL		8.33	0.83	1		}	-		<del> </del>	<del>                                     </del>	<del>                                     </del>
	Port/Loop Combination Rates	LINE	OKI (	NE3)	1 1				1		1			<del> </del>	t	<del>                                     </del>
OIVE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1	<del>                                     </del>	1 1	13.90			1		1			<del> </del>	t	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		2		+ +	18.68			1			-			<b>-</b>	<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		3	1		34.45			1					1	1	
UNE	Loop Rates		Ť		1 1	5 5			1			1		İ	1	1
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	12.67					İ			1		
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	33.22										
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing only - res	1		UEPFR	UEPRO	1.23	128.96	64.11	61.92	9.97						1

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice Grade unbundled Kentucky extended local dialing			LIEDED	LIEDDM	4.00	400.00	04.44	04.00	0.07						
	parity port with Caller ID - res			UEPFR	UEPRM	1.23	128.96	64.11	61.92	9.97		-				
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Residence Dialing Plan															
INTER	without Caller ID DFFICE TRANSPORT		-	UEPFR	UEPWE	1.23	128.96	64.11	61.92	9.97	-					
INTER					+						-					
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
FFAT	or Fraction Mile			UEPFR	1L5XX	0.0095					-		-			<u> </u>
FEATU	All Features Offered	<b>-</b>	-	UEPFR	UEPVF	0.00	0.00	0.00			-	-		-	-	
	. NUMBER PORTABILITY	<b>-</b>	-	OLFFR	UEFVF	0.00	0.00	0.00			-	-		-	-	-
	Local Number Portability (1 per port)	-	-	UEPFR	LNPCX	0.35					1					
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITA	LINEUX	0.33										<del> </del>
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				+											
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00/102		0.00				1					
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.21	1.10								
2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (I	BUS)												
UNE Po	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			13.90										Ī
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
UNE Lo	pop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	12.67										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	17.45										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	33.22										
	Voice Grade Line Port (Bus)						100.00		04.00							
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port with Caller + E484 ID - bus	-	-	UEPFB	UEPBC	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.23	128.96	64.11	61.92	9.97	-					
	2-Wire voice Grade unbundled Kentucky extended local dialing parity port with Caller ID - bus			UEPFB	UEPBM	1.23	128.96	64.11	61.92	9.97						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.23	128.96	64.11	61.92	9.97						
	2-Wire Voice Unbundled Kentucky Business Dialing Plan	<del>                                     </del>			152.51	1.20	120.00	V-1.11	01.02	5.57	<del>                                     </del>	<b>-</b>				<b>H</b>
. 1	without Caller ID			UEPFB	UEPWF	1.23	128.96	64.11	61.92	9.97						
LOCAL	NUMBER PORTABILITY				1 1	5	0		552	2.37		İ	İ			İ
	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
	Termination			UEPFB	U1TV2	23.95	98.09	53.67	56.31	22.42						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1			Ι Τ											
	or Fraction Mile			UEPFB	1L5XX	0.0095							ļ			ļ
FEATU				LIEDED	LUED) (E	2.00										
	All Features Offered			UEPFB	UEPVF	0.00	0.00	0.00			-		ļ			ļ
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	-		+ +						1		<b> </b>			<del>                                     </del>
1	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<del>                                     </del>	<del>                                     </del>	ULFFD	USAUZ		9.03	1.8/				-	1			<del>                                     </del>
1	Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87								
+	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITO	COACC		3.03	1.07								<b> </b>
1	End User Premise			UEPFB	URETN		11.21	1.10								
2-WIRE	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E LINE F	ORT (		5		11.21	1.10					1			1
			(	-7	_							<del></del>				<b>I</b>
	ort/Loop Combination Rates															

UNBUN	IDLED	NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\sqcup \sqcup$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			18.68										
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			34.45										
U		op Rates															
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	12.67										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	17.45										
$\sqcup \sqcup$		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	33.22										
2	-Wire \	Voice Grade Line Port Rates (BUS - PBX)															
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.23	164.27	78.65	75.05	8.73						
$\sqcup \sqcup$		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.23	164.27	78.65	75.05	8.73						
$\vdash \vdash$		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.23	164.27	78.65	75.05	8.73		ļ		ļ	ļ	ļ
$\sqcup$		2-Wire Voice Unbundled PBX LD Terminal Ports		<u> </u>	UEPFP	UEPLD	1.23	164.27	78.65	75.05	8.73				<b></b>		
$\vdash \downarrow$		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.23	164.27	78.65	75.05	8.73		ļ		ļ	ļ	ļ
$\perp \perp \downarrow$		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.23	164.27	78.65	75.05	8.73		ļ		ļ	ļ	ļ
$\sqcup \sqcup$		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.23	164.27	78.65	75.05	8.73						
$\vdash$		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		1	UEPFP	UEPXD	1.23	164.27	78.65	75.05	8.73				<b>.</b>	ļ	
		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD					]								1		
$\sqcup \sqcup$		Capable Port			UEPFP	UEPXE	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Kentucky Room Area															
$\vdash$		Calling Port without LUD			UEPFP	UEPXF	1.23	164.27	78.65	75.05	8.73						
$\vdash$		2-Wire Voice Unbundled PBX Kentucky LUD Area Calling Port			UEPFP	UEPXG	1.23	164.27	78.65	75.05	8.73						
$\vdash$		2-Wire Voice Unbundled PBX Kentucky Premium Calling Port			UEPFP	UEPXH	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way Kentucky Area Calling Port						4040=	=								
		without LUD			UEPFP	UEPXJ	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						4040=	=								
<b></b>		Administrative Calling Port			UEPFP	UEPXL	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy							=								
		Room Calling Port			UEPFP	UEPXM	1.23	164.27	78.65	75.05	8.73						
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			l												
$\vdash$		Discount Room Calling Port		-	UEPFP	UEPXO	1.23	164.27	78.65	75.05	8.73						
<del></del>		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	-	-	UEPFP	UEPXS	1.23	164.27	78.65	75.05	8.73						
<u> </u>		NUMBER PORTABILITY			LIEDED	LNDCD	2.45	0.00	0.00								
<del></del>		Local Number Portability (1 per port)	-	-	UEPFP	LNPCP	3.15	0.00	0.00								
	NIEKU	OFFICE TRANSPORT	-	-		+											
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIAT) (O	22.05	00.00	F0.07	50.04	00.40						
$\vdash$		Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	<b>-</b>	<del>                                     </del>	UEPFP	U1TV2	23.95	98.09	53.67	56.31	22.42	-	<b> </b>		<del></del>	-	-
		or Fraction Mile			UEPFP	1L5XX	0.0095						1		I		1
<del>   </del>	EATU			-	OLPTP	ILOAA	0.0095						<b> </b>		<del></del>	-	-
$\vdash$		All Features Offered	<del>                                     </del>	<del>                                     </del>	UEPFP	UEPVF	0.00	0.00	0.00	<u> </u>			<b> </b>		<del>                                     </del>	<del> </del>	<b> </b>
<u> </u>		CURRING CHARGES (NRCs) - CURRENTLY COMBINED		$\vdash$	OLITE	OLF VI	0.00	0.00	0.00	<del>                                     </del>					<del>                                     </del>	<del> </del>	
H		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del>                                     </del>	<del>                                     </del>	+ +				<del>                                     </del>		<b>H</b>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		9.03	1.87				1		I		1
+		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port		<del>                                     </del>	0=111	30/102		9.00	1.07	<del>                                     </del>		<b>H</b>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
		Combination - Conversion - Switch with change			UEPFP	USACC	J	9.03	1.87						1		
+		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	<b>—</b>	<del>                                     </del>	0=111	30,100		9.03	1.07			<u> </u>	<b> </b>		t		1
		End User Premise			UEPFP	URETN		11.21	1.10				1		I		I
UNBLINE		ORT/LOOP COMBINATIONS - COST BASED RATES			02.11	CINETIA		11.21	1.10						<u> </u>		
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT		<u> </u>	1									<u> </u>		
		rt/Loop Combination Rates	T		<del> </del>	1									t	<b>i</b>	<b> </b>
H		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1	1	1	21.30								1	i	i
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2	1	1	26.08								1	i	i
		2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3	1	1	41.85								t	İ	
l l		op Rates		Ť	1	1	5								1	i	i
	Ť	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX	UECD1	12.67			1					İ	İ	İ
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX	UECD1	17.45								1	İ	ĺ
		2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX	UECD1	33.22										
t		ort Rate			1											ĺ	
		Exchange Ports - 2-Wire DID Port	t	1	UEPPX	UEPD1	8.63	336.11	27.75	132.37	9.31	İ			1	i	

NRUNDLE	D NETWORK ELEMENTS - Kentucky					1	1					la		Attach			bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Poo	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
NONRE	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion																
	with BellSouth Allowable Changes			UEPPX		USA1C		7.85	1.87								
ADDITI	ONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		32.25	32.25								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPX		URETN		11.21	1.10								
Teleph	one Number/Trunk Group Establisment Charges			EBBV		NO.	2.22										
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number		-	UEPPX		ND5	0.00	0.00	0.00			-				<del> </del>	-
-	Reserve Non-Consecutive DID numbers Reserve DID Numbers			UEPPX UEPPX		ND6 NDV	0.00	0.00	0.00								
LOCAL	NUMBER PORTABILITY			UEPPA		עטאו	0.00	0.00	0.00								
	Local Number Portability (1 per port)		-	UEPPX		LNPCP	3.15	0.00	0.00								-
	EISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	DODI			LINECE	3.15	0.00	0.00								1
	ort/Loop Combination Rates	NE SIDE	PORI			+											1
ONLI	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					1											
	UNE Zone 1		1	UEPPB	UEPPR		25.69										
<u> </u>	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		<u> </u>	OLITE	OLITIK	+	20.00	-									1
	UNE Zone 2		2	UEPPB	UEPPR		31.92										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		_	02.12	OLITIK		01.02										
	UNE Zone 3		3	UEPPB	UEPPR		50.21										
UNE La	pop Rates		Ť														
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.10										
	2 1110 10511 5 Igital 01440 2005 0112 20110 1		Ė	02.12	OLITIK	OOLLA	10.10										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	22.33										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	40.63										İ
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	9.59	320.53	289.13	92.19	17.56						
	CURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	22.77	17.00								
ADDITI	ONAL NRCs															Î	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at																
	End User Premise			UEPPB	UEPPR	URETN		11.21	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User																
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
	NNEL USER PROFILE ACCESS:							$\Box$									
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00							ļ	L
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
B-CHA	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)			1										ļ	ļ
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00							ļ	
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00							ļ	
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00							ļ	
	FERMINAL PROFILE					1		0.55									
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00							-	-
	CAL FEATURES			LIEDDE	LIEDDS	LIED /E	0.00	0.00	0.00							-	-
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								
INTER	OFFICE CHANNEL MILEAGE					1											ļ
	Interoffice Channel mileage each, including first mile and			LIEBSS	LIEDES							1					
-	facilities termination				UEPPR	M1GNC	29.12	47.34	31.78	22.77	8.75					-	<del></del>
1	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.01	0.00	0.00								<b></b>
				l .													
4-WIRE	EDS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK IE-P DS1 combination rates below for in this rate exhibit apply					( 40/0/52							-1	- 1			

NRUNDLE	D NETWORK ELEMENTS - Kentucky			1							1			ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE F	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP		170.06										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP		197.70										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 3		3	UEPPP		381.35										
UNE L	oop Rates															
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP	USL4P	86.47										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP	USL4P	114.10										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP	USL4P	297.76					ļ				ļ	ļ
UNE F	Port Rate		<b>├</b>	LIEBBB	LUEDDD	20.77	=00:-		450 :-	10	ļ				-	
110::-	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<b>├</b>	UEPPP	UEPPP	83.59	736.16	382.74	159.48	48.82	1					
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port			LIEDDD	LICACE	0.00	04.70	04.6=							I	
ADDIT	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	81.70	61.37			1					
ADDII	TONAL NRCs										1					
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-			UEPPP	PR7TF		0.54									
	Inward/two way Tel Nos. (except NC)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			UEPPP	PR/IF		0.54									
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		12.71	12.71								
_	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			UEPPP	PR/IU		12.71	12.71			<b> </b>					
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		25.41	25.41								
LOCA	L NUMBER PORTABILITY		-	ULFFF	FRIZI		25.41	23.41			1				-	
LOUA	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75			1		<u> </u>					
INTER	PACE (Provsioning Only)		1	OLITI	LIVI OIV	1.75					<b>†</b>					
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00			İ					
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00			İ					
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00			İ					
New o	r Additional "B" Channel		1													
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	15.48									
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	15.48									
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	15.48									
CALL	TYPES															
	Inward			UEPPP	PR7C1	0.00	0.00	0.00								<u> </u>
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								
Intero	ffice Channel Mileage		<u> </u>	LIEDDD	41.514.5	22.25	/0= ==		20.0-		ļ				ļ	
_	Fixed Each Including First Mile		<u> </u>	UEPPP	1LN1A	96.27	105.52	98.46	23.09	20.49				<b> </b>	-	
4 1477-	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT		<u> </u>	UEPPP	1LN1B	0.23					ļ			<b> </b>	<del>                                     </del>	ļ
		. 4 - 4		lded been in aless			4/4/04 th				<u> </u>	:-!				
Poc	NE-P DS1 combination rates below for in this rate exhibit apply ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	y to the	tate of	this amondmort of	as 01 10/2/03 U	d pursuant to a	er 4/1/04 these	oment or torif	rent to tariff fate	es or a separa	te commerc	iai agreemei	п.	-	<del></del>	1
	ests for 4-wire DS1 Digital Loop with 4-wire DD115 after the efficient/Loop Combination Rates	ective 0	iale Of	uns amenament sh	an be provide	u pursuant to a	separate agre	ement or tariff	at Deligouth's	discretion.	<del>                                     </del>		-	-	<del>                                     </del>	1
ONE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC	+	147.99					<b> </b>				+	1
-	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	<b>-</b>	2	UEPDC	+	175.62					<del>                                     </del>				t	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	359.28					1			1	<b>I</b>	1
UNE L	oop Rates		Ť		1	555.20									1	1
7	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	86.47									<u> </u>	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	114.10			i		1			İ	İ	İ
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	297.76										
UNE F	Port Rate										İ					
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	61.52	780.61	375.52	176.19	16.98						
NONR	ECURRING CHARGES - CURRENTLY COMBINED			_					<u> </u>							
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is (E:4/1/2004)			UEPDC	USAC4		92.84	46.70								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination								i i		1					

NRUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2	1	ibit: A
		lut :!									Svc Order Submitted Elec	Svc Order Submitted Manually	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -	Incrementa Charge - Manual Sv
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic Disc Add
			<u> </u>		+		Nonre	urrina	Nonrecurring	Disconnect	-		088	Rates (\$)	L	l .
-			1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				+		FIISt	Auu i	FIISL	Auu i	JOINIEC	SOWAN	JOWAN	JOWAN	JOWAN	JOWAN
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		92.84	46.70								
ADDIT	TIONAL NRCs			OLI DO	OOMVD		02.04	40.70			1				1	1
7.22	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+						<b>†</b>					ł
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			02. 50	02.17		10.00	10.00							t	
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		15.09	15.09								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		15.09	15.09								
BIPOL	AR 8 ZERO SUBSTITUTION													Î		
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	730.00s						Î		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	730.00s								
Altern	ate Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00						Î		
Telep	hone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00	0.00	0.00								
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00		0.00								
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedic	ated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)			UEPDC	1LNO1	96.04	105.52	98.46	23.09	20.49						
	Intereffice Channel Mileson Additional sets and will 0.0 miles			UEPDC	1LNOA	0.23	0.00	0.00								
-+	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities		1	UEPDC	ILINOA	0.23	0.00	0.00			1				-	<b> </b>
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.45	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
	·			1	1									1		
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		L	UEPDC	1LNOC	0.45	0.00	0.00			<u></u>		<u> </u>	<u> </u>	<u> </u>	<u></u>
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00								
	Central Office Termininating Point			UEPDC	CTG	0.00										
	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
	m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti															
Each	System can have up to 24 combinations of rates depending on	type ar	nd num	nber of ports used												
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C											shall revert	to tariff rates	or a separate	agreement.	
	ests for 4-Wire DS1 Loop with Channelization with Port after the	e effect	ive dat	e of this amendmer	nt shall be pro	vided pursuan	t to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
UNE D	OS1 Loop				1											
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	86.47	0.00	0.00						ļ	ļ	ļ
_	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	114.10	0.00	0.00						ļ	<b>.</b>	ļ
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	297.76	0.00	0.00							ļ	<del>                                     </del>
UNE D	OSO Channelization Capacities (D4 Channel Bank Configuration	18)	<u> </u>	LIEBLIO	1.0.00											
	24 DSO Channel Capacity - 1 per DS1		1	UEPMG	VUM24	111.16	0.00	0.00						ļ	<b></b>	ļ
_	48 DSO Channel Capacity - 1 per 2 DS1s		<u> </u>	UEPMG	VUM48	222.32	0.00	0.00							ļ	ļ
	96 DSO Channel Capacity -1per 4 DS1s		<u> </u>	UEPMG	VUM96	444.64	0.00	0.00								
$\rightarrow$	144 DS0 Channel Capacity - 1 per 6 DS1s		-	UEPMG	VUM14	666.96	0.00	0.00							<b></b>	
-	192 DS0 Channel Capacity -1 per 8 DS1s		ļ	UEPMG	VUM19	889.28	0.00	0.00	ļ		-		<b> </b>	ļ	-	<b>├</b>
	240 DS0 Channel Capacity - 1 per 10 DS1s 288 DS0 Channel Capacity - 1 per 12 DS1s		<b>!</b>	UEPMG	VUM2O	1,111.60	0.00	0.00				ļ			L	<del>                                     </del>
				UEPMG	VUM28	1,333.92	0.00	0.00	1		1	1			1	1

ONRONDLED V	NETWORK ELEMENTS - Kentucky										1_	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	34 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,778.56		0.00								
	30 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,223.20		0.00			ļ					
	76 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,667.84		0.00			ļ					
	'2 DS0 Channel Capacity - 1 per 28 DS1s Irring Charges (NRC) Associated with 4-Wire DS1 Loop with	Chann		UEPMG	VUM67	3,112.48		0.00			1				1	
	m System configuration is One (1) DS1, One (1) D4 Channe						ystem				1				1	
	of this configuration functioning as one are considered Ac						<b>†</b>				1					
	RC - Conversion (Currently Combined) with or without		1	oyoto	I						†				t	
	ellSouth Allowed Changes			UEPMG	USAC4	0.00	94.30	4.24								
	dditions at End User Locations Where 4-Wire DS1 Loop with	th Chan	nelizat	ion with Port Comb	ination Curre	ently Exists an	d				İ					
	Currently Combined) in all states, except in Density Zone 1															
	DS1/D4 Channel Bank - Additionally Add NRC for each Port															
	nd Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	718.89	469.86	149.83	17.77						
	Zero Substitution															
	ear Channel Capability Format, superframe - Subsequent															
	ctivity Only			UEPMG	CCOSF	0.00	0.00i	730.00s								
	ear Channel Capability Format - Extended Superframe -							=00.00								
	ubsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	730.00s								
	Mark Inversion (AMI) uperframe Format		-	UEPMG	MCOSF	0.00	0.00	0.00			1				1	
	dended Superframe Format			UEPMG	MCOSF	0.00		0.00			<b>.</b>				-	
	e Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	UEPIVIG	IVICOPO	0.00	0.00	0.00			1				-	
Exchange		l with	FOIL			<del> </del>					<u> </u>					
	ne Side Combination Channelized PBX Trunk Port - Business		-								<b>†</b>					
	:4/1/2004)			UEPPX	UEPCX	1.15	0.00	0.00	0.00	0.00						
	ne Side Outward Channelized PBX Trunk Port - Business			02.17	02. 07.	0	0.00	0.00	0.00	0.00	†				t	
	:4/1/2004)			UEPPX	UEPOX	1.15	0.00	0.00	0.00	0.00						
Lin	ne Side Inward Only Channelized PBX Trunk Port without DID															
(E:	:4/1/2004)			UEPPX	UEP1X	1.15	0.00	0.00	0.00	0.00						
	Wire Trunk Side Unbundled Channelized DID Trunk Port															
	:4/1/2004)			UEPPX	UEPDM	8.65	0.00	0.00	0.00	0.00						
	nbundled Exchange Ports, 2-Wire Channelized - Outdial -															
	L, KY, LA, MS, & TN)(Conversion from Network Access															
	ervice) (E:4/1/2004)			UEPPX	UEPCY	1.15	0.00	0.00	0.00	0.00						
	nbundled Exchange Ports, 2-Wire Channelized – Combination															
	L, KY, LA, MS, & TN) (Conversion from Network Access			LIEDDY	UEPCT	1.15	0.00	0.00	0.00	0.00						
	ervice) (E:4/1/2004) hbundled Exchange Ports, 2-Wire Channelized – Outdial –			UEPPX	UEPCI	1.15	0.00	0.00	0.00	0.00	<b> </b>					
	entucky Only – Calling Plan (E:4/1/2004)			UEPPX	UEPCV	1.15	0.00	0.00	0.00	0.00					1	
	hbundled Exchange Ports, 2-Wire Channelized – Two Way -	<b> </b>	<del>                                     </del>	S=11 //	JL1 UV	1.13	0.00	0.00	0.00	0.00	<b>†</b>				t	
	entucky Only – Calling Plan (E:4/1/2004)	1		UEPPX	UEPCW	1.15	0.00	0.00	0.00	0.00					I	1
	ctivations - Unbundled Loop Concentration	i e	l			10	3.50	5.30	3.30	0.30					1	
	eature (Service) Activation for each Line Port Terminated in D4		İ								İ					
Ва		1		UEPPX	1PQWM	0.62	25.40	13.41	4.17	4.15					I	1
	eature (Service) Activation for each Trunk Port Terminated in															
	4 Bank			UEPPX	1PQWU	0.62	78.15	19.68	59.05	11.54						
	e Number/ Group Establishment Charges for DID Service															
	D Trunk Termination (1 per Port)		<u> </u>	UEPPX	NDT	0.00		0.00						ļ	L	
	D Numbers - groups of 20 - Valid all States	<b>!</b>	<u> </u>	UEPPX	ND4	0.00		0.00			ļ				ļ	
	on-Consecutive DID Numbers - per number	<b> </b>	ļ	UEPPX	ND5	0.00		0.00	<u> </u>				<b> </b>	<b> </b>	-	ļ
	eserve Non-Consecutive DID Numbers	<b> </b>	<u> </u>	UEPPX	ND6	0.00	0.00	0.00	_						<del>                                     </del>	
	eserve DID Numbers	<del>                                     </del>	-	UEPPX	NDV	0.00	0.00	0.00	<del>                                     </del>		-				<del>                                     </del>	
	mber Portability	<del>                                     </del>	-	UEPPX	LNPCP	2.45	0.00	0.00	<del>                                     </del>		-				<del>                                     </del>	
	ocal Number Portability - 1 per port	<del>                                     </del>	<u> </u>	UEPPA	LINPUP	3.15	0.00	0.00	<b> </b>		1	-	-		<del>                                     </del>	-
	tching Features Offered with Line Side Ports Only	<del>                                     </del>	<del>                                     </del>		}	<del>                                     </del>	1	1	<u> </u>		}	-	<b> </b>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	Features Available			UEPPX	UEPVF	0.00	0.00	0.00	<del>                                     </del>		<b>†</b>				<del>                                     </del>	<b>-</b>
	NTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S	<del>                                     </del>	OLI I A	JEI VI	0.00	0.00	0.00			<b>†</b>			<b> </b>	t	<del>                                     </del>
	ased Rates are applied where BellSouth is required by FCC		State (	Commission rule to	nrovide Unb	undled Local S	Switching or S	witch Ports			1	<del> </del>	<b> </b>	<b> </b>	<del>                                     </del>	$\vdash$

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												'	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ										
						Rec	Nonre		Nonrecurring					Rates (\$)		
			L				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ures shall apply to the Unbundled Port/Loop Combination - C													<u> </u>		$\vdash$
3. End	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	Usage	rates in	the Port section of	this rate exh	iibit shall apply	to all combina	ations of loop	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.	A dalitia mal ND	C
		urrentiy	Combi	nea Combos. For	Currently Co	mbinea Comba	s, the nomect	urring charges	Silali be tilose	identified in t	ne Nonrecu	iring - Curre	entry Combine	eu sections. I	Additional NK	CS Illay
	Ilso and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	ho nog	atiotod	on on Individual Co.	oo Booio un	til furthar natio					1	ı		ı		
	CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only		liateu	on an muividual Ca	Se dasis, uii	lii turther notic	ð.				-					$\overline{}$
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															$\overline{}$
	ort/Loop Combination Rates (Non-Design)										<b>-</b>					
0.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -				İ											
	Non-Design		1	UEP91		10.79										ı l
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
<u> </u>	Non-Design	<u></u>	2	UEP91		15.52			<u> </u>		<u></u>	<u></u>		<u> </u>		<u>.                                    </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP91		31.74										
UNE Po	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	•														i l
	Design		1	UEP91		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					40.00										ı l
<del></del>	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP91		18.60										
1 1	Design		3	UEP91		34.37										ı l
LINE	pop Rate		3	UEF91		34.37					-					$\overline{}$
UNE LO	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	9.64					1					$\overline{}$
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	14.37					<b>-</b>					
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	33.22										
UNE P																
All Sta	tes (Except North Carolina and Sout Carolina)															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															ı l
	Area			UEP91	UEPYB	1.15	21.29	15.49	2.85	2.67						
1 1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			LIEDOA	LIED//LI	4.45	04.00	45.40	0.05	0.07						ı l
<del></del>	Local Area			UEP91	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2. 3 Basic Local Area			UEP91	UEPYM	1.15	21.29	15.49	2.85	2.67						ı l
<del>                                     </del>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service	<b>H</b>		OLF31	OLF TIVI	1.15	21.29	15.49	2.05	2.07	<b>H</b>			<b>l</b>		$\overline{}$
	Term - Basic Local Area			UEP91	UEPYZ	1.15	21.29	15.49	2.85	2.67						ı l
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				T	0	220	.0.10	2.30	2.57				İ		
	- Basic Local Area			UEP91	UEPY9	1.15	21.29	15.49	2.85	2.67						ı l
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP91	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	, LA, MS, & TN Only			-												
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP91	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO4	LIEDOM		04.00	45.40		0.0-						ı l
	Center)2,3	-	-	UEP91	UEPQM	1.15	21.29	15.49	2.85	2.67	1			-		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.15	21.29	15.49	2.85	2.67		1				, 1
<del>                                     </del>	OGIVICO TOTILI	<del>                                     </del>	<b>-</b>	OLF31	ULFUZ	1.15	21.29	15.49	2.00	2.07	<del>                                     </del>			<b> </b>		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.15	21.29	15.49	2.85	2.67		1				, l
	2-Wire Voice Grade Port Terminated in 60 Wegamik of equivalent			UEP91	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local S	Switching					0	220	.0.10	2.30	2.57				İ		
	Centrex Intercom Funtionality, per port			UEP91	URECS	0.8873										
Local I	lumber Portability															
	Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
Feature	es															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				115504			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	All Standard Features Offered, per port		-	UEP91	UEPVF	0.00	405.00				1				1	<del> </del>
	All Select Features Offered, per port  All Centrex Control Features Offered, per port			UEP91 UEP91	UEPVS UEPVC	0.00	405.66				-	-				<b>+</b>
NARS			-	UEF91	UEFVC	0.00	-				1	-			-	<del> </del>
IVAKS	Unbundled Network Access Register - Combination		-	UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1	1			1	1
	Unbundled Network Access Register - Indial		<b>-</b>	UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						<del>                                     </del>
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	Ianeous Terminations			02. 0.	0,110,1	0.00	0.00	0.00	0.00	0.00						
	Trunk Side				1											
	Trunk Side Terminations, each			UEP91	CENA6	10.51	92.18	15.82	52.16	5.30						
Interof	fice Channel Mileage - 2-Wire			-	1					3.00						
	Interoffice Channel Facilities Termination - Voice Grade		İ	UEP91	M1GBC	29.11	İ						1	1		
İ	Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.01	i									
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e		_												
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP91	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP91	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
	Slot			UEP91	1PQWQ	0.62										ļ
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.62										
Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
	Conversion - Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP91	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block			UEP91	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP91	M1ACS	0.00	669.80	78.32	111.05	13.27						ļ
	New Centrex Customized Common Block			UEP91	M1ACC	0.00	669.80	78.32	111.05	13.27						
	Secondary Block, per Block			UEP91	M2CC1	0.00	78.32	78.32	13.27	13.27						
	NAR Establishment Charge, Per Occasion			UEP91	URECA	0.00	72.75									ļ
Additio	onal Non-Recurring Charges (NRC)															ļ
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise		<u> </u>	UEP91	URETL		8.33	0.83	-	-	<b></b>		<del>                                     </del>	<b>.</b>	<del>                                     </del>	<del></del>
.	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEDO1	LIDETN		44.04	4.40							I	
LIME D	End Use Premise CENTREX - 5ESS (Valid in All States)	<b>-</b>	<u> </u>	UEP91	URETN		11.21	1.10			1	-			<del>                                     </del>	┼
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo	-	<del>                                     </del>		+ +		+				<b> </b>	<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	ort/Loop Combination Rates (Non-Design)		<del>                                     </del>	1	+ +		+		<b> </b>	<b> </b>	<del>                                     </del>	<b>H</b>	<del>                                     </del>	<del> </del>	t	<del>                                     </del>
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-		+ +		+				1	<del>                                     </del>			+	<del>                                     </del>
	Non-Design		1	UEP95		10.79	l								1	
<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>-</del> -	OL1 30	+ +	10.79					<b> </b>				<b>+</b>	<del>                                     </del>
	Non-Design		2	UEP95		15.52	l								1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1	10.02	1						1	1	<u> </u>	
	Non-Design		3	UEP95		31.74	l								I	
UNE P	ort/Loop Combination Rates (Design)		É				i		İ	İ	1		İ	İ	1	
1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ì		1		İ			l			İ	İ	1	
	Design		1	UEP95		13.82	l								I	
i	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				1											
	Design		2	UEP95		18.60	l								1	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		İ			_	İ						1	1		
	Design		3	UEP95		34.37	l								1	
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	14.37					1	1			1	

											1 -	I -	-		-	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP95	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	12.67										
'	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	33.22										
UNE Po																
All Stat				LIEDAE			01.00									
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3 Basic Local Area			UEP95	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP95	UEPY2	1.15	21.29	15.49	2.85	2.67						
	, LA, MS, SC, & TN Only				1 - 1		0		30	,,				İ	İ	
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP95	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2.3			UEP95	UEPQZ	1.15	21,29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.15	21.29	15.49	2.85	2.67						
_	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.8873										
Local N	lumber Portability													ĺ		
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP95	UEPVF	0.00										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00								ļ	ļ	ļ
NARS				LIEDAE	I I	0.55										
	Unbundled Network Access Register - Combination		<u> </u>	UEP95	UARCX	0.00	0.00	0.00		0.00	ļ					
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	ļ	<b> </b>		<b>.</b>	<b>!</b>	<b> </b>
	Unbundled Network Access Register - Outdial		<u> </u>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	ļ			-	-	-
	aneous Terminations Trunk Side				+				-							
	Trunk Side Trunk Side Terminations, each			UEP95	CEND6	10.51	92.18	15.82	52.16	5.30						
	Digital (1.544 Megabits)	<b>-</b>	<u> </u>	ULF90	CEINDO	10.51	92.18	15.82	52.16	5.30	<del>                                     </del>	-	-			-
	DS1 Circuit Terminations, each		-	UEP95	M1HD1	74.77	164.86	77.74	60.69	3.86	1					
	DS0 Channels Activated, each		<del>                                     </del>	UEP95	M1HD0	0.00	15.09	11.14	60.69	3.66	1			<del> </del>	<del>                                     </del>	
	ice Channel Mileage - 2-Wire		<del>                                     </del>	OL1 33	WITIDO	0.00	15.09					<b> </b>				<b> </b>
teron	Interoffice Channel Facilities Termination	<b>-</b>		UEP95	M1GBC	29.11			1		<del>                                     </del>	<b>-</b>		<b> </b>	<b> </b>	<b> </b>
-+-	Interoffice Channel mileage, per mile or fraction of mile		l —	UEP95	M1GBM	0.01			1		1	<b> </b>				<b> </b>
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e		00	0.5.141	0.01								1	1	
	nnel Bank Feature Activations				1					İ				İ	İ	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.62				İ				İ	İ	
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Side Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot				1PQW7	0.62			1							
	10101	l		UEP95	IPQW/	0.62			ļ			ļ				ļ

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted		Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Elec per LSR	Manually per LSR	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-	Manual Svc Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect		l.		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				400000											
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot	ļ		UEP95 UEP95	1PQWQ 1PQWA	0.62 0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			02. 00		0.02										
	NRC Conversion Currently Combined Switch-As-Is with allowed			UEP95	USAC2		0.400	0.400								
	changes, per port  Conversion of Existing Centrex Common Block, each	1		UEP95 UEP95	USAC2 USACN		0.102 18.95	0.102 8.32								
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block	ļ		UEP95	M1ACC	0.00	669.80	78.32	111.05	13.27						
Additi	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)			UEP95	URECA	0.00	72.75									
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.21	1.10								
	CENTREX - DMS100 (Valid in All States)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE P	Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OEF9D		15.52										
	Non-Design		3	UEP9D		31.74										
UNE P	Port/Loop Combination Rates (Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP9D		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	ļ	2	UEP9D	+	18.60										
	Design		3	UEP9D		34.37										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		1 2	UEP9D UEP9D	UECS1 UECS1	9.64 14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9D UEP9D	UECS2 UECS2	17.45 33.22						-				
UNE P	Port Rate		3	OLF 3D	ULUGZ	33.22						<u> </u>				
ALL S	TATES															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	ļ		UEP9D	UEPYA	1.15	21.29	15.49	2.85	2.67						
	Area			UEP9D	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEBAR	UEDV0		04.00									
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local			UEP9D	UEPYC	1.15	21.29	15.49	2.85	2.67		-				
	Area			UEP9D	UEPYD	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area			UEP9D	UEPYF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			021 00		1.13	21.23	10.45	2.00			t				
	Area	ļ	<u> </u>	UEP9D	UEPYG	1.15	21.29	15.49	2.85	2.67		-				
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.15	21.29	15.49	2.85	2.67						

ONBONDE	D NETWORK ELEMENTS - Kentucky			ı							l 0 0	l 0		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
	O.W. W. Co. L. Dort (O. M. (EDO MEOTO)) O. Dorin Lond						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area			UEP9D	UEPYV	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			OLF3D	OLFIV	1.13	21.29	13.49	2.00	2.07						+
	Area			UEP9D	UEPY3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
	Area		ļ	UEP9D	UEPYH	1.15	21.29	15.49	2.85	2.67						<b>_</b>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.15	21.29	15.49	2.85	2.67						
-	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLF3D	OLFTV	1.13	21.29	13.49	2.00	2.07					<u> </u>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPYJ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area			UEP9D	UEPYM	1.15	21.29	15.49	2.85	2.67						<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPTO	1.15	21.29	15.49	2.00	2.07					<del> </del>	<del>                                     </del>
	Basic Local Area			UEP9D	UEPYP	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			LIEDOD	LIEDVD	4.45	24.20	45.40	0.05	0.07						
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		<u> </u>	UEP9D	UEPYR	1.15	21.29	15.49	2.85	2.67					-	
	Basic Local Area			UEP9D	UEPYS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4		ļ	UEP9D	UEPY5	1.15	21.29	15.49	2.85	2.67					-	<del></del>
	Basic Local Area			UEP9D	UEPY6	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															1
	Basic Local Area			UEP9D	UEPY7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.45	04.00	45.40	0.05	0.07						
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP9D	UEPYZ	1.15	21.29	15.49	2.85	2.67					-	<del></del>
	Basic Local Area			UEP9D	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic				1											1
	Local Area			UEP9D	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, K	Y, LA, MS, SC, & TN Only			LIEBAR			24.00									<u> </u>
	2-Wire Voice Grade Port (Centrex)     2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>	UEP9D UEP9D	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67					1	+
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.15	21.29	15.49	2.85	2.67						+
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.15	21.29	15.49	2.85	2.67						†
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4 2-Wire Voice Grade Port (Centrex / EBS-M5208)4		<u> </u>	UEP9D UEP9D	UEPQT UEPQU	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
	2-Wire Voice Grade Fort (Centrex / EBS-M5260)4			UEP9D	UEPQV	1.15	21.29	15.49	2.85	2.67						<del>                                     </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM		04.00	45.40	0.0-	0.07						
<del>                                     </del>	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4		<del>                                     </del>	UEP9D UEP9D	UEPQW UEPQJ	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						+
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		<del>                                     </del>	OLI 3D	OLI QU	1.15	21.29	15.49	2.05	2.07		<b>-</b>		<b> </b>	<del>                                     </del>	<del>                                     </del>
	2,3		1	UEP9D	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u> </u>	UEP9D	UEPQO	1.15	21.29	15.49	2.85	2.67						<del></del>
	1		1	UEP9D	UEPQP	1.15	21.29	15.49	2.85	2.67	l	I		I	1	1

UNBUNDL	ED NETWORK ELEMENTS - Kentucky			_									Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.15	21.29	15.49	2.85	2.67						
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.15	21.29	15.49	2.85	2.67						ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D UEP9D	UEPQ9 UEPQ2	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67						
Loc	al Switching			UEP9D	UEPQ2	1.15	21.29	15.49	2.85	2.07						ļ
LUC	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8873										
Loca	Al Number Portability			OLI 3D	OKEGO	0.0073										1
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Feat	ures															
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00										
NAR				LIEDOD	LIADOV	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D UEP9D	UARCX UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward  Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misc	cellaneous Terminations			OLI OD	O/WOX	0.00	0.00	0.00	0.00	0.00	1					
	re Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	10.51	92.18	15.82	52.16	5.30						
4-W	re Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	15.09									
Inte	roffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination		-	UEP9D	M1GBC	29.11			1			-	-	-	-	
	Interoffice Channel Facilities Termination  Interoffice Channel mileage, per mile or fraction of mile		-	UEP9D UEP9D	M1GBC M1GBM	0.01			1		1	-	-	-	-	<del>                                     </del>
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	e	<b>t</b>	OLI 3D	INITODINI	0.01			+		1	<b>-</b>				<del>                                     </del>
	Channel Bank Feature Activations										i e					
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.62										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9D	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.62					1		İ	İ	İ	<b>†</b>
Non	-Recurring Charges (NRC) Associated with UNE-P Centrex								1					ĺ		
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		0.102	0.102								
	Conversion of existing Centrex Common Block, each			UEP9D	USACN		18.95	8.32					1	1	1	
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	669.80	78.32	111.05	13.27						

UNBUNDLE	D NETWORK ELEMENTS - Kentucky			ı							1_	-	Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	New Centrex Customized Common Block		1	UEP9D	M1ACC	0.00	669.80	78.32	111.05	13.27						1
A daliti	NAR Establishment Charge, Per Occasion onal Non-Recurring Charges (NRC)		<del> </del>	UEP9D	URECA	0.00	72.75				<b>.</b>					-
Additio	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		+		-	-					<b> </b>					-
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9D	URETN		11.21	1.10								
	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo		ļ													
UNE P	ort/Loop Combination Rates (Non-Design)										ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Non-Design		1	UEP9E		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>	OLI SL		10.75	-				1					
	Non-Design		2	UEP9E		15.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Non-Design		3	LIEDOE		24.74										
LINE D	ort/Loop Combination Rates (Design)		3	UEP9E	-	31.74					<b>-</b>					-
ONLF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		<del>                                     </del>			-					<u> </u>					
	Design		1	UEP9E		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -					Ì										
	Design		2	UEP9E		18.60										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo- Design		3	UEP9E		34.37										
UNE L	oop Rate										İ					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	9.64										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	17.45					ļ					
LINE D	2-Wire Voice Grade Loop (SL 2) - Zone 3 ort Rate		3	UEP9E	UECS2	33.22					<b>.</b>					-
	, KY, LA, MS, & TN only		1								1					1
AL, 1 L	2-Wire Voice Grade Port (Centrex ) Basic Local Area		1	UEP9E	UEPYA	1.15	21.29	15.49	2.85	2.67	1					<del>                                     </del>
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			02.02	02	0	21.20	10.10	2.00	2.01						
	Area			UEP9E	UEPYB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	UEP9E	UEPYH	1.15	21.29	15.49	2.85	2.67						
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOE	LIEDY/7	4.45	04.00	45.40	0.05	0.07						
	Service Term - Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	- Basic Local Area			UEP9E	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP9E	UEPY2	1.15	21.29	15.49	2.85	2.67						
AL, KY	Y, LA, MS, & TN Only		1	LIEDOE	LIEBOA	4.45	04.00	15.10	0.05	0.07						
<del></del>	2-Wire Voice Grade Port (Centrex ) 2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9E UEP9E	UEPQA UEPQB	1.15 1.15	21.29 21.29	15.49 15.49	2.85 2.85	2.67 2.67	1				-	<del>                                     </del>
+	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1		<del>                                     </del>	UEP9E	UEPQB	1.15	21.29	15.49	2.85	2.67	1				<del> </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex with Caller 10)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire		<b>†</b>	02102	021 011	1.13	21.23	15.45	2.00	2.01						
	Center)2,3			UEP9E	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term			UEP9E	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	COMO TOM			OL1 0L	JLI QL	1.13	21.23	15.45	2.00	2.07						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.15	21.29	15.49	2.85	2.67						
l acidi	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9E	UEPQ2	1.15	21.29	15.49	2.85	2.67						
Local	Switching Centrex Intercom Funtionality, per port		1	UEP9E	URECS	0.8873	-									<del>                                     </del>
			1	OLI OL	UILLUU	0.0013					<b>.</b>				ļ	L

UNDUNDL	ED NETWORK ELEMENTS - Kentucky	1		ı		ı					la c :	06		ment: 2	+	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Local Number Destability (4 per pest)	ļ		UEP9E	LNPCC	0.35	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Featu	Local Number Portability (1 per port)	<u> </u>	-	UEP9E	LNPCC	0.35					-					-
reatt	All Standard Features Offered, per port			UEP9E	UEPVF	0.00										
	All Select Features Offered, per port	1	1	UEP9E	UEPVS	0.00	405.66									
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00	.00.00				1					
NARS						0.00										
	Unbundled Network Access Register - Combination	i	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	ellaneous Terminations															
2-Wir	e Trunk Side															
4 1	Trunk Side Terminations, each	<b>!</b>	<u> </u>	UEP9E	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wir	e Digital (1.544 Megabits)	ļ	<u> </u>	LIEDOE	MALIDA	717-	404.00		00.00	2.00					ļ	
	DS1 Circuit Terminations, each	<u> </u>	<del>                                     </del>	UEP9E	M1HD1	74.77	164.86	77.74	60.69	3.86					1	
Intere	DS0 Channel Activated Per Channel office Channel Mileage - 2-Wire	<del>                                     </del>	<u> </u>	UEP9E	M1HDO	0.00	15.09				1				1	1
interd	Interoffice Channel Facilities Termination	<del>                                     </del>	<del>                                     </del>	UEP9E	M1GBC	29.11										
+	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.01										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Service	20	1	OLFBL	IVITGBIVI	0.01					1					1
	hannel Bank Feature Activations	1														
D + 0.	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.62					1					1
	Todado Fiolitation on B. Fondinion Ballic Control 2005 Clot	1		02.02		0.02										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.62										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot	<u> </u>	-	UEP9E UEP9E	1PQWQ	0.62					-					-
Non-l	Recurring Charges (NRC) Associated with UNE-P Centrex			ULFBL	IFQWA	0.02										1
110111	NRC Conversion Currently Combined Switch-As-Is with allowed	1	1		+											<b>-</b>
	changes, per port			UEP9E	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP9E	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP9E	URECA	0.00	72.75									
Addit	tional Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at	1	l –		1		2.00	2.00						İ		
	End Use Premise			UEP9E	URETN		11.21	1.10								
UNE-	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)	i	1													
2-Wir	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
UNE	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design	1	1	UEP93		10.79										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2								1					1
	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			UEP93		15.52									<del> </del>	<del>                                     </del>
	Non-Design	<u> </u>	3	UEP93	1	31.74									Į	
UNE	Port/Loop Combination Rates (Design)	ļ	<u> </u>		1											
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP93		13.82										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		18.60										

IDONDELL	NETWORK ELEMENTS - Kentucky			T										ment: 2		ibit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrey)Port Combo						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP93		34.37										
	op Rate			OLI 93	+	54.57	-				1					1
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	9.64										İ
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	14.37										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	30.59										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	12.67										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	17.45										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	33.22										
UNE Po																
AL, KY,	LA, MS, & TN only		-	LIEDOS	LIEDY/A		04.00	45.70	0.05	0.6=				<del>                                     </del>	<del>                                     </del>	
_	2-Wire Voice Grade Port (Centrex ) Basic Local Area		₩	UEP93	UEPYA	1.15	21.29	15.49	2.85	2.67	-			<del>                                     </del>	<del>                                     </del>	ļ
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP93	UEPYB	1.15	21.29	15.49	2.85	2.67				1	1	
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local			ULF 93	OLFIB	1.13	21.29	13.49	2.00	2.07	1			1	1	1
	Area			UEP93	UEPYH	1.15	21.29	15.49	2.85	2.67				I	I	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire				02. 111	1.15	21.23	10.40	2.00	2.01				<u> </u>	<u> </u>	
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.15	21.29	15.49	2.85	2.67				I	I	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.15	21.29	15.49	2.85	2.67				-	1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800		1	UEF93	UEPQIVI	1.15	21.29	15.49	2.00	2.07	-			-	-	
	Service Term			UEP93	UEPQZ	1.15	21.29	15.49	2.85	2.67						
	OCIVIOS TOTIL			0E1 00	OLI QZ	1.10	21.20	10.40	2.00	2.01	1					
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.15	21.29	15.49	2.85	2.67						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.15	21.29	15.49	2.85	2.67						i e
Local S	witching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8873										
	umber Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature					<u> </u>											
	All Standard Features Offered, per port		-	UEP93	UEPVF	0.00										
NARS	All Centrex Control Features Offered, per port		<u> </u>	UEP93	UEPVC	0.00					-			-	-	
	Unbundled Network Access Register - Combination		<del>                                     </del>	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>	1
	Unbundled Network Access Register - Indial		<b>!</b>	UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00	<b>H</b>			t	t	1
	Unbundled Network Access Register - Outdial		<b>†</b>	UEP93	UAROX	0.00	0.00	0.00	0.00	0.00				<del>                                     </del>	<b>-</b>	<b>†</b>
	aneous Terminations				0.1.07	0.00	0.00	0.00	0.00	0.00				t	<u> </u>	
	Trunk Side				1		1							1	1	
	Trunk Side Terminations, each			UEP93	CEND6	10.51	92.18	15.82	52.16	5.30						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP93	M1HD1	74.77	164.86	77.74	60.69	3.86						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	15.09									
	ice Channel Mileage - 2-Wire		<u> </u>	LIEBOO	1,4405.5									ļ	ļ	ļ
	Interoffice Channel Facilities Termination			UEP93	M1GBC	29.11								ļ		ļ
	Interoffice Channel mileage, per mile or fraction of mile		-	UEP93	M1GBM	0.01								<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Activations (DS0) Centrex Loops on Channelized DS1 Service	е	₩		+						-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
D4 Cha	nnel Bank Feature Activations		-	UEP93	1PQWS	0.62	+				-			<del>                                     </del>	<del>                                     </del>	$\vdash$
	Feature Activation on D-4 Channel Bank Centrex Loop Slot															

UNBUNDLE	D NETWORK ELEMENTS - Kentucky												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec					Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m						- (1)			per Loix	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													ist	Addi	DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)	•	•
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP93	1PQW7	0.62										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP93	1PQWP	0.62										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.62										
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
	Slot			UEP93	1PQWQ	0.62										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.62										
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP93	USAC2		0.102	0.102								
	Conversion of Existing Centrex Common Block, each			UEP93	USACN		18.95	8.32								
	New Centrex Standard Common Block			UEP93	M1ACS	0.00	669.80	78.32	111.05	13.27						
	New Centrex Customized Common Block			UEP93	M1ACC	0.00	669.80	78.32	111.05	13.27						
	NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.75									
Additio	onal Non-Recurring Charges (NRC)															
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
	Premise			UEP93	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP93	URETN		11.21	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	2 - Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and	Port													
	- Requires Specific Customer Premises Equipment															
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth in	General Tern	ns and Condition	ns.									

IINDI	INDI E	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Evhi	bit: A
OIND	MULE			1	1							Syc Order	Svc Order	Incremental		Incremental	Incremental
												I .	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																2.00 .01	2.007.444.
							Rec		curring		g Disconnect				Rates (\$)		
-	<u> </u>			1	-	-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	The "Z	I one" shown in the sections for stand-alone loops or loops as	part of	a com	bination refers to Ge	ographically	/ Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Nebsite:	I.
		vww.interconnection.bellsouth.com/become_a_clec/html/inter				- 9 р ,	,			,	g		,				
OPER/	ATIONAI	L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
		ither the state specific Commission ordered rates for the servi	ice orde	ring cl	harges, or CLEC may	elect the re	gional service	ordering charg	e, however, Cl	EC can not ol	otain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill															
		nnot be ordered electronically at present per the LOH, the list			e in this category ref	lects the ch	arge that would	be billed to a	CLEC once el	ectronic orderi	ng capabilities	s come on-li	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
-	SUNA	N, will be applied to a CLECs bill when it submits an LSR to B OSS - Electronic Service Order Charge, Per Local Service	ensout	n. I	1				ı		1	ı		1	1		ı
	1	Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
	†	OSS - Manual Service Order Charge, Per Local Service Request			1			3.30	0.00	0.30	0.00		l		1		
		(LSR) - UNE Only				SOMAN		15.20	0.00	15.20	0.00						
UNE S		DATE ADVANCEMENT CHARGE															
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's F	CC No.1 Tariff, Section	n 5 as appli	icable.										
					UAL, UEANL, UCL, UEF, UDF, UEQ.												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL, UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX, ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
IINDIII	I IDI ED 1	Day EXCHANGE ACCESS LOOP	-	+	U1TUB, U1TUA	SDASP	<del> </del>	200.00			<del>                                     </del>	-	<del>                                     </del>		1		
OIADOI		E ANALOG VOICE GRADE LOOP	1	<del>                                     </del>	<del> </del>	<del>                                     </del>					<del>                                     </del>	1	<del>                                     </del>	<del> </del>	1		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.90	36.54	16.87		<u> </u>			1			
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2			UEANL	UEAL2	23.33	36.54	16.87		1						
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	48.43	36.54	16.87								
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.90	36.54	16.87								
	ļ	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	ļ		UEANL	UEASL	23.33	36.54	16.87			ļ					
<u> </u>	<u> </u>	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	48.43	36.54	16.87				1		ļ		ļ
		Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEANL	URETL		8.33	0.83		1						
<b>-</b>	1	Loop Testing - Basic 1st Half Hour	<del>                                     </del>	<del>                                     </del>	UEANL	URET1	+	33.17	33.17		<del> </del>	1	<del>                                     </del>	<del>                                     </del>	1		
	1	Loop Testing - Basic Ist Hall Hour	t		UEANL	URETA		19.28	19.28		<b>†</b>	1	t	1			
	<u> </u>	1 24010 / 144110 / 1441 / 1441		<u> </u>	1		1	.0.20	.0.20								

Version 3Q03: 11/12/2003 Page 156 of 348

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch (UVL-SL1)			UEANL	UREWO		15.75	8.93								l
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST			UEAINL	UREWU		15.75	0.93							<del> </del>	<del>                                     </del>
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.04	13.04								l
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		7.92	7.92								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		17.56	17.56								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	12.40	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.32	35.27	15.60								
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	16.87	35.27	15.60								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop - Non-Designed (per loop)			UEQ	USBMC		7.92	7.92								
	Unbundled Copper Loop, Non-Design Copper Loop, billing for								<b> </b>							
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.04	13.04								<b>——</b>
	Loop Testing - Basic 1st Half Hour Loop Testing - Basic Additional Half Hour			UEQ UEQ	URET1 URETA		33.17 19.28	33.17 19.28							-	
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	URETA		19.20	19.20							<del> </del>	<del></del>
	(UCL-ND)			UEQ	UREWO		14.25	7.42								
	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		-												1	<b>—</b>
	Zone 1		1	UEPSR UEPSB	UEALS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	12.90	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEABS	23.33	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEALS	48.43	36.54	16.87	0.00	0.00						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	48.43	36.54	16.87	0.00	0.00						
	XCHANGE ACCESS LOOP		Ŭ	OET OIL OET OB	CENEC	40.40	00.04	10.07	0.00	0.00					1	
	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.93	102.10	65.72								1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.35	102.10	65.72								
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	50.46	102.10	65.72							1	
<b></b>	Order Coordination for Specified Conversion Time (per LSR)		<b>_</b>	UEA	OCOSL		17.56									1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 1		1	UEA	UEAR2	14.93	102.10	65.72								1
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 2		2	UEA	UEAR2	25.35	102.10	65.72								
	Battery Signaling - Zone 2  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse  Battery Signaling - Zone 3		3	UEA	UEAR2	50.46	102.10	65.72								
<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	1	3	UEA	OCOSL	30.46	17.56	05.72			<b> </b>		1		<del> </del>	<del></del>
	CLEC to CLEC Conversion Charge without outside dispatch		<b>†</b>	UEA	UREWO		87.59	36.30							1	
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.20	1.10				Ì				
4-WIRE	ANALOG VOICE GRADE LOOP							_								
	4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4	30.81	127.40	91.02								
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 2			UEA	UEAL4	38.32	127.40	91.02			<u> </u>					
$\vdash$	4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA UEA	UEAL4 OCOSL	60.39	127.40 17.56	91.02			1				<del>                                     </del>	-
	CLEC to CLEC Conversion Charge without outside dispatch	-	1	UEA	UREWO		87.59	36.30			1	<b>-</b>			+	<del></del>

UNBI	INDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC ISI	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-WIRE	ISDN DIGITAL GRADE LOOP															
		2-Wire ISDN Digital Grade Loop - Zone 1			UDN	U1L2X	22.09	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	35.28	113.34	76.96								
		2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	65.18	113.34	76.96								
		Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.49	44.09								
	2-WIRE	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													
		2 Wire Unbundled ADSL Loop including manual service inquiry		١.			40.00										
		& facility reservation - Zone 1		1	UAL	UAL2X	12.29	117.08	68.36								
		2 Wire Unbundled ADSL Loop including manual service inquiry	1	_		LIALOY	44.00	447.00	20.00				1		I		
$\vdash$	1	& facility reservation - Zone 2	1	2	UAL	UAL2X	14.09	117.08	68.36		-	1		-	<del>                                     </del>	<b> </b>	
1		2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3	1	3	UAL	UAL2X	15.75	117.08	68.36				1		I		
<b>—</b>	<del>                                     </del>	Order Coordination for Specified Conversion Time (per LSR)	+	3	UAL	OCOSL	15.75	117.08	08.36	1		-	-	-	<del>                                     </del>		-
-	1	2 Wire Unbundled ADSL Loop without manual service inquiry &	1		UAL	OCOSL		17.50		1		1			-		
		facility reservation - Zone 1		1	UAL	UAL2W	12.29	92.83	56.02						1		
		2 Wire Unbundled ADSL Loop without manual service inquiry &			OAL	UALZVV	12.23	92.03	30.02								
		facility reservaton - Zone 2		2	UAL	UAL2W	14.09	92.83	56.02								
		2 Wire Unbundled ADSL Loop without manual service inquiry &			0712	O/ ILLY	1 1.00	02.00	00.02			<b>†</b>	1				
		facility reservaton - Zone 3		3	UAL	UAL2W	15.75	92.83	56.02								
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UAL	OCOSL		17.56									
		CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.07	40.34								
	2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 1		1	UHL	UHL2X	9.79	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry															
		& facility reservation - Zone 2		2	UHL	UHL2X	11.52	125.50	76.77								
		2 Wire Unbundled HDSL Loop including manual service inquiry		_													
		& facility reservation - Zone 3		3	UHL	UHL2X	12.74	125.50	76.77								
-	-	Order Coordination for Specified Conversion Time (per LSR)	-	-	UHL	OCOSL		17.56									
		2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1		1	UHL	UHL2W	9.79	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry		'	UNL	UHLZVV	9.79	101.24	04.43			1			1		
		and facility reservation - Zone 2		2	UHL	UHL2W	11.52	101.24	64.43								
		2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OTILEVV	11.02	101.24	04.40								
		and facility reservation - Zone 3		3	UHL	UHL2W	12.74	101.24	64.43								
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		17.56	•								
	l	CLEC to CLEC Conversion Charge without outside dispatch	l		UHL	UREWO		86.00	40.34							1	
	4-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	LOOP													
		4 Wire Unbundled HDSL Loop including manual service inquiry															
	ļ	and facility reservation - Zone 1	ļ	1	UHL	UHL4X	16.24	153.26	104.54								
1	1	4-Wire Unbundled HDSL Loop including manual service inquiry	1												_		
	ļ	and facility reservation - Zone 2	ļ	2	UHL	UHL4X	16.65	153.26	104.54						1		
		4-Wire Unbundled HDSL Loop including manual service inquiry						450							1		
-	<b>!</b>	and facility reservation - Zone 3	<b>!</b>	3	UHL	UHL4X	17.34	153.26	104.54						<del>                                     </del>	-	
$\vdash$	1	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL		17.56				-			<del>                                     </del>	-	
1		4-Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - Zone 1	1	1	UHL	UHL4W	16.24	129.00	92.20				1		I		
-	1	4-Wire Unbundled HDSL Loop without manual service inquiry	<del>                                     </del>	-	OI IL	UI IL4VV	10.24	129.00	92.20	1	-		<b> </b>	<b> </b>	<del>                                     </del>	1	
		and facility reservation - Zone 2		2	UHL	UHL4W	16.65	129.00	92.20						1		
<b>-</b>	<b>†</b>	4-Wire Unbundled HDSL Loop without manual service inquiry	<b>†</b>		O. IL	OT ILTVV	10.03	123.00	32.20	1		<del>                                     </del>	<b> </b>		<b>I</b>	<b> </b>	
1		and facility reservation - Zone 3	1	3	UHL	UHL4W	17.34	129.00	92.20				1		I		
		Order Coordination for Specified Conversion Time (per LSR)		Ť	UHL	OCOSL		17.56	02.20		İ			İ	1	İ	
		CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.00	40.34					İ	1		
	4-WIRE	DS1 DIGITAL LOOP									<u> </u>						
		4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	85.70	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	194.96	245.16	152.98								
		4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	491.94	245.16	152.98								
		Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		17.56					l		I	j	

UNBUND	LED NE	TWORK ELEMENTS - Louisiana												ment: 2		bit: A
CATEGORY	4	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'I	Disc 1st	Disc Add'
							Rec	Nonrec	urring	Nonrecurring Disconnec	:t		oss	Rates (\$)	l .	
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		C to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.93	42.98							ļ
4-W		, 56 OR 64 KBPS DIGITAL GRADE LOOP														
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	30.99	121.86	85.48							ļ
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	36.78	121.86	85.48							ļ
		re Unbundled Digital 19.2 Kbps			UDL	UDL19	38.92	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	30.99	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 2			UDL	UDL56	36.78	121.86	85.48							ļ
		re Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	38.92	121.86	85.48							ļ
		r Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56								ļ
		re Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	30.99	121.86	85.48							ļ
		re Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	36.78	121.86	85.48			ļ	<b>.</b>	ļ		ļ
		re Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	38.92	121.86	85.48			ļ	<b>.</b>	ļ		ļ
		er Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		17.56				ļ	<b>.</b>	ļ		ļ
		C to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.97	49.67							ļ
2-W		undled COPPER LOOP				1						ļ	<b></b>			ļ
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.29	116.18	67.46							
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 2		2	UCL	UCLPB	14.09	116.18	67.46							
		re Unbundled Copper Loop-Designed including manual														
		ce inquiry & facility reservation - Zone 3		3	UCL	UCLPB	15.75	116.18	67.46							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.29	91.92	55.12							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 2		2	UCL	UCLPW	14.09	91.92	55.12							
	2-Wir	re Unbundled Copper Loop-Designed without manual														
	servic	ce inquiry and facility reservation - Zone 3		3	UCL	UCLPW	15.75	91.92	55.12							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
	CLEC	C to CLEC Conversion Charge without outside dispatch										ĺ		Î		
	(UCL	Des)			UCL	UREWO		91.92	42.47							
4-W	IRE COP	PER LOOP														
	4-Wir	re Copper Loop-Designed including manual service inquiry														
	and f	facility reservation - Zone 1		1	UCL	UCL4S	22.27	139.69	90.96							
	4-Wir	re Copper Loop-Designed including manual service inquiry										ĺ		Î		
		facility reservation - Zone 2		2	UCL	UCL4S	18.95	139.69	90.96							
	4-Wir	re Copper Loop-Designed including manual service inquiry										ĺ		Î		
	and f	facility reservation - Zone 3		3	UCL	UCL4S	10.99	139.69	90.96							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
i	4-Wir	re Copper Loop-Designed without manual service inquiry					j	İ								
	and f	facility reservation - Zone 1		1	UCL	UCL4W	22.27	115.43	78.63							
	4-Wir	re Copper Loop-Designed without manual service inquiry														
	and f	facility reservation - Zone 2		2	UCL	UCL4W	18.95	115.43	78.63							
	4-Wir	re Copper Loop-Designed without manual service inquiry										ĺ		Î		
	and f	facility reservation - Zone 3		3	UCL	UCL4W	10.99	115.43	78.63							
	Orde	r Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		7.92	7.92			ĺ		Î		
	CLEC	C to CLEC Conversion Charge without outside dispatch										ĺ		Î		
		-Des)		1	UCL	UREWO		91.92	42.47				I			
OOP MOD	IFICATIO	DN										ĺ		Î		
					UAL, UHL, UCL,		j	İ								
					UEQ, ULS, UEA,											
	Unbu	undled Loop Modification, Removal of Load Coils - 2 Wire			UEANL, UEPSR,											
		ess than or equal to 18k ft, per Unbundled Loop	<u></u>	L	UEPSB	ULM2L		0.00	0.00	<u>                                       </u>		<u></u>	L	<u> </u>	<u> </u>	<u> </u>
	Unbu	undled Loop Modification Removal of Load Coils - 4 Wire					İ	İ								
		than or equal to 18K ft, per Unbundled Loop		1	UHL, UCL, UEA	ULM4L		0.00	0.00				I			
					UAL, UHL, UCL,											
					UEQ, ULS, UEA,								1			
	Unbu	undled Loop Modification Removal of Bridged Tap Removal,		1	UEANL, UEPSR,								I			
1		inbundled loop	l	l	UEPSB	ULMBT		12.15	12.15	1		1	1	1	1	1

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana												ment: 2		ibit: A
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Submitted Elec per LSR	Submitted Manually	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec		curring	Nonrecurring Disconne				Rates (\$)		
							Nec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-L																
	Sub-Lo	oop Distribution														
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		144.09	144.09							
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	Ι		UEANL	USBSB		10.99	10.99							
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	-		UEANL	USBSC		86.16	86.16							
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up			UEANL	USBSD		27.13	27.13							
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -														
		Zone 1 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	ı	1	UEANL	USBN2	7.57	63.89	30.06			+				
		Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	I	2	UEANL	USBN2	12.75	63.89	30.06							
		Zone 3	- 1	3	UEANL	USBN2	21.45	63.89	30.06							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	11.76	76.75	42.92							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	16.84	76.75	42.92							
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	19.27	76.75	42.92							
				Ů			10.21									
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL UEANL	USBMC USBR2	2.91	7.92 51.48	7.92 17.65							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	6.58	57.54	23.71							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		7.92	7.92							
		Loop Testing - Basic 1st Half Hour				URET1		33.17	33.17			<u> </u>				
		Loop Testing - Basic Additional Half Hour				URETA		19.28	19.28			<u> </u>				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.26	63.89	30.06			1				
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2			UEF	UCS2X	10.07	63.89	30.06							
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	12.70	63.89	30.06							
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		7.92	7.92							
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1				UCS4X	8.03	76.75	42.92			1	<b></b>			<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-			UCS4X UCS4X	10.71	76.75	42.92 42.92		-	1				<del></del>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	'	3			6.08	76.75								
	-	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour		-	UEF UEF	USBMC URET1		7.92 33.17	7.92 33.17	<del>                                     </del>		1	-			-
	<del>                                     </del>	Loop Testing - Basic 1st Hair Hour		-		URETA		19.28	19.28		+	+	<b>+</b>			<b>†</b>
	Unbun	dled Network Terminating Wire (UNTW)						10.20	10.20	† †		1				<b>†</b>
	1	Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3454	14.72	14.72							
	Networ	k Interface Device (NID)						_								
		Network Interface Device (NID) - 1-2 lines				UND12		42.26	27.83							
		Network Interface Device (NID) - 1-6 lines				UND16		62.86	48.43			1				<b></b>
	1	Network Interface Device Cross Connect - 2 W		-		UNDC2		5.73	5.73		_	1	<del>                                     </del>	<b>!</b>	-	<del>                                     </del>
IINE O	THER S	Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE		<u> </u>	UENTW	UNDC4		5.73	5.73			+	1	<del> </del>	-	-
ONE O	I TEK, P	NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00				+	<del>                                     </del>			+
	+	UNTW Circuit Id Establishment, Provisioning Only - No Rate				UENCE	0.00	0.00		+ +	+	+	<del>                                     </del>	<del> </del>	<del> </del>	+
		OTTEN OFFICER IN Establishment, I Tovisioning Only - No Nate			UEANL,UEF,UEQ,U	CLINOL	0.00	0.00				1				<del>                                     </del>
		Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00								<u> </u>
UNE O	THER, P	ROVISIONING ONLY - NO RATE		$\bot \_ $												

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attachi	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec		urring	Nonrecurring Disc		001150	001111		Rates (\$)	0014411	001111
<b>—</b>			-				First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			0511,0271,0112,020	0.12011	0.00	0.00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									ł
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -				00055	0.00	0.00									
HIGH CAPACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									<b>-</b>
o oa. aci	High Capacity Unbundled Local Loop - DS3 - Per Mile per															
	month			UE3	1L5ND	10.04										
	High Capacity Unbundled Local Loop - DS3 - Facility						400 :-									
	Termination per month High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	UE3	UE3PX	362.34	438.46	256.30								<del></del>
	month			UDLSX	1L5ND	10.04										
	High Capacity Unbundled Local Loop - STS-1 - Facility Termination per month			UDLSX	UDLS1	374.56	438.46	256.30								ł
LOOP MAKE-U				ODLOX	UDLST	374.30	430.40	230.30								<del>                                     </del>
1	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		23.29	23.29								1
	Loop Makeup - Preordering With Reservation, per spare facility queried (Manual).			UMK	UMKLP		24.70	24.70								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.19	0.19								
	AND LINE SPLITTING															
	1: The Line Sharing monthly recurring rates for all installation					idnight Octobe	r 01, 2004 shal	I be billed as f	ollows:							ļ
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co 1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND	pper Io	op nor	i-designed ("UCLND	")											<del>                                     </del>
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND															<del>                                     </del>
	1: Above will apply to USOCS: ULSDT and ULSCT															
	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 20	03							
	HARING															
SPLITT	TERS-CENTRAL OFFICE BASED		-	ULS	ULSDA	187.17	183.33	0.00								<b>—</b>
<del>                                     </del>	Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity		<del>                                     </del>	ULS	ULSDA	187.17 46.79	183.33	0.00								
	Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.59	183.33	0.00								
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
	deactivation (per LSOD)			ULS	ULSDG		83.98	0.00								
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING Line Sharing - per Line Activation (BST Owned splitter) -	-	-													
	OBSOLETE see **NOTE 2  Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDC	0.61	17.97	10.29								
	Central Office Located (25% of UCLND) - please see NOTE 1				LII CDT	0.40	47.0-	10.00								
	(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -			ULS	ULSDT	3.10	17.97	10.29								
	Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.20	17.97	10.29								
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.30	17.97	10.29								
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		15.91	7.95								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		15.91	7.95								
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2		L	ULS	ULSCC	0.61	47.44	19.31								

UNBUN	NDLE	D NETWORK ELEMENTS - Louisiana													ment: 2	1	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring I	Disconnect			oss	Rates (\$)		1
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003) Line Share Service, TRO per line activation, CLEC owned			ULS	ULSCT	3.10	47.44	19.31	<b> </b>							
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.20	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned			020	02001	0.20		10.01								
		splitter - Central Office Located (75% of UCLND) - please see															
		NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.30	47.44	19.31								
		PLITTING															
E		SER ORDERING-CENTRAL OFFICE BASED		-	HEDOD LIEDOD	LIDEGO	201			1				-	<del>                                     </del>	<del>                                     </del>	
$\rightarrow$		Line Splitting - per line activation DLEC owned splitter Line Splitting - per line activation BST owned - physical	-		UEPSR UEPSB UEPSR UEPSB	UREOS UREBP	0.61 0.61	17.97	10.29	+		-		-	<del>                                     </del>	<del>                                     </del>	
$\rightarrow$		Line Splitting - per line activation BST owned - physical Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	17.97	10.29	1		<del>                                     </del>		<del> </del>	<del>                                     </del>	<del>                                     </del>	
		ENANCE			CL. OK OLI OB	CILLEY	0.01	17.51	10.23	<del>                                     </del>					<b>—</b>	<b>—</b>	
		No Trouble Found - per 1/2 hour increments - Basic				1		80.00	55.00						1	1	
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
		DEDICATED TRANSPORT															
		OFFICE CHANNEL - DEDICATED TRANSPORT								<b> </b>							
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.013										
$\rightarrow$		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			UTIVX	ILSXX	0.013			+							
		Facility Termination			U1TVX	U1TV2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade													t	t	
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat															
		Facility Termination			U1TVX	U1TR2	22.60	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			11477.07	41.5007	0.040										
		Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade		-	U1TVX	1L5XX	0.013			<b>+</b> +		-			-	-	
		- Facility Termination			U1TVX	U1TV4	19.81	39.36	26.62								
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OTTVX	01114	13.01	39.30	20.02	<b>+</b>					-	-	
		per month			U1TDX	1L5XX	0.013										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	15.61	39.37	26.62								
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile				1											
		per month			U1TDX	1L5XX	0.013					1					
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.61	39.37	26.62								
$\rightarrow$		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			UTIDA	סטווט	10.01	39.37	20.02	1		<b>—</b>					1
		month			U1TD1	1L5XX	0.2652								1	1	
		Interoffice Channel - Dedicated Tranport - DS1 - Facility				1								İ			
		Termination	<u> </u>		U1TD1	U1TF1	70.47	86.69	79.44								
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
$\longrightarrow$		month			U1TD3	1L5XX	6.04								ļ	ļ	
		Interoffice Channel - Dedicated Transport - DS3 - Facility			LIATES	LIATES	050.45	070.00	450.05								
$\rightarrow$		Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per			U1TD3	U1TF3	850.45	270.69	158.05	1				-	-	-	
		month			U1TS1	1L5XX	6.04								1	1	
		Interoffice Channel - Dedicated Transport - STS-1 - Facility				120,01	3.54								1	1	
		Termination			U1TS1	U1TFS	830.19	270.69	158.05					<u> </u>			
DARK FI									· · · · · ·								
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction				1											
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	25.28		100.5								
$\longrightarrow$		NRC Dark Fiber - Interoffice Channel Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	UDF14		620.60	133.88	<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	
		Thereof per month - Local Loop			UDF. UDFCX	1L5DL	52.23								I	I	
				1	321 , 321 OA	ILUUL	JZ.ZJ		133.88	1		1			1	1	1

UNBU	JNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	ibit: A
											Svc Orde	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted		Charge -	Charge -	Charge -	Charge -
			Interi	l_							Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
-	ı					+		Nonrec	urring	Nonrecurring Disconne	ct	1	OSS	Rates (\$)	1	
							Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX AC	CCESS	TEN DIGIT SCREENING														
		8XX Access Ten Digit Screening, Per Call			OHD		0.0006387									
		8XX Access Ten Digit Screening, Reservation Charge Per 8XX														
		Number Reserved			OHD	N8R1X		2.51	0.43							
		8XX Access Ten Digit Screening, Per 8XX No. Established W/O														
<u> </u>		POTS Translations			OHD			5.77	0.78							ļ
		8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.77	0.78							
<u> </u>	1	8XX Access Ten Digit Screening, Customized Area of Service			OHD	INSFIA		5.77	0.78	<b>+</b>	-			-		
'		Per 8XX Number			OHD	N8FCX		2.51	1.26							
<b>—</b>	<b>†</b>	8XX Access Ten Digit Screening, Multiple InterLATA CXR			מויס	INOI OA		۷.۷۱	1.20		+	+		<del> </del>	t	+
'		Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		2.93	1.68						1	
	i –	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		2.93	0.43					İ	1	
	i	8XX Access Ten Digit Screening, Call Handling and Destination							-							
L '	<u> </u>	Features		<u></u>	OHD	N8FDX		2.51							L	<u> </u>
<u> </u>	ļ	8XX Access Ten Digit Screening, w/ 8XX No. Delivery, per query			OHD		0.0006387								1	
		8XX Access Ten Digit Screening, w/ POTS No. Delivery, per														
	<u> </u>	query			OHD		0.0006387									
LINE IN	NFORM	ATION DATA BASE ACCESS (LIDB)			OQT	+	0.0000004									
<u> </u>	1	LIDB Common Transport Per Query LIDB Validation Per Query			OQU	+	0.0000221 0.0135077			<b>+</b>	-			-		
	<u> </u>	LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change		1	OQU OQT, OQU	NRBPX	0.0135077	33.33			-	-			-	<del>                                     </del>
SIGNA	LING (C				001,000	ININDEX		33.33				1			1	<del>                                     </del>
OIOIVA	I (0	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	147.60				-	1				†
	1	CCS7 Signaling Usage, Per TCAP Message			UDB	1.00%	0.000064								t	
		CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	15.77	34.50	34.50							
		CCS7 Signaling Connection, Per link (B link) (also known as D														
		link)			UDB	TPP++	15.77	34.50	34.50							
		CCS7 Signaling Usage, Per ISUP Message			UDB		0.000016									
		CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	732.10									ļ
'		CCS7 Signaling Point Code, per Originating Point Code			LIDD	CCAPO		00.47	00.47							
<u> </u>	1	Establishment or Change, per STP affected  CCS7 Signaling Point Code, per Destination Point Code			UDB	CCAPO		28.17	28.17	<b>+</b>	-			-		
'		Establishment or Change, Per Stp Affected			UDB	CCAPD		28.17	28.17							
F911 S	ERVICE				ODD	COALD		20.17	20.17	<del> </del>		+				1
	1	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1				1	18.32	187.51	32.21						t	
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 2					18.32	187.51	32.21							
		Local Channel - Dedicated - 2-wr Voice Grade - Zone 3					18.32	187.51	32.21							
		Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.013		_							
	1	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility														
L	ļ	Termination					22.60	39.36	26.62			1			ļ	<b></b>
<u> </u>	ļ	Local Channel - Dedicated - DS1 - Zone 1		<b></b>			39.18	172.34	149.27			1			-	
<u> </u>	<del>                                     </del>	Local Channel - Dedicated - DS1 - Zone 2 Local Channel - Dedicated - DS1 - Zone 3		₩		+	121.58 70.02	172.34	149.27			1		-	<del>                                     </del>	<del>                                     </del>
<u> </u>	<del>                                     </del>	Interoffice Transport - Dedicated - DS1 - Zone 3		-		+	0.2652	172.34	149.27			+			+	+
<u> </u>	<b>†</b>	interoffice transport - Dedicated - DOT FEI IVIIIE		<del>                                     </del>		+	0.2052			<del>                                     </del>		+		<b> </b>	<del>                                     </del>	<del>                                     </del>
'		Interoffice Transport - Dedicated - DS1 Per Facility Termination					70.47	86.69	79.44						1	
CALLIN	NG NAM	E (CNAM) SERVICE		<b>†</b>		1		22.00						İ	1	
		CNAM For DB Owners - Service Establishment			OQV			22.29								
		CNAM For Non DB Owners - Service Establishment			OQV			22.29								
		CNAM For DB Owners - Service Provisioning With Point Code														
L	<u> </u>	Establishment			OQV	1		962.22	711.64			1				ļ
1 '	1	CNAM For Non DB Owners - Service Provisioning With Point			001/	1									I	
<u> </u>	ļ	Code Establishment		<b></b>	OQV		0.001001=	332.43	238.05			1			-	
<u> </u>	<del>                                     </del>	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		₩	OQV OQV	+	0.0010217 0.0010217					1		-	<del>                                     </del>	+
SELEC	TIVE D			+	UQV	+	0.0010217				-	+	-		<del>                                     </del>	+
SELEC	,ıv⊏ K(	JUINU								<u> </u>		1		L	1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana					1					T -			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)					Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	October Desire Beatlete altre Oleve October Desire		1			1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Selective Routing Per Unique Line Class Code Per Request Per Switch						82.25	82.25								
VIRTUAL COL			1		+	1	02.20	02.23							<u> </u>	<del>                                     </del>
VIKTOAL COL	Virtual Collocation-2 Wire Cross Connects (Loop) for Line		1		+						<b>+</b>				-	
	Splitting			UEPSR UEPSB	VE1LS	0.0296	11.94	11.46	0.00	0.00						
PHYSICAL CO	DLLOCATION															
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0318	11.94	11.46	0.00	0.00						
AIN SELECTIV	VE CARRIER ROUTING		1	LIEDID	00000		400 000 00									ļ
	Regional Service Establishment End Office Establishment		_	UEBIB UEBIB	SRCEC SRCEO		100,209.33 164.29	164.29			<b>.</b>				-	
+	Query NRC, per query		1	UEBIB	SKCEU	0.0030293	104.29	104.29	1						<del> </del>	+
AIN - BELLSO	DUTH AIN SMS ACCESS SERVICE		<del>                                     </del>	0_00	1	0.0000200					1				<b>†</b>	t
T	AIN SMS Access Service - Service Establishment, Per State,		1		1				1							
	Initial Setup	L		A1N	CAMSE	<u>                                      </u>	38.30	38.30							<u> </u>	
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		7.60	7.60								ļ
	AIN SMS Access Service - Port Connection - ISDN Access		ļ	A1N	CAM1P		7.60	7.60								ļ
	AIN SMS Access Service - User Identification Codes - Per User			0.401	0.000.00		00.00	00.00								
	ID Code AIN SMS Access Service - Security Card, Per User ID Code,		_	A1N	CAMAU		33.99	33.99			<b>.</b>				-	<u> </u>
	Initial or Replacement			A1N	CAMRC		41.39	41.39								
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)		1	AIIN	CAIVING	0.0022	41.35	41.35								<del>                                     </del>
	AIN SMS Access Service - Session, Per Minute					0.5795										<u> </u>
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8104										
AIN - BELLSC	OUTH AIN TOOLKIT SERVICE															
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		38.30	38.30								<u> </u>
	AIN Toolkit Service - Training Session, Per Customer		1		BAPVX		4,175.10	4,175.10							1	<del> </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Term. Attempt				BAPTT		7.60	7.60								
+	AlN Toolkit Service - Trigger Access Charge, Per Trigger, Per		1		DAFII		7.00	7.00			<b>+</b>				-	
	DN, Off-Hook Delay				BAPTD		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per														t	
	DN, Off-Hook Immediate				BAPTM		7.60	7.60								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, 10-Digit PODP				BAPTO		33.47	33.47								
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO										1	
$\longrightarrow$	DN, CDP  AIN Toolkit Sonico Trigger Access Charge Per Trigger Per	<b>-</b>	1		BAPTC	<del>                                     </del>	33.47	33.47	1		1				-	<del> </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code				BAPTF		33.47	33.47								
	AlN Toolkit Service - Query Charge, Per Query		1		DAI II	0.0536446	33.41	33.47							-	<del>                                     </del>
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit					0.0000110										<u> </u>
	Subscription, Per Node, Per Query					0.006569										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access															
	Account, Per 100 Kilobytes					0.06										ļ
1	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				D 4 D 4 4 0	40.00	7.00	7.00							I	
	Subscription  ANN Toolkit Sonios Special Study For ANN Toolkit Sonios	-	<del>                                     </del>	CAM	BAPMS	10.90	7.60	7.60	1		ļ				1	<del>                                     </del>
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	2.80	8.41	8.41							I	
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service	<b>-</b>	<b>t</b>	OAIVI	DAFLO	2.00	0.41	0.41	+		<del>                                     </del>				<b>-</b>	+
	Subscription			CAM	BAPDS	8.20	7.60	7.60							1	
	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				1	50		30							1	
	Service Subscription			CAM	BAPES	0.09	8.41	8.41							<u> </u>	<u> </u>
	XTENDED LINK (EELs)							-								
	The monthly recurring and non-recurring charges below will															oxdot
	: The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	lly Combined' N	letwork Eleme	nts.				<b></b>	ļ
EXTE	NTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	שו טבו	TINIE	KUFFICE TRANSPO	KI						l					<u> </u>

UNBUNDI	ED NETWORK ELEMENTS - Louisiana												ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
		-					Nonrec	urring	Nonrecurring Disconnect		<u> </u>	OSS	Rates (\$)	I.	<u> </u>
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							
	First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.35	94.21	45.09							
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAV	1L5XX	0.0050									
	per month Interoffice Transport - Dedicated - DS1 combination - Facility			UNC1X	1L5XX	0.2652				+		-			<b>-</b>
	Termination per month			UNC1X	U1TF1	70.47	143.58	103.88							
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96		†		t			
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.6497	5.91	4.26							
						Ì									
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09							ļ
			_												
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	25.35	94.21	45.09		1	ļ				ļ
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09							
	Voice Grade COCI - Per Month		3	UNCVX	1D1VG	0.6497	5.91	43.09		1					-
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOVA	15110	0.0401	0.01	4.20							<b>†</b>
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICA	TED DS	1 INTER	ROFFICE TRANSPO	ORT										
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							
	Interoffice Transport - Dedicated - DS1 combination - Per Mile														
	Per Month	ļ		UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			LINIOAV	114754	70.47	4 40 50	400.00							
	Month 1/0 Channel System in combination Per Month	-	-	UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96		1					<del> </del>
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26	<del> </del>	1	ł	1			1
	Additional 4-Wire Analog Voice Grade Loop in same DS1			ONOVA	15110	0.0401	0.01	4.20		1					
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09							
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09							
	Additional 4-Wire Analog Voice Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09							ļ
	Additional Voice Grade COCI in combination - per month  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	1D1VG	0.6497	5.91	4.26		+		-			-
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXT	ENDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN			İ	0.40	0.40							1
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	36.78	94.21	45.09		1					
	First 4 Miss FCKhas Digital Ossila Laur is Constitution 7		_	LINCDY	LIDIGO	20.00	24.21	45.00				1			
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	UNCDX	UDL56	38.92	94.21	45.09	<del>                                     </del>	+	1	<del>                                     </del>		-	
	Per Month	1		UNC1X	1L5XX	0.2652						I			
	Interoffice Transport - Dedicated - DS1 - combination Facility	t			.20,51	3.2002				1	1	<b>†</b>	1	1	<b>—</b>
	Termination Per Month	1		UNC1X	U1TF1	70.47	143.58	103.88				I			
	1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96							
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1											1			
	Interoffice Transport Combination - Zone 1	<del>                                     </del>	1	UNCDX	UDL56	30.99	94.21	45.09		1	ļ	<del>                                     </del>	<b>.</b>	<b> </b>	<del>                                     </del>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09							
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1									1	Ì	1	ĺ	1	
1	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09			1	I			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
										Svc Ord	er Svc Order	Incremental			Incremental
										Submitt			Charge -	Charge -	Charge -
		Interi								Elec	Manually				Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LS		Order vs.	Order vs.	Order vs.	Order vs.
										"		Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
		ļ	ļ										- (4)		
$\vdash$		ļ	-			Rec	Nonrec		Nonrecurring Disconi				Rates (\$)	001441	001141
$\vdash$	Additional COLLED COCL (data) in combination and month (2.4	<u> </u>	1		+		First	Add'l	First Add	I SOME	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination per month (2.4-64kbs)	1		UNCDX	1D1DD	1.38	5.91	4.26							
<del>                                     </del>	Nonrecurring Currently Combined Network Elements Switch -As-		<b>+</b>	UNCDA	IDIDD	1.50	3.91	4.20		+	+				
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DS1 IN	TEROFFICE TRANS	SPORT										
						İ									
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2	ļ	2	UNCDX	UDL64	36.78	94.21	45.09					ļ		
	First 4 Mine Odd on Birthel One led and in Oracle of Fig. 7	1		LINIODY	LIBLOA	00.55	04.01	45.00					I		
<del></del>	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3	<del>                                     </del>	3	UNCDX	UDL64	38.92	94.21	45.09			+	1	<del>                                     </del>	-	
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0.2652							I		
	interoffice Transport - Dedicated - DS1 combination - Facility	<del>                                     </del>	<del>                                     </del>	011017	ILOAA	0.2002					+		<del> </del>		
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88					1		
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	105.09	59.97	12.96			1		1	1	
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09							
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														
	Interoffice Transport Combination - Zone 2	ļ	2	UNCDX	UDL64	36.78	94.21	45.09					1		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09							
	Additional OCU-DP COCI (data) - in combination - per month	1	3	UNCDA	ODL04	30.92	34.21	45.09		-		1	1		
	(2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26							
	Nonrecurring Currently Combined Network Elements Switch -As-		1												
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89							
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	194.96	169.22	100.89							
	4-Wire DS1 Digital Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile	1	3	UNC1X	USLXX	491.94	169.22	100.89			_		-		
	Per Month			UNC1X	1L5XX	0.2652									
	Interoffice Transport - Dedicated - DS1 combination - Facility	1	1	ONOTA	120701	0.2002				<del> </del>	+				
	Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88							
	Nonrecurring Currently Combined Network Elements Switch -As-	-													
	Is Charge			UNC1X	UNCCC		5.43	5.43							
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3													
	First DS1Loop in Combination - Zone 1	<u> </u>	_	UNC1X	USLXX	85.70	169.22	100.89				ļ			
	First DS1Loop in Combination - Zone 2	1	3	UNC1X UNC1X	USLXX	194.96 491.94	169.22	100.89			+	-	<b>-</b>		
<del>                                     </del>	First DS1Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS3 combination - Per Mile	1	3	OINCIA	USLXX	491.94	169.22	100.89		+	+	1	<del>                                     </del>	<del> </del>	
	Per Month			UNC3X	1L5XX	6.04							1		
	Interoffice Transport - Dedicated - DS3 - Facility Termination per	t			1.20.21	0.04					1	1	1		
	month	1		UNC3X	U1TF3	850.45	296.68	121.16					I		
	3/1Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25							
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26							
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1	Ι.	LINIOAY	1101.307	05.70	400.00	400.00					I		
<del></del>	Zone 1	1	1	UNC1X	USLXX	85.70	169.22	100.89			-		1	-	
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	1	2	UNC1X	USLXX	194.96	169.22	100.89					I		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>	-	DINOTA	USLAA	134.90	105.22	100.09			+		<del> </del>		
	Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89					I		
	Additoinal DS1 COCI in combination per month	t	Ť	UNC1X	UC1D1	11.78	5.91	4.26			1	1	1		
	Nonrecurring Currently Combined Network Elements Switch -As-	-													
	Is Charge			UNC3X	UNCCC		5.43	5.43							
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE												
$\vdash$	2-WireVG Loop in combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.93	94.21	45.09				ļ			
	2-WireVG Loop in combination - Zone 2	L	2	UNCVX	UEAL2	25.35	94.21	45.09					L	l	

RATE ELEMENTS  Interim m Zone BCS USOC  RATES (\$)  Submitted Electonic- Electronic- Selectronic- Selectronic- Selectronic- Selectronic- Selectronic- Selectronic- Selectronic- Selectronic- Submitted Manual Svc Order vs. Selectronic- Selectr	ONBONDLE	D NETWORK ELEMENTS - Louisiana			Т							Ia - :			ment: 2		ibit: A
Piet   Medi   Soleto   Solet	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
Description   Comment							Rec										
Recording Transport - Joseph VC) - Deciciosis - Provided   Provided   Decicios   Decic										First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Month   Mont	<b></b>			3	UNCVX	UEAL2	50.46	94.21	45.09							-	<b>.</b>
Terrenation per memb		Month			UNCVX	1L5XX	0.013										
In Change		Termination per month			UNCVX	U1TV2	22.60	72.60	41.75								
4-WireVis Loop in combination - Zone 1	į	Is Charge						5.43	5.43								
4-Wint/K Loop in combination - Zene 2   2 NR/C/X   UEA14   38.22   44.26   45.06	EXTEN		GRAD														
A-Win-VIX Cusp in combination - Zour 3   3   NEXTX																	
Interoffice Transport - A-wise VC - Declared - Feel Mile Per   NACKY   1LSXX   0.013																	
Interoffice Transport - Geometric Processes   Section		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3				94.21	45.09								
Nonescuring Currently Combined Network Elements Switch - Ag-   Nacy					UNCVX	1L5XX	0.013										
SCHANGE   STRENDED LOOP WITH DEDICATED DS3 INTEROFFICE TRANSPORT   10.04   1					UNCVX	U1TV4	19.81	72.60	41.75								
DSS Local Loop in combination - per mile per month						UNCCC		5.43	5.43								ļ
DSS Local Lop in combination - Facility Termination per month   UNCIX   UESPX   382.34   188.45   125.51	EXTEN		INTERC	OFFICE	TRANSPORT	41 END	40.04										ļ
Intereffice Transport - Decicated - DSS - Per Mile per month   UNC3X   U1TF3   850.45   296.68   121.16																	<del>                                     </del>
Termination per month								188.45	125.51								
Scharge   UNCCX   UNCCC   5.43   5.45   5.45					UNC3X	U1TF3	850.45	296.68	121.16								
EXTENDED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT   STS-1 Local Lapp in combination - Facility Termination per month   UNCSX   UDLS1   374,66   188,45   125,51					UNC3X	UNCCC		5 43	5 43								
STS1-Local Login combination - per mile per month	EXTEN		S-1 INT	EROFF													
month		STS-1 Local Lolp in combination - per mile per month				1L5ND	10.04										
per month   UNCSX   1L5XX   6.04		month			UNCSX	UDLS1	374.56	188.45	125.51								
Termination per month					UNCSX	1L5XX	6.04										
Is Charge   UNCSX   UNCCC   5.43   5.49		Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
First 2-Wire ISDN Loop in Combination - Zone 1					UNCSX	UNCCC		5.43	5.43								
First 2-Wire ISDN Loop in Combination - Zone 2	EXTEN		TRAN						· · · · ·		· · · · · ·						
First 2-Wire ISDN Loop in Combination - Zone 3   3 UNCNX   U1L2X   65.18   94.21   45.09	$\longrightarrow$																<b></b>
Interoffice Transport - Dedicated - DS1 combination - per mile	$\vdash$		ļ	_						<b></b>		<u> </u>					<del>                                     </del>
Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month   UNC1X   U1TF1   70.47   143.58   103.88		Interoffice Transport - Dedicated - DS1 combination - per mile		3				94.21	45.09								<del>                                     </del>
1/0 Channel System in combination - per month		Interoffice Transport - Dedicated - DS1 combination - Facility															
2-wire ISDN COCI (BRITE) - in combination - per month			-	1								-				-	
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   1 UNCNX U1L2X   22.09   94.21   45.09	<del>                                     </del>		1	1								<b> </b>			1	<b>I</b>	t
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   2   UNCNX   U1L2X   35.28   94.21   45.09		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1													
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 3   3 UNCNX U1L2X   65.18   94.21   45.09		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		2													
Additional 2-wire ISDN COCI (BRITE) - in combination- per unonth UNCNX UC1CA 2.96 5.91 4.26  Nonrecurring Currently Combined Network Elements Switch -As- unc1x unc1x unc2x 5.43 5.43  EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT 5.43 5.43  First DS1 Loop Combination - Zone 1 1 UNC1X USLXX 85.70 169.22 100.89		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X   UNCCC   5.43   5.43   S.43		Additional 2-wire ISDN COCI (BRITE) - in combination- per		3													
EXTENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATED STS-1 INTEROFFICE TRANSPORT  First DS1 Loop Combination - Zone 1 1 UNC1X USLXX 85.70 169.22 100.89		Nonrecurring Currently Combined Network Elements Switch -As-					2.96										
	EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS		ROFFICE TRANSP	PORT											
	$oxed{oxed}$		ļ									ļ			ļ	ļ	ļ

UNBUNDL	ED NETWORK ELEMENTS - Louisiana			1	1	•					Τ.	r -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	5			1,0,117			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<b></b>	First DS1 Loop Combination - Zone 3 Interoffice Transport - Dedicated - STS-1 combination - Per Mile		3	UNC1X	USLXX	491.94	169.22	100.89								-
	Per Month			UNCSX	1L5XX	6.04										
	Interoffice Transport - Dedicated - STS-1 combination - Facility			ONCOX	TEOAX	0.04					1					
	Termination per month			UNCSX	U1TFS	830.19	296.68	121.16								
	3/1 Channel System in combination per month			UNCSX	MQ3	201.48	107.05	91.25								
	DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional DS1Loop in the same STS-1 Interoffice Transport															
$\vdash$	Combination - Zone 1		1	UNC1X	USLXX	85.70	169.22	100.89								
	Additional DS1Loop in the same STS-1 Interoffice Transport		_	LINICAV	LICLYY	404.00	100.00	100.00								
$\vdash$	Combination - Zone 2 Additional DS1Loop in the same STS-1 Interoffice Transport	<del>                                     </del>	2	UNC1X	USLXX	194.96	169.22	100.89			+	-		-	-	-
	Combination - Zone 3	1	3	UNC1X	USLXX	491.94	169.22	100.89			1					
<del>                                     </del>	DS1 COCI in combination per month		Ť	UNC1X	UC1D1	11.78	5.91	4.26			1					
	Nonrecurring Currently Combined Network Elements Switch -As-							20			†	İ				
	Is Charge			UNCSX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
$\vdash$	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	36.78	94.21	45.09								
<b></b>	4-wire 56 kbps Local Loop in combination - Zone 3  Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		3	UNCDX	UDL56	38.92	94.21	45.09								-
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODX	TEOAX	0.013					+					
	Facility Termination per month			UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT														
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	30.99	94.21	45.09								
<b></b>	4-wire 64 kbps Lcoal Loop in Combination - Zone 2 4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64 UDL64	36.78 38.92	94.21 94.21	45.09 45.09								-
<del></del>	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -		3	UNCDA	UDL64	30.92	94.21	45.09			1					1
	Per Mile per month			UNCDX	1L5XX	0.013										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -					0.0.0										
	Facility Termination per month			UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge			UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP			LIEAL O	44.00	24.0				1					
<del></del>	First 2-wire VG Loop (SL2) in Combination - Zone 1		1 2	UNCVX	UEAL2 UEAL2	14.93	94.21	45.09 45.09			1				ļ	-
<del>                                     </del>	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	<del>                                     </del>	3	UNCVX	UEAL2	25.35 50.46	94.21 94.21	45.09 45.09			+	-		-	-	-
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	OINOVA	ULALZ	50.46	94.21	45.09			+				-	<del>                                     </del>
	Mile			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -										1					
	Facility Termination per month	<u> </u>		UNC1X	U1TF1	70.47	143.58	103.88			1			<u> </u>		<u> </u>
	Per each DS1 Channelization System Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.6497	5.91	4.26			1					
<del></del>	3/1 Channel System in combination per month	<b>!</b>	-	UNC3X	MQ3	201.48	107.05	91.25							1	
<del>                                     </del>	Per each DS1 COCI in combination per month  Each Additional 2-Wire VG Loop(SL 2) in the same DS1	<b> </b>	-	UNC1X	UC1D1	11.78	5.91	4.26			1				1	-
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL2	14.93	94.21	45.09								
	Each Additional 2-Wire VG Loop(SL2) in the same DS1	t	<del>-                                    </del>	5.10 V/	02,42	17.33	37.21	45.05			†	1			1	<b>†</b>
	Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	25.35	94.21	45.09			1					
İ	Each Additional 2-Wire VG Loop(SL2) in the same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL2	50.46	94.21	45.09			1					
$\vdash$	Each Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26			1					
1 1	Each Additional DS1 Interoffice Channel per mile in same 3/1			LINGAY	41.5007	0.0050										
1 1	Channel System per month	<u> </u>	-	UNC1X	1L5XX	0.2652					<u> </u>				1	<del>                                     </del>
	Each Additional DS1 Interoffice Channel Facility Termination in															

ONBONDE	ED NETWORK ELEMENTS - Louisiana			1	1	1								ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
							First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 COCI combination per month	ļ		UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		5.40	5.40								
EVTE	Is Charge NDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 IN	FEDOEE	ICE TO				5.43	5.43								-
LAIL	First 4-Wire Analog Voice Grade Local Loop in Combination -	LKOFF	ICLIN	ANSFORT W/ 3/1 W	1											
	Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	First 4-Wire Analog Voice Grade Local Loop in Combination -	1		0.10171	02,12.	00.01	0	10.00								
	Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
ĺ	First 4-Wire Analog Voice Grade Local Loop in Combination -															
	Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per	1														1
	Mile Per Month	ļ	<u> </u>	UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 - Facility			LINIOAY												1
	Termination Per Month	ļ		UNC1X	U1TF1	70.47	143.58	103.88								
	Per each 1/0 Channel System in combination Per Month Per each Voice Grade COCI in combination - per month	1	1	UNC1X UNCVX	MQ1 1D1VG	105.09 0.6497	59.97 5.91	12.96 4.26								<del></del>
	3/1 Channel System in combination per month	<u> </u>	-	UNC3X	MQ3	201.48	107.05	91.25								<del> </del>
1	Per each DS1 COCI in combination per month	1	1	UNC1X	UC1D1	11.78	5.91	4.26								<del>                                     </del>
1	Additional 4-Wire Analog Voice Grade Loop in same DS1	1	1	UNCIX	OCIDI	11.76	5.91	4.20								<del>                                     </del>
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	30.81	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1		<u> </u>	ONOVA	OL/IL-I	00.01	54.21	40.00								
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.32	94.21	45.09								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	60.39	94.21	45.09								l
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.6497	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1					- 40	= 10								
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	L	UNC1X	UNCCC		5.43	5.43		-						<b>—</b>
EXIE	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	INTERC	JFFICE	IRANSPORT W/ 3/	IWIUX											<del> </del>
	Zone 1		1	UNCDX	UDL56	30.99	94.21	45.09								l
-	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			ONODA	ODLOG	30.33	34.21	40.00								<del></del>
	Zone 2		2	UNCDX	UDL56	36.78	94.21	45.09								l
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		-	0.1027	02200	00.70	01.21	10.00								
	Zone 3		3	UNCDX	UDL56	38.92	94.21	45.09								l
ĺ	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 - combination															
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	105.09	59.97	12.96								
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								<b></b>
	3/1 Channel System in combination per month	ļ		UNC3X	MQ3	201.48	107.05	91.25		-						<del>                                     </del>
	Per each DS1 COCI in combination per month  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1		UNC1X	UC1D1	11.78	5.91	4.26								-
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	30.99	94.21	45.09								1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	<b>†</b>	<u> </u>	5.10DX	35230	30.39	J7.21	40.05							<b> </b>	<b>—</b>
	Interoffice Transport Combination - Zone 2	1	2	UNCDX	UDL56	36.78	94.21	45.09								1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1	ΙĪ		1	22.70		.5.00								
	Interoffice Transport Combination - Zone 3	1	3	UNCDX	UDL56	38.92	94.21	45.09								1
	OCU-DP COCI (data) COCI in combination per month (2.4-															
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1												·			
	Channel System per month	<u> </u>	<u> </u>	UNC1X	1L5XX	0.2652									ļ	
	Each Additional DS1 Interoffice Channel Facility Termination in															1
	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	70.47	143.58	103.88								1

ONRONDE	D NETWORK ELEMENTS - Louisiana			1						-	0 6 :	06 :	Attach			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
	Each Additional DS1 COCI in the same 3/1 channel system		-		-		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	00121	11.70	0.51	4.20								
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		١.					4= 00								
<b>-</b>	Transport Combination - Zone 1 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		1	UNCDX	UDL64	30.99	94.21	45.09								
	Transport Combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_	0.105%	02201	00.70	0	10.00								
	Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -			LINIOAV		70.47	440.50	400.00								
	Facility Termination Per Month Per each Channel System 1/0 in combination Per Month			UNC1X UNC1X	U1TF1 MQ1	70.47 105.09	143.58 59.97	103.88 12.96								
	Per each OCU-DP COCI (data) in combination - per month (2.4-			UNCIA	IVIQI	105.09	39.91	12.90								
	64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	3/1 Channel System in combination per month			UNC3X	MQ3	201.48	107.05	91.25								
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINODY	LIDI 04	00.70	04.04	45.00								
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	36.78	94.21	45.09								
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	0.1027	02201	00.02	0 1121	10.00								
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.38	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in				=.											
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system			UNC1X	U1TF1	70.47	143.58	103.88								
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	00101	11.70	0.01	4.20								
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPORT	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
<b>  </b>	Transport - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
<del>                                     </del>	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNCNA	UILZX	35.28	94.21	45.09	<del>                                     </del>							
	Transport - Zone 3		3	UNCNX	U1L2X	65.18	94.21	45.09								
	First Interoffice Transport - Dedicated - DS1 combination - Per			- 2.4.			22.	.5.00								
	Mile per month		<u> </u>	UNC1X	1L5XX	0.2652										
	First Interoffice Transport - Dedicated - DS1 combination -															
$\vdash$	Facility Termination per month		-	UNC1X	U1TF1	70.47	143.58	103.88								
<del>                                     </del>	Per each Channel System 1/0 in combination - per month	-	-	UNC1X	MQ1	105.09	59.97	12.96							<del> </del>	
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.96	5.91	4.26								
<del>                                     </del>	3/1 Channel System in combination per month	t		UNC3X	MQ3	201.48	107.05	91.25							1	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.09	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 2		2	UNCNX	U1L2X	35.28	94.21	45.09								
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															

UNBUNDLE	ED NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhil	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 131	DISC Add I
						Rec	Nonrec		Nonrecurring I					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.96	5.91	4.26								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															ı
	Channel System per month			UNC1X	1L5XX	0.2652										
	Each Additional DS1 Interoffice Channel Facility Termination in															ı
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								
	Each Additional DS1 COCI in the same 3/1 channel system															ı
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								
	Nonrecurring Currently Combined Network Elements Switch -As-	1			l											ı
EVE	Is Charge	TDANK	DODT	UNC1X	UNCCC		5.43	5.43								
EXIE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	IRAN			1101.707	05.70	100.00	400.00								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	85.70	169.22	100.89								
	First 4-wire DS1 Digital Loop In Combination - Zone 2			UNC1X UNC1X	USLXX	194.96	169.22	100.89								
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3		3	UNCIX	USLAA	491.94	169.22	100.89	<b>-</b>		-	-				
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.2652										ı
	First Interoffice Transport - Dedicated - DS1 combination -			UNCIA	ILSAA	0.2652			+							
	Facility Termination Per Month			UNC1X	U1TF1	70.47	143.58	103.88								ı
	3/1 Channel System in combination per month	-		UNC3X	MQ3	201.48	107.05	91.25	+							
<del>                                     </del>	Per each DS1 COCI combination per month			UNC1X	UC1D1	11.78	5.91	4.26	<del>                                     </del>							
	Each Additional DS1 Interoffice Channel per mile in same 3/1			ONOTA	OCIDI	11.70	5.51	4.20								
	Channel System per month			UNC1X	1L5XX	0.2652										ı
	Each Additional DS1 Interoffice Channel Facility Termination in			0.10.1%	120701	0.2002										
	same 3/1 Channel System per month			UNC1X	U1TF1	70.47	143.58	103.88								ı
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	11.78	5.91	4.26								ı
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	85.70	169.22	100.89								ı
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	194.96	169.22	100.89								
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															ı
	3		3	UNC1X	USLXX	491.94	169.22	100.89								
	Nonrecurring Currently Combined Network Elements Switch -As-	1														ı
	Is Charge			UNC1X	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO					2121	4= 00								
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	30.99	94.21	45.09								
	First 4-wire 56 kbps Local Loop in combination - Zone 2 First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	36.78 38.92	94.21 94.21	45.09 45.09	<b>-</b>		-	-				
<b> </b>	First 4-wire 56 kbps Local Loop in combination - Zone 3  First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile	<b>!</b>	3	UNCDX	ODLOB	38.92	94.21	45.09	+		-				-	
	per month	l		UNCDX	1L5XX	0.013										
<del>                                     </del>	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility	<b>-</b>		OIYODA	ILUAA	0.013			+							
	Termination per month	l		UNCDX	U1TD5	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-	l				.0.01	. 2.00									
	Is Charge	l		UNCDX	UNCCC		5.43	5.43								
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO	FFICE													
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	30.99	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	36.78	94.21	45.09								
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	38.92	94.21	45.09								
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.013										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	l			1											
<b></b>	Termination per month	<b>!</b>	$\vdash$	UNCDX	U1TD6	15.61	72.60	41.75								
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOO		F 40	<i>5.10</i>								, [
ADDITIONS	Is Charge	<b> </b>	<b>-</b>	UNCDX	UNCCC		5.43	5.43	<del>                                     </del>					<b> </b>		
	NETWORK ELEMENTS used as a part of a currently combined facility, the non-recurr	na sh-	race 4-	not apply but - f	Switch Ac Ic -	argo doco a:	dv		<del>                                     </del>		-	-		-		
	used as a part of a currently combined facility, the non-recurrence used as ordinarily combined network elements in All States, t								<del>                                     </del>		-	-		<b> </b>		
	curring Currently Combined Network Elements "Switch As Is"					no io Ollarye C	iosa not.		+							
	Owiton As is	-man ge	, one a	PP50 to 00011 0011		ı			·		1		1			

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring		g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	ł														l
	Is Charge - 2 wire/4-Wire VG		<u> </u>	UNCVX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS1			UNC1X	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - DS3			UNC3X	UNCCC		5.43	5.43								
	Nonrecurring Currently Combined Network Elements Switch -As-	i														l
	Is Charge - STS1			UNCSX	UNCCC		5.43	5.43								
Optio	nal Features & Functions:	-	-	LIATOA	+				<del>                                     </del>		+					⊢—
	Clear Channel Capability Extended Frame Option - per DS1	ı		U1TD1, ULDD1,UNC1X	CCOEF		01	OI	OI	OI						
	Clear Channel Capability Super FrameOption - per DS1	l ,		U1TD1, ULDD1,UNC1X	CCOSF		01	OI	01	01						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.65S	23.79S	1.97S	0.77S						
				U1TD3, ULDD3,												
	C-bit Parity Option - Subsequent Activity - per DS3	I		UE3, UNC3X	NRCC3		218.78S	7.66S	.7263S	0S						
MULI	IPLEXERS DS1 to DS0 Channel System per month		-	UNC1X	MQ1	105.09	59.97	12.96	-		<del>                                     </del>					-
-	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UNCIA	IVIQI	105.09	59.97	12.90	<del> </del>		1					<del>                                     </del>
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.38	6.39	4.58								1
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per								t							
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.38	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month for a Local Loop			UDN	UC1CA	2.96	6.39	4.58								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
	month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.96	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month			UTTUB	UCTCA	2.96	6.39	4.58			1					<del>                                     </del>
	used for a Local Loop			UEA	1D1VG	0.6497	6.39	4.58								
	Voice Grade COCI - DS1 to DS0 Channel System - per month								t		1					
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.6497	6.39	4.58								
	DS3 to DS1 Channel System per month			UNC3X	MQ3	201.48	107.05	91.25								
	STS-1 to DS1 Channel System per month			UNCSX	MQ3	201.48	107.05	91.25								<b></b>
	DS1 COCI used with Loop per month DS1 COCI (used for connection to a channelized DS1 Local		-	USL	UC1D1	11.78	6.39	4.58	1		1					<b>—</b>
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	11.78	6.39	4.58								
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	11.78	6.39	4.58			+					
	DS3 Interface Unit (DS1 COCI) used with Local Channel per			01101	00121	11.70	0.00	4.00	1		<u> </u>					
	month			ULDD1	UC1D1	11.78	6.39	4.58								
UNBUNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	nge Ports															
	Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usi	ng retail USOC	S								
2-WIR	E VOICE GRADE LINE PORT RATES (RES)			LIEDOD	LIEBBI											
	Exchange Ports - 2-Wire Analog Line Port- Res.		-	UEPSR	UEPRL	1.52	2.31	2.21	1		1					<b>—</b>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.52	2.31	2.21								
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.52	2.31	2.21								
	Exchange Ports - 2-Wire VG unbundled LA extended local	1			I				_		I					1
	dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled Louisiana Area Plus			UEPSR	UEPAS	1.52	2.31	2.21								<del>                                     </del>
	with Caller ID - Res (RUL)  Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAG	1.52	2.31	2.21								<del>                                     </del>
	with Caller ID (LUM)			UEPSR	UEPAP	1.52	2.31	2.21								<u> </u>

UNBUNDL	ED NETWORK ELEMENTS - Louisiana												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Order Submitted Elec per LSR	1		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						D	Nonred	curring	Nonrecurring Disconnec	t	1	oss	Rates (\$)		
						Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan	1													
	without Caller ID			UEPSR	UEPWG	1.52	2.31	2.21							
	Exchange Ports - 2-Wire VG Louisiana Residence Area Plus without Caller ID			UEPSR	UEPRQ	1.52	2.31	2.21							
	2-Wire voice unbundled Low Usage Line Port without Caller ID														
	Capability			UEPSR	UEPRT	1.52	2.31	2.21							
	Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00							
FEAT	TURES			LIEBOB	1155) (5	2.22									
	All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00		_					
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)	-							<b>+</b>		1				
	Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus			UEPSB	UEPBL	1.52	2.31	2.21							
	Exchange Ports - 2-Wire VG unbundled Line Port with unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.52	2.31	2.21							
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.52	2.31	2.21							
	Exchange Ports - 2-Wire VG unbundled LA extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAX	1.52	2.31	2.21							
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.52	2.31	2.21							
	Exchange Ports - 2-Wire VG unbundled Louisiana Bus Area Calling Port with Caller ID - Bus (BUC)			UEPSB	UEPAA	1.52	2.31	2.21							
	Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan without Caller ID			UEPSB	UEPWH	1.52	2.31	2.21							
	Exchange Ports - 2-Wire Voice Louisiana Business Area Calling Port without Caller ID			UEPSB	UEPBA	1.52	2.31	2.21							
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPSB	UEPBE	1.52	2.31	2.21							
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00							
FEAT	TURES														
=:/0:	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00							
EXC	HANGE PORT RATES (DID & PBX)			LIEDOE	LIEDDD	4.50	00.07	44.40							
	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.52	30.37	14.42							
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	-		UEPSP UEPSP	UEPPC	1.52	30.37	14.42 14.42	<b>+</b>		1				
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus 2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus	1	-	UEPSP	UEPPO UEPP1	1.52 1.52	30.37 30.37	14.42	+ + + + + + + + + + + + + + + + + + + +	-	1	-			
-	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.52	30.37	14.42	<del>                                     </del>	+	<del> </del>		1		<del> </del>
	2-Wire Voice Unbundled 2-Way PBX Louisiana Calling Port	+	1	UEPSP	UEPL2	1.52	30.37	14.42	<del>                                     </del>						<b>†</b>
	2-Wire Voice Unbundled PBX LD Terminal Ports	+	1	UEPSP	UEPLD	1.52	30.37	14.42	<del>                                     </del>	+	1				<b>-</b>
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.52	30.37	14.42							
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.52	30.37	14.42							
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.52	30.37	14.42			1				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i –	1	UEPSP	UEPXD	1.52	30.37	14.42							
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.52	30.37	14.42							
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional Callling Port			UEPSP	UEPXK	1.52	30.37	14.42							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.52	30.37	14.42							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.52	30.37	14.42							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.52	30.37	14.42							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local Discount Calling Port	1		UEPSP	UEPXP	1.52	30.37	14.42							
<del>-  </del>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	1	<u> </u>	UEPSP	UEPXS	1.52	30.37	14.42		1	1	<u> </u>			
	Subsequent Activity	<del>                                     </del>	t	UEPSP	USASC	0.00	0.00	0.00				1	1		
FEAT	TURES	1	<b>1</b>			2.00	2.00	2.00				t	İ		<b>†</b>
1. =/1.	All Available Vertical Features	1	t –	UEPSP UEPSE	UEPVF	0.00	0.00	0.00	<del>                                     </del>		1	1	i e		

LIMD	LINDI E	D NETWORK ELEMENTS - Louisiana												Assach		Fulci	L:4. A
UND	UNDLE	D NETWORK ELEMENTS - Louisiana				1						Cus Ouden	Cua Ondan		ment: 2	Exhi	
														Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CAIL	JONI	RATE ELEMENTS	m	Zone	603	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Nonre	curring	Nonrecurrin	g Disconnect	1	1	oss	Rates (\$)		
						İ	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCH/	ANGE PORT RATES (COIN)															
		Exchange Ports - Coin Port					1.52	2.31	2.21								
	NOTE:	Transmission/usage charges associated with POTS circuit sv	vitched	usage	will also apply to ci	rcuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-C	hannels associ	ated with 2	wire ISDN p	oorts.			
		Access to B Channel or D Channel Packet capabilities will be													s Request Pro	cess.	
UNBL	JNDLED	LOCAL EXCHANGE SWITCHING(PORTS)															
	EXCH/	ANGE PORT RATES												ĺ			
	The DS	S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI	DN Port	in this	rate exhibit apply to	o the embed	ded base in pla	ce as of 10/2/0	3 until 4/1/04.	After 4/1/04 th	ese rates shall	revert to ta	riff rates or	a separate ag	reement.		
	Reque	sts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	after the	effecti	ve date of this amer	ndment shall	be provided p	ursuant to a se	parate agreen	nent or tariff at	BellSouth's d	iscretion.					
		Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.29	115.85	18.20								
1		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID							-								
		capability (E:4/1/2004)			UEPDD	UEPDD	68.47	196.18	92.92								
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	10.07	70.76	51.46								
		All Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00								
		Exchange Ports - 2-Wire ISDN Port Channel Profiles			UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
		Transmission/usage charges associated with POTS circuit sy															
		Access to B Channel or D Channel Packet capabilities will be	availal	ole only	through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be d	etermined via t	he Bona Fid	de Request/	New Busines	Request Pro	cess.	
	EXCH/	NGE PORT RATES (continued)															
		Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	94.82	197.92	98.62								
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	94.82	197.92	98.62								
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.04	21.39	15.47								
<u> </u>	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per State			HEDEV	LIED4A	0.00	4 700 00									
-	+	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			UEPEX	UEP1A	0.00	1,792.00				-					
		Locator Capability - Subsequent Profile Changes, Additions, Deletions			HEDEV	UEP1B	0.00	174.03									
-	Now	r Additional PRI Telephone Numbers			UEPEX	UEFIB	0.00	174.03		-		<b>-</b>	-				
-	New O	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911					-			-		1					
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0692	0.48									
-	_	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911			OLI LX	OLI IO	0.0002	0.40									
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0692	11.18	11.18								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward			02. 27	02	0.0002										
1		Telephone Numbers - Inward Data Only Option [New or					I			I			1				
		Additional]			UEPDX	UEP1E	0.00	0.48		1							
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
		Inward Tel Numbers [Customer Testing Purposes]			UEPEX	PR7ZT	0.00	22.35	22.35								
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										
	INTER	FACE (Provsioning Only)															
		Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00								
	New o	Additional Channel															
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.11									
		New or Additional - Digital Data "B" Channel			UEPEX	PR7BF	0.00	14.11									
		New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.11									
		New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	14.11									
		New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00	14.11									
		New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.11									
	CALL	TYPES															
L		Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00	ļ				ļ	ļ		
Ь		Outward			UEPEX	PR7CO	0.00	0.00	0.00						ļ		
		Two-way			UEPEX	PR7CC	0.00	0.00	0.00					I			

UNBUN	DLED	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Svo Order vs.
				1			Dee	Nonrec	curring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
U	NBUNE	DLED PORT with REMOTE CALL FORWARDING CAPABILITY	,	1													1
U	NBUNE	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE				Ī								Î	Î		
	l	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.52	2.31	2.21						ĺ		
															ĺ		
	l	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.52	2.31	2.21								
		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.52	2.31	2.21								
	l	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.52	2.31	2.21								
N-		curring															
	L	Unbundled Remote Call Forwarding Service - Conversion -															
	5	Switch-as-is			UEPVR	USAC2		0.10	0.10								
		Unbundled Remote Call Forwarding Service - Conversion with															
	a	allowed change (PIC and LPIC)		<u> </u>	UEPVR	USACC		0.10	0.10								<u> </u>
U	NBUNE	DLED REMOTE CALL FORWARDING - Bus															
	$\neg \neg$																
	ι	Unbundled Remote Call Forwarding Service, Area Calling - Bus		<u> </u>	UEPVB	UERAC	1.52	2.31	2.21								<u> </u>
		Unbundled Remote Call Forwarding Service, Local Calling - Bus	<u> </u>	<u></u>	UEPVB	UERLC	1.52	2.31	2.21						<u> </u>	L	<u> </u>
		Unbundled Remote Call Forwarding Service, InterLATA - Bus			UEPVB	UERTE	1.52	2.31	2.21								
	U	Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	UEPVB	UERTR	1.52	2.31	2.21								1
	L	Unbundled Remote Call Forwarding Service Expanded and		1													1
	E	Exception Local Calling			UEPVB	UERVJ	1.52	2.31	2.21								
N	on-Rec	curring		1													1
	l	Unbundled Remote Call Forwarding Service - Conversion -				Ī								Î	Î		
	5	Switch-as-is			UEPVB	USAC2		0.10	0.10								
	l	Unbundled Remote Call Forwarding Service - Conversion with															1
	a	allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
UNBUND	LED LO	OCAL SWITCHING, PORT USAGE															1
E <sup>r</sup>	nd Offi	ce Switching (Port Usage)				Ī								Î	Î		
	E	End Office Switching Function, Per MOU					0.001868										1
	E	End Office Trunk Port - Shared, Per MOU		1			0.00018										1
T:	andem	Switching (Port Usage) (Local or Access Tandem)				Ī								Î	Î		
		Tandem Switching Function Per MOU				Ī	0.0001067							Î	Î		
	Т	Tandem Trunk Port - Shared, Per MOU				Ī	0.000222							Î	Î		
		Tandem Switching Function Per MOU (Melded)					0.000035296										1
	1	Tandem Trunk Port - Shared, Per MOU (Melded)					0.000073438										1
		Melded Factor: 33.08% of the Tandem Rate	Ì			1											
С	ommor	n Transport								i i							
		Common Transport - Per Mile, Per MOU					0.0000032										
	C	Common Transport - Facilities Termination Per MOU	Ì			1	0.0003748										1
		ORT/LOOP COMBINATIONS - COST BASED RATES								i i							
		sed Rates are applied where BellSouth is required by FCC ar	nd/or St	tate Co	mmission rule to pr	ovide Unbun	dled Local Swi	tching or Swite	ch Ports.								
		s shall apply to the Unbundled Port/Loop Combination - Cos								ed Port section	of this Rate E	xhibit.					
		ce and Tandem Switching Usage and Common Transport Us											n Port/Loop	Combination	ns.		
		and additional Port nonrecurring charges apply to Not Curr														ĺ	1
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)														ĺ	1
	NE Por	rt/Loop Combination Rates	Ì			1											
		2-Wire VG Loop/Port Combo - Zone 1		1			13.13			i i							
	2	2-Wire VG Loop/Port Combo - Zone 2		2			23.75			ĺ							
		2-Wire VG Loop/Port Combo - Zone 3		3		1	49.62			1				ĺ	ĺ	ĺ	1
U	NE Loc	op Rates	Ì			1							İ		İ	İ	1
		2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPRX	UEPLX	11.77			i i							
		2-Wire Voice Grade Loop (SL1) - Zone 2			UEPRX	UEPLX	22.39			i i							
		2-Wire Voice Grade Loop (SL1) - Zone 3	Ì		UEPRX	UEPLX	48.26										
2-		oice Grade Line Port Rates (Res)		1		1				1				ĺ	ĺ	ĺ	1
		2-Wire voice unbundled port - residence		1	UEPRX	UEPRL	1.36	38.85	19.08	1				ĺ	ĺ	ĺ	1
		2-Wire voice unbundled port with Caller ID - res	Ì	1	UEPRX	UEPRC	1.36	38.85	19.08	1			İ			İ	1
+	12																+
		2-Wire voice unbundled port outgoing only - res		1	UEPRX	UEPRO	1.36	38.85	19.08	i							
	2				UEPRX	UEPRO	1.36	38.85	19.08								

ONBONDL	ED NETWORK ELEMENTS - Louisiana			T									Attach			ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPRX	UEPAG	1.36	38.85	19.08								
	2-Wire voice unbundles res, low usage line port with Caller ID			UEPRA	UEPAG	1.30	38.85	19.08							-	
	(LUM)			UEPRX	UEPAP	1.36	38.85	19.08								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan														t	İ
	without Caller ID			UEPRX	UEPWG	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Area Plus Port without Caller															
	ID Capability			UEPRX	UEPRQ	1.36	38.85	19.08								
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
FEAT	Capability URES		1	UEPRX	UEPRT	1.36	38.85	19.08							-	
FEAT	All Features Offered		<del>                                     </del>	UEPRX	UEPVF	0.00	0.00	0.00	<del>                                     </del>						<del>                                     </del>	
LOCA	L NUMBER PORTABILITY		<del>                                     </del>	021100	OLI VI	0.00	0.00	0.00							<b>†</b>	
	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35									t	İ
NONR	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
ADDI	Switch with change TIONAL NRCs			UEPRX	USACC		0.10	0.10							1	
ADDI	2-Wire Voice Grade Loop/Line Port Combination - Subsequent														-	<b>_</b>
	Activity			UEPRX	USAS2	0.00	0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI TOX	00/102	0.00	0.00	0.00								
	Premise			UEPRX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.90	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	23.33	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	48.43 14.93	36.54	16.87								
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX UEPRX	UEAED UEAED	25.35	102.10 102.10	65.72 65.72							-	<b> </b>
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	50.46	102.10	65.72							-	
INTER	ROFFICE TRANSPORT		l u	OLI TOX	OLALD	00.40	102.10	00.72								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPRX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPRX	U1TVM	0.013	0.00	0.00								
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)														1	
UNE	Port/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1		1			13.13									-	<b> </b>
	2-Wire VG Loop/Port Combo - Zone 2		2		+	23.75										
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62									t	<b>†</b>
UNE L	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	11.77										
	2-Wire Voice Grade Loop (SL1) - Zone 2			UEPBX	UEPLX	22.39										
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	48.26										
2-Wire	e Voice Grade Line Port (Bus)		<del>                                     </del>	UEPBX	UEPBL	1.36	38.85	19.08							-	-
	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		<del>                                     </del>	UEPBX	UEPBC	1.36	38.85	19.08	<del>                                     </del>						<del>                                     </del>	
	2-Wire voice unbundled port with Caller + L464 ib - bus  2-Wire voice unbundled port outgoing only - bus		<del>                                     </del>	UEPBX	UEPBO	1.36	38.85	19.08	<del>                                     </del>						<del> </del>	
	2-Wire voice Grade unbundled Louisiana extended local dialing		t —		1 20		55.55	.0.50								
	parity port with Caller ID - bus		<u></u>	UEPBX	UEPAX	1.36	38.85	19.08	<u>                                      </u>						<u> </u>	
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with			l	1				1							
	Caller ID (BUC)		<u> </u>	UEPBX	UEPAA	1.36	38.85	19.08								1
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID		1	UEPBX	UEPWH	1.36	38.85	19.08								
	2-Wire voice unbundled Louisiana Business Area Calling Port		<del>                                     </del>	UEPBA	UEPWH	1.36	38.85	19.08							-	-

UNBII	NDLF	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Fyhi	bit: A
CITE												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						+		Nonrec	urring	Nonrecurring	Disconnect	<b>†</b>	1	oss	Rates (\$)	l	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundled Incoming Only Port without Caller ID							71441		71441	0020	00				
		Capability			UEPBX	UEPBE	1.36	38.85	19.08								
	LOCAL	NUMBER PORTABILITY			02. 5/	02. 02	1.00	00.00	10.00								
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35					<b>†</b>	<b>†</b>				
	FEATU				02. 5/	Litti Oxt	0.00					<b>†</b>	<b>†</b>				
	LAIO	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00			<b>†</b>	<b>†</b>				
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI DX	OLI VI	0.00	0.00	0.00			<b>†</b>	<b>†</b>				
	1101111	2-Wire Voice Grade Loop / Line Port Combination - Conversion -				+						<b>†</b>	<b>†</b>				
		Switch-as-is			UEPBX	USAC2		0.10	0.10								ĺ
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	CONOL		0.10	0.10			<b>†</b>					
		Switch with change		1	UEPBX	USACC		0.10	0.10					1	1		1
$\vdash$	ADDIT	ONAL NRCs		<del>                                     </del>	OLI DA	55,150		0.10	0.10	<del>                                     </del>		<b>†</b>	<del>                                     </del>	<b> </b>	t		<b>—</b>
$\vdash$		2-Wire Voice Grade Loop/Line Port Combination - Subsequent		<del>                                     </del>		+				<del>                                     </del>		<b>†</b>	<del>                                     </del>	<b> </b>	t		<b>—</b>
		Activity			UEPBX	USAS2		0.00	0.00						1		1
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLI DX	OOAOZ		0.00	0.00								
		Premise		1	UEPBX	URETL		8.33	0.83			1			I		1
$\vdash$	OFF/O	N PREMISES EXTENSION CHANNELS	-	-	UEPDA	UKEIL		0.33	0.03			ł	<b>-</b>		-		
$\vdash$	OFF/OI		-	1	UEPBX	UEAEN	12.90	36.54	16.87			ł	<b>-</b>		-		<del></del>
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	23.33	36.54	16.87			-	-				
$\vdash$		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	48.43	36.54	16.87			-					
$\vdash$				1		UEAEN	14.93					-					
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Design		2	UEPBX UEPBX	UEAED		102.10 102.10	65.72			-					
$\vdash$		2 Wire Analog Voice Grade Extension Loop – Design		-		UEAED	25.35 50.46		65.72 65.72			-					
$\vdash$	INITED	2 Wire Analog Voice Grade Extension Loop – Design	-	3	UEPBX	UEAED	50.46	102.10	05.72			-					
$\vdash$	INTER	OFFICE TRANSPORT	-	-								-					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			UEPBX	11477.00	00.00	00.00	00.00								
$\vdash$		Termination		-	UEPBX	U1TV2	22.60	39.36	26.62			-					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPBX	U1TVM	0.042	0.00	0.00								ĺ
$\vdash$	2 WIDE	or Fraction Mile VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)	-	-	UEPBX	UTTVIVI	0.013	0.00	0.00			-					
			-	-								-					
-	UNE P	ort/Loop Combination Rates	-	1			10.10					-					
$\vdash$		2-Wire VG Loop/Port Combo - Zone 1		<del></del>		+	13.13					-					
-		2-Wire VG Loop/Port Combo - Zone 2		2		+	23.75 49.62					-					
-	LINE L	2-Wire VG Loop/Port Combo - Zone 3	-	3			49.62					-					
$\vdash$	UNE LO		-	1	LIEDDO	LIEDLY	44.77					-					
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 1			UEPRG	UEPLX	11.77					<b> </b>					<del></del>
$\vdash$		2-Wire Voice Grade Loop (SL 1) - Zone 2	-	2	UEPRG UEPRG	UEPLX	22.39 48.26			-		1	<u> </u>		<del>                                     </del>		<del></del>
$\vdash$	2 M:	2-Wire Voice Grade Loop (SL 1) - Zone 3	-	3	UEPKG	UEPLX	48.26					1	<u> </u>		<del>                                     </del>		<del></del>
$\vdash$	∠-vvire	Voice Grade Line Port Rates (RES - PBX)	-	1		+				1		<b>}</b>	-	-	<del>                                     </del>	-	<del>                                     </del>
		2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -			LIEDDO	LIEDDO	4.00	00.04	24.00						1		1
$\vdash$	1.004	Res	-	1	UEPRG	UEPRD	1.36	66.91	31.29	1		<b>}</b>	-	-	<del>                                     </del>	-	<del>                                     </del>
$\vdash$	LUCAL	NUMBER PORTABILITY	-	1	LIEDDO	LNDCD	0.1-	2.22	0.00			<b>}</b>	-	-	<del>                                     </del>	-	<del>                                     </del>
$\vdash$	· -	Local Number Portability (1 per port)	-	-	UEPRG	LNPCP	3.15	0.00	0.00			<b> </b>	-		<del>                                     </del>		<del>                                     </del>
$\vdash$	FEATU		<b>—</b>	1	LIEDDO	LIED\"	0.00	0.00	0.00	ļ		<u> </u>	-	<b> </b>	-	-	<b>├</b>
$\vdash$		All Features Offered		-	UEPRG	UEPVF	0.00	0.00	0.00			1	1		1		<b>├</b>
$\vdash$	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>—</b>	1		+				ļ		<u> </u>	-	<b> </b>	-	-	<b>├</b>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			LIEDDO			7.00	4 ==								1
$\vdash$		Conversion - Switch-As-Is	-	1	UEPRG	USAC2		7.68	1.85			<b>}</b>	-	-	<del>                                     </del>	-	<del>                                     </del>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEDDO	LICACO		7.00	4.0=			1			I		1
$\vdash$	4 D C : -	Conversion - Switch with Change	<b>—</b>	1	UEPRG	USACC		7.68	1.85	<b> </b>		<u> </u>	-	<b> </b>	-	-	<b>├</b>
$\vdash \vdash \vdash$	AUDITI	ONAL NRCs	<b>—</b>	1		+				<b> </b>		<u> </u>	-	<b> </b>	-	-	<b>├</b>
		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		1	LIEDDO	110465						1			I		1
$\vdash$		Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00			ļ	ļ				<del></del>
		PBX Subsequent Activity - Change/Rearrange Multiline Hunt		1								1			I		1
$\vdash$		Group		L				7.11	7.11								<b></b>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User		1	l	1						1			I		1
$\vdash$		Premise		L	UEPRG	URETL		8.33	0.83								
$\vdash$	OFF/OI	N PREMISES EXTENSION CHANNELS		<b> </b>		1				ļ		ļ			<b>.</b>		<b></b>
$\vdash$		Local Channel Voice grade, per termination		1	UEPRG	P2JHX	14.93	102.10	65.72			ļ	ļ		1		<b></b>
		Local Channel Voice grade, per termination		2	UEPRG	P2JHX	25.35	102.10	65.72			1	l		l .		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											Attach	ment: 2	Exhi	bit: A
										Svc Orde	Svc Order	Incremental	Incremental	Incremental	
											Submitted		Charge -	Charge -	Charge -
		Interi								Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)		per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
										'	1.	Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
<u> </u>															
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
$\vdash$					D0 !! !! !		First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INITEE	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	50.46	102.10	65.72			1				
INTER	COFFICE TRANSPORT										-				-
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	22.60	39.36	26.62							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEFRG	01172	22.00	39.30	20.02			-				
	or Fraction Mile			UEPRG	U1TVM	0.013	0.00	0.00							
2-WIR	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)			OLI IKO	OTT VIVI	0.010	0.00	0.00			1				
	Port/Loop Combination Rates										1				
10000	2-Wire VG Loop/Port Combo - Zone 1		1			13.13					1				
	2-Wire VG Loop/Port Combo - Zone 2		2			23.75					1				
	2-Wire VG Loop/Port Combo - Zone 3		3			49.62									
UNE L	oop Rates														
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	11.77									
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	22.39									
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	48.26									
2-Wire	Voice Grade Line Port Rates (BUS - PBX)														
				l								1			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.36	66.91	31.29							
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.36	66.91	31.29							
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way Combination PBX Louisiana														
	Calling Port		-	UEPPX	UEPL2	1.36	66.91	31.29			1				
	2-Wire Voice Unbundled PBX LD Terminal Ports 2-Wire Voice Unbundled 2-Way Combination PBX Usage Port		-	UEPPX UEPPX	UEPLD UEPXA	1.36 1.36	66.91 66.91	31.29 31.29			1				
<b></b>	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.36	66.91	31.29			-				
	2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPPX	UEPXC	1.36	66.91	31.29			1	-			
<del></del>	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPPX	UEPXD	1.36	66.91	31.29			<u> </u>	1	1		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITA	OLI AD	1.00	00.01	01.20			1				
	Capable Port			UEPPX	UEPXE	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional										1				
	Calling Port			UEPPX	UEPXK	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy										1				
	Administrative Calling Port			UEPPX	UEPXL	1.36	66.91	31.29							
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy														
	Room Calling Port			UEPPX	UEPXM	1.36	66.91	31.29							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														
	Discount Room Calling Port			UEPPX	UEPXO	1.36	66.91	31.29							
	2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local														
	Discount Calling Port			UEPPX	UEPXP	1.36	66.91	31.29							
<u> </u>	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.36	66.91	31.29			1				
LOCA	L NUMBER PORTABILITY			LIEDDY	LNDCS						-	-			
	Local Number Portability (1 per port)		-	UEPPX	LNPCP	3.15	0.00	0.00			+	<del>                                     </del>	<del>                                     </del>		$\vdash$
FEATU	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00			+	<del>                                     </del>	-		<u> </u>
NONE			-	OLFFA	UEFVF	0.00	0.00	0.00		-	+	<del>                                     </del>		-	-
NONK	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>		+						+	+	<del> </del>		<del>                                     </del>
	Conversion - Switch-As-Is			UEPPX	USAC2		7.68	1.85		1		I			
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			52. T X	30,102		7.00	1.00		_	1	<u> </u>			
	Conversion - Switch with Change			UEPPX	USACC		7.68	1.85		1		I			
ADDIT	TONAL NRCs				1			30		1	1	1	İ		İ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -														
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00		1		I			1
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt														
	Group				<u> </u>		7.11	7.11				<u> </u>			<u> </u>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														
$\square$	Premise			UEPPX	URETL		8.33	0.83			1				<u> </u>
OFF/O	ON PREMISES EXTENSION CHANNELS										1				
$\square$	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.93	102.10	65.72			1	1	ļ		ļ
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.35	102.10	65.72	1		1	1			L

UNBUNDLE	D NETWORK ELEMENTS - Louisiana											1		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec			g Disconnect				Rates (\$)		
				LIEDDY.	50 11 11/		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INITED	Local Channel Voice grade, per termination  OFFICE TRANSPORT		3	UEPPX	P2JHX	50.46	102.10	65.72	-		-	-				<del></del>
INTERC	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				+						-	<b> </b>				-
	Termination			UEPPX	U1TV2	22.60	39.36	26.62								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.013	0.00	0.00								
	VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
	ort/Loop Combination Rates		_			10.10										
	2-Wire VG Coin Port/Loop Combo – Zone 1		1		_	13.13						1				
	2-Wire VG Coin Port/Loop Combo – Zone 2		3		+	23.75			-		-	-				<del></del>
	2-Wire VG Coin Port/Loop Combo – Zone 3	<b>-</b>	3		+	49.62			<del>                                     </del>	1	1	<del>                                     </del>		-		<del></del>
UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1	-	1	UEPCO	UEPLX	11.77			<del>                                     </del>		<b> </b>	}	<b> </b>	<b> </b>	<del> </del>	<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2	-	2	UEPCO	UEPLX	22.39			<del>                                     </del>		<b> </b>	}	<b> </b>	<b> </b>	<del> </del>	<del>                                     </del>
-	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	48.26			-		1	1				
	Voice Grade Line Ports (COIN)	<b>-</b>	3	021 00	ULFLA	40.20			<del>                                     </del>	1		<b> </b>			<b> </b>	<del></del>
	2-Wire Coin 2-Way without Operator Screening and without		-		+ -	-	+		<b>+</b>	1	<b> </b>					<b>—</b>
	Blocking (AL, KY, LA, MS)  2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			UEPCO	UEPRF	1.36	38.85	19.08								
	900/976, 1+DDD (AL, KY, LA, MS)  2-Wire Coin 2-Way with Operator Screening and 011 Blocking			UEPCO	UEPRA	1.36	38.85	19.08								
	(AL, LA, MS)			UEPCO	UEPRB	1.36	38.85	19.08								
	2-Wire Coin 2-Way with Operator Screening & Blocking: 900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.36	38.85	19.08								
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and 011 Blocking (LA)			UEPCO	UEPLA	1.36	38.85	19.08								
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.36	38.85	19.08								
	2-Wire Coin Outward Operator Screening & Blocking: 900/976, 1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.36	38.85	19.08								İ
	2-Wire Coin 2-Way Smartline with 900/976 (Louisiana only)			UEPCO	UEPNA	1.36	38.85	19.08			1					
	2-Wire Coin Outward Smartline with 900/976 (Louisiana only)			UEPCO	UEPCB	1.36	38.85	19.08				1				-
	ONAL UNE COIN PORT/LOOP (RC)											İ				
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	1.81	0.00	0.00	0.00	0.00		İ				
	NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					1					
	CURRING CHARGES - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
	ONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INF	ORT (		JILIL		0.33	0.03	<del>                                     </del>	1					<del> </del>	
	ort/Loop Combination Rates		5.41 (	··	+ -				<del>                                     </del>	1		<del>                                     </del>			<b> </b>	<b>—</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1	16.45			1	1	1				i	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		1	26.87			1				l	l	İ	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	51.98			1				l	l	İ	
	pop Rates				1							İ			1	
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	50.46										
	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.52	104.41	67.93								

ONRONDLE	D NETWORK ELEMENTS - Louisiana			ı						-			Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Di					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - res			UEPFR	UEPAS	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Area Plus with Caller ID - res (RUL)			UEPFR	UEPAG	1.52	104.41	67.93								
	2-Wire voice unbundles res, low usage line port with Caller ID (LUM)			UEPFR	UEPAP	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Residence Dialing Plan															
	without Caller ID		<u> </u>	UEPFR	UEPWG	1.52	104.41	67.93								-
INTER	OFFICE TRANSPORT		<del>                                     </del>		_				<del>                                     </del>						-	<u> </u>
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	22.60	39.36	26.62	]							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<b>├</b>	UEPFK	UTIVZ	22.60	39.36	26.62	<del>                                     </del>						<b> </b>	-
	or Fraction Mile			UEPFR	1L5XX	0.013										
FEATU				LIEDED	LIEDVE	0.00	0.00	0.00								
LOCAL	All Features Offered NUMBER PORTABILITY			UEPFR	UEPVF	0.00	0.00	0.00								
LUCAI	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NOND	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED		-	OLFIK	LINFOX	0.33										
NONK	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
	Combination - Conversion - Switch-as-is			UEPFR	USAC2		8.24	1.81								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			02	00/102		0.2.									
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		8.24	1.81								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFR	URETN		11.20	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87										
UNE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3 oop Rates		3			51.98										
ONLL	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.93										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.35										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	50.46										
2-Wire	Voice Grade Line Port (Bus)		Ť			220									ĺ	
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.52	104.41	67.93								
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.52	104.41	67.93								
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.52	104.41	67.93								
	2-Wire voice Grade unbundled Alabama extended local dialing parity port with Caller ID - bus			UEPFB	UEPAW											
	2-Wire voice Grade unbundled Louisiana extended local dialing parity port with Caller ID - bus			UEPFB	UEPAX	1.52	104.41	67.93								
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.52	104.41	67.93								
	2-Wire voice unbundled Louisiana Bus Area Calling Port with Caller ID (BUC)			UEPFB	UEPAA	1.52	104.41	67.93								
	2-Wire Voice Unbundled Louisiana Business Dialing Plan without Caller ID			UEPFB	UEPWH	1.52	104.41	67.93								
LOCAI	NUMBER PORTABILITY							•								
	Local Number Portability (1 per port)		<u> </u>	UEPFB	LNPCX	0.35			<b></b>						ļ	ļ
INTER	OFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	22.60	39.36	26.62								
FEATU	or Fraction Mile			UEPFB	1L5XX	0.013										
,	All Features Offered		t —	UEPFB	UEPVF	0.00	0.00	0.00							İ	İ
	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			İ		2.20	2.20	2.30							i	i

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Submitted Manually		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Dee	Nonred	curring	Nonrecurring Disconne	ct		oss	Rates (\$)		
							Rec	First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.24	1.81							
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		8.24	1.81							
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at			OLITB	OOACC		0.24	1.01		+	+				
		End User Premise			UEPFB	URETN		11.20	1.10							
	2-WIRE	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (												
	UNE P	ort/Loop Combination Rates		,												
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			16.45									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			26.87									
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			51.98									
	UNE L	pop Rates														
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.93									
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.35									
		2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	50.46							ļ		ļ
	2-Wire	Voice Grade Line Port Rates (BUS - PBX)										1				
		Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.52	132.47	82.14	<b>.</b>						
		Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.52	132.47	82.14	<b>.</b>						
		Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.52	132.47	82.14	<del>                                     </del>	_					ļ
		2-Wire Voice Unbundled 2-Way Combination PBX Louisiana					4 =0									
		Calling Port		-	UEPFP UEPFP	UEPL2 UEPLD	1.52 1.52	132.47	82.14	<b>_</b>	-	-				-
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPXA	1.52	132.47 132.47	82.14 82.14	+		+				<del>                                     </del>
		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPFP	UEPXB	1.52	132.47	82.14	<del>                                     </del>	-	+				<b>+</b>
		2-Wire Voice Unbundled PBX LD DDD Terminals Port		-	UEPFP	UEPXC	1.52	132.47	82.14	+ + +	_	+		-		-
		2-Wire Voice Unbundled PBX LD Terminal Switchboard Port		-	UEPFP	UEPXD	1.52	132.47	82.14	<del>                                     </del>	+	+			1	-
-		2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLITI	OLI AD	1.02	132.47	02.14	<del>                                     </del>		+				<del>                                     </del>
		Capable Port			UEPFP	UEPXE	1.52	132.47	82.14							
		2-Wire Voice Unbundled 2-Way PBX Louisiana Local Optional			02	02.7.2	1.02	.02	02.11	<del> </del>						<b>†</b>
		Calling Port			UEPFP	UEPXK	1.52	132.47	82.14							
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	02.7	1.02	102.11	02.11			1				
		Administrative Calling Port			UEPFP	UEPXL	1.52	132.47	82.14							
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy								1						
		Room Calling Port			UEPFP	UEPXM	1.52	132.47	82.14							
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital														
		Discount Room Calling Port			UEPFP	UEPXO	1.52	132.47	82.14							
		2-Wire Voice Unbundled 1-Way Outgoing PBX Louisiana Local														
		Discount Calling Port			UEPFP	UEPXP	1.52	132.47	82.14							
		2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.52	132.47	82.14							ļ
	LOCAL	NUMBER PORTABILITY			LIEDED	LNDG						1				<b></b>
	INIT==	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00			1		-		<b></b>
	INTER	OFFICE TRANSPORT			-	+						1		-		<b></b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	LIATVO	00.00	00.00	00.00					I		
-		Termination		-	UEPFP	U1TV2	22.60	39.36	26.62	<del>                                     </del>	_	1	1	<del>                                     </del>	<del>                                     </del>	<del> </del>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFP	1L5XX	0.013							I		
	FEATU	or Fraction Mile	-	<del>                                     </del>	ULFFF	ILOAA	0.013			<del>                                     </del>	+	+		+	<del>                                     </del>	<del> </del>
-	LAIU	All Features Offered			UEPFP	UEPVF	0.00	0.00	0.00			+	1	<del>                                     </del>	<del> </del>	<del>                                     </del>
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	<b>-</b>		0=111	OLI VI	0.00	0.00	0.00	<del>                                     </del>	_	+	1	<del>                                     </del>	<b> </b>	<del>                                     </del>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			<u> </u>	1				<del>                                     </del>		1		<u> </u>	1	
		Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.24	1.81					1		
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port														
		Combination - Conversion - Switch with change			UEPFP	USACC		8.24	1.81					1		
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at														
		End User Premise			UEPFP	URETN		11.20	1.10					<u> </u>		
		PORT/LOOP COMBINATIONS - COST BASED RATES														
		VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT													<u> </u>
	UNE P	ort/Loop Combination Rates														

UNBUNDLE	D NETWORK ELEMENTS - Louisiana														ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)				Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
							Rec	Nonrec	urring	Nonrecurring D	Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				33.62										ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3				58.73										ļ
UNE Lo	pop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	14.93										<b>.</b>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	25.35 50.46						-				
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3 ort Rate		3	UEPPX		UECD1	50.46					-					<del> </del>
				UEPPX		UEPD1	8.27	217.95	83.92			-					<b>+</b>
	Exchange Ports - 2-Wire DID Port  CURRING CHARGES - CURRENTLY COMBINED		-	UEPPA		UEPUI	0.21	217.95	03.92			-					<del> </del>
NONRE	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -		<b>-</b>	<del>                                     </del>		<del>                                     </del>						<b>H</b>		<del>                                     </del>	l	<del>                                     </del>	<del>                                     </del>
	Switch-as-is		1	UEPPX		USAC1		7.10	1.81								
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion			J=. 1 /		20.101		7.10	1.01					1		1	
	with BellSouth Allowable Changes		1	UEPPX		USA1C		7.10	1.81								
ADDITI	ONAL NRCs			<u> </u>										İ	İ	İ	1
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk		Ì	UEPPX		USAS1		26.01	26.01				İ	İ	l	İ	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		İ			1								1		1	
	End User Premise			UEPPX		URETN		11.20	1.10								
Teleph	one Number/Trunk Group Establisment Charges					ĺ											
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers, Per Number			UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								ļ
	NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								<b>.</b>
	ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORI			<b> </b>											<u> </u>
UNE PO	ort/Loop Combination Rates  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -					<b>-</b>							-				
	UNE Zone 1		1	UEPPB	UEPPR		27.48										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -		'	UEPPB	UEPPK		21.40					1					1
	UNE Zone 2		2	UEPPB	UEPPR		40.34										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -			OLITE	OLITIK		40.04					1					<b>†</b>
	UNE Zone 3		3	UEPPB	UEPPR		70.99										
	pop Rates					i i											
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	19.09										
	·																
ı 1	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB		USL2X	31.95										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	62.60										
	ort Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.39	184.10	128.42								ļ
NONRE	CURRING CHARGES - CURRENTLY COMBINED		<u> </u>														<b></b>
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
	Combination - Conversion		<u> </u>	UEPPB	UEPPR	USACB	0.00	37.40	26.23								<b>_</b>
ADDITI	ONAL NRCs		ļ	ļ		$\vdash$						-		ļ	<b> </b>	ļ	<b></b>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	LIEDDE	LIEDDE	LIDETN		44.00	4.40								
<b></b>	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User	<b>-</b>	<u> </u>	UEPPB	UEPPR	URETN		11.20	1.10	<b> </b>		-	-		-		<del>                                     </del>
	Premise		1	UEPPB	UEPPR	URETL		8.33	0.83								
	NUMBER PORTABILITY		<b>-</b>	JLI FD	OFI. LIV	CINETE		0.33	0.03			<b>H</b>		<del>                                     </del>	l	<del>                                     </del>	<del>                                     </del>
	Local Number Portability (1 per port)		<del>                                     </del>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								<del>                                     </del>
	NNEL USER PROFILE ACCESS:			32.10	52. T IX		0.00	0.00	0.00					1		1	
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00				İ		İ		
1	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00					İ		İ	
	CSD		İ		UEPPR	U1UCC	0.00	0.00	0.00					1		1	
B-CHAI	NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB		U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR		0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								

JNBUNDL	ED NETWORK ELEMENTS - Louisiana														ment: 2		bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intani										Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							- (1)			per Lon	per Lon			Electronic-	Electronic-
														Electronic-	Electronic-		
														1st	Add'l	Disc 1st	Disc Add'l
		+		1		+		Nonrec	urring	Nonrecurring	Disconnect	<u> </u>	I	220	Rates (\$)	1	1
		+	-	+		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
нег	R TERMINAL PROFILE	+		-				FIISL	Auu i	FIISL	Auu i	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
USEI		1	-	LIEDDD	LIEDDD	11411840	0.00	0.00	0.00	-		<u> </u>					
	User Terminal Profile (EWSD only)	<u> </u>		UEPPB	UEPPR	U1UMA	0.00	0.00	0.00				ļ				ļ
VER	TICAL FEATURES			l		I											
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00				ļ				
INTE	ROFFICE CHANNEL MILEAGE												ļ				
	Interoffice Channel mileage each, including first mile and																
	facilities termination			UEPPB		M1GNC	22.613	39.36	26.62								
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.013	0.00	0.00								
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUN	K PORT		1													
The '	JNE-P DS1 combination rates below for in this rate exhibit app	lv to the	embe	dded base	in place a	s of 10/2/03 u	intil 4/1/04. Aft	ter 4/1/04 these	rates shall rev	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.			
	lests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital																
	Port/Loop Combination Rates	1	1	1		1		,				T					
- 1	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	<del>†                                      </del>	t -	1		†				<u> </u>	1	1	1		1	t	t
1	Zone 1	1	1	UEPPP		I	180.52			I		I			I	1	1
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	+	+-	JLITE		+	100.32			<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>		<del>                                     </del>	<del></del>	<del></del>
I		1	2	UEPPP		I	200 72			I		I			I	1	1
$-\!\!\!\!-\!\!\!\!\!-$	Zone 2	+	- 2	UEPPP		+	289.78			<del>                                     </del>		1	<del> </del>		<del>                                     </del>	1	<del>                                     </del>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_														
	Zone 3		3	UEPPP			586.76										
UNE	Loop Rates																
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	85.70										
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	194.96										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	491.94										
UNE	Port Rate			1								ĺ					
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPPP		UEPPP	94.82	443.08	251.60			i e					
NON	RECURRING CHARGES - CURRENTLY COMBINED	1										1	1			1	1
- 11011	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port	1	1									1	1				
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	115.63	76.29								
ADD	TIONAL NRCs	+	-	OLFFF		USACE	0.00	113.03	10.29	-		1	<b>†</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
ADDI	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-	1		1		+				-		<u> </u>					
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.48									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.18	11.18				ļ				
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		22.35	22.35								
LOC	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	RFACE (Provsioning Only)			1													
	Voice/Data	Ì		UEPPP		PR71V	0.00	0.00	0.00		İ	1					
	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00	1	i	İ					
-+	Inward Data	<del>†                                      </del>	t -	UEPPP		PR71E	0.00	0.00	0.00	<u> </u>	1	1	1		1	t	1
New	or Additional "B" Channel	†	<del>                                     </del>	JEI I I			0.00	5.00	0.00	<b>-</b>		1	t		<b>i</b>	<b> </b>	<b>i</b>
1464	New or Additional - Voice/Data B Channel	+	<del>                                     </del>	UEPPP		PR7BV	0.00	14.11		<del>                                     </del>	<del>                                     </del>	<del> </del>	<del> </del>		<del> </del>	<del> </del>	<del> </del>
	New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel	+	1	UEPPP		PR7BF	0.00	14.11		<del>                                     </del>	<del>                                     </del>	1	<del>                                     </del>		<del>                                     </del>	<del></del>	<del>                                     </del>
$\longrightarrow$	New or Additional Inward Data B Channel  New or Additional Inward Data B Channel	+	<del>                                     </del>	UEPPP		PR7BD				<del>                                     </del>	<del>                                     </del>	<del> </del>	1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
<del></del>		+	<b>!</b>	UEPPP		LK/RD	0.00	14.11		<b>.</b>	-	1	1		-	-	-
CALI	_ TYPES	1	1							<b></b>		<b> </b>	ļ		<b></b>		
$\longrightarrow$	Inward	ļ	<u> </u>	UEPPP		PR7C1	0.00	0.00	0.00	<b></b>		<b></b>	<b>.</b>		<b></b>	<b></b>	<b></b>
$\longrightarrow$	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00	ļ	ļ	ļ	ļ		ļ	ļ	1
L	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
Inter	office Channel Mileage		$\bot \Box$														
	Fixed Each Including First Mile			UEPPP		1LN1A	70.7352	86.69	79.44								
	Each Airline-Fractional Additional Mile			UEPPP	_	1LN1B	0.2652										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
	JNE-P DS1 combination rates below for in this rate exhibit appl	ly to the	ember	dded base	in place a	s of 10/2/03 i	until 4/1/04. Aft	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a separa	te commerc	ial agreeme	nt.	1	1	1
	lests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the ef											1			<b>†</b>	t	t
IKeni.	Port/Loop Combination Rates		1	amon		I Do provide	parcaunt to	Jopa. ato agre	VI tulli			<del> </del>	1		t	t	1
			1	1		1	l .					<b> </b>	-			ļ	<del>                                     </del>
			- 4	LIEDDO			15117						1				
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1		1	UEPDC			154.17			ļ							1
			1 2 3	UEPDC UEPDC UEPDC			154.17 263.43 560.41										

RATE ELEMENTS Interior To the control of the contro	UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
March   Marc	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
#Whet EST Deals one Mark Zener 1   1   ESPEC   ISSUE   150.00   1   1   1   1   1   1   1   1   1							Rec										
4-Min DR1 Digital Locu - LIVE Zong   2   EPPDC   U.S.D.C   19-96								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
A-Wile DST (Digital Loug - VAMP E-CATOSA)																	
NEPFOR Flate												1					
H-Wise DRITS Double Trush Port (E-41/2004)				3	UEPDC	USLDC	491.94										
NONSECURENCE CHARGES - CURRENT Y CORRISED   A-Vive DD Top It logs / 4 AVER DDTS Trunk PPOT Corrionation   USPACE   125,75   66,08				-	LIEDDC	LIDD1T	68 47	///1 3/	2/5 90								
Service SS   Digital Looy / A-Wise DOTTS Truits Prot Commission   Legacy					OLI DO	ODDII	00.47	441.04	240.00								
4-Wine DST Deptil Loop / 4-Wine DDTS Trank Port Commission																	
Convention with DSI: Changes (E-41/0004)					UEPDC	USAC4		125.75	65.08								
A-Wine DS1 Day A-Wine DD175 Trank Por Combination   UEPDC   USAW9   125.75   66.08																	
Conversion with Changer - Frunk (E-47004)					UEPDC	USAWA		125.75	65.08								
ADDITIONAL NICE																	
4-Wire DS1 Logs / 4-Wire DD11 Strum Port - NRC	ABBITI				UEPDC	USAWB		125.75	65.08								
Subsequent Channel Activation Chan - 2-Way Turuk	ADDITI																
4-Wiles DS1 Loop / 4-Wiles DOTS Trunk Port - Subsequent   UEPDC   UDTTB   14.06   14.06					LIEDDC	LIDTTA		14.06	14.06								
Charmel ActivationChan - 1-Viley Outward Trust   UEPDC   UDTTB   14,06   14,06   14,06				<b>-</b>	OLI DO	ODITA		14.00	14.00								
4-Wire DST Lopy (4-Wire DDTS Trusk Port - Subspart Channel   UEPDC   UDTTC   14.06   14.06					UEPDC	UDTTB		14.06	14.06								
Activation Per Chan - Invested Trusk With DITS Trusk Port - Subagnic Chan Activation Per Chan - Invested Trusk With DITS Trusk Port - Subagnic Chan Activation Fer Chan - Invested Trusk With DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Trusk Port - Subagnic Chan Activation Chan - 2-Wig DITS Chan Chan Chan - 2-Wig DITS Chan Chan Chan Chan - 2-Wig DITS Chan Chan Chan - 2-Wig DITS Chan Chan Chan - 2-Wig DITS Chan - 2-Wig DITS Chan												1					
Activation Per Chan - Inward Trunk With DID		Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.06	14.06								
Adviter DST Loop / 4-Wire DDTS Trank Port - Subspat Chan																	
BPOLAT SERO SUBSTITUTION					UEPDC	UDTTD		14.06	14.06								
BIPOLAR 2 ZERO SUBSTITUTION																	
B82S - Superframe Format	PIROL				UEPDC	UDITE		14.06	14.06								
B825 - Extended Superframe Format	BIFUL			-	LIEDDC	CCOSE		0.00i	605 00c			1					
Alternate Mark Inversion																	
AMI -Superfame Format	Alterna				OLI DO	CCCLI		0.001	000.000								
Telephone Number for 1-Way Tunk Group					UEPDC	MCOSF		0.00	0.00								
Telephone Number for 7-24/9x Trunk Group   UEPDC   UDTGY   0.00		AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telephone Number for 1-Way Outward Trunk Group   UEPDC   UDTGZ   0.00	Teleph																
Telephone Number for 1-Way Inward Trunk Group Without DID   UEPDC ND4 0.00   UPDC seah Group of 20 DID Numbers seah Group of 20 DID Numbers seah Group of 20 DID Numbers seah Group of 20 DID Numbers seah Group of 20 DID Numbers   UEPDC ND4 0.00   UPDC ND5 0.00   UPDC ND6 0.00 0.00   UPDC ND6 0.00 0.00   UPDC ND6 0.00 0.00   UPDC ND6 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00 0.00 0.00   UPDC ND7 0.00 0.00 0.00 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00 0.00 0.00 0.00 0.00   UPDC ND6 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																	
DID Numbers for each Group of 20 DID Numbers   UEPDC   ND4   0.00																	
DID Numbers, Non- consecutive DID Numbers   Per Number   UEPDC   NDS   0.00																	
Reserve Non-Consecutive DID Nos.																	
Reserve DID Numbers				-				0.00	0.00								
Dedicated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port  Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  UEPDC 1LNOA 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  UEPDC 1LNOB 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOB 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC 1LNOB 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC 1LNOB 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles (Facilities UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles UEPDC 1LNOC 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles UEPDC 0.00  Interoffice Channel Mileage - Fixed rate 25+ miles UEPDC 0.00  INTEROFFICE Channel Mileage - Fixed rate 9-25 miles UEPDC 0.00  INTEROFFICE Channel Mileage - Fixed rate 9-25 miles UEPDC 0.00  INTEROFFICE Channel Mileage - Fixed rate																	
Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 0-8 miles UEPDC 1LNOA 0.2652 0.00 0.00  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles (Facilities UEPDC 1LNO2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.	Dedica		Digital	Loop			0.00	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 0-8 miles  Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25  Interoffice Channel Mileage - Additional rate per mile - 9-25  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  1LNOB  0.2652  0.00  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  1LNOS  0.00																	
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities UEPDC 1LNO2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.		Termination)			UEPDC	1LNO1	70.47	86.69	79.44								
Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities UEPDC 1LNO2 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.																	
Termination)  Interoffice Channel Mileage - Additional rate per mile - 9-25 miles  UEPDC  ILNOB  0.2652  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  ILNOB  0.2652  0.00  0.00  0.00  0.00  Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  UEPDC  ILNOS  0.00  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC  ILNOC  0.2652  0.00  0.00  0.00  Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC  ILNOC  0.2652  0.00  0					UEPDC	1LNOA	0.2652	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 9-25 miles UEPDC 1LNOB 0.2652 0.00 0.00 Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) UEPDC 1LNO3 0.00 0.00 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC 1LNOC 0.2652 0.00 0.00 Interoffice Channel Mileage - Additional rate per mile - 25+ miles UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 1LNOC 0.2652 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 0.00 0.00 0.00 UEPDC 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.					LIEDDO	41 NIOO	0.00	0.00	0.00								
miles    DEPDC   1LNOB   0.2652   0.00   0.00   0.00     Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities   UEPDC   1LNO3   0.00   0.00   0.00   0.00   0.00     Interoffice Channel Mileage - Additional rate per mile - 25+ miles   UEPDC   1LNOC   0.2652   0.00   0.00   0.00   0.00     Local Number Portability, per DS0 Activated   UEPDC   LNPCP   3.15   0.00   0.00   0.00   0.00   0.00     Central Office Termininating Point   UEPDC   LNPCP   3.15   0.00   0.00   0.00   0.00   0.00     4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT   UEPDC   CTG   0.00   0.00   0.00   0.00   0.00   0.00   0.00     System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations   Each System can have up to 24 combinations of rates depending on type and number of ports used   The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement. Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.					UEPDC	ILNO2	0.00	0.00	0.00								
Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination)  Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  1LNOC  0.2652  0.00  0					LIEDDC	11 NOB	0.2652	0.00	0.00								
Termination)  UEPDC  1LNO3  0.00  0.		1111100		<b>-</b>	OLI DO	ILINOB	0.2032	0.00	0.00								
Interoffice Channel Mileage - Additional rate per mile - 25+ miles  UEPDC  LOCAL NUMBER Portability, per DS0 Activated  UEPDC  UMPCP  3.15  0.00  0.00  0.00  0.00  0.00  0.00  0.00  4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT  System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations  Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.	[				UEPDC	1LNO3	0.00	0.00	0.00	0.00							
Local Number Portability, per DS0 Activated  UEPDC LNPCP 3.15 0.00 0.00 0.00 0.00  Central Office Termininating Point UEPDC CTG 0.00  4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT  System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations  Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop		,												1		ĺ	
Central Office Termininating Point  4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations  Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop																	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT  System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations  Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop								0.00	0.00	0.00							
System is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activations  Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop				<u> </u>	UEPDC	CTG	0.00					ļ					
Each System can have up to 24 combinations of rates depending on type and number of ports used  The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop				ļ		1						<u> </u>		ļ			L
The UNE-P DS1 combination rates below for 4-Wire DS1 Loop with Channelization with Port in this rate exhibit apply to the embedded base in place as of 10/2/03 until 4/1/04. After 4/1/04 these rates shall revert to tariff rates or a separate agreement.  Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop					har of parts used	+				-		<del>                                     </del>		-			
Requests for 4-Wire DS1 Loop with Channelization with Port after the effective date of this amendment shall be provided pursuant to a separate agreement or tariff at BellSouth's discretion.  UNE DS1 Loop						te exhibit ann	ly to the embe	dded hase in n	lace as of 10/3	/03 until 4/1/04	Δfter 4/1/04	these rates	shall revert	to tariff rates	or a senarate	agreement	
UNE DS1 Loop													Jiran ievell	to taini lates	o, a sepaidle	agreement.	
						T DO PIO	paroaun		J. 22	2030		_ ·-				İ	
				1	UEPMG	USLDC	85.70	0.00	0.00							1	

UNBUNE	DLE	NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental		
			1									Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
<del></del>		4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	194.96	0.00	0.00								-
		4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	491.94	0.00	0.00								<b></b>
UN		60 Channelization Capacities (D4 Channel Bank Configuration 24 DSO Channel Capacity - 1 per DS1	ns)		UEPMG	VUM24	97.35	0.00	0.00								<b></b>
		48 DSO Channel Capacity - 1 per DS1			UEPMG	VUM48	194.70	0.00	0.00			-					<del> </del>
		96 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM96	389.40	0.00	0.00			1					-
		144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	584.10	0.00	0.00							1	<del>                                     </del>
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	778.80	0.00	0.00								<del>                                     </del>
		240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	973.50	0.00	0.00								<del>                                     </del>
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,168.20	0.00	0.00			1					<b>†</b>
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,557.60	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,947.00	0.00	0.00								i e
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,336.40	0.00	0.00								1
		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,725.80	0.00	0.00								1
No		curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanı	neliztio	n with Port - Conver	rsion Charge	Based on a Sy	stem									
ΑI	Minin	num System configuration is One (1) DS1, One (1) D4 Channe	l Bank,	and Up	To 24 DSO Ports w	ith Feature	Activations.									ĺ	
Mι	ultiple	es of this configuration functioning as one are considered Ac	dd'l afte	r the m	inimum system con	figuration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	146.13	8.12								
		Additions at End User Locations Where 4-Wire DS1 Loop with				ination Curre	ently Exists and	ı									
Ne	ew (Ne	ot Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port															
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	715.54	467.54								
Bij		8 Zero Substitution															ļ
		Clear Channel Capability Format, superframe - Subsequent															
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								<b>.</b>
		Clear Channel Capability Format - Extended Superframe -															
A 14		Subsequent Activity Only		-	UEPMG	CCOEF	0.00	0.001	605.00s								-
All		te Mark Inversion (AMI) Superframe Format		-	UEPMG	140005	0.00	0.00	0.00								-
		Extended Superframe Format		<u> </u>	UEPMG	MCOSF MCOPO	0.00	0.00	0.00			-					
Ev		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Dort	UEPIVIG	MCOPO	0.00	0.00	0.00			-					<del>                                     </del>
		ge Ports Associated with 4-wire DS1 Loop with Chamienzant	I with	FOIL					-			1					-
		Line Side Combination Channelized PBX Trunk Port - Business							-			1					-
		(E:4/1/2004)			UEPPX	UEPCX	1.52	0.00	0.00	0.00	0.00						
		Line Side Outward Channelized PBX Trunk Port - Business		1	OLITA	OLI OX	1.52	0.00	0.00	0.00	0.00						<del> </del>
		(E:4/1/2004)			UEPPX	UEPOX	1.52	0.00	0.00	0.00	0.00						
		Line Side Inward Only Channelized PBX Trunk Port without DID			OLITA	OLI OX	1.02	0.00	0.00	0.00	0.00	1					<b>†</b>
		(E:4/1/2004)	1		UEPPX	UEP1X	1.52	0.00	0.00	0.00	0.00						
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port	i e			T	1	2.30	1 2.50	2.30	2.50			İ		İ	
		(E:4/1/2004)	l		UEPPX	UEPDM	8.29	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –														1	
		(AL, KY, LA, MS, & TN)(Conversion from Network Access	l						1								
		Service) (E:4/1/2004)	l		UEPPX	UEPCY	1.52	0.00	0.00	0.00	0.00						
		Unbundled Exchange Ports, 2-Wire Channelized – Combination														1	
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	l						1								
		Service) (E:4/1/2004)	<u> </u>		UEPPX	UEPCT	1.52	0.00	0.00	0.00	0.00			<u> </u>		<u> </u>	
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –				1											
		Louisiana Only - Calling Plan (E:4/1/2004)			UEPPX	UEPC2	1.52	0.00	0.00	0.00	0.00			<u> </u>			
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -	l											l			
$oxed{oxed}$		Louisiana Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC3	1.52	0.00	0.00	0.00	0.00					ļ	
Fe	ature	Activations - Unbundled Loop Concentration	ļ			ļ	ļ		ļ							ļ	ļ
		Feature (Service) Activation for each Line Port Terminated in D4	1		l	1			I								
$oxed{oxed}$		Bank	ļ		UEPPX	1PQWM	0.6497	25.36	13.40							ļ	ļ
		Feature (Service) Activation for each Trunk Port Terminated in	1	1	l	1			l								1
<u> </u>		D4 Bank	<b>.</b>	-	UEPPX	1PQWU	0.6497	78.05	18.40								<u> </u>
Te		one Number/ Group Establishment Charges for DID Service	ļ	ļ	HEDDY	NDT				ļ		-		ļ		ļ	
$\vdash$		DID Trunk Termination (1 per Port)	<b>.</b>	-	UEPPX	NDT	0.00	0.00	0.00								ļ
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00			1		l			L

	UNBL	INDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
ARTECONY  PARTE ELEMENTS  PARTE PRINCIPLE AND PRINCIPLE AN	0.120												Svc Order	Svc Order				Incremental
ATT CLEAR PLAN SHEET SHE																		
AFFECRIVE NAME & STATE & LEMENTS & DESCRIPTION & DESCRIPTI																		
	CATE	ORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			I .					
				m									per Lore	per Lore				
Proceedings   Proceedings   Procedure																		
																	Disc 1st	DISC Add I
Non-Concentrate Districtions are numbers   1								Poc										
Segment NameConsequence (SD Number or Number (Number of Number of Number (Number of Number of Number (Number of Number of Number (Number of Number of Number (Number of Number of Number of Number (Number of Number of Number of Number of Number (Number of Number of Number of Number of Number (Number of Nu											First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
No.   No.																		
Local Number Proteining   Local Number Proteining   Local Number Proteining   Local Seal Seal Seal Seal Seal Seal Seal Se																		
Seat Number Protectionary - Large port						UEPPX	NDV	0.00	0.00	0.00								
FEATURES - Ventral and Optional		Local I																
Court Switching Features Officed with Line Side Ports Oily		FEAT		-	-	UEPPX	LNPCP	3.15	0.00	0.00			1					
All Sequence Administer							-					-	-	-				
Incident   Incident	-	Local		-		LIEDDY	LIEDVE	0.00	0.00	0.00			-					
1. Coard Based Rates are applied where BellSouth is required by FCC cardior State Commission rule to provide Unbundled Local Switching or Switch Porc.	LIMBIII	IDI ED (				UEPPX	UEPVF	0.00	0.00	0.00		-	-	-				
2. Features shall apply to the Unbounded Port Coop Combination - Core Based Rate section in the same names as they are applied to the Stand-Alone Unbounded Port section of the Rise Echibit.	UNDUI				State (	Commission rule to	provide Unb	undlad Lasal C	witching or Cu	itah Darta			<b> </b>					
3. Set Office and Tanden Switching Usage and Common Transport Usage rates in the Port section of this rise exhibits that agoly to a common transport for Usage Transport (Common Common											dlad Bart sasti	on of this Bate	Evhibit		-	1		
4. The first and additional Prot nonrecurring charges apply to Not Currently Combined Combos. For Currently Combined Combos, the nonrecurring charges shall be those identified in the Nonrecurring Currently Combined accidence, and a secretary and accidence and a secretary charges shall be those identified in the Nonrecurring Currently Combined Scale, No. 1, 1997.  5. Martic Rose for Currently Combination with the negotiated or an individual Case Basis, until further notice.  5. Martic Rose for Currently Combination Rose and a secretary combined Combos. The combined Combos is a secretary of the combined Combos in the Nonrecurring Currently Combined Case Basis, until further notice.  5. Martic Rose for Currently Combination Rose and Case Basis, until further notice.  5. Martic Rose for Currently Combination Rose and Case Basis, until further notice.  6. Land Rose Rose Rose Rose Rose Rose Rose Rose														oin Port/Lo	on Combine	tions		<del>                                     </del>
Sometimes from from the director of thorounded centers Port Loop Combination will be negotiated on an Individual Case Basis, until further notice.	<del>                                     </del>																I Additional N¤	Cs may
S. Marker Rates for Unbundled Centres Port Copt Combination will be neglectated on an Individual Case Basis, until further notice.				an only	5011101		Carroniny 00		,	ig onalges	onun de mose	acminieu III t		g · Guilt	y 501115111			.co may
UNE P CENTREX - 148-58 - (Valid in A L.F., CA, AFYLA, MAS, STM rowly)				he neg	ntistad	on an Individual Ca	ee Racie un	til further notic	Δ		1	1	1	1		1	ı	1
2-Wire Vot Loop/2-Wire Vote Grade Port (Centres) Combo   1	-				I	on an marviduar ca	Dasis, uii	I I I I I I I I I I I I I I I I I I I	c.			<del> </del>	<u> </u>					
UPS   PortLoop Combination Rates (Non-Design)				<del>′                                      </del>			+						<b>†</b>					
2-Wire Vol Loop/2-Wire Valoe Grade Port (Centros) Port Combo-Non-Design   1 UEP91   13.13   3 UEP91   23.75   3 UEP91   3 UE							+						<b>†</b>					
Non-Design		OITE I											1		1	1		
2     2     2     2     2     2     2     2     2     2     2   2     2					1	UEP91		13.13										
Non-Design							1						İ					
NN-Design   3   UEP91   49.62					2	UEP91		23.75										
Week Port/Loop Combination Rates (Design)			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
2-Wire Voto Grade Port (Centrex) Port Combo- Design   2-Wire Voto Grade Port (Centrex) Port Combo- Design   2-Wire Voto Grade Port (Centrex) Port Combo- Design   2-Wire Voto Grade Port (Centrex) Port Combo- Design   2-Wire Voto Grade Loop (St. 1) - Zone 1   1 UEP91   UECS1   48.26			Non-Design		3	UEP91		49.62										
Design   D		UNE P	ort/Loop Combination Rates (Design)															
2   2   2   2   2   2   2   2   2   2			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
Design   2   UEP91   26.71					1	UEP91		16.29										
2-Wire Voice Grade Loop (St. 1) - Zone 1			2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
Design   S   UEP91   48.26     S   S   S   S   S   S   S   S   S					2	UEP91		26.71										
WE Loop Rate																		
2-Wire Voice Grade Loop (SL 1) - Zone 1					3	UEP91		48.26										
2-Wire Voice Grade Loop (SL 1) - Zone 2   2   UEP91   UECS1   22.99		UNE L																
2-Wire Voice Grade Loop (SL 1) - Zone 3   3 UEP91 UECS1 48.26																		
2-Wire Voice Grade Loop (SL 2) - Zone 1					_													
2-Wire Voice Grade Loop (St. 2) - Zone 2   2 UEP91 UECS2   25.35																		
2-Wire Voice Grade Loop (St. 2) - Zone 3   3   UEP91   UECS2   50.46																		
UNE Ports	-	-		-	_								1					
All States (Except North Carolina and Sout Carolina)  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex 800 termination)  Note 2, 3 Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area  1-Basic Local Area  2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area  1-Basic L		LINES		-	3	UEP91	UEUS2	50.46				<del>                                     </del>	-		<del>                                     </del>	<b>+</b>		-
2-Wire Voice Grade Port (Centrex) Basic Local Area   UEP91   UEPYA   1.36   38.85   19.08	-			1	-		+				-	-			<del></del>	1	-	<del> </del>
2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area  2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area  UEP91  UEP91  UEPYH  1.36  38.85  19.08  2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area  UEP91  UEP91  UEP91  UEPYH  1.36  38.85  19.08  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) Note 2, 3 Basic Local Area  UEP91  UEP91  UEPYH  1.36  104.41  67.93  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service  Term - Basic Local Area  UEP91  UEP91  UEPYZ  1.36  104.41  67.93  2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area  UEP91  UEP91  UEPY9  1.36  38.85  19.08  4	<b>-</b>	All Sta		1	-	I IED01	ΠΕΡΥΔ	1 26	30 05	10.00	-	-			<del></del>	1	-	-
Area   UEP91   UEPYB   1.36   38.85   19.08		-		1	-	OLF91	OLFIA	1.30	30.03	19.00		-	1		-	1		
2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area UEP91 UEPYM 1.36 38.85 19.08						LIED01	LIEDVR	1 26	38 05	10.00		1			1			
Local Area	<b>-</b>	<del>                                     </del>	7100	<del>                                     </del>	<del>                                     </del>	OL1 31	OLFID	1.30	30.03	15.00	<del> </del>	<del>                                     </del>			<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)   UEP91   UEPYM   1.36   104.41   67.93	1	1		1	1	LIEP91	LIEPYH	1 36	38.85	19 08		I		1	I			1
Note 2, 3 Basic Local Area	<b>—</b>	<del>                                     </del>		1		021 01	JL: 111	1.30	30.03	19.00	<del> </del>	<del>                                     </del>	1		t	1	l	<del>                                     </del>
2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area  UEP91 UEPY2 1.36 104.41 67.93  2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area UEP91 UEPY9 1.36 38.85 19.08  AL, KY, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex) UEP91 UEP91 UEPY2 1.36 38.85 19.08  AL, KY, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPQA 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex 800 termination) UEP91 UEPQA 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex With Caller ID)1 UEPQH 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1 UEPQH 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1 UEPQH 1.36 38.85 19.08						UFP91	UEPYM	1 36	104 41	67 93		1			1			
Term - Basic Local Area	<b>-</b>	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	02101	JEI TIVI	1.30	104.41	01.33		t	<b>†</b>	<b>-</b>	t	1	<b> </b>	<b> </b>
2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area  UEP91 UEPY9 1.36 38.85 19.08  2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area  UEP91 UEPY2 1.36 38.85 19.08  AL, KY, LA, MS, & TN Only  2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)  UEP91 UEPQA 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1  UEP91 UEPQB 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1  UEP91 UEPQH 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1  UEP91 UEPQH 1.36 38.85 19.08  2-Wire Voice Grade Port (Centrex with Caller ID)1  UEP91 UEPQH 1.36 38.85 19.08	1	1		1	1	UEP91	UEPYZ	1.36	104.41	67 93		I		1	I			1
- Basic Local Area		t		t		01		00	10 1.41	000	i	1			1	1		i
2-Wire Voice Grade Port Terminated on 800 Service Term -   UEP91						UEP91	UEPY9	1.36	38.85	19.08		1			1			
Basic Local Area		t		l –		-	1	50	22.20		İ	1			1	İ	İ	
AL, KY, LA, MS, & TN Only       UEP91       UEPQA       1.36       38.85       19.08       9.08	1	1		1	1	UEP91	UEPY2	1.36	38.85	19.08		I		1	I			l
2-Wire Voice Grade Port (Centrex )		AL, KY		1		-	1		22.20		İ	1	1	İ	1	1	l	1
2-Wire Voice Grade Port (Centrex 800 termination)		<u> </u>		i –		UEP91	UEPQA	1.36	38.85	19.08			İ					
2-Wire Voice Grade Port (Centrex with Caller ID)1				1							İ	1	1	İ	1	1	l	1
2-Wire Voice Grade Port (Centrex from diff Serving Wire		İ		İ	İ											1		
		i –		i –									İ					1
						UEP91	UEPQM	1.36	104.41	67.93		1			1			

ATE ELEMENTS   North   Rose   BCS   BCO   RATES (S)   Remothly Ministry Charges   Char	UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
## BCS USOC ## PATE (EMENTS   USOC ## PATE (EMENTS   DATE (S)   DA												Svc Order	Svc Order			Incremental	Incrementa
CAPEGOPY   RATE ELEMENTS	1	1													Charge -	Charge -	Charge -
MAIL CLUMENTS   March   Marc	1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
Becombine   Deciration   Deci	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
2-Wise Vests Glods Pert, DH Serving Wise Center: 23 - BIO   8-PP1   1-BP   1-	l											-	-		Electronic-	Electronic-	Electronic-
A	l													1st	Add'l		Disc Add'l
Mode   First   Add   SOME	<del></del>							Manage		L M	B'				D-1 (A)		<u></u>
Average Coach Service Strong Service	$\vdash$						Rec										
Service Term		O Wire Vales Crade Bort Diff Contine Wire Contant O 2 000						FIrst	Addi	FIRSt	Addi	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SWIN Victor Date Part Terminated in an Magnifix or equivalent   SEP91   SEP02   1.36   30.85   13.00	1				LIEDO4	LIEDOZ	4.00	404.44	67.00								
E-Wire Voca Grade Port Terminated all 800 Service Term   UEP91   UEP92   1.88   38.85   19.08		Service Term			UEP91	UEPQZ	1.36	104.41	67.93			-	<b> </b>				<b>+</b>
E-Wire Voca Grade Port Terminated all 800 Service Term   UEP91   UEP92   1.88   38.85   19.08	1	2 Wire Voice Grade Port terminated in an Magalink or equivalent			LIED01	LIEDOG	1 26	20.05	10.09								
Cocal Syntheting	$\vdash$											1	1				-
Center Network Protecting   DEPS	l ocal				OLF91	ULFQZ	1.30	30.03	19.00			<del> </del>	<u> </u>				-
Local Number Portability   Dept   D	Locare				LIFP91	LIRECS	0.8577						1				<del>                                     </del>
Local Number Profibility (1 per port)	Local				OLI 01	CILLOG	0.0077					1	1				<del>                                     </del>
Features	1000.1				UFP91	LNPCC	0.35						1				<del>                                     </del>
All Standard Features Offered, per port   UEP91   UEPV6   0.00   4.125	Featur				02. 0.	2.1.00	0.00					1					<b>†</b>
All Select Features Christon, per port	. satur			t	UEP91	UEPVF	0.00					1		i			
All Centros Control Features (Prince) Agency Seguine - Contribution   UEP91   UEP7C   0.00	$\overline{}$			t				412.25						i	i	i	
NARS   Dubunded Network Access Register - Continuation   UEPP1   UARCX   0.00				t										i	i	i	
Unbounded Nerwork Access Register - Fordis   UEPPT   UARCX   0.00   0.	NARS			t			2.00					1		i			
Unbounded Network Access Register - Indial   UEP91   UARX   0.00   0.0	1				UEP91	UARCX	0.00	0.00	0.00	0.00	0.00	1		İ	İ	İ	
Unbounded Network Access Register - Outside   UEP91   UAROX   0.00   0														İ			
Miscellaneous Terminations								0.00	0.00								1
2   2   2   2   2   2   2   2   2   2	Miscel																
Trunk Std reminations, each   UEP91   CEW46   8.20   115.85   15.20													İ				
Interoffice Channel Mileage - 2-Wire					UEP91	CENA6	8.29	115.85	18.20								
Interoffice Channel mileage, per mile or fraction of mile   Peature Activations (DSG Chemres Loops on Channelized BST Service   Peature Activations   Peature Activations   Peature Activation on D-4 Channel Bank Centrex Loop Stot   UEP91   1PQWS   0.6487   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6487   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   P	Interof																
Interoffice Channel mileage, per mile or fraction of mile   Peature Activations (DSG Chemres Loops on Channelized BST Service   Peature Activations   Peature Activations   Peature Activation on D-4 Channel Bank Centrex Loop Stot   UEP91   1PQWS   0.6487   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6487   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank FX line Incomplete Side Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   Peature Activation on D-4 Channel Bank WATS Loop Stot   UEP91   1PQWF   0.6497   P		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	22.60	39.36	26.62								
Feature Activation on D-4 Channel Bank Future Activation on D-4 Channel Bank Future Activation on D-4 Channel Bank Future Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Stot Different Wire Center Use Fig. 1 PQW7 0.6487		Interoffice Channel mileage, per mile or fraction of mile					0.013										
Feature Activation on D-4 Channel Bank Centrex Loop Siot   UEP91   1PQW6   0.6497	Featur		е														
Feature Activation on D-4 Channel Bank FX line Side Loop Slot   UEP91   1POW6   0.6497	D4 Chr	annel Bank Feature Activations															
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP91   1PQW7   0.6497		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.6497					ĺ					
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP91   1PQW7   0.6497																	
Stot	1	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.6497										
Feature Activation on D-4 Channel Bank Centrex Loop Slot -   UEP91	i l	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
Different Wire Center					UEP91	1PQW7	0.6497										
Feature Activation on D-4 Channel Bank Private Line Loop Slot   UEP91   1POWV   0.6497		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop   UEP91   1POWQ   0.6497		Different Wire Center			UEP91	1PQWP	0.6497										
Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop   UEP91   1POWQ   0.6497																	
Slot					UEP91	1PQWV	0.6497										
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP91   IPQWA   0.6497																	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   UEP91 USAC2																	
Conversion - Currently Combined Switch-As-Is with allowed changes, per port   UEP91					UEP91	1PQWA	0.6497										
Changes, per port	Non-Re													ļ		ļ	
Conversion of Existing Centrex Common Block					l <u>_</u>	1											
New Centrex Standard Common Block	$oxed{oxed}$			<b> </b>								ļ	ļ				<b></b>
New Centrex Customized Common Block				-					16.10			<u> </u>	ļ				<b>_</b>
Secondary Block, per Block				ļ								1		<b></b>	<b> </b>	<b> </b>	<b></b>
NAR Establishment Charge, Per Occasion												<u> </u>	ļ				<b>_</b>
Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise  UEP91  URETL  11.20  1.10  UNETN  11.20  1.10  UNETN  11.20  1.10  UNETN  11.20  1.10  UNETN  11.20  1.10  UNETN  11.20  1.10  UNETN  11.20  1.11  UNETN  11.20  1.10  UNETN  11.20  1.11  INETN  INITIAL  INITIAL  INITIAL  INITIAL  INITIAL  INITIAL  INI				ļ								1		<b></b>	<b> </b>	<b> </b>	<b></b>
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP91 URETL 8.33 0.83  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.20 1.10  UNE-P CENTREX - SESS (Valid in All States) 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo UNE Port/Loop Combination Rates (Non-Design) 1 UEP95 13.13  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	8.3.22***			-	UEP91	URECA	0.00	73.93				<b></b>	ļ	<del>                                     </del>	<b> </b>	<b> </b>	<b>├</b>
Premise	Additio			-		+				<del>                                     </del>		<del>                                     </del>	ļ	<b> </b>	-	-	-
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP91 URETN 11.20 1.10 1.10 1.10 1.10 1.10 1.10 1.1					LIEDO1	LIDET		0.00	0.00								
End Use Premise				-	UEP91	UKEIL		8.33	0.83	<del>                                     </del>		<del>                                     </del>	ļ	<b> </b>	-	-	<del> </del>
UNE-P CENTREX - 5ESS (Valid in All States)   2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo					LIEDO1	LIDETN		44.00	4 40								
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	LINE			-	UEF91	UKETN		11.20	1.10						-	-	<del>                                     </del>
UNE Port/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-2 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-2 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-3 UEP95  3-Wire VG Loop/2-Wire				<del>                                     </del>		+						<b> </b>	}	<del> </del>	<b> </b>	<b> </b>	<del>                                     </del>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design				<b>!</b>		+				<del>                                     </del>		<del>                                     </del>	1	<del>                                     </del>	<b>l</b>	l	<del>                                     </del>
Non-Design	UNE P			1		+						1	<b> </b>				+
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design 2 UEP95 23.75 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - 2 UEP95 23.75				1	LIEP95		13 12										
Non-Design   2 UEP95   23.75				<del>- '-</del>	OL1 30	+	13.13			<del>                                     </del>		1		<del> </del>			<del>                                     </del>
2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -				2	UEP95		23.75										
					021 00	+	20.13					<b> </b>	<b>†</b>		<b> </b>	<b> </b>	<del>                                     </del>
1   DMC-DESCOL		Non-Design		3	UEP95		49.62						1				

																bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring	g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE P	ort/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Design		1	UEP95		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP95		26.71										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP95		51.82										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP95	UECS1	11.77										<b>└</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	22.39					1					
-+	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	48.26			<del>                                     </del>	-	ļ		<b> </b>	<del>                                     </del>	-	<del></del>
$\longrightarrow$	2-Wire Voice Grade Loop (SL 2) - Zone 1		2	UEP95 UEP95	UECS2	14.93 25.35			<del>                                     </del>					<del>                                     </del>		<del></del>
-+	2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95 UEP95	UECS2 UECS2	25.35 50.46			<del>                                     </del>	-	ļ		<b> </b>	<del>                                     </del>	-	<del></del>
			3	UEP95	UEC52	50.46					-					<del></del>
All Sta	ort Rate		-		+ +								-	<del></del>	-	<del></del>
All Sta	2-Wire Voice Grade Port (Centrex ) Basic Local Area		<del>                                     </del>	UEP95	UEPYA	1.36	38.85	19.08		<b> </b>	1		<del>                                     </del>	t	<b>l</b>	<del></del>
	2-Wire Voice Grade Port (Centrex ) Basic Local Alea  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.36	38.85	19.08					1			<del> </del>
	2-Wire Voice Grade Port (Centrex vith Caller ID)1Basic Local			OLI 33	OLI ID	1.50	30.03	13.00					1			<del> </del>
	Area			UEP95	UEPYH	1.36	38.85	19.08								
-+-	2-Wire Voice Grade Port (Centrex from diff Serving Wire		-	OLI 33	OLI III	1.50	30.03	13.00								
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.36	104.41	67.93								ĺ
-	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI 50	OLI IIII	1.00	104.41	01.00						1		
	Service Term - Basic Local Area			UEP95	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	1.36	38.85	19.08								l
	2-Wire Voice Grade Port Terminated on 800 Service Term -				1											
	Basic Local Area			UEP95	UEPY2	1.36	38.85	19.08								l
AL, KY	, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.36	38.85	19.08					Î			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP95	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		<u> </u>	UEP95	UEPQZ	1.36	104.41	67.93						ļ		
	OME Visco Octob Bod Control			LIEDOS	LIEDC 2									I		1
$\longrightarrow$	2-Wire Voice Grade Port terminated in on Megalink or equivalent		ļ	UEP95	UEPQ9	1.36	38.85	19.08	<u> </u>	-			ļ	-	<b> </b>	
	2-Wire Voice Grade Port Terminated on 800 Service Term		<u> </u>	UEP95	UEPQ2	1.36	38.85	19.08	-	-	ļ		<del>                                     </del>	<del>                                     </del>	<b> </b>	<del></del>
Local	Switching  Contray Intercom Funtionality, per part		<b>-</b>	UEP95	URECS	0.8577			<del>                                     </del>	-	ļ		<b> </b>	<del>                                     </del>	-	<del></del>
l sect	Centrex Intercom Funtionality, per port  Number Portability	<b>-</b>	<u> </u>	UEP95	UKEUS	0.8577					<del>                                     </del>			<del>                                     </del>		<del></del>
Local I	Local Number Portability (1 per port)		<u> </u>	UEP95	LNPCC	0.35			<del> </del>		1			+		$\vdash$
Feature			<u> </u>	OL1 30	LINECO	0.33			<del> </del>		1			+		$\vdash$
i catur	All Standard Features Offered, per port		<del>                                     </del>	UEP95	UEPVF	0.00			<del>                                     </del>				<del> </del>	<del>                                     </del>		<del></del>
-+	All Select Features Offered, per port		<del>                                     </del>	UEP95	UEPVS	0.00	412.25							<b>+</b>		<b>—</b>
-	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	712.20							<u> </u>		<b>—</b>
NARS	The second second per period			- "	1	3.55				İ			İ	1	İ	
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00			İ	1	İ	
— i	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
2-Wire	Trunk Side				i i	İ										
	Trunk Side Terminations, each			UEP95	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
1	DS1 Circuit Terminations, each			UEP95	M1HD1	68.47	196.18	92.92						L		<b>└</b>
$\longrightarrow$					M1HDO	0.00	14.06		1	1	1		1	1	1	1
	DS0 Channels Activated, each fice Channel Mileage - 2-Wire		-	UEP95	MILLIPO	0.00	14.00				ł			<b>†</b>		<del></del>

UNBUND	LED NETWORK ELEMEN	ITS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	Y RAT	E ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												1	-	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<b>—</b>			1			+	ı	Nonrec		Manragurrin	g Disconnect			000	Rates (\$)		
<b>—</b>			+	<u> </u>		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage	e, per mile or fraction of mile	+		UEP95	M1GBM	0.013	FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
Fea		x Loops on Channelized DS1 Servi	ce		OLI 95	WITODW	0.013										
	Channel Bank Feature Activat		Ī														
		Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.6497										
		Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.6497										
		Channel Bank FX Trunk Side Loop															
	Slot	No. of Part Co. of the Co.			UEP95	1PQW7	0.6497										
	Different Wire Center	Channel Bank Centrex Loop Slot -			UEP95	1PQWP	0.6497										
<del>     </del>	Dinerent wire Center		+	<del>                                     </del>	OFL.82	IFUVVF	0.0497				1				<del> </del>	<del> </del>	
	Feature Activation on D-4 C	Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.6497								I		
		Channel Bank Tjie Line/Trunk Loop	1		- "		3.0.01								1	İ	
	Slot	,			UEP95	1PQWQ	0.6497								I		
		channel Bank WATS Loop Slot			UEP95	1PQWA	0.6497										
Non	n-Recurring Charges (NRC) As																
		Combined Switch-As-Is with allowed			LIEDOE	110465							1		I		
	changes, per port	ture. Commerce Disale analy	-		UEP95 UEP95	USAC2 USACN		0.10 36.66	0.10 16.10								
<b></b>	Conversion of Existing Cen New Centrex Standard Con		-		UEP95 UEP95	M1ACS	0.00	680.40	16.10						-		
	New Centrex Customized C		+		UEP95	M1ACC	0.00	680.40				1			1		
	NAR Establishment Charge		1		UEP95	URECA	0.00	73.93							<u> </u>		
Add	ditional Non-Recurring Charge																
	Unbundled Miscellaneous	Rate Element, Tag Loop at End Use															
	Premise				UEP95	URETL		8.33	0.83								
		Rate Element, Tag Design Loop at															
	End Use Premise	L'a All Otatas)	-		UEP95	URETN		11.20	1.10								
	E-P CENTREX - DMS100 (Validate VG Loop/2-Wire Voice Gra		-			+									-		
	E Port/Loop Combination Rate		+	<u> </u>		+									<del> </del>		
0.41		ce Grade Port (Centrex) Port Combo	-														
	Non-Design	, , , , , , , , , , , , , , , , , , , ,		1	UEP9D		13.13										
	2-Wire VG Loop/2-Wire Voi	ce Grade Port (Centrex)Port Combo -															
	Non-Design			2	UEP9D		23.75										
		ce Grade Port (Centrex)Port Combo -	·														
L	Non-Design	(5.1.)		3	UEP9D		49.62										
UNE	E Port/Loop Combination Rate		-			+									-		
	Design	ce Grade Port (Centrex) Port Combo	1	1	UEP9D		16.29						1		I		
$\vdash$		ce Grade Port (Centrex)Port Combo -		+ '-	021 00	+ -	10.29			†	†	<b>-</b>	<b> </b>		t		
	Design	The second secon		2	UEP9D		26.71						1		I		
	2-Wire VG Loop/2-Wire Voi	ce Grade Port (Centrex)Port Combo -															
	Design			3	UEP9D		51.82										
UNE	E Loop Rate																
$\vdash$	2-Wire Voice Grade Loop (S		1	1	UEP9D	UECS1	11.77										
$\vdash$	2-Wire Voice Grade Loop (S		1		UEP9D	UECS1 UECS1	22.39 48.26			1	1	1	-		1	<del>                                     </del>	
$\vdash$	2-Wire Voice Grade Loop (\$ 2-Wire Voice Grade Loop (\$		+	3	UEP9D UEP9D	UECS1 UECS2	48.26 14.93			1	1	-	-		<del>                                     </del>	-	
$\vdash$	2-Wire Voice Grade Loop (\$		+	2	UEP9D	UECS2	25.35								<del> </del>		
	2-Wire Voice Grade Loop (\$		1	3	UEP9D	UECS2	50.46								1	1	
UNE	E Port Rate	,	İ	Ė							1				1		
	L STATES																
	2-Wire Voice Grade Port (C				UEP9D	UEPYA	1.36	38.85	19.08								
		entrex 800 termination)Basic Local													1		
$\vdash$	Area	restreet / EDC DCET/2Desiglet	1	-	UEP9D	UEPYB	1.36	38.85	19.08	1	1		<b> </b>		<del>                                     </del>	<b> </b>	
	2-Wire Voice Grade Port (C	entrex / EBS-PSET)3Basic Local			UEP9D	UEPYC	1.36	38.85	19.08								
		entrex / EBS-M5009)3Basic Local	1		OL1 3D	JLI 10	1.30	30.03	13.00						<b>—</b>		
1 1	Area				UEP9D	UEPYD	1.36	38.85	19.08				1		I		

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring Disco					Rates (\$)		
						Nec	First	Add'l	First A	dd'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															<u> </u>
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local			UEP9D	UEPYF	1.36	38.85	19.08								1
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local			UEP9D	UEPYG	1.36	38.85	19.08								
	Area			UEP9D	UEPYT	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local															
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local			UEP9D	UEPYV	1.36	38.85	19.08								
	Area			UEP9D	UEPY3	1.36	38.85	19.08								
,	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			UEP9D	UEPYJ	1.36	38.85	19.08								
	2,3-Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPYM	1.36	104.41	67.93								
	Basic Local Area			UEP9D	UEPYO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area			UEP9D	UEPYQ	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPYR	1.36	104.41	67.93								-
	Basic Local Area			UEP9D	UEPYS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4 Basic Local Area			UEP9D	UEPY4	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4															
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPY6	1.36	104.41	67.93								
	Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP9D	UEPY7	1.36	104.41	67.93								<del>                                     </del>
	Term 2,3			UEP9D	UEPYZ	1.36	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic															
AL. K	Local Area (, LA, MS, SC, & TN Only		$\vdash$	UEP9D	UEPY2	1.36	38.85	19.08								
, K	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.36	38.85	19.08								<b>†</b>
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.36	38.85	19.08								<del>                                     </del>
<del>-  </del>	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		-	UEP9D	UEPQE	1.36	38.85	19.08			-	-	<del>                                     </del>	<del> </del>	<del>                                     </del>	-
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPQF UEPQG	1.36	38.85	19.08			-	-	<del>                                     </del>	<del> </del>	<del>                                     </del>	-
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4		-	UEP9D UEP9D	UEPQG	1.36 1.36	38.85 38.85	19.08 19.08	<del>                                     </del>							+
+	2-Wire Voice Grade Port (Centrex / EBS-M5008)4  2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.36	38.85	19.08	<del>                                     </del>				<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>
-	2-Wire Voice Grade Port (Centrex / EBS-M5206)4  2-Wire Voice Grade Port (Centrex / EBS-M5216)4	<b>-</b>		UEP9D	UEPQV	1.36	38.85	19.08	<del>                                     </del>				<b> </b>	<b> </b>	<b> </b>	<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5216)4			UEP9D	UEPQ3	1.36	38.85	19.08					1	1	1	1
<del></del>	2-Wire Voice Grade Port (Centrex with Caller ID)		<del>                                     </del>	UEP9D	UEPQH	1.36	38.85	19.08			<b>-</b>	<b>-</b>				<b>†</b>

UNBUNDLE	D NETWORK ELEMENTS - Louisiana													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
1						1	Nonrec	urring	Monrocurring	g Disconnect				Rates (\$)	DISC 1St	DISC Add I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp															
	Indication)4 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D UEP9D	UEPQW UEPQJ	1.36 1.36	38.85 38.85	19.08 19.08			1				-	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OEF9D	UEFQJ	1.30	30.00	19.06								
	2,3			UEP9D	UEPQM	1.36	104.41	67.93								
	O Wire Vaire Crede Dort (Control/differ CWC /FDC DCFT) 2.2.4			LIEDOD	LIEDOO	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.30	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.36	104.41	67.93								
	O.M. Veira Ora la Part (O. star / IIII a OMO /EDO E000)0 0 4			LIEDOD	LIEDOO	4.00	101.11	07.00								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.36	104.41	67.93			1					
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		L	UEP9D	UEPQR	1.36	104.41	67.93				<u></u>			<u> </u>	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.36	104.41	67.93								
	, , , , , , , , , , , , , , , , , , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.36	104.41	67.93								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.36	104.41	67.93								
	2 Wile Voice Grade For (Golding Valle) GV 6 / EBG MGE 16/2;G; T			02.02		1.00		07.00								
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.36	104.41	67.93								
	Term 2,3			UEP9D	UEPQZ	1.30	104.41	67.93								
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.36	38.85	19.08								
Local	Switching Centrex Intercom Funtionality, per port			UEP9D	URECS	0.8577					1				-	
Local	Number Portability			OLI 9D	ONLOG	0.0377										
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP9D	UEPVF	0.00	110.05									
	All Select Features Offered, per port			UEP9D UEP9D	UEPVS UEPVC	0.00	412.25				1				1	
NARS	All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00									-	
IVANO	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00	+				-	
<del></del>	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
Misce	Ilaneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.29	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	68.47	196.18	98.62								
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.06				1					
Intero	ffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.60	39.36	26.62			-					
_	Interoffice Channel mileage, per mile or fraction of mile		-	UEP9D	M1GBM	0.013	39.30	20.02			+				-	
Featur	re Activations (DS0) Centrex Loops on Channelized DS1 Service	e		02.00		0.010					<del>                                     </del>	-			<b>-</b>	
	annel Bank Feature Activations									İ					1	İ
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.6497			<u> </u>	İ						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.6497										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.6497									l	<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.6497										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot			UEP9D	1PQWQ	0.6497										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.6497										
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		36.66	16.10								
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	680.40									
		New Centrex Customized Common Block	ļ		UEP9D	M1ACC	0.00	680.40							<b></b>		
		NAR Establishment Charge, Per Occasion	ļ		UEP9D	URECA	0.00	73.93							<b></b>		
	Additio	onal Non-Recurring Charges (NRC)	ļ												<b></b>		
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise	ļ		UEP9D	URETL		8.33	0.83						<b></b>		
		Unbundled Miscellaneous Rate Element, Tag Design Loop at				l											
		End Use Premise			UEP9D	URETN		11.20	1.10								
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)								ļ							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1		LIEDOE		40.40										
		Non-Design	-	1	UEP9E		13.13			<u> </u>							
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		_	LIEDOE		22.75										
		Non-Design		2	UEP9E	_	23.75										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP9E		49.62										
-	LINE D	ort/Loop Combination Rates (Design)	-	3	UEP9E	+	49.62			<del> </del>			-				
	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1			+				1			1		-		
		Design	1	1	UEP9E		16.29										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	1		OLFBL	+	10.29			1			1		-		
		Design		2	UEP9E		26.71										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI SL		20.71			<b>+</b>							
		Design		3	UEP9E		51.82										
	UNFI	oop Rate			OLI OL		01.02			t							
	0.112 2.	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	11.77			t							
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	22.39						1				
		2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP9E	UECS1	48.26								<u> </u>	1	
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	14.93			1				İ	1	İ	
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	25.35								t	İ	
		2-Wire Voice Grade Loop (SL 2) - Zone 3	1	3	UEP9E	UECS2	50.46								İ	İ	
	UNE P	ort Rate	İ														
		, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
		Area	<u> </u>		UEP9E	UEPYB	1.36	38.85	19.08			<u></u>	<u></u>	<u> </u>	<u> </u>	<u> </u>	
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
		Area	<u> </u>		UEP9E	UEPYH	1.36	38.85	19.08					<u> </u>		L	
		2-Wire Voice Grade Port (Centrex from diff Serving Wire							-		-	1					
		Center)2,3 Basic Local Area	<u></u>		UEP9E	UEPYM	1.36	104.41	67.93					<u></u>			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
		Service Term - Basic Local Area			UEP9E	UEPYZ	1.36	104.41	67.93								
		2-Wire Voice Grade Port terminated in on Megalink or equivalent															
		- Basic Local Area			UEP9E	UEPY9	1.36	38.85	19.08					<u> </u>			
		2-Wire Voice Grade Port Terminated on 800 Service Term -							-		-	1					
		Basic Local Area			UEP9E	UEPY2	1.36	38.85	19.08								
	AL, KY	', LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.36	38.85	19.08								
		2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP9E	UEPQB	1.36	38.85	19.08							ļ	
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E	UEPQH	1.36	38.85	19.08								

MRONDI	DLED NETWORK ELEMENTS - Louisiana													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
			1			_	Nonrec	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wi	re														
	Center)2,3			UEP9E	UEPQM	1.36	104.41	67.93								
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3	- 800														
	Service Term			UEP9E	UEPQZ	1.36	104.41	67.93								
					1											
-	2-Wire Voice Grade Port terminated in on Megalink or			UEP9E	UEPQ9	1.36	38.85	19.08			ļ					<del></del>
1.00	2-Wire Voice Grade Port Terminated on 800 Service To	erm	1	UEP9E	UEPQ2	1.36	38.85	19.08					1	1	-	<del></del>
Loc	Centrex Intercom Funtionality, per port		<u> </u>	UEP9E	URECS	0.8577							-	-	-	+
1.00	ocal Number Portability		+	UEF9E	UKECS	0.0577					<b> </b>		-	-	-	+
LUC	Local Number Portability (1 per port)		1	UEP9E	LNPCC	0.35					<b>+</b>			-		+
Fea	atures	+			1	0.00							1	1	1	<b>†</b>
- 1	All Standard Features Offered, per port			UEP9E	UEPVF	0.00					Ì		1	1	1	1
$\neg$	All Select Features Offered, per port		1	UEP9E	UEPVS	0.00	412.25									1
	All Centrex Control Features Offered, per port			UEP9E	UEPVC	0.00										
NAF								•								
	Unbundled Network Access Register - Combination			UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP9E	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial		ļ	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00						
	scellaneous Terminations				+						ļ					
2-VV	Wire Trunk Side Trunk Side Terminations, each		_	UEP9E	CEND6	8.29	115.85	18.20			<b>.</b>		-	-	-	+
4-10/	Wire Digital (1.544 Megabits)		+	UEP9E	CENDO	8.29	115.85	18.20			<b> </b>		-	-	-	+
4-44	DS1 Circuit Terminations, each		1	UEP9E	M1HD1	68.47	196.18	92.92			1		-	-	-	+
-+	DS0 Channel Activated Per Channel		1	UEP9E	M1HD0	0.00	14.06	32.32			<b>+</b>			-		+
Inte	teroffice Channel Mileage - 2-Wire			OLI OL	WIIIIDO	0.00	14.00				1					1
	Interoffice Channel Facilities Termination		1	UEP9E	M1GBC	22.60	39.36	26.62			İ					1
	Interoffice Channel mileage, per mile or fraction of mile	е		UEP9E	M1GBM	0.013										1
Fea	ature Activations (DS0) Centrex Loops on Channelized I	DS1 Service														1
D4 (	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop	Slot		UEP9E	1PQWS	0.6497										
					1											
	Feature Activation on D-4 Channel Bank FX line Side		ļ	UEP9E	1PQW6	0.6497										
	Feature Activation on D-4 Channel Bank FX Trunk Sid	le Loop		LIEDOE	1PQW7	0.0407										
-+	Slot	Clas	1	UEP9E	1PQW7	0.6497					-					+
	Feature Activation on D-4 Channel Bank Centrex Loop Different Wire Center	J 3101 -		UEP9E	1PQWP	0.6497						1	I	I	I	
-+	Dinerent Wife Center	+		OLI DL	IFQVF	0.0497			<del>                                     </del>		<b> </b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	Feature Activation on D-4 Channel Bank Private Line L	Loop Slot		UEP9E	1PQWV	0.6497						1	I	I	I	
-	Feature Activation on D-4 Channel Bank Tjie Line/Trur			İ	1	,,,,,,,,							1	1	1	<b>T</b>
	Slot	·		UEP9E	1PQWQ	0.6497			<u>                                      </u>				<u> </u>	<u> </u>	<u> </u>	1
	Feature Activation on D-4 Channel Bank WATS Loop			UEP9E	1PQWA	0.6497										
Non	on-Recurring Charges (NRC) Associated with UNE-P Cen															<u> </u>
	NRC Conversion Currently Combined Switch-As-Is wit	h allowed														
$-\!\!\!\!+\!\!\!\!\!-$	changes, per port			UEP9E	USAC2		0.10	0.10					ļ	ļ	ļ	<b>↓</b>
$-\!\!+\!\!\!-$	Conversion of Existing Centrex Common Block, each		1	UEP9E	USACN	0.00	36.66	16.10					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
-+	New Centrex Standard Common Block New Centrex Customized Common Block		1	UEP9E UEP9E	M1ACS M1ACC	0.00	680.40 680.40		<u> </u>		1		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
-+	NAR Establishment Charge, Per Occasion		1	UEP9E UEP9E	URECA	0.00	73.93				<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
Δdc	Iditional Non-Recurring Charges (NRC)	+	<b>t</b>	OL1 0L	UNLOA	0.00	13.33		<del>                                     </del>		1	<u> </u>	<del> </del>	<del> </del>	<del> </del>	+
Add	Unbundled Miscellaneous Rate Element, Tag Loop at	End Use			+ +								<b>†</b>	<b>†</b>	t	<del>                                     </del>
	Premise			UEP9E	URETL		8.33	0.83				1	I	I	I	
	Unbundled Miscellaneous Rate Element, Tag Design	Loop at		1							İ					1
	End Use Premise			UEP9E	URETN		11.20	1.10	<u>                                      </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>
	NE-P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)															
	Wire VG Loop/2-Wire Voice Grade Port (Centrex) Combo				$\bot$											
	NE Port/Loop Combination Rates (Non-Design)	1	i	I	1						1	I	1	1	1	1
UNE	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Po		+			-					1	1	1		1	

UNBUNDLE	D NETWORK ELEMENTS - Louisiana												Attach	ment: 2	Exhi	ibit: A
													Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted		Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
					+		Monroe		Monroourring	n Dissennest	-		220	Potos (f)		
-					+	Rec	Nonrec First	Add'l	Nonrecurring First		SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	2 Wire VG Loop/2 Wire Voice Grade Port (Centrey)Port Comba				+		FIISL	Add I	FIISL	Add'l	SOWIEC	SOWAN	SOWAN	SOWAN	SOMAN	SOWAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		23.75										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLI 33	+	25.75					+					+
	Non-Design		3	UEP93		49.62										
UNF P	ort/Loop Combination Rates (Design)		Ŭ	02. 00		10.02						1			1	<u> </u>
10.1.2.1	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
	Design		1	UEP93		16.29										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		2	UEP93		26.71			I						I	
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -									ĺ			ĺ			
	Design		3	UEP93		51.82			I						I	
UNE Lo	pop Rate															
İ	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	11.77										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	22.36										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	48.26										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	14.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	25.35										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	50.46										
UNE P	ort Rate															
AL, KY	, LA, MS, & TN only															
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP93	UEPYA	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area			UEP93	UEPYB	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP93	UEPYH	1.36	38.85	19.08								
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.36	104.41	67.93								ļ
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.36	104.41	67.93								ļ
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.36	38.85	19.08								
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.36	38.85	19.08								<b>.</b>
	2-Wire Voice Grade Port (Centrex )		-	UEP93	UEPQA	1.36	38.85	19.08								<b>.</b>
	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB	1.36	38.85	19.08								-
<del>                                     </del>	2-Wire Voice Grade Port (Centrex with Caller ID)1	-	-	UEP93	UEPQH	1.36	38.85	19.08	<del>                                     </del>	-	+	1	<b> </b>	-	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDO2	LIEDOM	4 20	104.44	67.00	I						I	
<del>                                     </del>	Center)2,3	<b>-</b>	+	UEP93	UEPQM	1.36	104.41	67.93	<del>                                     </del>		+	-		-	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			LIEDO2	UEPQZ	4 20	104.44	67.00	I						I	
<del>                                     </del>	Service Term	-	<del>                                     </del>	UEP93	UEFUL	1.36	104.41	67.93	<del>                                     </del>	1	+		1	<b> </b>	<del>                                     </del>	<b></b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.36	38.85	19.08	I						I	
<del>                                     </del>	2-Wire Voice Grade Port terminated in on Wegalink of equivalent	<b>-</b>		UEP93	UEPQ2	1.36	38.85	19.08	<del>                                     </del>	<u> </u>	+	<b>-</b>	<b> </b>		t	<del>                                     </del>
l ocal 9	Switching	<b>-</b>		021 00	JL1 42	1.50	30.03	13.00	<del>                                     </del>	<u> </u>	+	<b>-</b>	<b> </b>		t	<del>                                     </del>
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.8577			<u> </u>		1				<u> </u>	<b>†</b>
Local I	Number Portability					3.00.1			i	İ			İ	İ	1	
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature										ĺ			ĺ			
	All Standard Features Offered, per port			UEP93	UEPVF	0.00	73.93	27.14		ĺ			ĺ			
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00	73.93	27.14		1			1			
NARS																
	Unbundled Network Access Register - Combination			UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						
İ	Unbundled Network Access Register - Indial			UEP93	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP93	UAROX	0.00	0.00	0.00	0.00	0.00						
Miscel	laneous Terminations															
	Trunk Side															
	Trunk Side Terminations, each			UEP93	CEND6	8.27	115.85	18.20								
4-Wire	Digital (1.544 Megabits)															
I I —	DS1 Circuit Terminations, each			UEP93	M1HD1	68.47	196.18	92.92								

CATEGORY RATE ELEMENTS    Interior m   Zone m   BCS   USOC   RATES (\$)   Submitted Electronic- 1st   Charge - Manual Svc Norte vs. Electronic- 1st   Add'l Disc 1st   Disc 1st	
RATE ELEMENTS Intering Manual Svc Ma	ncremental
RATE ELEMENTS Intering RATE ELEMENTS Intering RATE ELEMENTS Intering RATE ELEMENTS Intering RATE ELEMENTS Intering RATE ELEMENTS Intering RATE ELEMENTS IN Per LSR Manual Svc Ma	Charge -
CATEGORY   RATE ELEMENTS	
m   Rec   Nonrecurring   Nonrecurring   Sconnect   Electronic   Sit   Add"   Some   So	Order vs.
1st Add'  Disc 1st	Electronic-
Nonrecurring   Nonr	
DSO Channels Activated, Per Channel   UEP93   MIHDO   0.00   14.06	Disc Add'l
DS0 Channels Activated, Per Channel  DS0 Channels Activated, Per Channel  Interoffice Channel Mileage - 2-Wire  Interoffice Channel Mileage - 2-Wire  Interoffice Channel Mileage, per mile or fraction of mile  UEP93 MIGBC 22.60 39.36 26.62  Interoffice Channel Mileage, per mile or fraction of mile  UEP93 MIGBM 0.013  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93 1PQWS 0.6497  Feature Activation on D-4 Channel Bank FX Trunk Slide Loop  Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - UEP93 1PQWP 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93 1PQWP 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93 1PQWV 0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93 1PQWV 0.6497  Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop  Slot  Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop  Slot  UEP93 1PQWV 0.6497  Feature Activation on D-4 Channel Bank Tile Line/Trunk Loop  Slot  UEP93 1PQWQ 0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93 1PQWQ 0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93 1PQWQ 0.6497	
Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination Interoffice Channel Bileage, per mile or fraction of mile UEP93 M1GBM 0.013 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP93 1PQWS 0.6497 Feature Activation on D-4 Channel Bank FX Line Side Loop Slot UEP93 1PQW7 0.6497 Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1PQWP 0.6497 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1PQWP 0.6497 Feature Activation on D-4 Channel Bank Fixe Line Cope Slot Feature Activation on D-4 Channel Bank Fixe Line Cope Slot Feature Activation on D-4 Channel Bank Fixe Line Cope Slot Feature Activation on D-4 Channel Bank Fixe Line Cope Slot Feature Activation on D-4 Channel Bank Fixe Line Cope Slot Feature Activation on D-4 Channel Bank Fixe Line Cope Slot UEP93 1PQWQ 0.6497 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP93 1PQWQ 0.6497 Feature Activation on D-4 Channel Bank Warts Loop Slot UEP93 1PQWQ 0.6497	SOMAN
Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel mileage, per mile or fraction of mile Interoffice Channel Mileage, per mile or fraction of mileage, per m	
Interoffice Channel mileage, per mile or fraction of mile  Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  UEP93  1PQW6  0.6497  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  UEP93  1PQW7  0.6497  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP93  1PQWP  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot  UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot  UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93  1PQWQ  0.6497  O.6497	
Feature Activations (DS0) Centrex Loops on Channelized DS1 Service  D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.6497  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  UEP93  1PQW6  0.6497  Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Slot  UEP93  1PQW7  0.6497  Feature Activation on D-4 Channel Bank Centrex Loop Slot -  Different Wire Center  UEP93  1PQWP  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop  Slot  UEP93  1PQWQ  0.6497  UEP93  1PQWQ  0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93  1PQWQ  0.6497  O.6497	
D4 Channel Bank Feature Activations  Feature Activation on D-4 Channel Bank Centrex Loop Slot  UEP93  1PQWS  0.6497  Feature Activation on D-4 Channel Bank FX Line Side Loop Slot  UEP93  1PQW6  0.6497  Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP93  1PQWP  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot  UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop UEP93  1PQWQ  0.6497  UEP93  1PQWQ  0.6497  UEP93  1PQWQ  0.6497	
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot    Feature Activation on D-4 Channel Bank FX Line Side Loop Slot   UEP93   1PQW6   0.6497	
Feature Activation on D-4 Channel Bank FX Line Side Loop Slot    Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot   UEP93   1PQW7   0.6497	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93  1PQWV  0.6497  0.6497  1PQWV  0.6497  1PQWQ  0.6497  1PQWQ  0.6497  1PQWQ  0.6497	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot  Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Private Line Loop Slot  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot  Feature Activation on D-4 Channel Bank WATS Loop Slot  UEP93  1PQWV  0.6497  0.6497  1PQWV  0.6497  1PQWQ  0.6497  1PQWQ  0.6497  1PQWQ  0.6497	
Slot	
Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center  UEP93  1PQWP  0.6497  Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93  1PQWV  0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93  1PQWQ  0.6497  UEP93  1PQWQ  0.6497  UEP93  1PQWQ  0.6497	
Different Wire Center	
Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP93 1PQWV 0.6497  Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93 1PQWQ 0.6497  Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 1PQWQ 0.6497	
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93 1PQWQ 0.6497 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 1PQWA 0.6497	
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot UEP93 1PQWQ 0.6497 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 1PQWA 0.6497	
Slot   UEP93	
Feature Activation on D-4 Channel Bank WATS Loop Slot UEP93 1PQWA 0.6497	
Non-Recurring Charges (NRC) Associated with UNE-P Centrex	
NRC Conversion Currently Combined Switch-As-Is with allowed	
Conversion of Existing Centrex Common Block, each UEP93 USACN 36.66 16.10	
New Centrex Standard Common Block UEP93 M1ACS 0.00 680.40	
New Centrex Customized Common Block UEP93 M1ACC 0.00 680.40	
NAR Establishment Charge, Per Occasion UEP93 URECA 0.00 73.93	
Additional Non-Recurring Charges (NRC)	
Unbundled Miscellaneous Rate Element, Tag Loop at End Use	
Unbundled Miscellaneous Rate Element, Tag Design Loop at	
End Use Premise	
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD	
Note 2 - Requres Interoffice Channel Mileage	
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port	
Note 4 - Requires Specific Customer Premises Equipment	
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.	

CATEGORY   PATE ELEMENTS   Pass   P	HINDI	INDLE	D NETWORK ELEMENTS Mississippi												Assach		Ful-ii	L.:4. A
ATE ELEMENTS    Married   Description   Desc	ONDU	MULE	D NET WORK ELEMENTS - MISSISSIPPI										Svc Order	Svc Order				
ACTECONY  RATE ELEMENTS  More and the sections for stand-allocate loops or loops as part of a commission refers to designability description of the commission. The commission of the commission of the commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission. The Commission of the commission of the commission of the commission of the commission of the commission. The Commission of the commission of the																		
CATECORY  PATE ELEMENTS  PATE AND A CONTROLLA AND A CONTROLL AND A CONTROLLA																_		_
Bisecretories Electronics Electronics Electronics Electronics Electronics Electronics Electronic Electronics Electronics Electronic Electronics Electr	CATEG	GORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			1					
The "Cone" shown in the sections for steart-shown loops or loops as part of a combination refers to Group ships the property of the control of the combination of the section for steart-shown loops or loops as part of a combination refers to Group ships the combination of the section better than the combination and the combination of the section better than the combination of the section of t				m						- (1)			per LSK	per LSK				
Proceedings of the process of the pr																		
The "State" shown in the pacification of stand-alloes loops or loops as part of a combination refers to Society by Namerican Uniforms, for the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the state specific Commission of the combination of the																	DISC 1St	DISC Aud I
The "Some" shown in the sections for stand-alone loops or loops as part of a combination refers to Groupshically Deveraged URE Zone. To view Geographically Deveraged URE Zone Designations by Central Office, refer to interest Virolates.  The "Development in the control combination and the combination and t								Pac										
http://www.interconnection.htts/buth.com/bucombs.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.								Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
http://www.interconnection.htts/buth.com/bucombs.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.ac.					L			L	<u> </u>		<u> </u>	L	<u> </u>			L.,,,,,,		
GENERAL SUPPORT SYSTEMS (CASS) - "RECONAL NATES"  NOTE: (1) CLE should consist some concerning apparent of it prefers the "state specific" OSS charges as ordered by the State Commissions. The OSS charges committy contained in this rate exhibit set the BallSouth "regional" service ordering charges. CLEC may be a state.  NOTE: (1) Any desirent flat can be ordered electronically will be billed according to the State.  NOTE: (2) Any desirent flat can be ordered electronically will be billed according to the State.  NOTE: (3) Any desirent flat can be ordered electronically will be billed according to the State.  NOTE: (3) Any desirent flat can be ordered electronically will be billed according to the State.  SOMAN, will be applied to CLEC bill when it submits an LER to BallSouth.  OSS Electronic Protect Page, Per Local States and the canada and the canad							ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designatio	ons by Cent	ral Office, refe	er to internet	Website:	
NOTE (1) CLCC should consist its contract negotiator if it profess the "state specific OSS charges as ordered by the State Commissions. The OSS charges carried with a state specific Commission ordered retards on the state specific Commission ordered retards on the state specific Commission ordered retards on the state specific Commission ordered retards on the state of the retard of the control ordered control ordered specific Commission ordered retards on the state of the commission ordered destronal ordered specific Commission ordered destronal ordered specific Commission ordered destronal ordered specific Commission ordered destronal ordered specific Commission ordered destronal ordered specific Commission ordered destronal ordered specific Commission or the specific Commission order ordered destronal ordered specific Commission ordered destronal ordered production or the specific Commission order ordered destronal ordered production ordered prod	ODED			rconnec	tion.nt	m			ı	ı	ı	1	1	1	1	I		1
select chiner the state specific Commission ordered rates for the service ordering charges, over CLEC has a interconnection contract established bed by a data.  In the part of the service ordering charges, over CLEC has a interconnection contract established bed by a data.  In the part of the service ordering charges, over the service ordering charges, over the service ordering charges.  In the part of the service ordering charges in the category reflects the charges that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge.  In the part of the category reflects the charges that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge.  In the part of the category reflects the charges that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge.  In the part of the category reflects the charges that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge.  In the part of the category reflects the charges that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charges.  In the part of the charges of the charges of the charges that the charges that element. Otherwise, the manual ordering charges.  In the part of the charges of the charges of the charges of the charges that element. Otherwise, the manual ordering charges.  In the part of the charges of t	OPERA			o "etate	cnoci	io" OSS charges as a	ardered by t	ho Stato Comm	iccione Tho	DSS charges o	urrontly contai	inad in this rat	o ovhibit ar	the Bellee	uth "rogional	" corvice orde	ring charges	CI EC may
Legical States.  NOTE: C) Any deserent than be ordered electronically will be bibled secondary to the SOMEC rate inted in this category. Please refer to BelliSouth's Local Ordering Handbook (LOH) to determine it a product can be ordered electronically. For those elements of the control of t																		
NOTE: (3) Any element that can be ordered electronically will be billed according to the SOMEC rate listed in this category. Phase series to BellSouth's Local Drafting phasinics come on-line for that element. Otherwise, the named ordering destronically. For those element that came to endered electronically are present per this. Other this is the SOMEC rate in this category reflects the charge that would be billed to a CLEC's bill when it submits is it. Set to BellSouth.    South				ice orac	illig ci	larges, or occomay	elect the reg	gioriai sei vice i	ordering charg	e, nowever, or	LO Call Hot Of	Jiani a mixture	or the two	regardiess i	i ollo ilas a	merconnecti	on contract e	Stabilished III
Third cannot be ordered electronically at present per the LOH, the liteded SOMEC rise in this category reflects the charge that would be billed to a CLEC once electronic ordering capabilities come on-line for that element. Otherwise, the manual ordering charge, SOMAN, will be perfected to ELECTRONIC CHARGE.   SOMEC   3.50   0.00   3.50   0.00				ed acco	rdina	to the SOMEC rate lis	ted in this o	ategory. Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronica	IIV. For those	e elements
SOMAN, will be applied to a CLECk bit when it submits an LSR is Berlisouts.																		
OSS - Flestronic Service Order Charge, Per Local Service   SOMEC   3.60   0.00   3.50   0.00						o in this outegory for	coto tile olic	inge that would	a be billed to d	OLLO ONOC CI	otronio oracii	ng capabilities	o come on n	no ioi that i	orement. Oth	ciwioc, the mi	andar Ordering	g onange,
Reguest LERF, LIVE Carry					Ė													
OSS - Namual Service Order Change, Per Local Service Requests   SOMAN   15.75   0.00   1.97   0.00							SOMEC		3.50	0.00	3.50	0.00						
INCIDENT   The Expedite charge will be maintained commensurate with BellSouth's FCC No.1 Tariff, Section 5 as applicable.																		
NOTE: The Expedite charge will be maintained commensurate with BellSouths FCC No. 1 Tariff, Section 3 as applicable.							SOMAN		15.75	0.00	1.97	0.00						
UAL UEANL UCL UEF, UPF, UEC, UEA, UEF, UPF, UEC, UEA, UEA, ULTT2, UTT48, UTT72, UTT48, UTT72, UTT48, UTT74, UTT03, UURED, UFFE, UFFE, UCRC	UNE S																	
UFF, UPF, UPC, UPC, UPC, UPC, UPC, UPC, UPC, UPC		NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FO	C No.1 Tariff, Section	n 5 as appli	cable.										
UFF, UPF, UPG, UPG, UPG, UPG, UPG, UPG, UPG, UPG																		
UNBUNCED EXCHANGE ACCESS LOOP  UNBUNCED EXCHANGE ACCESS LOOP  2-Wire Analog Voice Grade Loop: Service Level 1-Zone 1 1 UEANL UEAL2 12:03 37:62 17:55 23:48 5.25 1 2 VEANL OF VOICe Access Level 1-Zone 1 1 UEANL UEAL2 12:03 37:62 17:55 23:48 5.25 1 2 VEANL OF VOICe Access Level 1-Zone 1 1 UEANL UEAL2 14:03 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:02 17:55 23:48 5.25 1 2 VEANL UEAL3 14:07 37:0																		
URE Expedite Charge per Circuit or Line Assignable USOC, per DITUD, UNDIS, UNDI																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNBUNCLED EXCHANGE ACCESS LOOP  U																		
UTIDI, UTIDIS,																		
U1TDX, U1TG3, U1TG4,																		
UTST, UTINX, UCIGC, UCIGE, UCICE, UCI																		
UCICC, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIDL, UCIPL, UC																		
UC1CC, UC1CEL,																		
UCIFEC, UCIFEL, UCIFEC, UCIFEL, UCIFEC, UCIFEL, UCIFEC						UC1CC, UC1CL,												
UCHFC, UCHFL,						UC1DC, UC1DL,												
UC1GC, UC1GL, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC, UC1HL, UC1HC,																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNTID, UNDAS, UNDA																		
UDL12, UDL48, UDD1, UDD3, ULD7, UD7, UD7, UD7, UD7, UD7, UD7, UD7, U																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per UNEX, UNC3X, UNC3X, UNC0X																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEA12 12.03 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 43.85 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 4 UEANL UEA12 15.87 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 15.87 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 15.87 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 15.87 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEA12 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEAL2 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 15.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.88 37.92 17.55 23.48 5.25 1 2-Wire Analog Voice Grade Loop - Service Level 1-																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNEDINAL ULDO, UNCIX,																		
ULDD3, ULDD4, ULDD5, ULDD5, ULDD5, ULDD5, ULDD7, ULDD7, UNDCX, UN																		
ULDO3, UL																		
ULDVX, UNC1X, UNC3X, UNCDX, UNC3X, UNCDX, UNCNX, UNLD1, UNLD1, UNLD3, UXTD1, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UXTD3, UXTD1, UX																		
UNC3X, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNCOX, UNLD1, UNLD3, UXTS1, UNTD1, UXTD3, UXTS1, UTTUC, U1TUD, U1TUB, U1TUA SDASP 200.00  UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25 1 12.04 17.05 23 10.00 17																		
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day UNBUNDLED EXCHANGE ACCESS LOOP  2-WIRE ANALOG VOICE GRADE LOOP  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 12.03 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 1 UEANL UEAL2 38.5 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 38.5 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 25.68 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25  3-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEASL 43.85 37.92 17.55 23.48 5.25																		
UNBUNDLED EXCHANGE ACCESS LOOP UNBUNDLED EXCHANGE ACCESS LOOP 2-WIRE ANALOG VOICE GRADE LOOP 2-WIRE ANALOG VOICE GRADE Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 3 JEANL UEAL2 12.03 37.92 17.55 23.48 5.25 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 JEANL UEAL2 25.68 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4 4 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEAL2 43.85 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 12.03 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 1 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 16.87 37.92 17.55 23.48 5.25 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 3 UEANL UEASL 25.68 37.92 17.55 23.48 5.25 23.48 5.25 23.48 5.25 23.48 24.00 25.68 26.78 26.7						UNCNX, UNCSX,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day U1TUC, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUD, U1TUB, U1TUA SDASP 200.00    UNBUNDLED EXCHANGE ACCESS LOOP						UNCVX, UNLD1,												
UNE Expedite Charge per Circuit or Line Assignable USOC, per Day						UNLD3, UXTD1,												
Day																		
UNBUNDLED EXCHANGE ACCESS LOOP   2-WIRE ANALOG VOICE GRADE LOOP   1 UEANL UEAL2   12.03   37.92   17.55   23.48   5.25   1			1															
2-WIRE ANALOG VOICE GRADE LOOP						U1TUB, U1TUA	SDASP		200.00									
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1   1 UEANL UEAL2   12.03   37.92   17.55   23.48   5.25	UNBUN			-	<u> </u>						-	<del>                                     </del>	<b> </b>	-	<del>                                     </del>			<del> </del>
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2 UEANL UEAL2 16.87 37.92 17.55 23.48 5.25 2	-	Z-WIRE		<b>-</b>	1	ΙΙΕΔΝΙ	ΠΕΔΙΟ	12.02	27.02	17 FF	22 40	E 0E	1		-	1		-
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   3   UEANL   UEAL2   25.68   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4   UEANL   UEAL2   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1   1   UEANL   UEASL   12.03   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2   2   UEANL   UEASL   16.87   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   3   UEANL   UEASL   16.87   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   3   UEANL   UEASL   25.68   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1- Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25     23.48   5.25     23.48   5.25     23.48   5.25     23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48   23.48	-	+		<b>-</b>											-	1		-
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4   4 UEANL UEAL2   43.85   37.92   17.55   23.48   5.25	$\vdash$	+		<b>H</b>											<del> </del>	1		<del>                                     </del>
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1		<b>†</b>										<b>-</b>		1		
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2   2   UEANL   UEASL   16.87   37.92   17.55   23.48   5.25		1													1			1
2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3   3   UEANL   UEASL   25.68   37.92   17.55   23.48   5.25     2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4   UEANL   UEASL   43.85   37.92   17.55   23.48   5.25		1													İ			İ
2-Wire Analog Voice Grade Loop - Service Level 1-Zone 4		1											1		İ			İ
Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEANL URETL 8.33 0.83		1		1										İ	İ			İ
Premise         UEANL         URETL         8.33         0.83																		
Loop Testing - Basic 1st Half Hour	L																	
			Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36								

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEANL	UREWO		15.75	8.92								
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.51	13.51								
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.20	8.20								
	Order Coordination for Specified Conversion Time for UVL-SL1															l
	(per LSR)			UEANL	OCOSL		18.19	18.19								
2-WIRE	Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop - Non-Designed Zone 1			UEQ	UEQ2X	11.01	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2			UEQ	UEQ2X	11.51	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3		3	UEQ	UEQ2X	11.57	36.53	16.16	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 4		4	UEQ	UEQ2X	13.10	36.53	16.16	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User													l		1
	Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															1
	Non-Designed (per loop)			UEQ	USBMC		8.20	8.20								<u> </u>
	Unbundled Copper Loop, Non-Design Copper Loop, billing for															
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.51	13.51								
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.36	34.36								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.97	19.97								
	CLEC to CLEC Conversion Charge Without Outside Dispatch			UEQ	UREWO		14.24	7.42								
UNBUNDLED I	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEALS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 1		1	UEPSR UEPSB	UEABS	12.03	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEALS	16.87	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2		2	UEPSR UEPSB	UEABS	16.87	37.92	17.55	23.48	5.25						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	25.68	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEABS	25.68	37.92	17.55	23.48	5.25						ĺ
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 4		4	UEPSR UEPSB	UEALS	43.85	37.92	17.55	23.48	5.25						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 4		4	UEPSR UEPSB	UEABS	43.85	37.92	17.55	23.48	5.25						
	XCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 1		1	UEA	UEAL2	13.89	105.96	68.28	52.82	10.37	<u> </u>			<u> </u>	<u> </u>	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	18.75	105.96	68.28	52.82	10.37						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 3	<u></u>	3	UEA	UEAL2	27.55	105.96	68.28	52.82	10.37				<u> </u>		
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or															
	Ground Start Signaling - Zone 4		4	UEA	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1	<u></u>	1	UEA	UEAR2	13.89	105.96	68.28	52.82	10.37				<u> </u>		<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															1
	Battery Signaling - Zone 2	<u></u>	2	UEA	UEAR2	18.75	105.96	68.28	52.82	10.37	<u></u>	<u></u>		<u>                                      </u>	<u> </u>	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 3	<u></u>	3	UEA	UEAR2	27.55	105.96	68.28	52.82	10.37	<u></u>	<u></u>		<u>                                      </u>	<u> </u>	<u> </u>
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 4		4	UEA	UEAR2	45.72	105.96	68.28	52.82	10.37		1			I	1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19		1		T T				T .	

UNBUNDLE	NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
	Loop Tagging - Service Level 2 (SL2)			UEA	URETL		11.19	1.10								
	ANALOG VOICE GRADE LOOP															
	4-Wire Analog Voice Grade Loop - Zone 1		_	UEA	UEAL4	27.47	132.27	94.59		14.64						
	4-Wire Analog Voice Grade Loop - Zone 2		2	UEA	UEAL4	38.26	132.27	94.59	60.68	14.64						
	4-Wire Analog Voice Grade Loop - Zone 3		3	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	4-Wire Analog Voice Grade Loop - Zone 4		4	UEA	UEAL4	50.03	132.27	94.59	60.68	14.64						<u> </u>
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.19									<u> </u>
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		87.56	36.29								
2-WIRE	ISDN DIGITAL GRADE LOOP															
	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	21.01	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	27.59	117.61	79.92	52.82	10.37						
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.34	117.61	79.92	52.82	10.37			ļ		ļ	<u> </u>
	2-Wire ISDN Digital Grade Loop - Zone 4		4	UDN	U1L2X	59.18	117.61	79.92	52.82	10.37						
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.46	44.07								<b>!</b>
	ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP													<b></b>
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.11	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2		2	UAL	UAL2X	11.47	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3		3	UAL	UAL2X	11.74	121.27	70.81	50.38	7.93						
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 4		4	UAL	UAL2X	12.69	121.27	70.81	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1		1	UAL	UAL2W	11.11	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2		2	UAL	UAL2W	11.47	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3		3	UAL	UAL2W	11.74	96.15	58.03	50.38	7.93						
	2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 4		4	UAL	UAL2W	12.69	96.15	58.03	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UAL	UREWO		86.04	40.33								
2-WIRE	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1		1	UHL	UHL2X	8.75	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		2	UHL	UHL2X	9.22	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 3		3	UHL	UHL2X	9.87	129.98	79.52	50.38	7.93						
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 4		4	UHL	UHL2X	10.46	129.98	79.52	50.38	7.93						
	Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	OCOSL		18.19									
	and facility reservation - Zone 1  2 Wire Unbundled HDSL Loop without manual service inquiry		1	UHL	UHL2W	8.75	104.86	66.74	50.38	7.93						<u> </u>
	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry		2	UHL	UHL2W	9.22	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 3  2 Wire Unbundled HDSL Loop without manual service inquiry		3	UHL	UHL2W	9.87	104.86	66.74	50.38	7.93						
	and facility reservation - Zone 4  Order Coordination for Specified Conversion Time (per LSR)		4	UHL UHL	UHL2W OCOSL	10.46	104.86 18.19	66.74	50.38	7.93						
	CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>		UHL	UREWO		85.98	40.33			<b>-</b>		<b> </b>		<b> </b>	<b>—</b>
	HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	LOOP	OT IL	JILLANO		05.30	40.33								
	4 Wire Unbundled HDSL Loop including manual service inquiry and facility reservation - Zone 1		1	UHL	UHL4X	13.78	158.74	108.28	56.72	10.68						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
		1	1		+ +		Nonrec	urring	Nonrecurring	Disconnect		]	OSS	Rates (\$)		l
		1	1		+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire Unbundled HDSL Loop including manual service inquiry	+	1		+ +		11130	Addi	11130	Auu i	JOINEC	JOHAN	JOHIAN	JONIAN	JONAN	JOMAN
	and facility reservation - Zone 2		2	UHL	UHL4X	13.43	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry	1	<u> </u>	0.12	0.12.57	10.10		100.20	00.72	10.00						
	and facility reservation - Zone 3		3	UHL	UHL4X	15.59	158.74	108.28	56.72	10.68						
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 4		4	UHL	UHL4X	14.46	158.74	108.28	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		18.19									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1		1	UHL	UHL4W	13.78	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 2		2	UHL	UHL4W	13.43	133.62	95.50	56.72	10.68						
	4-Wire Unbundled HDSL Loop without manual service inquiry			l		45.50	400.00	05.50	50.70	40.00						
	and facility reservation - Zone 3  4-Wire Unbundled HDSL Loop without manual service inquiry	1	3	UHL	UHL4W	15.59	133.62	95.50	56.72	10.68	1	-	1	<del> </del>		1
	and facility reservation - Zone 4		4	UHL	UHL4W	14.46	133.62	95.50	56.72	10.68						
	Order Coordination for Specified Conversion Time (per LSR)	+	4	UHL	OCOSL	14.40	18.19	95.50	30.72	10.00	1		-			
	CLEC to CLEC Conversion Charge without outside dispatch	1	1	UHL	UREWO		85.98	40.33								
4-WI	RE DS1 DIGITAL LOOP			OTIL	ORLWO		00.00	40.00			1					
1	4-Wire DS1 Digital Loop - Zone 1		1	USL	USLXX	79.08	253.93	158.45	46.10	12.07	1					
	4-Wire DS1 Digital Loop - Zone 2	1		USL	USLXX	129.38	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 3			USL	USLXX	206.74	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop - Zone 4	i –		USL	USLXX	458.46	253.93	158.45	46.10	12.07						
	Order Coordination for Specified Conversion Time (per LSR)			USL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		100.90	42.96								
4-WI	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	40.76 32.25	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital 19.2 Kbps	-	4	UDL	UDL19	32.25 27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1 4 Wire Unbundled Digital Loop 56 Kbps - Zone 2	1	1 2	UDL UDL	UDL56 UDL56	34.55	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64	-		-			
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	40.76	126.53	88.85	60.68	14.64				1		
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 4	+		UDL	UDL56	32.25	126.53	88.85	60.68	14.64	1					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL	02.20	18.19	00.00	00.00		1					
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1	1	1	UDL	UDL64	27.44	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	34.55	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3	1		UDL	UDL64	40.76	126.53	88.85	60.68	14.64						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 4		4	UDL	UDL64	32.25	126.53	88.85	60.68	14.64						
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.19									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		101.94	49.66								
2-WI	RE Unbundled COPPER LOOP		ļ													
	2-Wire Unbundled Copper Loop-Designed including manual				LIOL DD	44.44	100.01	00.07	50.00	7.00						
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	11.11	120.34	69.87	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual		2	UCL	UCLPB	11.47	120.24	69.87	50.38	7.93						
	service inquiry & facility reservation - Zone 2  2 Wire Unbundled Copper Loop-Designed including manual	1		UCL	UCLPB	11.47	120.34	69.87	50.38	7.93	-		-			
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	11.74	120.34	69.87	50.38	7.93						
-+	2 Wire Unbundled Copper Loop-Designed including manual	1		001	COLID	11.74	120.34	03.07	30.36	1.53			<b>-</b>			1
	service inquiry & facility reservation - Zone 4	1	4	UCL	UCLPB	12.69	120.34	69.87	50.38	7.93		1	I			
	Order Coordination for Unbundled Copper Loops (per loop)	†	Ė	UCL	UCLMC		8.20	8.20	22.30				1	İ		Ì
	2-Wire Unbundled Copper Loop-Designed without manual	T T	1				. = 4									
	service inquiry and facility reservation - Zone 1	<u></u>	1	UCL	UCLPW	11.11	95.21	57.09	50.38	7.93	<u></u>	<u> </u>	<u> </u>			
	2-Wire Unbundled Copper Loop-Designed without manual				1											
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	11.47	95.21	57.09	50.38	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	1			ΤΤ								_			
	service inquiry and facility reservation - Zone 3	<del>                                     </del>	3	UCL	UCLPW	11.74	95.21	57.09	50.38	7.93			ļ			ļ
1	2-Wire Unbundled Copper Loop-Designed without manual	1	1	1							1	l				
	service inquiry and facility reservation - Zone 4		4	UCL	UCLPW	12.69	95.21	57.09	50.38	7.93						

ONBON	IDLE	NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						+	I	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)	L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		CLEC to CLEC Conversion Charge without outside dispatch															
		(UCL-Des)			UCL	UREWO		95.21	42.40								
4	-WIRE	COPPER LOOP															1
		4-Wire Copper Loop-Designed including manual service inquiry		١.						====							
		and facility reservation - Zone 1		1	UCL	UCL4S	17.30	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry and facility reservation - Zone 2		2	UCL	UCL4S	18.84	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry			UCL	UCL43	10.04	144.00	94.22	56.72	10.00					1	
		and facility reservation - Zone 3		3	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		4-Wire Copper Loop-Designed including manual service inquiry		Ŭ	002	002.0	21.00		0	00.72	10.00						<u> </u>
		and facility reservation - Zone 4		4	UCL	UCL4S	21.33	144.68	94.22	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.20	8.20								
		4-Wire Copper Loop-Designed without manual service inquiry															
		and facility reservation - Zone 1		1	UCL	UCL4W	17.30	119.56	81.44	56.72	10.68						<u> </u>
		4-Wire Copper Loop-Designed without manual service inquiry								====	10.00						
		and facility reservation - Zone 2		2	UCL	UCL4W	18.84	119.56	81.44	56.72	10.68					1	+
		4-Wire Copper Loop-Designed without manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
-		4-Wire Copper Loop-Designed without manual service inquiry		3	UCL	UCL4VV	21.33	119.50	01.44	36.72	10.00						
		and facility reservation - Zone 4		4	UCL	UCL4W	21.33	119.56	81.44	56.72	10.68						
		Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC	21.00	8.20	8.20	00.12	10.00					t	<b>†</b>
		CLEC to CLEC Conversion Charge without outside dispatch															1
		(UCL-Des)			UCL	UREWO		95.21	42.40								
LOOP M	ODIFIC	CATION															
		Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L ULM4L		32.57 32.57	32.57 32.57								
_		less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA UAL, UHL, UCL,	ULIVI4L		32.57	32.57								+
SUB-LOG	one.	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		32.59	32.59								
		op Distribution		1		-										-	
	,ab-LO	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-				+						<b>-</b>			<b> </b>	<del>                                     </del>	<del>                                     </del>
		Up	- 1		UEANL	USBSA		259.69									
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		22.77									
		Sub-Loop - Per Building Equipment Room - CLEC Feeder	-		OL7 II VL	CODOD		22.77									<b>—</b>
		Facility Set-Up	- 1		UEANL	USBSC		178.47									
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
		Set-Up	- 1		UEANL	USBSD		56.39									
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
		Zone 1	ı	1	UEANL	USBN2	7.15	66.18	31.14	45.36	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		_	LIFANII	LICENIO	0.54	00.40	24.44	45.00	0.71					1	
-		Zone 2 Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	- 1	2	UEANL	USBN2	9.51	66.18	31.14	45.36	6.71					<del>                                     </del>	+
		Zone 3		3	UEANL	USBN2	12.45	66.18	31.14	45.36	6.71					1	
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		-	OLAINE	JUDINZ	12.40	00.10	31.14	40.00	0.71					t	<del>                                     </del>
		Zone 4		4	UEANL	USBN2	18.26	66.18	31.14	45.36	6.71					1	
				Ė		T		220		0		İ				1	1
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair		L	UEANL	USBMC	<u> </u>	8.20	8.20			<u> </u>			<u> </u>	<u> </u>	<u> </u>
1		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	7.30	79.49	44.45	51.27	9.35						
$\vdash$		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		1	ULAINL	USDIN4	7.30	79.49	44.45	51.2/	9.35	-			<b> </b>	<del>                                     </del>	+
		Zone 2		2	UEANL	USBN4	13.92	79.49	44.45	51.27	9.35	I			1	1	1

UNBUNDLE	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intent									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															D130 13t	DISO Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 4		4	UEANL	USBN4	16.73	79.49	44.45	51.27	9.35						
					LIODAGO		0.00	0.00								
<b>—</b>	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL UEANL	USBMC USBR2	2.29	8.20 53.32	8.20 18.28	45.36	6.71						-
	Sub-Loop 2-wire intrabuliding Network Cable (INC)		-	UEAINL	USBRZ	2.29	55.52	10.20	45.36	0.71	1			-		
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20								
<del>                                     </del>	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)		-	UEANL	USBR4	4.40	59.60	24.55	51.27	9.35						1
	Sub-Loop 4-vviile intrabuliding (verwork Gable (iivo)	-		OLANE	CODIC	4.40	33.00	24.00	31.27	9.55						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.20	8.20						I		
	Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.36	34.36						t		1
	Loop Testing - Basic Additional Half Hour			UEANL	URETA	1	19.97	19.97			<del>                                     </del>			t	1	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1	UEF	UCS2X	6.06	66.18	31.14	45.36	6.71				t		1
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i		UEF	UCS2X	7.09	66.18	31.14	45.36	6.71				1		İ
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i		UEF	UCS2X	8.16	66.18	31.14	45.36	6.71						
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 4			UEF	UCS2X	9.90	66.18	31.14	45.36	6.71						
	· ·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1	UEF	UCS4X	5.10	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	- 1	2	UEF	UCS4X	9.11	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	-	3	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 4		4	UEF	UCS4X	14.00	79.49	44.45	51.27	9.35						
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.20	8.20								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		34.36	34.36								
<u> </u>	Loop Testing - Basic Additional Half Hour			UEF	URETA		19.97	19.97								
Unbu	ndled Network Terminating Wire (UNTW)						00.55									
Notes	Unbundled Network Terminating Wire (UNTW) per Pair		-	UENTW	UENPP	0.3366	30.55									
Netwo	ork Interface Device (NID)  Network Interface Device (NID) - 1-2 lines			UENTW	UND12		43.84	28.90								
	Network Interface Device (NID) - 1-2 lines		-	UENTW	UND12	1	65.30	50.36			1			-		
	Network Interface Device (NID) - 1-6 lines  Network Interface Device Cross Connect - 2 W			UENTW	UNDC2		5.94	50.36			-			-		
<del>                                     </del>	Network Interface Device Cross Connect - 4W		-	UENTW	UNDC4		5.94	5.94								
LINE OTHER	PROVISIONING ONLY - NO RATE			OLIVIV	ONDO4		3.34	3.34								
ONE OTHER,	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00				1			1		
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00							t		
	and the state of t			UEANL,UEF,UEQ,U	T -	5.50	2.20							1		İ
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00							I		
UNE OTHER,	PROVISIONING ONLY - NO RATE															
				UAL,UCL,UDC,UDL,										1		
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			l										I		1
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00							1		ļ
$\vdash$	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00							ļ		
	Unbundled DS1 Loop - Expanded Superframe Format option -				00055									1		
	no rate			USL	CCOEF	0.00	0.00				-			-		ļ
HIGH CAPAC	ITY UNBUNDLED LOCAL LOOP		-	<del>                                     </del>	ļ	1								<del>                                     </del>	1	
	High Capacity Unbundled Local Loop - DS3 - Per Mile per			LIES	1L5ND	11 00								1		
$\vdash$	month		-	UE3	ILDIND	11.20					1			<del>                                     </del>	1	
	High Capacity Unbundled Local Loop - DS3 - Facility Termination per month			UE3	UE3PX	326.15	454.13	265.47	123.23	86.19				1		
$\vdash$	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		-	ULJ	UESFA	320.15	404.13	200.47	123.23	00.19	<del>                                     </del>			+	1	-
	priigir Capacity Officialiated Local LOOP - 313-1 - Fel Iville Per	1	1	UDLSX	1L5ND	11.20				l	1	ı		1	1	I

LIMBI	INDI E	D NETWORK ELEMENTS - Mississippi												A44h		Field	b.id. A
UNDU	INDLE	D NETWORK ELEMENTS - MISSISSIPPI				_						Cus Ouden	Cur Ouden	Incremental	ment: 2		bit: A
												1			Incremental		
												Submitted	Submitted		Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CAILC	JON	RATE ELEMENTS	m	Zone	BC3	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1		1		Nonre	curring	Nonrecurring	Disconnect	1	l	oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	High Capacity Unbundled Local Loop - STS-1 - Facility		1													
		Termination per month			UDLSX	UDLS1	338.55	454.13	265.47	123.23	86.19						
LOOP	MAKE-U	iP		1													
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).			UMK	UMKLW		24.12	24.12								1
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).			UMK	UMKLP		25.58	25.58								
		Loop MakeupWith or Without Reservation, per working or															
		spare facility queried (Mechanized)			UMK	UMKMQ		0.6652	0.6652								
LINE S		S AND LINE SPLITTING															
		<ol> <li>The Line Sharing monthly recurring rates for all installation</li> </ol>					idnight Octobe	r 01, 2004 shal	I be billed as	follows:							
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co	opper lo	op nor	n-designed ("UCLNI	)")										L	
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND														<u> </u>	
		1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
		1: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs UL	SDC an	d ULSC	C applies only to ci	rcuits install	ed and inservice	e on or before	October 1, 20	03						L	
		HARING															
	SPLIT	TERS-CENTRAL OFFICE BASED														L	
		Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	186.67	189.89	0.00		0.00						
		Line Sharing Splitter, per System 24 Line Capacity			ULS	ULSDB	46.67	189.89	0.00	178.41	0.00						
		Line Sharing Splitter, Per System, 8 Line Capacity			ULS	ULSD8	15.55	189.89	0.00	178.41	0.00					ļ	
		Line Sharing-DLEC Owned Splitter in CO-CFA activaton-															
		deactivation (per LSOD)			ULS	ULSDG		86.98	0.00	49.96	0.00						
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING		<u> </u>												<b></b>	
		Line Sharing - per Line Activation (BST Owned splitter) -				000	0.04	40.00	40.00	40.04	4.00						
		OBSOLETE see **NOTE 2	-	-	ULS	ULSDC	0.61	18.62	10.66	10.04	4.93					<del></del>	
		Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
		(E:10/2/2003)			ULS	ULSDT	2.75	18.62	10.66	10.04	4.93						
-	-	Line Share Service, TRO per line activation, BST owned splitter -	-	+	ULS	ULSDT	2.75	10.02	10.00	10.04	4.93	-				<del></del>	
		Central Office Located (50% of UCLND) - please see NOTE 1															
		(E:10/2/2004)			ULS	ULSDT	5.51	18.62	10.66	10.04	4.93						
		Line Share Service, TRO per line activation, BST owned splitter -		+	ULS	OLSDI	3.31	10.02	10.00	10.04	4.53	1				<del></del>	
		Central Office Located (75% of UCLND) - please see NOTE 1															
		(E:10/2/2005)			ULS	ULSDT	8.26	18.62	10.66	10.04	4.93						
	1	Line Sharing - per Subsequent Activity per Line		1	OLO	OLOD I	0.20	10.02	10.00	10.04	4.00	1				<b>—</b>	
		Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.48	8.24								
		Line Sharing - per Subsequent Activity per Line			020	02020		10.10	0.21								
		Rearrangement(DLEC Owned Splitter)		1	ULS	ULSCS		16.48	8.24						1		[ ]
	1	Line Sharing - per Line Activation (DLEC owned Splitter) -	1	1						İ	l				1		
		OBSOLETE see **NOTE 2		1	ULS	ULSCC	0.61	47.44	19.31	20.67	12.74				1		[ ]
	1	Line Share Service, TRO per line activation, CLEC owned		1													
		splitter - Central Office Located (25% of UCLND) - please see		1		1									1		[ ]
L	<u></u>	NOTE 1 (E:10/2/2003)	<u> </u>	<u> </u>	ULS	ULSCT	2.75	47.44	19.31	20.67	12.74	<u></u>	<u></u>		L		<u>1                                     </u>
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
	<u> </u>	NOTE 1 (E:10/2/2004)		<u> </u>	ULS	ULSCT	5.51	47.44	19.31	20.67	12.74					L	
	1	Line Share Service, TRO per line activation, CLEC owned	1	1		1									_		1 7
	1	splitter - Central Office Located (75% of UCLND) - please see	1	1		1							1		I		1
	ļ	NOTE 1 (E:10/2/2005)	<u> </u>	1	ULS	ULSCT	8.26	47.44	19.31	20.67	12.74		ļ		ļ	Ļ	
<u> </u>		PLITTING	<u> </u>	1		1				ļ			ļ		ļ	Ļ	1
	END U	SER ORDERING-CENTRAL OFFICE BASED	ļ	<u> </u>						ļ					1	<b></b>	1
<u> </u>	ļ	Line Splitting - per line activation DLEC owned splitter	ļ	<u> </u>	UEPSR UEPSB	UREOS	0.61			ļ					1	<b></b>	1
	<b>!</b>	Line Splitting - per line activation BST owned - physical	<del>                                     </del>	1	UEPSR UEPSB	UREBP	0.61	18.62	10.66	10.04	4.93				ļ	<b></b>	<del>                                     </del>
<u> </u>		Line Splitting - per line activation BST owned - virtual		1	UEPSR UEPSB	UREBV	0.61	18.62	10.66	10.04	4.93				<b>_</b>	<b></b>	1
	MAINT	ENANCE	<b>!</b>	1		+	ļ	20.22	FF 00	ļ		-	ļ		-	<b>├</b>	<b>—</b>
-	<b>!</b>	No Trouble Found - per 1/2 hour increments - Basic	├	1		+	1	80.00	55.00	<del> </del>	-	<del>                                     </del>	ļ		<del>                                     </del>	<del></del>	1
	<b>!</b>	No Trouble Found - per 1/2 hour increments - Overtime	<b>!</b>	1		+	ļ	120.00	82.50	ļ		-	ļ		-	<b>├</b>	<b>—</b>
	1	No Trouble Found - per 1/2 hour increments - Premium	1	1	l	1		160.00	110.00	1		1	l	l	1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
					1	Rec	Nonrec	curring Add'l	Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
UNBUNDI ED	DEDICATED TRANSPORT				1		First	Addi	First	Add'l	SOMEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
	OFFICE CHANNEL - DEDICATED TRANSPORT										i e					
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination			U1TVX	U1TV2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade Rev Bat Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat Facility Termination			U1TVX	U1TR2	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade - Per Mile per month			U1TVX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade - Facility Termination			U1TVX	U1TV4	19.79	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination			U1TDX	U1TD5	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			U1TDX	1L5XX	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination			U1TDX	U1TD6	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per month			U1TD1	1L5XX	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility Termination			U1TD1	U1TF1	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per month			U1TD3	1L5XX	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility Termination per month			U1TD3	U1TF3	641.90	280.37	163.70	62.08	60.29						
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per month			U1TS1	1L5XX	4.76	200.01	100.70	02.00	00.20						
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination			U1TS1	U1TFS	644.21	280.37	163.70	62.08	60.29						
DARK FIBER	Terrimation			01101	01110	044.21	200.51	103.70	02.00	00.23						<del> </del>
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															1
	Thereof per month - Interoffice Channel NRC Dark Fiber - Interoffice Channel			UDF, UDFCX UDF, UDFCX	1L5DF UDF14	28.27	642.79	138.67	326.97	203.85						-
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction						042.19	130.07	320.37	203.00						
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	59.95										
0VV 4 00500	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		642.79	138.67	326.97	203.85						ļ
8XX ACCESS	EN DIGIT SCREENING  8XX Access Ten Digit Screening, Per Call			OHD		0.0006216			+							
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX Number Reserved			OHD	N8R1X	0.0000210	2.60	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O POTS Translations			OHD			5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With POTS Translations			OHD	N8FTX		5.97	0.81	4.60	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		2.60	1.30		2.01						
	8XX Access Ten Digit Screening, Multiple InterLATA CXR Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.04	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		3.04	0.44								
	8XX Access Ten Digit Screening, Call Handling and Destination Features			OHD	N8FDX		2.60									
	8XX Access Ten Digit Screening, w/ 8FL No. Delivery, per query			OHD		0.0006216										

UNBUNDL	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
											Elec	Manually	Manual Svc			Manual Svo
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per LSK	per LSK				
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			1				Nonrec	urring	Nonrecurring	Disconnect	1		OSS	Rates (\$)	1	
-					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, w/ POTS No. Delivery, per				+		11130	Addi	11130	Auu i	JOHILO	JOINAIN	JONAN	JONAN	JOINAIN	JONAN
	query			OHD		0.0006216										
I INE INEODI	MATION DATA BASE ACCESS (LIDB)			OTID	+	0.0000210					<u> </u>				1	
LINE IN OK	LIDB Common Transport Per Query		-	OQT	+	0.0000197					1			<del>                                     </del>	1	<del>                                     </del>
-	LIDB Validation Per Query		-	OQU	+	0.0137053					ł			-	1	<del>                                     </del>
-	LIDB Originating Point Code Establishment or Change		-	OQU OQT, OQU	NRBPX	0.0137033	34.52	34.52	42.33	42.33	ł			-	1	<del>                                     </del>
SIGNALING			-	OQ1, OQU	INKBPA		34.52	34.52	42.33	42.33	-					
SIGNALING				UDB	PT8SX	400.04					<u> </u>				-	
	CCS7 Signaling Termination, Per STP Port				P185X	132.21										
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000597										
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53						
	CCS7 Signaling Connection, Per link (B link) (also known as D			l	L						1			1		
<u> </u>	link)			UDB	TPP++	16.55	35.74	35.74	16.53	16.53	ļ			ļ	ļ	ļ
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000149					]					<u> </u>
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	683.55										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected	<u></u>	<u></u>	UDB	CCAPO		29.18	29.18	35.78	35.78	<u> </u>				<u> </u>	<u> </u>
E911 SERVIO																
	Local Channel - Dedicated - 2-wr Voice Grade					14.91	194.22	33.36	37.79	3.30						1
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0098										
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility															1
	Termination					22.52	40.77	27.57	17.26	7.11						
	Local Channel - Dedicated - DS1 - Zone 1					36.83	178.50	154.61	22.89	15.74	İ					
	Local Channel - Dedicated - DS1 - Zone 2					35.99	178.50	154.61	22.89	15.74						
	Local Channel - Dedicated - DS1 - Zone 3					221.63	178.50	154.61	22.89	15.74						t
	Local Channel - Dedicated - DS1 - Zone 4					221.63	178.50	154.61	22.89	15.74						t
	Interoffice Transport - Dedicated - DS1 Per Mile					0.2010	110.00	10 1.01	22.00		1					t
-	Interoffice Transport - Dedicated - DOTT of Wille				+	0.2010					<b>†</b>					
	Interoffice Transport - Dedicated - DS1 Per Facility Termination					57.33	89.79	82.28	16.86	14.90						
CALLING NA	ME (CNAM) SERVICE		-	-	+	37.33	03.73	02.20	10.00	14.30	1			<del>                                     </del>	1	<del></del>
CALLING NA	CNAM For DB Owners - Service Establishment		-	OQV	+		23.09	23.09	21.23	21.23	ł			-	1	<del>                                     </del>
	CNAM For Non DB Owners - Service Establishment		-	OQV	+		23.09	23.09	21.23	21.23	ł			-	1	<del>                                     </del>
	CNAM For DB Owners - Service Provisioning With Point Code			OQV	+		23.09	23.09	21.23	21.23	1					-
	Establishment			oqv			996.62	737.08	270.49	198.89						
				UQV			996.62	737.08	270.49	198.89						
	CNAM For Non DB Owners - Service Provisioning With Point			001/												
$\longrightarrow$	Code Establishment			OQV		0.0010001	344.32	246.56	276.85	198.89						ļ
	CNAM for DB Owners, Per Query			OQV		0.0010231										
	CNAM for Non DB Owners, Per Query			OQV		0.0010231										
SELECTIVE				ļ	ļ						ļ			ļ	ļ	ļ
] [	Selective Routing Per Unique Line Class Code Per Request Per	1		İ	1									I		
	Switch		L		1		85.19	85.19	14.19	14.19	ļ				ļ	ļ
VIRTUAL CO																
-	Virtual Collocation-2 Wire Cross Connects (Loop) for Line												·			
	Splitting	L	L	UEPSR UEPSB	VE1LS	0.0268	12.37	11.87	6.04	5.45	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
PHYSICAL C	OLLOCATION															ĺ
	Physical Collocation-2 Wire Cross Connects (Loop) for Line															
	Splitting			UEPSR UEPSB	PE1LS	0.0288	12.37	11.87	6.04	5.45						
AIN SELECT	IVE CARRIER ROUTING															1
	Regional Service Establishment			SRC	SRCEC		101,685.12		8,640.51		ĺ				1	1
<del>                                     </del>	End Office Establishment			SRC	SRCEO		167.49	167.49	1.71	1.71	İ			1	i e	
	Query NRC, per query			SRC		0.0030502					İ			1	i e	
AIN - BELLS	OUTH AIN SMS ACCESS SERVICE		t –	T	1	5.555552					İ	1		1	1	
T	AIN SMS Access Service - Service Establishment, Per State,		i -	1	1						1			1	1	
	Initial Setup			A1N	CAMSE		39.67	39.67	40.92	40.92	1			1		
			t	F			55.01	55.01	.0.02	.0.02	1			<del>                                     </del>	1	t
] [	AIN SMS Access Service - Port Connection - Dial/Shared Access	1		A1N	CAMDP		7.87	7.87	9.14	9.14	I	]		1		
$\vdash$	AIN SMS Access Service - Port Connection - Dial/Shared Access  AIN SMS Access Service - Port Connection - ISDN Access	<b>-</b>	t	A1N	CAM1P		7.87	7.87	9.14	9.14	<del> </del>			t	1	<del>                                     </del>
$\vdash$	AIN SMS Access Service - For Confriction - ISBN Access  AIN SMS Access Service - User Identification Codes - Per User	-	t -	71111	CAWIII		1.01	1.01	3.14	3.14	<del> </del>			<del> </del>	1	<del>                                     </del>
1 1	ID Code	l		A1N	CAMAU		35.21	35.21	27.21	27.21	1	]		1		

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	<del> </del>	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonrec	urring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	AIN SMS Access Service - Security Card, Per User ID Code,			A1N	CAMPO		42.13	40.40	11.78	44.70						Ĭ
	Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			ATN	CAMRC	0.0021	42.13	42.13	11.78	11.78					1	<del>                                     </del>
	AIN SMS Access Service - Session, Per Minute					0.5649										
	AIN SMS Access Service - Company Performed Session, Per															
	Minute					0.8393										
AIN - BELLSO	UTH AIN TOOLKIT SERVICE				1											<del>                                     </del>
	AIN Toolkit Service - Service Establishment Charge, Per State, Initial Setup			CAM	BAPSC		39.67	39.67	40.92	40.92						ĺ
	AIN Toolkit Service - Training Session, Per Customer			O/ UVI	BAPVX		4,226.54	4,226.54	40.02	40.02						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per						,	,								
	DN, Term. Attempt				BAPTT		7.87	7.87	9.14	9.14						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTD		7 07	7 07	0.14	9.14						1
	DN, Off-Hook Delay  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPID		7.87	7.87	9.14	9.14	-					<del>                                     </del>
	DN. Off-Hook Immediate				BAPTM		7.87	7.87	9.14	9.14						1
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per								54	0.17						
	DN, 10-Digit PODP				BAPTO		34.67	34.67	14.44	14.44						
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
	DN, CDP				BAPTC		34.67	34.67	14.44	14.44						<del>                                     </del>
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code				BAPTF		34.67	34.67	14.44	14.44						ĺ
	AIN Toolkit Service - Query Charge, Per Query				DAFII	0.0535577	34.07	34.07	14.44	14.44						<b>—</b>
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit															
	Subscription, Per Node, Per Query					0.0063509										
	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					0.06										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service				1	0.06										<del>                                     </del>
	Subscription			CAM	BAPMS	11.11	7.87	7.87	5.54	5.54						ĺ
	AIN Toolkit Service - Special Study - Per AIN Toolkit Service															
	Subscription			CAM	BAPLS	2.71	8.71	8.71								
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service			0.444	DARRO	0.40	7.07	7.07	5.54	5.54						ĺ
	Subscription AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPDS	8.48	7.87	7.87	5.54	5.54						<del></del>
	Service Subscription			CAM	BAPES	0.09	8.71	8.71								ĺ
ENHANCED E	XTENDED LINK (EELs)			0, 111	2711 20	0.00	0	0								
	The monthly recurring and non-recurring charges below will															
	The monthly recurring and the Switch-As-Is Charge and not t					UNE combinati	ons provisione	ed as ' Current	ly Combined' N	letwork Eleme	nts.					
EXIE	ITED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT First 2-Wire VG Loop (SL2) in Combination - Zone 1	ED DS	1 1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						<del>                                     </del>
	First 2-Wire VG Loop (SL2) in Combination - Zone 1 First 2-Wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						<del>                                     </del>
	First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-Wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	per month			UNC1X	1L5XX	0.1813										
[	Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1 '
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74	13.37							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37						<del></del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						1
	Lacri Additional 2-11116 VG LOOP (SE 2) III COMBINATION - ZONE 2			OINOVA	JLALZ	10.75	105.80	00.28	52.62	10.37						<del></del>
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						1 '
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						L
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.5737	6.62	4.74						l		

UNBUNDI F	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Fyhi	bit: A
ONDONDEL		1				1					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted		Charge -	Charge -	Charge -
											Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
													151	Addi	DISC 1St	DISC Add I
						Rec	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						į .
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
																1
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		1					J				1					1
$\vdash$	First 4-Wire Analog Voice Grade Loop in Combination - Zone 4	ļ	4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64	ļ					
	Interoffice Transport - Dedicated - DS1 combination - Per Mile	1			1						1					1
	Per Month			UNC1X	1L5XX	0.1813										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per															1
	Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
$\longrightarrow$	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		_		l											1
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
	Additional 4-Wire Analog Voice Grade Loop in same DS1				l											1
	Interoffice Transport Combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
$\overline{}$	Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.5737	6.62	4.74								
	Nonrecurring Currently Combined Network Elements Switch -As-	İ		LINIOAV	1111000		5.00	F 00	7.00	7.00						1
EVTE	Is Charge  NDED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DC4 IN	UNC1X	UNCCC	-	5.63	5.63	7.20	7.20						
EXIE	NDED 4-WIRE 36 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D21 IN	TEROFFICE TRANS	SPURI	<b>-</b>										
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						1
<del></del>	First 4-Wire Sorops Digital Grade Loop in Combination - Zone 1	-	'	UNCDA	UDLS6	21.44	120.55	00.00	00.00	14.04	-					
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
	First 4-vviile 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDA	UDLS6	34.33	120.55	00.00	00.00	14.04						<b>—</b>
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						1
$\overline{}$	I list 4-Wile Sortbps Digital Grade Loop III Combination - Zorie 3		3	UNCDX	ODLSO	40.70	120.55	00.00	00.08	14.04						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						1
<del> </del>	Interoffice Transport - Dedicated - DS1 combination - Per Mile		_	ONODA	ODLOO	02.20	120.00	00.00	00.00	14.04	<b> </b>					
	Per Month	1		UNC1X	1L5XX	0.1813					1					1
	Interoffice Transport - Dedicated - DS1 - combination Facility	l -			. 20, 0 .	0010										
	Termination Per Month	l		UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	1/0 Channel System in combination Per Month	1		UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			1	<del>                                     </del>				1						
1 1	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64	1					1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	Ì														
	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64	<u></u>				<u> </u>	<u>                                       </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 3	L	3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64	L		<u> </u>		<u> </u>	<u>                                       </u>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination per month (2.4-								l						I	1
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-								l						I	1
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIG	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
1 1		1			I						1					1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhil	oit: A
	- The state of the										Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									po. 2011	po. 2011	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															DISC 1St	DISC Add I
						Rec	Nonrec			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			_		l											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First A Wiss Odd to a Picital Ossila Lass is Ossila in the Control of the Control		3	LINODY	LIBLOA	40.70	400 50	00.05	00.00	4404						1
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		4	UNCDA	UDL64	32.23	120.55	00.00	60.06	14.04						
	Per Month			UNC1X	1L5XX	0.1813										1
	interoffice Transport - Dedicated - DS1 combination - Facility			011017	TEO/O	0.1010										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	1/0 Channel System in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	1		UNCDX	1D1DD	1.22	6.62	4.74		0.00	1			İ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	1	1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64		1				1
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64			<u> </u>			
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	l											I			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															1
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Additional OCU-DP COCI (data) - in combination - per month				1											1
	(2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAV	LINICOC		F 00	F CO	7.00	7.00						1
EVTE	Is Charge  NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DC4	INITED	UNC1X	UNCCC		5.63	5.63	7.20	7.20	-					
EXIE	4-Wire DS1 Digital Loop in Combination - Zone 1	ED 031		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	4-Wire DS1 Digital Loop in Combination - Zone 1		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
<del> </del>	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
<del> </del>	4-Wire DS1 Digital Loop in Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		<u> </u>	0.10.77	002701	100.10	200.00	100.10	10.10	12.01						
	Per Month			UNC1X	1L5XX	0.1813										1
	Interoffice Transport - Dedicated - DS1 combination - Facility				1	0.1.0.10										
	Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						1
	Nonrecurring Currently Combined Network Elements Switch -As-															i
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						1
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3														
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1Loop in Combination - Zone 2			UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07				ļ		
	First DS1Loop in Combination - Zone 3	ļ		UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						1
$\vdash$	First DS1Loop in Combination - Zone 4	<b>!</b>	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07		<b> </b>	<b> </b>	<b>!</b>		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile	1		LINCOV	11 5 7 7	4.00						1				ı
$\vdash$	Per Month  Interoffice Transport - Dedicated - DS3 - Facility Termination per	<b>!</b>		UNC3X	1L5XX	4.29			1		-	-				
	month	1		UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29		1				1
<del>                                     </del>	3/1Channel System in combination per month	<del>                                     </del>		UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82			<b>l</b>	<del>                                     </del>		
	DS1 COCI in combination per month	<del>                                     </del>		UNC1X	UC1D1	2.62	6.62	4.74		0.00		<b> </b>				·
	Additional DS1Loop in DS3 Interoffice Transport Combination -			J., J., K.	50151	2.02	0.02	7.77	3.00	0.00						
	Zone 1	1	1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07		1				1
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1								1	İ		l	İ		i
	Zone 2	1	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07		1				1
	Additional DS1Loop in DS3 Interoffice Transport Combination -															1
	Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in DS3 Interoffice Transport Combination -															. <u></u>
	Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1										1				1
	Is Charge	05:5		UNC3X	UNCCC		5.63	5.63	7.20	7.20			<b> </b>	ļ		
EXTE	NDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD				10.00	405.00	00.00	50.00	10.00			<b> </b>	ļ		
	2-WireVG Loop in combination - Zone 1	l	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37		l	l			

UNBUND	LED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	Ť											Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	Υ	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
<u> </u>																	
$\vdash$	_						Rec	Nonrec		Nonrecurring					Rates (\$)		
$\vdash$		WVO.1		_	110000	UEAL2	10.75	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		-WireVG Loop in combination - Zone 2 -WireVG Loop in combination - Zone 3		2	UNCVX UNCVX	UEAL2	18.75 27.55	105.96 105.96	68.28 68.28	52.82 52.82	10.37 10.37	-					
$\vdash$		-WireVG Loop in combination - Zone 3		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
$\vdash$		nteroffice Transport - 2-wire VG - Dedicated- Per Mile Per		4	UNCVA	UEALZ	45.72	105.96	00.20	52.62	10.37						
		Month			UNCVX	1L5XX	0.00088										
		nteroffice Transport - 2-wire VG - Dedicated - Facility			ONOVA	TLOAK	0.00000										
		ermination per month			UNCVX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Ionrecurring Currently Combined Network Elements Switch -As-															
		s Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EX.	TEND	ED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	EINTE	ROFFICE TRANSPO	RT											
	4	-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	27.47	132.27	94.59	60.68	14.64				ĺ		
	4	-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	38.26	132.27	94.59	60.68	14.64						
		-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		-WireVG Loop in combination - Zone 4		4	UNCVX	UEAL4	50.03	132.27	94.59	60.68	14.64						
		nteroffice Transport - 4-wire VG - Dedicated - Per Mile Per															
$\vdash$		Month			UNCVX	1L5XX	0.00088										
		nteroffice Transport - 4-wire VG - Dedicated - Facility															
$\vdash$		ermination per month			UNCVX	U1TV4	17.86	40.77	27.57	17.26	7.11						
		Ionrecurring Currently Combined Network Elements Switch -As-															
		s Charge			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
EX		ED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	PFFICE		41.5110	44.00										
$\vdash$	L	OS3 Local Loop in combination - per mile per month		-	UNC3X	1L5ND	11.20			-							
	_	OS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	252.17	454.13	265.47	123.23	86.19						
$\vdash$		nteroffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	4.29	454.15	203.47	123.23	00.19						
$\vdash$		nteroffice Transport - Dedicated - DS3 - Per Mile per month teroffice Transport - Dedicated - DS3 combination - Facility		-	UNC3X	ILSXX	4.29									-	
		ermination per month			UNC3X	U1TF3	641.90	280.37	163.70	62.08	60.29						
<b>—</b>		Nonrecurring Currently Combined Network Elements Switch -As-			ONOOX	01113	041.50	200.57	103.70	02.00	00.23						
		s Charge			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
EX.		ED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 INT	EROFF													
		STS-1 Local Lolp in combination - per mile per month			UNCSX	1L5ND	11.20										
		STS-1 Local Loop in combination - Facility Termination per															
		nonth			UNCSX	UDLS1	264.35	454.13	265.47	123.23	86.19						
	lr	nteroffice Transport - Dedicated - STS-1 combination - per mile					Ì										
	р	er month			UNCSX	1L5XX	4.29										
		nteroffice Transport - Dedicated - STS-1 combination - Facility															
$\perp \perp \perp$		ermination per month			UNCSX	U1TFS	644.21	280.37	163.70	62.08	60.29						
		Ionrecurring Currently Combined Network Elements Switch -As-	1		l <b></b>		l						1			I	
$\vdash$		s Charge	<u> </u>		UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EX		ED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN	_	LINIONIN	1141.037	24.2	4.50	=0.5-	== ==					ļ	-	ļ
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 1	-	1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		<b> </b>		<del>                                     </del>	<del>                                     </del>	<b> </b>
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 2	-	2	UNCNX UNCNX	U1L2X U1L2X	27.59 37.34	117.61 117.61	79.92 79.92	52.82 52.82	10.37 10.37				<b> </b>	<del>                                     </del>	-
$\vdash$		First 2-Wire ISDN Loop in Combination - Zone 3 First 2-Wire ISDN Loop in Combination - Zone 4		3	UNCNX	U1L2X U1L2X	59.18	117.61	79.92	52.82	10.37			-		<del>                                     </del>	-
$\vdash$		nteroffice Transport - Dedicated - DS1 combination - per mile	-	4	OIVOIVA	UILZA	J9.10	117.01	19.92	52.62	10.37	-	<b> </b>		<del>                                     </del>	+	<b> </b>
		nteronice Transport - Dedicated - DST combination - per mile per month			UNC1X	1L5XX	0.1813						1			I	
$\vdash$		nteroffice Transport - Dedicated - DS1 combination - Facility		<del>                                     </del>	011017	ILUMA	0.1013	+					<b> </b>			<b>+</b>	
		ermination per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90		1			I	
$\vdash$		/0 Channel System in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				1	<u> </u>	
		-wire ISDN COCI (BRITE) - in combination - per month	1		UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00	İ			İ	1	ĺ
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		İ													
		Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37		1			I	
		additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37		1			I	
	Α	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	С	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						
	А	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
1 1		Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37				1	1	

UNBUNDLI	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svo Order vs. Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	A LEG LO - : IODN COOL (BBITE)						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 2-wire ISDN COCI (BRITE) - in combination- per			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIVA	UCTCA	2.02	0.02	4.74	0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INT													
	First DS1 Loop Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	First DS1 Loop Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
	Per Month			UNCSX	1L5XX	4.29										
	Interoffice Transport - Dedicated - STS-1 combination - Facility		1	LINICOV	LIATEC	644.04	200.07	100.70	60.60	00.00					I	
	Termination per month  3/1 Channel System in combination per month	-	-	UNCSX	U1TFS MQ3	644.21 170.63	280.37 179.17	163.70 94.52	62.08 34.30	60.29 32.82	1				1	1
	DS1 COCI in combination per month	<b>-</b>	<del>                                     </del>	UNC5X UNC1X	UC1D1	2.62	6.62	94.52 4.74	0.00	0.00	-			-	<del>                                     </del>	
	Additional DS1Loop in the same STS-1 Interoffice Transport		1	DINCIA	OCIDI	2.02	0.02	4.74	0.00	0.00				-	<del>                                     </del>	
	Combination - Zone 1		1	UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07					I	
	Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>	ONOTA	COLOC	70.00	200.00	100.40	40.10	12.01	1					
	Combination - Zone 2		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															İ
	Combination - Zone 3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	BPS INT														
	4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						1
	4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56 UDL56	40.76 32.25	126.53 126.53	88.85 88.85	60.68 60.68	14.64 14.64		-				-
	4-wire 56 kbps Local Loop in combination - Zone 4  Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		4	UNCDX	UDLOO	32.25	120.53	88.85	60.08	14.64	-				-	
	Per Mile per month			UNCDX	1L5XX	0.0098										
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -			ONODA	TLOAK	0.0030										
	Facility Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	22.02	10.70	21.01	11.20							†
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	BPS INT	EROFF	ICE TRANSPORT												
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	4-wire 64 kbps Lcoal Loop in Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -			LINCDY	41.5707	0.0000									1	
	Per Mile per month	-	-	UNCDX	1L5XX	0.0098					1				1	1
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Facility Termination per month		1	UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11					I	
+	Nonrecurring Currently Combined Network Elements Switch -As-		1	OINCDA	סטווט	22.52	40.78	21.51	17.20	7.11				-	<del>                                     </del>	
	Is Charge		1	UNCDX	UNCCC		5.63	5.63	7.20	7.20					I	
EXTE	NDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		3000		0.00	0.00	7.20	7.20	<del>                                     </del>	<b>-</b>		1	<b>I</b>	1
	First 2-wire VG Loop (SL2) in Combination - Zone 1	1	1	UNCVX	UEAL2	13.89	105.96	68.28	52.82	10.37					1	
	First 2-wire VG Loop (SL2) in Combination - Zone 2		2	UNCVX	UEAL2	18.75	105.96	68.28	52.82	10.37						İ
	First 2-wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX	UEAL2	27.55	105.96	68.28	52.82	10.37						
	First 2-wire VG Loop (SL2) in Combination - Zone 4		4	UNCVX	UEAL2	45.72	105.96	68.28	52.82	10.37						
	First Interoffice Transport - Dedicated - DS1 combination - Per							<del></del>								
	Mile	1	<u> </u>	UNC1X	1L5XX	0.1813								ļ		
-	First Interoffice Transport - Dedicated - DS1 combination -															
	First Interoffice Transport - Dedicated - DS1 combination - Facility Termination per month  Per each DS1 Channelization System Per Month			UNC1X UNC1X	U1TF1 MQ1	51.72 102.85	89.79 91.57	82.28 62.94	16.86 10.87	14.90 10.10						

ATT CHEMBATS   No.   Sec.   USOC   No.	Exhibit: A	E	ment: 2	Attach												IBUNDLED NETWORK ELEMENTS - Mississippi
PATE PLEMBUTS   Pate	ncremental Increment	Incremer	Incremental	Incremental	Svc Order	Svc Order										
PATE PLEMBUTS   Pate	Charge - Charge -	Charge	Charge -	Charge -	Submitted	Submitted										
March   Marc	Ianual Svc Manual Sv					Elec									Intori	
Decrease   Decrease	Order vs. Order vs.	Order v	Order vs.	Order vs.	per LSR	per LSR			RATES (\$)			USOC	BCS	Zone		TEGORY RATE ELEMENTS
1					po. 2011	po. zo.t									m	
ST Channel System in combination part month   UNCXX   NCS1   176 NS   179																
S   Chartent System in cerebratises part morth	Disc 1st Disc Add	Diac 1a														
ST Channel Spotes in combination part arounds   UNCYX					_						Rec					
Per each Did 1002 in combination per month   DNCX	SOMAN SOMAN	SOMA	SOMAN	SOMAN	SOMAN	SOMEC										
Each Additional Variety of Location Large of Commission Large of																
Interedition Transport Controllation - Zeront 1   1,000VX   UFAL2   13.99   165.96   66.29   52.82   10.37		↓					0.00	0.00	4.74	6.62	2.62	UC1D1	UNC1X			
Each Antitional 2/Win Vol Lopol 2/D in the same DST   DIACOX   USA12   18.70   (10.56   68.28   59.20   10.37																
Interestics Transport Commission - Zene 2   2   (INDVX   USA) 2   16,75   10,056   66,28   52,82   10,37		<b></b>					10.37	52.82	68.28	105.96	13.89	UEAL2	UNCVX	1		
Each Additional SVINEY GLOGISES, Die tile dame DS1   3 UNCVX   UEAL2   27.55   106.96   68.26   52.62   10.37														_		
Intercritics Trinsipport Combination - 2 on 8   3 UNICVIX   UEAL2   27.55   10.586   68.28   52.82   10.37			ļ				10.37	52.82	68.28	105.96	18.75	UEAL2	UNCVX	2		
Earth Additional A-Wire Wild Langellike) in the same DS1							40.07	50.00	00.00	405.00	07.55		11000			
Interesting Transport Combination 2 rate 4			<del>                                     </del>				10.37	52.82	68.28	105.96	27.55	UEAL2	UNCVX	3	-	
Each Additional Vivos Grinde CoClare per morth   UNCIX   LISOX   USBA   Charter   USBA   Charter   USBA   Charter   USBA   USB							40.07	50.00	00.00	405.00	45.70		1110101			
Each Additional DS1 Interdiffue Channel per mile in same 31   UNCIX 1,5XX 0,1813   UNCIX 1,		-	<b>├──</b>				10.37	52.82						4		
Channel System per month   LINCIX   LISCX   0.1813		+	+		<b> </b>			1	4.74	0.62	0.5/3/	IDIVG	UNCVA			
Each Additional DS1 Interoffice Channel Facility Termination in sum of 1 Channel Spring per growth   UNC1X   U1TF1   51.72   89.79   82.28   16.86   14.00   1.00			] !								0 1812	11.533	LINC1Y			
Same 91 Channel System per month		+	+	<del> </del>	<b> </b>	<b> </b>		1			0.1013	ILJAA	OINO IA		<del>                                     </del>	
Each Additional DST COCK combination per month   UNCIX   UICTIT   2.62   6.62   4.74   0.00   0.00					1	1	1/1 00	16.96	92.20	80 70	51 70	IIITE1	LINC1X			
Nonrecurring Currently Combined Newton's Elements Switch - As-   Nonline		-	+													
Scharge   UNCIX   UN		-	+				0.00	0.00	4.74	0.02	2.02	OCIDI	UNCIA			
EXTENDED 4-Wire PAIGU FOR GRADE LOOP WITH DEDICATED OS INTEROFFICE TRANSPORT w/ 31 MUX   First 4-Wire Analog Voice Grade Local Loop in Combination -   2 UNCVX   UEAL4   27.47   132.27   94.59   60.66   14.64							7 20	7 20	5.63	5.63		LINCCC	LINC1X			
First 4-Wire Analog Voice Grade Local Loop in Combination -	<del></del>	+	<del>                                     </del>			<b> </b>	7.20	7.20	0.00	0.00				ICF TR	FROFF	
Zone 1												1	I			
First 4-Wire Analog Voice Grade Local Loop in Combination - 2 UNCVX UEAL4 38.26 132.27 94.59 60.68 14.64   20.00							14.64	60.68	94.59	132.27	27.47	UEAL4	UNCVX	1		
Zone 2   VINCVX   UEAL4   38.26   132.27   94.59   60.68   14.64																
Zone 3							14.64	60.68	94.59	132.27	38.26	UEAL4	UNCVX	2		
First 4-Wire Analog Voice Grade Local Loop in Combination -   4 UNCVX UEAL4   50.03   132.27   94.59   60.88   14.64																First 4-Wire Analog Voice Grade Local Loop in Combination -
Zone 4							14.64	60.68	94.59	132.27	50.03	UEAL4	UNCVX	3		Zone 3
First Interoffice Transport - Dedicated - DS1 combination - Per   UNC1X																First 4-Wire Analog Voice Grade Local Loop in Combination -
Mile Per Month		<u> </u>					14.64	60.68	94.59	132.27	50.03	UEAL4	UNCVX	4		
First Interoffice Transport - Dedicated - DS1 - Facility   UNC1X																
Termination Per Month											0.1813	1L5XX	UNC1X			
Per aseh 1/0 Channel System in combination - Per Month																
Per each Voice Grade COCI in combination - per month																
3/1 Channel System in combination per month			ļ				10.10									
Per each DST COCI in combination per month			ļ				0.1.00									
Additional 4-Wire Analog Voice Grade Loop in same DS1			ļ													
Interoffice Transport Combination - Zone 1			<del>                                     </del>				0.00	0.00	4.74	6.62	2.62	UC1D1	UNC1X		-	
Additional 4-Wire Analog Voice Grade Loop in same DS1							44.04	00.00	04.50	400.07	07.47	LIEAL 4	LINIOVA	4		
Interoffice Transport Combination - Zone 2		+	<del>                                     </del>				14.64	80.08	94.59	132.27	21.41	UEAL4	UNCVX	1		
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3   UNCVX   UEAL4   50.03   132.27   94.59   60.68   14.64					1	1	1161	60.60	04 50	122 27	20.26	LIEAL 4	LINCVX	2		
Interoffice Transport Combination - Zone 3   3 UNCVX UEAL4   50.03   132.27   94.59   60.68   14.64	$\overline{}$	+	+	<del>                                     </del>			14.04	00.00	34.39	132.21	30.20	ULAL#	J. NO V.A		<b>H</b>	
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 4   4   UNCVX   UEAL4   50.03   132.27   94.59   60.68   14.64			] !				14 64	60.68	94 59	132 27	50.03	UFAL4	UNCVX	3		
Interoffice Transport Combination - Zone 4			<del>                                     </del>				14.04	00.00	54.55	102.21	55.05	JL/ IL-	J.1.5 V.A			
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month					1	1	14.64	60.68	94.59	132.27	50.03	UEAL4	UNCVX	4		
Channel System per month		t	<del>                                     </del>	i				22.00	200		22.00	7				
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month   UNC1X   U1TF1   51.72   89.79   82.28   16.86   14.90			] !								0.1813	1L5XX	UNC1X			
Same 3/1 Channel System per month		1	1											1		
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X			] !				14.90	16.86	82.28	89.79	51.72	U1TF1	UNC1X			
Is Charge			j						4.74	6.62	0.5737	1D1VG	UNCVX			
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT w/ 3/1 MUX			j							İ	l i					Nonrecurring Currently Combined Network Elements Switch -As
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -   1 UNCDX UDL56   27.44   126.53   88.85   60.68   14.64							7.20	7.20	5.63	5.63						
Zone 1												/1 MUX	TRANSPORT w/ 3	FFICE	INTERC	
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -   2 UNCDX UDL56 34.55 126.53 88.85 60.68 14.64			1 7													
Zone 2							14.64	60.68	88.85	126.53	27.44	UDL56	UNCDX	1		
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3 UNCDX UDL56 40.76 126.53 88.85 60.68 14.64 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -												l	l			
Zone 3   3 UNCDX UDL56   40.76   126.53   88.85   60.68   14.64		—	<b></b>				14.64	60.68	88.85	126.53	34.55	UDL56	UNCDX	2		
First 4-Wire 56Kbps Digital Grade Local Loop in Combination -					1	1	4461	00.00	20.65	400 50	40.70	LIDI 50	LINCDY	_		
		+	<b></b>	<b> </b>			14.64	60.68	88.85	126.53	40.76	UDL56	UNCDX	3	-	
Zone 4 Zone 4 UNCDX UDL56 32.25 126.53 88.85 60.68 14.64		1	]		1	1	14.04	60.00	00.05	106.50	22.25	LIDI EG	LINCDY	1		

ONRONDLE	D NETWORK ELEMENTS - Mississippi		1		1	Т					la			ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Kec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.1813			L							
	First Interoffice Transport - Dedicated - DS1 - combination			11041		54.70	00.70	00.00	40.00	44.00						
	Facility Termination Per Month		-	UNC1X UNC1X	U1TF1	51.72 102.85	89.79	82.28 62.94	16.86	14.90						
	Per each 1/0 Channel System in combination Per Month Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)		<u> </u>	UNCDX	MQ1 1D1DD	102.85	91.57 6.62	4.74	10.87	10.10					-	-
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82					1	1
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			ONOTA	COIDI	2.02	0.02	7.77	0.00	0.00						
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 2	<u></u>	2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64					L	L
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1												_			
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64				ļ	1	1
	OCU-DP COCI (data) COCI in combination per month (2.4-				1											
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1			11041	41.5307	0.4040										
	Channel System per month			UNC1X	1L5XX	0.1813			-					-		
	Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system			UNCIA	UTIFT	51.72	09.79	02.20	10.00	14.90					1	1
	combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	COIDI	2.02	0.02	4.74	0.00	0.00						
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE													
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		_													
	Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		4	LINCDV	UDL64	20.05	400.50	00.05	00.00	44.04						
	Transport Combination - Zone 4 First Interoffice Transport - Dedicated - DS1 combination - Per		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64					-	-
	Mile Per Month			UNC1X	1L5XX	0.1813										
	First Interoffice Transport - Dedicated - DS1 combination -			ONOTA	TESTON	0.1013			<del>                                     </del>							
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90					I	I
<del>-  </del>	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10	İ				1	1
	Per each OCU-DP COCI (data) in combination - per month (2.4-				1									1		
	64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00						
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1														_	_
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64					ļ	ļ
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	LIDLGA	24.55	100.50	00.05	00.00	44.04	1				I	I
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64				-	<del>                                     </del>	<del>                                     </del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64	1				I	I
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	<b>H</b>	٥	OIAODV	JDL04	40.76	120.03	00.00	80.08	14.04				<del> </del>	t	t
	Interoffice Transport Combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64					I	I
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		-	5.13DA	32204	02.20	120.00	00.00	55.00	1-1.04					<u> </u>	t
1	combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.22	6.62	4.74	0.00	0.00					1	1
	Each Additional DS1 Interoffice Channel per mile in same 3/1	1			İ						İ			İ	1	1
	Channel System per month	<u></u>	L	UNC1X	1L5XX	0.1813			<u> </u>		<u></u>			<u> </u>	<u> </u>	<u> </u>
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month	1	1	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1			l	1	1

CATEGORY	RATE ELEMENTS  RATE ELEMENTS  RATE ELEMENTS  Each Additional DS1 COCI in the same 3/1 channel system combination per month  Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOF  First 2-Wire ISDN Loop in a DS1 Interoffice Combination  Transport - Zone 1  First 2-Wire ISDN Loop in a DS1 Interoffice Combination  Transport - Zone 2		Zone	BCS UNC1X	USOC	Rec	Nonrec	RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	ment: 2 Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs.
EXTEND	Each Additional DS1 COCI in the same 3/1 channel system combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1  First 2-Wire ISDN Loop in a DS1 Interoffice Combination	m			USOC	Rec	Nonrec	RATES (\$)			Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc Order vs.	Charge - Manual Svc
EXTEN	Each Additional DS1 COCI in the same 3/1 channel system combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1  First 2-Wire ISDN Loop in a DS1 Interoffice Combination	m			USOC	Rec	Nonrec	RATES (\$)			Elec	Manually	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc
EXTEN	Each Additional DS1 COCI in the same 3/1 channel system combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge  DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1  First 2-Wire ISDN Loop in a DS1 Interoffice Combination	m			USOC	Rec	Nonrec	RATES (\$)					Order vs.	Order vs.	Order vs.	
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X		Rec	Nonrec				per Lore	per Lore				
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X		Rec	Nonrec								Electronic-	Electronic-
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X		Rec	Nonrec						1st	Add'l	Disc 1st	Disc Add'l
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X		Rec	Nonrec								Disc 1st	DISC Add I
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X		1100			Nonrecurring					Rates (\$)		
EXTENI	combination per month Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
EXTEND	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination			UNC1X												I
EXTEND	Is Charge  DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR  First 2-Wire ISDN Loop in a DS1 Interoffice Combination  Transport - Zone 1  First 2-Wire ISDN Loop in a DS1 Interoffice Combination				UC1D1	2.62	6.62	4.74	0.00	0.00						
EXTENI	DED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	RT w/ 3/														I
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination	RI W/ 3/		UNC1X	UNCCC		5.63	5.63	7.20	7.20						<b></b>
	Transport - Zone 1 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						I
			- '	UNCINA	UTLZA	21.01	117.01	19.92	32.02	10.37						
			2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						I
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination			ONON	UTLEX	27.00	117.01	70.02	02.02	10.07						
	Transport - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						I
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
1 1	Transport - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						ı
	First Interoffice Transport - Dedicated - DS1 combination - Per		i –													
	Mile per month	<u></u>	<u> </u>	UNC1X	1L5XX	0.1813					<u> </u>			<u> </u>		<u> </u>
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month		<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10						
																I
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						<b></b>
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		1	LINIONIV	LIALOV	04.04	447.04	70.00	50.00	40.07						I
	Combination - Zone 1		1	UNCNX	U1L2X	21.01	117.61	79.92	52.82	10.37						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2		2	UNCNX	U1L2X	27.59	117.61	79.92	52.82	10.37						I
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport			UNCINA	UTLZA	21.35	117.01	19.92	32.02	10.37						
	Combination - Zone 3		3	UNCNX	U1L2X	37.34	117.61	79.92	52.82	10.37						I
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		l –	ONONA	OTLEX	07.04	117.01	70.02	02.02	10.07						
	Combination - Zone 4		4	UNCNX	U1L2X	59.18	117.61	79.92	52.82	10.37						I
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel															
	system combination- per month			UNCNX	UC1CA	2.62	6.62	4.74	0.00	0.00						I
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.1813										l
	Each Additional DS1 Interoffice Channel Facility Termination in															I
	same 3/1 Channel System per month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						
	Each Additional DS1 COCI in the same 3/1 channel system															I
	combination per month		<u> </u>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						<b></b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINICAY	LINGOO		F 00	5.00	7.00	7.00						ı
	Is Charge DED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TDANG	SDODT	UNC1X	UNCCC		5.63	5.63	7.20	7.20				-		
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 1	IRAN		UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07	<b> </b>			<b> </b>		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	<b>H</b>	2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07				<b>l</b>		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	<b>H</b>	3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07				<b>l</b>		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 4	<b>-</b>	4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07	<b>-</b>					
	First Interoffice Transport - Dedicated - DS1 combination - Per			551X	302/00	400.40	200.90	100.40	40.10	12.01						
	Mile Per Month			UNC1X	1L5XX	0.1813					1					ı
	First Interoffice Transport - Dedicated - DS1 combination -		1													
	Facility Termination Per Month			UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90	1					ı
	3/1 Channel System in combination per month			UNC3X	MQ3	170.63	179.17	94.52	34.30	32.82						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1													l		
	Channel System per month		<u> </u>	UNC1X	1L5XX	0.1813										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month		<u> </u>	UNC1X	U1TF1	51.72	89.79	82.28	16.86	14.90						<b>.</b>
	Each Additional DS1 COCI in the same 3/1 channel system			LINGAY	LIGARA	0.00	0.00	4	0.00	0.00	1					ı
	combination per month		<del>                                     </del>	UNC1X	UC1D1	2.62	6.62	4.74	0.00	0.00	<b> </b>			<b> </b>		
1 1	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			UNC1X	USLXX	79.08	253.93	158.45	46.10	12.07						ı

ONBONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_	LINGAY	LICLYY	400.00	252.02	450.45	40.40	40.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		2	UNC1X	USLXX	129.38	253.93	158.45	46.10	12.07	-					
	3		3	UNC1X	USLXX	206.74	253.93	158.45	46.10	12.07						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		Ť	O. CO. IX	002.01	200.7 1	200.00	100.10	10.10	12.07						
	4		4	UNC1X	USLXX	458.46	253.93	158.45	46.10	12.07						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
EXT	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 56 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL56	32.25	126.53	88.85	60.68	14.64						-
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile per month			UNCDX	1L5XX	0.0098	1									
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			UNCDA	ILJAA	0.0096										
	Termination per month			UNCDX	U1TD5	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			0.1027	01120	22.02	10.70	27.07	17.20	7						
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
EXT	ENDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO	FFICE	TRANSPORT												
	First 4-wire 64 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL64	27.44	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	34.55	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	40.76	126.53	88.85	60.68	14.64						
	First 4-wire 64 kbps Local Loop in combination - Zone 4		4	UNCDX	UDL64	32.25	126.53	88.85	60.68	14.64						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0098										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility Termination per month			UNCDX	U1TD6	22.52	40.78	27.57	17.26	7.11						
	Nonrecurring Currently Combined Network Elements Switch -As-			UNCDA	01106	22.52	40.76	21.51	17.20	7.11	-					
	Is Charge			UNCDX	UNCCC		5.63	5.63	7.20	7.20						
ADDITIONAL	NETWORK ELEMENTS			ONODA	0.1000		0.00	0.00	7.20	7.20						
	n used as a part of a currently combined facility, the non-recurr	ng cha	rges de	not apply, but a S	witch As Is c	harge does ap	ply.									
	n used as ordinarily combined network elements in All States, the															
Nonr	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	applies to each com	bination)											
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - 2 wire/4-Wire VG			UNCVX	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-			LINCDY	LINICCO		5.00	5.00	7.00	7.00						
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCDX	UNCCC		5.63	5.63	7.20	7.20					-	
	Is Charge - DS1			UNC1X	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-			ONOTA	UNCCC		3.03	3.03	7.20	7.20	1					
	Is Charge - DS3			UNC3X	UNCCC		5.63	5.63	7.20	7.20						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		5.63	5.63	7.20	7.20						
Optio	onal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1	ı		ULDD1,UNC1X	CCOEF		01	OI	Ol	Ol						
	Clear Channel Canability Super Franco-tier DC4			U1TD1,	CCCC		lo.	OI.	OI.	OI.						
	Clear Channel Capability Super FrameOption - per DS1	- 1		ULDD1,UNC1X	CCOSF		OI	OI	OI .	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent Activity - per DS1			ULDD1, U1TD1, UNC1X, USL	NRCCC		184.6S	23.78S	1.96S	0.76S						
	notivity - poi DO i	-		U1TD3, ULDD3,	INICOCO	<b> </b>	104.00	23.103	1.300	0.700	<b>H</b>			<del> </del>	1	
	C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.72S	7.66S	.7201S	0S						
MUL	TIPLEXERS	•		, 0.100/1			520		0.0							
	DS1 to DS0 Channel System per month			UNC1X	MQ1	102.85	91.57	62.94	10.87	10.10				İ		
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per			1												
				UDL	1D1DD	1.22	6.62	4.74								

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
														Incremental	Incremental	Incremental	Incremental
													Submitted		Charge -	Charge -	Charge -
CATEG	OPV	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			Elec	Manually		Manual Svc		Manual Svc
CATEG	OKI	RATE ELEMENTS	m	Zone	ВСЗ	0300			KATES (\$)			per LSR	per LSR		Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
		OCULDE COCI (data) DC1 to DC0 Channel System nor		-		+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.22	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	2.62	6.62	4.74								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month used for connection to a channelized DS1 Local Channel in the same SWC as collocation			U1TUB	UC1CA	2.62	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month			ОТТОВ	OCTOA	2.02	0.02	4.74								
		used for a Local Loop			UEA	1D1VG	0.5737	6.62	4.74								
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for connection to a channelized DS1 Local Channel in the															
$\vdash$		same SWC as collocation DS3 to DS1 Channel System per month		-	U1TUC UNC3X	1D1VG MQ3	0.5737 170.63	6.62 179.17	4.74 94.52	34.30	32.82						<u> </u>
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	170.63	179.17	94.52	34.30	32.82						
		DS1 COCI used with Loop per month			USL	UC1D1	12.96	6.62	4.74	54.50	02.02	<u> </u>					
		DS1 COCI (used for connection to a channelized DS1 Local															
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	12.96	6.62	4.74								
		DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per			U1TD1	UC1D1	12.96	6.62	4.74	-							<u> </u>
		month			ULDD1	UC1D1	12.96	6.62	4.74								
UNBUN	DLED L	OCAL EXCHANGE SWITCHING(PORTS)			OLDD1	00101	12.00	0.02	7.77								
	Exchar	ige Ports															
		Although the Port Rate includes all available features in GA, I	(Y, LA	& TN, t	ne desired features	will need to b	e ordered usin	g retail USOCs	8								
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)			HEDOD	LIEDDI	4 44	2.20	2.20	4.40	4.00						<u> </u>
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.41	2.39	2.29	1.42	1.33						1
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.41	2.39	2.29	1.42	1.33						
		<u> </u>															
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local			UEPSR	UEPAT	1.41	2.39	2.29	1.42	1.33						
		dialing parity Port with Caller ID - Res.  Exchange Ports - 2-Wire VG unbundled res, low usage line port			UEPSR	UEPAI	1.41	2.39	2.29	1.42	1.33						1
		with Caller ID (LUM)			UEPSR	UEPAP	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Residence Dialing															
		Plan without Caller ID			UEPSR	UEPWJ	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDDT		0.00	0.00	1 40	4.00						
-		Capability Subsequent Activity			UEPSR UEPSR	UEPRT	1.41 0.00	2.39 0.00	2.29 0.00	1.42	1.33						-
$\vdash$	FEATU				OLI OIX	JUNGO	0.00	0.00	0.00								
		All Available Vertical Features			UEPSR	UEPVF	2.56	0.00	0.00								
	2-WIRE	VOICE GRADE LINE PORT RATES (BUS)							_								
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -			LIEDOD	LIEDDI		2.22	0.00	1	4.00						
$\vdash$		Bus Exchange Ports - 2-Wire VG unbundled Line Port with		-	UEPSB	UEPBL	1.41	2.39	2.29	1.42	1.33	-					
		unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.41	2.39	2.29	1.42	1.33						
								2.00			50	1					
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire VG unbundled MS extended local															
$\vdash$		dialing parity Port with Caller ID - Bus.		-	UEPSB	UEPAY	1.41	2.39	2.29	1.42	1.33	-					
		Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.41	2.39	2.29	1.42	1.33						
		Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan				32. 3.	11	2.00	2.23	112	1.00	<u> </u>					
		without Caller ID			UEPSB	UEPWK	1.41	2.39	2.29	1.42	1.33						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
$\vdash$		Capability Subsequent Activity		-	UEPSB UEPSB	UEPBE	1.41 0.00	2.39 0.00	2.29 0.00	1.42	1.33	-					-
$\vdash$	FEATU			<del>                                     </del>	ULFOD	USASC	0.00	0.00	0.00	<del>                                     </del>		-					<del>                                     </del>
		All Available Vertical Features			UEPSB	UEPVF	2.56	0.00	0.00								
						<u> </u>	=::0	2.20	2.50								

UNBU	NDLE	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	1	ibit: A
												1	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Loix	per Lor	Electronic-	Electronic-	Electronic-	Electronic
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect	ĺ	•	OSS	Rates (\$)	•	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	EXCHA	NGE PORT RATES (DID & PBX)															
		2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.41	31.45	14.93	14.38	0.92						
		2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.41	31.45	14.93	14.38	0.92	ĺ		Î			
		2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.41	31.45	14.93	14.38	0.92						1
		2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.41	31.45	14.93	14.38	0.92						1
	i	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	i	i	UEPSP	UEPXD	1.41	31.45	14.93	14.38	0.92	İ					1
	1	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	1	i –		T -		20	30	130	5.32			İ	İ	İ	†
	l	Capable Port	l		UEPSP	UEPXE	1.41	31.45	14.93	14.38	0.92				1	1	1
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	l -	<b>†</b>		1		00	50	50	3.32	t	<del>                                     </del>	<b> </b>	<b>†</b>	<b>†</b>	<del>                                     </del>
	l	Administrative Calling Port	l		UEPSP	UEPXL	1.41	31.45	14.93	14.38	0.92				1	1	1
	<del>                                     </del>	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	<del>                                     </del>	$\vdash$	02101	JLI AL	1.71	31.73	17.33	14.30	0.32	<b> </b>	<u> </u>		t	t	+
		Room Calling Port	1	l	UEPSP	UEPXM	1.41	31.45	14.93	14.38	0.92	1		l	I	I	1
		2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital		<b>-</b>	JE1 01	OLI AIVI	1.41	31.43	17.33	17.30	0.52	<del> </del>	<b>-</b>	<b> </b>	<del>                                     </del>	<del>                                     </del>	+
		Discount Room Calling Port			UEPSP	UEPXO	1.41	31.45	14.93	14.38	0.92						
	-	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	-	-	ULFSF	ULFAU	1.41	31.43	14.55	14.30	0.52	<b>-</b>	<b>-</b>		-	-	
		Calling Port			UEPSP	UEPXQ	1.41	31.45	14.93	14.38	0.92						
	-	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional	-	-	UEPSP	UEFAQ	1.41	31.43	14.93	14.30	0.92	<b>-</b>	<b>-</b>		-	-	
		Calling Port			UEPSP	UEPXR	4 44	24.45	44.00	44.00	0.00						
					UEPSP	UEPA5	1.41 1.41	31.45 31.45	14.93 14.93	14.38 14.38	0.92 0.92						+
		2-Wire Voice Unbundled PBX Port, Mississippi only 2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS		31.45	14.93	14.38	0.92						+
		Subsequent Activity			UEPSP		1.41 0.00	0.00	0.00	14.38	0.92						+
	FEATU				UEPSP	USASC	0.00	0.00	0.00								+
		All Available Vertical Features			UEPSP UEPSE	UEPVF	2.56	0.00	0.00								+
		NGE PORT RATES (COIN)	-	-	UEPSP UEPSE	UEPVF	2.56	0.00	0.00			1					
		Exchange Ports - Coin Port					1.41	2.39	2.29		1.33		IODNI				
	NOTE:	Transmission/usage charges associated with POTS circuit sy	witched	usage	will also apply to ci	Pusinger De	ed voice and/or	Detector the	ed data transii	lission by B-Cr	tannels assoc	lated with 2	-wire ISDN	Nous Business	Dominat Des		+
LIMBUM	INUTE:	Access to B Channel or D Channel Packet capabilities will be OCAL EXCHANGE SWITCHING(PORTS)	avanar	ie oni	through BFR/New	Business Re	quest Process.	Rates for the	раскет сараві	lities will be de	termined via t	ne Bona Fic	de Request/	New Busines:	s Request Pro	cess.	+
UNBUN		NGE PORT RATES										-					+
			DN D	Sec. 45 Sec					0	A (1 4/4/0.4 db -							+
		1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire ISI											riff rates or	a separate ag	reement.		+
	keques	tts for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports a	arter the	errect	IVE date of this ame	UEPP2					3.88		-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
	<del>                                     </del>	Exchange Ports - 2-Wire DID Port	<del>                                     </del>	-	UEPEA	UEPP2	8.25	120.00	18.85	61.//	3.88	<u> </u>	<u> </u>		<del>                                     </del>	<del>                                     </del>	+
	1	Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID	1	l	HEDDD	LIEDDD	50.44	202.42	00.05	74.00	0.54	1		l	I	I	1
	ļ	capability (E:4/1/2004)	ļ		UEPDD	UEPDD	58.41	203.19	96.25	74.86	2.54		-	ļ	-	-	+
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)	ļ		UEPTX, UEPSX	U1PMA	13.69	73.19	53.30	47.90	10.76		-	ļ	-	-	+
		All Features Offered			UEPTX, UEPSX	UEPVF	2.56	0.00	0.00			<b></b>					
		Exchange Ports - 2-Wire ISDN Port Channel Profiles	L		UEPTX, UEPSX	U1UMA	0.00	0.00	0.00			<u> </u>	L				
		Transmission/usage charges associated with POTS circuit sv													<u> </u>	L	<del></del>
		Access to B Channel or D Channel Packet capabilities will be	availab	le only	y through BFR/New	Business Re	quest Process.	Rates for the	packet capabi	lities will be de	termined via t	he Bona Fid	de Request/	New Busines:	s Request Pro	cess.	<del>                                     </del>
	EXCHA	NGE PORT RATES (continued)				ļ						ļ			ļ	ļ	↓
	1	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	1	1											I	I	1
		Locator Capability (E:4/1/2004)			UEPEX	UEPEX	84.63	205.00	102.14	81.65	20.69	ļ			ļ	ļ	<b>↓</b>
		Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	84.63	205.00	102.14	81.65	20.69	ļ					1
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.14	22.16	16.02	6.60	5.97	ļ					1
	1	Virtual Collocation - Special Access & UNE, cross-connect per	1	l								1		l	I	I	1
	ļ	DS1	ļ	<u> </u>	UEPEX UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97		L	ļ	ļ	ļ	↓
	Detaile	d E911 with Locator Capability (required with UEPEX port)	ļ	<u> </u>		ļ							L	ļ	ļ	ļ	↓
	l	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911	l												1	1	1
	1	Locator Capability - Initial Profile Establishment per CLEC per	1	1											I	I	1
		State			UEPEX	UEP1A	0.00	1,814.00		156.15							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911							-								
	1	Locator Capability - Subsequent Profile Changes, Additions,	1	1											I	I	1
	l	Deletions	1	l	UEPEX	UEP1B	0.00	176.15				1			I	I	1
		Additional PRI Telephone Numbers			1	1				1		1	1		1	1	1

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increments Charge - Manual Sv Order vs. Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability 2-way Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1C	0.0701	0.49									
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
	Locator Capability - Outdial Telephone Numbers, per number in															
	E911 profile [New or Additional]			UEPEX	UEP1D	0.0701	11.58	11.58								
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
	Telephone Numbers - Inward Data Only Option [New or															
	Additional]			UEPDX	UEP1E	0.00	0.49									
	Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]															
1.0041	Inward Tel Numbers [Customer Testing Purposes]  NUMBER PORTABILITY	-		UEPEX	PR7ZT	0.00	23.15	23.15	1		ļ	-	-	-	-	<del>                                     </del>
LOCAL		<del>                                     </del>	-	UEPEX UEPDX	LNDCN	4 75			<del>                                     </del>		<del>                                     </del>		<b> </b>	<del>                                     </del>	<b> </b>	<del></del>
INITED	Local Number Portability (1 per port)  FACE (Provsioning Only)	<b> </b>	-	UEPEA UEPUX	LNPCN	1.75			<u> </u>		<b> </b>	-	<del> </del>	<b> </b>	<del> </del>	<del></del>
INTER				HEDEV	DD741/	0.00	0.00	0.00				-				<del></del>
	Voice/Data Digital Data	-	-	UEPEX UEPEX	PR71V PR71D	0.00	0.00	0.00					-	-	-	<del></del>
	Inward Data	<b>-</b>	-	UEPEX	PR71D PR71E	0.00	0.00	0.00	<del>                                     </del>		<b> </b>		-	-	-	<del></del>
Now o	r Additional Channel		-	UEPDA	PR/IE	0.00	0.00	0.00								
New O	New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.61				-					<del></del>
	New or Additional - Digital Data "B" Channel	-	-	UEPEX	PR7BF	0.00	14.61				-	-				<del></del>
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.61									<del>                                     </del>
	New or Additional Useage Sensitive Voice Data "B" Channel		-	UEPEX	PR7BS	0.00	14.61				1		1	1	1	<del> </del>
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BU	0.00	14.61									-
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	14.61									-
CALL	TYPES			OLI LX	TRILA	0.00	14.01									<del></del>
OALL	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00								<del></del>
	Outward			UEPEX	PR7CO	0.00	0.00	0.00			1					
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00								
UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	,														
	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.41	2.39	2.29	1.42	1.33						
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.41	2.39	2.29	1.42	1.33				ĺ		
	Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.41	2.39	2.29	1.42	1.33						
Non-Re	ecurring															
	Unbundled Remote Call Forwarding Service - Conversion -															1
	Switch-as-is			UEPVR	USAC2		0.0988	0.0988								
	Unbundled Remote Call Forwarding Service - Conversion with	1		l	l				[							1
	allowed change (PIC and LPIC)	<b>!</b>		UEPVR	USACC		0.0988	0.0988			ļ					
UNBU	NDLED REMOTE CALL FORWARDING - Bus	ļ			-				<u> </u>		1		ļ	ļ	ļ	<b>└</b>
	Haland Hali Danista Call Francisco Control Ann. Call	1		LIED/D	LIEDAG		0.00	0.00	, , ,	4.00						1
	Unbundled Remote Call Forwarding Service, Area Calling - Bus	ļ		UEPVB	UERAC	1.41	2.39	2.29	1.42	1.33						<b>├</b>
	Habitan diad Damata Call Factors II to October 1 and October 1	1		LIED\/D	LIEDIO		0.00	0.00		4.00						1
	Unbundled Remote Call Forwarding Service, Local Calling - Bus	-		UEPVB	UERLC	1.41	2.39	2.29	1.42	1.33	ļ	-	-	-	-	<b>├</b>
	Unbundled Remote Call Forwarding Service, InterLATA - Bus	<del>                                     </del>	-	UEPVB	UERTE UERTR	1.41 1.41	2.39 2.39	2.29	1.42	1.33			<b> </b>	<del>                                     </del>	<b> </b>	<del></del>
	Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	<b>!</b>	-	UEPVB	UEKIK	1.41	2.39	2.29	1.42	1.33	1	-				<del></del>
	Exception Local Calling	1		UEPVB	UERVJ	1.41	2.39	2.29	1.42	1.33						1
Non-P	ecurring	<del>                                     </del>		OLI VD	OLIVU	1.41	2.39	2.29	1.42	1.33	<del>                                     </del>		<del> </del>	<del> </del>	<del> </del>	
NOII-R	Unbundled Remote Call Forwarding Service - Conversion -	<b> </b>			t				<del>                                     </del>		1		<b> </b>	<b> </b>	<b> </b>	<b>—</b>
	Switch-as-is	1		UEPVB	USAC2		0.0988	0.0988								1
<u> </u>	Unbundled Remote Call Forwarding Service - Conversion with	l -		CL. VD	23/102		0.0000	0.0000								<b>—</b>
	allowed change (PIC and LPIC)	1		UEPVB	USACC		0.0988	0.0988								1
UNBUNDLED	LOCAL SWITCHING, PORT USAGE	<b> </b>			2 550		3.0000	0.0000					1	1	1	<u> </u>
	ffice Switching (Port Usage)	i e			1						1		İ	İ	İ	
	End Office Switching Function, Per MOU	1			1	0.0010269						İ	İ	İ	İ	
l l					1						1	1	1	1	1	
	End Office Trunk Port - Shared, Per MOU					0.000161										l .

UNBUN	IDLE	NETWORK ELEMENTS - Mississippi					•							Attach	ment: 2	Exhi	ibit: A
		••										Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted			Charge -	Charge -	Charge -
			Intori									Elec		Manual Svc	Manual Svc		Manual Sv
CATEGO	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo	po. 2011	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
																2.00 .00	2.007.444
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Tandem Switching Function Per MOU					0.0001723										
		Tandem Trunk Port - Shared, Per MOU					0.0001828										
		Tandem Switching Function Per MOU (Melded)					0.000063441										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000067307										
		Melded Factor: 36.82% of the Tandem Rate															
- (		on Transport															
		Common Transport - Per Mile, Per MOU		-			0.0000026										1
LINIBUNIE		Common Transport - Facilities Termination Per MOU					0.0004541										
		ORT/LOOP COMBINATIONS - COST BASED RATES							- L. D								1
		ased Rates are applied where BellSouth is required by FCC ar								I Beat continu	- ( (I) '- B-(- E						
		s shall apply to the Unbundled Port/Loop Combination - Cos											n Dant/Laan	Combination			-
		fice and Tandem Switching Usage and Common Transport Us															-
		at and additional Port nonrecurring charges apply to Not Curr	entry C	ombine	a Combos. For Cur	rently Comb	inea Combos tr	ne nonrecurrin	g charges sha	i be those ider	itified in the N	ionrecurring	- Currently	Combined S	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	-	-		1						1					
H-1		ort/Loop Combination Rates	<del>                                     </del>	1		1	12.22					<del>                                     </del>			-		1
$\vdash$		2-Wire VG Loop/Port Combo - Zone 1					17.13										-
-		2-Wire VG Loop/Port Combo - Zone 2		2													<del> </del>
-		2-Wire VG Loop/Port Combo - Zone 3	-	3		1	26.26					1					
<u> </u>		2-Wire VG Loop/Port Combo - Zone 4	-	4		1	44.91					1					
		op Rates		1	LIEDDY	LIEDLY	10.98					-	-				-
		2-Wire Voice Grade Loop (SL1) - Zone 1		2	UEPRX UEPRX	UEPLX UEPLX	15.91										-
-		2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	25.04					-					1
		2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPRX	UEPLX	43.68										-
-	Mira	Voice Grade Line Port Rates (Res)		4	UEPRA	UEPLA	43.00					-					
	-vvire	2-Wire voice unbundled port - residence			UEPRX	UEPRL	1.23	40.31	19.84	24.90	6.58	1					
-		2-Wire voice unbundled port with Caller ID - res			UEPRX	UEPRC	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled port outgoing only - res			UEPRX	UEPRO	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice Grade unbundled Mississippi extended local			OLITOX	OLI IXO	1.25	40.51	13.04	24.30	0.50						
		dialing parity port with Caller ID - res			UEPRX	UEPAT	1.23	40.31	19.84	24.90	6.58						
<b></b>		2-Wire voice unbundles res, low usage line port with Caller ID			OLITOX	OLI AI	1.25	40.51	13.04	24.30	0.50						<b>+</b>
		(LUM)			UEPRX	UEPAP	1.23	40.31	19.84	24.90	6.58						
<b></b>		2-Wire Voice Unbundled Mississippi Residence Dialing Plan			OLITOX	OLI AI	1.25	40.51	13.04	24.30	0.50						
		without Caller ID			UEPRX	UEPWJ	1.23	40.31	19.84	24.90	6.58						
<b>-</b>		2-Wire voice unbundled Low Usage Line Port without Caller ID			OLITON	OLI WO	1.20	40.01	10.04	24.00	0.00						<b>+</b>
		Capability			UEPRX	UEPRT	1.23	40.31	19.84	24.90	6.58						
F	EATU				OLITON	OLI IXI	1.20	40.01	10.04	24.00	0.00	1					1
		All Features Offered			UEPRX	UEPVF	2.56	0.00	0.00			1					1
<b>—</b>		NUMBER PORTABILITY			02.100	02	2.00	0.00	0.00			1					1
		Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					1					
N		CURRING CHARGES (NRCs) - CURRENTLY COMBINED			02.100	2.1. 07.	0.00										
t t	10.1.1.	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch-as-is			UEPRX	USAC2		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -															İ
		Switch with change			UEPRX	USACC		0.0988	0.0988								
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1		2.2300	2.2300						İ	İ	1
		Subsequent Database Update	1	1				0.00	0.00				1				
	DDITIO	ONAL NRCs				1									ĺ	ĺ	1
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity	1	1	UEPRX	USAS2	0.00	0.00	0.00				1				
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise	1	1	UEPRX	URETL		8.33	0.83				1				
C	FF/ON	PREMISES EXTENSION CHANNELS															
		2 Wire Analog Voice Grade Extension Loop - Non-Design	Ì	1	UEPRX	UEAEN	12.03	37.92	17.55	23.48	5.25						
		2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX	UEAEN	16.87	37.92	17.55	23.48	5.25				ĺ	ĺ	1
				3	UEPRX	UEAEN	25.68	37.92	17.55	23.48	5.25			i		1	1
	ĺ	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPKA	UEAEIN	25.00	37.92	17.55	23.40	5.25	1					
				4	UEPRX	UEAEN	43.85	37.92	17.55	23.48	5.25						
		Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Design		_													

ONBO	INDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATEG	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
														1st	Add'l	Disc 1st	Disc Add'l
	<u> </u>			-			Rec	Nonrec		Nonrecurring		001150	001441		Rates (\$)	001441	0011411
	-	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	27.55	First 105.96	Add'l 68.28	First 52.82	Add'I 10.37	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	1	2 Wire Analog Voice Grade Extension Loop – Design		4	UEPRX	UEAED	45.72	105.96	68.28	52.82	10.37	1			1	1	ł
	INTER	DFFICE TRANSPORT			OLI IXX	OLALD	40.72	105.50	00.20	32.02	10.57	1					1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		1								1					1
		Termination			UEPRX	U1TV2	20.32	40.77	27.57	17.26	7.11						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0088	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
		2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
		2-Wire VG Loop/Port Combo - Zone 3		3			26.26					ļ					
	UNE L	pop Rates		4	LIEDDY	LIEDLY	10.00								-		
	<del> </del>	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.98			1		ļ			<del>                                     </del>	1	<b> </b>
	+	2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX UEPBX	UEPLX UEPLX	15.91 25.04			<del>                                     </del>		-		-	<del>                                     </del>	-	-
	╂	2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4		4	UEPBX	UEPLX	43.68			1		}			<del>                                     </del>		}
	2-Wire	Voice Grade Line Port (Bus)		4	OLFBA	ULFLA	43.08			1		1			t	1	1
	Z-44116	2-Wire voice unbundled port without Caller ID - bus		<del>                                     </del>	UEPBX	UEPBL	1.23	40.31	19.84	24.90	6.58	1			t	1	1
	+	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.23	40.31	19.84	24.90	6.58				1		1
		2-Wire voice Grade unbundled Mississippi extended local			02. 57.	02. 20	1120	10.01	10.01	200	0.00	İ				1	İ
		dialing parity port with Caller ID - bus			UEPBX	UEPAY	1.23	40.31	19.84	24.90	6.58						
	1	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.23	40.31	19.84	24.90	6.58	İ					İ
	1	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
		without Caller ID			UEPBX	UEPWK	1.23	40.31	19.84	24.90	6.58						
		2-Wire voice unbundled Incoming Only Port without Caller ID															
		Capability			UEPBX	UEPBE	1.23	40.31	19.84	24.90	6.58						
	LOCAL	NUMBER PORTABILITY															
		Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
-	FEATU				UEDDV		0.50					ļ					ļ
⊢—	NOND	All Features Offered		-	UEPBX	UEPVF	2.56	0.00	0.00			ļ					ļ
	NONKI	CURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1								1			-		
		Switch-as-is			UEPBX	USAC2		0.0988	0.0988								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1	UEPBA	USACZ		0.0900	0.0900			1			-		1
		Switch with change		1	UEPBX	USACC		0.0988	0.0988						I		
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		<del>                                     </del>	OLI DA	JUAGG		0.0500	0.0800	1		<b>†</b>			<b>†</b>	1	1
		Subsequent Database Update		1	ĺ			0.00	0.00						I		
	ADDIT	ONAL NRCs			İ			2.20	2.30						1		1
	1	2-Wire Voice Grade Loop/Line Port Combination - Subsequent										İ					
	<u> </u>	Activity			UEPBX	USAS2		0.00	0.00			<u> </u>			<u> </u>		<u></u>
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPBX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS															
	ļ	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.03	37.92	17.55	23.48	5.25				1		ļ
	1	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	16.87	37.92	17.55	23.48	5.25				-		<u> </u>
	<del> </del>	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN UEAEN	25.68	37.92	17.55	23.48	5.25				<del>                                     </del>	1	ļ
	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		4	UEPBX UEPBX	UEAEN	43.85 13.89	37.92	17.55 68.28	23.48 52.82	5.25 10.37				<del>                                     </del>	1	1
	+	Wire Analog Voice Grade Extension Loop – Design     Wire Analog Voice Grade Extension Loop – Design		2	UEPBX	UEAED	13.89 18.75	105.96 105.96	68.28	52.82 52.82	10.37			-	<del>                                     </del>	1	<del>                                     </del>
	╂	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	18.75 27.55	105.96	68.28	52.82	10.37	}			<del>                                     </del>		1
	+	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design		4	UEPBX	UEAED	45.72	105.96	68.28	52.82	10.37	1			t	1	1
	INTER	DFFICE TRANSPORT		+	OLI DA	OLALD	40.12	105.50	00.20	52.02	10.37	1			t	1	1
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			<del>                                     </del>	+				1		<del>                                     </del>			<del>                                     </del>	1	<del>                                     </del>
ł		Termination		1	UEPBX	U1TV2	20.32	40.77	27.57	17.26	7.11				I		
	1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				5 v2	20.02	40.77	21.01	17.20	7.11				<u> </u>		
1		or Fraction Mile		1	UEPBX	U1TVM	0.0088	0.00	0.00						I		1
	2-W/IDE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)		t —	<del> </del>		3.0000	0.00	0.50	1		1	<u> </u>		<b>†</b>	1	<b>†</b>

INBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intani									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR			Order vs.	Order vs.
	10112 =======	m		200	0000			= (4)			perLSK	per LSR	Order vs.	Order vs.		
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
- 1							Nonrec	urring	Nonrecurring	Disconnect			220	Rates (\$)		1
						Rec					001450	001111			001111	001111
	Destillation Compliantian Batas						First	Add'l	First	Add'l	SOWIEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates					40.00									ļ	
	2-Wire VG Loop/Port Combo - Zone 1		1			12.22										
	2-Wire VG Loop/Port Combo - Zone 2		2			17.13										
	2-Wire VG Loop/Port Combo - Zone 3		3			26.26										
	2-Wire VG Loop/Port Combo - Zone 4		4			44.91										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	25.04									1	
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPRG	UEPLX	43.68										
2-Wi	re Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -														1	
	Res		1	UEPRG	UEPRD	1.23	69.37	32.48	37.86	6.17	l					
1.00	AL NUMBER PORTABILITY	-	<b>-</b>	OLI INO	OLI ND	1.23	03.37	32.40	31.00	0.17	<del> </del>			<del>                                     </del>	<del>                                     </del>	}
LOC			-	LIEDDO	LNDCD	2.45	0.00	0.00								1
	Local Number Portability (1 per port)  TURES		-	UEPRG	LNPCP	3.15	0.00	0.00	<del>                                     </del>		-			<del>                                     </del>	<del>                                     </del>	1
FEA						0.50	2.22								ļ	
	All Features Offered			UEPRG	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPRG	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -														1	
	Subsequent Database Update						0.00	0.00								
ADD	TIONAL NRCs															
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -				+						1			<b>-</b>		1
	Subsequent Activity			UEPRG	USAS2	0.00	0.00	0.00								
<del>-  </del>	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			OLFRG	U3A32	0.00	0.00	0.00								
							7.36	7.36								
	Group						7.30	7.30								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRG	URETL		8.33	0.83								
OFF/	ON PREMISES EXTENSION CHANNELS															
	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	13.89	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	18.75	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	27.55	105.96	68.28	52.82	10.37						
	Local Channel Voice grade, per termination		4	UEPRG	P2JHX	45.72	105.96	68.28	52.82	10.37						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination	1		UEPRG	U1TV2	20.32	40.77	27.57	17.26	7.11	1			I	1	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			1	T			,			i			1	1	İ
	or Fraction Mile	1		UEPRG	U1TVM	0.0088	0.00	0.00			1			I	1	
2-///	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)	<b>—</b>		021110	O I I VIVI	0.0000	0.00	0.00	<del>                                     </del>		<b> </b>			t	t	<del> </del>
	Port/Loop Combination Rates	<b>—</b>		+	+				<del>                                     </del>		<b> </b>			t	t	<del> </del>
UNE	2-Wire VG Loop/Port Combo - Zone 1	-	1	+	+	12.22			<del>                                     </del>		-			<del>                                     </del>	<del>                                     </del>	1
				+	+				<del>                                     </del>		-			<del>                                     </del>	<del>                                     </del>	1
	2-Wire VG Loop/Port Combo - Zone 2		2	1	+	17.13					<b> </b>			-	-	1
	2-Wire VG Loop/Port Combo - Zone 3		3	ļ	1	26.26					ļ			<b></b>		ļ
	2-Wire VG Loop/Port Combo - Zone 4		4	1		44.91								<b></b>	<b></b>	
UNE	Loop Rates										<u> </u>					
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPPX	UEPLX	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEPPX	UEPLX	43.68										
2-Wi	re Voice Grade Line Port Rates (BUS - PBX)				1						i					
+	,													1		İ
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus		1	UEPPX	UEPPC	1.23	69.37	32.48	37.86	6.17	l					
			1								<b>.</b>			<u> </u>	1	+
				LIEPPX	HEPP∩	1 22	60 37	33 10	27 26	£ 17						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO LIEPP1	1.23	69.37	32.48	37.86 37.86	6.17						
				UEPPX UEPPX UEPPX	UEPPO UEPP1 UEPLD	1.23 1.23 1.23	69.37 69.37 69.37	32.48 32.48 32.48	37.86 37.86 37.86	6.17 6.17 6.17						

NRONDL	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		to to a									Elec	Manually	Manual Svc	Manual Svc		Manual Sv
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)								
,,,,_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10112 =======	m			0000						per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI I X	02.7.0	1120	00.07	02.10	01.00	0.11						
				LIEDDY	UEPXE	1.23	69.37	32.48	37.86	6.17						
	Capable Port	-	ļ	UEPPX	UEPAE	1.23	69.37	32.48	37.86	6.17	ļ					
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPPX	UEPXL	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPPX	UEPXM	1.23	69.37	32.48	37.86	6.17						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPPX	UEPXO	1.23	69.37	32.48	37.86	6.17						
		-	+	OLFFA	ULFAU	1.23	09.37	32.48	31.00	0.17	<del>                                     </del>	<b></b>	<b>-</b>	<b>-</b>	<del></del>	<b></b>
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy	1	1	Lucasy							1	I	1	1	1	I
	Calling Port		<u> </u>	UEPPX	UEPXQ	1.23	69.37	32.48	37.86	6.17	ļ		ļ			
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional		1										l			
	Calling Port		1	UEPPX	UEPXR	1.23	69.37	32.48	37.86	6.17		I	1	1	1	I
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		t	UEPPX	UEPXS	1.23	69.37	32.48	37.86	6.17	İ	i		i		i
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPPX	UEPA5	1.23	69.37	32.48	37.86	6.17						
1.00	AL NUMBER PORTABILITY	-	<del>                                     </del>	OLIFA	ULFAU	1.23	05.57	32.40	31.00	0.17	<del>                                     </del>	<del></del>	-	-	<del></del>	<del></del>
LOC				L												
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES															
	All Features Offered			UEPPX	UEPVF	2.56	0.00	0.00								
NON	IRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
11011	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
				LIEDDY	110400		7.00	4.04								
	Conversion - Switch-As-Is			UEPPX	USAC2		7.96	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		7.96	1.91								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.00	0.00								
ADD	ITIONAL NRCs								†		1	-			†	
ADD	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -		<u> </u>						1		1					
				UEPPX	110400	0.00	0.00	0.00								
	Subsequent Activity		-	UEPPX	USAS2	0.00	0.00	0.00			ļ					
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt															
	Group						7.36	7.36								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPPX	URETL		8.33	0.83								
OFF	ON PREMISES EXTENSION CHANNELS		t	1			2.00	2.00			1	1		1		1
0.1	Local Channel Voice grade, per termination	<b>—</b>	1	UEPPX	P2JHX	13.89	105.96	68.28	52.82	10.37	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	t	<del>                                     </del>
		-									<del>                                     </del>	<b></b>	<b> </b>	<b>-</b>	<del></del>	<b></b>
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	18.75	105.96	68.28	52.82	10.37	<b>!</b>					
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	27.55	105.96	68.28	52.82	10.37	1					
	Local Channel Voice grade, per termination		4	UEPPX	P2JHX	45.72	105.96	68.28	52.82	10.37	<u> </u>	L				
INTE	ROFFICE TRANSPORT															
1	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility								l i							
	Termination		1	UEPPX	U1TV2	20.32	40.77	27.57	17.26	7.11		1		1		1
+	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	-	<del>                                     </del>	OLI I A	31172	20.32	+0.77	21.31	17.20	7.11	<del>                                     </del>	<del></del>	<b>-</b>	-	<del></del>	<del></del>
			1	LIEBBY								1		1		1
	or Fraction Mile		<u> </u>	UEPPX	U1TVM	0.0088	0.00	0.00	ļ		ļ					
	RE VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	RT														
UNE	Port/Loop Combination Rates		$\bot$													
	2-Wire VG Coin Port/Loop Combo – Zone 1		1			12.22										
	2-Wire VG Coin Port/Loop Combo – Zone 2		2	1		17.13					1	1		1		1
-	2-Wire VG Coin Port/Loop Combo – Zone 3	1	3	t	_	26.26	-		<del>                                     </del>		1	<b>-</b>		<b> </b>	<del>                                     </del>	<b>-</b>
		-		<del>                                     </del>	_				<del>                                     </del>		<del>                                     </del>	<b></b>	<b> </b>	<b>-</b>	<del></del>	<b></b>
	2-Wire VG Coin Port/Loop Combo – Zone 4		4	<b></b>		44.91			<b> </b>		<b>!</b>	<b></b>	ļ		-	<b></b>
UNE	Loop Rates		<u> </u>						ļ		ļ		ļ			
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.98							l			
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	15.91					Ì	İ	1	İ		
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	25.04			1 1		1	t	l	t	1	t e
-+		<b>—</b>		UEPCO	UEPLX	43.68			+		1	<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>	$\vdash$
0.157	2-Wire Voice Grade Loop (SL1) - Zone 4	-	4	ULFCU	UEPLA	43.08			<del>                                     </del>		1	<b>!</b>	-	<del> </del>	<del>                                     </del>	<del></del>
2-Wi	re Voice Grade Line Ports (COIN)		<b>!</b>								<b>!</b>					<b></b>
l	2-Wire Coin 2-Way without Operator Screening and without	1	1	I							1	1	1	1	1	1
	Blocking (AL, KY, LA, MS)	1	1	UEPCO	UEPRF	1.23	40.31	19.84	24.90	6.58	1	I	l	I	1	I

NRONDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
													1st	Add'l	DISC 1St	DISC Add
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire Coin 2-Way without Operator Screening and without						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Blocking; with Dialing Parity (Note 3) (MS)			UEPCO	UEPMC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,			ULFCO	OLFIVIC	1.25	40.31	15.04	24.90	0.30					-	
	900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W with Operator Screening and Blocking: 011,								1							
	900/976, 1+DDD; with Dialing Parity (MS)			UEPCO	UEPMA	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking			LIEBOO	LIEDDD	4.00	40.04	10.01	04.00	0.50						
	(AL, LA, MS) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking;			UEPCO	UEPRB	1.23	40.31	19.84	24.90	6.58					-	
	with Dialing Parity (MS)			UEPCO	UEPMB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-Way with Operator Screening & Blocking:			021 00	OLI MD	1.20	40.01	10.04	24.00	0.00						
	900/976, 1+DDD, 011+, & Local (AL, KY, LA, MS)			UEPCO	UEPCD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin 2-W Operator Screening: 900 Block: 900/976,															
	1+DDD, 011+, Local; with Dialing Parity (MS)		<u> </u>	UEPCO	UEPCJ	1.23	40.31	19.84	24.90	6.58						ļ
	2-Wire Coin Outward without Blocking and without Operator Screening (KY, LA, MS)			UEPCO	UEPRN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward without Blocking and without Operator			ULPCU	UEFRIN	1.23	40.31	19.84	24.90	0.58						
	Screening; With Dailing Parity (MS)			UEPCO	UEPME	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011 Blocking					-										
	(GA, KY, MS)			UEPCO	UEPRJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward with Operator Screening and 011															
	Blocking; with Dialing Parity (MS)  2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEPMD	1.23	40.31	19.84	24.90	6.58						
	011, 900/976, 1+DDD (AL, KY, LA, MS)			UEPCO	UEPRH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Operator Screening & Blocking: 900/976,			OLI CO	OLITATI	1.25	40.51	13.04	24.30	0.50						
	1+DDD, 011+, and Local (AL, KY, LA, MS)			UEPCO	UEPCN	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,								1							
	011+, and Local; with Dialing Parity (MS)			UEPCO	UEPCS	1.23	40.31	19.84	24.90	6.58						
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.23	40.31	19.84	24.90	6.58						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.23	40.31	19.84	24.90	6.58						
ADDIT	TONAL UNE COIN PORT/LOOP (RC)			OLI CO	OLI OK	1.25	40.51	13.04	24.30	0.50					-	
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.62	0.00	0.00	0.00	0.00						
LOCAI	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-						-						1	
	Switch-as-is			UEPCO	USAC2		0.0988	0.0988								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			02. 00	00/102		0.0000	0.0000	1							
	Switch with change			UEPCO	USACC		0.0988	0.0988								
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			LIEBOO	110400		0.00	0.00								
	Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPCO	USAS2		0.00	0.00	-						-	
	Premise			UEPCO	URETL		8.33	0.83								
2-WIRI	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		ORETE		0.00	0.00	1						1	
UNE P	Port/Loop Combination Rates		<u> </u>													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		$\bot$	15.16										
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		2	<del> </del>	+	20.02			<b> </b>							<u> </u>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3  2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		3	+	+ -	28.82 46.99			<del>                                     </del>		-				-	1
UNE L	oop Rates		+-		+ +	70.55										
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFR	UECF2	27.55										
0.14/***	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFR	UECF2	45.72			<b> </b>							<del>                                     </del>
2-Wire	Voice Grade Line Port Rates (Res)		<b>!</b>	L			108.35	70.57	54.24		<b></b>	ļ		<b></b>	-	<del>                                     </del>
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.27				11.70						

UNBUNDL	ED NETWORK ELEMENTS - Mississippi										1-			ment: 2	<del>.                                      </del>	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.27	First 108.35	Add'I 70.57	First 54.24	Add'I 11.70	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire voice dribundled port outgoing only - res  2-Wire voice Grade unbundled Mississippi extended local			UEPFR	UEPRO	1.21	106.33	70.57	54.24	11.70	1					1
	dialing parity port with Caller ID - res			UEPFR	UEPAT	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundles res, low usage line port with Caller ID										†					
	(LUM)			UEPFR	UEPAP	1.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWJ	1.27	108.35	70.57	54.24	11.70						
INTE	ROFFICE TRANSPORT															ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFR	U1TV2	20.32	40.77	27.57	17.26	7.11						
<b>-</b>	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFK	UTIVZ	20.32	40.77	21.51	17.20	7.11						-
	or Fraction Mile			UEPFR	1L5XX	0.0088										
FEA	TURES								1							
	All Features Offered			UEPFR	UEPVF	2.56	0.00	0.00								
LOC	AL NUMBER PORTABILITY															
<b></b>	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED										ļ					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFR	USACZ		10.94	3.12								1
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02	00/100		10.01	0.72			†					
	End User Premise			UEPFR	URETN		11.19	1.10								
2-WI	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	ORT (	BUS)												
UNE	Port/Loop Combination Rates															
$\vdash$	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16										ļ
$\vdash$	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2 2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		_	20.02 28.82										
$\vdash$	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		4		+	46.99					<b>-</b>					<del> </del>
UNF	Loop Rates		_		+	40.55										<del> </del>
10.12	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	13.89					†					
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFB	UECF2	45.72										
2-Wi	re Voice Grade Line Port (Bus)						400.05		5101	44.00						<b>_</b>
<b>—</b>	2-Wire voice unbundled port without Caller ID - bus 2-Wire voice unbundled port with Caller + E484 ID - bus		-	UEPFB UEPFB	UEPBL UEPBC	1.27 1.27	108.35 108.35	70.57 70.57	54.24 54.24	11.70 11.70						<del> </del>
	2-Wire voice unbundled port with Caller + E484 ID - bus  2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice Grade unbundled Mississippi extended local			OLITB	OLI BO	1.21	100.55	10.51	34.24	11.70						+
	dialing parity port with Caller ID - bus			UEPFB	UEPAY	1.27	108.35	70.57	54.24	11.70						
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.27	108.35	70.57	54.24	11.70						
	2-Wire Voice Unbundled Mississippi Business Dialing Plan															
	without Caller ID			UEPFB	UEPWK	1.27	108.35	70.57	54.24	11.70						ļ
Loc	AL NUMBER PORTABILITY				LLIBOY	0.05										
INITE	Local Number Portability (1 per port)  ROFFICE TRANSPORT			UEPFB	LNPCX	0.35										<del> </del>
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		-		+						<b> </b>					<del> </del>
	Termination			UEPFB	U1TV2	20.32	40.77	27.57	17.26	7.11						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile				J	20.02	40.77	21.01	17.20	7.11	1					
	or Fraction Mile			UEPFB	1L5XX	0.0088										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	2.56	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			LIEDED	110400		40.01	0 =0								
$\vdash$	Combination - Conversion - Switch-as-is  2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			UEPFB	USAC2		16.94	3.72	<del>                                     </del>		1				1	
1 1	Combination - Conversion - Switch with change			UEPFB	USACC		16.94	3.72								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			02110	00,100		10.54	5.72			1				1	<b>†</b>
	End User Premise			UEPFB	URETN		11.19	1.10								

	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
CATEGORY		Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec		Nonrecurring	Diagona				Rates (\$)	Disc 1st	Disc Add I
					+	Rec	First	arring Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE I	I INF P	ORT (	PRY)			FIISL	Auu i	Filat	Auu i	JOINEC	JOWAN	JOWAN	JOWAN	JOIVIAIN	SOMAN
	Port/Loop Combination Rates		J. (.	, DX,							1					
- 0.1.2.1	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			15.16					†					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			20.02					†					
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			28.82										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 4		4			46.99										
UNE L	.oop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	13.89										
	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	18.75										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	27.55										
	2-Wire Voice Grade Loop (SL2) - Zone 4		4	UEPFP	UECF2	45.72										
2-Wire	voice Grade Line Port Rates (BUS - PBX)															
	Live O' le livie de la Company			LIEDED	LIEDES		,						1			
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.27	137.41	80.14	67.20	11.29			ļ			ļ
$-\!\!+\!\!-\!\!\!-$	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.27	137.41	80.14	67.20	11.29			-	<b> </b>	ļ	ļ
$-\!\!\!\!-\!\!\!\!\!-$	Line Side Unbundled Incoming PBX Trunk Port - Bus		<u> </u>	UEPFP	UEPP1 UEPLD	1.27	137.41	80.14	67.20	11.29 11.29	ļ	ļ	<del>                                     </del>	<b> </b>	<del>                                     </del>	1
$\longrightarrow$	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP		1.27	137.41 137.41	80.14	67.20		-					
$\longrightarrow$	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP UEPFP	UEPXA UEPXB	1.27 1.27	137.41	80.14 80.14	67.20 67.20	11.29 11.29						
$\longrightarrow$	2-Wire Voice Unbundled PBX LD DDD Terminals Port	_		UEPFP	UEPXC	1.27	137.41	80.14	67.20	11.29	<b> </b>					
-+-	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	_		UEPFP	UEPXD	1.27	137.41	80.14	67.20	11.29	1		-			
-+-	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	_		UEFFF	UEPAD	1.27	137.41	00.14	67.20	11.29	1		-			
	Capable Port			UEPFP	UEPXE	1.27	137.41	80.14	67.20	11.29						
-+	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			OLITI	OLI AL	1.27	107.41	00.14	07.20	11.20	1					
	Administrative Calling Port			UEPFP	UEPXL	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02	02.7.L		107111	00	07.20	11.20	İ					1
	Room Calling Port			UEPFP	UEPXM	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPFP	UEPXO	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Economy															
	Calling Port			UEPFP	UEPXQ	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 2-Way PBX Mississippi Local Optional															
	Calling Port			UEPFP	UEPXR	1.27	137.41	80.14	67.20	11.29						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.27	137.41	80.14	67.20	11.29						
	Mississippi PBX 2-Way Combo Local Opt 2 Calling Port			UEPFP	UEPA5	1.27	137.41	80.14	67.20	11.29						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			HEDED	LI4T) (0	20.32	40.77	07.57	47.00	7.11		1	I			
$\longrightarrow$	Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	UEPFP	U1TV2	20.32	40.77	27.57	17.26	7.11	<del>                                     </del>	-	<del>                                     </del>			1
	or Fraction Mile			UEPFP	1L5XX	0.0088						1	I			
FEATU				OLFIF	ILJAA	0.0088					<b>+</b>					
- ILAIC	All Features Offered			UEPFP	UEPVF	2.56	0.00	0.00			<b>+</b>					
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITI	OLI VI	2.00	0.00	0.00			1					
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port										İ					
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72								
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port								†		İ				1	
	Combination - Conversion - Switch with change		L	UEPFP	USACC		16.94	3.72	<u>                                      </u>		<u> </u>	<u></u>	L	<u> </u>	<u></u>	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
	End User Premise			UEPFP	URETN		11.19	1.10								
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P	PORT											L		ļ	
UNE P	Port/Loop Combination Rates				1				ļ			ļ	1		ļ	1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		1	21.32			ļ				ļ			ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2		+	26.16			1				-	<b> </b>	ļ	ļ
	0 ME - 1/0 L /0 ME - DID T 1 D - 0 - 1 D - 7											i				1
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 4		3 4			34.98 53.15					1	<b>-</b>	ļ			<b>†</b>

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	1	_	Charge -	Charge -	Charge -
CATEGORY	RATE ELEMENTS	Interi	7000	Ь.	cs	USOC			RATES (\$)			Elec			Manual Svc		
CATEGORT	RATE ELEWIENTS	m	Zone	_ B	CS	0300			KATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic-
																DISC 1St	Disc Add'l
		1	ļ				Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	0014411	0011411
<del></del>	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1	-	1	UEPPX		UECD1	13.89	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	1	2	UEPPX		UECD1	18.75										<del></del>
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	27.55			t		İ					
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 4		4	UEPPX		UECD1	45.72										
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.43	225.96	87.13	114.59	14.25						
NON	RECURRING CHARGES - CURRENTLY COMBINED	1				1				1							<del>                                     </del>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination - Switch-as-is	1		UEPPX		USAC1		7.35	1.88								ĺ
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	<del>                                     </del>	OLITA		OOACT		7.55	1.00								<del>                                     </del>
	with BellSouth Allowable Changes			UEPPX		USA1C		7.35	1.88								1
ADDI	TIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.94	26.94								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	LIEBSY		LIDET:				1							1
T-1	End User Premise	1	<del> </del>	UEPPX		URETN		11.19	1.10	<del>                                     </del>		1	-		-		<del>                                     </del>
I elep	hone Number/Trunk Group Establisment Charges  DID Trunk Termination (One Per Port)	<del>                                     </del>	<del>                                     </del>	UEPPX		NDT	0.00	0.00	0.00	<del> </del>		-	-				<del></del>
	Additional DID Numbers for each Group of 20 DID Numbers	1	<del>                                     </del>	UEPPX		ND4	0.00	0.00	0.00								<del>                                     </del>
	DID Numbers, Non- consecutive DID Numbers , Per Number		<u> </u>	UEPPX		ND5	0.00	0.00	0.00	1							
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								
LOCA	AL NUMBER PORTABILITY																
0.14/15	Local Number Portability (1 per port)	NE CIDI	- DODI	UEPPX		LNPCP	3.15	0.00	0.00								<b>——</b>
	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI Port/Loop Combination Rates	INE SIDE	PORI	1						-							-
UNL	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	<del>                                     </del>														<del>                                     </del>
	UNE Zone 1		1	UEPPB	UEPPR		28.59										ĺ
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		35.00										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -						4= 40										ĺ
<b></b>	UNE Zone 3  2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -	-	3	UEPPB	UEPPR		45.18			-							-
	UNE Zone 4		4				67.61										ĺ
UNE	Loop Rates		_				07.01										
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	18.26										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	24.67										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB UEPPB	UEPPR	USL2X	34.85										<b>——</b>
LINE	2-Wire ISDN Digital Grade Loop - UNE Zone 4  Port Rate	-	4	UEPPB	UEPPR	USL2X	57.28			-							-
UNL	Exchange Port - 2-Wire ISDN Line Side Port	1	<del>                                     </del>	UEPPB	UEPPR	UEPPB	10.33	190.80	133.22	100.72	21.13						<del>                                     </del>
NON	RECURRING CHARGES - CURRENTLY COMBINED			02.10	OL: III	02	10.00	100.00	100.22		21110						
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port		Ì														
	Combination - Conversion			UEPPB	UEPPR	USACB	0.00	38.73	27.17								
ADDI	TIONAL NRCs	1															
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at		1	UEPPB	UEPPR	LIDETN		11 10	1.40	1							1
$\vdash$	End User Premise Unbundled Miscellaneous Rate Element, Tag Loop at End User	<del>                                     </del>	<del>                                     </del>	OEPPB	UEPPR	URETN		11.19	1.10	<del> </del>		-	-				<del></del>
	Premise			UEPPB	UEPPR	URETL		8.33	0.83								1
LOCA	AL NUMBER PORTABILITY	1		<u> </u>		†		2.20	2.30	1							
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH	ANNEL USER PROFILE ACCESS:	1															
<b> </b>	CVS/CSD (DMS/5ESS)	1	<u> </u>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								<del></del>
$\vdash$	CVS (EWSD) CSD	1	1	UEPPB UEPPB	UEPPR UEPPR	U1UCB U1UCC	0.00	0.00	0.00	-		-					<del>                                     </del>
B-CH	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C.MS. 8	TN)	UEPPB	UEFFR	01000	0.00	0.00	0.00	<del>                                     </del>		-					<del>                                     </del>
5 511	CVS/CSD (DMS/5ESS)	]	Ι,	UEPPB	UEPPR	U1UCD	0.00	0.00	0.00	1							
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								

JNBUNDL	ED NETWORK ELEMENTS - Mississippi														ment: 2	1	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		l										Elec	Manually	Manual Svc	Manual Svc		Manual Sv
CATEGORY	RATE ELEMENTS	Interi	Zone	В	CS	USOC			RATES (\$)								
SAILOOKI	NATE ELEMENTS	m	Zone	1 -	00	0000			IXATEO (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
USER	R TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES			1													
	All Vertical Features - One per Channel B User Profile		1	UEPPB	UEPPR	UEPVF	2.56	0.00	0.00			i e					İ
INTE	ROFFICE CHANNEL MILEAGE		1									1	1		1		1
114121			1	+		+						1	1		1		
	Interoffice Channel mileage each, including first mile and																
	facilities termination		<u> </u>	UEPPB		M1GNC	22.5298	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage each, additional mile			UEPPB	UEPPR	M1GNM	0.0098	0.00	0.00								
	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNI																
The U	JNE-P DS1 combination rates below for in this rate exhibit appl	y to the	embe	dded base	in place a	is of 10/2/03 u	until 4/1/04. Aft	ter 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1																
	Port/Loop Combination Rates		1	1		1		,			1	1					İ
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE	1	1	1		1	1					1	1		1	1	1
	Zone 1		1	UEPPP			155.43					l					l
$\longrightarrow$		<del>                                     </del>	1	UEPPP		1	155.43			-	-	<del>                                     </del>	<del>                                     </del>		1	}	<del> </del>
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		1	l			1				1	1					1
	Zone 2		2	UEPPP		1	205.74					ļ	1				L
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE											1					1
	Zone 3		3	UEPPP			283.10										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE																
	Zone 4		4	UEPPP			534.81										
			4	UEFFF		+	334.01					-				-	-
UNE	Loop Rates		<del>                                     </del>														
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	79.08						ļ				
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPPP		USL4P	129.38										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPPP		USL4P	206.74										
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPPP		USL4P	458.46										
UNE	Port Rate																
- OILL	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		<b>†</b>	UEPPP		UEPPP	76.35	458.93	260.59	127.75	32.76						<b> </b>
NONE	RECURRING CHARGES - CURRENTLY COMBINED	<u> </u>	+	OLFFF		OLFFF	70.55	430.33	200.39	121.13	32.70	<b>-</b>	<b>}</b>		<b>-</b>	<b>-</b>	<b>-</b>
NONE		<u> </u>	-			1							ļ		ļ		
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port																
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.76	79.01								
ADDI	TIONAL NRCs																
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49									
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1														
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.58	11.58								
$\longrightarrow$		<u> </u>	+	OLFFF		FRIIO	-	11.50	11.30			<b>-</b>	<b>}</b>		<b>-</b>	<b>-</b>	<b>-</b>
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers		<u> </u>	UEPPP		PR7ZT		23.15	23.15								
LOCA	AL NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPP		LNPCN	1.75										
INTE	RFACE (Provsioning Only)																
	Voice/Data	1	1	UEPPP		PR71V	0.00	0.00	0.00			i .				1	i .
-+	Digital Data	1	1	UEPPP		PR71D	0.00	0.00	0.00			1	1		1	1	1
-+-	Inward Data	t	<del>                                     </del>	UEPPP		PR71E	0.00	0.00	0.00		<b> </b>	t	<b>i</b>			<del> </del>	t
Blace.	or Additional "B" Channel	1	+	OLPP		ISIN/ IE	0.00	0.00	0.00	-		<b>!</b>	1		1	1	<b>-</b>
New o		<u> </u>	1	l		<b>1</b>	L					<b>!</b>	<b>!</b>			ļ	<b>!</b>
	New or Additional - Voice/Data B Channel	ļ	1	UEPPP		PR7BV	0.00	14.61				ļ				ļ	ļ
	New or Additional - Digital Data B Channel			UEPPP		PR7BF	0.00	14.61				<u> </u>					
	New or Additional Inward Data B Channel			UEPPP		PR7BD	0.00	14.61									1
CALL	TYPES																
	Inward			UEPPP		PR7C1	0.00	0.00	0.00			1	1				
-+-	Outward	t	+	UEPPP		PR7CO	0.00	0.00	0.00	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	1		1	<del> </del>	<del>                                     </del>
-+-		<del>                                     </del>	+	UEPPP						_	-	1	<del>                                     </del>		<del>                                     </del>	<b> </b>	1
<del></del>	Two-way	<del>                                     </del>	+	UEPPP		PR7CC	0.00	0.00	0.00	-	-	<del> </del>	<del>                                     </del>		1	}	<del>                                     </del>
Interc	office Channel Mileage					1						ļ	ļ		<b></b>	ļ	ļ
	Fixed Each Including First Mile	L		UEPPP		1LN1A	57.53	89.79	82.28	16.66	14.90	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.20										
ı	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	1	1			1						i .				1	i .
4-WIR																	<del></del>
	INF-P DS1 combination rates below for in this rate exhibit annu	v to the	embo	hded baco	in nlace a	is of 10/2/02 i	until 4/1/∩/ ^f4	ter 4/1/04 these	rates chall ro	vert to tariff rate	es or a conora	te commerc	ial agreeme	nt			
The U	JNE-P DS1 combination rates below for in this rate exhibit appl											te commerc	ial agreeme	nt.			
The U	JNE-P DS1 combination rates below for in this rate exhibit appl ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff Port/Loop Combination Rates											te commerc	ial agreeme	nt.			

NURONDLE	O NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
						Dee	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2		2	UEPDC		182.07										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		259.44										
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 4		4	UEPDC	1 1	511.15										
	pop Rates		-	OLI DO	+	011.10										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	79.08										<del>                                     </del>
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	129.38										<del>                                     </del>
_	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	206.74										<del>                                     </del>
			4		USLDC											<del></del>
	4-Wire DS1 Digital Loop - UNE Zone 4		4	UEPDC	USLDC	458.46										<b></b>
	ort Rate															<u> </u>
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	52.70	457.12	254.70	120.96	14.61						<u> </u>
NONRE	CURRING CHARGES - CURRENTLY COMBINED															ļ
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination		1													İ
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		130.24	67.41								j
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)		1	UEPDC	USAWA		130.24	67.41								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)	1	1	UEPDC	USAWB		130.24	67.41			]			l	l	1
ADDITI	ONAL NRCs															
71.00111	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+											<del>                                     </del>
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		14.56	14.56								İ
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLFDC	ODITA		14.50	14.50								<del>                                     </del>
				LIEDDO	LIDTTD		44.50	44.50								Ì
_	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.56	14.56								<b>├</b> ──
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															İ
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.56	14.56								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.56	14.56								İ
BIPOLA	AR 8 ZERO SUBSTITUTION				1 1											
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	600.00s								
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	600.00s								
	te Mark Inversion			OLI DO	OOOLI		0.001	000.000								<del>                                     </del>
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								<del>                                     </del>
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								<del></del>
				UEPDC	IVICOPO		0.00	0.00								<del></del>
Telepho	one Number/Trunk Group Establisment Charges				UDTOV											<b></b>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										<u> </u>
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00										
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00										
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ted DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop		Trunk Port									İ	İ	
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities		1		1									1	1	
	Termination)			UEPDC	1LNO1	57.33	89.79	82.28	16.86	14.90						<u> </u>
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.20	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								İ
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEDDC	1LNOB	0.00	0.00	0.00								
	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities			UEPDC		0.20	0.00									
-	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							<del></del>
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1	1	UEPDC	1LNOC	0.20	0.00	0.00			]					1
	Local Number Portability, per DS0 Activated		t	UEPDC	LNPCP	3.15	0.00	0.00	0.00				1	<b>i</b>	<b>i</b>	<b> </b>
-	Central Office Termininating Point		<b> </b>	UEPDC	CTG	0.00	0.00	0.00	0.00					<b> </b>	<b> </b>	<del></del>
4 WIDE	DS1 LOOP WITH CHANNELIZATION WITH PORT	-	<del>                                     </del>	02.100	010	0.00								<del>                                     </del>	<del>                                     </del>	-
											1	1				1

BUNDL	.ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											1	Svc Order Submitted Manually	Incremental Charge -	Incremental Charge -		Incremer Charge
GORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order v Electron Disc Ad
						Rec		curring	Nonrecurring	,		1		Rates (\$)	1	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAI
	System can have up to 24 combinations of rates depending on								100	A 51 4/4/0.4	11	a ba a blanca and				<del>                                     </del>
	UNE-P DS1 combination rates below for 4-Wire DS1 Loop with C uests for 4-Wire DS1 Loop with Channelization with Port after the											snali revert	to tariff rates	or a separate	agreement.	
	DS1 Loop	e enecu	Ive uau	e or this amenumer	I Shall be pro	Trided pursual	li to a separate	agreement or	lailli at Belloo	l and a discreti	J	1		1	1	+
ONE	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	79.08	0.00	0.00			<del> </del>					+
+	4-Wire DS1 Loop - UNE Zone 2			UEPMG	USLDC	129.38	0.00	0.00				<b>-</b>				+
	4-Wire DS1 Loop - UNE Zone 3			UEPMG	USLDC	206.74	0.00	0.00								<del>                                     </del>
	4-Wire DS1 Loop - UNE Zone 4			UEPMG	USLDC	458.46	0.00	0.00								<b>†</b>
UNE	DSO Channelization Capacities (D4 Channel Bank Configuration	ns)			-											<b>†</b>
1	24 DSO Channel Capacity - 1 per DS1	Γ΄		UEPMG	VUM24	95.06	0.00	0.00								<b>†</b>
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	190.12	0.00	0.00								
1	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	380.24	0.00	0.00					1			
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	570.36	0.00	0.00								
	192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	760.48	0.00	0.00								1
	240 DS0 Channel Capacity - 1 per 10 DS1s			UEPMG	VUM2O	950.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	1,140.72	0.00	0.00								
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,520.96	0.00	0.00								
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,901.20	0.00	0.00								
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,281.44	0.00	0.00								
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,661.68	0.00	0.00								
	Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with						/stem									
	nimum System configuration is One (1) DS1, One (1) D4 Channel															
Multi	iples of this configuration functioning as one are considered Ad	dd'l afte	r the m	inimum system co	nfiguration is	counted.										
	NRC - Conversion (Currently Combined) with or without															
	BellSouth Allowed Changes			UEPMG	USAC4	0.00	151.35	8.41								
	em Additions at End User Locations Where 4-Wire DS1 Loop wit				bination Curre	ently Exists and	d									ļ
New	(Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	's												<b>↓</b>
	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port			UEPMG	VUMD4	0.00	745.45	007.00	440.05	47.50						
Division	and Assoc Fea Activation (E:4/1/2004)	-	-	UEPIVIG	VUIVID4	0.00	715.15	327.39	148.05	17.56	1					₩
Віро	lar 8 Zero Substitution				+		-	-			-					<b>├</b>
	Clear Channel Capability Format, superframe - Subsequent Activity Only			UEPMG	CCOSF	0.00	0.00i	600.00s								
	Clear Channel Capability Format - Extended Superframe -			UEPIVIG	CCOSF	0.00	0.001	600.008			-	-				+
	Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	600.00s								
Altor	rnate Mark Inversion (AMI)	-	-	OLFIVIG	CCOLI	0.00	0.001	000.005			1	1		-	-	+
Aitei	Superframe Format			UEPMG	MCOSF	0.00	0.00	0.00			<del> </del>					+
1	Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								+
Exch	nange Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port	OLI WO	WCOI C	0.00	0.00	0.00				<b>-</b>				†
	nange Ports	I	1 0.1		+	1						<b>-</b>				+
	Line Side Combination Channelized PBX Trunk Port - Business				+						1	1		1	1	<del>                                     </del>
	(E:4/1/2004)			UEPPX	UEPCX	1.23	0.00	0.00	0.00	0.00						
	Line Side Outward Channelized PBX Trunk Port - Business			02.17	02. 07.	1.20	0.00	0.00	0.00	0.00						<b>†</b>
	(E:4/1/2004)			UEPPX	UEPOX	1.23	0.00	0.00	0.00	0.00						
+	Line Side Inward Only Channelized PBX Trunk Port without DID			02.17	02. 0%	1.20	0.00	0.00	0.00	0.00	1	1		1	1	<del>                                     </del>
	(E:4/1/2004)			UEPPX	UEP1X	1.23	0.00	0.00	0.00	0.00						
	2-Wire Trunk Side Unbundled Channelized DID Trunk Port			02.17	02. 170	1.20	0.00	0.00	0.00	0.00						t
	(E:4/1/2004)			UEPPX	UEPDM	7.40	0.00	0.00	0.00	0.00						
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															
	(AL, KY, LA, MS, & TN)(Conversion from Network Access															
1	Service) (E:4/1/2004)	l		UEPPX	UEPCY	1.23	0.00	0.00	0.00	0.00				1	1	
	Unbundled Exchange Ports, 2-Wire Channelized – Combination															
1	(AL, KY, LA, MS, & TN) (Conversion from Network Access	1	1				I	I						I	I	1
	Service) (E:4/1/2004)	1		UEPPX	UEPCT	1.23	0.00	0.00	0.00	0.00				1	1	
	Unbundled Exchange Ports, 2-Wire Channelized – Outdial–															
L	Mississippi Only - Calling Plan (E:4/1/2004)	<u></u>	<u></u>	UEPPX	UEPC4	1.23	0.00	0.00	0.00	0.00	<u></u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
			1	l	1	1	1		0.00		1	1	1	1	1	1
	Mississippi Only – Calling Plan (E:4/1/2004)			UEPPX	UEPC7	1.23	0.00	0.00	0.00	0.00	II.	1				

HINDH	NDI E	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Evhi	ibit: A
UNBU	NDLE	D NETWORK ELEMENTS - WISSISSIPPI		1		1						Cur Onden	Cur Ouden	Incremental	Incremental		
																	I I
												Submitted	Submitted		Charge -	Charge -	Charge -
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	,	Manual Svc	Manual Svc		Manual Svc
OATE	0	KATE EEEMERTO	m	20110	500	0000			ππι Ευ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_ 1	Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		•
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.61	25.36	13.39	4.29	4.26						
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank			UEPPX	1PQWU	0.61	78.03	18.39	60.66	11.85						
	Teleph	one Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
$\vdash$	Lasali	Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00			-					
$\vdash$	Locai I	Number Portability	-	+	UEPPX	LNPCP	3.15	0.00	0.00			-	-	-		-	<del>                                     </del>
$\vdash$	FEATU	Local Number Portability - 1 per port  RES - Vertical and Optional	<del>                                     </del>	-	ULFFA	LINECE	3.15	0.00	0.00		-	-	<b> </b>		<del> </del>		<del>                                     </del>
		Switching Features Offered with Line Side Ports Only	-	1		+						<b>-</b>					
$\vdash$	_0001	All Features Available	<b>-</b>		UEPPX	UEPVF	2.56	0.00	0.00				<b>-</b>		<b> </b>		
UNRUN	DLFD	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATE:	s	<b>†</b>	OLI I A	JE: VI	2.50	0.00	0.00			<b>-</b>	<b> </b>		<b> </b>		
		Based Rates are applied where BellSouth is required by FCC		State 0	Commission rule to	provide Unb	undled Local S	witching or Sv	itch Ports.								
		ures shall apply to the Unbundled Port/Loop Combination - C								dled Port secti	on of this Rate	Exhibit.					
		Office and Tandem Switching Usage and Common Transport											oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not C														Additional NR	≀Cs may
		also and are categorized accordingly.	•			•		•	0 0				Ü	•			-
		ket Rates for Unbundled Centrex Port/Loop Combination will	be nead	otiated	on an Individual Ca	ase Basis, un	til further notic	e.					I				
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only															
	2-Wire	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
		Non-Design		1	UEP91		12.22										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP91		17.13										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
-		Non-Design		3	UEP91		26.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	4	LIEDO4		44.04										
$\vdash$	LINE D	Non-Design ort/Loop Combination Rates (Design)		4	UEP91	-	44.91					-					
-	UNE P	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-			1											1
		Design	1	1	UEP91		15.12										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<del>- '</del>	OLI 31	<u> </u>	10.12										-
		Design		2	UEP91		19.98										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		<u> </u>		1	10.00				1				1		
		Design		3	UEP91		28.78										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť	-	1					İ				İ		
		Design		4	UEP91		46.95						1				
	UNE L	pop Rate				1									1		
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	10.98										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	15.91										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	25.04										
		2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP91	UECS1	43.68										
$\Box$		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	13.89										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	18.75										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	27.55										
$\vdash$		2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP91	UECS2	45.72										<b> </b>
	UNE P					1											<b>_</b>
$\vdash$	All Sta	tes (Except North Carolina and Sout Carolina)	-	-	LIEDO4	LIEDY/A	100	10.01	10.01	04.60	0.50		ļ		<del>                                     </del>		<del>                                     </del>
$\vdash$		2-Wire Voice Grade Port (Centrex ) Basic Local Area	-	-	UEP91	UEPYA	1.23	40.31	19.84	24.90	6.58	-			-		<del>                                     </del>
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			UEP91	UEPYB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic Local Area			UEP91	UEPYH	1.23	40.31	19.84	24.90	6.58						

UNBUNDLE	D NETWORK ELEMENTS - Mississippi			•	<del>.</del>									ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	Note 2, 3 Basic Local Area			UEP91	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area			UEP91	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP91	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area			UEP91	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, K	Y, LA, MS, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.23	40.31	19.84		6.58						
	2-Wire Voice Grade Port (Centrex 800 termination)	ļ		UEP91	UEPQB	1.23	40.31	19.84		6.58					ļ	
	2-Wire Voice Grade Port (Centrex with Caller ID)1	<b>!</b>	<u> </u>	UEP91	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP91	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800 Service Term			UEP91	UEPQZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP91	UEPQ2	1.23	40.31	19.84	24.90	6.58						
Local	Switching			LIEDO4	LIBEOO	0.7047										-
	Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.7947										
Local	Number Portability  Local Number Portability (1 per port)			UEP91	LNPCC	0.35										<del></del>
Featur			<u> </u>	UEP91	LNPCC	0.35			1		-					<del></del>
Featur	All Standard Features Offered, per port			UEP91	UEPVF	2.56					1					<del></del>
	All Select Features Offered, per port			UEP91	UEPVS	0.00	404.98									<del>                                     </del>
	All Centrex Control Features Offered, per port			UEP91	UEPVC	2.56	404.00		1		1					
NARS				02.0.	02. 70	2.00										
	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00	0.00	0.00	0.00	0.00						
	Ilaneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP91	CENA6	8.25	120.00	18.85	61.77	3.88						
Intero	ffice Channel Mileage - 2-Wire			LIEBO.			40.00		47.00							
	Interoffice Channel Facilities Termination - Voice Grade Interoffice Channel mileage, per mile or fraction of mile	<b> </b>	-	UEP91 UEP91	M1GBC M1GBM	22.52 0.0098	40.77	27.57	17.26	7.11		<b> </b>		<b> </b>	<del>                                     </del>	<del></del>
Footuu	re Activations (DS0) Centrex Loops on Channelized DS1 Service		<u> </u>	UEP91	MIGBM	0.0098			1		-					-
	re Activations (DS0) Centrex Loops on Channelized DS1 Service	, c	<del>                                     </del>		1		-		+	<b> </b>	<del>                                     </del>			<b> </b>	<del> </del>	<del>                                     </del>
54011	Feature Activation on D-4 Channel Bank Centrex Loop Slot	<del>                                     </del>	<b>†</b>	UEP91	1PQWS	0.57			1							<u> </u>
	- Table 1 and an a 1 and an a same a															
_	Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP91	1PQW6	0.57					-					<del></del>
	Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot -			UEP91	1PQW7	0.57										<del>                                     </del>
	Different Wire Center			UEP91	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP91	1PQWV	0.57										<del> </del>
	Slot Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91 UEP91	1PQWQ 1PQWA	0.57 0.57										<del>                                     </del>
Non B	Recurring Charges (NRC) Associated with UNE-P Centrex		-	UEF91	IPQVVA	0.57	-		+							<del></del>
Non-R	Conversion - Currently Combined Switch-As-Is with allowed	1	<del>                                     </del>		1		-		+	<b> </b>	<del>                                     </del>			<b> </b>	<del> </del>	<del>                                     </del>
	changes, per port			UEP91	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block	ļ	-	UEP91	USACN	0.00	37.97	16.68	-							<del></del>
	New Centrex Standard Common Block  New Centrex Customized Common Block	<del>                                     </del>	-	UEP91 UEP91	M1ACS M1ACC	0.00	666.32 666.32		<del> </del>	-	-			-	<b> </b>	<del></del>
									ļ	<b> </b>	ļ	<b> </b>				<b>├</b>
	Secondary Block, per Block			UEP91	M2CC1	0.00	77.91				1					

	ED NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
1		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												•	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
$\vdash$						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Addit	onal Non-Recurring Charges (NRC)	-	-		_											
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
$\vdash$	Unbundled Miscellaneous Rate Element, Tag Design Loop at			UEF91	UKETL		0.33	0.63			-					
	End Use Premise			UEP91	URETN		11.19	1.10								
UNE-	P CENTREX - 5ESS (Valid in All States)			OLI 31	OILLIN		11.13	1.10			<b>-</b>					
	e VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1			1		
	Port/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP95		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP95		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		3	UEP95		26.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
$\Box$	Non-Design		4	UEP95		44.91										
UNE F	Port/Loop Combination Rates (Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
$\vdash$	Design		1	UEP95		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	LIEDOF		40.00										
$\vdash$	Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP95	+	19.98										
	Design		3	UEP95		28.78										
$\vdash$	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			OLF 93	+	20.70					1			-	-	
	Design		4	UEP95		46.95										
UNF	oop Rate			021 00		40.00					1			1		
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	10.98										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	15.91										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	25.04										
	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP95	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	27.55										
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP95	UECS2	45.72										
	Port Rate															
All Sta			-	LIEDOE	LIEDYA	4.00	40.04	40.04	24.00	0.50		<b> </b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
$\vdash$	2-Wire Voice Grade Port (Centrex ) Basic Local Area	-	-	UEP95	UEPYA	1.23	40.31	19.84	24.90	6.58	1			<del>                                     </del>	<del>                                     </del>	-
$\vdash$	2-Wire Voice Grade Port (Centrex 800 termination)     2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		UEP95	UEPYB	1.23	40.31	19.84	24.90	6.58	1			<del>                                     </del>	<del>                                     </del>	
	Area			UEP95	UEPYH	1.23	40.31	19.84	24.90	6.58		1		I	I	
$\vdash$	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OL1 33	OLF III	1.23	40.31	15.04	24.90	0.56		<b> </b>		<del>                                     </del>	<del>                                     </del>	<b> </b>
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.23	108.35	70.57	54.24	11.70		1		I	I	
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			02.00	JE1 1141	1.20	100.00	70.07	54.24	11.70				<u> </u>	<b>†</b>	
	Service Term - Basic Local Area			UEP95	UEPYZ	1.23	108.35	70.57	54.24	11.70		1		I	I	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent				1									t	t	İ
	- Basic Local Area			UEP95	UEPY9	1.23	40.31	19.84	24.90	6.58				1	1	
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
I	Basic Local Area	<u> </u>		UEP95	UEPY2	1.23	40.31	19.84	24.90	6.58	<u></u>	<u></u>		<u> </u>	L	<u>                                      </u>
AL, K	Y, LA, MS, SC, & TN Only															
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.23	40.31	19.84	24.90	6.58						
$\vdash$	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.23	40.31	19.84	24.90	6.58				1	ļ	
$\vdash$	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire					,	400	=						1	1	
$\vdash$	Center)2,3			UEP95	UEPQM	1.23	108.35	70.57	54.24	11.70				-	-	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDOZ	4.00	400.0-	70.5-	54.01	44 ===				1	1	
1 1	Term 2,3		-	UEP95	UEPQZ	1.23	108.35	70.57	54.24	11.70				<del>                                     </del>	<del>                                     </del>	-
											1	ı		1	I	1
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.23	40.31	19.84	24.90	6.58						

UNBUN	DLED	NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
	Ī					1 1						Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
			Inter'			] ]						Elec	Manually		Manual Svc		Manual Svo
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						***			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
F	L & G/	A Only															
		witching															
		Centrex Intercom Funtionality, per port			UEP95	URECS	0.7947										
L		umber Portability															
		Local Number Portability (1 per port)			UEP95	LNPCC	0.35										
F	eature				02.00	2.1.00	0.00										
<u> </u>		All Standard Features Offered, per port			UEP95	UEPVF	2.56										
		All Select Features Offered, per port			UEP95	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP95	UEPVC	2.56	101.00									
N	ARS	The Control Co			02.00	02. 10	2.00										
T		Unbundled Network Access Register - Combination	t	<del>                                     </del>	UEP95	UARCX	0.00	0.00	0.00	0.00	0.00	<b>-</b>	<b>†</b>	<b> </b>	<del>                                     </del>	<b> </b>	<u> </u>
$\vdash$	-	Unbundled Network Access Register - Indial	<del>                                     </del>	<del>                                     </del>	UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
$\vdash$		Unbundled Network Access Register - Outdial	<del>                                     </del>	<del>                                     </del>	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	<u> </u>			t		t
M		aneous Terminations	<del>                                     </del>	<del>                                     </del>	021 00	5, 11 (5)	0.00	0.00	0.00	0.00	0.00	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	t
		Frunk Side	<del>                                     </del>	<del>                                     </del>		1						<del>                                     </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>	<b> </b>	<del> </del>
<del></del>		Trunk Side Trunk Side Terminations, each	<del>                                     </del>	1	UEP95	CEND6	8.25	120.00	18.85	61.77	3.88	<del>                                     </del>	<b>-</b>	1	+	1	+
- A		Digital (1.544 Megabits)	<del>                                     </del>	1	OFL 20	OLINDO	0.20	120.00	10.05	01.77	3.68	<del>                                     </del>	<b>-</b>	1	+	1	+
4-		DS1 Circuit Terminations, each	-	-	UEP95	M1HD1	58.41	203.19	96.25	74.86	2.54	<b>-</b>	-		-		<b>-</b>
$\vdash$			-			M1HDO	0.00	14.56	90.23	74.00	2.34	-					
<del></del>		DS0 Channels Activated, each	-	-	UEP95	MIHDO	0.00	14.56									
In		ice Channel Mileage - 2-Wire	-	-	LIEDOE	14000	00.50	40.77	07.57	47.00	7.11						
$\vdash$		Interoffice Channel Facilities Termination	-	-	UEP95	M1GBC	22.52	40.77	27.57	17.26	7.11						
<b>├</b>		Interoffice Channel mileage, per mile or fraction of mile	<u> </u>		UEP95	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
D		nnel Bank Feature Activations															
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.57										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
		Slot			UEP95	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
		Different Wire Center			UEP95	1PQWP	0.57										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop															
		Slot	<u> </u>		UEP95	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.57										
N		curring Charges (NRC) Associated with UNE-P Centrex															
		NRC Conversion Currently Combined Switch-As-Is with allowed							_								
		changes, per port			UEP95	USAC2		0.10	0.10						1		1
		Conversion of Existing Centrex Common Block, each			UEP95	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP95	M1ACS	0.00	666.32					İ	İ			
		New Centrex Customized Common Block			UEP95	M1ACC	0.00	666.32					İ	İ			
		NAR Establishment Charge, Per Occasion	1		UEP95	URECA	0.00	72.63						ĺ		ĺ	
Α		nal Non-Recurring Charges (NRC)	1							1		1	İ	İ	1	İ	1
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1							İ	İ	1	İ	
		Premise	1	1	UEP95	URETL		8.33	0.83				1		I		1
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Design Loop at				1		0.00	0.00			1	i e	i e	1	i e	1
		End Use Premise			UEP95	URETN		11.19	1.10						1		1
11		CENTREX - DMS100 (Valid in All States)	<del>                                     </del>	<del>                                     </del>	00	3	+	11.13	1.70			<u> </u>			t		t
		/G Loop/2-Wire Voice Grade Port (Centrex) Combo	<del>                                     </del>	<del>                                     </del>		+	+					<u> </u>			t		t
		rt/Loop Combination Rates (Non-Design)	<del>                                     </del>	<del>                                     </del>		+	+					<u> </u>			t		t
$\vdash \vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1	l –		+ +				<del>                                     </del>		t	<del>                                     </del>	<b> </b>	t	<b> </b>	t
		Non-Design		1	UEP9D		12.22								1		
$\vdash \vdash$		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<u>'</u>	OLI 3D	+	14.44	-		<del>                                     </del>		<del>                                     </del>	<b>-</b>	1	+	1	<del>                                     </del>
		Non-Design		2	UEP9D		17.13								1		
1 1		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>		OLFBD	+	17.13	-				<del>                                     </del>	<b>-</b>	1	+	1	<del>                                     </del>
$\vdash$		2-vviie vo Loop/2-vviie voice Grade Foit (Certiex)Foft Combo -	i .	1	i	1				1		1	1	1	1	1	1
		Non Docian		2	LIEDOD	1	26.26	I									
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP9D		26.26					-					

UNBUNDI	ED NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	ibit: A
											Submitted	Submitted	Incremental Charge -	Incremental Charge -	Incremental Charge -	Incremental Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Elec per LSR	Manually per LSR	Order vs.	Manual Svc Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Electronic- Disc Add'l
						Rec	Nonrec	curring	Nonrecurring	Disconnect			OSS	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates (Design)	<u> </u>	<u> </u>		-											<u> </u>
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design		1	UEP9D		15.12										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP9D		19.98										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP9D		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo	1		OLI OD		20.70										
	Design		4	UEP9D		46.95										
UNE	Loop Rate															
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 1	ļ	1	UEP9D	UECS1	10.98										<b></b>
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEP9D	UECS1	15.91										<del>                                     </del>
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 3	<u> </u>	3	UEP9D	UECS1	25.04					-		ļ		<b> </b>	<b></b>
<b></b>	2-Wire Voice Grade Loop (SL 1) - Zone 4		4	UEP9D	UECS1	43.68										ļ
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 1	<del>                                     </del>	1	UEP9D	UECS2	13.89			<del>                                     </del>		-					-
$\vdash$	2-Wire Voice Grade Loop (SL 2) - Zone 2	-	3	UEP9D UEP9D	UECS2 UECS2	18.75 27.55								-		<del>                                     </del>
<del></del>	2-Wire Voice Grade Loop (SL 2) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 4	<u> </u>		UEP9D	UECS2	45.72					-					<del> </del>
LINE	Port Rate		4	UEP9D	UECSZ	45.72					-					<del> </del>
	STATES	1	<u> </u>								1					1
ALL	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9D	UEPYA	1.23	40.31	19.84	24.90	6.58						-
	2-Wire Voice Grade Fort (Centrex 800 termination)Basic Local	1	1	OLI 3D	OLI IA	1.20	40.51	13.04	24.30	0.50						<del> </del>
	Area			UEP9D	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local			LIEDOD	LIEDVO	4.00	40.04	10.01	04.00	0.50						
<b></b>	Area	ļ		UEP9D	UEPYC	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area			UEP9D	UEPYE	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local			OEI OB	OLI IL		40.01	10.04	24.50	0.00						
	Area			UEP9D	UEPYF	1.23	40.31	19.84	24.90	6.58	-					
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area			UEP9D	UEPYT	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYU	1.23	40.31	19.84	24.90	6.58	-					
	Area			UEP9D	UEPYV	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area			UEP9D	UEPY3	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area			UEP9D	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp	1	1	OLF 9D	OLFIII	1.23	40.51	19.04	24.50	0.36						
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYJ	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		1								1					
	2,3-Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4	-	-	UEP9D	UEPYM	1.23	108.35	70.57	54.24	11.70	-					1
	Basic Local Area			UEP9D	UEPYO	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4						,									
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4		1	UEP9D	UEPYQ	1.23	108.35	70.57	54.24	11.70	<del>                                     </del>					<del>                                     </del>
	Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		-	UEP9D	UEPYR	1.23	108.35	70.57	54.24	11.70						
	Basic Local Area			UEP9D	UEPYS	1.23	108.35	70.57	54.24	11.70						

UNBL	JNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							_	Nonred	urring	Nonrecurring	Disconnect	İ		oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
		Basic Local Area			UEP9D	UEPY4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area			UEP9D	UEPY5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area			UEP9D	UEPY6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4 Basic Local Area			UEP9D	UEPY7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPYZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area			UEP9D	UEPY9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area			UEP9D	UEPY2	1.23	40.31	19.84	24.90	6.58						
	AL, KY	, LA, MS, SC, & TN Only															1
		2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5009)4			UEP9D	UEPQD	1.23	40.31	19.84	24.90	6.58						1
		2-Wire Voice Grade Port (Centrex / EBS-M5209)4			UEP9D	UEPQE	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPQF	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPQG	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPQT	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.23	40.31	19.84	24.90	6.58						
	-	2-Wire Voice Grade Port (Centrex / EBS-M5216)4		-	UEP9D	UEPQV	1.23	40.31	19.84	24.90	6.58	1					+
	1	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D UEP9D	UEPQ3 UEPQH	1.23 1.23	40.31	19.84	24.90 24.90	6.58 6.58	-					+
	-	2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		-	UEP9D	UEPQH	1.23	40.31	19.84	24.90	6.58	<b> </b>					+
		Indication)4			UEP9D	UEPQW	1.23	40.31	19.84	24.90	6.58						
	+	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.23	40.31	19.84	24.90	6.58	1		-			+
	+	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			OLI 3D	OLI QU	1.25	40.51	13.04	24.30	0.50	1					+
		2,3			UEP9D	UEPQM	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.23	108.35	70.57	54.24	11.70						
	1	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term 2,3			UEP9D	UEPQZ	1.23	108.35	70.57	54.24	11.70						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.23	40.31	19.84	24.90	6.58						
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.23	40.31	19.84	24.90	6.58	İ					1
	Local S	Switching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7947		· · · · ·								
	Local I	Number Portability															
	1	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35						<u> </u>		l		

UNBU	INDLE	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
_					1											Incremental	1
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Sv
ATEG	ORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""									p = = = = = = = = = = = = = = = = = = =	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature																
		All Standard Features Offered, per port			UEP9D	UEPVF	2.56										
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	404.98									
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	2.56										
	NARS																
		Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						
		aneous Terminations															
		Trunk Side															
		Trunk Side Terminations, each		<u> </u>	UEP9D	CEND6	8.25	120.00	18.85	61.77	3.88				ļ	<b></b>	<b></b>
	4-Wire	Digital (1.544 Megabits)		<u> </u>	L	1				<b></b>					ļ	<b></b>	<b></b>
	<u> </u>	DS1 Circuit Terminations, each			UEP9D	M1HD1	58.41	203.19	96.25	74.86	2.54				ļ	ļ	ļ
		DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.56									
	Interof	ice Channel Mileage - 2-Wire															1
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	22.52	40.77	27.57	17.26	7.11						
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0098										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
	D4 Cha	nnel Bank Feature Activations															ĺ
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.57										ĺ
																	1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.57										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop															1
		Slot			UEP9D	1PQW7	0.57										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -													Î		
		Different Wire Center			UEP9D	1PQWP	0.57										
																	1
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.57										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop													Î		
		Slot			UEP9D	1PQWQ	0.57										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.57								Î		
	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															ĺ
		NRC Conversion Currently Combined Switch-As-Is with allowed															ĺ
		changes, per port			UEP9D	USAC2		0.10	0.10								
		Conversion of existing Centrex Common Block, each			UEP9D	USACN		37.97	16.68						Î		
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	666.32							Î		
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	666.32							Î		
		NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.63									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise		1	UEP9D	URETL		8.33	0.83							1	
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	1	End Use Premise	1	1	UEP9D	URETN		11.19	1.10			I			l	I	
	UNE-P	CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)			İ										ĺ		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo			İ					1					ĺ		
		ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP9E		12.22									1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	1	Non-Design		2	UEP9E		17.13	J				1				I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -						İ									
	1	Non-Design		3	UEP9E		26.26	J				1				I	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						İ									
	1	Non-Design		4	UEP9E		44.91	J				1				I	
	UNE Po	ort/Loop Combination Rates (Design)			İ					1					ĺ		1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -			İ										ĺ		
		Design		1	UEP9E		15.12									1	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			İ										ĺ		
	1	Design	1	2	UEP9E	1	19.98					I			1	1	

UNBUNDLE	D NETWORK ELEMENTS - Mississippi													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonred	urring	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9E		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	1														
	Design		4	UEP9E		46.95										
UNE LO	oop Rate		1	LIEDOE	UECC4	40.00					1					<b>—</b>
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E UEP9E	UECS1 UECS1	10.98 15.91										<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E UEP9E	UECS1	25.04					-					<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 3		4	UEP9E	UECS1	43.68					-					<del></del>
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS2	13.89			1							
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	18.75										-
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	27.55			1							<b>—</b>
	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP9E	UECS2	45.72			İ						İ	
	ort Rate		† ·		1				1		1		İ	İ	İ	
	, KY, LA, MS, & TN only	1	i –		1				1				l	l	İ	
,,,_	2-Wire Voice Grade Port (Centrex ) Basic Local Area		i –	UEP9E	UEPYA	1.23	40.31	19.84	24.90	6.58					1	
İ	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local				1											
	Area			UEP9E	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local															
	Area			UEP9E	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3 Basic Local Area			UEP9E	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800															
	Service Term - Basic Local Area			UEP9E	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP9E	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEBOE	LIEDVO	4.00	40.04	40.04	04.00	0.50						
AL IOV	Basic Local Area			UEP9E	UEPY2	1.23	40.31	19.84	24.90	6.58						
AL, KY	7, LA, MS, & TN Only 2-Wire Voice Grade Port (Centrex )			UEP9E	UEPQA	1.23	40.31	19.84	24.90	0.50	1					<b>—</b>
	2-Wire Voice Grade Port (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)		1	UEP9E UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58 6.58						<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP9E UEP9E	UEPQB	1.23	40.31	19.84	24.90	6.58	-					<del></del>
	2-Wire Voice Grade Port (Centrex with Caller ID)1  2-Wire Voice Grade Port (Centrex from diff Serving Wire		1	UEF9E	UEPQH	1.23	40.31	19.04	24.90	0.56						
	Center)2,3			UEP9E	UEPQM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			OLI SL	OLI QIVI	1.20	100.55	70.57	34.24	11.70						
	Service Term			UEP9E	UEPQZ	1.23	108.35	70.57	54.24	11.70						1
			t		J XL	1.20	100.00	70.07	04.24	11.70					1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9E	UEPQ9	1.23	40.31	19.84	24.90	6.58						1
	2-Wire Voice Grade Port Terminated on 800 Service Term		i –	UEP9E	UEPQ2	1.23	40.31	19.84	24.90	6.58				İ		
Local S	Switching		i –					-							1	
	Centrex Intercom Funtionality, per port			UEP9E	URECS	0.7947										
Local I	Number Portability															
	Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Feature								·								
	All Standard Features Offered, per port			UEP9E	UEPVF	2.56										
	All Select Features Offered, per port			UEP9E	UEPVS	0.00	404.98									<b></b>
	All Centrex Control Features Offered, per port		<u> </u>	UEP9E	UEPVC	2.56					ļ					-
NARS	History Health (control Access Books Control C		<u> </u>	LIEDOE	LIABOY						ļ					
	Unbundled Network Access Register - Combination		<u> </u>	UEP9E UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00	<b></b>		<b> </b>	<b> </b>	<del>                                     </del>	<del></del>
<del>                                     </del>	Unbundled Network Access Register - Indial	-	<b>├</b>		UAR1X	0.00	0.00	0.00		0.00			-	-	<b> </b>	<del></del>
Miner	Unbundled Network Access Register - Outdial laneous Terminations	<b>-</b>	<del>                                     </del>	UEP9E	UAROX	0.00	0.00	0.00	0.00	0.00	1			-		<del></del>
	Inneous Terminations Trunk Side	<b>-</b>	<del>                                     </del>		+				1		1			-		<del></del>
∠-vvire	Trunk Side Trunk Side Terminations, each	<b>-</b>	<del>                                     </del>	UEP9E	CEND6	8.25	120.00	18.85	61.77	3.88	1			-		<del></del>
4-Wiro	Digital (1.544 Megabits)	<b>H</b>	<del>                                     </del>	OLI 3L	OLINDO	0.23	120.00	10.00	01.77	3.00	<del>                                     </del>		<b>l</b>	l	<del>                                     </del>	
4-1116	DS1 Circuit Terminations, each	<b>H</b>	<del>                                     </del>	UEP9E	M1HD1	58.41	203.19	96.25	74.86	2.54	<del>                                     </del>		<b>l</b>	l	<del>                                     </del>	
	DS0 Channel Activated Per Channel	<b>†</b>	<del>                                     </del>	UEP9E	M1HDO	0.00	14.56	30.23	74.00	2.04	<b> </b>				<b> </b>	<del>                                     </del>
Interof	fice Channel Mileage - 2-Wire		t			0.00	14.00								1	
	Interoffice Channel Facilities Termination		t -	UEP9E	M1GBC	22.52	40.77	27.57	17.26	7.11	1		<b> </b>	<b> </b>		

UNBUNDL	ED NETWORK ELEMENTS - Mississippi													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrocurring	g Disconnect				Rates (\$)	2.00 .01	2.007.444.
					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Channel mileage, per mile or fraction of mile			UEP9E	M1GBM	0.0098		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 01	7144	0020	00				
Feat	ure Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 C	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.57										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.57										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop  Feature Activation on D-4 Channel Bank FX Trunk Side Loop			UEP9E	IFQW6	0.57								<del> </del>	<del> </del>	
	Slot			UEP9E	1PQW7	0.57										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9E	1PQWP	0.57										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9E	1PQWV	0.57				-	<u> </u>					
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP9E	1PQWQ	0.57								1	1	
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.57								<del> </del>	<del> </del>	
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				~.,,,	0.07			1	i		l				
	NRC Conversion Currently Combined Switch-As-Is with allowed									ĺ						
	changes, per port			UEP9E	USAC2		0.10	0.10								
	Conversion of Existing Centrex Common Block, each			UEP9E	USACN		37.97	16.68								
	New Centrex Standard Common Block			UEP9E	M1ACS	0.00	666.32									
	New Centrex Customized Common Block NAR Establishment Charge, Per Occasion			UEP9E UEP9E	M1ACC URECA	0.00	666.32 72.63		<b> </b>					-	-	
Addi	tional Non-Recurring Charges (NRC)			OLF 9L	UNLUA	0.00	72.03		1							
7144	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP9E	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at															
	End Use Premise			UEP9E	URETN		11.19	1.10								
	P CENTREX - DCO - Valid in AL, KY, LA, MS, & TN) re VG Loop/2-Wire Voice Grade Port (Centrex) Combo				1							-		1	1	
LINE	Port/Loop Combination Rates (Non-Design)				+									<del> </del>	<del> </del>	
OILL	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -													1	1	
	Non-Design		1	UEP93		12.22										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP93		17.13										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo		3	LIEDOS		20.20										
-	Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		3	UEP93	+	26.26										
	Non-Design		4	UEP93		44.91										
UNE	Port/Loop Combination Rates (Design)		T .													
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -						j									
-	Design		1	UEP93		15.12					ļ					
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		2	UEP93		19.98										
-+	Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OLFSS	+ +	19.98			1	1	<del>                                     </del>	-		-	-	-
	Design		3	UEP93		28.78										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		Ť		1								İ			
	Design		4	UEP93		46.95					ļ					
UNE	Loop Rate		<u> </u>	LIEBOO	LIEGG!	10.00					ļ					
	2-Wire Voice Grade Loop (SL 1) - Zone 1			UEP93 UEP93	UECS1	10.98 15.91			1	<del> </del>	<b> </b>	-				-
-	2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93 UEP93	UECS1 UECS1	25.04						<del>                                     </del>				
	2-Wire Voice Grade Loop (SL 1) - Zone 3			UEP93	UECS1	43.68										
	2-Wire Voice Grade Loop (SL 2) - Zone 1			UEP93	UECS2	13.89										
	2-Wire Voice Grade Loop (SL 2) - Zone 2			UEP93	UECS2	18.75										
	2-Wire Voice Grade Loop (SL 2) - Zone 3			UEP93	UECS2	27.55										
1000	2-Wire Voice Grade Loop (SL 2) - Zone 4		4	UEP93	UECS2	45.72			-	-	<u> </u>					
	Port Rate (Y, LA, MS, & TN only		-		+				<b>+</b>		1	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
AL, I	2-Wire Voice Grade Port (Centrex ) Basic Local Area		$\vdash$	UEP93	UEPYA	1.23	40.31	19.84	24.90	6.58	<b> </b>	<del>                                     </del>	<b> </b>	+	<del>                                     </del>	<del>                                     </del>

NRONDL	D NETWORK ELEMENTS - Mississippi													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Increments Charge - Manual Sy Order vs. Electronic Disc Add
					+		Nonrec	u.vein a	Nonrecurring	Dissennest	-		220	Rates (\$)	1	
			<u> </u>		+	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local		1		+		FIISL	Auu i	FIISL	Auu i	SOMEC	SUMAN	SOWAN	SOMAN	SOMAN	SUMAN
	Area			UEP93	UEPYB	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local		1	OLI 33	OLITB	1.20	40.51	13.04	24.30	0.50						
	Area			UEP93	UEPYH	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port (Centrex from diff Serving Wire														t	†
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.23	108.35	70.57	54.24	11.70						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area		<b></b>	UEP93	UEPY2	1.23	40.31	19.84	24.90	6.58					-	
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.23	40.31	19.84	24.90	6.58						
-	2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP93	UEPQB UEPQH	1.23	40.31	19.84	24.90	6.58			<b> </b>	<b>.</b>	<del>                                     </del>	<b> </b>
_	2-Wire Voice Grade Port (Centrex with Caller ID)1		<u> </u>	UEP93	UEPQH	1.23	40.31	19.84	24.90	6.58	-				-	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2,3			UEP93	UEPQM	1.23	108.35	70.57	54.24	11.70					I	
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800			ULF 93	OLF QIVI	1.23	100.33	10.51	34.24	11.70				1		<del> </del>
	Service Term			UEP93	UEPQZ	1.23	108.35	70.57	54.24	11.70						
+	COLVING TOTAL		1	OL1 30	OLI QL	1.20	100.00	70.01	04.24	11.70						<b>†</b>
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.23	40.31	19.84	24.90	6.58						
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.23	40.31	19.84	24.90	6.58						İ
Local	Switching				<u> </u>											i e
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.7947										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Featu																
	All Standard Features Offered, per port			UEP93	UEPVF	2.56										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	2.56										
NARS																
_	Unbundled Network Access Register - Combination		-	UEP93	UARCX	0.00	0.00	0.00	0.00	0.00						1
-	Unbundled Network Access Register - Indial		<u> </u>	UEP93 UEP93	UAR1X UAROX	0.00	0.00	0.00	0.00	0.00	-				-	-
Misco	Unbundled Network Access Register - Outdial  Ilaneous Terminations		1	UEP93	UARUX	0.00	0.00	0.00	0.00	0.00	-				-	
	Trunk Side				+									1		1
2-7711	Trunk Side Terminations, each			UEP93	CEND6	8.25	120.00	18.85	61.77	3.88	<b>†</b>					
4-Wir	e Digital (1.544 Megabits)			02. 00	02.120	0.20	120.00	10.00	0	0.00						İ
	DS1 Circuit Terminations, each			UEP93	M1HD1	58.41	203.19	96.25	74.86	2.54						
	DS0 Channels Activated, Per Channel			UEP93	M1HDO	0.00	14.56									
Interd	ffice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP93	M1GBC	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel mileage, per mile or fraction of mile			UEP93	M1GBM	0.0098										
	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 Ch	annel Bank Feature Activations															
_	Feature Activation on D-4 Channel Bank Centrex Loop Slot		<b></b>	UEP93	1PQWS	0.57									-	<u> </u>
	Facture Activation on D.4 Changel Beatly EV Line Cide Law Clar			LIEDOS	100140	0.57									I	
	Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop		+	UEP93	1PQW6	0.57			1		-				<del>                                     </del>	<del>                                     </del>
	Slot			UEP93	1PQW7	0.57									I	1
+	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		<del>                                     </del>	OE1 33	11 02/1/	0.57			<del>                                     </del>		<del>                                     </del>		1	<del> </del>	<del> </del>	1
	Different Wire Center			UEP93	1PQWP	0.57									I	1
					~,,,	0.01								1	<u> </u>	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP93	1PQWV	0.57									I	1
	Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop			ĺ	1								l	İ	1	1
	Slot		L	UEP93	1PQWQ	0.57			<u>                                      </u>						<u> </u>	
1	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP93	1PQWA	0.57										
Non-F	Recurring Charges (NRC) Associated with UNE-P Centrex					•		· · · · ·		· · · · ·						
	NRC Conversion Currently Combined Switch-As-Is with allowed												l			
1	changes, per port		<u> </u>	UEP93	USAC2		0.10	0.10	<u> </u>				<u></u>			<u> </u>

UNBU	NDLE	D NETWORK ELEMENTS - Mississippi												Attach	ment: 2	Exhi	bit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Submitted Manually	Charge -	Charge - Manual Svc Order vs.	Charge - Manual Svc	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							В	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Conversion of Existing Centrex Common Block, each			UEP93	USACN		37.97	16.68								
		New Centrex Standard Common Block			UEP93	M1ACS	0.00	666.32									
		New Centrex Customized Common Block			UEP93	M1ACC	0.00	666.32									
		NAR Establishment Charge, Per Occasion			UEP93	URECA	0.00	72.63									
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP93	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP93	URETN		11.19	1.10								
	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
		- Requres Interoffice Channel Mileage						_									
	Note 3	<ul> <li>Installation is combination of Installation charge for SL2 Loc</li> </ul>	op and	Port													
		- Requires Specific Customer Premises Equipment															
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	ie-up as set forth in	General Tern	ns and Condition	ons.									

LINIDI	INDI E	D NETWORK ELEMENTS - North Carolina												Assach		F.u.	L:4. A
UNDC	MULE		1	1			ı					Svo Ordor	Cua Ordar	Incremental	ment: 2	Incremental	bit: A Incremental
													Submitted	Charge -			
												Elec			Charge -	Charge -	Charge -
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				Manually	Manual Svc	Manual Svc		Manual Svc
OAIL		INATE ELEMENTO	m	20110	500	0000			τικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonre	curring	Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	i																
	The "Z	one" shown in the sections for stand-alone loops or loops as	part of	a comi	ination refers to Ge	ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, ref	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m												
OPER/		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"															
		(1) CLEC should contact its contract negotiator if it prefers the															
	elect e	ither the state specific Commission ordered rates for the servi	ice orde	ring ch	arges, or CLEC may	elect the re	gional service o	ordering charg	e, however, Cl	EC can not o	btain a mixture	of the two	regardless i	f CLEC has a	interconnecti	on contract e	stablished in
		f the 9 states.															
		(2) Any element that can be ordered electronically will be bill		•						•	` '		•			•	
		innot be ordered electronically at present per the LOH, the list			e in this category ref	lects the cha	arge that would	l be billed to a	CLEC once ele	ectronic order	ing capabilities	s come on-l	ne for that	element. Oth	erwise, the ma	anual orderin	g charge,
		N, will be applied to a CLECs bill when it submits an LSR to E															
	NOTE:	(3) OSS - Manual Service Order Charge, Per Element - UNE Or	nly **Ple	ease se	e applicable rate ele	ment for SC	MAN charge**										
	1	OSS - Electronic Service Order Charge, Per Local Service															
	<u> </u>	Request (LSR) - UNE Only	ļ	<u> </u>		SOMEC		3.50	0.00	3.50	0.00	ļ					
UNE S		DATE ADVANCEMENT CHARGE	<u> </u>			L	L					ļ		ļ		ļ	ļ
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X.												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
<u></u>	<u> </u>	Day	<u>L</u> _	<u> </u>	U1TUB, U1TUA	SDASP		200.00	<u></u>							<u> </u>	<u> </u>
UNBU		EXCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	12.11	57.99	42.37					26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.24	57.99	42.37					26.94	12.76	0.00	0.00
	Ì	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEAL2	33.65	57.99	42.37			1		26.94	12.76	0.00	0.00
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEASL	12.11	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	21.24	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1	3	UEANL	UEASL	33.65	57.99	42.37		1			26.94	12.76	0.00	0.00
	1	Unbundled Miscellaneous Rate Element, Tag Loop at End User	1	T				21.30	:=:3,		1			1	1	1.50	2.00
	1	Premise	1	1	UEANL	URETL		8.33	0.83					26.94	12.76	0.00	0.00
	1	Loop Testing - Basic 1st Half Hour	<b>†</b>	t	UEANL	URET1		76.24	76.24		1	<b>1</b>		26.94	12.76	0.00	0.00
	l	Loop Testing - Basic Additional Half Hour	t	t	UEANL	URETA		39.51	39.51			1	<b>-</b>	26.94	12.76	0.00	0.00
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch	<b>†</b>	t				00.01	00.01		1	<b>1</b>		20.04	12.70	0.00	0.00
1	I	(UVL-SL1)	1	1	UEANL	UREWO		15.76	8.93				1	26.94	12.76	0.00	0.00
	1	1(0.1 01.)	1	1	O _ / 11 1 L	- I I I I I	1	10.70	0.33		1	1	1	20.34	12.70	0.00	0.00

Version 3Q03: 11/12/2003 Page 239 of 348

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	1	ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Increment Charge - Manual Sv Order vs. Electronic Disc Add
							Rec	Nonre		Nonrecurring					Rates (\$)		
$\vdash \vdash$				<u> </u>		1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
-		providing make-up (Engineering Information - E.I.)		-	UEANL	UEANM UEAMC		28.74	28.74								1
-		Manual Order Coordination for UVL-SL1s (per loop)  Order Coordination for Specified Conversion Time for UVL-SL1			UEANL	UEAIVIC		61.38	61.38	+		-					+
		(per LSR)			UEANL	OCOSL		45.34	45.34								
		Unbundled COPPER LOOP			ULANL	OCOSL		40.04	43.34			1					+
l t		2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	10.16	35.27	15.60			1		26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	17.55	35.27	15.60			1		26.94	12.76	0.00	0.0
		2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	27.58	35.27	15.60			1		26.94	12.76		
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEQ	URETL		8.33	0.83					26.94	12.76	0.00	0.0
		Manual Order Coordination 2 Wire Unbundled Copper Loop -															
		Non-Designed (per loop)			UEQ	USBMC		61.38	61.38					<u> </u>			
		Unbundled Copper Loop, Non-Design Copper Loop, billing for															
$\vdash \vdash$		BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.74	28.74					26.94	12.76	0.00	0.0
		Loop Testing - Basic 1st Half Hour			UEQ	URET1		76.24	76.24			ļ		26.94	12.76		
		Loop Testing - Basic Additional Half Hour			UEQ	URETA		39.51	39.51	-				26.94	12.76	0.00	0.0
		CLEC to CLEC Conversion Charge Without Outside Dispatch			LIEO	LIDEWO		44.00	7.00					00.01	10 =0	0.00	
LINIBLINI	DI ED E	(UCL-ND)			UEQ	UREWO		14.26	7.42					26.94	12.76	0.00	0.0
		EXCHANGE ACCESS LOOP		-		+						1			-		1
<del>  </del>	2-WIRE	ANALOG VOICE GRADE LOOP				+						-			-		<del>                                     </del>
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEALS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
-		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		'	UEFSK UEFSB	UEALS	12.11	57.99	42.37	0.00	0.00	1		20.94	12.76	1	+
		Zone 1		1	UEPSR UEPSB	UEABS	12.11	57.99	42.37	0.00	0.00			26.94	12.76		
-		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLADO	12.11	37.99	42.57	0.00	0.00	1		20.54	12.70	1	+
		Zone 2		2	UEPSR UEPSB	UEALS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
		Zone 2		2	UEPSR UEPSB	UEABS	21.24	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		i i													
		Zone 3		3	UEPSR UEPSB	UEALS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
		Zone 3		3	UEPSR UEPSB	UEABS	33.65	57.99	42.37	0.00	0.00			26.94	12.76		
		EXCHANGE ACCESS LOOP															
1	2-WIRE	ANALOG VOICE GRADE LOOP															
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		١.					400 =0								
		Ground Start Signaling - Zone 1		1	UEA	UEAL2	14.97	142.97	106.56			1		26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	25.93	142.97	106.56					26.94	12.76	0.00	0.0
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	-	-	OLA	ULALZ	20.93	142.97	100.36	+		<b> </b>	<del>                                     </del>	20.94	12.76	0.00	0.0
		Ground Start Signaling - Zone 3		3	UEA	UEAL2	40.81	142.97	106.56					26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL	70.01	45.34	100.30	1		l	t	20.34	12.70	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1		.5.54		İ	İ	1		İ	1	i e	
		Battery Signaling - Zone 1		1	UEA	UEAR2	14.97	142.97	106.56					26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse				1											
		Battery Signaling - Zone 2		2	UEA	UEAR2	25.93	142.97	106.56	<u> </u>		<u></u>		26.94	12.76	0.00	0.0
		2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
		Battery Signaling - Zone 3		3	UEA	UEAR2	40.81	142.97	106.56			ļ		26.94	12.76	0.00	0.0
		Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		45.34		ļ		ļ		ļ	1	ļ	
$\vdash$		CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.64	36.33			ļ		26.94	12.76	0.00	
$\vdash$		Loop Tagging - Service Level 2 (SL2)		ļ	UEA	URETL		11.20	1.10	<b>_</b>	-	1	-	26.94	12.76	0.00	0.0
4		ANALOG VOICE GRADE LOOP		-	LIEA	LIENIA	24.22	200 47	007.45	<del>                                     </del>	-	<b></b>	-	20.04	10.70	0.00	1
$\vdash$		4-Wire Analog Voice Grade Loop - Zone 1			UEA	UEAL4 UEAL4	21.32	288.47	237.45		-	<b></b>	-	26.94	12.76	0.00	
		4-Wire Analog Voice Grade Loop - Zone 2	<b>-</b>		UEA UEA	UEAL4	36.27 56.57	288.47 288.47	237.45 237.45			1	-	26.94 26.94	12.76 12.76		
-		4-Wire Analog Voice Grade Loop - Zone 3 Order Coordination for Specified Conversion Time (per LSR)	-	3	UEA	OCOSL	50.57	288.47 45.34	231.45	+		<b> </b>	<del>                                     </del>	∠6.94	12.76	0.00	0.0
<del>     </del>		CLEC to CLEC Conversion Charge without outside dispatch	<b>-</b>		UEA	UREWO		87.64	36.33	+				26.94	12.76	0.00	0.0
1	2-WIRE	EISDN DIGITAL GRADE LOOP		$\vdash$	0=/1	JILL VVO		07.04	50.55	1		<b> </b>	<del>                                     </del>	20.34	12.70	0.00	0.0
		2-Wire ISDN Digital Grade Loop - Zone 1	$\vdash$	1	UDN	U1L2X	19.42	325.91	251.31	<del>†</del>		<del>                                     </del>	<del> </del>	26.94	12.76	0.00	0.0

NRONDL	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring Disconnect				Rates (\$)	•	
							First	Add'l	First Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2			UDN	U1L2X	32.88	325.91	251.31				26.94	12.76	0.00	
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	51.14	325.91	251.31				26.94	12.76	0.00	0.0
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.55	44.12	<u> </u>			26.94	12.76	0.00	0.0
2-WII	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	AIIBLE	LOOP		+				<b>.</b>	-			1		1
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	11.00	264.71	145.60				26.94	12.76	0.00	0.0
- t	2 Wire Unbundled ADSL Loop including manual service inquiry		-	UAL	UALZA	11.00	204.71	145.60	+ + +	1	1	20.94	12.70	0.00	0.0
	& facility reservation - Zone 2		2	UAL	UAL2X	18.39	264.71	145.60				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop including manual service inquiry			O/IL	OTILEX	10.00	204.71	140.00	<del>                                     </del>	+	<b>-</b>	20.04	12.70	0.00	0.0
	& facility reservation - Zone 3		3	UAL	UAL2X	28.42	264.71	145.60				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)		É	UAL	OCOSL		45.34			1			1	1 2.30	1 3.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 1	<u></u>	1	UAL	UAL2W	11.00	190.25	114.82				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &				İ	İ	ĺ								
	facility reservaton - Zone 2		2	UAL	UAL2W	18.39	190.25	114.82				26.94	12.76	0.00	0.0
	2 Wire Unbundled ADSL Loop without manual service inquiry &														
	facility reservaton - Zone 3		3	UAL	UAL2W	28.42	190.25	114.82				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch	L		UAL	UREWO		86.12	40.36	<u> </u>			26.94	12.76	0.00	0.0
2-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP							ļ					
	2 Wire Unbundled HDSL Loop including manual service inquiry					0.04	00474	400.54				00.04	40.70	0.00	
	& facility reservation - Zone 1		1	UHL	UHL2X	9.01	284.74	163.54		1		26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 2		_	UHL	UHL2X	14.87	284.74	163.54				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHLZX	14.87	284.74	163.54		+	-	26.94	12.76	0.00	0.0
	& facility reservation - Zone 3		3	UHL	UHL2X	22.82	284.74	163.54				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL	22.02	45.34	105.54	<del>                                     </del>	+	<b>-</b>	20.34	12.70	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry			OTIL	00002	-	40.04		<del>                                     </del>	<b>†</b>					1
	and facility reservation - Zone 1		1	UHL	UHL2W	9.01	207.48	132.05				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry								1	i i				0.00	1
	and facility reservation - Zone 2		2	UHL	UHL2W	14.87	207.48	132.05				26.94	12.76	0.00	0.0
	2 Wire Unbundled HDSL Loop without manual service inquiry														
	and facility reservation - Zone 3		3	UHL	UHL2W	22.82	207.48	132.05				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WII	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE	OOP												
	4 Wire Unbundled HDSL Loop including manual service inquiry				I I										
	and facility reservation - Zone 1		1	UHL	UHL4X	10.62	341.65	220.45	<u> </u>			26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop including manual service inquiry		_	UHL	UHL4X	17.67	244.05	220 45				20.04	12.76	0.00	0.0
	and facility reservation - Zone 2  4-Wire Unbundled HDSL Loop including manual service inquiry		2	UHL	UHL4X	17.67	341.65	220.45		+	-	26.94	12.76	0.00	0.0
	and facility reservation - Zone 3		3	UHL	UHL4X	27.24	341.65	220.45				26.94	12.76	0.00	0.0
- t	Order Coordination for Specified Conversion Time (per LSR)		3	UHL	OCOSL	21.24	45.34	220.43	+ + +	1	1	20.94	12.70	0.00	0.0
_	4-Wire Unbundled HDSL Loop without manual service inquiry			OTIL	OCCOL		40.04		<del>                                     </del>	+			-		1
	and facility reservation - Zone 1		1	UHL	UHL4W	10.62	264.39	188.96				26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry		Ė		1			.00.00	<u> </u>	1		20.04	.20	5.50	3.0
	and facility reservation - Zone 2		2	UHL	UHL4W	17.67	264.39	188.96				26.94	12.76	0.00	0.0
	4-Wire Unbundled HDSL Loop without manual service inquiry						ĺ								
	and facility reservation - Zone 3	<u></u>	3	UHL	UHL4W	27.24	264.39	188.96				26.94	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		45.34								
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		86.06	40.36				26.94	12.76	0.00	0.0
4-WII	RE DS1 DIGITAL LOOP				1								L		
	4-Wire DS1 Digital Loop - Zone 1			USL	USLXX	47.60	714.84	421.47		1		42.19		0.00	0.0
	4-Wire DS1 Digital Loop - Zone 2			USL	USLXX	84.36	714.84	421.47		1		42.19	12.76	0.00	
	4-Wire DS1 Digital Loop - Zone 3		3	USL	USLXX	134.29	714.84	421.47		1	-	42.19	12.76	0.00	0.0
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	USL	OCOSL		48.31	40.00		1		20.04	40.70	0.00	
	ICLEC TO CLEC Conversion Charge without outside dispatch	1		USL	UREWO		100.99	43.00	1	1	1	26.94	12.76	0.00	0.0

	ED NETWORK ELEMENTS - North Carolina												ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
$\overline{}$					1	_	Nonrec	urrina	Nonrecurring Disconnect	:	l .	OSS	Rates (\$)	1	
-						Rec	First	Add'l	First Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	43.11	489.04	337.51				26.94	12.76	0.00	
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		45.34								
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1			UDL	UDL64	25.32	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2			UDL	UDL64	43.11	489.04	337.51				26.94	12.76	0.00	0.00
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	67.26	489.04	337.51				26.94	12.76	0.00	0.00
	Order Coordination for Specified Conversion Time (per LSR)		<u> </u>	UDL	OCOSL		45.34	40 =0	<del>                                     </del>	+	<b> </b>	20.01	10.70	0.00	
0.1445	CLEC to CLEC Conversion Charge without outside dispatch		-	UDL	UREWO		102.03	49.70	+	-	<b> </b>	26.94	12.76	0.00	0.00
2-WIR	E Unbundled COPPER LOOP  2-Wire Unbundled Copper Loop-Designed including manual				+				+ + +	+	<del> </del>	<del>                                     </del>	-	<del>                                     </del>	ļ
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	13.26	262.86	143.75		1		26.94	12.76	0.00	0.00
-+-	2-Wire Unbundled Copper Loop-Designed including manual			UCL	UCLPB	13.20	202.00	143.75	+ +		1	20.94	12.76	0.00	0.00
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	22.39	262.86	143.75				26.94	12.76	0.00	0.00
-	2 Wire Unbundled Copper Loop-Designed including manual			001	OOL! D	22.00	202.00	140.70			1	20.04	12.70	0.00	0.00
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	34.80	262.86	143.75				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)		Ů	UCL	UCLMC	0 1.00	61.38	61.38				20.0 .	.2	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual								1		İ				
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	13.26	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 2		2	UCL	UCLPW	22.39	188.39	112.96				26.94	12.76	0.00	0.00
	2-Wire Unbundled Copper Loop-Designed without manual														
	service inquiry and facility reservation - Zone 3			UCL	UCLPW	34.80	188.39	112.96				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44				26.94	12.76	0.00	0.00
4-WIR	E COPPER LOOP														
	4-Wire Copper Loop including manual service inquiry and facility														
	reservation - Zone 1		1	UCL	UCL4S	17.36	311.03	191.93		_		26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility		2	UCL	UCL4S	20.04	244.02	404.00				20.04	12.76	0.00	0.00
$\longrightarrow$	reservation - Zone 2		- 2	UCL	UCL4S	29.61	311.03	191.93	<b>+</b>	_		26.94	12.76	0.00	0.00
	4-Wire Copper Loop including manual service inquiry and facility reservation - Zone 3		3	UCL	UCL4S	46.26	311.03	191.93				26.94	12.76	0.00	0.00
-	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCL4S UCLMC	46.26	61.38	61.38	+	-		26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility			UCL	UCLIVIC		01.30	01.30	+ +	1	ł	1			ł
	reservation - Zone 1		1	UCL	UCL4W	17.36	236.57	161.14				26.94	12.76	0.00	0.00
-	4-Wire Copper Loop without manual service inquiry and facility		i i	002	002	17.00	200.07				1	20.0 .	12.10	0.00	0.00
	reservation - Zone 2		2	UCL	UCL4W	29.61	236.57	161.14				26.94	12.76	0.00	0.00
	4-Wire Copper Loop without manual service inquiry and facility				1				1		İ			0.00	
	reservation - Zone 3		3	UCL	UCL4W	46.26	236.57	161.14				26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		61.38	61.38							
	CLEC to CLEC Conversion Charge without outside dispatch														
	(UCL-Des)			UCL	UREWO		97.14	42.44							
LOOP MODIF	ICATION														
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire pair less than or equal to 18k ft, per Unbundled Loop Unbundled Loop Modification Removal of Load Coils - 4 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULM2L		21.24	21.24				26.94	12.76	0.00	0.00
	less than or equal to 18K ft, per Unbundled Loop			UHL. UCL. UEA	ULM4L		21.24	21.24		1		26.94	12.76	0.00	0.00
-+	rest man or oqual to forting por oribunated book			UAL, UHL, UCL,	J=/L		21.27	21.27		1	1	20.04	12.70	3.30	0.00
	Unbundled Loop Modification Removal of Bridged Tap Removal, per unbundled loop			UEQ, ULS, UEA, UEANL, UEPSR, UEPSB	ULMBT		24.84	24.84				26.94	12.76	0.00	0.00
SUB-LOOPS	per entered														

ONBONDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
			ļ			Rec	Nonrec			g Disconnect				Rates (\$)		
	Cub Lana Day Cross Day Lanation CLEC Fooder Fooility Cat		ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-			UEANL	USBSA		373.57						26.94	12.76	0.00	0.00
	l l			OLANL	OODOA		373.37			1			20.54	12.70	0.00	0.00
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	- 1		UEANL	USBSB		33.78						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - CLEC Feeder															
	Facility Set-Up	- 1		UEANL	USBSC		234.76						26.94	12.76	0.00	0.00
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -	-		UEANL	USBSD		81.05						26.94	12.76	0.00	0.00
	Zone 1		1	UEANL	USBN2	7.31	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -		<u> </u>	OLANL	OODINZ	7.51	120.03	34.34		1			20.54	12.70	0.00	0.00
	Zone 2	- 1	2	UEANL	USBN2	11.93	126.03	54.54					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -															
	Zone 3	- 1	3	UEANL	USBN2	18.20	126.03	54.54					26.94	12.76	0.00	0.00
				UEANL	LIODAGO		04.00	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		-	UEANL	USBMC		61.38	61.38								
	Zone 1		1	UEANL	USBN4	8.44	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -		†÷	0271112	005.11	0	.00.02	70.00					20.01	.20	0.00	0.00
	Zone 2		2	UEANL	USBN4	13.81	156.52	79.66					26.94	12.76	0.00	0.00
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 3		3	UEANL	USBN4	21.10	156.52	79.66					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)			UEANL	USBR2	2.79	114.05	37.20					26.94	12.76	0.00	0.00
	Cab Esop 2 vine intraballating Network Cable (INC)	i i	<del>                                     </del>	OL7 II VL	CODINE	2.70	114.00	07.20					20.04	12.70	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		61.38	61.38								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR4	3.74	127.67	50.82					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL UEANL	USBMC URET1		61.38	61.38							1	
	Loop Testing - Basic 1st Half Hour  Loop Testing - Basic Additional Half Hour		-	UEANL	URETA		76.24 39.51	76.24 39.51		<b> </b>	-				-	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF	UCS2X	6.10	137.10	60.24		1			26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	i	2	UEF	UCS2X	9.70	137.10	60.24					26.94	12.76	0.00	0.00
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	ı		UEF	UCS2X	14.59	137.10	60.24					26.94	12.76	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	UCS4X	6.58	162.24	85.38					26.94	12.76	0.00	0.00
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3		3	UEF	UCS4X UCS4X	10.51 15.84	162.24	85.38 85.38		1	-		26.94 26.94	12.76 12.76	0.00	0.00
-	4 write Copper Oribunialed Sub-Loop Distribution - Zone 3		3	ULF	UU34X	15.84	162.24	85.38		1	<b>—</b>		∠0.94	12./6	0.00	0.00
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		61.38	61.38								
	Loop Testing - Basic 1st Half Hour			UEF	URET1		76.24	76.24								
	Loop Testing - Basic Additional Half Hour			UEF	URETA		39.51	39.51								
Unbur	ndled Network Terminating Wire (UNTW)															
No.	Unbundled Network Terminating Wire (UNTW) per Pair		<u> </u>	UENTW	UENPP	0.4351	64.98			-	1		26.94	12.76	0.00	0.00
Netwo	rk Interface Device (NID)  Network Interface Device (NID) - 1-2 lines		1	UENTW	UND12		86.37	56.69		+	<del>                                     </del>	-	26.94	12.76	0.00	0.00
+	Network Interface Device (NID) - 1-2 lines  Network Interface Device (NID) - 1-6 lines		<del>                                     </del>	UENTW	UND12 UND16		127.93	98.21		+	<del>                                     </del>		26.94	12.76	0.00	0.00
	Network Interface Device (ND) - 1-6 lines  Network Interface Device Cross Connect - 2 W	<u> </u>	<del>                                     </del>	UENTW	UNDC2		11.68	11.68		<b>†</b>	<del>                                     </del>		26.94	12.76	0.00	0.00
1	Network Interface Device Cross Connect - 4W	i		UENTW	UNDC4		11.68	11.68		Ì			26.94	12.76		0.00
UNE OTHER,	PROVISIONING ONLY - NO RATE															
	NID - Dispatch and Service Order for NID installation			UENTW	UNDBX	0.00	0.00	· · · · · ·								
	UNTW Circuit Id Establishment, Provisioning Only - No Rate			UENTW	UENCE	0.00	0.00			ļ						
	Unbundled Contract Name, Provisioning Only - No Rate			UEANL,UEF,UEQ,U ENTW	UNECN	0.00	0.00									

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Submitted	Submitted	Incremental Charge -	Charge -	Incremental Charge -	Charge -
04750000	DATE ELEMENTO	Interi	<b>-</b>	500	11000			DATEO (6)			Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonred	urring	Nonrecurrin	g Disconnect	1		OSS	Rates (\$)	l .	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
							101	7.00.		71001	0020	00	00			00
				UAL,UCL,UDC,UDL,												
	Unbundled Contact Name, Provisioning Only - no rate			UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															
	rate			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no															
	rate				USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option - no rate			USL	CCOEF	0.00	0.00									
HIGH CVBVCI	TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00			<b> </b>						
I I OAF ACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per	<b>-</b>	<b>†</b>							<del> </del>	<b>t</b>			<b> </b>		
	month			UE3	1L5ND	13.33										
	High Capacity Unbundled Local Loop - DS3 - Facility		t		0.10											
	Termination per month			UE3	UE3PX	450.69	1,071.00	646.12					53.48	53.48		
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per		i –				,									
	month			UDLSX	1L5ND	13.33										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
	Termination per month			UDLSX	UDLS1	464.26	1,071.00	646.12					53.48	53.48		
LOOP MAKE-U																
	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		55.44	55.44					19.99	19.99	19.99	19.99
	Loop Makeup - Preordering With Reservation, per spare facility			UMK	UMKLP		55.70	55.73					19.99	19.99	19.99	19.99
	queried (Manual).		ļ	UMK	UMKLP		55.73	55.73					19.99	19.99	19.99	19.99
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.6960821	0.6960821								
LINE SHARING	G AND LINE SPLITTING			OWIN	UIVIKIVIQ		0.0900021	0.0900021			1			1		
	1: The Line Sharing monthly recurring rates for all installation	ns comr	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01. 2004 shal	I he hilled as f	ollows:							
	1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co						,									
NOTE	1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND	i i	l	,							1					
NOTE	1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
	1: Above will apply to USOCS: ULSDT and ULSCT															
	E 2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	d ULSC	C applies only to cit	cuits install	ed and inservic	e on or before	October 1, 20	03							
	SHARING															
SPLIT	TERS-CENTRAL OFFICE BASED		<u> </u>			101 :-	221 - :				ļ			10 ==		
	Line Sharing Splitter, per System 96 Line Capacity		├		ULSDA	181.18	631.54	0.00		1	ļ		26.94	12.76		
	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity		<del>                                     </del>	ULS ULS	ULSDB ULSD8	38.99 12.73	631.54 424.61	0.00		-	1		26.94 26.94	12.76 12.76		
	Line Sharing Splitter, Per System, 8 Line Capacity  Line Sharing-DLEC Owned Splitter in CO-CFA activaton-	-	<del>                                     </del>	ULG	ULODO	12./3	424.01	0.00		+	<b> </b>		20.94	12.76		
	deactivation (per LSOD)			ULS	ULSDG		146.32	31.27					26.94	12.76		
END U	ISER ORDERING-CENTRAL OFFICE BASED LINE SHARING		t	0-0	52000		140.02	01.27					20.04	12.70		
	Line Sharing - per Line Activation (BST Owned splitter) -	1	i –						l	1				İ	l	
	OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	54.71	28.77					26.94	12.76		
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)		<u> </u>	ULS	ULSDT	3.49	54.71	28.77			ļ			ļ		
	Line Share Service, TRO per line activation, BST owned splitter -															
	Central Office Located (50% of UCLND) - please see NOTE 1				LILODT	0.00	F4 74	20.77								
	(E:10/2/2004)	-	<del> </del>	ULS	ULSDT	6.99	54.71	28.77	-	-	1			<del> </del>	-	
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (75% of UCLND) - please see NOTE 1															
	(E:10/2/2005)			ULS	ULSDT	10.48	54.71	28.77								
+	Line Sharing - per Subsequent Activity per Line		<del>                                     </del>	OLO	OLODI	10.40	J4.7 I	20.77		<del> </del>	1			<b> </b>		
	Rearrangement(BST Owned Splitter			ULS	ULSDS		35.42	16.57					26.94	12.76		
<u> </u>	Line Sharing - per Subsequent Activity per Line		<del>                                     </del>							Ì				:=:// 0		
	Rearrangement(DLEC Owned Splitter			ULS	ULSCS		35.14	16.29					26.94	12.76		
	Line Sharing - per Line Activation (DLEC owned Splitter) -															
	OBSOLETE see **NOTE 2	1	1	ULS	ULSCC	0.61	47.44	19.31	I	1	1	l	26.94	12.76	l	l

UNBU	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		S		Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
														1st	Add'I	Disc 1st	Disc Add'l
						1	B	Nonrec	urring	Nonrecurring Discon	nect		l .	oss	Rates (\$)		
							Rec	First	Add'l	First Add	l't	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (25% of UCLND) - please see															
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.49	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see															
		NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.99	47.44	19.31								
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSCT	10.48	47.44	19.31								
	LINES	PLITTING			ULS	OLGCT	10.46	47.44	15.51					1			1
		SER ORDERING-CENTRAL OFFICE BASED															
		Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			<del>                                     </del>				1	1		<b>—</b>
		Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	56.92	28.59					26.94	12.76	l	Î
		Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	56.92	28.59					26.94	12.76	1	1
	MAINT	ENANCE															
		No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
		No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
		No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								
UNBUN		DEDICATED TRANSPORT															ļ
	INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				41 = 304											
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -			LIATION	LIATVO	40.00	407.40	50.50					20.07	20.07		
		Facility Termination Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			U1TVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Rev Bat Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat			UTIVA	ILSAA	0.0125							1			-
		Facility Termination			U1TVX	U1TR2	18.00	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade -			OTTVX	OTTIVE	10.00	137.40	32.30					30.07	30.07		-
		Per Mile per month			U1TVX	1L5XX	0.0125										
		Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade				1.201.01	0.0.0										
		- Facility Termination			U1TVX	U1TV4	22.16	106.11	65.95					22.32	22.32		
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			U1TDX	1L5XX	0.0282										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination			U1TDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile														l	
		per month			U1TDX	1L5XX	0.0282							L	ļ		<u> </u>
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination		-	U1TDX	U1TD6	17.40	137.48	52.58	+ + + + + + + + + + + + + + + + + + + +			<b> </b>	38.07	38.07	-	<del>                                     </del>
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			LIATEA	11.5	0.5750						1	I			
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility		-	U1TD1	1L5XX	0.5753			<del>                                     </del>				<del>                                     </del>		-	<del>                                     </del>
		Termination			U1TD1	U1TF1	71.29	217.17	163.75				1	38.07	38.07		
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per		1	01101	01111	71.29	211.11	103.75	1	-			30.07	30.07		<del>                                     </del>
		Inneronice Charmer - Dedicated Transport - DS3 - Fer Mile per			U1TD3	1L5XX	12.98						1	I			
		Interoffice Channel - Dedicated Transport - DS3 - Facility			0.100	TEO//	12.30							<b>†</b>	1	1	†
		Termination per month			U1TD3	U1TF3	720.38	794.94	579.55				1	91.26	91.26		
		Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per				1			2. 2.30					120	220	İ	1
		month			U1TS1	1L5XX	6.14						1	I			
		Interoffice Channel - Dedicated Transport - STS-1 - Facility															
		Termination			U1TS1	U1TFS	790.37	642.23	408.89					53.48	53.48		
DARK F	IBER																
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction														I	
		Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	27.71						ļ	1	ļ		<b></b>
		NRC Dark Fiber - Interoffice Channel		<b></b>	UDF, UDFCX	UDF14		1,807.00	562.96					-			<del>                                     </del>
		Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction			UDF, UDFCX	1L5DL	64.04						1	I			
		Thereof per month - Local Loop		-			64.04	1 0 4 7 0 0	279.87				-	<del>                                     </del>	-		-
		NRC Dark Fiber - Local Loop		1	UDF, UDFCX	UDFL4		1,347.00	2/9.8/	1			l	1	1	l	

UNBUNDI	LED NETWORK ELEMENTS - North Carolina											Attach	ment: 2	Exhi	bit: A
										Svc Orde	r Svc Order	Incremental		Incremental	Incremental
										Submitte			Charge -	Charge -	Charge -
CATEGORY	Y RATE ELEMENTS	Interi	Zono	BCS	usoc			RATES (\$)		Elec	Manually	l .	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	всэ	USUC			KATES (\$)		per LSF	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												Electronic-	Electronic-	Electronic-	Electronic-
												1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring Discon				Rates (\$)		
2000						1100	First	Add'l	First Add	I SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	8XX Access Ten Digit Screening, Per Call			OHD	+	0.0005									
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			OHD	+	0.0005					-				
	Number Reserved			OHD	N8R1X		7.05	0.96				26.94			
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O			-											
	POTS Translations			OHD			23.82	2.73				41.35			
	8XX Access Ten Digit Screening, Per 8XX No. Established With				l										
	POTS Translations			OHD	N8FTX		23.82	2.73			-	41.35			
	8XX Access Ten Digit Screening, Customized Area of Service Per 8XX Number			OHD	N8FCX		5.63	2.82							
	8XX Access Ten Digit Screening, Multiple InterLATA CXR	<b>†</b>		0.10	1401 07		5.03	2.02			1	-			
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		6.59	3.77							
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		8.01	0.96				26.94			
	8XX Access Ten Digit Screening, Call Handling and Destination														
LINE INCO	Features			OHD	N8FDX		5.63					-			
LINE INFOR	RMATION DATA BASE ACCESS (LIDB)  LIDB Common Transport Per Query	<del>                                     </del>		OQT	+	0.00003					+	-			
	LIDB Confinon Transport Fer Query  LIDB Validation Per Query			OQU	+	0.0134					-				
	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0104	62.26				-	26.94	26.94		
SIGNALING				,											
	CCS7 Signaling Connection, Per link (A link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35		
	CCS7 Signaling Connection, Per link (B link) (also known as D														
	link)			UDB	TPP++	18.22	278.02	278.02				41.35	41.35		
	CCS7 Signaling Termination, Per STP Port CCS7 Signaling Usage, Per ISUP Message			UDB UDB	PT8SX	132.83 0.00004					-				
	CCS7 Signaling Usage, Per TCAP Message  CCS7 Signaling Usage, Per TCAP Message	-		UDB	+	0.00004									
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	338.98					1				
	CCS7 Signaling Point Code, per Originating Point Code														
	Establishment or Change, per STP affected			UDB	CCAPO		40.00	40.00				19.99	19.99		
	CCS7 Signaling Point Code, per Destination Point Code												40.00		
E911 SERVI	Establishment or Change, Per Stp Affected			UDB	CCAPD		8.00	8.00			-	19.99	19.99		
ESTI SERVI	Local Channel - Dedicated - 2-wr Voice Grade - Zone 1	1	1			11.24	553.80	89.69		-	-	42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 2		2		1	19.91	553.80	89.69			1	42.17	12.76		
	Local Channel - Dedicated - 2-wr Voice Grade - Zone 3		3			31.70	553.80	89.69				42.17	12.76		
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile					0.0282		<u> </u>							
	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility					40.00	407.40	50.50				00.07	00.0=		
$\vdash$	Termination  Local Channel - Dedicated - DS1 - Zone 1	<b> </b>	1		+	18.00 27.05	137.48 534.48	52.58 462.69			+	38.07 86.15	38.07 1.77		
<del>                                      </del>	Local Channel - Dedicated - DS1 - Zone 2		2		+	47.94	534.48	462.69		_	+	86.15	1.77		
	Local Channel - Dedicated - DS1 - Zone 3	<b>†</b>	3			76.32	534.48	462.69		1	1	86.15	1.77		
	Interoffice Transport - Dedicated - DS1 Per Mile					0.5753									
								<u> </u>							
0411.000	Interoffice Transport - Dedicated - DS1 Per Facility Termination	ļ			1	71.29	217.17	163.75			1	38.07	38.07		
CALLING N	IAME (CNAM) SERVICE	<b> </b>		OQV			75.60				+				
<del>                                     </del>	CNAM For DB Owners - Service Establishment CNAM For Non DB Owners - Service Establishment	1		OQV	+		75.62 75.62			1	+	1			
	CNAM For DB Owners - Service Establishment  CNAM For DB Owners - Service Provisioning With Point Code			·			73.02				1				
	Establishment (Initial)			OQV		<u> </u>	2,354.00	2,354.00							
	CNAM For DB Owners - Service Provisioning With Point Code														
$\vdash$	Establishment (Subsequent)	<u> </u>		OQV	1		1,739.00	1,739.00			1	1			
	CNAM For Non DB Owners - Service Provisioning With Point			OQV			1 070 00	1.070.00							
$\vdash$	Code Establishment (Initial)  CNAM For Non DB Owners - Service Provisioning With Point	1		UQV	+		1,072.00	1,072.00				-			
	Code Establishment (Subsequent)			oqv			768.44	768.44							
	CNAM for DB & Non DB Owners, Per Query			OQV	1	0.0009592	. 55. 14				1				
SELECTIVE	ROUTING														
	Selective Routing Per Unique Line Class Code Per Request Per						,								7
	Switch	<u> </u>					188.59					26.94	12.76		

UNBUN	DLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
												I .		Incremental		Incremental	Incremental
												Submitted Elec	Submitted	Charge -	Charge -	Charge -	Charge -
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	Manually per LSR	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.	Manual Svc Order vs.
			m						(+)			per Lak	per Lak	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Names		Namaaaaa	- Dianamant					2.00 .00	
$\vdash$						+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
VIRTUAL	COL	OCATION				+		FIISL	Addi	FIISL	Auu i	SOMEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
		Virtual Collocation-2 Wire Cross Connects (Loop) for Line															
		Splitting			UEPSR UEPSB	VE1LS	0.0287	33.96	32.08	0.00	0.00			19.99	19.99		i
PHYSICA	L CO	LOCATION															$\vdash$
		Physical Collocation-2 Wire Cross Connects (Loop) for Line Splitting			UEPSR UEPSB	PE1LS	0.0309	33.53	31.65	0.00	0.00			19.99	19.99		i l
AIN SELE	ECTIV	E CARRIER ROUTING			UEPSK UEPSB	PEILS	0.0309	33.53	31.00	0.00	0.00			19.99	19.99		<del>                                     </del>
AIIT OLLE		Regional Service Establishment			SRC	SRCEC		215,597.00									
		End Office Establishment			SRC	SRCEO		347.27									
		Query NRC, per query			SRC		0.0053758										
AIN - BEL	LLSO	JTH AIN SMS ACCESS SERVICE															$\vdash$
		AIN SMS Access Service - Service Establishment, Per State,			AANI	CAMCE		204 77									1
$\vdash$		Initial Setup		-	A1N	CAMSE		294.77				-					$\vdash$
		AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		86.94									1
		AIN SMS Access Service - Port Connection - ISDN Access			A1N	CAM1P		86.94									
		AIN SMS Access Service - User Identification Codes - Per User															
		ID Code			A1N	CAMAU		200.83									
		AIN SMS Access Service - Security Card, Per User ID Code,						4=0.0=									i l
		Initial or Replacement AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)			A1N	CAMRC	0.0023	172.05									$\vdash$
h +		AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)  AIN SMS Access Service - Session, Per Minute				+	0.0023										
		AIN SMS Access Service - Company Performed Session, Per					0.0701										
		Minute					2.08										1
AIN - BEL	LLSO	JTH AIN TOOLKIT SERVICE															
		AIN Toolkit Service - Service Establishment Charge, Per State,															i l
-		Initial Setup AIN Toolkit Service - Training Session, Per Customer		-	CAM	BAPSC BAPVX		290.05 8,363.00									
$\vdash$		AIN Toolkit Service - Training Session, Per Customer  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPVA		8,363.00									1
		DN, Term. Attempt				BAPTT		72.76									1
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
		DN, Off-Hook Delay				BAPTD		72.76									i
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															1
		DN, Off-Hook Immediate				BAPTM		72.76									<b> </b>
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP				BAPTO		149.95									i l
$\vdash$		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		149.95									
		DN, CDP				BAPTC		149.95									i l
		AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per															
$\sqcup \bot$		DN, Feature Code				BAPTF		149.95				ļ					
$\vdash$		AIN Toolkit Service - Query Charge, Per Query		-		1	0.02										$\vdash$
		AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.005										i l
$\vdash$		AIN Toolkit Service - SCP Storage Charge, Per SMS Access				+	0.003										
		Account, Per 100 Kilobytes					1.45										1
		AIN Toolkit Service - Monthly report - Per AIN Toolkit Service															
$\sqcup \bot$		Subscription			CAM	BAPMS	15.98	71.80				ļ					ullet
		AIN Toolkit Service - Special Study - Per AIN Toolkit Service			CAM	DADI O	2.22	47.00									1
$\vdash$		Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service		-	CAM	BAPLS	0.08	47.20				1					$\vdash$
		Subscription			CAM	BAPDS	15.90	71.80									1
		AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit				220	10.00	71.50									
		Service Subscription			CAM	BAPES	0.003	47.20							<u> </u>		<u>                                     </u>
ENHANC	ED E)	TENDED LINK (EELs)							-								
N	OTE:	The monthly recurring and non-recurring charges below will	apply a	nd the	Switch-As-Is Charg	e will not app	ly for UNE con	nbinations pro	visioned as 'C	rdinarily Comb	oined' Network	Elements.					$\vdash$
N N	OTE:	The monthly recurring and the Switch-As-Is Charge and not t TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ne non-	recurri	ng charges below v	vill apply for	UNE combinati	ons provisione	ed as ' Current	y Combined' N	letwork Eleme	nts.					
F	A I EN	First 2-Wire VG Loop (SL2) in Combination - Zone 1	בט ח2		UNCVX	UEAL2	14.97	142.97	106.56			<u> </u>		38.07	38.07		$\vdash$
$\vdash$		First 2-Wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56			1		38.07	38.07		<del>                                     </del>
					1	1	00								22.01		

CATEGORY   RATE ELEMENTS   Marie   Zone   BCB   USOC   RATE (6)   Section   Company	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY   BATE ELEMENTS   Disable												Svc Order	Svc Order				Incremental
## BCS   USC   PATE (I)   White Part   White												I .				Charge -	Charge -
## APT ELEMENTS   Mr. Zone   BCG   USC   F.K.Y.E.G.)   part 1.50			Interi														Manual Svc
Recommendation	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			I .	-				Order vs.
Second   S			m									per Lore	per Lore				Electronic-
Page   Page																	Disc Add'l
Part   Print   April   Print   April   Print   April   Print   April   Print   April   South																Disc 1st	Disc Add I
Part   Abril   Part   Part   Abril   Part							Rec										
Interestive Transport - Designation - District - Section - Secti										First	Add'l	SOMEC	SOMAN			SOMAN	SOMAN
Description   Description				3	UNCVX	UEAL2	40.81	142.97	106.56			ļ		38.07	38.07		
Interestities Transports - Problemed - Dist Contribution - Facility   NCCKX   UTT   71,28   217,7   183,75					11041/	41.500/	0.5750										
Temperature part month	<b></b>		-	-	UNCTX	1L5XX	0.5753					1					
10 Charmelization System in combination (PM Month)					11041/		74.00	047.47	400.75					00.07	00.07		
Vesco Genes COCC - Pet More   1	<b>-</b>											<b> </b>		38.07	38.07		
Each Additional Z-Wiley KU Loop (St. Z) in Combination - Zone 1   1 UNCVX	<b>-</b>											<b> </b>					
Each Additional 2-Wire Vol. Loog (St. 2) in Combination - Zone 2   2 UNDYX	h + + -	Voice Grade COCI - Per Worth	1	-	UNCVA	IDIVG	1.27	13.09	9.30	1		1			-		
Each Additional 2-Wire Vol. Loog (St. 2) in Combination - Zone 2   2 UNDYX		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	LINCVY	HEΔI 2	1/1 07	1/12 07	106 56					38.07	38.07		
Enth-Additional 2-Wire Vol. Long (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 40.81 142-97 100.60 30 36.07	<del> </del>	Lacit Additional 2-wife vo Loop (GL 2) in Combination - Zone 1		<u> </u>	ONOVA	OLALZ	14.57	142.51	100.50			<u> </u>		30.07	30.07		
Enth-Additional 2-Wire Vol. Long (St. 2) in Combination - Zone 3 3 UNCVX UEAL 2 40.81 142-97 100.60 30 36.07		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2	1	2	UNCVX	UEAL2	25 93	142 97	106.56					38.07	38.07		
Vision Grade COCK: Per Memin		2011 / Marional 2 11110 10 Loop (OL 2) III Combination - Zone 2			5.15VA	JL/ LL	20.93	1-2.31	100.00	1				55.07	55.07		
Vision Grade COCK: Per Memin		Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3	1	3	UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
Nonrecurring Currently Combined Network Elements Switch -As-   UNCIX				Ť		1D1VG						İ					
Incompage   UNICIX												İ					
First 4-Wire Analog Voice Grade Loop in Combination - Zone 1					UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2	EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	1 INTER	ROFFICE TRANSPO	ORT											
First 4-Wire Analog Voice Grade Loop in Combination - Zone 2																	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3																	
First 4-Wire Analog Voice Grade Loop in Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   3		First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Interdifice Transport - Dedicated - DS1 - Combination - Per Mile   Per Month   Interdifice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07														ĺ			
Per Month   Interoffice Transport - Dedicated - DS1 - Facility Termination Per Month   UNC1X				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Interoffice Transport - Dedicated - DS1 - Facility Tremination Per		Interoffice Transport - Dedicated - DS1 combination - Per Mile															
Month		Per Month			UNC1X	1L5XX	0.5753										
10 Channel System in combination Per Month																	
Voice Grade COCI in combination - per month														38.07	38.07		
Additional 4-Wire Analog Voice Grade Loop in same DS1		1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
Interoffice Transport Combination - Zone 1					UNCVX	1D1VG	1.27	13.09	9.38								
Additional 4-Wire Analog Voice Grade Loop in same DS1   1		Additional 4-Wire Analog Voice Grade Loop in same DS1															
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
Additional 4-Wire Analog Voice Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3   UNCVX   UEAL4   56.57   288.47   237.45   38.07   38.07   38.07   38.07   Additional Voice Grade COCI in combination - per month   UNCVX   IDIVIG   1.27   13.09   9.38																	
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL4   56.57   288.47   237.45   38.07   38.				2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Additional Voice Grade COCI in combination - per month   UNCVX   1D1VG   1.27   13.09   9.38																	
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X				3										38.07	38.07		
Is Charge					UNCVX	1D1VG	1.27	13.09	9.38								
EXTENDED 4-Wire 56KBps EXTENDED DIGITAL LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			1														
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1	EVTE		CATES	DC4 157				21.75	21.75	32.28	10.96			38.07	38.07	<b> </b>	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07  Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month UNC1X 1L5XX 0.5753 UNCDX UDL56 0.5753 UNCDX UDL56 UNC1X UTF1 71.29 217.17 163.75 38.07 38.07 38.07  1/0 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX UDL56 25.32 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional OCU-DP COCI (data) in combination per month (2.4-	EXIE	NDED 4-WIKE 30 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	UST IN	I EKUFFICE IRAN	SPUKI				ļ		ļ	-	-	1		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07 38.07  First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07 38.07  Interoffice Transport - Dedicated - DS1 - combination - Per Mile Per Month UNC1X 1L5XX 0.5753 UNCDX UDL56 0.5753 UNCDX UDL56 UNC1X UTF1 71.29 217.17 163.75 38.07 38.07 38.07  1/0 Channel System in combination Per Month UNC1X MQ1 146.69 197.78 140.06 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX 1D1DD 2.00 15.76 11.28 UNCDX UDL56 25.32 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 43.11 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 2 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2 3 UNCDX UDL56 67.26 489.04 337.51 38.07 38.07  Additional OCU-DP COCI (data) in combination per month (2.4-		First 4 Wire 56Khas Digital Grade Lean in Combination 7-1-4	1	4	LINCDY	LIDLES	25.20	400.04	227.54					20.07	20.07		
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07	$\vdash$	riist 4-vviile bokops Digital Grade Loop in Combination - Zone 1	1	1	UNCDA	UDLOB	25.32	489.04	331.51	1				38.07	38.07	-	
First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07		First 4-Wire 56Khos Digital Grade Loop in Combination 7000.2		2	LINCDY	LIDL56	/3 11	480 04	337 51					38.07	38.07		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.5753   Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07   38.	$\vdash$	1 1131 4- VVIII O SONDES DIGITAL GIAGE LOOP III COMBINATION - ZONE Z	1		OINODA	ODESO	40.11	403.04	331.31	+		<b> </b>	<b>-</b>	30.07	30.07		
Interoffice Transport - Dedicated - DS1 combination - Per Mile   Per Month   UNC1X   1L5XX   0.5753   Uncolor   UNC1X   U1TF1   T1.29   217.17   163.75   38.07   38.07   38.07   38.07   38.07   38.07   1/0 Channel System in combination Per Month   UNC1X   MQ1   146.69   197.78   140.06   UNCDX   101DD   2.00   15.76   11.28   UNCDX   UNCD		First 4-Wire 56Khns Digital Grade Loop in Combination Zone 2	1	2	LINCDX	LIDL56	67.26	480 U4	227 51					38.07	38.07		
Per Month   UNC1X   1L5XX   0.5753	<del>                                     </del>		1	٥	סואטטא	UDEJO	01.20	409.04	331.31	1	<b> </b>	1		30.07	30.07	<b>l</b>	
Interoffice Transport - Dedicated - DS1 - combination Facility   Termination Per Month   UNC1X   U1TF1   71.29   217.17   163.75   38.07   3					UNC1X	11.5XX	0.5753								1		
Termination Per Month				t	5517	. 20/01	0.07.00			1					<u> </u>		
1/0 Channel System in combination Per Month					UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
OCU-DP COCÍ (data) per month (2.4-64kbs)			<b>†</b>	t		_				1		1		55.51	55.57	<b> </b>	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 1   UNCDX   UDL56   25.32   489.04   337.51   38.07   38.07   38.07										İ	İ			i	1	i	
Interoffice Transport Combination - Zone 1			l –			12.22	2.00		20	1	İ			İ	1	İ	
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   43.11   489.04   337.51   38.07   38.07   38.07				1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		
Interoffice Transport Combination - Zone 2			t						22.101	1				22.01	22.01		
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 3  UNCDX UDL56 67.26 489.04 337.51 38.07 38.07			1	2	UNCDX	UDL56	43.11	489.04	337.51				1	38.07	38.07		
Interoffice Transport Combination - Zone 3			1		_	1				1	l		İ	1	1	l	
Additional OCU-DP COCI (data) - in combination per month (2.4-				3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		
		64kbs)	1	1	UNCDX	1D1DD	2.00	15.76	11.28				1		I		

UNBLINDI F	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
5.1251122					1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		lesten!									Elec			Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .00	2.007.444.
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Normalia Caralia India de Flora de Caralia de				1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	1		11041/	1111000		04.75	04.75	00.00	40.00			00.07	00.07		
EVTEN	Is Charge IDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	DC4 IN	UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXIEN	NDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDI	CATED	D21 IN	TEROFFICE TRANS	PORT						-			-		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
	I list 4-Wire 04Nbps Digital Grade Loop in Combination - Zone 1		-	ONODA	ODLOT	25.52	403.04	337.31					30.07	30.07		
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
						19111										
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination Per Month	ļ		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	1/0 Channel System in combination Per Month			UNC1X	MQ1	146.69	197.78	140.06								
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)	ļ		UNCDX	1D1DD	2.00	15.76	11.28						ļ		
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1		LINCDY	LIDICA	05.00	400.01	007.51				1	00.0-	00.5		
$\vdash$	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	1	1	UNCDX	UDL64	25.32	489.04	337.51	<del>                                     </del>		1		38.07	38.07	<b> </b>	
			2	LINICDY	UDL64	42.11	489.04	227 54					38.07	38.07		
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1	-		UNCDX	UDL64	43.11	489.04	337.51			-		38.07	38.07		
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
	Additional OCU-DP COCI (data) - in combination - per month		3	UNCDX	ODL04	07.20	409.04	337.31					30.07	36.07		
	(2.4-64kbs)			UNCDX	1D1DD	2.00	15.76	11.28								
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPOR												
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.5753										
	Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAV		74.00	047.47	100.75					00.07	00.07		
	Termination Per Month  Nonrecurring Currently Combined Network Elements Switch -As-	-	-	UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
	Is Charge	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EYTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3	INTER				21.75	21.75	32.20	10.96	1		36.07	36.07		
LATE	First DS1Loop in Combination - Zone 1	LD D03	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47			1		38.07	38.07		
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07	İ	
	Interoffice Transport - Dedicated - DS3 combination - Per Mile				1										ĺ	
I	Per Month	<u> </u>		UNC3X	1L5XX	12.98			<u>                                      </u>			<u> </u>	<u> </u>	<u> </u>	<u> </u>	
	Interoffice Transport - Dedicated - DS3 - Facility Termination per															
	month			UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
	3/1Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month	ļ		UNC1X	UC1D1	16.07	13.09	9.38						ļ		
	Additional DS1Loop in DS3 Interoffice Transport Combination -	1		LINGAV	LICLYY	47.00	74404	404 47				1	20.07	20.07		
$\vdash$	Zone 1	╂	1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2	1	2	UNC1X	USLXX	84.36	714.84	421.47				1	38.07	38.07		
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -	<del>                                     </del>		011017	JOLAA	04.50	7 14.04	421.47	<del>                                     </del>		<b>H</b>		30.07	30.07	<del>                                     </del>	
	Zone 3		3	UNC1X	USLXX	134.29	714.84	421.47					38.07	38.07		
	Additoinal DS1 COCI in combination per month	<b>1</b>	Ť	UNC1X	UC1D1	16.07	13.09	9.38					55.57	55.57	1	
	Nonrecurring Currently Combined Network Elements Switch -As-							2.00					İ	1		
	Is Charge	1		UNC3X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE													
	2-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL2	14.97	142.97	106.56								
	2-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56								
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	40.81	142.97	106.56								
	<del>-</del>															

UNBU	NDLE	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		····	m						(+)			per Lak	per Lak				
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
						1	_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
				1			Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per		1													
		Month			UNCVX	1L5XX	0.0282										
		Interoffice Transport - 2-wire VG - Dedicated - Facility			0.10171	120/01	0.0202					1					
		Termination per month			UNCVX	U1TV2	18.00	137.48	52.58					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-		1	0.1017	02	10.00	107.10	02.00			<b>†</b>		00.07	00.01		
		Is Charge			UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
	FXTEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	FINTE				21.70	21.70	02.20	10.00	<b>†</b>		00.07	00.07		
	LX I LIV	4-WireVG Loop in combination - Zone 1	I	1 1	UNCVX	UEAL4	21.32	288.47	237.45			<b>†</b>					
		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	36.27	288.47	237.45			1					
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	56.57	288.47	237.45			1					
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		3	UNCVA	ULAL4	30.37	200.47	237.43			1					-
		Month	1	1	UNCVX	1L5XX	0.0282						1				
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	0140 4 /	ILUAA	0.0202			<del>                                     </del>	<b> </b>	<b>H</b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	+
		Termination per month			UNCVX	U1TV4	22.16	106.11	65.95					38.07	38.07		
$\vdash$				<del>                                     </del>	UNCVA	01174	22.10	106.11	00.90			-		30.07	36.07		
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNCVX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
$\vdash$	CVTCN	IS Charge DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INITED	) FFICE		UNCCC		21.75	21.75	32.28	10.96	-		38.07	38.07		
$\vdash$	EXIEN	DS3 Local Loop in combination - per mile per month	INTERC	JFFICE	UNC3X	1L5ND	13.33					-					
		DS3 Local Loop in combination - per mile per month		<del>                                     </del>	UNC3X	ILOND	13.33										
		DOOL II I II			LINIOOV	LIEODY	450.00	4 074 00	040.40								
		DS3 Local Loop in combination - Facility Termination per month		<del>                                     </del>	UNC3X	UE3PX	450.69	1,071.00	646.12								
L		Interoffice Transport - Dedicated - DS3 - Per Mile per month		_	UNC3X	1L5XX	12.98										
		Interoffice Transport - Dedicated - DS3 combination - Facility					=	=0.4.0.4									
		Termination per month		ļ	UNC3X	U1TF3	720.38	794.94	579.55					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	1														
		Is Charge			UNC3X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
L	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 = 110	10.00										
		STS-1 Local Lolp in combination - per mile per month		_	UNCSX	1L5ND	13.33										
		STS-1 Local Loop in combination - Facility Termination per															
		month			UNCSX	UDLS1	464.26	1,071.00	646.12								
		Interoffice Transport - Dedicated - STS-1 combination - per mile															
		per month			UNCSX	1L5XX	6.14										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
		Nonrecurring Currently Combined Network Elements Switch -As-	-														
		Is Charge			UNCSX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
igsquare	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	ETRAN											ļ	ļ		<b></b>
		First 2-Wire ISDN Loop in Combination - Zone 1			UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.88	325.91	251.31					38.07	38.07		
		First 2-Wire ISDN Loop in Combination - Zone 3	ļ	3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		
		Interoffice Transport - Dedicated - DS1 combination - per mile	1														1
		per month			UNC1X	1L5XX	0.5753										
		Interoffice Transport - Dedicated - DS1 combination - Facility															
		Termination per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
$oxed{\Box}$		1/0 Channel System in combination - per month		oxdot	UNC1X	MQ1	146.69	197.78	140.06								
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.59	15.76	11.28								
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1													l	1
		Combination - Zone 1		1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		<u> </u>
T		Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1													l	1
		Combination - Zone 2	<u> </u>	2	UNCNX	U1L2X	32.88	325.91	251.31		<u></u>			38.07	38.07	<u></u>	<u> </u>
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
I		Combination - Zone 3	<u> </u>	3	UNCNX	U1L2X	51.14	325.91	251.31	<u>                                      </u>	<u> </u>	<u></u>	<u></u>	38.07	38.07	<u> </u>	<u> </u>
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															
		month	1	1	UNCNX	UC1CA	3.59	15.76	11.28				1				
		Nonrecurring Currently Combined Network Elements Switch -As-	1	1		1								ĺ	ĺ		1
		Is Charge	1	1	UNC1X	UNCCC		21.75	21.75	32.28	10.96		1	38.07	38.07		
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS	-1 INTE									İ				1
	Ĩ	First DS1 Loop Combination - Zone 1			UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		1
-		First DS1 Loop Combination - Zone 2	1	2	UNC1X	USLXX	84.36	714.84	421.47				İ	38.07	38.07		1
					UNC1X	USLXX	134.29	714.84	421.47		<b>-</b>		-	38.07	38.07		+

	D NETWORK ELEMENTS - North Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
i l	Interoffice Transport - Dedicated - STS-1 combination - Per Mile								1							
	Per Month			UNCSX	1L5XX	6.14										ļ
	Interoffice Transport - Dedicated - STS-1 combination - Facility Termination per month			UNCSX	U1TFS	790.37	642.23	408.89					38.07	38.07		
	3/1 Channel System in combination per month			UNCSX	MQ3	233.10	403.97	234.40								
	DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
i	Additional DS1Loop in the same STS-1 Interoffice Transport															
	Combination - Zone 1 Additional DS1Loop in the same STS-1 Interoffice Transport		1	UNC1X	USLXX	47.60	714.84	421.47				<u> </u>	38.07	38.07		-
	Combination - Zone 2		2	UNC1X	USLXX	84.36	714.84	421.47				<u> </u>	38.07	38.07		
ı l	Additional DS1Loop in the same STS-1 Interoffice Transport	l		LINGAY	LICLYY	404.00	74404	404 47				1	20.07	20.07		
	Combination - Zone 3	-	3	UNC1X	USLXX UC1D1	134.29 16.07	714.84 13.09	421.47 9.38	<del>                                     </del>		-	<del>                                     </del>	38.07	38.07	-	
+-	DS1 COCI in combination per month  Nonrecurring Currently Combined Network Elements Switch -As-	<del>                                     </del>	-	UNC1X	ולנוטט	76.07	13.09	9.38	<del>                                     </del>		1	<del>                                     </del>	<b> </b>	-	<b> </b>	<del>                                     </del>
i l	Is Charge	1		LINICOV	UNCCC		24.75	24.75	22.20	10.96			20.07	38.07		
EVTEN	IIS Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KE	DC INIT	EBOE	UNCSX	UNCCC		21.75	21.75	32.28	10.96		<del>                                     </del>	38.07	38.07	<del> </del>	<del>                                     </del>
EVIEN	4-wire 56 kbps Local Loop in combination - Zone 1	,,-3 INT		UNCDX	UDL56	25.32	489.04	337.51	<del>                                     </del>		<b>H</b>	<del></del>	<del>                                     </del>	l	<del>                                     </del>	
-+-	4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	43.11	489.04	337.51	<del>                                     </del>		<b>-</b>	<del>                                     </del>	<b> </b>		<b> </b>	<del>                                     </del>
$\leftarrow$	4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	67.26	489.04	337.51				$\vdash$				<del>                                     </del>
$\overline{}$	Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		<del>ٽ</del>	ONODA	ODLOO	07.20	400.04	007.01	<del>                                     </del>		1	<del>                                     </del>				<b>——</b>
	Per Mile per month			UNCDX	1L5XX	0.0282						ļ				
	Interoffice Transport - Dedicated - 4-wire 56 kbps combination - Facility Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	SPS INT	EROFF		10.1000				-			†				
	4-wire 64 kbps Lcoal Loop in Combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	43.11	489.04	337.51								
	4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	67.26	489.04	337.51								
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination - Per Mile per month			UNCDX	1L5XX	0.0282										
	Interoffice Transport - Dedicated - 4-wire 64 kbps combination -				1.20.00							†				
	Facility Termination per month			UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTEN	IDED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	RANSP	ORT w		011000		21.70	21.70	02.20	10.00	1		00.07	00.07		
	First 2-wire VG Loop (SL2) in Combination - Zone 1			UNCVX	UEAL2	14.97	142.97	106.56					38.07	38.07		<b>†</b>
	First 2-wire VG Loop (SL2) in Combination - Zone 2			UNCVX	UEAL2	25.93	142.97	106.56				†	38.07	38.07		
i i	First 2-wire VG Loop (SL2) in Combination - Zone 3	İ		UNCVX	UEAL2	40.81	142.97	106.56					38.07	38.07		
	First Interoffice Transport - Dedicated - DS1 combination - Per			UNC1X	1L5XX	0.5753										
-+-	First Interoffice Transport - Dedicated - DS1 combination -			014017	ILUAA	0.5135			+ +		<b>-</b>	<del>                                     </del>	<b> </b>	<b> </b>	<b> </b>	$\vdash$
i l	Facility Termination per month			UNC1X	U1TF1	71.29	217.17	163.75	1				38.07	38.07		
-	Per each DS1 Channelization System Per Month	1	<b>†</b>	UNC1X	MQ1	146.69	197.78	140.06	<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	55.57	55.57		<del>                                     </del>
	Per each Voice Grade COCI - Per Month per month	i e		UNCVX	1D1VG	1.27	13.09	9.38					İ	İ	İ	
<del>-                                    </del>	3/1 Channel System in combination per month	l		UNC3X	MQ3	233.10	403.97	234.40					İ	l	İ	
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	16.07	13.09	9.38								
1	Each Additional 2-Wire VG Loop(SL 2) in the same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCVX	UEAL2	14.97	142.97	106.56	l			<u> </u>	38.07	38.07		<u> </u>
	Each Additional 2-Wire VG Loop(SL2) in the same DS1 Interoffice Transport Combination - Zone 2		2	UNCVX	UEAL2	25.93	142.97	106.56					38.07	38.07		
	Each Additional 2-Wire VG Loop(SL2) in the same DS1		<u> </u>													
	Interoffice Transport Combination - Zone 3  Each Additional Voice Grade COCI in combination - per month	-	3	UNCVX UNCVX	UEAL2 1D1VG	40.81 1.27	142.97 13.09	106.56 9.38			-	<u> </u>	38.07	38.07		-
	Each Additional DS1 Interoffice Channel per mile in same 3/1	-	<del>                                     </del>	UNUVA	טווטו	1.27	13.09	5.30	+		<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
	TEACH AUGIDINAL DO FINITERONICE CHANNEL PER MINE IN SAME 3/1	ı	1	l	1				1			1		l		
	Channel System per month			UNC1X	1L5XX	0.5753										
	Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X UNC1X	U1TF1	71.29	217.17	163.75				<del>                                     </del>	38.07	38.07		

CATEORY   RATE ELEMENTS   Insuff   Zone   BCS   USOC   SATE   (8)	UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
RATE ELEMENTS   Inter-   200												Svc Order	Svc Order				Incremental
RATE ELEMENTS   Inter-   200																Charge -	Charge -
## CAPECIONY  ## RATE ELEMENTS  ## Dec   SC   USC   ## USC   USC			Interi														Manual Svc
Representation   Repr	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	-				Order vs.
Note			""									p = = = = = = = = = = = = = = = = = = =	p				Electronic-
Non-recording Controlled Network Elements Switch As																	Disc Add'l
No.   No.   Piet   April   SAME   SOMAN   SO																2.00 .00	2.007.00.
Noncourting Committed Reviews Research Select Associated Selection (1997)   Selection Selectio							Rec										
Inchange								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Exercise De Aviner Voice Grande LOGO WITH DESIDATED DESI INTEROFFICE TRANSPORT WISH MUX   1.000   1.					LINIOAY	1111000		04.75	04.75	00.00	40.00			00.07	00.07		1
First 4-Wile Analog Visco Grade Lord Lege in Combination   1 MACVX   UBAL4   21:30   298:47   257:46   38:07	EVTE		FERGE	ICE TO				21.75	21.75	32.28	10.96	-	-	38.07	38.07		
Description   Proceedings   Procedure	EXIE		EKUFF	ICE IK	ANSPORT W/ 3/1 WIL	UX.				+		-	-				
Part of Wile Analogy Votes Grade Local Loge in Combination   2				1	LINCVY	LIEALA	21 22	200 47	227.45					20.07	29.07		1
Zorie 2	-			<u> </u>	ONCVA	ULAL4	21.32	200.47	237.43	1				36.07	36.07		
First 4-Vitre Analog Voco Grade Local Loop in Combination - Condition				2	LINCVX	LIFAL4	36.27	288 47	237 45					38.07	38.07		1
Zorna   First InterOffice Transport - Oedicated - US   combination - Part   First InterOffice Transport - Oedicated - US   combination - Part   UNCX				<u> </u>	0.10171	02/12 1	00.27	200.11	201110					00.01	00.01		
First Intendifice Transport - Decisional - Dist Contribution - Per Male Per March				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		1
First Interaction Transport - Dedicated C-SS1 - Facility Termination Pet Month Terminati																	
Termination Per Morth		Mile Per Month			UNC1X	1L5XX	0.5753										1
Per each 10 Channel System in combination Per Morth																	
Per each Votor Grade COCI in combination per month										l				38.07	38.07		
St. Channel System in combination per month   NRCSX   M33   233.10   493.97   234.40																	
Per each DST COCI in combination per month																	
Additional 4-Wire Analog Voice Grade Loop in same DST   1 UNCVX   UEAL4   21.32   288.47   237.45   38.07   88.07   88.07																	-
Interdifice Transport Combination - Zone 1					UNC1X	UC1D1	16.07	13.09	9.38								
Additional 4-Wire Analog Voice Grade Loop in same DS1   2																	1
Interoffice Transport Combination - Zone 2				1	UNCVX	UEAL4	21.32	288.47	237.45					38.07	38.07		
Additional A-Wire Analog Votice Grade Loop in same DS1   S   UNCVX   UEA4   56.57   288.47   237.45   38.07																	1
Interdifice Transport Combination - Zone 3   3 UNCVX   UEAL 4   56.57   288.47   237.45   38.07   38.07   38.07   38.07   20.00   20				2	UNCVX	UEAL4	36.27	288.47	237.45					38.07	38.07		
Each Additional DST Interoffice Channel per mile in same 3/1   UNCIX 1LSXX 0.5753   UNCIX 1LSXX 0.5753   Each Additional DST Interoffice Channel Facility Termination in same 3/1 Channel System per month   UNCIX 1LTT 71.29 217.17 163.75   38.07 38.07   38.07   Additional Vices Grade COCI - in combination - per month   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 217.17 13.09 9.38   UNCIX 1LTT 71.29 137.51   UNCIX 1LTT 71.29 1				_	LINOVA	LIEAL 4	50.57	200 47	007.45					20.07	20.07		1
Channel System per month				3	UNCVX	UEAL4	56.57	288.47	237.45					38.07	38.07		
Each Additional DSI Interoffice Channel Facility Termination in   Same 3/1 Channel System per month   UNC1X   U1TF1   71.29   217.17   163.75   38.07   38.0					LINC1V	11.577	0.5752										1
Same 31 Channel System per month	-				UNCIX	ILJAA	0.5755			1				1	1		
Additional Voice Grade CCCI - in combination - per month   UNCX   1DTVG   1.27   13.09   9.38					UNC1X	U1TF1	71 29	217 17	163 75					38.07	38.07		1
Nonrecurring Currently Combined Network Elements Switch -As   UNC1X														00.01	00.01		
EXTENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT W/31 MUX    First 4-Wire 56 KBPS Digital Grade Local Loop in Combination -   1 UNCDX UDL56   25.32   489.04   337.51   38.07   38.07     First 4-Wire 56 Kbps Digital Grade Local Loop in Combination -   2 UNCDX UDL56   43.11   489.04   337.51   38.07   38.07     First 4-Wire 56 Kbps Digital Grade Local Loop in Combination -   2 UNCDX UDL56   43.11   489.04   337.51   38.07   38.07     First 1-Kire 16 Kbps Digital Grade Local Loop in Combination -   3 UNCDX UDL56   67.26   489.04   337.51   38.07   38.07     First Interoffice Transport - Dedicated - DS1 combination - Per																	
First 4-Wire 58Kbps Digital Grade Local Loop in Combination - 2		Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
Zone 1	EXTE	NDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - 2 UNCDX UDL56		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															
Zone 2				1	UNCDX	UDL56	25.32	489.04	337.51					38.07	38.07		1
First 4-Wire 56Kbps Digital Grade Local Loop in Combination - Zone 3																	1
Zone 3				2	UNCDX	UDL56	43.11	489.04	337.51					38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per Mille Per Month					LINIODY												1
Mile Per Month   UNC1X   1L5XX   0.5753	<del>                                     </del>			3	UNCDX	UDL56	67.26	489.04	337.51	<del>                                     </del>	-			38.07	38.07		
First Interoffice Transport - Dedicated - DS1 - combination   Facility Termination Per Month   UNC1X					LINICAY	11.5	0.5750										1
Facility Termination Per Month	<del></del>			-	UNCIX	ILDAA	0.5753			-							
Per each 1/0 Channel System in combination Per Month					LINC1X	LI1TE1	71 20	217 17	162 75					38.07	38.07		ı
Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	<del>                                     </del>		1	<del>                                     </del>						1				30.07	30.07		
3/1 Channel System in combination per month			<b>†</b>	<b>†</b>								<b>-</b>	<b>-</b>				
Per each DST COCI in combination per month			<b>†</b>	<b>†</b>								<b>-</b>	<b>-</b>				
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   1 UNCDX UDL56											İ			İ	İ		
Interoffice Transport Combination - Zone 1			1		_	1			2.30	İ	l	1	1	İ	İ		i
Interoffice Transport Combination - Zone 2   2 UNCDX   UDL56   43.11   489.04   337.51   38.07   38.07   38.07     Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07   38.07     OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)   UNCDX   1D1DD   2.00   15.76   11.28	I			1	UNCDX	UDL56	25.32	489.04	337.51	<u> </u>	<u> </u>	<u> </u>	<u> </u>	38.07	38.07		1
Additional 4-Wire 56Kbps Digital Grade Loop in same DS1   Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07   38.07   38.07   38.07   38.07																	
Interoffice Transport Combination - Zone 3   3 UNCDX   UDL56   67.26   489.04   337.51   38.07   38.07   38.07			<u></u>	2	UNCDX	UDL56	43.11	489.04	337.51		<u></u>			38.07	38.07		ı
OCU-DP COCI (data) COCI in combination per month (2.4-64kbs)																	
G4kbs				3	UNCDX	UDL56	67.26	489.04	337.51					38.07	38.07		1
Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month UNC1X 1L5XX 0.5753  Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75  Each Additional DS1 COCI in the same 3/1 channel system																	
Channel System per month					UNCDX	1D1DD	2.00	15.76	11.28	ļ				ļ	ļ		
Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month UNC1X U1TF1 71.29 217.17 163.75 38.07 38.07 Each Additional DS1 COCI in the same 3/1 channel system					l <b>.</b>	1											1
				<u> </u>	UNC1X	1L5XX	0.5753			ļ							1
Each Additional DS1 COCI in the same 3/1 channel system					LINICAV	LIATE 4	74.00	017.1-	100 ==					00.5	00.0-		1
	<del></del>			-	UNC1X	UTIFT	/1.29	217.17	163.75	-				38.07	38.07		
				1	LINC1V	LIC1D1	16.07	12.00	0.20			1	1				ı

ATECOPY  RATE ELIMENTS  PART ALTER SERVICES  RATE SERVICES  RATE SERVICES  RATE SERVICES  RATE SERVICES  RATE SERVICES  PART ALTER SERV	UNBUN	DLED	NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	oit: A
Note				I	Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-			
Committee   Comm					ļ				N		[ NI	D'					2.00 .01	
November   Common   November				-	<u> </u>			Rec					COMEC	COMAN			COMAN	COMAN
Schere   Section   Secti			Nonrecurring Currently Combined Network Flements Switch -As-						FIRST	Addi	FIRST	Addi	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SUMAN
Comment   Comm						UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
Transport Contribution - Zene   1 NCDX	E	XTENE		INTERC	FFICE	TRANSPORT w/ 3/1												
First 4 Wee 6400s Digital Conduction of 20 at 1051 Intendition   2			First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
Transport Contribution** Zeries   2 NCDX   USU64   43.11   469.04   337.51   38.07   38.07   38.07					1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
First -Wire 64000 Deplet Greate Logs in a SST Interoffice   3 UNCDX					_		l											
Transport Combination - Zeros 3   3 UNCDX   UDEA6   67.20   489.04   307.51   30.07	-			-	2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
First intereffice Transport - Dedicated - DST combination - Part   MACTX					3	LINCDY	LIDL64	67.26	489.04	337 51					38.07	38.07		
Mile Per Mermin				1	3	ONODA	ODL04	07.20	403.04	337.31					30.07	30.07		
First Intercention Transport Conditionation - Part Wiles Afford Additional COLIFO Cool (clear) - PST to PSS (Colifornia) - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Conditionation - Part Report Condition -						UNC1X	1L5XX	0.5753										.
Per each Charmed System (16 in combination per Month   MCKIX   MS1   146.66   197.78   140.06			First Interoffice Transport - Dedicated - DS1 combination -															
Per each COLUP COCI clatal in combination - per month (2-4   MCDX   1010D   2.00   15.70   11.28															38.07	38.07		
Microx   10100   2,00   15,76   11,28	$\vdash$				<u> </u>	UNC1X	MQ1	146.69	197.78	140.06								
Str. Channel System in combination per month   UNCIX   UCID1   16.07   13.09   9.38						LINCDY	10100	2.00	45.70	44.00								
Per each DST LOCG in combination per month   UNCIX   UCID   15.07   13.09   9.38	<b>—</b>				<u> </u>													
Additional 4-Wire 64-Cup Digital Grade Loop in same DS1   1   INCDX   UDL64   25.32   489.04   337.51   38.07   38.0			Per each DS1 COCI in combination per month		1													
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   2 UNCDX   UDL64   43.11   489.04   337.51   38.07							1											
Intereffice Transport Combination - Zone 2			Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	25.32	489.04	337.51					38.07	38.07		
Additional 4-Wire 64Kbps Digital Grade Loop in same DS1   InterOffice Transport Combination - 2 per More Market Channel System combination - per morth (2,4-84kb)   San 7																		
Interoffice Transport Combination - Zone 3   UNCDX   UDL64   67.76   489.04   337.51   38.07					2	UNCDX	UDL64	43.11	489.04	337.51					38.07	38.07		
Additional OCULPP COCI (data) - DS1 to DS0 Channel System combination - per month (2.446kbs)   UNCDX   1010D   2.00   15.76   11.28						LINODY	LIBLOA	07.00	400.04	007.54					00.07	00.07		1
Combination - per month (24-64kbs)   UNCDX   D1DD   2.00   15.76   11.28	+			-	3	UNCDX	UDL64	67.26	489.04	337.51					38.07	38.07		
Each Additional DSI Interoffice Channel Facility Termination in Same 3/1 Channel System per month   UNCIX   1,5XX   0,5753						UNCDX	1D1DD	2 00	15.76	11 28								
Channel System per month						0110271	10.00	2.00	10.10	11120								
Same 3/1 Channel System per month			Channel System per month			UNC1X	1L5XX	0.5753										
Each Additional DST (COCI in the same 3f channel system combination per month combinat																		
Combination per month						UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		
Nonrecurring Currently Combined Network Elements Switch -As Is Charge   UNC1X						LINCAV	LIC1D1	16.07	12.00	0.30								
Scharge   UNCIX UNCCC   21.75   32.28   10.96   38.07   38.07	<b>—</b>				<u> </u>	UNCIX	UCIDI	16.07	13.09	9.38								
EXTENDED 2-WIRE ISDN Loop in a DS1 Interoffice TRANSPORT W/ 3/1 MUX    First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX						UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   1 UNCNX U1L2X 19.42 32.5.91 251.31   38.07 38.07   38.07	Е			RT w/ 3/	1 MUX													
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   2 UNCNX			First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
Transport - Zone 2					1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
First 2-Wire ISDN Loop in a DS1 Interoffice Combination   3 UNCNX U1L2X   51.14   325.91   251.31   38.07   38.07   38.07						LINGNIN	1141.00/	00.00	005.04	054.04					00.07	00.07		
Transport - Zone 3	$\vdash$			-		UNCIX	UTLZX	32.88	325.91	251.31					38.07	38.07		
First Interoffice Transport - Dedicated - DS1 combination - Per   UNC1X					3	UNCNX	U1L2X	51.14	325.91	251 31					38.07	38.07		,
Mile per month					Ť	- 141	1	J4	320.01	2001	İ				33.57	33.57		
Facility Termination per month						UNC1X	1L5XX	0.5753										
Per each Channel System 1/0 in combination - per month																		
Per each 2-wire ISDN COCI (BRITE) in combination - per month															38.07	38.07		,
3/1 Channel System in combination per month   UNC3X   MQ3   233.10   403.97   234.40	+		Per each Channel System 1/0 in combination - per month	<del>                                     </del>	<del>                                     </del>	UNUTX	IVIQT	146.69	197.78	140.06				-				
3/1 Channel System in combination per month   UNC3X   MQ3   233.10   403.97   234.40			Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.59	15.76	11 28								,
Per each DS1 COCI in combination per month				<b>†</b>	t						İ							
Combination - Zone 1							UC1D1	16.07	13.09	9.38								
Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 2																		
Combination - Zone 2	$\vdash$			ļ	1	UNCNX	U1L2X	19.42	325.91	251.31					38.07	38.07		
Additional 2-wire ISDN Loop in same DS1Interoffice Transport   Combination - Zone 3   3 UNCNX U1L2X   51.14   325.91   251.31   38.07   38.0					2	LINCNY	1111.2	22.00	225.04	251 24					20.07	20.07		,
Combination - Zone 3   3 UNCNX   U1L2X   51.14   325.91   251.31   38.07   38.07   38.07	$\vdash$			<del>                                     </del>	_	OINCINA	UILZX	3∠.88	323.91	251.31	-			-	38.07	38.07		
Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel					3	UNCNX	U1L2X	51.14	325.91	251.31					38.07	38.07		,
system combination- per month UNCNX UC1CA 3.59 15.76 11.28																		
			system combination- per month			UNCNX	UC1CA	3.59	15.76	11.28								1

ONBONDER	ED NETWORK ELEMENTS - North Carolina		1	ı							10	06		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			I .	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	[						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.5753										ĺ
	Each Additional DS1 Interoffice Channel Facility Termination in		1	UNCIA	ILSAA	0.5755					1					<del></del>
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ĺ
	Each Additional DS1 COCI in the same 3/1 channel system					1.1.24										
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								ĺ
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		
EXTE	NDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS	_													
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ	2	UNC1X	USLXX	84.36	714.84	421.47			-		38.07	38.07		<b>├</b>
	First 4-wire DS1 Digital Looal Loop in Combination - Zone 3	<b> </b>	3	UNC1X	USLXX	134.29	714.84	421.47			ļ		38.07	38.07	<b> </b>	<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month	1		UNC1X	1L5XX	0.5753										1
<del>                                     </del>	First Interoffice Transport - Dedicated - DS1 combination -	-	<del>                                     </del>	ONCIA	ILOAA	0.5753					1			-	-	-
	Facility Termination Per Month	1		UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		1
	3/1 Channel System in combination per month			UNC3X	MQ3	233.10	403.97	234.40			<b>+</b>		30.07	30.07		<del>                                     </del>
	Per each DS1 COCI combination per month			UNC1X	UC1D1	16.07	13.09	9.38			1					
	Each Additional DS1 Interoffice Channel per mile in same 3/1			0.1017	00.5.	10.07	10.00	0.00			1					
	Channel System per month			UNC1X	1L5XX	0.5753										
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	71.29	217.17	163.75					38.07	38.07		ĺ
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	16.07	13.09	9.38								ĺ
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	1		1	UNC1X	USLXX	47.60	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	84.36	714.84	421.47					38.07	38.07		
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		_													ĺ
	3		3	UNC1X	USLXX	134.29	714.84	421.47			ļ		38.07	38.07		<b>——</b>
	Nonrecurring Currently Combined Network Elements Switch -As-	1		UNC1X	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		ĺ
EVTE	Is Charge NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE		UNCCC		21.75	21.75	32.28	10.96	<b> </b>		38.07	38.07		<del></del>
LAIL	First 4-wire 56 kbps Local Loop in combination - Zone 1	IVIERO	1 1	UNCDX	UDL56	25.32	489.04	337.51			1					<del></del>
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	43.11	489.04	337.51			<b>†</b>					<del>                                     </del>
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	67.26	489.04	337.51			1					
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile					J.1.2					İ					
	per month			UNCDX	1L5XX	0.0282										ĺ
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD5	17.40	137.48	52.58					38.07	38.07		
	Nonrecurring Currently Combined Network Elements Switch -As-															1
	Is Charge	<u> </u>	<u> </u>	UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		<b></b>
EXTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTERO			LIDI C						ļ					<b>↓</b>
<del></del>	First 4-wire 64 kbps Local Loop in combination - Zone 1			UNCDX	UDL64	25.32	489.04	337.51								<b>├</b>
	First 4-wire 64 kbps Local Loop in combination - Zone 2	<b> </b>	2	UNCDX	UDL64	43.11	489.04	337.51			ļ			<b> </b>	<b> </b>	<del>                                     </del>
<del></del>	First 4-wire 64 kbps Local Loop in combination - Zone 3 First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile	<b>!</b>	3	UNCDX	UDL64	67.26	489.04	337.51	1		<del>                                     </del>		-	-	-	<del></del>
	per month	1		UNCDX	1L5XX	0.0282										1
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility	<b>-</b>	t	5.10DA	TEON	0.0202					<del>                                     </del>					<del>                                     </del>
	Termination per month	1		UNCDX	U1TD6	17.40	137.48	52.58					38.07	38.07		1
	Nonrecurring Currently Combined Network Elements Switch -As-		t —			0		32.30					55.57	55.57	İ	
	Is Charge	1		UNCDX	UNCCC		21.75	21.75	32.28	10.96			38.07	38.07		1
	NETWORK ELEMENTS	ĺ														
	used as a part of a currently combined facility, the non-recurr															
When	used as ordinarily combined network elements in All States, tl	he non-	recurri	ng charges apply a	and the Switch											
Nonre	ecurring Currently Combined Network Elements "Switch As Is"		(One a	pplies to each con	nbination)											
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1													1
1 1	Is Charge - 2 wire/4-Wire VG	l	1	UNCVX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		1

UNBUN	NDLE	D NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonre		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge - 56/64 kbps			UNCDX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		ĺ
		Nonrecurring Currently Combined Network Elements Switch -As-		1	UNCDX	UNCCC		21.75	21.75	32.28	10.96	-		26.94	12.76		<del></del>
		Is Charge - DS1			UNC1X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge - DS3			UNC3X	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
		Nonrecurring Currently Combined Network Elements Switch -As-															İ
	n	Is Charge - STS1			UNCSX	UNCCC		21.75	21.75	32.28	10.96			26.94	12.76		
C	Option	al Features & Functions:		1	U1TD1,	-											<del></del>
		Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI.	OI	οι	OI						l
+		oreal Orialine Capability Extended Frame Option - per DST	-	<del>                                     </del>	U1TD1,	CCOLI		OI .	OI .	OI .	OI .						<del>                                     </del>
		Clear Channel Capability Super FrameOption - per DS1	1		ULDD1,UNC1X	CCOSF		OI	OI	OI	OI						1
		Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,									İ			
		Activity - per DS1	- 1		UNC1X, USL	NRCCC		184.76S	23.8S	1.99S	0.78S			26.94	12.76		
					U1TD3, ULDD3,												
		C-bit Parity Option - Subsequent Activity - per DS3	i		UE3, UNC3X	NRCC3		218.92S	7.66S	.7576S	0S			26.94	12.76		
N	MULTI	PLEXERS			1000	1101			110.00								
		DS1 to DS0 Channel System per month OCU-DP COCI (data) - DS1 to DS0 Channel System - per		-	UNC1X	MQ1	146.69	197.78	140.06					26.94	12.76		<b>——</b>
		month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	2.00	13.09	9.38								l
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per			UDL	טטוטו	2.00	13.09	9.30								<del>                                     </del>
		month (2.4-64kbs) used for connection to a channelized DS1															l
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	2.00	13.09	9.38								l
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															
		month for a Local Loop			UDN	UC1CA	3.59	13.09	9.38								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per															l
		month used for connection to a channelized DS1 Local Channel															l
		in the same SWC as collocation			U1TUB	UC1CA	3.59	13.09	9.38								
		Voice Grade COCI - DS1 to DS0 Channel System - per month used for a Local Loop			UEA	1D1VG	1.27	13.09	9.38								l
		Voice Grade COCI - DS1 to DS0 Channel System - per month			UEA	IDIVG	1.21	13.09	9.30								<del>                                     </del>
		used for connection to a channelized DS1 Local Channel in the															
		same SWC as collocation			U1TUC	1D1VG	1.27	13.09	9.38								l
		DS3 to DS1 Channel System per month			UNC3X	MQ3	233.10	403.97	234.40					26.94	12.76		
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	233.10	403.97	234.40					26.94	12.76		
		DS1 COCI used with Loop per month			USL	UC1D1	16.07	13.09	9.38								
		DS1 COCI (used for connection to a channelized DS1 Local				11045											1
		Channel in the same SWC as collocation) per month		1	U1TUA U1TD1	UC1D1	16.07	13.09	9.38	-				<b> </b>	-	-	-
		DS1 COCI used with Interoffice Channel per month DS3 Interface Unit (DS1 COCI) used with Local Channel per		-	וטווטו	UC1D1	16.07	13.09	9.38					-			<del></del>
		month			ULDD1	UC1D1	16.07	13.09	9.38								1
					0.001	30.01	10.07	13.09	9.30			<b>†</b>	<b>†</b>	26.94	12.76		
					İ									26.94	12.76		
		OCAL EXCHANGE SWITCHING(PORTS)			<u> </u>	<u> </u>											
		ge Ports															
		Although the Port Rate includes all available features in GA, I	KY, LA	& TN, t	he desired features	will need to b	e ordered usir	ng retail USOC	s								
2	2-WIRE	VOICE GRADE LINE PORT RATES (RES)			LIEBOD	LIEBBI	0.10		01.00								
		Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	2.19	21.60	21.60	-				26.94	12.76	-	-
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	2.19	21.60	21.60					26.94	12.76		<u> </u>
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	2.19	21.60	21.60					26.94	12.76		<b></b>
		Exchange Ports - 2-Wire VG unbundled res, low usage line port			LIEDOD	UEPAP	0.40	04.00	21.60					00.04	40.70		1
+		with Caller ID (LUM) 2-Wire voice unbundled Low Usage Line Port without Caller ID		<del>                                     </del>	UEPSR	UEPAP	2.19	21.60	21.60			-		26.94	12.76	-	<del></del>
		2-wire voice unbundled Low Usage Line Port without Caller ID Capability 2-Wire Voice Grade Unbundled Port without Caller ID capability,			UEPSR	UEPRT	2.19	21.60	21.60					26.94	12.76		
		2-wire voice Grade Unbundled Port without Caller ID capability, North Carolina			UEPSR	UEPRZ	2.19	21.60	21.60								<u> </u>

ONRONDLED	NETWORK ELEMENTS - North Carolina										T -	-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR		Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonrec	urring	Nonrecurring I					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	-Wire Voice Grade Unbundled Port with Caller ID capability,															
	lorth Carolina			UEPSR	UEPRY	2.19	21.60	21.60								
	ubsequent Activity			UEPSR	USASC	0.00	0.00	0.00					26.94	12.76		
FEATURE				LIEDOD	LIED) (E	0.40	0.00	0.00					00.04	40.70		
	II Available Vertical Features /OICE GRADE LINE PORT RATES (BUS)			UEPSR	UEPVF	3.40	0.00	0.00	<b>-</b>		-		26.94	12.76		
	xchange Ports - 2-Wire Analog Line Port without Caller ID -	1			+											
	ius			UEPSB	UEPBL	2.19	21.60	21.60					26.94	12.76		
	xchange Ports - 2-Wire VG unbundled Line Port with			OLI OB	OLI DL	2.13	21.00	21.00					20.54	12.70		
	nbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	2.19	21.60	21.60					26.94	12.76		
<u> </u>	The second secon		<b>†</b>			2.10	200	200					20.04	.2.70	İ	
E	xchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	2.19	21.60	21.60					26.94	12.76		
Ex	xhange Ports - 2-Wire VG unbundled incoming only port with															
	aller ID - Bus	<u> </u>	L	UEPSB	UEPB1	2.19	21.60	21.60					26.94	12.76		
	-Wire voice unbundled Incoming Only Port without Caller ID															
	apability			UEPSB	UEPBE	2.19	21.60	21.60					26.94	12.76		
	ubsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEATURE																
	II Available Vertical Features			UEPSB	UEPVF	3.40	0.00	0.00					26.94	12.76		
	GE PORT RATES (DID & PBX)															
	-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	2.18	21.60	21.60					26.94	12.76		
	-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus	ļ		UEPSP	UEPPC	2.18	21.60	21.60					26.94	12.76		
	-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	2.18	21.60	21.60					26.94	12.76		
	-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	2.18	21.60	21.60					26.94	12.76		
	-Wire Analog Long Distance Terminal PBX Trunk - Bus	-	-	UEPSP	UEPLD	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Ports -Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP UEPSP	UEPLD UEPXA	2.18 2.18	21.60 21.60	21.60 21.60	<b>-</b>		-		26.94 26.94	12.76 12.76		
	-Wire Voice Unbundled PBX Toll Terminal Hotel Ports	1		UEPSP	UEPXB	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled PBX LD DDD Terminals Port	1		UEPSP	UEPXC	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			OLI GI	OLI AD	2.10	21.00	21.00					20.54	12.70		
	Capable Port			UEPSP	UEPXE	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			02. 0.	02.7.2	20	21.00	21.00					20.01	12.70		
	dministrative Calling Port			UEPSP	UEPXL	2.18	21.60	21.60					26.94	12.76		
	-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1									1			1	İ	
	coom Calling Port	1		UEPSP	UEPXM	2.18	21.60	21.60	1				26.94	12.76		
	-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
Di	iscount Room Calling Port	<u></u>	L	UEPSP	UEPXO	2.18	21.60	21.60	<u> </u>		<u></u>		26.94	12.76	<u> </u>	
	-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	2.18	21.60	21.60					26.94	12.76		
	ubsequent Activity			UEPSP	USASC	0.00	0.00	0.00					26.94	12.76		
FEATURE		ļ			ļI				<u> </u>							
	Il Available Vertical Features	ļ	<u> </u>	UEPSP UEPSE	UEPVF	3.40	0.00	0.00					26.94	12.76		
	GE PORT RATES (COIN)	ļ	<u> </u>				21.2-									
	xchange Ports - Coin Port	<u> </u>				2.59	21.60	21.60	1 2 2				26.94	12.76		
	ransmission/usage charges associated with POTS circuit s													. Damii i f		
	ccess to B Channel or D Channel Packet capabilities will be	e avaital	ole only	tnrough BFR/New	Business Rec	uest Process.	kates for the	packet capabi	lities will be dete	ermined via t	ne Bona Fic	ie Request/	New Business	s kequest Pro	cess.	
	CAL EXCHANGE SWITCHING(PORTS) GE PORT RATES	-	-		<del>                                     </del>				<del>                                     </del>							
	GE PORT RATES  Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit annly to	o the embode	ad hase in rie	CO 25 OF 10/2/0	3 until 4/4/04	After 4/1/04 these	a rates shall	revert to to	iff rates or	a congrato ca	reement		
	s for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											iii rates or	a separate ag	eement.	<del> </del>	
	xchange Ports - 2-Wire DID Port	LITTER LITE	, enecti	UEPEX	UEPP2	12.36	81.84	81.84		choodin's U			26.94	12.76	<b> </b>	
	xchange Ports - DDITS Port - 4-Wire DS1 Port with DID	<del>                                     </del>		OLI LA	ULI I Z	12.30	01.04	01.04	+				20.94	12.10	<b> </b>	
	apability (E:4/1/2004)	1		UEPDD	UEPDD	123.65	116.59	69.92	1				26.94	12.76		
	xchange Ports - 2-Wire ISDN Port (See Notes below.)	<b>†</b>	<b>†</b>	UEPTX, UEPSX	U1PMA	24.50	62.29	62.29	<del>                                     </del>		<b>-</b>		55.30	55.30		
	Il Features Offered			UEPTX, UEPSX	UEPVF	3.40	0.00	0.00					22.30		İ	
	xchange Ports - 2-Wire ISDN Port Channel Profiles	1			U1UMA	0.00	0.00	0.00			1		l	l	İ	
	ransmission/usage charges associated with POTS circuit s	witched							nission by B-Cha	nnels associ	ated with 2-	wire ISDN r	orts.		1	
	ccess to B Channel or D Channel Packet capabilities will be													Request Pro	cess.	
	GE PORT RATES (continued)	1									1				1	

DURONDEF	NETWORK ELEMENTS - North Carolina			•										ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual St Order vs Electronic Disc Add
						Rec	Nonred		Nonrecurring Dis					Rates (\$)		_
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911															1
	Locator Capability (E:4/1/2004)			UEPEX	UEPEX	179.75	241.63	241.63					53.89	53.89		1
	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	179.75	241.63	241.63					53.89	53.89		1
	Physical Collocation - DS1 Cross-Connects	ı		UEPEX UEPDX	PE1P1	2.34	71.02	51.08					26.94	12.76		
	Virtual collocation - Special Access & UNE, cross-connect per															í
	DS1			UEPEX UEPDX	CNC1X	0.97	71.02	51.08					26.94	12.76		<b></b>
Detaile	d E911 with Locator Capability (required with UEPEX port)				-											<del></del>
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Initial Profile Establishment per CLEC per State			UEPEX	UEP1A	0.00	1,802.00						26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions,						,									
	Deletions			UEPEX	UEP1B	0.00	174.99						26.94	12.76		í
New or	Additional PRI Telephone Numbers			OLI LX	OLI ID	0.00	114.00						20.04	12.70		ſ
11011 01	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1											
	Locator Capability 2-way Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1C		1.17	1.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional]			UEPEX	UEP1D		28.17	28.17					26.94	12.76		
	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone Numbers - Inward Data Only Option [New or															
	Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPDX	UEP1E	0.00	1.17	1.17					26.94	12.76		
	Inward Tel Numbers [Customer Testing Purposes] NUMBER PORTABILITY			UEPEX	PR7ZT	0.00	56.33	56.33					26.94	12.76		
	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75										<b>——</b>
INTER	FACE (Provsioning Only)			LIEDEV	5550	2.22								10 =0		<b>——</b>
	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00					26.94	12.76		<del></del>
	Digital Data		-	UEPEX	PR71D	0.00	0.00	0.00					26.94	12.76		<del></del>
	Inward Data			UEPDX	PR71E	0.00	0.00	0.00					26.94	12.76		
	Additional Channel  New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	36.92						26.94	12.76		
	New or Additional - Voice/Data B Channel			UEPEX	PR7BF	0.00	36.92						26.94	12.76		
	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	36.92						26.94	12.76		
	New or Additional Useage Sensitive Voice Data "B" Channel			UEPEX	PR7BS	0.00	30.92		<del>                                     </del>				26.94	12.76		
	New or Additional Useage Sensitive Digital Data "B" Channel			UEPEX	PR7BU	0.00							26.94	12.76		ſ
	New or Additional PRI "D" Channel			UEPEX	PR7EX	0.00	36.92						26.94	12.76		
CALL 7				02. 27.		0.00	00.02						20.01	12.70		
97.1	Inward			UEPEX UEPDX	PR7C1	0.00	0.00	0.00					26.94	12.76		
	Outward			UEPEX	PR7CO	0.00	0.00	0.00					26.94	12.76		
	Two-way			UEPEX	PR7CC	0.00	0.00	0.00					26.94	12.76		·
UNBUN	DLED PORT with REMOTE CALL FORWARDING CAPABILITY				į i											1
UNBUN	DLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
	Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	2.19	21.60	21.60					26.94	12.76		
	Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	2.19	21.60	21.60					26.94	12.76		<b>——</b>
- I	Unbundled Remote Call Forwarding Service, IntraLATA - Res		ļ	UEPVR	UERTR	2.19	21.60	21.60					26.94	12.76	<b> </b>	<del></del>
Non-Re	curring		-		-											<del></del>
	Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVR	USAC2		2.77	0.40					26.94	12.76		
	Unbundled Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC)			UEPVR	USACC		2.77	0.40								
UNBUN	DLED REMOTE CALL FORWARDING - Bus															
	Unbundled Remote Call Forwarding Service, Area Calling - Bus			UEPVB	UERAC	2.19	21.60	21.60					26.94	12.76		<u></u>
	Unbundled Remote Call Forwarding Service, Local Calling - Bus			UEPVB	UERLC	2.19	21.60	21.60					26.94	12.76		

0112	INDLE	D NETWORK ELEMENTS - North Carolina													ment: 2	Exhil	
CATE	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR		Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
										•				1st	Add'l	Disc 1st	Disc Add'l
				1			Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTE	2.19	First 21.60	Add'l 21.60	First /	Add'l	SOMEC	SOMAN	<b>SOMAN</b> 26.94	<b>SOMAN</b> 12.76	SOMAN	SOMAN
	1	Unbundled Remote Call Forwarding Service, InterLATA - Bus		1	UEPVB	UERTR	2.19	21.60	21.60					26.94	12.76		
		Unbundled Remote Call Forwarding Service, IntraLATA - Bus		1	OLFVB	OLKIK	2.19	21.00	21.00					20.94	12.70		
		Exception Local Calling			UEPVB	UERVJ	2.19	21.60	21.60					26.94	12.76		
	Non-R	ecurring			-		1										
		Unbundled Remote Call Forwarding Service - Conversion - Switch-as-is			UEPVB	USAC2		2.77	0.40					26.94	12.76		
		Unbundled Remote Call Forwarding Service - Conversion with															
		allowed change (PIC and LPIC)			UEPVB	USACC		2.77	0.40								
UNBU		LOCAL SWITCHING, PORT USAGE															
	End O	ffice Switching (Port Usage)	ļ	1		1											
	1	End Office Switching Function, Per MOU		1			0.0015										
	Tan de	End Office Trunk Port - Shared, Per MOU	ļ	1			0.00023							ļ			
	range	m Switching (Port Usage) (Local or Access Tandem)	<del>                                     </del>	1		+	0.0000			+ + +				-			
	1	Tandem Switching Function Per MOU  Tandem Trunk Port - Shared, Per MOU	-	1		+	0.0006 0.0003			<del>                                     </del>				<b> </b>			
	1	Tandem Switching Function Per MOU (Melded)		1		1	0.0003										
	1	Tandem Trunk Port - Shared, Per MOU (Melded)		1		+	0.00012309										
	1	Melded Factor: 41.03% of the Tandem Rate				1	0.00012000										
	Comm	non Transport					<u> </u>										
		Common Transport - Per Mile, Per MOU					0.00001										
		Common Transport - Facilities Termination Per MOU				İ	0.00034										
UNBU	NDLED	PORT/LOOP COMBINATIONS - COST BASED RATES															
	Coot B	Deced Detec one complied subone DellCouth is necessined by ECC or															
		Based Rates are applied where BellSouth is required by FCC ar															
	Featur	es shall apply to the Unbundled Port/Loop Combination - Cos	t Based	Rate s	section in the same	manner as th	ney are applied t	o the Stand-Al	one Unbundle								
	Featur End O	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th is rate exhib	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)	t Based sage rat	d Rate s tes in th	section in the same ne Port section of th	manner as th	ney are applied t	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI	res shall apply to the Unbundled Port/Loop Combination - Cos fffice and Tandem Switching Usage and Common Transport Us rest and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates	t Based sage rat	d Rate stes in the	section in the same ne Port section of th	manner as th	ney are applied t it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in the	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2	t Based sage rat	d Rate stes in the combined of	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th 13.03 21.33	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	es shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) ort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1	t Based sage rat	d Rate stes in the	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Uses rest and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3	t Based sage rat	d Rate stes in the combined of	section in the same ne Port section of th	manner as th	ney are applied to it shall apply to ined Combos th 13.03 21.33	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos res shall apply to the Unbundled Port/Loop Combination - Cos reffice and Tandem Switching Usage and Common Transport Us rest and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rort/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 .oop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same the Port section of the de Combos. For Cur UEPRX UEPRX	manner as the sis rate exhibits rate exhibits rently Combination and the sister of the	ney are applied to it shall apply to ined Combos th 13.03 21.33 32.61 10.75 19.05	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos rest and Tandem Switching Usage and Common Transport Uses rest and additional Port nonrecurring charges apply to Not Curre E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) Port/Loop Combination Rates 2-Wire VG Loop/Port Combo - Zone 1 2-Wire VG Loop/Port Combo - Zone 2 2-Wire VG Loop/Port Combo - Zone 3 Roop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	section in the same ne Port section of the ad Combos. For Cur	manner as this rate exhibits rate exhibits rently Comb	ney are applied to it shall apply to ined Combos the shall apply to its shall a	o the Stand-Al	one Unbundle	ort network elements	except f	or UNE Coi					
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us for and additional Port nonrecurring charges apply to Not Curr for VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Toop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	DEPRX UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibits rate exhibits rently Combination of the c	ney are applied to it shall apply to ined Combos to ined Combos to 13.03 21.33 32.61 10.75 19.05 30.33	o the Stand-Al all combination e nonrecurring	one Unbundl ons of loop/pc g charges sha	ort network elements	except f	or UNE Coi		Combined se	ections.		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us fix and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	ueprx Ueprx UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibit rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos the d the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combination e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except f	or UNE Coi		Combined se	9.45		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us rst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  coop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX  of the interest o	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combinatic e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except f	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fffice and Tandem Switching Usage and Common Transport Us rest and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) PORT/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 3  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  Poice Grade Line Port Rates (Res)  2-Wire voice unbundled port virth Caller ID - res  2-Wire voice unbundled port outgoing only - res	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	ueprx Ueprx UEPRX UEPRX UEPRX UEPRX	manner as this rate exhibit rently Comb  UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX	ney are applied to it shall apply to ined Combos the d the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combination e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except f	or UNE Coi		Combined se	9.45		
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos fffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us fra and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX  of the interest o	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply to ined the shall apply t	o the Stand-Al all combinatic e nonrecurring	one Unbundlens of loop/pc g charges sha	ort network elements	except f	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us frat and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  **Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundles res, low usage line port with Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to shall apply	o the Stand-Al all combination e nonrecurring 79.59 79.59 79.59	one Unbundlens of loop/pc g charges sha 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us st and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) rort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  coop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX ation of the combination of	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined to ined the shall apply the shall apply to ined the shall apply to ined the shall apply the shall apply to ined the shall apply the shall	79.59 79.59	one Unbundlens of loop/pc g charges sha 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us strand additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  1-Voice Grade Loop (SL1) - Zone 3  1-Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port usage line port with Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59	63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18	9.45 9.45			
	Featur End O The fir 2-WIRI UNE P	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us strand additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  coop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX  of the interest o	ney are applied to it shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us frst and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port usigning only - res  2-Wire voice unbundled port usigning only - res  2-Wire voice unbundled Port outgoing only - res  2-Wire voice unbundled Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  3RES  All Features Offered	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the	79.59 79.59 79.59	63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18	9.45 9.45			
	Feature Featur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us fra and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID  (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  IRES  All Features Offered  L NUMBER PORTABILITY	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Peatur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us strand additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  Oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  Voice Grade Loop (SL1) - Zone 3  Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire Voice Grade Unbundled Port without Caller ID capability  2-Wire Voice Grade Unbundled Port without Caller ID capability  North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  JRES  All Features Offered  L NUMBER PORTABILITY  Local Number Portability (1 per port)	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX  of the interest o	ney are applied to it shall apply to ined Combos the shall apply the shall apply to ined Combos the shall apply t	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Peatur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us frest and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 3  *Voice Grade Line Port Rates (Res)  2-Wire voice unbundled port - residence  2-Wire voice unbundled port with Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Port without Caller ID  Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Peatur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us fix and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 3  1-Voice Grade Loop (SL1) - Zone 3  1-Voice Grade Loop (SL1) - Zone 3  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID (LUM)  2-Wire voice unbundled Low Usage Line Port without Caller ID Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability,  North Carolina  IRES  All Features Offered  LNUMBER PORTABILITY  Local Number Portability (1 per port)  ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45			
	Feature Peatur	res shall apply to the Unbundled Port/Loop Combination - Cos ffice and Tandem Switching Usage and Common Transport Us ffice and Tandem Switching Usage and Common Transport Us fra and additional Port nonrecurring charges apply to Not Curr E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES) fort/Loop Combination Rates  2-Wire VG Loop/Port Combo - Zone 1  2-Wire VG Loop/Port Combo - Zone 2  2-Wire VG Loop/Port Combo - Zone 3  oop Rates  2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire Voice Grade Loop (SL1) - Zone 2  2-Wire voice unbundled port (Res)  2-Wire voice unbundled port vith Caller ID - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled port outgoing only - res  2-Wire voice unbundled Low Usage Line Port without Caller ID  Capability  2-Wire Voice Grade Unbundled Port without Caller ID capability, North Carolina  IRES  LI Heatures Offered  L NUMBER PORTABILITY  Local Number Portability (1 per port)  ECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop / Line Port Combination - Conversion -	t Based sage rat	d Rate stes in the ombine 1 1 2 3 3 1 1 2	UEPRX	ney are applied to it shall apply to ined Combos the to ined Combos the shall apply the shall apply the sha	79.59 79.59 79.59 79.59 79.59 79.59 79.59	63.97 63.97 63.97 63.97 63.97 63.97	ort network elements	except f	or UNE Coi		40.18 40.18 40.18 40.18	9.45 9.45 9.45 9.45			

ONRONDE	ED NETWORK ELEMENTS - North Carolina													ment: 2	Exhi	
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrec	urring	Nonrecurring D	isconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ADDI	TIONAL NRCs															1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPRX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPRX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/	ON PREMISES EXTENSION CHANNELS			OLITIX	OKLIL		0.55	0.03					20.34	12.70	0.00	0.0
0.17	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	12.11	57.99	42.37					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	21.24	57.99	42.37					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPRX	UEAEN	33.65	57.99	42.37					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – North-Besign		1	UEPRX	UEAED	14.97	142.97	106.56					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	25.93	142.97	106.56					26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design	<del>                                     </del>	3	UEPRX	UEAED	40.81	142.97	106.56					26.94	12.76	0.00	0.0
INTE	ROFFICE TRANSPORT		3	OLI IXX	ULALD	40.01	142.97	100.30	<del>                                     </del>				20.94	12.70	0.00	0.0
INTE	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			LIEDDY	U1TV2	40.00	407.40	50.50					20.07	20.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPRX		18.00	137.48	52.58					38.07	38.07		
0.14/15	or Fraction Mile			UEPRX	U1TVM	0.0125	0.00	0.00								<b>—</b>
	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															<b>I</b>
UNE	Port/Loop Combination Rates															<b></b>
	2-Wire VG Loop/Port Combo - Zone 1		1			13.03										<b></b>
	2-Wire VG Loop/Port Combo - Zone 2		2			21.33										<b></b>
	2-Wire VG Loop/Port Combo - Zone 3		3			32.61										<b>L</b>
UNE	Loop Rates															1
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	10.75										1
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	19.05										1
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	30.33										1
2-Wir	e Voice Grade Line Port (Bus)															1
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	2.28	79.59	63.97					40.18	9.45		1
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	2.28	79.59	63.97					40.18	9.45		1
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	2.28	79.59	63.97					40.18	9.45		1
	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	2.28	79.59	63.97					40.18	9.45		<b></b>
	2-Wire voice unbundled Incoming Only Port without Caller ID Capability			UEPBX	UEPBE	2.28	79.59	63.97					40.18	9.45		
LOCA	AL NUMBER PORTABILITY															1
	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										1
FEAT	URES															1
	All Features Offered			UEPBX	UEPVF	3.40	0.00	0.00					40.18	9.45		1
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															l .
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPBX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			
ADDI	TIONAL NRCs				1				1							
1.2.21	2-Wire Voice Grade Loop/Line Port Combination - Subsequent			UEPBX	USAS2		0.00	0.00					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Loop at End User														0.00	0.1
OFF#	Premise  ON PREMISES EXTENSION CHANNELS	-	-	UEPBX	URETL		8.33	0.83	<del>                                     </del>				26.94	12.76	0.00	0.0
OF IT/C	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	12.11	57.99	42.37	<del>                                     </del>				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.24	57.99	42.37	<del>                                     </del>				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Non-Design			UEPBX	UEAEN	33.65	57.99	42.37	<del>                                     </del>				26.94	12.76	0.00	0.0
_	2 Wire Analog Voice Grade Extension Loop – Non-Design  2 Wire Analog Voice Grade Extension Loop – Design	<b>-</b>	1	UEPBX	UEAEN	14.97	142.97	106.56	<del>                                     </del>				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design	<b>-</b>		UEPBX	UEAED	25.93	142.97	106.56	+				26.94	12.76	0.00	0.0
	2 Wire Analog Voice Grade Extension Loop – Design  2 Wire Analog Voice Grade Extension Loop – Design	<b>-</b>			UEAED	40.81			+				26.94	12.76	0.00	0.0
INTE	ROFFICE TRANSPORT		3	UEPBX	UEMED	40.81	142.97	106.56					20.94	12.76	0.00	0.0
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPBX	U1TV2	18.00	137.48	52.58					38.07	38.07		1

ONDONDLED NE I	TWORK ELEMENTS - North Carolina		1	1										ment: 2	Exhi	
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrec		Nonrecurring Disc					Rates (\$)		
						Nec	First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	ction Mile			UEPBX	U1TVM	0.0125	0.00	0.00								
	E GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)															
	pp Combination Rates	-	4			40.00										
	v VG Loop/Port Combo - Zone 1 v VG Loop/Port Combo - Zone 2	-	2			13.03 21.33										
	e VG Loop/Port Combo - Zone 3		3		+	32.61								1		
UNE Loop Ra			3		+	32.01										
	Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	10.75										
	e Voice Grade Loop (SL 1) - Zone 2			UEPRG	UEPLX	19.05										
	e Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	30.33										
	Grade Line Port Rates (RES - PBX)	1	Ť	-	T						1		l	İ	l	
	e VG Unbundled Combination 2-Way PBX Trunk Port -	l												1		
Res		1		UEPRG	UEPRD	2.28	164.57	128.16					40.18	9.45		
	BER PORTABILITY															
	Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEATURES																
	atures Offered			UEPRG	UEPVF	3.40	0.00	0.00					40.18	9.45		
	ING CHARGES (NRCs) - CURRENTLY COMBINED															
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	ersion - Switch-As-Is			UEPRG	USAC2		2.77	0.40					40.18	9.45		
	e Voice Grade Loop/ Line Port Combination (PBX) -															
	ersion - Switch with Change	ļ		UEPRG	USACC		2.77	0.40					40.18	9.45		
	e Voice Grade Loop / Line Port Combination - Conversion -	1											40.00			
ADDITIONAL	equent Database Update				-		1.42				-		10.27			
	Voice Grade Loop/ Line Port Combination (PBX) -	-														
	equent Activity			UEPRG	USAS2	0.00	0.00	0.00					40.18	9.45		
	ndled Miscellaneous Rate Element, Tag Loop at End User			OLI NO	UUAUZ	0.00	0.00	0.00					40.10	3.43		
Premis				UEPRG	URETL		8.33	0.83					26.94	12.76	0.00	C
	MISES EXTENSION CHANNELS			02.110	ORLIE		0.00	0.00					20.01	12.70	0.00	
	Channel Voice grade, per termination		1	UEPRG	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	C
	Channel Voice grade, per termination		2	UEPRG	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	(
Local (	Channel Voice grade, per termination		3	UEPRG	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	(
Non-W	Vire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0
	Vire Direct Serve Channel Voice Grade			UEPRG	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	(
Non-W	Vire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	(
	TRANSPORT															
	ffice Transport - Dedicated - 2 Wire Voice Grade - Facility	1														
Termir		ļ	<u> </u>	UEPRG	U1TV2	18.00	137.48	52.58					38.07	38.07		
	ffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	ction Mile			UEPRG	U1TVM	0.0125	0.00	0.00								
	E GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)				+ +											
	pp Combination Rates	-	4		+ +	42.02										
	v VG Loop/Port Combo - Zone 1 v VG Loop/Port Combo - Zone 2	+	1 2		+	13.03 21.33										
	e VG Loop/Port Combo - Zone 2	<del>                                     </del>	3		+ +	32.61					-		<b> </b>	<del> </del>	<b> </b>	
UNE Loop Ra		1	٥		+ +	32.01			<del>                                     </del>				<b>l</b>	<del>                                     </del>	<b>l</b>	
	e Voice Grade Loop (SL 1) - Zone 1	1	1	UEPPX	UEPLX	10.75			<del>                                     </del>				<b>l</b>	<del>                                     </del>	<b>l</b>	
	e Voice Grade Loop (SL 1) - Zone 2	<b>†</b>	2	UEPPX	UEPLX	19.05					<b>-</b>					
	Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	30.33								İ		
	Grade Line Port Rates (BUS - PBX)		Ť		1	22.30					İ		İ		İ	
	,															
Line S	ide Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	2.28	164.57	128.16					40.18	9.45		
	ide Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	2.28	164.57	128.16					40.18	9.45		
	ide Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	2.28	164.57	128.16					40.18	9.45		
	Voice Unbundled PBX LD Terminal Ports			UEPPX	UEPLD	2.28	164.57	128.16					40.18	9.45		
	Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	2.28	164.57	128.16					40.18	9.45		
2-\Mire	Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX	UEPXB	2.28	164.57	128.16					40.18	9.45		

MOUNDE	ED NETWORK ELEMENTS - North Carolina		1	ı							Com Conde	Core Corel co	Attachi			bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect		•	oss	Rates (\$)	•	
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPPX	UEPXE	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPPX	UEPXL	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	2.28	164.57	128.16					40.18	9.45		
LOCA	L NUMBER PORTABILITY			OEI I A	0L1 //0	2.20	104.57	120.10			1		40.10	3.73	1	
-55%	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00					40.18	9.45	İ	
FEAT													101.10			
	All Features Offered			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch-As-Is			UEPPX	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						1.42						10.27			
ADDIT	TONAL NRCs						1.72						10.27			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Loop at End User			UEPPX	USAS2	0.00	0.00	0.00					40.18	9.45		
	Premise			UEPPX	URETL		8.33	0.83					26.94	12.76	0.00	0.00
OFF/C	ON PREMISES EXTENSION CHANNELS						0.00									
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	14.97	142.97	106.56					26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	25.93	142.97	106.56					26.94	12.76	0.00	0.0
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	40.81	142.97	106.56					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		1	UEPPX	SDD2X	14.62	252.06	109.08					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		2	UEPPX	SDD2X	23.86	126.03	54.54					26.94	12.76	0.00	0.0
	Non-Wire Direct Serve Channel Voice Grade		3	UEPPX	SDD2X	36.40	126.03	54.54					26.94	12.76	0.00	0.0
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	18.00	407.40	52.58					38.07	38.07		
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPPX	UTIVZ	18.00	137.48	52.58					38.07	38.07		
	or Fraction Mile			UEPPX	U1TVM	0.0125	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	K I	-													
UNE	Port/Loop Combination Rates  2-Wire VG Coin Port/Loop Combo – Zone 1		1		_	13.03			-							
	2-Wire VG Coin Port/Loop Combo – Zone 1  2-Wire VG Coin Port/Loop Combo – Zone 2		2		+	21.33										
_	2-Wire VG Coin Port/Loop Combo – Zone 3		3		+	32.61			<del>                                     </del>						<b>l</b>	
UNF	oop Rates		Ť		+	02.01					<b>-</b>					<b> </b>
0.11	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	10.75										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	19.05					İ				1	
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	30.33										
2-Wire	Voice Grade Line Ports (COIN)															
	2-Wire Coin 2-Way without Operator Screening and without			LIEDOO	LIEDVID	0.00	70.50	00.6=	<u> </u>				40.40	0.45		
	Blocking (NC)			UEPCO	UEPND	2.28	79.59	63.97					40.18 40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening (NC)			UEPCO	UEPNC	2.28	79.59	63.97	<del>                                     </del>				40.18	9.45	1	-
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking: 900/976, 1+DDD, 011+, and Local (NC, TN)			UEPCO	UEPCA	2.28	79.59	63.97					40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina											-	Attachi	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge -	
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	O.W. O. C. O. L. and L. W. O. and L.						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking (NC)			UEPCO	UEPNE	2.28	79.59	63.97					40.18	9.45		
	2-Wire Coin Outward with Operator Screening and Blocking:			UEPCO	UEFINE	2.20	79.59	63.97				<del>                                     </del>	40.10	9.45		
	900/976, 1+DDD, 011+, and Local (NC)			UEPCO	UEPCL	2.28	79.59	63.97					40.18	9.45		
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	2.28	79.59	63.97				<b>†</b>	40.18	9.45		
	2-Wire Coin Outward Smartline with 900/976 (all states except															
	LA)			UEPCO	UEPCR	2.28	79.59	63.97					40.18	9.45		
ADDIT	IONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	3.70	0.00	0.00	0.00	0.00		<b>_</b>	40.18	9.45		
LOCAL	L NUMBER PORTABILITY  Local Number Portability (1 per port)			UEPCO	LNPCX	0.35					-	<b>-</b>				
NONR	ECURRING CHARGES - CURRENTLY COMBINED			UEPCO	LINPUX	0.35						<del>                                     </del>	<del> </del>			1
- INOINI	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		1								1	<del>                                     </del>				
	Switch-as-is	1		UEPCO	USAC2		2.77	0.40					40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		İ							1						
	Switch with change			UEPCO	USACC		2.77	0.40			ļ	ļ	40.18	9.45		
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -	1											1 7			
	Subsequent Database Update						1.42									
ADDIT	TONAL NRCs											<u> </u>	$\vdash$			1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00					40.18	9.45		
-+-	Unbundled Miscellaneous Rate Element, Tag Loop at End User			ULFCO	U3A32		0.00	0.00				<del>                                     </del>	40.10	9.43		
	Premise			UEPCO	URETL		8.33	0.83					26.94	12.76	0.00	0.00
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	RES)								1				
UNE P	ort/Loop Combination Rates															
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12						<b>_</b>				
UNET	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00						<u> </u>	$\vdash$			1
UNE L	oop Rates 2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFR	UECF2	14.97						<b>-</b>	$\vdash$			
-+	2-Wire Voice Grade Loop (SL2) - Zone 1  2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFR	UECF2	25.93						<del> </del>				
	2-Wire Voice Grade Loop (SL2) - Zone 3			UEPFR	UECF2	40.81						<b>†</b>				
2-Wire	Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	2.19	225.00	225.00					40.18	9.45		
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDED	LIEDAD	2.40	225.00	225 00					40.40	0.45		
INTER	(LUM) OFFICE TRANSPORT		<del>                                     </del>	UEPFR	UEPAP	2.19	225.00	225.00		-	1	+	40.18	9.45		1
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	<b>-</b>	<b>†</b>		+						1	<del>                                     </del>	<del>                                     </del>			<del> </del>
	Termination	1		UEPFR	U1TV2	18.00	140.00	71.00					[			
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		İ							1						
	or Fraction Mile		<u>L</u>	UEPFR	1L5XX	0.0125									<u> </u>	
FEATU																
	All Features Offered			UEPFR	UEPVF	3.40	0.00	0.00				<del></del>	40.18	9.45		
LOCAI	L NUMBER PORTABILITY	-	<u> </u>	LIEDED	LNDCV	0.05			-	-	<u> </u>	₩	$\vdash$		-	1
NOND	Local Number Portability (1 per port)  ECURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	<del>                                     </del>	UEPFR	LNPCX	0.35				-	1	┼──	$\vdash$		1	1
NONKI	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	<del>                                     </del>		+ +				1	<b> </b>	1	<del>                                     </del>	$\vdash$		<del> </del>	1
	Combination - Conversion - Switch-as-is	1		UEPFR	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	i	i i							l				20	1	1
	Combination - Conversion - Switch-With-Change			UEPFR	USACC		9.03	1.87		<u> </u>		<u> </u>	40.18	9.45	<u> </u>	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at												1			
	End User Premise	l		UEPFR	URETN		11.20	1.10			<u> </u>	<u> </u>	26.94	12.76	0.00	0.00
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)								<del>                                     </del>	igspace			ļ
			1	1	1 1				I	I	1	1	1 /	l	l	1
UNE P	Port/Loop Combination Rates		- 4			17.10					1		1 1		l	
UNE P	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		1 2			17.16 28.12										

าผลกมฎเ	LED NETWORK ELEMENTS - North Carolina			T									Attachi			bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Dis					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFB	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFB	UECF2	25.93										
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	40.81										
2-W	ire Voice Grade Line Port (Bus)			LIEDED	LIEDDI	0.40	205.00	005.00					10.10	0.45		
	2-Wire voice unbundled port without Caller ID - bus			UEPFB UEPFB	UEPBL	2.19 2.19	225.00 225.00	225.00					40.18 40.18	9.45 9.45		
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC UEPBO	2.19	225.00	225.00 225.00					40.18	9.45		
	2-Wire voice unbundled port outgoing only - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB0	2.19	225.00	225.00					40.18	9.45		
1.00	CAL NUMBER PORTABILITY		-	OLFIB	OLFBI	2.15	223.00	223.00					40.10	9.43		
LOC	Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
INTE	EROFFICE TRANSPORT	<b>-</b>	t	OLITO	LIVIOA	0.55			<del>                                     </del>							
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility		<u> </u>		+ -											
	Termination  Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			UEPFB	U1TV2	18.00	140.00	71.00								
	or Fraction Mile			UEPFB	1L5XX	0.0125										
FEA	TURES															
	All Features Offered			UEPFB	UEPVF	3.40	0.00	0.00					40.18	9.45		
NON	NRECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		9.03	1.87					40.18	9.45		
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch with change			UEPFB	USACC		9.03	1.87					40.18	9.45		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPFB	URETN		11.20	1.10					26.94	12.76	0.00	0.00
2-W	IRE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (		OKETIV		11.20	1.10					20.04	12.70	0.00	0.00
	Port/Loop Combination Rates		Ι ,													
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			17.16										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			28.12										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			43.00										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	14.97										
	2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	25.93										
- 111	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	40.81										
2-W	ire Voice Grade Line Port Rates (BUS - PBX)				+											
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	2.18	225.00	225.00					40.18	9.45		
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	2.18	225.00	225.00					40.18	9.45		
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPFP	UEPXL	2.18	225.00	225.00					40.18	9.45		
	Administrative Calling Port 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPFP	UEPXM	2.18	225.00	225.00					40.18	9.45		
	Discount Room Calling Port		<u> </u>	UEPFP	UEPXO	2.18	225.00	225.00					40.18	9.45		
1.00	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port CAL NUMBER PORTABILITY		<del>                                     </del>	UEPFP	UEPXS	2.18	225.00	225.00					40.18	9.45		
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00					40.18	9.45		
INTE	EROFFICE TRANSPORT							-								
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	18.00	140.00	71.00								

or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE UNE POrt/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  1-Wire A  1-Wire L  1-Wire A	e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3		Zone 1 1 2 3 3	BCS  UEPFP  UEPFP  UEPFP  UEPFP	USOC  1L5XX  UEPVF  USAC2  USACC  URETN	Rec - 0.0125 3.40	Nonrec First 0.00 9.03	RATES (\$) urring Add'l 0.00	Nonrecurring Disconne First Add'I		Submitted Manually	Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l Rates (\$) SOMAN	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE UNE POrt/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  1-Wire A  1-Wire L  1-Wire A	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC	0.0125	0.00 9.03 9.03	Add'I 0.00			SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE UNE POrt/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  1-Wire A  1-Wire L  1-Wire A	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC	0.0125	9.03 9.03	0.00	First Add'l	SOMEC	SOMAN			SOMAN	SOMAN
or Fracti FEATURES  All FeatureS  All FeatureS  All FeatureS  2-Wire L  Combini 2-Wire L  Combini Unbund End Uss  JNBUNDLED PORT/LO  2-Wire VOICE UNE POrt/Loop  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  2-Wire V  4-Wire A  2-Wire A  2-Wire A  2-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  4-Wire A  5-Wire V  With Bel  ADDITIONAL NI  2-Wire L  1-Wire L  1-Wire A  1-Wire L  1-Wire A	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC		9.03 9.03					40.18	9.45		
FEATURES All Features All Features NONRECURINI 2-Wire L Combini 2-Wire L Combini Unbund End Use JNBUNDLED PORT/LOO 2-WIRE VOICE UNE PORT/LOO 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 4-Wire A 5-Wire A 4-Wire V 5-Wire V 6-Wire M 1-Wire A 1-Wire V 1-Wire	atures Offered  ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change inded Miscellaneous Rate Element, Tag Designed Loop at iser Premise  OOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  P Combination Rates  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  BYG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP UEPFP	UEPVF USAC2 USACC		9.03 9.03					40.18	9.45		-
All Feat  NONRECURRIN  2-Wire L Combin  2-Wire L Combin  Unbund End Use  JNBUNDLED PORT/LO  2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire N 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is a Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at iser Premise JOOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH P Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3		1 2	UEPFP UEPFP	USAC2 USACC	3.40	9.03 9.03					40.18	9.45		
NONRECURRIN 2-Wire L Combini 2-Wire L Combini Unbund End Us& JNBUNDLED PORT/LO 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-Wire V 2-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 5-Wire V 4-Wire V 4-Wire V 4-Wire V 4-Wire V 5-Wire V 4-Wire V 5-Wire V 6-Wire V 8-Wire V 8-Wire V 8-Wire V 9-Wire L 1-Wire V 1-Wir	ING CHARGES (NRCs) - CURRENTLY COMBINED  Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is a Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change didled Miscellaneous Rate Element, Tag Designed Loop at iser Premise JOOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH P Combination Rates De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 De VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 1 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 2 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3 Designed Sylver Combo - UNE Zone 3		1 2	UEPFP UEPFP	USAC2 USACC	0.10	9.03 9.03								<del>                                     </del>
2-Wire L Combini 2-Wire L Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE POrt/Loop 2-Wire V 2-Wire V 2-Wire V 2-Wire V 4-2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 4-2-Wire A 4	e Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch-as-is b Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change indied Miscellaneous Rate Element, Tag Designed Loop at ser Premise.  COOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI OF COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI OF COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNI OF COMBINATIONS - COST BASED RATES  E VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  Tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1 B Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 3		1 2	UEPFP	USACC		9.03	1.87							
2-Wire L Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire \ 2-Wire \ 2-Wire \ 1-Wire \ 2-Wire \ 2-Wire \ 1-Wire	De Loop / Dedicated IO Transport / 2 Wire Line Port ination - Conversion - Switch with change holded Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  JOOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH  TO Combination Rates  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  B VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  Tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP	USACC		9.03	1.87							
Combini Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE POrt/Loop 2-Wire \( \) 2-Wire \( \) 2-Wire \( \) 2-Wire \( \) UNE Loop Rate 2-Wire \( \) 2-Wire \( \) UNE Port Rate Exchang NONRECURRIN 2-Wire \( \) Switch=6 2-Wire \( \) with Bel ADDITIONAL NI 2-Wire \( \) Unbund End Use Telephone Nun DID Trui	ination - Conversion - Switch with change indled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  OOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNH ID Combination Rates  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  10 Analog Voice Grade Loop - (SL2) - UNE Zone 1  10 Analog Voice Grade Loop - (SL2) - UNE Zone 2  11 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2					1.07				40.18	9.45		<u> </u>
Unbund End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire \\ 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire \\ 2-Wire \\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch-a 2-Wire \\ UNE Port Rate Unbund Exchang NONRECURRIN 2-Wire \\ Switch-a 2-Wire \\ Unbund Use \\ Substitute Significant	adled Miscellaneous Rate Element, Tag Designed Loop at Iser Premise  GOP COMBINATIONS - COST BASED RATES  E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  P Combination Rates  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2												
End Use JNBUNDLED PORT/LO 2-WIRE VOICE UNE Port/Loop 2-Wire V 2-Wire V 2-Wire V UNE Loop Rate 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire V Switch-a 2-Wire V with Bel ADDITIONAL N 2-Wire L Unbund End Use Telephone Nun	Iser Premise  .OOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  p Combination Rates  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2		1 2	UEPFP	URETN			1.87				40.18	9.45		
JNBUNDLED PORT/LO  2-WIRE VOICE  UNE PORT/LOOP  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  UNE Loop Rate  2-Wire \( \)  2-Wire \( \)  UNE PORT Rate  Exchang  NONRECURRIN  2-Wire \( \)  Switch=6  2-Wire \( \)  With Bel  ADDITIONAL NI  LOBURD AND  L	OOP COMBINATIONS - COST BASED RATES E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK P Combination Rates 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 10 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 10 Analog Voice Grade Loop - (SL2) - UNE Zone 1 11 Analog Voice Grade Loop - (SL2) - UNE Zone 2 12 Analog Voice Grade Loop - (SL2) - UNE Zone 3	K PORT	1 2	UEPFP	UREIN										
2-WIRE VOICE UNE Port/Loop 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch=\\ 2-Wire \\ Unit be a \\ Unit b	E GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK  IP Combination Rates  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  3 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  4 Analog Voice Grade Loop - (SL2) - UNE Zone 1  5 Analog Voice Grade Loop - (SL2) - UNE Zone 2  5 Analog Voice Grade Loop - (SL2) - UNE Zone 3	K PORT	1 2				11.20	1.10				26.94	12.76	0.00	0.00
UNE Port/Loop  2-Wire \( \)  2-Wire \( \)  UNE Loop Rate  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  2-Wire \( \)  UNE Port Rate  Exchang  NONRECURRIN  2-Wire \( \)  Switch-a  2-Wire \( \)  with Bel  ADDITIONAL NI  2-Wire \( \)  Unbund  End Use  Telephone Num	p Combination Rates  VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1  b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  b VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  Analog Voice Grade Loop - (SL2) - UNE Zone 1  b Analog Voice Grade Loop - (SL2) - UNE Zone 2  Analog Voice Grade Loop - (SL2) - UNE Zone 3	KPOKI	1 2												<del></del>
2-Wire \\ 2-Wire \\ 2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ DESCRIPTION Tate Exchang NONRECURRIN 2-Wire \\ Switch-e 2-Wire \\ with Bel ADDITIONAL NI 2-Wire L\\ Unbund End Use Telephone Nun	VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes Analog Voice Grade Loop - (SL2) - UNE Zone 1 Analog Voice Grade Loop - (SL2) - UNE Zone 2 Analog Voice Grade Loop - (SL2) - UNE Zone 3		2		1					+	1				<del>                                     </del>
2-Wire \\ 2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ UNE Port Rate Exchang NONRECURRIN 2-Wire \\ Switch-\\ 2-Wire \\ With Bel\\ ADDITIONAL N\\ 2-Wire L\\ Unbund End Use Telephone Num	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2  9 VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3  tes  4 Analog Voice Grade Loop - (SL2) - UNE Zone 1  9 Analog Voice Grade Loop - (SL2) - UNE Zone 2  9 Analog Voice Grade Loop - (SL2) - UNE Zone 3		2		1	20.97				+					<b>—</b>
2-Wire \\ UNE Loop Rate 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ 2-Wire A\\ Exchange NONRECURRIN 2-Wire \\ Switch-a\\ 2-Wire \\ With Bel\\ ADDITIONAL N\\ 2-Wire \\ Unbund End Use Telephone Num	e VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3 tes e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3				İ	27.80									
2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire \ Switch- 2-Wire \ With Bel ADDITIONAL N 2-Wire L Unbund End Use Telephone Nun DID Trui	e Analog Voice Grade Loop - (SL2) - UNE Zone 1 e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3					37.08									
2-Wire A 2-Wire A 2-Wire A UNE Port Rate Exchang NONRECURIN 2-Wire \ Switch-s 2-Wire \ With Bel ADDITIONAL NI 2-Wire Unbund End Use Telephone Num	e Analog Voice Grade Loop - (SL2) - UNE Zone 2 e Analog Voice Grade Loop - (SL2) - UNE Zone 3														
2-Wire A UNE Port Rate Exchang NONRECURRIN 2-Wire \ Switch-a 2-Wire \ with Bel ADDITIONAL N 2-Wire L Unbund End Use Telephone Nun	Analog Voice Grade Loop - (SL2) - UNE Zone 3		1	UEPPX	UECD1	8.85									
UNE Port Rate Exchang NONRECURRIN 2-Wire V Switch-e 2-Wire V with Bel ADDITIONAL N 2-Wire D Unbund End Use Telephone Nun DID Trui			2	UEPPX	UECD1	15.68									
Exchang NONRECURIN 2-Wire \ Switch- 2-Wire \ with Bel ADDITIONAL NI 2-Wire L Unbund End Use Telephone Nun			3	UEPPX	UECD1	24.96									L
NONRÉCURRIN  2-Wire V Switch-e 2-Wire V With Bel  ADDITIONAL N  2-Wire L Unbund End Use  Telephone Nun		-	-	LIEDDY	LIEDD4	10.10	004.04	100.10				10.10	0.45		<b>——</b>
2-Wire \ Switch-e 2-Wire \ with Bel ADDITIONAL Ni 2-Wire I Unbund End Use Telephone Nun DID Trui	nge Ports - 2-Wire DID Port ING CHARGES - CURRENTLY COMBINED	+	+	UEPPX	UEPD1	12.12	224.81	188.40				40.18	9.45		<b>├</b>
Switch-a 2-Wire V with Bel ADDITIONAL N 2-Wire E Unbund End Use Telephone Nun DID Trui	e Voice Grade Loop / 2-Wire DID Trunk Port Combination	+	+												<del></del>
2-Wire Nwith Bel ADDITIONAL N 2-Wire I Unbund End Uss Telephone Nun		1		UEPPX	USAC1		13.26	8.39				53.89	11.34		İ
with Bel ADDITIONAL N 2-Wire E Unbund End Use Telephone Nun DID Trui	Voice Grade Loop / 2-Wire DID Trunk Port Conversion			OLITA	00/101		10.20	0.00				00.00	11.04		
2-Wire E Unbund End Use Telephone Nun DID Trui	ellSouth Allowable Changes			UEPPX	USA1C		13.26	8.39				53.89	11.34		İ
Unbund End Use Telephone Nun DID Trui			1										-		
End Use Telephone Num DID Trui	e DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX	USAS1		53.49					40.18	9.45		
Telephone Nun DID Trui	ndled Miscellaneous Rate Element, Tag Designed Loop at														
DID Trui	ser Premise			UEPPX	URETN		11.20	1.10				26.94	12.76	0.00	0.00
	umber/Trunk Group Establisment Charges			LIEDDY.	LIDT	2.22	2.22								L
DID Nui	runk Termination (One Per Port)	-	-	UEPPX	NDT	0.00	0.00	0.00							<b>——</b>
	umbers, Establish Trunk Group and Provide First Group DID Numbers			UEPPX	NDZ	0.00	0.00	0.00							1
	onal DID Numbers for each Group of 20 DID Numbers	+	+	UEPPX	ND4	0.00	0.00	0.00		+					<del>                                     </del>
	umbers, Non- consecutive DID Numbers, Per Number	1	t	UEPPX	ND5	0.00	0.00	0.00							
	ve Non-Consecutive DID numbers	1	1	UEPPX	ND6	0.00	0.00	0.00							
	ve DID Numbers			UEPPX	NDV	0.00	0.00	0.00							
	BER PORTABILITY							· · · · ·							
	Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00							
	DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	INE SID	E POR		1					_					<b>├</b>
	pp Combination Rates	+	+	-	1					-	1				<del></del>
UNE Zo	DN Digital Grade Loop/2W ISDN Digital Line Side Port -		1	UEPPB UEPPR	,	38.84									1
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -	+	+ 1	UEPPR UEPPR	+	38.84				+	1				<del>                                     </del>
UNE Zo			2	UEPPB UEPPR		50.01									1
	DN Digital Grade Loop/2W ISDN Digital Line Side Port -	1	ΤĒ	5_: 5	1	55.51									
UNE Zo			3	UEPPB UEPPR		65.18									1
UNE Loop Rate	tes	1													
2-Wire I	ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB UEPPR	USL2X	14.47									
	5.000 E00P OTTE E010 1	1													1
		1	2	UEPPB UEPPR		25.64									
	BISDN Digital Grade Loop - UNE Zone 2	1	3	UEPPB UEPPR	USL2X	40.81									<b>├</b>
UNE Port Rate	s ISDN Digital Grade Loop - UNE Zone 2 s ISDN Digital Grade Loop - UNE Zone 3	+	1	UEPPB UEPPR	UEPPB	24.37	388.20	302.77		1	1	i l			<u>1</u>
NONRECURRIN	s ISDN Digital Grade Loop - UNE Zone 2 s ISDN Digital Grade Loop - UNE Zone 3			ULTED UEPPR	UEPPB	24.3/			l l			19.99	19.99		

	ED NETWORK ELEMENTS - North Carolina														ment: 2		bit: A
TEGORY	RATE ELEMENTS	Interi m	Zone	E	3CS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonred		Nonrecurring Dis					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port																
ADD	Combination - Conversion ITIONAL NRCs			UEPPB	UEPPR	USACB	0.00	174.35	174.35								
ADD	Unbundled Miscellaneous Rate Element, Tag Designed Loop at			<u> </u>		-											
	End User Premise			UEPPB	UEPPR	URETN		11.20	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			OLFFB	ULFFR	UKLIN		11.20	1.10								
	Premise			UEPPB	UEPPR	URETL		8.33	0.83					26.94	12.76	0.00	0.0
LOC	AL NUMBER PORTABILITY					1											-
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CF	IANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								
	IANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, &	TN)	<u> </u>		1											
USE	R TERMINAL PROFILE																
1/55	User Terminal Profile (EWSD only) TICAL FEATURES	ļ	-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VER				UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INITE	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.40	0.00	0.00								
INTE	Interoffice Channel mileage each, including first mile and					1											
	facilities termination			LIEDDD	UEPPR	M1GNC	18.0282	137.48	52.58					19.99	19.99		
-	Interoffice Channel mileage each, additional mile				UEPPR		0.0282	0.00	0.00					15.55	19.99		
4-WI	RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT	1	OLITE	OLITIK	IVITOTAIVI	0.0202	0.00	0.00								
	UNE-P DS1 combination rates below for in this rate exhibit apply			ded base	e in place a	as of 10/2/03 i	intil 4/1/04. Aft	er 4/1/04 these	rates shall re	vert to tariff rates or	r a senarati	commerci	al agreeme	nt.			
UNE	Port/Loop Combination Rates  4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 1		1	UEPPP			226.55										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE Zone 2		2	UEPPP			263.28										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						200.20										
	Zone 3		3	UEPPP			313.15										
UNE	Loop Rates						313.15										
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPPP		USL4P	313.15 47.54										
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2		1 2	UEPPP UEPPP		USL4P	313.15 47.54 84.27										
	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3		1 2	UEPPP			313.15 47.54										
	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate		1 2	UEPPP UEPPP UEPPP		USL4P USL4P	313.15 47.54 84.27 134.14	956 47	663.10					19.00	19.00		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1 2	UEPPP UEPPP		USL4P	313.15 47.54 84.27	956.47	663.10					19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED		1 2	UEPPP UEPPP UEPPP		USL4P USL4P	313.15 47.54 84.27 134.14	956.47	663.10					19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3 Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)		1 2	UEPPP UEPPP UEPPP		USL4P USL4P	313.15 47.54 84.27 134.14	956.47	663.10					19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port		1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	313.15 47.54 84.27 134.14 179.01							19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)		1 2	UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP	313.15 47.54 84.27 134.14 179.01							19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN DS1 Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP	313.15 47.54 84.27 134.14 179.01	481.51	481.51					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCs  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop /4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P UEPPP USACP PR7TG PR7TP	313.15 47.54 84.27 134.14 179.01	481.51 1.17 28.17	481.51 1.17 28.17					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  IRFACE (Provsioning Only)  Voice/Data  Digital Data		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP USACP PR7TG PR7TT PR7ZT LNPCN PR71V PR71D	313.15 47.54 84.27 134.14 179.01 0.00 1.75 0.00 0.00	481.51 1.17 28.17 56.33	481.51 1.17 28.17 56.33					19.99	19.99		
UNE NON ADD	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  ERFACE (Provsioning Only)  Voice/Data  Digital Data  Inward Data		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TG PR7TF LNPCN PR71V	313.15 47.54 84.27 134.14 179.01 0.00 1.75	481.51 1.17 28.17 56.33	481.51 1.17 28.17 56.33					19.99	19.99		
UNE NON ADDI	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) 4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY Local Number Portability (1 per port)  RFACE (Provsioning Only)  Voice/Data Digital Data Inward Data or Additional "B" Channel		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USACP USACP PR7TG PR7TP PR7ZT LNPCN PR71V PR71D PR71E	313.15 47.54 84.27 134.14 179.01 0.00 1.75 0.00 0.00 0.00	481.51 1.17 28.17 56.33 0.00 0.00 0.00	481.51 1.17 28.17 56.33								
UNE NON ADDI	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward I nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  RFACE (Provisioning Only)  Voice/Data  Digital Data  Inward Data  Or Additional "B" Channel  New or Additional - Voice/Data B Channel		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP  USACP  PR7TG  PR7TT  PR7ZT  LNPCN  PR71V  PR71D  PR71E  PR7BV	313.15 47.54 84.27 134.14 179.01 0.00 1.75 0.00 0.00 0.00 0.00	481.51 1.17 28.17 56.33 0.00 0.00 0.00	481.51 1.17 28.17 56.33					19.99	19.99		
UNE NON ADDI	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Dg1al Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  INFACE (Provsioning Only)  Voice/Data  Digital Data  Inward Data  New or Additional - Voice/Data B Channel  New or Additional - Digital Data B Channel		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP  PR7TG PR7TP PR7ZT  LNPCN PR71V PR71V PR71D PR71E  PR7BV PR7BF	313.15 47.54 84.27 134.14 179.01 0.00 0.00 0.00 0.00 0.00 0.00 0.00	481.51 1.17 28.17 56.33 0.00 0.00 0.00 36.92 36.92	481.51 1.17 28.17 56.33					19.99	19.99		
UNE NON ADDI	Loop Rates  4-Wire DS1 Digital Loop - UNE Zone 1  4-Wire DS1 Digital Loop - UNE Zone 2  4-Wire DS1 Digital Loop - UNE Zone 3  Port Rate  Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)  RECURRING CHARGES - CURRENTLY COMBINED  4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port Combination - Conversion - Switch-as-is (E:4/1/2004)  ITIONAL NRCS  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only)  4-Wire DS1 Loop / 4-Wire ISDN Digital Trunk Port - Subsequent Inward I nos. (NC only)  4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward Tel Numbers  AL NUMBER PORTABILITY  Local Number Portability (1 per port)  RFACE (Provisioning Only)  Voice/Data  Digital Data  Inward Data  Or Additional "B" Channel  New or Additional - Voice/Data B Channel		1 2	UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP UEPPP		USL4P USL4P USL4P USL4P USACP  USACP  PR7TG  PR7TT  PR7ZT  LNPCN  PR71V  PR71D  PR71E  PR7BV	313.15 47.54 84.27 134.14 179.01 0.00 1.75 0.00 0.00 0.00 0.00	481.51 1.17 28.17 56.33 0.00 0.00 0.00	481.51 1.17 28.17 56.33					19.99	19.99		

NBUNDL	ED NETWORK ELEMENTS - North Carolina													ment: 2		bit: A
													Incremental		Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual S
ATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs
		m						,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
													1st	Add'l	Disc 1st	Disc Add'l
ı							Nonre	curring	Nonrecurring	Disconnect	1		oss	Rates (\$)		
					1	Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Inward		-	UEPPP	PR7C1	0.00	0.00	0.00	FIISL	Addi	SOWIEC	SUMAN	SOWAN	SUMAN	SUMAN	SUMAN
											1					
	Outward			UEPPP	PR7CO	0.00	0.00	0.00								
	Two-way			UEPPP	PR7CC	0.00	0.00	0.00								ļ
Inter	office Channel Mileage															
	Fixed Each Including First Mile			UEPPP	1LN1A	71.8653	217.17	163.75	0.00				19.99	19.99		
	Each Airline-Fractional Additional Mile			UEPPP	1LN1B	0.5753										
	RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT															
The I	UNE-P DS1 combination rates below for in this rate exhibit appl	v to the	embed	ded base in place a	s of 10/2/03 ι	intil 4/1/04. Aft	ter 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	al agreeme	nt.			
	uests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff															
	Port/Loop Combination Rates			I	1						<u>†                                      </u>				†	1
ONE	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	-	1	UEPDC	+	171.06					<del>                                     </del>			<del>                                     </del>	<del> </del>	<del> </del>
		-	2	UEPDC	1	207.79	<b> </b>				+			<b>-</b>	<del>                                     </del>	1
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	-			+						1	-			<del>                                     </del>	<del>                                     </del>
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC	1	257.66					<b></b>				<b></b>	<u> </u>
UNE	Loop Rates				1						ļ					ļ
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	47.54										1
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	84.27										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	134.14										
UNE	Port Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	123.52	831.43	491.39					19.99	19.99		
NON	RECURRING CHARGES - CURRENTLY COMBINED			02. 50	000	120.02	001110	101.00			1		10.00	10.00		<del>                                     </del>
NON	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination				1						+				-	<b>†</b>
				LIEDDO	110404		490.38	490.38								
	- Switch-as-is (E:4/1/2004)		_	UEPDC	USAC4		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		490.38	490.38								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Conversion with Change - Trunk (E:4/1/2004)			UEPDC	USAWB		490.38	490.38								
ADD	ITIONAL NRCs															
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent															
	Service Activity Per Service Order			UEPDC	USAS4		127.63	127.63								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -		-	OLI DO	00/104		127.00	127.00			1					
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		28.81	28.81								
				UEPDC	UDITA		28.81	28.81			1					
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent				l											
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		28.81	28.81								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel															
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation Per Chan - Inward Trunk with DID		1	UEPDC	UDTTD		28.81	28.81					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan															
	Activation / Chan - 2-Way DID w User Trans		1	UEPDC	UDTTE		28.81	28.81								
RIPO	DLAR 8 ZERO SUBSTITUTION		t		†		20.01	20.01			<u> </u>			l	<b>†</b>	<del>                                     </del>
1511-0	B8ZS -Superframe Format	<b>—</b>	H	UEPDC	CCOSF		0.00i	615.00s			<b>†</b>			<b> </b>	t	<del>                                     </del>
-+	B8ZS - Extended Superframe Format		1	UEPDC	CCOEF		0.00i	615.00s			<del> </del>			<del>                                     </del>	<del>                                     </del>	+
			-	UEFDC	CCUEF		0.001	800.cro			<del>                                     </del>			<b>-</b>	1	1
Alter	rnate Mark Inversion			LIEBBO							<b>_</b>					
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00			ļ					1
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telep	phone Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID		1	UEPDC	UDTGZ	0.00			i		İ		19.99	19.99	1	
_	DID Numbers. Establish Trunk Group and Provide First Group		1		1	2.00					1			12.00	1	1
	of 20 DID Numbers		1	UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers	-	<b>-</b>	UEPDC	ND4	0.00	0.00	0.00			+			<b>-</b>	<del>                                     </del>	1
			-				-				<del>                                     </del>			<b>!</b>	1	<b>!</b>
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00					<u> </u>					
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00			ļ					L
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
Dedi	cated DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS	Digital	Loop	with 4-Wire DDITS 1	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
			1	UEPDC	1LNO1	71.29	217.17	163.75	0.00	0.00	1		19.99	19.99	1	1

JNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Increme
											Submitted	Submitted	Charge -	Charge -	Charge -	Charg
											Elec	Manually	Manual Svc			
GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			1					
JONI	RATE ELEMENTS	m	20116	ВСЗ	0300			KATES (4)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order
													Electronic-	Electronic-	Electronic-	Electro
													1st	Add'l	Disc 1st	Disc A
1																
						Rec	Nonre		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMA
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.5753	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities															
	Termination)			UEPDC	1LNO2	0.00	0.00	0.00								
	Interoffice Channel Mileage - Additional rate per mile - 9-25															
	miles			UEPDC	1LNOB	0.5753	0.00	0.00								
+	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		<del>                                     </del>	OLI DO	TENOD	0.0700	0.00	0.00			1					+
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00	0.00							
-	Termination)			UEPDC	ILINO3	0.00	0.00	0.00	0.00							1
1	Interoffice Channel Mileage - Additional rate per mile - 25+ miles		<u> </u>	UEPDC	1LNOC	0.5753	0.00	0.00			ļ	ļ		ļ	ļ	1
1	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00	0.00					ļ		
	Central Office Termininating Point			UEPDC	CTG	0.00										
4-WIR	E DS1 LOOP WITH CHANNELIZATION WITH PORT															
Syster	n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			1									1		
	System can have up to 24 combinations of rates depending on			nber of ports used	1		i e					İ	İ	i e	İ	1
	NE-P DS1 combination rates below for 4-Wire DS1 Loop with C				te exhibit and	ly to the embe	edded base in r	place as of 10/2	/03 until 4/1/04	After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement	1
	ests for 4-Wire DS1 Loop with Channelization with Port after th											I I I I I I I I I I I I I I I I I I I	to tailli rates	l a separate	agreement.	
	S1 Loop	e eneci	Ive uat	T tills amendmen	III Silali be più	Tiueu puisuai	T to a separate	agreement or	lailli at beliout	utiis discretit	1			1	1	+
ONE D		-		LIEDMO	1101.00	47.54	0.00	0.00			ļ					-
<u> </u>	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	47.54	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	84.27	0.00	0.00								
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	134.14	0.00	0.00								
UNE D	SO Channelization Capacities (D4 Channel Bank Configuration	ns)														
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	123.06	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	246.12	0.00	0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	492.24		0.00					19.99	19.99		
+	144 DS0 Channel Capacity - 1 per 6 DS1s		<del>                                     </del>	UEPMG	VUM14	738.36		0.00			1		19.99	19.99		+
+	192 DS0 Channel Capacity -1 per 8 DS1s		<u> </u>	UEPMG	VUM19	984.48	0.00	0.00			1		19.99	19.99		1
+		-	-	UEPMG	VUM2O						<b>}</b>		19.99	19.99	<b>-</b>	1
<u> </u>	240 DS0 Channel Capacity - 1 per 10 DS1s		<u> </u>			1,230.60	0.00	0.00								
	288 DS0 Channel Capacity - 1 per 12 DS1s		ļ	UEPMG	VUM28	1,476.72	0.00	0.00					19.99	19.99		
	384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,968.96	0.00	0.00					19.99	19.99		
	480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	2,461.20	0.00	0.00					19.99	19.99		
	576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	2,953.44	0.00	0.00					19.99	19.99		
	672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	3,445.68	0.00	0.00					19.99	19.99		
Non-R	ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chani	neliztio	n with Port - Conve	ersion Charge	Based on a S	vstem									
	imum System configuration is One (1) DS1, One (1) D4 Channe						1				1					1
	les of this configuration functioning as one are considered Ac						<del>                                     </del>	<del>                                     </del>			1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	<del> </del>	+
wuuup		au i aite	i iiie ii	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	I I I I I I I I I I I I I I I I I I I	Counted.	1	-			<del>                                     </del>	<del> </del>	<b> </b>	<del> </del>	<b> </b>	+
1	NRC - Conversion (Currently Combined) with or without		1	LIEDMO	USAC4	0.00	330.61	40.04	]			1	19.99	19.99		1
0	BellSouth Allowed Changes	11. 01.	1	UEPMG		0.00		16.64			<b></b>	<b> </b>	19.99	19.99	<b> </b>	+
	n Additions at End User Locations Where 4-Wire DS1 Loop with				bination Curre	entiy Exists an	a				<b>!</b>			ļ	ļ	<b>↓</b>
New (I	Not Currently Combined) in all states, except in Density Zone 1	of Top	8 MSA	A's			ļ				ļ			ļ	ļ	<b>↓</b>
1	1 DS1/D4 Channel Bank - Additionally Add NRC for each Port		1		1	I		1				1	1			1
<u></u>	and Assoc Fea Activation (E:4/1/2004)	<u></u>	<u>L</u>	UEPMG	VUMD4	0.00	743.74	326.22	149.02	17.68	<u> </u>	<u> </u>	19.99	19.99	<u> </u>	
Bipola	ar 8 Zero Substitution															
1	Clear Channel Capability Format, superframe - Subsequent		1		1		i e		i i			İ	i e	i e	1	1
1	Activity Only		1	UEPMG	CCOSF	0.00	0.00i	615.00s				1	1			1
t —	Clear Channel Capability Format - Extended Superframe -		t -	1	1	5.50	1				1	l	l	1	1	1
1	Subsequent Activity Only		1	UEPMG	CCOEF	0.00	0.00i	615.00s				1	1			1
Altorn	ate Mark Inversion (AMI)	<del>                                     </del>	<del>                                     </del>	OLI IVIO	OCCLI	0.00	0.001	010.000			1	<del>                                     </del>	<b> </b>	<del>                                     </del>	1	+
Aitem			-	UEPMG	MCOSF	0.00	0.00	0.00			1			<u> </u>	<del> </del>	+
<u> </u>	Superframe Format	-	-					0.00			<del> </del>			<b>!</b>	ł	+
<u> </u>	Extended Superframe Format	l	<u> </u>	UEPMG	MCOPO	0.00	0.00	0.00			<b></b>			ļ		<b>!</b>
	nge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port		1		ļ				1			ļ		1
Excha	nge Ports															
	Line Side Combination Channelized PBX Trunk Port - Business															
1	(E:4/1/2004)		1	UEPPX	UEPCX	2.28	0.00	0.00	0.00	0.00		1	40.18	9.45		1
	Line Side Outward Channelized PBX Trunk Port - Business					1	1.00								1	1
+				i .	1	1	1			ı	1	ı		1	1	1
				LIEDDY	LIEDOV	2 20	0.00	0.00	0.00	0.00			40.10	0 45		
	(E:4/1/2004) Line Side Inward Only Channelized PBX Trunk Port without DID		ļ	UEPPX	UEPOX	2.28	0.00	0.00	0.00	0.00			40.18	9.45		-

JNBU	NDLE	D NETWORK ELEMENTS - North Carolina												Attachi		Exhi	
ATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l
							р	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port															
		(E:4/1/2004)			UEPPX	UEPDM	13.26	0.00	0.00	0.00	0.00			40.18	9.45		
	Feature	e Activations - Unbundled Loop Concentration															
		Feature (Service) Activation for each Line Port Terminated in D4															
		Bank			UEPPX	1PQWM	0.65	25.27	13.34	4.15	4.12			40.18	9.45		
		Feature (Service) Activation for each Trunk Port Terminated in			LIEBBY .									40.40			
	Talank	D4 Bank			UEPPX	1PQWU	0.65	77.75	18.33	58.74	11.48			40.18	9.45		
	reiepn	one Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)		1	UEPPX	NDZ	0.00	0.00	0.00			-					
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00	1		<b>†</b>				1	
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00	1					1	ĺ	
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
	Local N	Number Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
		IRES - Vertical and Optional															
		Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.40	0.00	0.00					40.18	9.45		
INBUN		CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES		Ctata (			undlad Lasal C	witabina an Cu	ital Danta								
		t Based Rates are applied where BellSouth is required by FCC ures shall apply to the Unbundled Port/Loop Combination - C								dlad Bart sasti	an of this Date	Evhibit					
												EXIIIDIL.					
	∠. Feat	Office and Tandem Switching Usage and Common Transport	Heana	ratoe in	the Port section of	f this rate evh	ihit shall annly	to all combina	tions of loon	nort network e	amente evcen	t for LINE C	oin Port/Lo	on Combinati	ione		
	3. End	Office and Tandem Switching Usage and Common Transport	Usage	rates in	the Port section o	f this rate exh	ibit shall apply	to all combina	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs mav
	3. End 4. The	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu	Usage	rates in	the Port section o	f this rate exh	ibit shall apply	to all combina	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a	Office and Tandem Switching Usage and Common Transport	Usage urrently	comb	the Port section of the Combos. For	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.	Usage urrently	comb	the Port section of the Combos. For	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will	Usage urrently	comb	the Port section of the Combos. For	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cualso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)	Usage urrently	comb	the Port section of the Combos. For	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cualso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboo-	Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Ct also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo  Non-Design	Usage urrently	comb	the Port section of the Combos. For	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-	Usage urrently	rates in Combi	n the Port section of ined Combos. For on an Individual Combos.	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port ComboNon-Design	Usage urrently	rates in Comb	n the Port section of ined Combos. For on an Individual C	f this rate exh Currently Co	ibit shall apply mbined Combo	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cu also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	Usage urrently	comb	on an Individual C  UEP95	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	rates in Combi	n the Port section of ined Combos. For on an Individual Combos.	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  0-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	comb	on an Individual C  UEP95	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design	Usage urrently	comb	on an Individual C  UEP95	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo	Usage urrently	otiated	uthe Port section of ined Combos. For on an Individual Combos UEP95  UEP95  UEP95  UEP95	f this rate exh Currently Co	ibit shall applymbined Combo ill further notic  13.03 21.33 32.61	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage urrently	otiated	on an Individual C  UEP95  UEP95	f this rate exh Currently Co	ibit shall apply mbined Combo iil further notic 13.03 21.33 32.61	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	combinated 1 2 3 1 2	on an Individual C  UEP95  UEP95  UEP95  UEP95	f this rate exh Currently Co	13.03 21.33 32.61 17.25	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-P 2-Wire UNE Po	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design	Usage urrently	otiated  1 2 3	uthe Port section of ined Combos. For on an Individual Combos UEP95  UEP95  UEP95  UEP95	f this rate exh Currently Co	ibit shall applymbined Combo ill further notic  13.03 21.33 32.61	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage urrently	continued 1 2 3 1 2 3 3	uthe Port section of ined Combos. For on an Individual C UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	f this rate exh Currently Co ase Basis, uni	13.03 21.33 32.61 17.25 28.21	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design	Usage urrently	combinated  1 2 3 1 2 3 1 1	on an Individual C UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	f this rate exh Currently Co ase Basis, uni	13.03 21.33 32.61 17.25 28.21 43.09	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design	Usage urrently	combinated  1 2 3 1 2 3 1 2 3	uthe Port section of ined Combos. For on an Individual Combos ined	UECS1	13.03 21.33 32.61 17.25 28.21 43.09	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3	Usage urrently	rates ir Comb	uthe Port section of ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. For ined Combos. UEP95  UEP95  UEP95  UEP95  UEP95  UEP95  UEP95	definition of this rate exhibit of this rate exhibit of the currently Co ase Basis, unit currently Co as a second currently Co as a	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	Usage urrently	trates in Comb	uEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.06 30.33 14.97	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a 5. Mar UNE-PO UNE PO	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboont/Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a poly a poly apply a poly apply a poly apply a poly apply a poly a poly a poly a poly ap	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Co also and are categorized accordingly. ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States) VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo Design  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire VG Loop/2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1	Usage urrently	trates in Comb	uEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95	UECS1 UECS1 UECS2	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply a poly a poly apply a poly apply a poly apply a poly apply a poly a poly a poly a poly ap	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  ort Rate	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply 2 apply 2 by 5. Mar UNE-PC UNE PC UNE	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  ort Rate	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS1 UECS2 UECS2 UECS2	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93	to all combina os, the nonrecu	tions of loop	port network e	lements excep	t for UNE C				Additional NR	Cs may
	3. End 4. The apply 2 apply 2 by 5. Mar UNE-PC UNE PC UNE	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Cialso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage urrently	1	uthe Port section of ined Combos. For on an Individual Combos. For one an Individual Combos one of the	UECS1 UECS1 UECS2 UECS2 UECS2	13.03 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combina	tions of loop	port network e	lements excep	t for UNE C		ently Combine	ed sections.	Additional NR	Cs may
	3. End 4. The apply 2 apply 2 by 5. Mar UNE-PC UNE PC UNE	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  ort Rate  tes  2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UECYS UECYS UECYS	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	ro all combina s, the nonrecue.	tions of loop rring charges	port network e	lements excep	t for UNE C		40.18 40.18	9.45 9.45	Additional NR	Cs may
	3. End 4. The apply 2 apply 2 by 5. Mar UNE-PC UNE PC UNE	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboonon-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboobesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboopesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboopesign  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Comboopesign  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Loop (SL 2) - Zone 3  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area  2-Wire Voice Grade Port (Centrex) Basic Local Area	Usage urrently	1	uthe Port section of ined Combos. For in	UECS1 UECS1 UECS2 UECS2 UECS2 UECYA	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	to all combina s, the nonrecu e. 79.59	tions of loop rrring charges	port network e	lements excep	t for UNE C		ently Combine	ed sections.	Additional NR	Cs may
	3. End 4. The apply 2 apply 2 by 5. Mar UNE-PC UNE PC UNE	Office and Tandem Switching Usage and Common Transport first and additional Port nonrecurring charges apply to Not Coalso and are categorized accordingly.  ket Rates for Unbundled Centrex Port/Loop Combination will CENTREX - 5ESS (Valid in All States)  VG Loop/2-Wire Voice Grade Port (Centrex) Comboort/Loop Combination Rates (Non-Design)  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Non-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo-Design  2-Wire Voice Grade Loop (SL 1) - Zone 1  2-Wire Voice Grade Loop (SL 1) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 1  2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3  ort Rate  tes  2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	Usage urrently	1	ueps ueps ueps ueps ueps ueps ueps ueps	UECS1 UECS1 UECS2 UECS2 UECS2 UECYS UECYS UECYS	13.03 13.03 21.33 21.33 32.61 17.25 28.21 43.09 10.75 19.05 30.33 14.97 25.93 40.81	ro all combina s, the nonrecue.	tions of loop rring charges	port network e	lements excep	t for UNE C		40.18 40.18	9.45 9.45	Additional NR	Cs may

NRONDL	ED NETWORK ELEMENTS - North Carolina													ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -	Increments Charge - Manual Sv Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	1	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP95	UEPY9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term -										İ					İ
	Basic Local Area			UEP95	UEPY2	2.28	79.59	63.97					40.18	9.45		
NC O	nlv										İ					İ
	2-Wire Voice Grade Port (Centrex )			UEP95	UEPUA	2.28	79.59	63.97			İ		40.18	9.45		İ
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPUB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPUH	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															1
	Center)2,3			UEP95	UEPUM	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3		1	UEP95	UEPUZ	2.28	164.57	128.16					40.18	9.45	I	
	· -···, -					2.20	.007	.20.10			1		.0.10	3.40	1	
	2-Wire Voice Grade Port terminated in on Megalink or equivalent		1	UEP95	UEPU9	2.28	79.59	63.97					40.18	9.45	I	
	2-Wire Voice Grade Port Terminated in 6th Wegamin of equivalent			UEP95	UEPU2	2.28	79.59	63.97					40.18	9.45		
Loca	Switching		<b>-</b>	021 00	JL1 02	2.20	13.33	00.51	<del>                                     </del>		1		70.10	3.43	<del>                                     </del>	<b>-</b>
Loca	Centrex Intercom Funtionality, per port			UEP95	URECS	0.903										
Loca	Number Portability			ULF 93	UKLCS	0.903					1					1
LUCA	Local Number Portability (1 per port)		-	UEP95	LNPCC	0.35					<b>-</b>			-	-	<b>}</b>
Featu				UEP93	LINFCC	0.33					-					
reatt				UEP95	UEPVF	3.40					-					
_	All Standard Features Offered, per port			UEP95			457.00				-					
_	All Select Features Offered, per port		-		UEPVS UEPVC	0.00	457.83									ļ
NADO	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.40										ļ
NARS							0.00		0.00				10.10	0.45		
_	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
_	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	ellaneous Terminations															
2-Wir	e Trunk Side															
	Trunk Side Terminations, each			UEP95	CEND6	12.36										
4-Wir	e Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP95	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	28.81						40.18	9.45		
Interd	office Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0282										
Featu	re Activations (DS0) Centrex Loops on Channelized DS1 Servic	е														
D4 CI	hannel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot		L	UEP95	1PQW6	0.65			<u> </u>		<u> </u>				<u> </u>	<u></u>
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot		l	UEP95	1PQW7	0.65									1	
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -		i –	İ	1 1				† †					İ	İ	
	Different Wire Center		1	UEP95	1PQWP	0.65								l	I	
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		1	UEP95	1PQWV	0.65									I	
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop				1	2.20					1			İ	1	
	Slot		l	UEP95	1PQWQ	0.65									1	
_	Feature Activation on D-4 Channel Bank WATS Loop Slot		<b>t</b>	UEP95	1PQWA	0.65								<b>i</b>	t	1
Non-	Recurring Charges (NRC) Associated with UNE-P Centrex				1. ~	0.00					1			1	1	
	NRC Conversion Currently Combined Switch-As-Is with allowed		<b>t</b>	1	+ +									<b>i</b>	t	1
	changes, per port		1	UEP95	USAC2		2.77	0.40					40.18	9.45	I	
_	New Centrex Standard Common Block		<b>-</b>	UEP95	M1ACS	0.00	695.11	0.40			1		40.18	9.45	<del>                                     </del>	1
_	New Centrex Standard Common Block			UEP95	M1ACC	0.00	695.11				<del> </del>		40.18	9.45	<del>                                     </del>	
-+	NAR Establishment Charge, Per Occasion		-	UEP95	URECA	0.00	72.73		<del>                                     </del>		<del>                                     </del>		40.18	9.45		<del>                                     </del>
V 44:	tional Non-Recurring Charges (NRC)		<del>                                     </del>	OLF 30	UNLUA	0.00	12.13		<del>                                     </del>		<del>                                     </del>		40.18	9.45	+	<del>                                     </del>
Addi	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<del>                                     </del>		+				+		-			-	<del></del>	+

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhil	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			LIEBOE	LIDETN		44.00	4.40								
LINE-P	End Use Premise CENTREX - DMS100 (Valid in All States)			UEP95	URETN		11.20	1.10								
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -	-														
	Non-Design	ļ	1	UEP9D		13.03										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.33										.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		_	02. 02		21.00										
	Non-Design		3	UEP9D		32.61										
UNE P	ort/Loop Combination Rates (Design)	ļ														,
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo - Design	1	1	UEP9D		17.25										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -	<del>                                     </del>	<del>- '</del> -	OLI 3D	+	17.23			<del>                                     </del>							
	Design		2	UEP9D		28.21										.
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP9D		43.09										
UNE LO	oop Rate	-	1	UEP9D	UECS1	10.75										
	2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	19.05										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9D	UECS1	30.33										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D	UECS2	14.97										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9D	UECS2	25.93										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	40.81										
	ort Rate															
ALL S			-	UEP9D	UEPYA	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex ) Basic Local Area     2-Wire Voice Grade Port (Centrex 800 termination)Basic Local			UEF9D	UEFTA	2.20	79.59	63.97					40.16	9.45		
	Area			UEP9D	UEPYB	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
	Area			UEP9D	UEPYC	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area			UEP9D	UEPYD	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local			UEF9D	UEPTD	2.20	79.59	63.97					40.16	9.45		
	Area			UEP9D	UEPYE	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local															
	Area			UEP9D	UEPYF	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area			UEP9D	UEPYG	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	1		UEF9D	UEFTG	2.20	79.59	63.97					40.16	9.45		
	Area			UEP9D	UEPYT	2.28	79.59	63.97					40.18	9.45		1
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local															
	Area			UEP9D	UEPYU	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local			UEP9D	UEPYV	2.28	79.59	63.97					40.18	9.45		1
	Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local		<del>                                     </del>	OLFAD	UEPTV	2.28	79.59	63.97	<del>                                     </del>				40.18	9.45		
	Area			UEP9D	UEPY3	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local					İ										
	Area			UEP9D	UEPYH	2.28	79.59	63.97	ļ				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area			UEP9D	UEPYW	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4			OLI 3D	OLI IVV	2.20	13.35	05.97					70.10	3.43		
	Basic Local Area	<u></u>	<u></u>	UEP9D	UEPYJ	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)															
	2,3-Basic Local Area	<u> </u>	<u> </u>	UEP9D	UEPYM	2.28	164.57	128.16	<b> </b>				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area			UEP9D	UEPYO	2.28	164.57	128.16					40.18	9.45		.
	2000 2000 / 10U			02. 00	JE1 10	2.20	10-1.01	120.10	<u> </u>		1		70.10	0.40		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina			ı							1-		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)		Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring Disconn				Rates (\$)		
	O.W Main Control Dest (October 1877 - ONIO (EDO MECCO)) O. 4		ļ			1100	First	Add'l	First Add'	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area			UEP9D	UEPYP	2.28	164.57	128.16				40.18	9.45		
<b>-</b>	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			OLF9D	OLFIF	2.20	104.57	120.10				40.16	9.43		<del>                                     </del>
	Basic Local Area			UEP9D	UEPYQ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4														
	Basic Local Area			UEP9D	UEPYR	2.28	164.57	128.16		_		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			LIEDOD	UEPYS	2.28	164.57	100 16				40.18	9.45		
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPTS	2.20	104.57	128.16		+		40.16	9.45		1
	Basic Local Area			UEP9D	UEPY4	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3		Ì												
$\vdash$	Basic Local Area		<u> </u>	UEP9D	UEPY5	2.28	164.57	128.16			ļ	40.18	9.45		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPY6	2.28	164.57	100 10				40.18	9.45		
<del>                                     </del>	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4		<del>                                     </del>	OFLAD	UEFTO	2.28	104.57	128.16	<del>                                     </del>	+	1	40.18	9.45		-
	Basic Local Area			UEP9D	UEPY7	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		İ												
	Term 2,3			UEP9D	UEPYZ	2.28	164.57	128.16				40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						=====					40.40			
	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic		1	UEP9D	UEPY9	2.28	79.59	63.97				40.18	9.45		
	Local Area			UEP9D	UEPY2	2.28	79.59	63.97				40.18	9.45		
NC On			1	OLI OD	OLI 12	2.20	70.00	00.01				40.10	0.40		
	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPUA	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPUB	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPUC	2.28	79.59	63.97				40.18	9.45		
-	2-Wire Voice Grade Port (Centrex / EBS-M5009)4 2-Wire Voice Grade Port (Centrex / EBS-M5209)4		ļ	UEP9D UEP9D	UEPUD UEPUE	2.28 2.28	79.59 79.59	63.97 63.97		_		40.18 40.18	9.45 9.45		<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4			UEP9D	UEPUF	2.28	79.59	63.97		+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4			UEP9D	UEPUG	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4			UEP9D	UEPUT	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPUU	2.28	79.59	63.97		_		40.18	9.45		
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPUV	2.28	79.59	63.97			ļ	40.18	9.45		ļ
<b>-</b>	2-Wire Voice Grade Port (Centrex / EBS-M5316)4 2-Wire Voice Grade Port (Centrex with Caller ID)		<u> </u>	UEP9D UEP9D	UEPU3 UEPUH	2.28 2.28	79.59 79.59	63.97 63.97		_		40.18 40.18	9.45 9.45		<b>-</b>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			OLI 3D	OLI OII	2.20	19.55	03.91				40.10	3.43		
	Indication)4			UEP9D	UEPUW	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPUJ	2.28	79.59	63.97				40.18	9.45		
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			LIEDOD	LIED/ IA	0.00	404.5-	100.10				40.40	0.4-		
$\vdash$	2,3	-	<del>                                     </del>	UEP9D	UEPUM	2.28	164.57	128.16			1	40.18	9.45		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPUO	2.28	164.57	128.16				40.18	9.45		
	= 1.1.2 1.1.				32. 00	2.20		.20.10		1		0	3.40		<u> </u>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPUP	2.28	164.57	128.16				40.18	9.45		
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4		<u> </u>	UEP9D	UEPUQ	2.28	164.57	128.16	<del>                                     </del>	$\overline{}$	1	40.18	9.45		<del></del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPUR	2.28	164.57	128.16				40.18	9.45		
	2 17/10 10/00 Clade I of (Centrewallier 01/10 / Eb0-1/10 I I I   2,0,4		<u> </u>	OL1 9D	JEI OK	2.20	104.57	120.10			<b> </b>	40.10	3.43		<del>                                     </del>
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4		L	UEP9D	UEPUS	2.28	164.57	128.16			<u> </u>	40.18	9.45		
$\vdash$	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4		<u> </u>	UEP9D	UEPU4	2.28	164.57	128.16			<u> </u>	40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPU5	2.28	164.57	128.16				40.18	9.45		
<del>                                     </del>	2-vviile voice Glade Full (Celtilexullier SvvC /EBS-IVIS208)2,3,4		<del>                                     </del>	OFLAD	UEFUS	2.28	104.57	120.10		+		40.18	9.45		
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPU6	2.28	164.57	128.16				40.18	9.45		
	, , , , , ,														
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPU7	2.28	164.57	128.16				40.18	9.45		

UNBUNDLE	D NETWORK ELEMENTS - North Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
		m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
																1
													1st	Add'l	Disc 1st	Disc Add'l
						B	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPUZ	2.28	164.57	128.16					40.18	9.45		
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPU9	2.28	79.59	63.97					40.18	9.45		
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPU2	2.28	79.59	63.97					40.18	9.45		
Local	Switching															
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.903										
Local	Number Portability															
	Local Number Portability (1 per port)			UEP9D	LNPCC	0.35								Î	Î	
Featur																
	All Standard Features Offered, per port			UEP9D	UEPVF	3.40										
	All Select Features Offered, per port			UEP9D	UEPVS	0.00	457.83						40.18	9.45		
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.40										
NARS																
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	40.18	9.45		
	laneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	12.36										
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	123.65							40.18	9.45		
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	28.81						40.18	9.45		
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.00										
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0282										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	е														
D4 Cha	annel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.65										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.65										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop															
	Slot			UEP9D	1PQW7	0.65										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP9D	1PQWP	0.65										
	Ender Addition of Balance Bridge			LIEDOD	4501407	0.0-										I
	Feature Activation on D-4 Channel Bank Private Line Loop Slot		-	UEP9D	1PQWV	0.65					<del>                                     </del>	-		<b> </b>	<del> </del>	1
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	100140	0.05										1
	Slot		-	UEP9D	1PQWQ 1PQWA	0.65					<del>                                     </del>	-		<b> </b>	<del> </del>	1
Nam 5	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	IPQWA	0.65										<del>                                     </del>
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex			1	+											<del>                                     </del>
	NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port			UEP9D	USAC2		2.77	0.40					40.18	9.45		1
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	695.11	0.40			-	<del> </del>	40.18	9.45		<del>                                     </del>
	New Centrex Standard Common Block	-	-	UEP9D	M1ACC	0.00	695.11		+		-	-	40.18	9.45	-	<del>                                     </del>
	NAR Establishment Charge, Per Occasion			UEP9D	URECA	0.00	72.73				<del>                                     </del>	<del>                                     </del>	40.18	9.45	1	+
Additio	onal Non-Recurring Charges (NRC)		<del>                                     </del>	OLI. 3D	UNLUA	0.00	12.13		<del>                                     </del>				40.10	9.45	<del> </del>	<del> </del>
Audille	Unbundled Miscellaneous Rate Element, Tag Loop at End Use		<del>                                     </del>	1	+		-		<del>                                     </del>					<del> </del>	<del> </del>	<del> </del>
	Premise			UEP9D	URETL		8.33	0.83								I
	Unbundled Miscellaneous Rate Element, Tag Design Loop at			021 30	ONLIL		0.33	0.03			<del>                                     </del>	<del>                                     </del>		1	1	+
	End Use Premise			UEP9D	URETN		11.20	1.10								I
Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD		<del>                                     </del>	OLI. 3D	ONLIN		11.20	1.10	<del>                                     </del>					<del> </del>	<del> </del>	<del> </del>
	2 - Required Port for Centrex Control in TAESS, 5ESS & EWSD		<del>                                     </del>	1	+		-		<del>                                     </del>					<del> </del>	<del> </del>	<del> </del>
		on ond	Port	<b>+</b>	+						<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
Note 2																i
	Installation is combination of Installation charge for SL2 Lo     Requires Specific Customer Premises Equipment	ор апи	FUIL		+		-									

LINDIII	IDI EI	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	hi4. A
ONBOI	ADEEL	NETWORK ELEMENTS - South Carolina	1				ı					Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGO	DRY	RATE ELEMENTS	Interi	Zone	BCS	usoc			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonre			Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-	The "7:	one" shown in the sections for stand-alone loops or loops as	nort of	0.00ml	ingtion refere to Co	o aronhioolly	Degraraged II	NE Zanas Ta	view Coogran	hiaally Daayar	and LINE Zon	Doolanotic	nna hu Cant	ral Office rafe	r to internet	Mahaita	
		ww.interconnection.bellsouth.com/become a clec/html/inter				ograpilically	Deaverageu U	INE Zones. 10	view Geograp	micany Deaver	aged ONE ZOIN	e Designant	ons by Cent	rai Office, reie	er to internet	website.	
		SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"	Connec	LIOII.IIL		l	1	1			1			1	1	1	
		1) CLEC should contact its contract negotiator if it prefers th	e "state	specif	ic" OSS charges as	ordered by t	he State Comm	nissions. The	OSS charges o	urrently contai	ned in this rat	e exhibit are	the BellSo	uth "regional	" service orde	ring charges.	CLEC may
		ther the state specific Commission ordered rates for the servi															
		the 9 states.			3,,		9	3	, , .								
	NOTE:	2) Any element that can be ordered electronically will be bill	ed acco	ording t	the SOMEC rate lis	sted in this o	category. Pleas	se refer to Bell	South's Local	Ordering Hand	book (LOH) to	determine	if a product	can be ordere	ed electronica	ally. For those	elements
1	hat car	nnot be ordered electronically at present per the LOH, the list	ed SOM	IEC rate	e in this category ref	lects the cha	arge that would	d be billed to a	CLEC once el	ectronic orderi	ng capabilities	come on-li	ne for that	element. Othe	erwise, the ma	anual ordering	g charge,
	SOMAN	I, will be applied to a CLECs bill when it submits an LSR to B	BellSout	h.													
1 7		OSS - Electronic Service Order Charge, Per Local Service												l			
$\vdash$		Request (LSR) - UNE Only	<u> </u>	<b>_</b>		SOMEC		3.50	0.00	3.50	0.00	1	1	ļ			
		OSS - Manual Service Order Charge, Per Local Service Request (LSR) - UNE Only				SOMAN		15.69	0.00	1.97	0.00						
LINE SE	DVICE	DATE ADVANCEMENT CHARGE		<u> </u>		SOMAN		15.69	0.00	1.97	0.00	-	-				
		The Expedite charge will be maintained commensurate with	Relisou	th's FC	C No 1 Tariff Section	n 5 as annli	cable										
H	VOIL.	The Expedite charge will be maintained commensurate with	Belloou	linsrc	C No.1 Tallii, Section	ii 5 as appii	Lable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48,												
					U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL, UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12,												
					ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1, ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
					UNLD3, UXTD1,												
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
		Day			U1TUB, U1TUA	SDASP		200.00									
		XCHANGE ACCESS LOOP															
	2-WIRE	ANALOG VOICE GRADE LOOP		<b>.</b>			44		.=								
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		1	UEANL	UEAL2	14.94	37.92	17.62	23.56	5.32						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEAL2	21.39	37.92	17.62	23.56	5.32	-	-		-		<u> </u>
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1		3	UEANL UEANL	UEAL2 UEASL	26.72 14.94	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32						
$\vdash$		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2		2	UEANL	UEASL	21.39	37.92	17.62	23.56	5.32				<del> </del>		
		2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	26.72	37.92	17.62	23.56	5.32						-
$\vdash$		Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť			20.72	302	02	20.00	0.02						
		Premise			UEANL	URETL		8.33	0.83	1							
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		34.23	34.23								
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		19.90	19.90								

Version 3Q03: 11/12/2003 Page 273 of 348

UNBUNDLE	D NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge Without Outside Dispatch															l
	(UVL-SL1) Unbundled Voice Loop, Non-Design Voice Loop, billing for BST		1	UEANL	UREWO		15.81	8.96							-	<b>—</b>
	providing make-up (Engineering Information - E.I.)			UEANL	UEANM		13.47	13.47								ĺ
	Manual Order Coordination for UVL-SL1s (per loop)			UEANL	UEAMC		8.17	8.17								
	Order Coordination for Specified Conversion Time for UVL-SL1 (per LSR)			UEANL	OCOSL		18.13	18.13								
2-WIDE	Unbundled COPPER LOOP		<u> </u>	UEANL	UCUSL		18.13	18.13								<del></del>
Z-WINL	2-Wire Unbundled Copper Loop - Non-Designed Zone 1		1	UEQ	UEQ2X	12.94	36.40	16.10	22.66	4.42					<del> </del>	<del>                                     </del>
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2		2	UEQ	UEQ2X	14.51	36.40	16.10	22.66	4.42						
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3			UEQ	UEQ2X	15.02	36.40	16.10	22.66	4.42						
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEQ	URETL		8.33	0.83								
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)  Unbundled Copper Loop, Non-Design Copper Loop, billing for		1	UEQ	USBMC		8.17	8.17							-	<del></del>
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		13.47	13.47								ĺ
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		34.23	34.23								
	Loop Testing - Basic Additional Half Hour			UEQ	URETA		19.90	19.90								
	CLEC to CLEC Conversion Charge Without Outside Dispatch															
	(UCL-ND)			UEQ	UREWO		14.30	7.45								
	EXCHANGE ACCESS LOOP															<b>——</b>
2-WIRE	ANALOG VOICE GRADE LOOP  2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		1												-	<del></del>
	Zone 1		1	UEPSR UEPSB	UEALS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 1		1	UEPSR UEPSB	UEABS	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting- Zone 2		2	UEPSR UEPSB	UEALS	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															
	Zone 2 2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-		2	UEPSR UEPSB	UEABS	21.39	37.92	17.62	23.56	5.32					-	<del></del>
	Zone 3		3	UEPSR UEPSB	UEALS	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting- Zone 3		3	UEPSR UEPSB	UEABS	26.72	37.92	17.62	23.56	5.32						
	EXCHANGE ACCESS LOOP															
2-WIRE	ANALOG VOICE GRADE LOOP															
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.68	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 2		2	UEA	UEAL2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or		<u> </u>	0271	027122	20.10	100.00	00.10	00.00	10.01					t	
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.46	105.98	68.43	53.05	10.61						l
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															ĺ
	Battery Signaling - Zone 1  2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		1	UEA	UEAR2	16.68	105.98	68.43	53.05	10.61					1	<del></del>
	Battery Signaling - Zone 2		2	UEA	UEAR2	23.13	105.98	68.43	53.05	10.61						
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse Battery Signaling - Zone 3		3	UEA	UEAR2	28.46	105.98	68.43	53.05	10.61						1
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		18.13	-								
	CLEC to CLEC Conversion Charge without outside dispatch		<u> </u>	UEA	UREWO		87.90	36.44								
4 14/15/5	Loop Tagging - Service Level 2 (SL2)		<u> </u>	UEA	URETL		11.24	1.10			<u> </u>					1
4-WIRE	ANALOG VOICE GRADE LOOP  4-Wire Analog Voice Grade Loop - Zone 1		1	UEA	UEAL4	32.59	132.38	94.83	59.35	14.61	1				<del>                                     </del>	<del>                                     </del>
+	4-Wire Analog Voice Grade Loop - Zone 1 4-Wire Analog Voice Grade Loop - Zone 2	<del>                                     </del>		UEA	UEAL4 UEAL4	32.59 43.89	132.38	94.83	59.35	14.61	<del>                                     </del>	<del>                                     </del>				<del>                                     </del>
	4-Wire Analog Voice Grade Loop - Zone 2		3	UEA	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Order Coordination for Specified Conversion Time (per LSR)		Ť	UEA	OCOSL	0	18.13	230					1	l	1	
	CLEC to CLEC Conversion Charge without outside dispatch	Ì		UEA	UREWO		87.90	36.44			1					

CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES (\$)		Order vs. Order vs.
CATEGORY   RATE ELEMENTS   Intering   Nonecurring   None	Charge - Manual Svc Order vs. Electronic- 1st Charge - Manual Sv Order vs. Electronic- Add'l	Charge - c Manual Svc Order vs Electronic- Disc 1st  Charge - Manual Svc Order vs. Electronic- Disc Add'I
CATEGORY   RATE ELEMENTS   Intering   Zone   BCS   USOC   RATES (\$)	Manual Svc Order vs. Electronic- 1st  OSS Rates (\$)	c Manual Svc Order vs. - Electronic- Disc 1st Manual Svc Order vs. Electronic- Disc Add'l
CATEGORY   RATE ELEMENTS   None   BCS   USOC   RATES (\$)   Per LSR   Per L	Order vs. Electronic- 1st OSS Rates (\$)	Order vs. Electronic- Disc 1st Order vs. Electronic- Disc Add'l
Rec   Nonrecurring	Electronic- 1st Electronic Add'l	- Electronic- Electronic- Disc 1st Disc Add'I
Nonrecurring   Nonrecurring   Nonrecurring   Nonrecurring   Some	1st Add'l OSS Rates (\$)	Disc 1st Disc Add'I
New   Som	OSS Rates (\$)	
New   Som		SOMAN SOMAN
New   Som	SOMAN SOMAN	SOMAN SOMAN
2-Wire ISDN Digital Grade Loop - Zone 1		
2-Wire ISDN Digital Grade Loop - Zone 2		
2-Wire ISDN Digital Grade Loop - Zone 3   3 UDN   U1L2X   37.70   117.58   80.03   53.05   10.61		
Order Coordination For Specified Conversion Time (per LSR) CLEC to CLEC Conversion Charge without outside dispatch  UDN UREWO 91.82 44.25  2-WIRE ASYMMETRICAL DIBITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2X 12.19 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W		
CLEC to CLEC Conversion Charge without outside dispatch  2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP  2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 1 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 2 2 Wire Unbundled ADSL Loop including manual service inquiry 8 facility reservation - Zone 3 3 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) 2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservation - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry 8 facility reservator - Zone 2 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93		
2-WIRE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMPATIBLE LOOP		
2 Wire Unbundled ADSL Loop including manual service inquiry		
Reacility reservation - Zone 1		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 2 2 UAL UAL2X 13.71 120.84 70.56 50.37 7.93  2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3 3 UAL UAL2X 14.14 120.84 70.56 50.37 7.93  UAL UAL2X 14.14 120.84 70.56 50.37 7.93  UAL OCOSL 18.13  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  UAL UAL2W 13.71 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93  UAL UAL2W 14.14 95.81 57.82 50.37 7.93		
& facility reservation - Zone 2         2 UAL         UAL2X         13.71         120.84         70.56         50.37         7.93           2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3         3 UAL         UAL2X         14.14         120.84         70.56         50.37         7.93           Order Coordination for Specified Conversion Time (per LSR)         UAL         OCOSL         18.13		
2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 3  3 UAL  UALZX  14.14  120.84  70.56  50.37  7.93  Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1  1 UAL  UALZW  12.19  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UALZW  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UALZW  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3  3 UAL  UALZW  14.14  95.81  57.82  50.37  7.93  UAL  OCOSL  18.13  CLEC to CLEC Conversion Time (per LSR)  UAL  OCOSL  18.13  CLEC to CLEC Conversion Charge without outside dispatch  UAL  UREWO  86.38  40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  UHL  UHL2X  9.58  129.52  79.24  50.37  7.93		
Refacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR)  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1  1 UAL  UAL2W  12.19  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UAL2W  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2  2 UAL  UAL2W  13.71  95.81  57.82  50.37  7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3  3 UAL  UAL2W  14.14  95.81  57.82  50.37  7.93  Order Coordination for Specified Conversion Time (per LSR)  UAL  OCOSL  18.13  CLEC to CLEC Conversion Charge without outside dispatch  UAL  UREWO  86.38  40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL  UHL2X  9.58  129.52  79.24  50.37  7.93		T T
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 1 1 UAL UAL2W 12.19 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 Wire Unbundled ADSL Conversion Time (per LSR) UAL UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14 95.81 57.82 50.37 7.93 2 UAL2W 14.14		
Facility reservaton - Zone 1		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 2 UAL UAL2W 13.71 95.81 57.82 50.37 7.93  2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservaton - Zone 3 UAL UAL2W 14.14 95.81 57.82 50.37 7.93  Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13  CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
Facility reservation - Zone 2		
2 Wire Unbundled ADSL Loop without manual service inquiry & facility reservation - Zone 3 3 UAL UALZW 14.14 95.81 57.82 50.37 7.93 Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48 2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 UHL UHLZX 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry 1 UHL UHLZX 9.58 129.52 79.24 50.37 7.93		
Tacility reservation - Zone 3		
Order Coordination for Specified Conversion Time (per LSR) UAL OCOSL 18.13 CLEC to CLEC Conversion Charge without outside dispatch UAL UREWO 86.38 40.48  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93		
CLEC to CLEC Conversion Charge without outside dispatch  2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry		
2-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  2 Wire Unbundled HDSL Loop including manual service inquiry  & facility reservation - Zone 1  1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93  2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry & facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 1 1 UHL UHL2X 9.58 129.52 79.24 50.37 7.93 2 Wire Unbundled HDSL Loop including manual service inquiry		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 2         2         UHL         UHL2X         10.92         129.52         79.24         50.37         7.93		
2 Wire Unbundled HDSL Loop including manual service inquiry		
& facility reservation - Zone 3         3         UHL         UHL2X         11.40         129.52         79.24         50.37         7.93		
Order Coordination for Specified Conversion Time (per LSR) UHL OCOSL 18.13		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 1 1 UHL UHL2W 9.58 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry		
and facility reservation - Zone 2 2 UHL UHL2W 10.92 104.49 66.50 50.37 7.93		
2 Wire Unbundled HDSL Loop without manual service inquiry and facility reservation - 7 one 3		
Order Coordination for Specified Conversion Time (per LSR)  UHL  OCOSL  18.13		+
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		+
4-WIRE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPATIBLE LOOP  4 Wire Unbundled HDSL Loop including manual service inquiry		+
4 Wire Unbundled HUSL Loop including manual service inquiry and facility reservation - Zone 1 1 UHL UHL4X 16.02 158.18 107.89 55.12 10.38		1
aind lacinity reservation - 2016 1 Uril. Unit.4 16.02 156.16 107.69 55.12 10.36 14-Wire Unbundled HDSL Loop including manual service inquiry		+ + +
4-vivile Unburinder HIDS. Loop including manual service inquiry and facility reservation - Zone 2 UHL UHL4X 14.33 158.18 107.89 55.12 10.38		1
and lacinity reservation - Zone 2 Unit Unit.4A 14.33 136.16 107.89 35.12 10.36 4-Wire Unbundled HDSL Loop including manual service inquiry		+
and facility reservation - Zone 3 UHL UHL4X 16.84 158.18 107.89 55.12 10.38		
dailu latuliny reservation   - 2016 3   - 3   - 5		+
4-Wire Unbundled HDSL Loop without manual service inquiry		+ +
and facility reservation - Zone 1 1 UHL UHL4W 16.02 133.14 95.16 55.12 10.38		1
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 2 UHL UHL4W 14.33 133.14 95.16 55.12 10.38		
4-Wire Unbundled HDSL Loop without manual service inquiry		+ + +
and facility reservation - Zone 3 UHL UHL4W 16.84 133.14 95.16 55.12 10.38		
Order Coordination for Specified Conversion Time (per LSR) UHL IOCOSL 18.13		1
CLEC to CLEC Conversion Charge without outside dispatch UHL UREWO 86.32 40.48		1
4-WIRE DS1 DIGITAL LOOP		1
4-Wire DS1 Digital Loop - Zone 1		<del>                                     </del>
4-Wire DS1 Digital Loop - Zone 2 2 USL USLXX 136.00 253.03 157.89 44.80 11.73		1
4-Wire DS1 Digital Loop - Zone 3 3 USL USLXX 229.15 253.03 157.89 44.80 11.73		
Order Coordination for Specified Conversion Time (per LSR) USL OCOSL 18.13		

UNBUND	LED NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
CATEGORY	Y RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Charge -
													1st	Add'l	Disc 1st	Disc Add'
						_	Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	!	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CLEC to CLEC Conversion Charge without outside dispatch			USL	UREWO		101.30	43.13								
4-W	VIRE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP															
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		2	UDL	UDL19	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital 19.2 Kbps		3	UDL	UDL19	34.74	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1		1	UDL	UDL56	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3		3	UDL	UDL56	34.74	126.66	89.12	59.35	14.61	ĺ			Î	Î	
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	29.93	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	33.99	126.66	89.12	59.35	14.61						
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3			UDL	UDL64	34.74	126.66	89.12	59.35	14.61	İ					
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		18.13							ĺ	ĺ	
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.34	49.85								<b>†</b>
2-W	VIRE Unbundled COPPER LOOP										İ .			İ	İ	
"	2-Wire Unbundled Copper Loop-Designed including manual				1											
	service inquiry & facility reservation - Zone 1		1	UCL	UCLPB	12.19	119.91	69.62	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed including manual			002	002. 2	12.10	110.01	00.02	00.01	7.00						
	service inquiry & facility reservation - Zone 2		2	UCL	UCLPB	13.71	119.91	69.62	50.37	7.93						
	2 Wire Unbundled Copper Loop-Designed including manual		-	002	OOLI D	10.71	110.01	00.02	00.01	7.00						+
	service inquiry & facility reservation - Zone 3		3	UCL	UCLPB	14.14	119.91	69.62	50.37	7.93						
	Order Coordination for Unbundled Copper Loops (per loop)		3	UCL	UCLMC	14.14	8.17	8.17		1.53		1				
	2-Wire Unbundled Copper Loop-Designed without manual			UCL	OCLIVIC		0.17	0.17				1				
	service inquiry and facility reservation - Zone 1		1	UCL	UCLPW	12.19	94.87	56.89	50.37	7.93						
	2-Wire Unbundled Copper Loop-Designed without manual	-		UCL	UCLF VV	12.15	54.07	30.09	30.37	1.55	<b>-</b>	<b>-</b>	-			<del>                                     </del>
			2	UCL	UCLPW	13.71	94.87	56.89	50.37	7.93						
	service inquiry and facility reservation - Zone 2	-		UCL	UCLFVV	13.71	94.07	30.09	50.57	7.93	<b>-</b>	<b>-</b>	-			<del>                                     </del>
	2-Wire Unbundled Copper Loop-Designed without manual		3	UCL	UCLPW	14.14	94.87	56.89	50.37	7.93						
	service inquiry and facility reservation - Zone 3	-	3			14.14	8.17	8.17		7.93	1					
	Order Coordination for Unbundled Copper Loops (per loop)	-	-	UCL	UCLMC		8.17	8.17			1					
	CLEC to CLEC Conversion Charge without outside dispatch				LIDEWO		04.07	40.57								
4 18	(UCL-Des)	-	-	UCL	UREWO		94.87	42.57			1					
4-VV											-					<del>                                     </del>
	4-Wire Copper Loop-Designed including manual service inquiry				1101.40	40.04	444.47	00.00	55.40	10.00						
	and facility reservation - Zone 1		1	UCL	UCL4S	19.64	144.17	93.88	55.12	10.38						<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry		_													
	and facility reservation - Zone 2		2	UCL	UCL4S	20.90	144.17	93.88	55.12	10.38	<b></b>					<b></b>
	4-Wire Copper Loop-Designed including manual service inquiry		_													
	and facility reservation - Zone 3		3	UCL	UCL4S	19.34	144.17	93.88	55.12	10.38						ļ
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								ļ
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1		1	UCL	UCL4W	19.64	119.13	81.15	55.12	10.38						ļ
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2		2	UCL	UCL4W	20.90	119.13	81.15	55.12	10.38						
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3		3	UCL	UCL4W	19.34	119.13	81.15		10.38						
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		8.17	8.17								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		94.87	42.57								
OOP MOD	DIFICATION															
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,												
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire	1		UEANL, UEPSR,			l						I			
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		32.46	32.46								
	Unbundled Loop Modification Removal of Load Coils - 4 Wire															1
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		32.46	32.46								
				UAL, UHL, UCL,												
				UEQ, ULS, UEA,			l						1			
	Unbundled Loop Modification Removal of Bridged Tap Removal,	1		UEANL, UEPSR,			l						I			
- 1	per unbundled loop	1	1	UEPSB	ULMBT		32.48	32.48	1		1	1	1	1	1	1

UNBUI	NDLE	NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
SUB-LO																	
		op Distribution															
		Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set- Up	ı		UEANL	USBSA		241.42	241.42								
		Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up	ı		UEANL	USBSB		22.69	22.69								
		Sub-Loop - Per Building Equipment Room - CLEC Feeder Facility Set-Up	I		UEANL	USBSC		177.84	177.84								
		Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel Set-Up	I		UEANL	USBSD		55.58	55.58								
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 1	ı	1	UEANL	USBN2	8.87	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 2	ı	2	UEANL	USBN2	12.58	65.94	31.03	45.35	6.71						
		Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop - Zone 3	ı	3	UEANL	USBN2	14.79	65.94	31.03	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 1		1	UEANL	USBN4	14.11	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 2		2	UEANL	USBN4	19.40	79.21	44.29	49.82	9.09						
		Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	18.90	79.21	44.29	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC	10.00	8.17	8.17	10.02	0.00						
		Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	ı			USBR2	2.41	53.13	18.21	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	ı		UEANL	USBR4	5.36	59.38	24.47	49.82	9.09						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		8.17	8.17								
		Loop Testing - Basic 1st Half Hour				URET1		34.23	34.23			1					<b>†</b>
		Loop Testing - Basic Additional Half Hour				URETA		19.90	19.90			1					<b>†</b>
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	- 1	1		UCS2X	7.11	65.94	31.03	45.35	6.71			t			†
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	-	2	UEF	UCS2X	9.83	65.94	31.03	45.35	6.71						1
		2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	10.48	65.94	31.03	45.35	6.71						
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		8.17	8.17					<u> </u>	<u> </u>		<u> </u>
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1				UCS4X	7.85	79.21	44.29	49.82	9.09						
		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I			UCS4X	14.17	79.21	44.29	49.82	9.09						
$\dashv$		4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS4X	12.64	79.21	44.29	49.82	9.09						<del></del>
		Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour			UEF UEF	USBMC URET1		8.17 34.23	8.17 34.23								
		Loop Testing - Basic Additional Half Hour				URETA		19.90	19.90					1			<u> </u>
i		dled Network Terminating Wire (UNTW)			-										İ		†
		Unbundled Network Terminating Wire (UNTW) per Pair			UENTW	UENPP	0.3303	30.20	30.20								
		k Interface Device (NID)							•								
		Network Interface Device (NID) - 1-2 lines				UND12		43.68	28.79								
		Network Interface Device (NID) - 1-6 lines				UND16		64.42	49.53								<b>↓</b>
		Network Interface Device Cross Connect - 2 W		-		UNDC2		5.92	5.92	1		ļ	<b> </b>	<del>                                     </del>	-		+
LINE OT		Network Interface Device Cross Connect - 4W ROVISIONING ONLY - NO RATE		<u> </u>	UENTW	UNDC4		5.92	5.92	1		ļ	-	1	-		+
UNE UI		NID - Dispatch and Service Order for NID installation		-	UENTW	UNDBX	0.00	0.00		1		-		<del>                                     </del>		-	+
		UNTW Circuit Id Establishment, Provisioning Only - No Rate				UENCE	0.00	0.00		+		1		<del>                                     </del>	<del> </del>		+
		STATE SHOULD Establishment, Flovisioning Only - NO Rate			UEANL,UEF,UEQ,U	OLIVOL	0.00	0.00									
.		Unbundled Contract Name, Provisioning Only - No Rate ROVISIONING ONLY - NO RATE			ENTW	UNECN	0.00	0.00									<u> </u>

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
$\vdash$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	UNECN	0.00	0.00									
	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no			0511,0271,0112,020	0112011	0.00	0.00									
	rate Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no			UEA,UDN,UCL,UDC	USBFQ	0.00	0.00									
	rate			UEA,USL,UCL,UDL	USBFR	0.00	0.00									
	Unbundled DS1 Loop - Superframe Format Option - no rate			USL	CCOSF	0.00	0.00									
	Unbundled DS1 Loop - Expanded Superframe Format option -															
HICH CARACI	no rate TY UNBUNDLED LOCAL LOOP			USL	CCOEF	0.00	0.00									
IIIGH CAPACI	High Capacity Unbundled Local Loop - DS3 - Per Mile per										1					
	month			UE3	1L5ND	12.26										
	High Capacity Unbundled Local Loop - DS3 - Facility															
	Termination per month			UE3	UE3PX	306.36	452.52	264.53	119.75	83.77						
	High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			UDLSX	1L5ND	12.26										
	High Capacity Unbundled Local Loop - STS-1 - Facility															
L COD MAKE I	Termination per month			UDLSX	UDLS1	313.49	452.52	264.53	119.75	83.77						
LOOP MAKE-U	Loop Makeup - Preordering Without Reservation, per working or															
	spare facility queried (Manual).			UMK	UMKLW		24.04	24.04								
	Loop Makeup - Preordering With Reservation, per spare facility															
	queried (Manual).			UMK	UMKLP		25.49	25.49								
	Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)			UMK	UMKMQ		0.34	0.34								
LINE SHARING	S AND LINE SPLITTING			OWIK	UIVIRIVIQ		0.34	0.34								
	1: The Line Sharing monthly recurring rates for all installation	ns comp	oleted f	rom October 02, 200	3 through m	idnight Octobe	r 01, 2004 shal	l be billed as f	ollows:							
	1: 10/02/2003 - 10/01/2004: 25% of the rate for an unbundled co	pper lo	op nor	-designed ("UCLND	")											
	1: 10/02/2004 – 10/01/2005: 50% of the rate for UCLND 1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND															
	1: 10/02/2005 – 10/01/2006: 75% of the rate for UCLND  1: Above will apply to USOCS: ULSDT and ULSCT															
	2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	C applies only to cir	cuits install	ed and inservic	e on or before	October 1, 200	03							
	HARING							, ,	l							
SPLITT	TERS-CENTRAL OFFICE BASED															
	Line Sharing Splitter, per System 96 Line Capacity			ULS	ULSDA	216.22	189.21 189.21	0.00	178.38	0.00						
<del>                                     </del>	Line Sharing Splitter, per System 24 Line Capacity Line Sharing Splitter, Per System, 8 Line Capacity	<b>-</b>		ULS ULS	ULSDB ULSD8	54.05 18.02	189.21 189.21	0.00	178.38 178.38	0.00						
	Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			020	22020	10.02	100.21	0.00	170.36	0.00	<u> </u>					
	deactivation (per LSOD)			ULS	ULSDG		86.67	0.00	49.95	0.00						
END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING															
	Line Sharing - per Line Activation (BST Owned splitter) - OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (25% of UCLND) - please see NOTE 1															
	(E:10/2/2003)			ULS	ULSDT	3.24	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSDT	6.47	18.55	10.62	10.04	4.93						
	Line Share Service, TRO per line activation, BST owned splitter -			020	OLOD I	0.47	10.00	10.02	10.04	4.33	1	-				
	Central Office Located (75% of UCLND) - please see NOTE 1 (E:10/2/2005)			ULS	ULSDT	9.71	18.55	10.62	10.04	4.93						
	Line Sharing - per Subsequent Activity per Line Rearrangement(BST Owned Splitter)			ULS	ULSDS		16.42	8.21								
	Line Sharing - per Subsequent Activity per Line Rearrangement(DLEC Owned Splitter)			ULS	ULSCS		16.42	8.21								
	Line Sharing - per Line Activation (DLEC owned Splitter) - OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	20.67	12.74						

UNBUNDLE	D NETWORK ELEMENTS - South Carolina		_											ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (25% of UCLND) - please see															
	NOTE 1 (E:10/2/2003)			ULS	ULSCT	3.24	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (50% of UCLND) - please see NOTE 1 (E:10/2/2004)			ULS	ULSCT	6.47	47.44	19.31	20.67	12.74						
	Line Share Service, TRO per line activation, CLEC owned			OLO	ULSCI	0.47	47.44	15.51	20.07	12.74			-		-	
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	9.71	47.44	19.31	20.67	12.74						
LINE	SPLITTING					-										
	JSER ORDERING-CENTRAL OFFICE BASED															
	Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61										
	Line Splitting - per line activation BST owned - physical			UEPSR UEPSB	UREBP	0.61	37.09	21.24		9.85						
	Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	37.09	21.24	20.07	9.85						
MAIN	TENANCE															
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00								
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								ļ
UNDUNDUED.	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00								ļ
	DEDICATED TRANSPORT OFFICE CHANNEL - DEDICATED TRANSPORT	-	ļ		+ +								1		1	<del> </del>
INTER	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+				-		<b> </b>					<b>+</b>
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1	1	OTTVX	TESAX	0.0107					1					<del>                                     </del>
	Facility Termination			U1TVX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade			0	02	2	.0.00	2	10.77	0.01	1					
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.															
	Facility Termination			U1TVX	U1TR2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	ł														
	Per Mile per month			U1TVX	1L5XX	0.0167										
	Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade															
	- Facility Termination			U1TVX	U1TV4	21.29	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			U1TDX	1L5XX	0.0167					ļ					-
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			LIATOV	LIATOR	40.70	40.00	07.47	40.77	0.04						
$\vdash$	Termination Interoffice Channel - Dedicated Transport - 64 kbps - per mile	1	<del>                                     </del>	U1TDX	U1TD5	16.76	40.63	27.47	16.77	6.91	1		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>
	per month	1		U1TDX	1L5XX	0.0167						1	I		I	
<del>                                     </del>	Interoffice Channel - Dedicated Transport - 64 kbps - Facility	<del>                                     </del>	<del>                                     </del>	01100	1LU/XX	0.0107			+		<b> </b>		<del>                                     </del>	<b> </b>	<del>                                     </del>	<del>                                     </del>
	Termination	1		U1TDX	U1TD6	16.76	40.63	27.47	16.77	6.91			I		I	
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per	l –	t		1		.0.00	2	10	3.31			1	İ	1	
	month			U1TD1	1L5XX	0.3415							1		1	
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1											
	Termination	<u> </u>	L	U1TD1	U1TF1	77.14	89.47	81.99	16.39	14.48		<u> </u>	<u> </u>		<u> </u>	
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month	ļ	<u> </u>	U1TD3	1L5XX	8.02										<u> </u>
	Interoffice Channel - Dedicated Transport - DS3 - Facility				1								1		1	
	Termination per month	ļ	<u> </u>	U1TD3	U1TF3	880.65	279.37	163.12	60.33	58.59			ļ		ļ	
	Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	1		114704	41.500/	0.00						1	I		I	
$\vdash$	month	-	<del>                                     </del>	U1TS1	1L5XX	8.02			+		ļ		<del>                                     </del>	-	<del>                                     </del>	<del>                                     </del>
	Interoffice Channel - Dedicated Transport - STS-1 - Facility Termination	1		U1TS1	U1TFS	880.55	279.37	163.12	60.33	58.59			I		I	
DARK FIBER		1	<del>                                     </del>	01101	UIIFS	680.55	219.31	103.12	60.33	58.59	1	1	<del>                                     </del>	1	<del>                                     </del>	-
DANK FIBER	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	<del>                                     </del>		+ +				<del>                                     </del>		1		t	<del> </del>	t	<del>                                     </del>
	Thereof per month - Interoffice Channel	1		UDF, UDFCX	1L5DF	36.41						1	I		I	
	NRC Dark Fiber - Interoffice Channel		<del>                                     </del>	UDF, UDFCX	UDF14	33.41	640.51	138.17	317.76	198.11			1	İ	1	
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction	1	i –	,	1		,		1			İ	1	İ	1	
	Thereof per month - Local Loop	1		UDF, UDFCX	1L5DL	97.65						1	I		I	
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		640.51	138.17	317.76	198.11						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
											Svc Order	Svc Order			Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
												-	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<u> </u>		-					Nonrec		Nonrecurring	Disconnect			220	Rates (\$)	1	
-					-	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
8XX ACCES	S TEN DIGIT SCREENING				-		FIISL	Add I	FIISL	Auu i	JOINEC	JOWAN	JOWAN	JOWAN	JOWAN	JOWAN
JOHN AGGEG	8XX Access Ten Digit Screening, Per Call			OHD		0.0006673					1					1
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			0.15		0.0000070					İ	İ				
	Number Reserved			OHD	N8R1X		2.59	0.44								
	8XX Access Ten Digit Screening, Per 8XX No. Established W/O															
	POTS Translations			OHD			5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Per 8XX No. Established With															
	POTS Translations			OHD	N8FTX		5.95	0.81	4.58	0.54						
	8XX Access Ten Digit Screening, Customized Area of Service															
	Per 8XX Number			OHD	N8FCX		2.59	1.30								
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		3.03	1.74								
	8XX Access Ten Digit Screening, Change Charge Per Request		<u> </u>	OHD	N8FAX		3.03	0.44			ļ				ļ	ļ
	8XX Access Ten Digit Screening, Call Handling and Destination			0.15												
$\vdash$	Features		<u> </u>	OHD	N8FDX	0.0000070	2.59	2.59			ļ	ļ		<b> </b>	<del>                                     </del>	<del> </del>
	8XX Access Ten Digit Screening, w/ 8XX No. Delivery			OHD OHD		0.0006673					1					
LINE INFOR	8XX Access Ten Digit Screening, w/ POTS No. Delivery MATION DATA BASE ACCESS (LIDB)			OHD	-	0.0006673					<b>.</b>	-			-	1
LINE INFOR	LIDB Common Transport Per Query			OQT	-	0.0000246			1		<b> </b>	<b> </b>				
<b>—</b>	LIDB Validation Per Query		-	OQU		0.0138158					1	1			-	1
<del> </del>	LIDB Originating Point Code Establishment or Change			OQT, OQU	NRBPX	0.0136136	34.40		42.18		<u> </u>					
SIGNALING				001,000	INICOLX		34.40		42.10		<b>†</b>					
CICITALIITO	CCS7 Signaling Connection, Per 56 Kbps Facility			UDB	TPP++	16.93	35.61	35.61	16.48	16.48	1					1
	CCS7 Signaling Termination, Per STP Port			UDB	PT8SX	163,49					İ	İ				
	CCS7 Signaling Usage, Per TCAP Message			UDB		0.0000692					İ					
	CCS7 Signaling Connection, Per link (A link)		1	UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Connection, Per link (B link) (also known as D															
	link)			UDB	TPP++	16.93	35.61	35.61	16.48	16.48						
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000173										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	791.37										
	CCS7 Signaling Point Code, per Originating Point Code															
	Establishment or Change, per STP affected			UDB	CCAPO		29.08	29.08	35.65	35.65						
	CCS7 Signaling Point Code, per Destination Point Code															
	Establishment or Change, Per Stp Affected			UDB	CCAPD		29.08	29.08	35.65	35.65						
E911 SERVI	Local Channel - Dedicated - 2-wr Voice Grade		1		_	15.33	193.53	33.24	36.72	3.21	-	-				
-	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile				-	0.0167	193.53	33.24	30.72	3.21	<b> </b>	<b> </b>			-	<b> </b>
<del>                                     </del>	Interoffice Transport - Dedicated - 2-wr Voice Grade Per Mile  Interoffice Transport - Dedicated - 2-wr Voice Grade Per Facility		1		+	0.0167					<u> </u>			-	<del>                                     </del>	<del> </del>
	Termination					24.30	40.63	27.47	16.77	6.91					I	
	Local Channel - Dedicated - DS1 - Zone 1	t	<del>                                     </del>		+	42.62	177.87	154.06	22.24	15.30	1	1		1	<b>I</b>	1
	Local Channel - Dedicated - DS1 - Zone 2		l			70.32	177.87	154.06	22.24	15.30					1	
	Local Channel - Dedicated - DS1 - Zone 3					190.68	177.87	154.06	22.24	15.30	İ					
	Interoffice Transport - Dedicated - DS1 Per Mile		i –			0.3415					İ	İ				1
	Interoffice Transport - Dedicated - DS1 Per Facility Termination		<u></u>			77.14	89.47	81.99	16.39	14.48		<u> </u>		<u> </u>		<u> </u>
CALLING N	AME (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			23.00	23.00	21.15	21.15						
$oxed{oxed}$	CNAM For Non DB Owners - Service Establishment		<u> </u>	OQV			23.00	23.00	21.15	21.15					ļ	ļ
	CNAM For DB Owners - Service Provisioning With Point Code														I	
$\vdash$	Establishment		1	OQV	+		993.09	734.47	269.53	198.18	-				-	ļ
	CNAM For Non DB Owners - Service Provisioning With Point			001/			040.00	045.63	075 0-	400.40					I	
$\vdash$	Code Establishment	-	<b>├</b>	OQV OQV	+	0.0040400	343.09	245.69	275.87	198.18	<del> </del>	ļ		-	<del>                                     </del>	<del>                                     </del>
$\vdash$	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query	-	<b>├</b>	OQV OQV	+	0.0010433 0.0010433					<del> </del>	ļ		-	<del>                                     </del>	<del>                                     </del>
SELECTIVE		-	<del>                                     </del>	UQV	+	0.0010433									+	1
IOLLLOIIVE		-	1	-	+				1		1	1		<del> </del>	<del>                                     </del>	<del>                                     </del>
	ISelective Routing Per Unique Line Class Code Per Peguest Per															
	Selective Routing Per Unique Line Class Code Per Request Per Switch						84.89	84.89	14.14	14.14						

CATEGORY RATE ELEMENTS BCS USOC RATES (\$) per LSR per LSR Order vs. Electronic-1st	NDLED I	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A		
Mac	DRY	RATE ELEMENTS		Zone	BCS	USOC						Submitted Elec	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l		
Vistal Chicaginary View Closs Connects (Loop) for Line							Rec								Rates (\$)				
Spring	1.0	The LOUIS AND					HEDOD HEDOD	VE41.0	0.0047	40.00	44.00	0.04	F 4F				ĺ		1
Physical Colosion 2 Wine Cross Connects (Loop) for Line   UEPSR UEPSB   PELLS   0.0541   12.22   11.33   6.04   5.45				-	DEPSK DEPSB	VETLS	0.0317	12.32	11.83	6.04	5.45	-			<del></del>				
Splitting						+						-			<del></del>		-		
AM SELECTIVE CARRIER ROUTING Regional Service Establishment Regional Service Service Service Regional Service Service Service Regional Service Service Service Service Regional Service Servic					HEDSD HEDSB	DE1LS	0.03/11	12 32	11 83	6.04	5.45				ĺ		ĺ		
Regional Service Establishment   SRC   SRCEC   101,324.34   101,324.34   8,000.85					OLI OK OLI OB	I L ILO	0.0341	12.02	11.00	0.04	3.43	<b>†</b>			<del></del>		<del></del>		
End Office Establishment					SRC	SRCEC		101.324.34	101.324.34	8,609,85	8.609.85	1							
Duesy NRC, per query																			
ANS MAS Access Service - Service Establishment, Per State, halfs Study  ANS MAS Access Service - Port Connocider - DisUS barred Access  AN MAS ACCESS Service - Port Connocider - DisUS barred Access  AN MAS ACCESS Service - Port Connocider - DisUS barred Access  AN MAS ACCESS Service - Port Connocider - DisUS barred Access  AN MAS ACCESS Service - Port Connocider - DisUS barred Access Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Security Card, Per User ID Code, half or Replacement - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Company Performed Session, Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Session Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Trigger, Per Minute - AN MAS Access Service - Company Per Minute - AN MAS Acc							0.0035036												
Initial Setup	LLSOUT	H AIN SMS ACCESS SERVICE																	
AN SMS Access Service - Port Connection - Dial/Shared Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Port Connection - SIDN Access AND SMS Access Service - Storage - Port User AND SMS Access Service - Storage - Port User (DC dot, Inhard or Replacement) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Tinger, Per Unit (IOS Kilotytes) AND SMS Access Service - Storage, Per Tinger, Per Unit (IOS Kilotytes) AND SMS Access Service - Training Session, Per Custome AND SMS Access Service - Training Session, Per Custome AND SMS Access Service - Training Session, Per Tinger, Per Unit (IOS Kilotytes) AND Tockla Service - Training Session, Per Tinger, Per Unit (IOS Kilotytes) AND Tockla Service - Tinger Access Charge, Per Tinger, Per Unit (IOS Kilotytes) AND Tockla Service - Tinger Access Charge, Per Tinger, Per Unit (IOS Kilotytes) AND Tockla Service - Tinger Access Charge, Per Tinger, Per Unit (IOS Kilotytes) AND Tockla Service - Tinger Access Charge, Per Mind Service Account Per Unit (IOS Kilotytes) AND Tockla Se	Al	IN SMS Access Service - Service Establishment, Per State,																	
AN SMS Access Service - Port Connection - ISDN Access An IN CAMIP 7.85 7.85 9.11 9.11  AN ISMS Access Service - Development of Code of the ID Code of	In	itial Setup			A1N	CAMSE		39.53	39.53	40.78	40.78				L				
AN SMS Access Service - Port Connection - ISDN Access An IN CAMIP 7.85 7.85 9.11 9.11  AN ISMS Access Service - Development of Code of the ID Code of															1		1		
ANN SUS Access Service - User Identification Codes - Per User ID Code   A1N															<b>└</b>				
Di Code					A1N	CAM1P		7.85	7.85	9.11	9.11								
AIN SMS Access Service - Sensing- Per Unit (100 Kilobytes)															1		[		
Initial or Replacement					A1N	CAMAU		35.08	35.08	27.12	27.12				⊢—		$\vdash$		
AIN SMS Access Service - Session, Per Minute						044400		44.00	44.00	44.74	44.74				ĺ				
AIN SMS Access Service - Session, Per Minute				-	ATN	CAMRC	0.0007	41.98	41.98	11.74	11.74				<b>├</b>				
AIN SMS Access Service - Company Performed Session, Per Minute Mi				-		+				-		-			<del></del>				
Minute						+	0.7121					-			<del></del>				
AIN - BELLSOUTH AIN TOOLKIT SERVICE    AIN TOOKIT SERVICE   CAM   BAPSC   39.53   39.53   40.78   40.78							0.8364								ĺ				
ANT Toolist Service - Service Establishment Charge, Per State,						1	0.0304					1							
Initial Setup						+				1									
All Toolkit Service - Triging Session, Per Customer   BAPYX   4,211.54   4,211.54   0,00					CAM	BAPSC		39 53	39 53	40.78	40.78				ĺ				
All Toolkit Service - Trigger Access Charge, Per Trigger, Per D. D. Fem. Attempt  All No Collik Service - Trigger Access Charge, Per Trigger, Per D. D. D. G. D. D. G. D. D. G. D. D. G. D. D. D. D. D. D. D. D. D. D. D. D. D.					0, 111														
DN. Term. Attempt						1		,	,										
DN, Off-Hook Delay Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate Al N Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Pe						BAPTT		7.85	7.85	9.11	9.11				ĺ				
ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 0ff-Hobd kinmediate ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. 10-Digit PODP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. CDP ANI Toolkit Service - Trigger Access Charge, Per Trigger, Per DN. Feature Code ANI Toolkit Service - Special Study - Per Ali Toolkit Service Subscription ANI Toolkit Service - Special Study - Per Ali Toolkit Service Subscription ANI Toolkit Service - Special Study - Per Ali Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per Ali Toolkit Service Subscription ANI Toolkit Service - Call Event Report - Per Ali Toolkit Service Subscription CAM BAPLS A. 3.51 A. 8.68 B. 8.68 BAPTS A. 8.5 T. 8.5 T. 8.5 S. 5.52 BAPTS A. 8.68 BAPTS A.	Al	IN Toolkit Service - Trigger Access Charge, Per Trigger, Per																	
DN, Off-Hook Immediate  AN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP  ANT Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP  AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Dight PODP  BAPTC  AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP  AND Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Easture Code  AND Toolkit Service - Query Charge, Per Query  AND Toolkit Service - Query Charge, Per Alm Toolkit Subscription, Per Node, Per Ouery  AND Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AND Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AND Toolkit Service - Special Study - Per Alm Toolkit Service Subscription  AND Toolkit Service - Special Study - Per Alm Toolkit Service Subscription  AND Toolkit Service - Call Event Report - Per Alm Toolkit Service Subscription  AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Subscription  AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Subscription  AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Service Subscription  AND Toolkit Service - Call Event Special Study - Per Alm Toolkit Service Service Subscription  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROPFICE TRANSPORT						BAPTD		7.85	7.85	9.11	9.11								
All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, 10-Digit PODP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Eature Code All Toolkit Service - Query Charge, Per Query All Toolkit Service - Query Charge, Per All Toolkit Subscription, Per Node, Per Query All Toolkit Service - Storage Charge, Per SMS Access Account, Per 100 Kilobytes All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription CAM BAPLS 3.51 BAPDS A.84 3.454 3.4.54 14.39 14.39 14.39  1																			
DN, 10-Digit PODP  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP  AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP  AIN Toolkit Service - Query Charge, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 10 Kilobytes  AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 10 Kilobytes  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  Subscription  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  Subscription  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  AIN Toolkit Service - SCP Storage Charge, Per AIN Toolkit Service  AIN Toolkit Service - Scpecial Study - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service  Service Subscription  CAM  BAPDS  BAP						BAPTM		7.85	7.85	9.11	9.11								
All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, CDP All Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code All Toolkit Service - Query Charge, Per Query All Toolkit Service - Ouery Charge, Per Query All Toolkit Service - Type 1 Node Charge, Per All Toolkit Subscription, Per Node, Per Query All Toolkit Service - Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service - Call Event Report - Per All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Report - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event Special Study - Per All Toolkit Service Subscription All Toolkit Service - Call Event S															ĺ				
DN, CDP AIN Toolkit Service - Guery Charge, Per Aln Toolkit Service Subscription AIN Toolkit Service - Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription AIN Toolkit Service - Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPLS 3.51 BAPDS 8.48 7.85 7.85 5.52 5.52  AIN Toolkit Service - Call Event Special Study - Per Aln Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52  AIN Toolkit Service - Call Event Report - Per Aln Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8						BAPTO		34.54	34.54	14.39	14.39								
AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - ScP Storage Charge, Per SMS Access Account, Per 100 Kilobytes AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS 3.51 AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS A.88 A.88 A.88 CAM BAPDS A.88 A.88 BABES BABES A.88 BABES A.88 BABES BABES A.88 BABES BABES A.88 BABES BAB															ĺ				
DN, Feature Code AIN Toolkit Service - Query Charge, Per Query AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query AIN Toolkit Service - Storage Charge, Per SMS Access Account, Per 100 Kilobytes CAM BAPMS AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPLS AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription CAM BAPDS BAPDS BAPS AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription CAM BAPDS BAPDS BAPDS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BABPS BAPDS BABPS BAPDS BABPS BAPDS BABPS BABPS BAPDS BABPS BABPS BAPDS BABPS						BAPTC		34.54	34.54	14.39	14.39								
AIN Toolkit Service - Query Charge, Per Query  AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPLS  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPDS  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPDS  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS  BAP						DADTE		24.54	24.54	44.00	44.20				ĺ		ĺ		
AlN Toolkit Service - Type 1 Node Charge, Per AlN Toolkit Subscription, Per Node, Per Query  AlN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription  AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription  CAM BAPLS  3.51 8.68 8.68  AlN Toolkit Service - Call Event Special Study - Per AlN Toolkit Service Subscription  CAM BAPDS  8.48 7.85 7.85 7.85 5.52 5.52  SERVICE Subscription  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68  CAM BAPES  0.12 8.68 8.68 CAM				-		BAPIF	0.0550000	34.54	34.54	14.39	14.39	-			<del></del>		<del></del>		
Subscription, Per Node, Per Query  AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  CAM BAPMS 11.87 7.85 7.85 5.52 5.52  AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  CAM BAPLS 3.51 8.68 8.68  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPDS 8.48 7.85 7.85 5.52 5.52  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service CAM BAPDS 8.48 7.85 7.85 5.52 5.52  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription  CAM BAPDS 8.48 7.85 7.85 5.52 5.52  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT						1	0.0556256					1							
AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service  AIN Toolkit Service - Special Study - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service  Subscription  CAM  BAPLS  3.51  8.68  8.68  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service  Subscription  CAM  BAPDS  8.48  7.85  7.85  5.52  5.52  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DSI INTEROFFICE TRANSPORT							0.0069214								ĺ				
Account, Per 100 Kilobytes  AIN Toolkit Service - Monthly report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription  CAM BAPLS 3.51 8.68 8.68  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription  AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Service Subscription  CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8						1	0.0003214					<b>†</b>			<del></del>				
AlN Toolkit Service - Monthly report - Per AlN Toolkit Service Subscription AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68 AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52  CAM BAPDS 8.48 7.85 7.85 5.52 5.52  CAM BAPDS 8.48 7.85 7.85 6.52 6.52 CAM BAPDS 8.48 7.85 7.85 6.52 CAM BAPDS 8.48 7.85 7.85 6.52 CAM BAPDS 8.68 CAM B							0.07								ĺ				
Subscription CAM BAPMS 11.87 7.85 7.85 5.52 5.52						1	2.07									İ			
AlN Toolkit Service - Special Study - Per AlN Toolkit Service Subscription AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPLS 3.51 8.68 8.68  AlN Toolkit Service - Call Event Report - Per AlN Toolkit Service Subscription CAM BAPDS 8.48 7.85 7.85 7.85 7.85 7.85 7.85 7.85 7.8					CAM	BAPMS	11.87	7.85	7.85	5.52	5.52				1		[		
Subscription CAM BAPLS 3.51 8.68 8.68 8.68 8.68 8.68 8.68 8.68 8.6																1			
Subscription CAM BAPDS 8.48 7.85 7.85 5.52 5.52 5.52 SINIVER TO SERVICE CHAIR SPECIAL STREET OF THE MONTHLY recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.  EXTENSE OF ASSOCIATION OF ASSOCIA	St	ubscription			CAM	BAPLS	3.51	8.68	8.68			<u></u>	<u> </u>		<u> </u>		<u> </u>		
AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit Service Subscription  ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT																			
Service Subscription   CAM BAPES 0.12 8.68 8.68   Service Subscription   CAM BAPES 0.12 8.68 8.68   Service Subscription   Service Subscription   CAM BAPES 0.12 8.68 8.68   Service Subscription   Service					CAM	BAPDS	8.48	7.85	7.85	5.52	5.52				L				
ENHANCED EXTENDED LINK (EELs)  NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as ' Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															1		1 7		
NOTE: The monthly recurring and non-recurring charges below will apply and the Switch-As-Is Charge will not apply for UNE combinations provisioned as 'Ordinarily Combined' Network Elements.  NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as 'Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT					CAM	BAPES	0.12	8.68	8.68						<del></del>		<b>└</b>		
NOTE: The monthly recurring and the Switch-As-Is Charge and not the non-recurring charges below will apply for UNE combinations provisioned as ' Currently Combined' Network Elements.  EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT			L	<u> </u>		<u> </u>	<u> </u>					<u> </u>			<del></del>		<b>└</b>		
EXTENTED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT															<b>├</b>		<b></b> '		
							UNE combination	ons provisione	ed as ' Current	lly Combined' N	letwork Eleme	nts.			<b>├</b>		$\vdash$		
T TERRIZ-WIRE VICTORI GAZTIR COMBINION - ZODE T T TO DICK TO THE TOTAL TO MATERIAL STATE TO MATERIAL STATE TO THE TOTAL TO THE TOTAL STATE TO THE			ED DS				16.00	105.00	60.40	E2 05	10.04	1			<del></del>	<b> </b>	<del>                                     </del>		
First 2-Wire VG Loop (SL2) in Combination - Zone 2 2 UNCVX ULEAL2 23.13 105.98 68.43 53.05 10.61			-										-		<del></del>	<del> </del>	<del>                                     </del>		
First Z-Wire VG Loop (SLZ) in Combination - Zone 2 2 UNCVX UEAL2 25.13 105.98 68.43 53.05 10.61 First Z-Wire VG Loop (SLZ) in Combination - Zone 3 3 UNCVX UEAL2 25.13 105.98 68.43 53.05 10.61			-									-			<del></del>	-	$\vdash$		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina			1							1-	1-		ment: 2	+	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - DS1 combination - Per Mile per month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility			UNCIA	ILSAA	0.27										
	Termination per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channelization System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
									====							
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61						
	Lacii Additional 2-vviie vo Loop (SE 2) iii Combination - Zone 2			ONOVA	OLALZ	20.10	105.90	00.43	33.03	10.01						
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3		3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61						
	Voice Grade COCI - Per Month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXIEN	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	1 INTE	ROFFICE TRANSPO	DRI											
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	. not 1 the 7 malog 1000 oraco 200p in combination 2010 :		t i	0.10171	02/121	02.00	102.00	000	00.00							
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	First 4-Wire Analog Voice Grade Loop in Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			LINIOAV	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 - Facility Termination Per			UNC1X	ILSXX	0.27										
	Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1								İ							
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	1110101		43.89	400.00	04.00	50.05	44.04						
	Interoffice Transport Combination - Zone 2 Additional 4-Wire Analog Voice Grade Loop in same DS1		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	Additional Voice Grade COCI in combination - per month		Ť	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire Sokops Digital Grade Loop III Combination - Zone 1		<u>'</u>	UNCDA	UDL36	29.93	120.00	09.12	59.55	14.01						
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	· · ·								İ							
	First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month		-	UNC1X	1L5XX	0.27									ļ	
	Interoffice Transport - Dedicated - DS1 - combination Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<del>-  </del>	1/0 Channel System in combination Per Month		<del>                                     </del>	UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81					1	
	OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
İ	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1								İ							
	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	LINCDY	LIDI EC	22.00	400.00	00.40	50.05	44.04						
-+	Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61		-		<b></b>	-	
1	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
			<del></del>	1		U T	.20.00		55.55		<b>-</b>	<b>-</b>		<b> </b>	t	†
	Additional OCU-DP COCI (data) - in combination per month (2.4-				1D1DD	ı	I	4.73	0.00							

UNBUNDL	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
						Ι					Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted			Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									p = = = = = = = = = = = = = = = = = = =	p	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ.,										
						Rec	Nonrec		Nonrecurring			·		Rates (\$)		
	<u> </u>						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-			UNC1X	LINICOC		F C4	F C4	7.00	7.00						
EVT	Is Charge  ENDED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIGITAL LOOP	CATED	DC4 IN		UNCCC		5.61	5.61	7.00	7.00						
EAT	ENDED 4-WIRE 64 RBF3 EXTENDED DIGITAL LOOP WITH DEDI	CATED	DSTIN	TEROFFICE TRAINS	I											
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Thist 4 Wile Galage Bigital Glade Loop in Combination 25the 1		<u> </u>	ONODA	ODLOT	25.50	120.00	00.12	00.00	14.01						
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	· · ·															
	First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						1
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
	Per Month			UNC1X	1L5XX	0.27										1
	interoffice Transport - Dedicated - DS1 combination - Facility							·						l		. 7
	Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						,
	1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71		9.81	ļ					
	OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						,
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINIODY	LIBLOA	00.00	400.00	00.40	50.05	44.04						1
	Interoffice Transport Combination - Zone 1 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	<b> </b>					
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			UNCDX	UDL64	33.99	120.00	09.12	39.33	14.01						
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	Additional OCU-DP COCI (data) - in combination - per month			ONODA	ODLOT	34.74	120.00	03.12	33.33	14.01						
	(2.4-64kbs)			UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-										İ					
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER	OFFICE TRANSPO	RT											
	4-Wire DS1 Digital Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 2			UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile			LINIOAN	41.500/	0.07										
	Per Month			UNC1X	1L5XX	0.27										
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
<b>—</b>	Nonrecurring Currently Combined Network Elements Switch -As-			UNCIA	UTIFT	01.71	09.47	01.99	10.39	14.40						
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
FXT	ENDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	FD DS3	INTER				5.01	5.01	7.00	7.00	<b>†</b>					
	First DS1Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73	İ					
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	First DS1Loop in Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Interoffice Transport - Dedicated - DS3 combination - Per Mile															
	Per Month			UNC3X	1L5XX	6.42										,
	Interoffice Transport - Dedicated - DS3 - Facility Termination per				I											.
$\vdash$	month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59	ļ					
$\vdash$	3/1Channel System in combination per month	<b>.</b>		UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90	ļ			<b> </b>		
$\vdash$	DS1 COCI in combination per month  Additional DS1Loop in DS3 Interoffice Transport Combination -	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	1			-		
	Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						,
	Additional DS1Loop in DS3 Interoffice Transport Combination -		'	OI4OIA	COLAA	30.07	255.05	137.03	44.00	11.73						
	Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						, ,
	Additional DS1Loop in DS3 Interoffice Transport Combination -				1	1										
	Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	<u> </u>					<u>.                                    </u>
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00	<u> </u>			ļ		
EXT	ENDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE								ļ					
$\vdash$	2-WireVG Loop in combination - Zone 1	<b>.</b>	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	ļ			<b> </b>		
+	2-WireVG Loop in combination - Zone 2	1		UNCVX UNCVX	UEAL2 UEAL2	23.13 28.46	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61	1			-		
	2-WireVG Loop in combination - Zone 3	1	3	OINCVA	UEALZ	∠8.46	105.98	08.43	53.05	10.01	<u> </u>	l .		l		

UNBU	NDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per Lore	per Lore	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	DISC Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															í
		Month			UNCVX	1L5XX	0.0134										<b></b>
		Interoffice Transport - 2-wire VG - Dedicated - Facility															í
		Termination per month			UNCVX	U1TV2	19.44	40.63	27.47	16.77	6.91						<b>——</b>
		Nonrecurring Currently Combined Network Elements Switch -As-			11110101	1111000		5.04	5.04	7.00	7.00						í
$\vdash$	CVTCN	ls Charge DED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	CDAD	- INITE	UNCVX	UNCCC		5.61	5.61	7.00	7.00	-	-				
	EXIEN	4-Wire VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE 4-WireVG Loop in combination - Zone 1	GRAD	1 1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
$\vdash$		4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						
		4-WireVG Loop in combination - Zone 3			UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
		Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per		-	DINCVA	ULAL4	45.50	132.30	34.03	39.33	14.01						
		Month			UNCVX	1L5XX	0.0134										l .
$\vdash$		Interoffice Transport - 4-wire VG - Dedicated - Facility				. 20, 01	3.0104				1				1		í
		Termination per month			UNCVX	U1TV4	17.03	40.63	27.47	16.77	6.91						í
		Nonrecurring Currently Combined Network Elements Switch -As-										İ	İ	l	İ		í
		Is Charge			UNCVX	UNCCC		5.61	5.61	7.00	7.00						1
	EXTEN	DED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													i .
		DS3 Local Loop in combination - per mile per month			UNC3X	1L5ND	12.26										i
																	i
		DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	306.36	452.52	264.53	119.75	83.77						i .
		Interoffice Transport - Dedicated - DS3 - Per Mile per month			UNC3X	1L5XX	6.42										<u> </u>
		Interoffice Transport - Dedicated - DS3 combination - Facility															i
		Termination per month			UNC3X	U1TF3	704.52	279.37	163.12	60.33	58.59						
		Nonrecurring Currently Combined Network Elements Switch -As-															í
	=>/===	Is Charge			UNC3X	UNCCC		5.61	5.61	7.00	7.00						<b>——</b>
	EXIEN	DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	S-1 IN I	EROFF		41 END	40.00										
-		STS-1 Local Lolp in combination - per mile per month STS-1 Local Loop in combination - Facility Termination per		-	UNCSX	1L5ND	12.26										<del></del>
		month			UNCSX	UDLS1	313.49	452.52	264.53	119.75	83.77						í
$\vdash$		Interoffice Transport - Dedicated - STS-1 combination - per mile			ONCOX	ODLOT	313.43	402.02	204.55	113.73	03.11						
		per month			UNCSX	1L5XX	6.42										i
		Interoffice Transport - Dedicated - STS-1 combination - Facility			ONOOX	120701	0.42										
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						ł
		Nonrecurring Currently Combined Network Elements Switch -As-				-											
		Is Charge			UNCSX	UNCCC		5.61	5.61	7.00	7.00						í
	EXTEN	DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRAN														i .
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						
		First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
		Interoffice Transport - Dedicated - DS1 combination - per mile															1
$\vdash$		per month			UNC1X	1L5XX	0.27										<b></b>
		Interoffice Transport - Dedicated - DS1 combination - Facility			LINIOAY	LIATE4	04 =:	00 :-	04.00	40.00	44.50						l .
$\vdash$		Termination per month	<b>.</b>	-	UNC1X UNC1X	U1TF1 MQ1	61.71 107.57	89.47 91.24	81.99 62.71	16.39 10.56	14.48 9.81			<b> </b>	<b>!</b>		
$\vdash$		1/0 Channel System in combination - per month	-	-			107.57 2.56				9.81			-	<b> </b>		
$\vdash$		2-wire ISDN COCI (BRITE) - in combination - per month Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<b>-</b>	-	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	-	-			-	
		Combination - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						ı
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport			0140147	O ILZA	20.21	117.30	00.03	55.05	10.01	<u> </u>	<u> </u>				
		Combination - Zone 2		2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61						1
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport					52.70	00	22.00	22.00	13.01				İ		1
		Combination - Zone 3		3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						1
		Additional 2-wire ISDN COCI (BRITE) - in combination- per															ſ
		month			UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	<u> </u>	<u> </u>	<u> </u>			<u> </u>
		Nonrecurring Currently Combined Network Elements Switch -As-															(
		Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	EXTEN	DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED STS														<b></b>
$\vdash$		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						<b></b>
$\vdash$		First DS1 Loop Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						<b></b>
		First DS1 Loop Combination - Zone 3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73	l	l		ļ		

UNBUND	DLE	NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
								Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)		
-	-						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile						THOL	Auu i	11130	Auu i	JOINEC	JOHAN	JOHIAN	JONIAN	JOWAN	JONIAN
		Per Month			UNCSX	1L5XX	6.42										
		Interoffice Transport - Dedicated - STS-1 combination - Facility															
		Termination per month			UNCSX	U1TFS	704.44	279.37	163.12	60.33	58.59						
		3/1 Channel System in combination per month			UNCSX	MQ3	144.02	178.54	94.18	33.33	31.90						
		DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
		Additional DS1Loop in the same STS-1 Interoffice Transport			11041	1101.707	455.40	050.00	457.00	44.00	44.70						
		Combination - Zone 2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73	-		-			<del> </del>
		Additional DS1Loop in the same STS-1 Interoffice Transport Combination - Zone 3	1	3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73		1	I			
$\vdash$		DS1 COCI in combination per month	<b> </b>	-	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00	<b>-</b>	<b> </b>	t			<del>                                     </del>
<del>                                     </del>		Nonrecurring Currently Combined Network Elements Switch -As-	1			30.51	0.04	0.00	4.75	0.00	0.00	<b>†</b>		<b>†</b>	1		<b>†</b>
		Is Charge	1		UNCSX	UNCCC		5.61	5.61	7.00	7.00			1			
EX		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	BPS INT	EROFF		1				1.20	50			1	1		
		4-wire 56 kbps Local Loop in combination - Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
		4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -						40.00									
		Facility Termination per month			UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						-
		Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						
FY		DED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KB	DS INT	FROFE		UNCCC		5.61	5.01	7.00	7.00	1		1			1
		4-wire 64 kbps Lcoal Loop in Combination - Zone 1	1 0 1141		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61	<b>†</b>					<del>                                     </del>
		4-wire 64 kbps Lcoal Loop in Combination - Zone 2			UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	1					
		4-wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Per Mile per month			UNCDX	1L5XX	0.0134										
		Interoffice Transport - Dedicated - 4-wire 64 kbps combination -															
		Facility Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91						
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNCDX	UNCCC		5.61	5.61	7.00	7.00						<b>.</b>
EX		DED 2-WIRE VOICE GRADE LOOP WITH DS1 INTEROFFICE T	KANSP			LIEALO	40.00	405.00	00.40	50.05	40.01	1	-	1	-		ļ
<b>—</b>	-+	First 2-wire VG Loop (SL2) in Combination - Zone 1 First 2-wire VG Loop (SL2) in Combination - Zone 2	-		UNCVX UNCVX	UEAL2 UEAL2	16.68 23.13	105.98 105.98	68.43 68.43	53.05 53.05	10.61 10.61			<del>                                     </del>		-	
	-	First 2-wire VG Loop (SL2) in Combination - Zone 2 First 2-wire VG Loop (SL2) in Combination - Zone 3	1		UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61	<del>                                     </del>		<del>                                     </del>	<del> </del>		1
		First Interoffice Transport - Dedicated - DS1 combination - Per	<b> </b>		5.101/	J L / 1L L	20.70	100.00	00.43	33.03	10.01	<b>-</b>	<b> </b>	t			<del>                                     </del>
		Mile	1		UNC1X	1L5XX	0.27						1	I			
		First Interoffice Transport - Dedicated - DS1 combination -	1		-					1				1	l		
L l		Facility Termination per month	<u> </u>	L	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48	<u></u>	<u></u>	L	<u></u>		
		Per each DS1 Channelization System Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
		Per each Voice Grade COCI - Per Month per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
		3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
$\vdash \vdash$		Per each DS1 COCI in combination per month	<b>!</b>	<u> </u>	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00			ļ			ļ
		Each Additional 2-Wire VG Loop(SL 2) in the same DS1	1	4	LINCVY	LIEALO	40.00	405.00	00.40	50.05	40.04		1	I			
$\vdash$		Interoffice Transport Combination - Zone 1  Each Additional 2-Wire VG Loop(SL2) in the same DS1	<del>                                     </del>	1	UNCVX	UEAL2	16.68	105.98	68.43	53.05	10.61	1		<del>                                     </del>	-		<del>                                     </del>
		Interoffice Transport Combination - Zone 2	1	2	UNCVX	UEAL2	23.13	105.98	68.43	53.05	10.61			1			
$\vdash$		Each Additional 2-Wire VG Loop(SL2) in the same DS1	<b> </b>		014047	JLALZ	23.13	100.30	00.43	55.05	10.01	<b>-</b>	<b>-</b>	<del>                                     </del>			<del>                                     </del>
		Interoffice Transport Combination - Zone 3	1	3	UNCVX	UEAL2	28.46	105.98	68.43	53.05	10.61			1			
		Each Additional Voice Grade COCI in combination - per month	l	Ť	UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00	1		1			
		Each Additional DS1 Interoffice Channel per mile in same 3/1															
		Channel System per month	<u> </u>	<u></u>	UNC1X	1L5XX	0.27			<u> </u>					<u> </u>		
		Each Additional DS1 Interoffice Channel Facility Termination in							<del></del>		<del>-</del>						
		same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	T	Each Additional DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
			1								Svc Order	Svc Order	Incremental		Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Intori									Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											p	<b>F</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															2.00 .01	2.007.444.
						Rec	Nonrec			Disconnect				Rates (\$)		
$\vdash$							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
EVE	Is Charge	INITED	L C	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXII	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1  First 4-Wire Analog Voice Grade Local Loop in Combination -	INTERC	JFFICE	TRANSPORT W/ 3/1	MUX											
	Zone 1		4	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						
<del></del>	First 4-Wire Analog Voice Grade Local Loop in Combination -		<u> </u>	UNCVA	ULAL4	32.39	132.30	34.03	39.33	14.01						<u> </u>
	Zone 2		2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						ĺ
$\vdash$	First 4-Wire Analog Voice Grade Local Loop in Combination -		-	ONOVA	OL/ LL-T	40.00	102.00	04.00	00.00	14.01	1			1		
	Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per															
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 - Facility						i									
	Termination Per Month	<u> </u>	<u>L</u>	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						<u></u>
	Per each 1/0 Channel System in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71		9.81						
$\Box$	Per each Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73		0.00						
$\Box$	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire Analog Voice Grade Loop in same DS1						400.00		====							ĺ
	Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	32.59	132.38	94.83	59.35	14.61						<b></b>
	Additional 4-Wire Analog Voice Grade Loop in same DS1		2	11000		40.00	400.00	04.00	50.05	44.04						
$\vdash$	Interoffice Transport Combination - Zone 2  Additional 4-Wire Analog Voice Grade Loop in same DS1	1	2	UNCVX	UEAL4	43.89	132.38	94.83	59.35	14.61						<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	43.38	132.38	94.83	59.35	14.61						
$\vdash$	Each Additional DS1 Interoffice Channel per mile in same 3/1	1	3	UNCVA	ULAL4	43.30	132.30	34.03	39.33	14.01	1			-		
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			ONOTA	TEO/O	0.27					1			1		
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.56	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-	1	1													
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXT	ENDED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 1		1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -															ĺ
	Zone 2		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	1	3	LINCDY	LIDLEC	04.74	400.00	00.40	50.05	44.04		1		I		1
$\vdash$	Zone 3 First Interoffice Transport - Dedicated - DS1 combination - Per	<del>                                     </del>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	1			<del>                                     </del>	-	<del></del>
	Mile Per Month	1		UNC1X	1L5XX	0.27						1		I		1
$\vdash$	First Interoffice Transport - Dedicated - DS1 - combination	<del>                                     </del>	<del>                                     </del>	UNUIA	ILUAA	0.27			1					<del>                                     </del>	-	<del>                                     </del>
	Facility Termination Per Month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48				I		1
	Per each 1/0 Channel System in combination Per Month	<b>1</b>	t	UNC1X	MQ1	107.57	91.24	62.71		9.81				<u> </u>		
	Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)	t	t	UNCDX	1D1DD	1.19	6.59	4.73		0.00				1	İ	
	3/1 Channel System in combination per month	t	t	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90				1	İ	
	Per each DS1 COCI in combination per month	i	i –	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
	Interoffice Transport Combination - Zone 1	<u> </u>	1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						1
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1	1			I									_		1
$oxed{oxed}$	Interoffice Transport Combination - Zone 2	<u> </u>	2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61				L		<b>↓</b>
	Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		1 .				,							1		1
$\vdash$	Interoffice Transport Combination - Zone 3	<u> </u>	3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61	-			-	<b> </b>	<del></del>
	OCU-DP COCI (data) COCI in combination per month (2.4-	1		LINCDY	4D4DD	4.40	0.50	4 70	0.00	0.00		1		I		1
$\vdash$	64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1	<b>!</b>	<del>                                     </del>	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00		<b> </b>		<del>                                     </del>	<b> </b>	<del></del>
	Channel System per month	1		UNC1X	1L5XX	0.27						1		I		1
$\vdash$	Each Additional DS1 Interoffice Channel Facility Termination in	<del>                                     </del>	<del>                                     </del>	UNCIA	ILOAA	0.27			1					<del>                                     </del>		<del>                                     </del>
	same 3/1 Channel System per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48		1		I		1
	Each Additional DS1 COCI in the same 3/1 channel system	<b>1</b>	t		1	01.71	55.47	01.00	10.00	1-740				<u> </u>		
1 1	combination per month	1		UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00				1		1

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	bit: A
		1	I								Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
<del></del>		1	+			ı	Nonrec	urrina	Nonrecurring	n Disconnect			220	Rates (\$)		
$\vdash$		1	+			Rec	First	Add'l	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As-		1				11131	Addi	THOU	Auu i	JOINEC	JOINAIN	JONAN	JONIAN	JONIAN	JONAN
1 1	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTE	NDED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTER	OFFICE	TRANSPORT w/ 3/1	1 MUX											
	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice															
	Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
1 1	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	LINODY	LIDLO4	00.00	400.00	00.40	50.05	44.04						
$\vdash$	Transport Combination - Zone 2 First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61	-					
	Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per	1	+ Ŭ	ONODA	ODLOT	04.74	120.00	00.12	00.00	14.01						
	Mile Per Month			UNC1X	1L5XX	0.27										
	First Interoffice Transport - Dedicated - DS1 combination -					i	İ									
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination Per Month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81						
	Per each OCU-DP COCI (data) in combination - per month (2.4-			LINODY	10100											
$\vdash$	64kbs)	<u> </u>	-	UNCDX UNC3X	1D1DD MQ3	1.19 144.02	6.59 178.54	4.73 94.18	0.00 33.33	0.00 31.90	-					
$\vdash$	3/1 Channel System in combination per month  Per each DS1 COCI in combination per month	ļ	+	UNC1X	UC1D1	144.02 8.64	6.59	4.73		0.00						
$\vdash$	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		+	UNCIX	OCIDI	0.04	0.59	4.73	0.00	0.00						
1 1	Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1						1_0.00		00.00							
	Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
$\vdash$	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
1 1	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System			LINODY	40400	4.40	0.50	4.70	0.00	0.00						
$\vdash$	combination - per month (2.4-64kbs)  Each Additional DS1 Interoffice Channel per mile in same 3/1	ļ	+	UNCDX	1D1DD	1.19	6.59	4.73	0.00	0.00						
1 1	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in	1	1	ONOTA	120701	0.27										
1 1	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system															
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
1 1	Nonrecurring Currently Combined Network Elements Switch -As-	1					= 0.1									
EVIE	Is Charge  NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	DT/ 2	/4 BALLY	UNC1X	UNCCC		5.61	5.61	7.00	7.00	-					
EXIE	First 2-Wire ISDN Loop in a DS1 Interoffice Combination	K i W/ 3/	INIOX								1					
	Transport - Zone 1		1	UNCNX	U1L2X	25.21	117.58	80.03	53.05	10.61						
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		T .			20.21	7.7.00	22.30	55.50							
	Transport - Zone 2	<u></u>	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61	<u> </u>	<u> </u>				
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															
	Transport - Zone 3	ļ	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61						
	First Interoffice Transport - Dedicated - DS1 combination - Per			LINCAV	11 5 7 7	0.07										
$\vdash$	Mile per month  First Interoffice Transport - Dedicated - DS1 combination -	<b> </b>	1	UNC1X	1L5XX	0.27			1		1					
1 1	Facility Termination per month	1		UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Per each Channel System 1/0 in combination - per month	1	1	UNC1X	MQ1	107.57	91.24	62.71		9.81	<u> </u>			1		
	por month	1								5.01				İ		
	Per each 2-wire ISDN COCI (BRITE) in combination - per month	<u> </u>	<u>L</u>	UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00				<u> </u>		
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI in combination per month	ļ	1	UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	4	LINICNIY	U1L2X	05.04	447.50	00.00	50.05	40.04		1				
$\vdash$	Combination - Zone 1 Additional 2-wire ISDN Loop in same DS1Interoffice Transport	<del>                                     </del>	1	UNCNX	UILZX	25.21	117.58	80.03	53.05	10.61	1					
	Combination - Zone 2	1	2	UNCNX	U1L2X	32.76	117.58	80.03	53.05	10.61		1				
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport	1	<del></del>	2.10.01	3	32.70	117.50	00.00	55.55	10.01	t			1		
	Combination - Zone 3	1	3	UNCNX	U1L2X	37.70	117.58	80.03	53.05	10.61		1				
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		1									1		1		
1 1	system combination- per month	l .		UNCNX	UC1CA	2.56	6.59	4.73	0.00	0.00	1					

ONRONDLE	D NETWORK ELEMENTS - South Carolina			ı							00	06 :		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrec		Nonrecurring					Rates (\$)		
	[						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel per mile in same 3/1 Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in		1	UNCIA	ILSAA	0.27			<del>                                     </del>							
	same 3/1 Channel System per month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	Each Additional DS1 COCI in the same 3/1 channel system					_										
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXTEN	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS			1101101		0.00		44.00							
	First 4-wire DS1 Digital Local Loop in Combination - Zone 1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2 First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 3	-	3	UNC1X UNC1X	USLXX	155.43 261.89	253.03 253.03	157.89 157.89	44.80 44.80	11.73 11.73	-				-	<b> </b>
	First Interoffice Transport - Dedicated - DS1 combination - Per		3	UNUIA	USLAA	201.09	200.00	157.09	44.00	11./3	<b> </b>				<b> </b>	
	Mile Per Month			UNC1X	1L5XX	0.27					1					
	First Interoffice Transport - Dedicated - DS1 combination -		1			2.21									İ	
	Facility Termination Per Month			UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	3/1 Channel System in combination per month			UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	Per each DS1 COCI combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.27										
	Each Additional DS1 Interoffice Channel Facility Termination in			LINIOAV		04.74	00.47	04.00	40.00	44.40						
	same 3/1 Channel System per month  Each Additional DS1 COCI in the same 3/1 channel system		1	UNC1X	U1TF1	61.71	89.47	81.99	16.39	14.48						
	combination per month			UNC1X	UC1D1	8.64	6.59	4.73	0.00	0.00						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	ONOTA	00151	0.04	0.00	4.70	0.00	0.00						
	1		1	UNC1X	USLXX	90.87	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	2		2	UNC1X	USLXX	155.43	253.03	157.89	44.80	11.73						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone															
	3		3	UNC1X	USLXX	261.89	253.03	157.89	44.80	11.73						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINIOAV	111000		5.04	5.04	7.00	7.00						
EVTEN	Is Charge IDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTEDO	EEICE	UNC1X	UNCCC		5.61	5.61	7.00	7.00						
EXIEN	First 4-wire 56 kbps Local Loop in combination - Zone 1	I	1 1	UNCDX	UDL56	29.93	126.66	89.12	59.35	14.61						
+	First 4-wire 56 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL56	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	34.74	126.66	89.12	59.35	14.61						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0134										
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month		ļ	UNCDX	U1TD5	13.41	40.63	27.47	16.77	6.91						
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINICOC		F C4	F C4	7.00	7.00						
EVTEN	Is Charge IDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 I	NTEDO	EEICE	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
EXIEN	First 4-wire 64 kbps Local Loop in combination - Zone 1	I		UNCDX	UDL64	29.93	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL64	33.99	126.66	89.12	59.35	14.61						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	34.74	126.66	89.12	59.35	14.61						
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ť						1						ĺ	
	per month .	<u> </u>		UNCDX	1L5XX	0.0134										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility							<del></del>		<del></del>						
	Termination per month			UNCDX	U1TD6	13.41	40.63	27.47	16.77	6.91	ļ				ļ	
	Nonrecurring Currently Combined Network Elements Switch -As-	1		LINCDY	LINGGO		5.01	<b>.</b>	7.00	7.00	1					
ADDITIONAL	Is Charge IETWORK ELEMENTS		1	UNCDX	UNCCC		5.61	5.61	7.00	7.00						
	used as a part of a currently combined facility, the non-recurr	na cha	raes de	notanniv but a 9	Switch As Is a	narge does ann	ilv.								-	
	used as a part of a currently combined facility, the horsecuri															
	curring Currently Combined Network Elements "Switch As Is"					Jilaige C										
			1													İ
	Nonrecurring Currently Combined Network Elements Switch -As-	1														

UNBUND	LED NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
CATEGOR	C RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec		curring	Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Nonrecurring Currently Combined Network Elements Switch -As			LINODY	UNCCC		5.04	5.61	7.00	7.00						
	Is Charge - 56/64 kbps  Nonrecurring Currently Combined Network Elements Switch -As		1	UNCDX	UNCCC		5.61	5.61	7.00	7.00	-				-	-
	Is Charge - DS1			UNC1X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As Is Charge - DS3			UNC3X	UNCCC		5.61	5.61	7.00	7.00						
	Nonrecurring Currently Combined Network Elements Switch -As						= 0.4									
0	Is Charge - STS1			UNCSX	UNCCC		5.61	5.61	7.00	7.00						
Op	ional Features & Functions:		1	LIATDA	-				1						1	
	Clear Channel Capability Extended Frame Option - per DS1			U1TD1, ULDD1,UNC1X	CCOEF		OI.	OI	OI	OI						
	Clear Channel Capability Extended Frame Option - per DS1	'		U1TD1,	CCOEF		UI	OI .	UI	OI .					<del> </del>	
	Clear Channel Capability Super FrameOption - per DS1	ı		ULDD1,UNC1X	CCOSF		OI	01	OI	OI						
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,						. =						
	Activity - per DS1	-	1	UNC1X, USL U1TD3, ULDD3,	NRCCC		185.26S	23.86S	1.99S	0.78S					1	<u> </u>
	C-bit Parity Option - Subsequent Activity - per DS3	١.,		UE3, UNC3X	NRCC3		219.58S	7.69S	.7370S	0S						
MU	LTIPLEXERS	<u> </u>		OLO, ONCOX	INITOGO		210.000	7.000	.,,,,,,	00	1					
	DS1 to DS0 Channel System per month			UNC1X	MQ1	107.57	91.24	62.71	10.56	9.81	1					
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per							-								
	month (2.4-64kbs) used for a Local Loop			UDL	1D1DD	1.19	6.59	4.73								
	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
	month (2.4-64kbs) used for connection to a channelized DS1															
	Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.19	6.59	4.73								
	2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per			UDN	UC1CA	2.56	0.50	4.73								
	month for a Local Loop  2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per		1	UDIN	UCTCA	2.56	6.59	4.73	-		-				-	<del> </del>
	month used for connection to a channelized DS1 Local Channel															
	in the same SWC as collocation			U1TUB	UC1CA	2.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month								t						t	
	used for a Local Loop			UEA	1D1VG	0.56	6.59	4.73								
	Voice Grade COCI - DS1 to DS0 Channel System - per month															
	used for connection to a channelized DS1 Local Channel in the															
	same SWC as collocation			U1TUC	1D1VG	0.56	6.59	4.73								
	DS3 to DS1 Channel System per month		-	UNC3X	MQ3	144.02	178.54	94.18	33.33	31.90						
	STS-1 to DS1 Channel System per month DS1 COCI used with Loop per month			UNCSX USL	MQ3 UC1D1	144.02 8.64	178.54 6.59	94.18 4.73	33.33	31.90					-	<u> </u>
	DS1 COCI (used for connection to a channelized DS1 Local			USL	OCIDI	0.04	0.59	4.73							-	
	Channel in the same SWC as collocation) per month			U1TUA	UC1D1	8.64	6.59	4.73	1						I	
	DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	8.64	6.59	4.73								
	DS3 Interface Unit (DS1 COCI) used with Local Channel per															
	month			ULDD1	UC1D1	8.64	6.59	4.73								ļ
	D LOCAL EXCHANGE SWITCHING(PORTS)			ļ	1				ļ						1	ļ
	hange Ports	I/V 1 4	0 711 -	ha daalaad footoo		a andared or f			<u> </u>						<del> </del>	<del>                                     </del>
	TE: Although the Port Rate includes all available features in GA, IRE VOICE GRADE LINE PORT RATES (RES)	ΝΤ, LA	ox.≀N,t	ne desired features	will need to b	e oraerea usir	ig retail USOC	<b>&gt;</b>	<del>                                     </del>		-				<del></del>	<del> </del>
Z-V	Exchange Ports - 2-Wire Analog Line Port- Res.		1	UEPSR	UEPRL	1.65	2.38	2.28	1.42	1.33				<del> </del>	<del>                                     </del>	<del>                                     </del>
	Exercising Forto 2 Willowalliang Line Fort- Nes.	t		021 010	JEI IVE	1.00	2.30	2.20	1.42	1.33	<u> </u>				<b>†</b>	<b>†</b>
	Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled SC extended local dialing parity Port with Caller ID - Res.			UEPSR	UEPAU	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Area			l	l				_						_	
	Calling port with Caller ID - Res (LW8)		<u> </u>	UEPSR	UEPAJ	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled res, low usage line port with Caller ID (LUM)			UEPSR	UEPAP	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG South Carolina Residence Dialing Plan without Caller ID			UEPSR	UEPWL	1.65	2.38	2.28	1.42	1.33						

UNBUNDL	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonre	curring	Nonrecurring	g Disconnect			oss	Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG South Carolina Residence Area															
	Calling Plan without Caller ID capability			UEPSR	UEPRS	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Low Usage Line Port without Caller ID			LIEDOD	LIEDDT	4.05	0.00	0.00	4.40	4.00						
	Capability Subsequent Activity			UEPSR UEPSR	UEPRT	1.65 0.00	2.38	2.28 0.00	1.42	1.33	-					
ΕΕΛΊ	TURES			UEFOR	USASC	0.00	0.00	0.00			1	1	1			1
I LA	All Available Vertical Features			UEPSR	UEPVF	3.04	0.00	0.00	1		1					1
2-WII	RE VOICE GRADE LINE PORT RATES (BUS)			OLI OIL	OLI VI	0.04	0.00	0.00			1					1
	Exchange Ports - 2-Wire Analog Line Port without Caller ID -				1								t			
	Bus			UEPSB	UEPBL	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled Line Port with															
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.65	2.38	2.28	1.42	1.33	<u> </u>			ļ		<u> </u>
		1											I			
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.	ļ		UEPSB	UEPBO	1.65	2.38	2.28	1.42	1.33	ļ					<b>↓</b>
	Exchange Ports - 2-Wire VG unbundled SC extended local	1		LIEDOD	LIEDAZ	4.0-	0.00	0.00		1.00			I			
	dialing parity Port with Caller ID - Bus.			UEPSB	UEPAZ	1.65	2.38	2.28	1.42	1.33	1					<u> </u>
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire VG unbundled South Carolina Bus		1	UEFOB	UEPBI	1.00	2.30	2.20	1.42	1.33	1	-	-			<del>                                     </del>
	Area Calling Port with Caller ID - Bus (LMB)			UEPSB	UEPAB	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Dialing			OLI OD	OLI 71D	1.00	2.00	2.20	1.42	1.00	1					1
	Plan without Caller ID			UEPSB	UEPWM	1.65	2.38	2.28	1.42	1.33						
	Exchange Ports - 2-Wire Voice South Carolina Business Area										1					
	Calling Port without Caller ID			UEPSB	UEPBB	1.65	2.38	2.28	1.42	1.33						
	2-Wire voice unbundled Incoming Only Port without Caller ID															
	Capability			UEPSB	UEPBE	1.65	2.38	2.28	1.42	1.33						
	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00								
FEA	TURES			LIEDOD	LIEDVE	3.04	0.00	0.00								
	All Available Vertical Features All Available Vertical Features		<u> </u>	UEPSB	UEPVF	3.04	0.00	0.00			-	-	-			
EXC	HANGE PORT RATES (DID & PBX)				UEPVF	3.04	0.00	0.00			1	1	1			1
LXO	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.65	31.34	14.88	13.97	0.90	1					<b>†</b>
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.65	31.34	14.88	13.97	0.90	i e					
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.65	31.34	14.88	13.97	0.90						
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.65	31.34	14.88	13.97	0.90						1
	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.65	31.34	14.88		0.90						
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP	UEPLD	1.65	31.34	14.88		0.90						
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.65	31.34	14.88	13.97	0.90						
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports		-	UEPSP	UEPXB	1.65	31.34	14.88	13.97	0.90			<del> </del>			<del>                                     </del>
	2-Wire Voice Unbundled PBX LD DDD Terminals Port 2-Wire Voice Unbundled PBX LD Terminal Switchboard Port	<del>                                     </del>	-	UEPSP UEPSP	UEPXC	1.65 1.65	31.34 31.34	14.88 14.88	13.97 13.97	0.90	<del>                                     </del>	1	<del>                                     </del>			<del> </del>
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD	-	<del>                                     </del>	UEFSP	UEPAD	1.65	31.34	14.88	13.97	0.90		1	+			<del>                                     </del>
	Capable Port	1		UEPSP	UEPXE	1.65	31.34	14.88	13.97	0.90			I			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	1		02. 01	CLI AL	1.00	01.04	14.00	10.97	5.50			<b>—</b>			<u> </u>
	Administrative Calling Port	1		UEPSP	UEPXL	1.65	31.34	14.88	13.97	0.90			1			
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy	i		-	T			30	13.37	2.50			1			1
	Room Calling Port		<u> </u>	UEPSP	UEPXM	1.65	31.34	14.88	13.97	0.90						<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital															
	Discount Room Calling Port			UEPSP	UEPXO	1.65	31.34	14.88	13.97	0.90	<u> </u>			ļ		<u> </u>
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port	ļ	<u> </u>	UEPSP	UEPXS	1.65	31.34	14.88	13.97	0.90	ļ		ļ			<b></b>
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus	1		LIEDOD	LIEDVE	4.0-	04.61	44.00	10.00	0.00			1			
	Calling Port Subsequent Activity	<del>                                     </del>	-	UEPSP UEPSP	UEPXT	1.65 0.00	31.34 0.00	14.88	13.97	0.90	<del>                                     </del>	1	<del>                                     </del>			<del> </del>
EEAT	Subsequent Activity TURES	-	<del>                                     </del>	ULFOF	USASU	0.00	0.00	0.00	+		1	-	<del>                                     </del>	-		<del>                                     </del>
FLA	All Available Vertical Features	<del>                                     </del>	<del>                                     </del>	UEPSP UEPSE	UEPVF	3.04	0.00	0.00	<u> </u>	<del> </del>	<b>†</b>	<del>                                     </del>	<del> </del>	<del> </del>		<del>                                     </del>
EXC	HANGE PORT RATES (COIN)			02. 01 02. 02	CEI VI	3.04	3.00	0.00					<u> </u>			<del>                                     </del>
	Exchange Ports - Coin Port	i			1	1.65	2.38	2.28	1.42	1.33			1			1
	Switching Features offered with Port															
NOTI	E: Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to c	ircuit switche	ed voice and/or	circuit switch	ed data transn	nission by B-Cl	hannels assoc	iated with 2	-wire ISDN ı	ports.			1

UNE	BUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
												Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted			Charge -	Charge -	Charge -
			lustani									Elec		Manual Svc	Manual Svc		Manual Svo
CATI	EGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.	po. zo.	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Rec	Nonred			Disconnect				Rates (\$)		
-	NOTE	Access to B Channel on B Channel Best of conchilities will be	:		through DED/Nov.	Duainasa Da	at Danasas	First	Add'l	First	Add'l			SOMAN		SOMAN	SOMAN
LIND		: Access to B Channel or D Channel Packet capabilities will be LOCAL EXCHANGE SWITCHING(PORTS)	e avaliai	oie oni	through BFR/New	Business Rec	quest Process.	Rates for the	раскет сараы	littles will be de	etermined via t	ne Bona Fio	ie Request/	New Busines	s Request Pro	cess.	
UND		ANGE PORT RATES										1			1		
		S1 Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Port	in this	rate exhibit apply to	o the embedo	ded base in pla	ce as of 10/2/0	3 until 4/1/04	After 4/1/04 the	ese rates shall	revert to ta	riff rates or	a senarate ag	reement.		
		ests for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports												a coparato ag	1		
	1104	Exchange Ports - 2-Wire DID Port			UEPEX	UEPP2	8.86	119.57	18.78		3.77						
		Exchange Ports - DDITS Port - 4-Wire DS1 Port with DID															
		capability (E:4/1/2004)			UEPDD	UEPDD	73.62	202.47	95.90	72.75	2.47						
		Exchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	13.38	72.93	53.11		10.76						
		All Features Offered			UEPTX, UEPSX	UEPVF	3.04	0.00	0.00								
<u> </u>	NI	Exchange Ports - 2-Wire ISDN Port Channel Profiles	<u> </u>	L	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
<u> </u>	NOTE	Transmission/usage charges associated with POTS circuit s	witched	usage	will also apply to ci	rcuit switche	a voice and/or	Circuit switch	ed data transn	nission by B-Cl	nannels associ	ated with 2	wire ISDN p	orts.	Beguest De	1	
-		: Access to B Channel or D Channel Packet capabilities will be ANGE PORT RATES (continued)	e avalial	ie only	urougn BFK/New	Dusiness Red	quest Process.	. Rates for the	packet capabi	indes will be de	eterminea via t T	ne bona Fio	ie kequest/	NEW BUSINES	s Request Pro	Less.	
<del> </del>	EVCH	Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911	<del>                                     </del>	-		<del>                                     </del>									+		
l		Locator Capability (E:4/1/2004)	1		UEPEX	UEPEX	107.44	204.27	101.78	79.35	20.10		1		I		
	1	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	t		UEPDX	UEPDX	107.44	204.27	101.78	79.35	20.10	t			<b>†</b>	1	
		Physical Collocation - DS1 Cross-Connects			UEPEX UEPDX	PE1P1	1.12	22.08	15.96	6.42	5.80						
		Virtual collocation - Special Access & UNE,cross-connect per															
		DS1			UEPEX UEPDX	CNC1X	1.12	22.08	15.96	6.42	5.80						
	Detaile	ed E911 with Locator Capability (required with UEPEX port)															
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Initial Profile Establishment per CLEC per															
		State			UEPEX	UEP1A	0.00	1,808.00		156.43							
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Subsequent Profile Changes, Additions, Deletions			UEPEX	UEP1B	0.00	175.53									
-	Now o	r Additional PRI Telephone Numbers	-	-	UEPEX	UEPIB	0.00	175.53				-			-		
-	INEW O	Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911										1			1		
		Locator Capability 2-way Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1C	0.0698	0.49	0.49								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		Locator Capability - Outdial Telephone Numbers, per number in															
		E911 profile [New or Additional]			UEPEX	UEP1D	0.0698	11.54	11.54								
		Unbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward															
		Telephone Numbers - Inward Data Only Option [New or															
		Additional]			UEPDX	UEP1E	0.00	0.49	0.49								
		Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPEX	PR7ZT	0.00	23.07	23.07								
	1.004	Inward Tel Numbers [Customer Testing Purposes]  L NUMBER PORTABILITY	-	-	UEPEX	PR/ZI	0.00	23.07	23.07			-			-		
	LUCA	Local Number Portability (1 per port)			UEPEX UEPDX	LNPCN	1.75					1			1		
	INTER	FACE (Provsioning Only)			OLI LX OLI DX	LIVI CIV	1.75										
	1	Voice/Data			UEPEX	PR71V	0.00	0.00	0.00								
		Digital Data			UEPEX	PR71D	0.00	0.00	0.00								
		Inward Data			UEPDX	PR71E	0.00	0.00	0.00		<u> </u>						
	New o	r Additional Channel			·												
		New or Additional - Voice/Data "B" Channel			UEPEX	PR7BV	0.00	14.56									
		New or Additional - Digital Data "B" Channel	ļ		UEPEX	PR7BF	0.00	14.56		1			ļ		1	ļ	
<u> </u>	_	New or Additional Inward Data "B" Channel			UEPDX	PR7BD	0.00	14.56		ļ		1					
-	_	New or Additional Useage Sensitive Voice Data "B" Channel	-		UEPEX UEPEX	PR7BS PR7BU	0.00			1		-			<del>                                     </del>	-	
<del> </del>	-	New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel	1		UEPEX UEPEX	PR7BU PR7EX	0.00	14.56		1		-	-		<del>                                     </del>	-	
$\vdash$	CALL	TYPES	<del>                                     </del>		OLFLA	I N/LA	0.00	14.00		1	1	<b>H</b>			t	<del>                                     </del>	
<u> </u>	OALL	Inward	<del>                                     </del>		UEPEX UEPDX	PR7C1	0.00	0.00	0.00	+			<b> </b>		<del>                                     </del>	<b> </b>	
	1	Outward	t		UEPEX	PR7CO	0.00	0.00	0.00	1		t			<b>†</b>	1	1
		Two-way	1		UEPEX	PR7CC	0.00	0.00	0.00		İ				1	İ	
	UNBU	NDLED PORT with REMOTE CALL FORWARDING CAPABILITY	<u> </u>														
	UNBU	NDLED REMOTE CALL FORWARDING SERVICE - RESIDENCE															
		Unbundled Remote Call Forwarding Service, Area Calling, Res			UEPVR	UERAC	1.65	2.38	2.28	1.42	1.33						

UNBUN	DLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
	ī	, — — — — — — — — — — — — — — — — —										Svc Order	Svc Order	Incremental	Incremental	Incremental	
													Submitted		Charge -	Charge -	Charge -
			Intori									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. 2011	po. 20.1	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
L																D130 131	Disc Add I
							Rec	Nonrec		Nonrecurring					Rates (\$)		
<u> </u>								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
$\vdash$		Unbundled Remote Call Forwarding Service, Local Calling - Res			UEPVR	UERLC	1.65	2.38	2.28	1.42	1.33						
<b></b>		Unbundled Remote Call Forwarding Service, InterLATA - Res			UEPVR	UERTE	1.65	2.38	2.28	1.42	1.33						
<del></del>		Unbundled Remote Call Forwarding Service, IntraLATA - Res			UEPVR	UERTR	1.65	2.38	2.28	1.42	1.33						
No		curring															
		Unbundled Remote Call Forwarding Service - Conversion -															
		Switch-as-is		-	UEPVR	USAC2		0.10	0.10								1
		Unbundled Remote Call Forwarding Service - Conversion with			LIED) (D			0.40	0.40								
<del></del>		allowed change (PIC and LPIC)			UEPVR	USACC		0.10	0.10								
UI	ARON	DLED REMOTE CALL FORWARDING - Bus	-	├		<del>                                     </del>				<del> </del>	<del> </del>	<del> </del>	<del>                                     </del>	<del> </del>	<del> </del>		ļ
		Liphundled Remote Cell Forwarding Condes Area Calling Res		1	LIEDVB	UERAC	1.65	2.20	2.28	1 40	1 22						
$\vdash \vdash$		Unbundled Remote Call Forwarding Service, Area Calling - Bus	-	+	UEPVB	UERAC	1.65	2.38	2.28	1.42	1.33	1	-				1
		Habundled Remote Cell Fernerding Coning Land Celling B			UEPVB	UERLC	4.05	2.38	0.00	4.40	4.00						
$\vdash \vdash$		Unbundled Remote Call Forwarding Service, Local Calling - Bus	-	-			1.65 1.65		2.28	1.42	1.33		1	<b> </b>	<b> </b>		1
$\vdash$		Unbundled Remote Call Forwarding Service, InterLATA - Bus		-	UEPVB	UERTE		2.38 2.38	2.28		1.33						-
$\vdash \vdash$		Unbundled Remote Call Forwarding Service, IntraLATA - Bus Unbundled Remote Call Forwarding Service Expanded and	<b>-</b>	+	UEPVB	UERTR	1.65	2.38	2.28	1.42	1.33	+	-			-	1
		Exception Local Calling			UEPVB	UERVJ	1.65	2.38	2.28	1.42	1.33						
N.		curring			UEFVB	UERVJ	1.00	2.30	2.20	1.42	1.33	+	-				1
INC		Unbundled Remote Call Forwarding Service - Conversion -										+	-				1
		Switch-as-is			UEPVB	USAC2		0.10	0.10								
-		Unbundled Remote Call Forwarding Service - Conversion with			OLF VD	USACZ		0.10	0.10			1	1				
		allowed change (PIC and LPIC)			UEPVB	USACC		0.10	0.10								
LINBLIND		OCAL SWITCHING, PORT USAGE			OLI VD	OOACC		0.10	0.10			+					
		ice Switching (Port Usage)					1					+	<b>-</b>				
		End Office Switching Function, Per MOU				1	0.0010519			1			1				
		End Office Trunk Port - Shared, Per MOU				1	0.0002136			1			1				
T:		n Switching (Port Usage) (Local or Access Tandem)					0.0002.00										
		Tandem Switching Function Per MOU					0.0001634										
		Tandem Trunk Port - Shared, Per MOU					0.0002863					1					1
		Tandem Switching Function Per MOU (Melded)					0.00004951										
		Tandem Trunk Port - Shared, Per MOU (Melded)					0.000086749						İ				
		Melded Factor: 30.30% of the Tandem Rate											İ				
C,		on Transport															
		Common Transport - Per Mile, Per MOU					0.0000045						İ				
		Common Transport - Facilities Termination Per MOU				1	0.0004095			1	ĺ			ĺ	ĺ		1
UNBUNDI		ORT/LOOP COMBINATIONS - COST BASED RATES				1											
Co	ost Ba	sed Rates are applied where BellSouth is required by FCC ar															
		s shall apply to the Unbundled Port/Loop Combination - Cos															
Er	nd Off	ice and Tandem Switching Usage and Common Transport Us	sage rat	es in th	ne Port section of th	is rate exhib	it shall apply to	all combination	ons of loop/po	ort network elei	ments except	for UNE Coi					
		t and additional Port nonrecurring charges apply to Not Curr	ently C	ombine	ed Combos. For Cur	rently Comb	ined Combos th	ne nonrecurrin	g charges sha	III be those ide	ntified in the N	Nonrecurring	g - Currently	Combined se	ections.		
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES)															
UI		rt/Loop Combination Rates															
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
		2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
		2-Wire VG Loop/Port Combo - Zone 3		3		ļ	27.17										
UI		op Rates		<u> </u>													
$\perp \perp$		2-Wire Voice Grade Loop (SL1) - Zone 1			UEPRX	UEPLX	13.76										ļ
oxdot		2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPRX	UEPLX	20.38			ļ		1		ļ	ļ		ļ
$\vdash \!$		2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPRX	UEPLX	26.04			ļ		1					1
2-		Voice Grade Line Port Rates (Res)		<b> </b>		<u> </u>	<b>_</b>			<u> </u>		1					1
1 1		2-Wire voice unbundled port - residence		<b> </b>	UEPRX	UEPRL	1.13	40.30	19.90		6.65						1
-		2-Wire voice unbundled port with Caller ID - res		L	UEPRX	UEPRC	1.13	40.30	19.90	24.98	6.65						
		2 Mire voice unbundled port outgoing only rec	1	1	UEPRX	UEPRO	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port outgoing only - res		_									1				1
		2-Wire voice Grade unbundled South Carolina extended local									_						
		2-Wire voice Grade unbundled South Carolina extended local dialing parity port with Caller ID - res			UEPRX	UEPAU	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice Grade unbundled South Carolina extended local			UEPRX UEPRX	UEPAU UEPAJ	1.13	40.30 40.30	19.90 19.90	24.98	6.65						

UNBL	JNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	
													Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATE	GORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
	1					+		Nonrec	rurring	Nonrecurring	Disconnect			088	Rates (\$)		
	+					+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire voice unbundles res, low usage line port with Caller ID						11130	Addi	11130	Addi	COMEO	OOMAN	COMPAR	COMPAR	COMPAR	COMPAR
		(LUM)			UEPRX	UEPAP	1.13	37.93	16.72								
	1	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
		without Caller ID			UEPRX	UEPWL	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled South Carolina Area Calling Port															
		without Caller ID Capability			UEPRX	UEPRS	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled Low Usage Line Port without Caller ID															
	FEATU	Capability			UEPRX	UEPRT	1.13	40.30	19.90	24.98	6.65						
	FEATU			-	LIEDDY	LIEDVE	2.04	0.00	0.00			1					<del> </del>
		All Features Offered  NUMBER PORTABILITY		-	UEPRX	UEPVF	3.04	0.00	0.00			1	-				<del> </del>
<del>                                     </del>	LOCAL	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35					<del>                                     </del>	<b>H</b>	<del>                                     </del>	<b>l</b>		<del></del>
	NONRE	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLI IXX	LIVIOA	0.33					<b> </b>					<del>                                     </del>
		2-Wire Voice Grade Loop / Line Port Combination - Conversion -				1						<b> </b>	<del>                                     </del>				<b>†</b>
		Switch-as-is			UEPRX	USAC2		0.10	0.10								
	1	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
		Switch with change			UEPRX	USACC		0.10	0.10								
	ADDIT	ONAL NRCs															
		2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
		Activity			UEPRX	USAS2	0.00	0.00	0.00								
		Unbundled Miscellaneous Rate Element, Tag Loop at End User															
		Premise			UEPRX	URETL		8.33	0.83								
	OFF/O	N PREMISES EXTENSION CHANNELS			LIEBBY		1101	22.22	47.00	00.50	= 00						
-	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPRX	UEAEN	14.94	37.92	17.62	23.56	5.32						
-	+	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX UEPRX	UEAEN UEAEN	21.39 26.72	37.92 37.92	17.62 17.62	23.56 23.56	5.32 5.32	-	-				-
	+	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.68	105.98	68.43	53.05	10.61	1	1				-
	+	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	23.13	105.98	68.43	53.05	10.61						
	+	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.46	105.98	68.43	53.05	10.61		<b>-</b>				<del>                                     </del>
	INTER	OFFICE TRANSPORT		Ť	02.700	02,423	20.10	100.00	00.10	00.00	10.01	1					
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
		Termination			UEPRX	U1TV2	24.30	40.63	27.47	16.77	6.91						
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
		or Fraction Mile			UEPRX	U1TVM	0.0167	0.00	0.00								
		VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	UNE P	ort/Loop Combination Rates															ļ
		2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	1	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										ļ
	LINE !	2-Wire VG Loop/Port Combo - Zone 3		3		+	27.17					<u> </u>	-	-			
<del></del>	UNE LO	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	13.76					1	-	-	1		├──
<b>—</b>	+	2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	20.38					<del>                                     </del>	<b>H</b>	<del>                                     </del>	<b>l</b>		<del>                                     </del>
	<del>                                     </del>	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	26.04					<b> </b>	<del>                                     </del>				<del>                                     </del>
	2-Wire	Voice Grade Line Port (Bus)		Ť			20.04										
	1	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.13	40.30	19.90	24.98	6.65	1		İ			<b>†</b>
		2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.13	40.30	19.90	24.98	6.65						
		2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.13	40.30	19.90	24.98	6.65						
l	1	2-Wire voice Grade unbundled South Carolina extended local															
		dialing parity port with Caller ID - bus			UEPBX	UEPAZ	1.13	40.30	19.90	24.98	6.65	ļ					
	1	2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX	UEPB1	1.13	40.30	19.90	24.98	6.65	ļ					ļ
		2-Wire voice unbundled South Carolina Bus Area Calling Port			LIEDDY	LIEDAS		40.00	10.00	04.00	0.0-						
	+	with Caller ID (LMB)			UEPBX	UEPAB	1.13	40.30	19.90	24.98	6.65	<u> </u>		-			
	1	2-Wire Voice Unbundled South Carolina Business Dialing Plan without Caller ID			UEPBX	UEPWM	1.13	40.30	19.90	24.98	6.65						
	+	2-Wire voice unbundled South Carolina Business Area Calling			OLFDA	OLF VVIVI	1.13	40.30	19.90	24.98	0.00	1	<del>                                     </del>	<del> </del>	<b> </b>		-
l	1	Port without Caller ID Capability			UEPBX	UEPBB	1.13	40.30	19.90	24.98	6.65						
<b>—</b>	<del>                                     </del>	2-Wire voice unbundled Incoming Only Port without Caller ID			OLI DA	JE1 DD	1.13	40.30	13.30	24.30	0.00	<b> </b>	<del>                                     </del>				<del>                                     </del>
	1	Capability			UEPBX	UEPBE	1.13	40.30	19.90	24.98	6.65						
	LOCAL	NUMBER PORTABILITY					0			00	5.00	1		i			

ONRONDE	ED NETWORK ELEMENTS - South Carolina			T										ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
				LIEBBY .	LUBOY		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
FF 4 T	Local Number Portability (1 per port)		-	UEPBX	LNPCX	0.35										
FEAT	URES			UEPBX	UEPVF	3.04	0.00	0.00			-					<del> </del>
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPBX	UEPVF	3.04	0.00	0.00			-					<del> </del>
NON	2-Wire Voice Grade Loop / Line Port Combination - Conversion -		-		+											<b>-</b>
	Switch-as-is			UEPBX	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	00/102		0.10	0.10								
	Switch with change			UEPBX	USACC		0.10	0.10								
ADDI	TIONAL NRCs								1						İ	
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity			UEPBX	USAS2		0.00	0.00								
ĺ	Unbundled Miscellaneous Rate Element, Tag Loop at End User					İ										
	Premise			UEPBX	URETL		8.33	0.83								
OFF/0	ON PREMISES EXTENSION CHANNELS															
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	14.94	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	21.39	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	26.72	37.92	17.62	23.56	5.32						
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPBX	UEAED	16.68	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	23.13	105.98	68.43	53.05	10.61						
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPBX	UEAED	28.46	105.98	68.43	53.05	10.61						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						40.00									
	Termination			UEPBX	U1TV2	24.30	40.63	27.47	16.77	6.91						ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile			LIEDDY	11477.04	0.0407	0.00	0.00								
0 14/15	or Fraction Mile RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX)			UEPBX	U1TVM	0.0167	0.00	0.00			-					
	Port/Loop Combination Rates				+											
ONL	2-Wire VG Loop/Port Combo - Zone 1		1			14.89			<del>                                     </del>							1
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52			<del>                                     </del>							1
	2-Wire VG Loop/Port Combo - Zone 3		3		+	27.17										-
UNF	Loop Rates				+	21.11										<b>†</b>
O.V.E.	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	20.38									İ	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPRG	UEPLX	26.04									İ	
2-Wir	e Voice Grade Line Port Rates (RES - PBX)															
	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -															
	Res			UEPRG	UEPRD	1.13	69.26	32.50	37.53	6.22						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPRG	LNPCP	3.15	0.00	0.00								
FEAT	URES							•		•						
	All Features Offered			UEPRG	UEPVF	3.04	0.00	0.00								
NONE	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED															ļ
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			l	1											
	Conversion - Switch-As-Is			UEPRG	USAC2		7.93	1.91						ļ		<b></b>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPRG	USACC		7.93	1.91						<b> </b>	ļ	<del> </del>
ADDI	TIONAL NRCs		-		+									<b> </b>	1	<del> </del>
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -			UEPRG	USAS2	0.00	0.00	0.00								
<b></b>	Subsequent Activity  Change/Pearrange Multiline Hunt	<b>-</b>	-	ULPRU	USASZ	0.00	0.00	0.00	<del>                                     </del>		-			-	1	<del> </del>
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						7.34	7.34								
<del>                                     </del>	Unbundled Miscellaneous Rate Element, Tag Loop at End User				+		1.34	1.34	<del>                                     </del>					-	1	<del>                                     </del>
	Premise			UEPRG	URETL		8.33	0.83			1			1		
OFF/	ON PREMISES EXTENSION CHANNELS			OLI INO	OINETE		0.33	0.03	<del>                                     </del>					<del> </del>	1	<del>                                     </del>
0,17	Local Channel Voice grade, per termination		1	UEPRG	P2JHX	16.68	105.98	68.43	53.05	10.61					<b>†</b>	<b>†</b>
<del>                                     </del>	Local Channel Voice grade, per termination		2	UEPRG	P2JHX	23.13	105.98	68.43	53.05	10.61	<b>-</b>			1	1	<del>                                     </del>
	Local Channel Voice grade, per termination		3	UEPRG	P2JHX	28.46	105.98	68.43	53.05	10.61						
	Non-Wire Direct Serve Channel Voice Grade		1	UEPRG	SDD2X	17.74	131.88	62.06	90.70	13.42						
	Non-Wire Direct Serve Channel Voice Grade		2	UEPRG	SDD2X	25.16	65.94	31.03	45.35	6.71					t	<del>                                     </del>

UNBUNDL	.ED NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	L	1
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Non-Wire Direct Serve Channel Voice Grade		3	UEPRG	SDD2X	29.58	65.94	31.03	45.35	6.71						
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRG	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPRG	U1TVM	0.0167	0.00	0.00								
2-W	RE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
UNE	Port/Loop Combination Rates															
	2-Wire VG Loop/Port Combo - Zone 1		1			14.89										
	2-Wire VG Loop/Port Combo - Zone 2		2			21.52										
	2-Wire VG Loop/Port Combo - Zone 3		3			27.17										
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPPX	UEPLX	13.76										
	2-Wire Voice Grade Loop (SL 1) - Zone 2	ļ	2	UEPPX	UEPLX	20.38			ļ		ļ		ļ	ļ	1	
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEPPX	UEPLX	26.04										
2-W	re Voice Grade Line Port Rates (BUS - PBX)	ļ	ļ		+				ļ		1	-	ļ	ļ	-	
	Live Oide Hele and Italian Combined to A Man PRIVITATION Provides the Residence of the Combined to the Combine			LIEDDY	LIEDDO	4.40	00.00	00.50	07.50	0.00						
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPPX	UEPPC	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPPX	UEPPO	1.13	69.26	32.50	37.53	6.22						
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPPX	UEPP1	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled PBX LD Terminal Ports		-	UEPPX	UEPLD	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port 2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPPX UEPPX	UEPXA UEPXB	1.13 1.13	69.26 69.26	32.50 32.50	37.53 37.53	6.22 6.22	-					
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPPX	UEPXC	1.13	69.26	32.50	37.53	6.22	-	-				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPPX	UEPXD	1.13	69.26	32.50	37.53	6.22	1	1			-	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD			UEPPA	UEPAD	1.13	09.20	32.50	37.33	0.22	1	1			1	1
	Capable Port  2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy			UEPPX	UEPXE	1.13	69.26	32.50	37.53	6.22						
	Administrative Calling Port			UEPPX	UEPXL	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPPX	UEPXM	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPPX	UEPXO	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPPX	UEPXS	1.13	69.26	32.50	37.53	6.22						
	2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus Calling Port			UEPPX	UEPXT	1.13	69.26	32.50	37.53	6.22						
LOC	AL NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPPX	LNPCP	3.15	0.00	0.00								
FEA	TURES			UEDDV		2.24										
1101	All Features Offered		-	UEPPX	UEPVF	3.04	0.00	0.00								
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED  2-Wire Voice Grade Loop/ Line Port Combination (PBX) -	<b>!</b>	+		+				<del>                                     </del>		1	-			<del>                                     </del>	-
	Conversion - Switch-As-Is			UEPPX	USAC2		7.93	1.91								
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Conversion - Switch with Change			UEPPX	USACC		7.93	1.91								
ADD	ITIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) - Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00								
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt			UEPPA	U3A32	0.00										
	Group Unbundled Miscellaneous Rate Element, Tag Loop at End User			LIEDDY	LIDET		7.34	7.34								
055	Premise /ON PREMISES EXTENSION CHANNELS	<del>                                     </del>	-	UEPPX	URETL		8.33	0.83			<del>                                     </del>	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	ļ
UFF	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.68	105.98	68.43	53.05	10.61	<u> </u>				<del>                                     </del>	<b>+</b>
	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination			UEPPX	P2JHX P2JHX	23.13	105.98	68.43	53.05	10.61	<b> </b>				<del>                                     </del>	
-	Local Channel Voice grade, per termination  Local Channel Voice grade, per termination	<del>                                     </del>	3	UEPPX	P2JHX P2JHX	28.46	105.98	68.43	53.05	10.61	<u> </u>		<del> </del>	<del> </del>	<del>                                     </del>	
	Non-Wire Direct Serve Channel Voice Grade	<b> </b>	1	UEPPX	SDD2X	17.74	131.88	62.06	90.70	13.42		<b>-</b>	<b> </b>	<b> </b>	t	<del>                                     </del>
-+	Non-Wire Direct Serve Channel Voice Grade	l	2	UEPPX	SDD2X	25.16	65.94	31.03	45.35	6.71	<b> </b>	<del>                                     </del>			<b>I</b>	1
ı	Non-Wire Direct Serve Channel Voice Grade			UEPPX	SDD2X	29.58	65.94	31.03	45.35	6.71	+	+	-		<del>                                     </del>	<del>                                     </del>

UNBUNDLE	ED NETWORK ELEMENTS - South Carolina													ment: 2	1	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	curring	Nonrecurring	g Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
INTER	ROFFICE TRANSPORT															Ī
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	U1TV2	24.30	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPPX	U1TVM	0.0167	0.00	0.00								
2.WID	E VOICE GRADE LOOP WITH 2-WIRE ANALOG LINE COIN POR	DT.		ULFFX	OTTVIVI	0.0107	0.00	0.00								
	Port/Loop Combination Rates	1	-		+						ł			-	-	<del></del>
UNE		-	1		+	14.89					ł			-	-	<del></del>
	2-Wire VG Coin Port/Loop Combo – Zone 1	-														
	2-Wire VG Coin Port/Loop Combo – Zone 2	-	2			21.52										
	2-Wire VG Coin Port/Loop Combo – Zone 3	-	3			27.17										
UNE L	Loop Rates	<del>                                     </del>	4	LIEDCO	UEPLX	40.70			<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	13.76			<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
-+	2-Wire Voice Grade Loop (SL1) - Zone 2	ļ	2	UEPCO UEPCO	UEPLX	20.38 26.04			-		<u> </u>		-	-	-	<del></del>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	26.04										ļ
2-Wire	e Voice Grade Line Ports (COIN)	ļ			+				-		<u> </u>		-	-	-	<del></del>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (SC)			UEPCO	UEPSD	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking; with Dialing Parity (SC)			UEPCO	UEPSC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-Way with Operator Screening and: 900 Blocking:			021 00	021 00	1.10	40.00	10.00	24.00	0.00	<b>+</b>					-
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT 3YV (SC)			UEPCO	UEPCE	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin 2-W Operator Screen: 900 Block: 900/976, 1+DDD, 011+, Local; Enhanced Call OPT AP7 (SC)			UEPCO	UEPCF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward without Blocking and without Operator Screening (SC)			UEPCO	UEPSG	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and 011 Blocking (SC)			UEPCO	UEPSF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking: 011, 900/976, 1+DDD (SC)			UEPCO	UEPSJ	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward with Operator Screening and Blocking:															
	900/976, 1+DDD, 011+, and Local (SC)			UEPCO	UEPCM	1.13	40.30	19.90	24.98	6.65				1	ļ	<u> </u>
	2-Wire Coin Out Operator Screen & Block: 900/976, 1+DDD,	1			1				l	_				I	I	
	011+, Local; Enhanced Calling OPT 3YW (SC)	ļ		UEPCO	UEPCP	1.13	40.30	19.90	24.98	6.65	ļ			<b></b>	<b></b>	ļ
	2-Wire 2-Way Smartline with 900/976 (all states except LA)			UEPCO	UEPCK	1.13	40.30	19.90	24.98	6.65						
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)			UEPCO	UEPCR	1.13	40.30	19.90	24.98	6.65						
ADDIT	TIONAL UNE COIN PORT/LOOP (RC)															
	UNE Coin Port/Loop Combo Usage (Flat Rate)			UEPCO	URECU	4.05	0.00	0.00	0.00	0.00						
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPCO	LNPCX	0.35										
NONR	ECURRING CHARGES - CURRENTLY COMBINED	ļ							ļ					ļ	L	ļ
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch-as-is			UEPCO	USAC2		0.10	0.10								
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPCO	USACC		0.10	0.10								
ADDIT	FIONAL NRCs	Ì									Ì					1
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent Activity			UEPCO	USAS2		0.00	0.00								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPCO	URETL		8.33	0.83							İ	
2-WIR	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE F	ORT (		UNLIL		0.33	0.63	+					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Port/Loop Combination Rates	<u>_</u>		-,					†	İ			i	1	1	
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		-		_	18.00			t	<b> </b>	t		<b> </b>	1	1	

ONRONDLE	D NETWORK ELEMENTS - South Carolina										T -	T -		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	ļ	2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3			29.78										ļ
UNE Lo	oop Rates		_	LIEDED	LIEGEO	40.00										ļ
	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFR UEPFR	UECF2 UECF2	16.68										-
	2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3	-	2	UEPFR	UECF2	23.13 28.46			-						-	-
2-Wiro	Voice Grade Line Port Rates (Res)	-	3	UEPFR	UECF2	28.46									-	<b>-</b>
	2-Wire voice unbundled port - residence	1		UEPFR	UEPRL	1.32	108.36	70.71	1.42	1.33					-	+
	2-Wire voice unbundled port vith Caller ID - res	1		UEPFR	UEPRC	1.32	108.36	70.71	1.42	1.33					-	+
	2-Wire voice unbundled port with Carlet 15 - 163  2-Wire voice unbundled port outgoing only - res		-	UEPFR	UEPRO	1.32	108.36	70.71	1.42	1.33				1		-
	2-Wire voice Grade unbundled South Carolina extended local			OLITIK	OLI IKO	1.02	100.50	70.71	1.42	1.55						<del>                                     </del>
1	dialing parity port with Caller ID - res	1		UEPFR	UEPAU	1.32	108.36	70.71	1.42	1.33					I	
	2-Wire voice unbundled South Carolina Area Calling port with			OLITIK	OLI 710	1.02	100.00	70.71	1.42	1.00						
	Caller ID - res (LW8)			UEPFR	UEPAJ	1.32	108.36	70.71	1.42	1.33					1	
	2-Wire voice unbundles res, low usage line port with Caller ID					2			2	50				1	<u> </u>	
	(LUM)			UEPFR	UEPAP	1.32	108.36	70.71	1.42	1.33						
	2-Wire Voice Unbundled South Carolina Residence Dialing Plan															
	without Caller ID			UEPFR	UEPWL	1.32	108.36	70.71	1.42	1.33						
INTER	OFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility				1											
	Termination			UEPFR	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFR	1L5XX	0.0134										
FEATU																
	All Features Offered			UEPFR	UEPVF	3.04	0.00	0.00								
	NUMBER PORTABILITY	ļ														
	Local Number Portability (1 per port)			UEPFR	LNPCX	0.35										
NONRE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port						0.50									
	Combination - Conversion - Switch-as-is	-	-	UEPFR	USAC2		8.50	1.87								-
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-With-Change			UEPFR	USACC		0.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	-		UEPFR	USACC		8.50	1.87								<b>+</b>
	End User Premise			UEPFR	URETN		11.24	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	E I INE E	OPT (		UKLTN		11.24	1.10							-	-
	ort/Loop Combination Rates	L LINE I	I NO	l .	+									1		-
ONET	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		+	18.00										<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2		+	24.45										<del>                                     </del>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		1	29.78									<u> </u>	
	pop Rates		Ť		1				† †				İ	İ	1	
	2-Wire Voice Grade Loop (SL2) - Zone 1	1	1	UEPFB	UECF2	16.68					İ	İ	l	İ	1	
	2-Wire Voice Grade Loop (SL2) - Zone 2	l	2	UEPFB	UECF2	23.13								1		
	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFB	UECF2	28.46										
	Voice Grade Line Port (Bus)															
	2-Wire voice unbundled port without Caller ID - bus			UEPFB	UEPBL	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPFB	UEPBC	1.32	108.36	70.71	1.42	1.33						
	2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.32	108.36	70.71	1.42	1.33						
1 -	2-Wire voice Grade unbundled South Carolina extended local	1							ı 7						_	
	dialing parity port with Caller ID - bus			UEPFB	UEPAZ	1.32	108.36	70.71	1.42	1.33				ļ	L	
	2-Wire voice unbundled incoming only port with Caller ID - Bus	ļ		UEPFB	UEPB1	1.32	108.36	70.71	1.42	1.33					<b></b>	<b></b>
	2-Wire voice unbundled South Carolina Bus Area Calling Port						400.55	==							1	
	with Caller ID (LMB)	<b>!</b>		UEPFB	UEPAB	1.32	108.36	70.71	1.42	1.33					-	<del>                                     </del>
	2-Wire Voice Unbundled South Carolina Business Dialing Plan	1		LIEDED	LIEDVAGA	4.00	400.00	70 71		1.00					I	
	without Caller ID	<b> </b>	-	UEPFB	UEPWM	1.32	108.36	70.71	1.42	1.33			<b> </b>	<b>.</b>	<del>                                     </del>	<del> </del>
	NUMBER PORTABILITY	1	-	LIEDED	LNDCV	0.05			<del>                                     </del>				-	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Local Number Portability (1 per port)  OFFICE TRANSPORT	+	-	UEPFB	LNPCX	0.35					-	-			<del>                                     </del>	$\vdash$
			1	I	1 1				1	1	1	1	I	1	1	
INTER	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility						î									

JNBUNDLF	ED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			l l	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFB	1L5XX	0.0134										
FEAT	URES															
	All Features Offered			UEPFB	UEPVF	3.04	0.00	0.00								
NONR	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFB	USAC2		8.50	1.87								
Ì	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port				1											1
	Combination - Conversion - Switch with change			UEPFB	USACC		8.50	1.87								
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at															1
	End User Premise			UEPFB	URETN		11.24	1.10								
	E VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	PBX)	$\bot$											<u> </u>
UNE F	Port/Loop Combination Rates													L		ļ
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1		1 1	18.00			ļ					1	1	<b>↓</b>
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			24.45										
	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3		3		+	29.78			1				<b> </b>	-	-	<del>                                     </del>
UNE I	Loop Rates		4	LIEDED	LIEGEO	40.00					1					
-+	2-Wire Voice Grade Loop (SL2) - Zone 1			UEPFP	UECF2	16.68					ļ					
<del></del>	2-Wire Voice Grade Loop (SL2) - Zone 2			UEPFP	UECF2	23.13								1	-	
2 14/:-	2-Wire Voice Grade Loop (SL2) - Zone 3		3	UEPFP	UECF2	28.46			-		<b>.</b>			-	-	
Z-VVIFE	e Voice Grade Line Port Rates (BUS - PBX)				+						<b> </b>					<b>-</b>
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.32	137.32	83.31	67.02	11.51						
	Line Side Unbundled Outward PBX Trunk Port - Bus		-	UEPFP	UEPPO	1.32	137.32	83.31	67.02	11.51	1					1
	Line Side Unbundled Incoming PBX Trunk Port - Bus			UEPFP	UEPP1	1.32	137.32	83.31	67.02	11.51	1					1
	2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP	UEPLD	1.32	137.32	83.31	67.02	11.51	1					<b>-</b>
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.32	137.32	83.31	67.02	11.51	1					1
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.32	137.32	83.31	67.02	11.51	†			t	t	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.32	137.32	83.31	67.02	11.51	†			t	t	
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPFP	UEPXE	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPFP	UEPXL	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPFP	UEPXM	1.32	137.32	83.31	67.02	11.51						
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital				Lussy									I	I	
-	Discount Room Calling Port			UEPFP	UEPXO	1.32	137.32	83.31	67.02	11.51			<b> </b>	-	-	<del>                                     </del>
-+-	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port 2-Wire Voice Unbundled 2-Way PBX South Carolina Area Plus		-	UEPFP	UEPXS	1.32	137.32	83.31	67.02	11.51	-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
[	Calling Port			UEPFP	UEPXT	1.32	137.32	83.31	67.02	11.51				<u> </u>		
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00								
INTER	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPFP	U1TV2	19.44	40.63	27.47	16.77	6.91						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile			UEPFP	1L5XX	0.0134										
FEAT	URES				Lues:				ļ					ļ	ļ	<del>                                     </del>
	All Features Offered		-	UEPFP	UEPVF	3.04	0.00	0.00			ļ		<b> </b>	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
NONR	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is			UEPFP	USAC2		8.50	1.87								
-+	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port			OLI III	JUNUZ		0.50	1.07	<del>                                     </del>					<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	Combination - Conversion - Switch with change Unbundled Miscellaneous Rate Element, Tag Designed Loop at			UEPFP	USACC		8.50	1.87			1					-
1	End User Premise			UEPFP	URETN		11.24	1.10								
INDLING: 55	PORT/LOOP COMBINATIONS - COST BASED RATES															

UNBUNDI	ED NETWORK ELEMENTS - South Carolina													Attach	ment: 2	Exhi	bit: A
011201121			1									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
		l										Elec	Manually		Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	В	cs	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m							- (1)			per LSK	per Lon	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
		1					_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		-
		1					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
UNE	Port/Loop Combination Rates																
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1				23.75										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2				30.20										
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3	1	3				35.52										
UNE	Loop Rates																
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1		1	UEPPX		UECD1	16.68										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2		2	UEPPX		UECD1	23.13										
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	UEPPX		UECD1	28.46										
UNE	Port Rate																
	Exchange Ports - 2-Wire DID Port			UEPPX		UEPD1	7.06	225.55	87.21	113.08	14.38						
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -	-					İ										
1 1	Switch-as-is			UEPPX		USAC1		7.32	1.87	I		1	1		I		1
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion	1	1											ĺ		ĺ	
	with BellSouth Allowable Changes			UEPPX		USA1C		7.32	1.87	1					1		1
ADD	ITIONAL NRCs																
	2-Wire DID Subsequent Activity - Add Trunks, Per Trunk			UEPPX		USAS1		26.84									
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	1														
	End User Premise			UEPPX		URETN		11.24	1.10								1
Tele	phone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								
	DID Numbers, Establish Trunk Group and Provide First Group																
	of 20 DID Numbers			UEPPX		NDZ	0.00	0.00	0.00								1
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00	0.00	0.00								
	DID Numbers, Non- consecutive DID Numbers, Per Number	1	1	UEPPX		ND5	0.00	0.00	0.00								
	Reserve Non-Consecutive DID numbers	1	1	UEPPX		ND6	0.00	0.00	0.00								
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00					Î			
LOC	AL NUMBER PORTABILITY													ĺ			
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00					ĺ			
2-W	RE ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LI	NE SIDE	E PORT														
UNE	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 1		1	UEPPB	UEPPR		30.86										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																
	UNE Zone 2		2	UEPPB	UEPPR		38.60										1
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port -																[
	UNE Zone 3		3	UEPPB	UEPPR		44.23										1
UNE	Loop Rates																
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	21.90										
																	1
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	29.64										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	35.27										
UNE	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	8.96	190.51	133.14	100.95	21.37						
NON	IRECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port	1		I						_					_		1
	Combination - Conversion	1		UEPPB	UEPPR	USACB	0.00	38.59	27.08	ļ				ļ	ļ	ļ	<b></b>
ADD	ITIONAL NRCs					1				ļ					ļ		<b></b>
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at									I		1	1		I		1
	End User Premise	1		UEPPB	UEPPR	URETN		11.24	1.10	ļ				ļ	ļ	ļ	<b></b>
	Unbundled Miscellaneous Rate Element, Tag Loop at End User			l		l				1					1		1
<u> </u>	Premise	1	ļ	UEPPB	UEPPR	URETL		8.33	0.83								<b></b>
Loc	AL NUMBER PORTABILITY	L	<u> </u>			Luna				<b></b>				ļ	<b></b>		<del></del>
<u> </u>	Local Number Portability (1 per port)	1	<u> </u>	UEPPB	UEPPR	LNPCX	0.35	0.00	0.00	ļ					ļ		<b></b>
B-CI	HANNEL USER PROFILE ACCESS:	L	<u> </u>							<b></b>				ļ	<b></b>		<del></del>
$\vdash$	CVS/CSD (DMS/5ESS)	<b>_</b>	<b>!</b>	UEPPB	UEPPR	U1UCA	0.00	0.00	0.00	ļ					<b>_</b>		<b></b>
$\vdash$	CVS (EWSD)	<b>_</b>	<b>!</b>	UEPPB	UEPPR	U1UCB	0.00	0.00	0.00	ļ					<b>_</b>		⊢——
<u> </u>	CSD	0.110		UEPPB	UEPPR	U1UCC	0.00	0.00	0.00	ļ					<b>_</b>		⊢——
B-Cl	HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S	C,MS, 8	i IN)	l		1				<u> </u>		L	L		1		

JNBUNDLE	ED NETWORK ELEMENTS - South Carolina												T -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	В	scs	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Rec	Nonre		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	CVS/CSD (DMS/5ESS)	ļ		UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
$\longrightarrow$	CVS (EWSD)	1		UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
HEED	CSD TERMINAL PROFILE	1		UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	User Terminal Profile (EWSD only)	1	-	UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES			OLFFB	ULFFR	OTOMA	0.00	0.00	0.00								
- VERTI	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	3.04	0.00	0.00								
INTER	ROFFICE CHANNEL MILEAGE			02.75	OLITI	02. 1.	0.01	0.00	0.00								
	Interoffice Channel mileage each, including first mile and					1											
	facilities termination			UEPPB	UEPPR	M1GNC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage each, additional mile		1			M1GNM	0.0167	0.00	0.00								
	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK																
	NE-P DS1 combination rates below for in this rate exhibit appl													nt.			
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Trunk P	ort afte	r the effec	ctive date o	of this amend	ment shall be	provided pursu	ant to a separ	ate agreement	or tariff at Bel	South's di	scretion.				
UNE P	Port/Loop Combination Rates																
l	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE					1											1
	Zone 1		1	UEPPP			176.82										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE						044.00										
	Zone 2		2	UEPPP			241.38										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			HEDDD			0.47.04										
UNIT	Zone 3	1	3	UEPPP		+	347.84						-				-
UNE L	_oop Rates	1	1	UEPPP		USL4P	90.87					-					
	4-Wire DS1 Digital Loop - UNE Zone 1	1	2	UEPPP		USL4P	155.43					-					
-+-	4-Wire DS1 Digital Loop - UNE Zone 3	<del>                                     </del>	3	UEPPP		USL4P	261.89					1				1	1
UNE F	Port Rate		3	OLFFF		USL4F	201.09										
ONLI	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	1	1	UEPPP		UEPPP	85.95	457.30	259.67	124.15	31.83						
NONR	ECURRING CHARGES - CURRENTLY COMBINED			02		02	00.00	107.00	200.01	12 11 10	01.00						
	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port					1											
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP		USACP	0.00	119.34	78.73								
ADDIT	TIONAL NRCs		1	Î													
	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-																
	Inward/two way Tel Nos. (except NC)			UEPPP		PR7TF		0.49	0.49								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -																
	Outward Tel Numbers (All States except NC)			UEPPP		PR7TO		11.54	11.54								
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -																
	Subsequent Inward Tel Numbers			UEPPP		PR7ZT		23.07	23.07								
LOCA	L NUMBER PORTABILITY	1	<u> </u>	LIEBBB		LNDCN	4										
	Local Number Portability (1 per port)	1	<u> </u>	UEPPP		LNPCN	1.75	0.00	0.00							<del>                                     </del>	
$\longrightarrow$	Voice/Data Digital Data	1	1	UEPPP		PR71V PR71D	0.00	0.00	0.00					-	-		<del> </del>
-+-	Inward Data	<del>                                     </del>	├	UEPPP		PR71E	0.00	0.00	0.00	_		<del>                                     </del>	-			<del> </del>	$\vdash$
New c	inward Data or Additional "B" Channel	+	<del>                                     </del>	JLPFF		I:IX/ IE	0.00	0.00	0.00	<del>                                     </del>		<b>—</b>				<del>                                     </del>	$\vdash$
IAGM O	New or Additional - Voice/Data B Channel	+	<del>                                     </del>	UEPPP		PR7BV	0.00	14.56		<del>                                     </del>		<b>—</b>				<del>                                     </del>	<del>                                     </del>
	New or Additional - Voice/Data B Channel	<del>                                     </del>	<del>                                     </del>	UEPPP		PR7BF	0.00	14.56		<del>                                     </del>		<b>-</b>				<b> </b>	<b> </b>
	New or Additional Inward Data B Channel	1	<b>†</b>	UEPPP		PR7BD	0.00	14.56									
CALL	TYPES		t —	1		1	5.50	50								İ	İ
	Inward	1	i –	UEPPP		PR7C1	0.00	0.00	0.00								
	Outward	1		UEPPP		PR7CO	0.00	0.00	0.00							1	1
	Two-way			UEPPP		PR7CC	0.00	0.00	0.00								
- To .	ffice Channel Mileage																
Intero	let te transcentation			UEPPP		1LN1A	77.4815	89.47	81.99	16.39	14.48						
Intero	Fixed Each Including First Mile					141.5145	0.3415	1								1	
	Each Airline-Fractional Additional Mile			UEPPP		1LN1B	0.3415										
4-WIR	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT																
4-WIR	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	embe	dded base	in place a	ıs of 10/2/03 ı	ıntil 4/1/04. Af	ter 4/1/04 these	rates shall rev	vert to tariff rate	es or a separa	te commerc	ial agreeme	nt.			
4-WIR The U	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl sets for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff	ly to the	embed	dded base	in place a	ıs of 10/2/03 ı	ıntil 4/1/04. Af	ter 4/1/04 these a separate agre	e rates shall reveement or tariff	vert to tariff rate f at BellSouth's	es or a separa discretion.	te commerc	ial agreeme	nt.			
4-WIR The U	Each Airline-Fractional Additional Mile E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT NE-P DS1 combination rates below for in this rate exhibit appl	ly to the	ember	dded base	in place a	ıs of 10/2/03 ı	ıntil 4/1/04. Af	ter 4/1/04 these a separate agre	e rates shall reveement or tariff	vert to tariff rate f at BellSouth's	es or a separa discretion.	te commerc	ial agreeme	nt.			

ONRONDLE	NETWORK ELEMENTS - South Carolina			ı	, ,						Т-	T -		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Submitted	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge - Manual S Order vs Electronic Disc Add
						Rec	Nonre	curring	Nonrecurring	g Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3		3	UEPDC		320.78										
UNE Lo	op Rates														Î	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	90.87									Î	
	4-Wire DS1 Digital Loop - UNE Zone 2		2	UEPDC	USLDC	155.43										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	261.89									Î	
UNE Po	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	58.90	455.50	253.79	117.55	14.20						
NONRE	CURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination															
	- Switch-as-is (E:4/1/2004)			UEPDC	USAC4		129.78	67.17								
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	1							İ		1			İ	İ	
	- Conversion with DS1 Changes (E:4/1/2004)	1		UEPDC	USAWA		129.78	67.17	I			1		I		1
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination							****								
	- Conversion with Change - Trunk (E:4/1/2004)	1		UEPDC	USAWB		129.78	67.17	I			1		I		1
ADDITI	ONAL NRCs	l -	<del>                                     </del>		- 5, 5		.20.70	3,	<b>-</b>		1	l		<del>                                     </del>	<b> </b>	<b> </b>
ABBITT	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -				+ +						1	1				<del>                                     </del>
	Subsequent Channel Activation/Chan - 2-Way Trunk	1		UEPDC	UDTTA		14.51	14.51	I			1		I		1
-	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		14.51	14.51			<b>+</b>					<del>                                     </del>
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		14.51	14.51								
_	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel	-	-	OLFDC	ODITE		14.51	14.51			<b>-</b>	-		-		<del> </del>
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan	-	-	UEPDC	UDITIC		14.51	14.51			<b>-</b>	-		-		<del> </del>
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		14.51	14.51								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan		-	UEPDC	טווטט		14.51	14.51			-					<del>                                     </del>
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		14.51	14.51								
	ACTIVATION / Chan - 2-Way DID w Oser Trans		-	UEPDC	UDITE		14.51	14.51			-					<del>                                     </del>
			-	LIEDDO	CCOSF		0.00:	COE 00-			-					<del>                                     </del>
	B8ZS - Superframe Format B8ZS - Extended Superframe Format		-	UEPDC UEPDC	CCOSF		0.00i	605.00s			-					<del>                                     </del>
		-	-	UEPDC	CCOEF		0.00i	605.00s								<b>├</b>
	te Mark Inversion															<b></b>
	AMI -Superframe Format	-	-	UEPDC UEPDC	MCOSF		0.00	0.00								<b>├</b>
	AMI - Extended SuperFrame Format		-	UEPDC	MCOPO		0.00	0.00			-					<del>                                     </del>
	one Number/Trunk Group Establisment Charges	-	-	LIEDDO	LIDTOY	0.00										<b>├</b>
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00										<b></b>
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00										<b></b>
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00										<b>├</b>
	DID Numbers, Establish Trunk Group and Provide First Group															
	of 20 DID Numbers			UEPDC	NDZ	0.00	0.00	0.00								
	DID Numbers for each Group of 20 DID Numbers	ļ		UEPDC	ND4	0.00			<b></b>		<b>_</b>			<b></b>		<u> </u>
	DID Numbers, Non- consecutive DID Numbers , Per Number	<u> </u>		UEPDC	ND5	0.00	0.00	0.00	ļ		ļ			<b></b>		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00	0.00	0.00								<u> </u>
	Reserve DID Numbers	<u> </u>	<u> </u>	UEPDC	NDV	0.00	0.00	0.00	<b></b>					<b></b>	ļ	<u> </u>
Dedicat	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digital	Loop	with 4-Wire DDITS	Trunk Port				<b></b>					<b></b>	ļ	<u> </u>
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities	1	1					1	I	1		1		I	l	1
	Termination)			UEPDC	1LNO1	77.14	89.47	81.99	16.39	14.48						
		l						l		l		l				
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles	<u> </u>	<u></u>	UEPDC	1LNOA	0.3415	0.00	0.00		<u></u>	<u> </u>					<u> </u>
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities	l														
	Termination)	<u> </u>		UEPDC	1LNO2	0.00	0.00	0.00		<u></u>	<u> </u>					<u></u>
	Interoffice Channel Mileage - Additional rate per mile - 9-25															1
	miles	1	1	UEPDC	1LNOB	0.3415	0.00	0.00	I	1		1		I	l	1
	Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities															
	Termination)	1		UEPDC	1LNO3	0.00	0.00	0.00	I			1		I		1
	·															
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles	1		UEPDC	1LNOC	0.3415	0.00	0.00	I			1		I		1
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15	0.00	0.00							ĺ	
	Central Office Termininating Point	i	İ	UEPDC	CTG	0.00			İ		İ	l				
	DS1 LOOP WITH CHANNELIZATION WITH PORT				1						1				ĺ	
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations			1			İ		İ	İ	İ			İ	
	ystem can have up to 24 combinations of rates depending on			<del> </del>	+ +			<b>-</b>	1	<b>!</b>	+					

UNBUN	IDLE	NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
		, —————————————————————————————————	1									Svc Order	Svc Order	Incremental		Incremental	Incremental
						1						Submitted	Submitted		Charge -	Charge -	Charge -
			Intor:			1						Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGO	DRY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			_ m			1								Electronic-	Electronic-	Electronic-	Electronic-
						1								1st	Add'l	Disc 1st	Disc Add'l
<u> </u>						1											
$\vdash$							Rec		curring	Nonrecurring					Rates (\$)		
<del></del>			<u>.                                    </u>					First	Add'l	First	Add'l		SOMAN		SOMAN	SOMAN	SOMAN
		E-P DS1 combination rates below for 4-Wire DS1 Loop with (											shall revert	to tariff rates	or a separate	agreement.	
		ts for 4-Wire DS1 Loop with Channelization with Port after th	e effect	ive dat	e of this amendmen	it shall be pro	vided pursuan	it to a separate	agreement or	tariff at BellSo	uth's discretion	on.					
U	INE DE	61 Loop 4-Wire DS1 Loop - UNE Zone 1	ļ	1	UEPMG	USLDC	90.87	0.00	0.00								
+		4-Wire DS1 Loop - UNE Zone 1	-	2	UEPMG	USLDC	155.43	0.00	0.00			-					
$\vdash$		4-Wire DS1 Loop - UNE Zone 2	<u> </u>	3	UEPMG	USLDC	261.89		0.00			1					
H 10	INE DS	60 Channelization Capacities (D4 Channel Bank Configuratio	ne)	3	OLFIVIG	USLDC	201.09	0.00	0.00						1		
		24 DSO Channel Capacity - 1 per DS1	1		UEPMG	VUM24	82.78	0.00	0.00			1					
$\vdash$		48 DSO Channel Capacity - 1 per 2 DS1s	1		UEPMG	VUM48	165.56	0.00	0.00			1					
		96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	331.12		0.00								
		144 DS0 Channel Capacity - 1 per 6 DS1s	1		UEPMG	VUM14	496.68	0.00	0.00								
		192 DS0 Channel Capacity -1 per 8 DS1s			UEPMG	VUM19	662.24	0.00	0.00						1		
		240 DS0 Channel Capacity - 1 per 10 DS1s	Ì		UEPMG	VUM2O	827.80	0.00	0.00								
		288 DS0 Channel Capacity - 1 per 12 DS1s			UEPMG	VUM28	993.36	0.00	0.00						1		
		384 DS0 Channel Capacity - 1 per 16 DS1s			UEPMG	VUM38	1,324.48	0.00	0.00								
		480 DS0 Channel Capacity - 1 per 20 DS1s			UEPMG	VUM4O	1,655.60	0.00	0.00								
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	1,986.72	0.00	0.00								
$\sqcup \sqcup \bot$		672 DS0 Channel Capacity - 1 per 28 DS1s			UEPMG	VUM67	2,317.84		0.00								
		curring Charges (NRC) Associated with 4-Wire DS1 Loop wit						/stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
M	/lultiple	es of this configuration functioning as one are considered A	dd'l afte	r the m	inimum system cor	nfiguration is	counted.										
		NRC - Conversion (Currently Combined) with or without															
		BellSouth Allowed Changes		L	UEPMG	USAC4	0.00	150.81	8.38								
		Additions at End User Locations Where 4-Wire DS1 Loop wi				ination Curre	ntly Exists and	d									
N	vew (No	ot Currently Combined) in all states, except in Density Zone 1	l of lop	8 IVISA	i'S	+		-									
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	717.71	425.81	149.08	17.69						
B	Rinolar	8 Zero Substitution	<u> </u>		UEFIVIG	VUIVID4	0.00	/1/./1	423.01	149.06	17.09	1					
	протаг	Clear Channel Capability Format, superframe - Subsequent	<u> </u>			+		1				1					
		Activity Only			UEPMG	CCOSF	0.00	0.00i	605.00s								
		Clear Channel Capability Format - Extended Superframe -	1		OLI WO	00001	0.00	0.001	000.003			1					
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	605.00s								
А	Alterna	te Mark Inversion (AMI)	1		021 1110	0002.	0.00	0.00.	000.000								
		Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format			UEPMG	MCOPO	0.00	0.00	0.00								
E	xchan	ge Ports Associated with 4-Wire DS1 Loop with Channelizati	on with	Port											1		
		ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business															
		(E:4/1/2004)	<u> </u>		UEPPX	UEPCX	1.13	0.00	0.00	0.00	0.00					<u></u>	
		Line Side Outward Channelized PBX Trunk Port - Business															
$\perp \perp$		(E:4/1/2004)	ļ		UEPPX	UEPOX	1.13	0.00	0.00	0.00	0.00						
	Ţ	Line Side Inward Only Channelized PBX Trunk Port without DID	1					_									
$\sqcup \bot$		(E:4/1/2004)	<u> </u>		UEPPX	UEP1X	1.13	0.00	0.00	0.00	0.00				ļ		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port						1									
$\vdash$		(E:4/1/2004)	<b>!</b>		UEPPX	UEPDM	7.09	0.00	0.00	0.00	0.00						
F	eature	Activations - Unbundled Loop Concentration	<u> </u>			+		-				-			ļ	<b> </b>	
		Feature (Service) Activation for each Line Port Terminated in D4 Bank	1		LIEDDY	100/4/4	0.50	05.45	40.44	4.00	4.47		1				
$\vdash$		Feature (Service) Activation for each Trunk Port Terminated in	<del>                                     </del>		UEPPX	1PQWM	0.56	25.45	13.44	4.20	4.17						
		D4 Bank	1		UEPPX	1PQWU	0.56	78.31	18.46	59.37	11.60		1				
<del>   </del>	- Alenha	one Number/ Group Establishment Charges for DID Service	<del>                                     </del>		ULFFA	irawu	0.56	10.31	10.46	59.37	11.60	<del>                                     </del>					<b> </b>
<del>      '</del>		DID Trunk Termination (1 per Port)	<b>-</b>		UEPPX	NDT	0.00	0.00	0.00				<b> </b>		<b> </b>		
$\vdash$		Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC)	<b>†</b>		UEPPX	NDZ	0.00	0.00	0.00			<b>-</b>	<b>-</b>		<b> </b>		<b> </b>
+		DID Numbers - groups of 20 - Valid all States	<b>†</b>		UEPPX	ND4	0.00	0.00	0.00			<b>-</b>	<b>-</b>		<b> </b>		<b> </b>
$\vdash$		Non-Consecutive DID Numbers - per number	<u> </u>		UEPPX	ND5	0.00	0.00	0.00								
$\vdash$		Reserve Non-Consecutive DID Numbers	<b>†</b>		UEPPX	ND6	0.00	0.00	0.00						1		
		Reserve DID Numbers	1		UEPPX	NDV	0.00		0.00							İ	
<del></del>	ocal N	lumber Portability	1			1	2.30	1.30	2.30						İ	l	
		Local Number Portability - 1 per port		-	UEPPX	LNPCP	3.15	0.00	0.00		<b></b>	<del>1                                    </del>	<del></del>		-	<b>-</b>	<del></del>

UNE	UNDI F	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhil	nit· Δ
- 142	JIIDLL						1					Svc Order	Svc Order	Incremental	Incremental		Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec			Manual Svc		Manual Svc
CATE	GORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						== (+)			per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
															Add'l	Disc 1st	Disc Add'l
														1st	Addi	DISC 1St	DISC Add I
							Rec	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	FEATL	RES - Vertical and Optional															
	Local	Switching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	3.04	0.00	0.00								
UNBU	JNDLED (	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	S														
		Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage i	rates in	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu	urrently	Comb	ned Combos. For	Currently Co	mbined Combo	s, the nonrect	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combin	ed sections.	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will	be neg	otiated	on an Individual Ca	se Basis, un	til further notice	9.									
<b>└</b>		CENTREX - 5ESS (Valid in All States)				ļ				ļ			ļ	ļ	ļ		
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															
	UNE P	ort/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP95	ļ	14.89										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		2	UEP95		21.52										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Non-Design		3	UEP95		27.17										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP95		17.81										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP95		24.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP95		29.59										
	UNE L	pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	13.76										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP95	UECS1	20.38										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	26.04										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.68										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	23.13										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.46										
		ort Rate															
	All Sta					ļ <u>.</u>											
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local						40	40			1	1				
<b>⊢</b>		Area			UEP95	UEPYH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDVAA		400.00	70								
-	-	Center)2,3 Basic Local Area			UEP95	UEPYM	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			LIEDOS	LIED) (E						1	1				
-	-	Service Term - Basic Local Area			UEP95	UEPYZ	1.13	108.36	70.71	54.47	11.94						
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			LIEDOS	LIED) (2						1	1				
-	-	- Basic Local Area			UEP95	UEPY9	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port Terminated on 800 Service Term -			LIEDOS	LIED) (2						1	1				
-	41	Basic Local Area			UEP95	UEPY2	1.13	40.30	19.90	24.98	6.65						
<b>⊢</b>	AL, KY	, LA, MS, SC, & TN Only			LIEDOE	LIEDC :					2.5-		ļ	<b>.</b>	-		
<b>⊢</b>		2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.13	40.30	19.90	24.98	6.65						
<b>⊢</b>		2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.13	40.30	19.90	24.98	6.65						
-	-	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP95	UEPQH	1.13	40.30	19.90	24.98	6.65						
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOS	LIEDC:											
-	+	Center)2,3			UEP95	UEPQM	1.13	108.36	70.71	54.47	11.94	-		-	-		
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOE	LIEDO Z		400.00	70			1	1				
<u> </u>	-	Term 2,3			UEP95	UEPQZ	1.13	108.36	70.71	54.47	11.94		ļ	<b>.</b>	-		
1		OME Visco Cont. Burthand and I am March			LIEDOS	LIEBOO		40.00	40.00	04.00							
-	+	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.13	40.30	19.90	24.98	6.65	-		-	-		
-	1.2 1.1	2-Wire Voice Grade Port Terminated on 800 Service Term		-	UEP95	UEPQ2	1.13	40.30	19.90	24.98	6.65	-	ļ	<b> </b>	<del> </del>		
	Local	Switching				l											

NBUNDL	LED NETWORK ELEMENTS - South Carolina													ment: 2		ibit: A
ATEGORY	r RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			II .	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Manage		L M	B'					DISC ISL	DISC Add I
			-		+	Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	COMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Centrex Intercom Funtionality, per port		<u> </u>	UEP95	URECS	0.7996	FIISL	Add I	FIISL	Add I	SOMEC	SUMAN	SOWAN	SOWAN	SOWAN	SOWAN
Loca	al Number Portability			021 00	OKEGO	0.7000					1					1
	Local Number Portability (1 per port)			UEP95	LNPCC	0.35					†					
Feat	tures										†					
	All Standard Features Offered, per port			UEP95	UEPVF	3.04										
	All Select Features Offered, per port			UEP95	UEPVS	0.00	406.42									
	All Centrex Control Features Offered, per port			UEP95	UEPVC	3.04										
NAR																
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00						
841	Unbundled Network Access Register - Outdial	<b> </b>	-	UEP95	UAROX	0.00	0.00	0.00	0.00	0.00	ļ		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
	cellaneous Terminations /ire Trunk Side	╂	-		+						-					<del>                                     </del>
Z-VVI	Trunk Side Terminations, each	<del>                                     </del>	-	UEP95	CEND6	8.86	119.57	18.78	60.03	3.77						<del>                                     </del>
4.W	/ire Digital (1.544 Megabits)	1		OL1 30	OLINDO	0.00	118.37	10.70	00.03	3.77	1		<b>l</b>	<del>                                     </del>	l	<del>                                     </del>
4-441	DS1 Circuit Terminations, each	<del>                                     </del>	<b>t</b>	UEP95	M1HD1	73.62	202.47	95.90	72.75	2.47	1					<del>                                     </del>
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	14.51	33.30	, 2., 0	2.41				1		
Inter	roffice Channel Mileage - 2-Wire										İ					
	Interoffice Channel Facilities Termination			UEP95	M1GBC	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0167										
Feat	ture Activations (DS0) Centrex Loops on Channelized DS1 Service	се														
D4 C	Channel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.56										
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP95	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop					Ì										1
	Slot			UEP95	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP95	1PQWA	0.56										
Non	n-Recurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed					l										
	changes, per port	<b>!</b>	-	UEP95	USAC2	0.00	37.93	16.72			ļ		<b> </b>	<b>.</b>	-	<del>                                     </del>
	New Centrex Standard Common Block	<b> </b>	-	UEP95	M1ACS	0.00	668.70				ļ		<b> </b>	<del>                                     </del>	<b> </b>	<del>                                     </del>
	New Centrex Customized Common Block  NAR Establishment Charge, Per Occasion	╂	-	UEP95 UEP95	M1ACC URECA	0.00	668.70 72.89				-					<del>                                     </del>
Δdd	litional Non-Recurring Charges (NRC)	1		OLF 30	UNLUA	0.00	12.09				1		<b>l</b>	<del>                                     </del>	l	<del>                                     </del>
Add	Unbundled Miscellaneous Rate Element, Tag Loop at End Use	<del>                                     </del>	<b>†</b>		+	+										<del>                                     </del>
	Premise			UEP95	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP95	URETN		11.24	1.10								
UNF	E-P CENTREX - DMS100 (Valid in All States)			02. 00	CICLIII	1	11.24	1.10								<del>                                     </del>
	/ire VG Loop/2-Wire Voice Grade Port (Centrex) Combo	1			1	İ							l	İ	l	1
	E Port/Loop Combination Rates (Non-Design)					i										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo Non-Design		1	UEP9D		14.89										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP9D		21.52										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design			UEP9D		27.17										
UNE	E Port/Loop Combination Rates (Design)	1			1	1							l	İ	l	1
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design		1	UEP9D		17.81										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design			UEP9D		24.26										

ATECOMY  RATE FLEMENTS  MM  2 and BCS  USO  RATES (3)  RATES (3)  RATES (4)  RATES (5)  RATES (5)  RATES (6)  RATES (6)  RATES (6)  RATES (7)	UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	oit: A
No.   Print   April   Colore				Zone	BCS	usoc			RATES (\$)			Submitted Elec	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-	Incremental Charge - Manual Svc Order vs. Electronic-
Piret   Add   Piret   Add   Piret   Add   Piret   Add   South   Sout							Boo	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		-
Design							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
New York Control Code   11-20rd   1					LIEDOD		00.50										
2-View Value Classes Level (11, 7-Zeve 1	LINE		1	3	UEP9D	-	29.59										
2 NW Vesto Clarate Long (8.1) - Zone 2	ONE			1	LIEP9D	UECS1	13.76										
2-We vised Grante Long (Est 17, 20m. 3   3, 0,500)			1	2													
2-Wire Votor Grade Loop (R. 2) - Zere 2				3													
2-Wire Vices Grade Part (Centres ) Sept. Local Area   2-Wire Voca Grade Part (Centres ) Sept. Local Area   2-Wire Voca Grade Part (Centres ) Sept. Local Area   3-Wire Voca Grade Part (Centres ) Sept. Local Area   4-Wire Voca Grade Part (Centr		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9D												
UEPRO   UEPYA   1.13   40.30   19.00   24.96   6.65																	
ALE TATES   2   2   2   2   2   2   2   2   2	<u> </u>		ļ	3	UEP9D	UECS2	28.46										
2-Wire Voice Grade Port (Centres & Bite Local Area   UEPPO UEPYA   1.13   40.30   19.00   24.88   6.65			<del>                                     </del>	1		1											
2-Wire Voice Grade Port Contrex / EBS-MS21038asic Local Area 2-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 3-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS20038asic Local 4-Wire Voice Grade Port Contrex / EBS-MS21038asic Local 4-Wire Voice Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grade Port Contrex More Grad	ALL S		<del>                                     </del>	1	UFP9D	UΕΡΥΔ	1 13	40 30	19 90	24 98	6.65						
Area			<u> </u>		02.00	JEI I/K	1.10	40.00	10.00	24.90	0.00						
2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 2-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 3-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 4-Res 3-Wire Voca Grade Port (Centrex / EBS-NSC093)Sasic Local 4-Res	1 1				UEP9D	UEPYB	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-MS009)38asic Local		2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local															
Area   UEPRO   UEPYD   1.13   40.30   19.90   24.98   6.65					UEP9D	UEPYC	1.13	40.30	19.90	24.98	6.65						
2-Vivire Voice Grade Port (Centrex / EBS-Mc209)) 8 Basic Local   UEP90 UEPY								40.00	40.00								
Area   UEP9D   UEPYF   1.13   40.30   19.90   24.98   6.65			ļ	1	UEP9D	UEPYD	1.13	40.30	19.90	24.98	6.65						
2-Vive Voice Grade Port (Centrex / EBS-M6312);8Basic Local   UEP9D   UEPYF   1.13   40,30   19,90   24,98   6.65		, , , , , , , , , , , , , , , , , , , ,			LIEDOD	LIEDVE	1 13	40.30	10 00	24 08	6 65						
Area	<b>—</b>		1	1	OLF3D	OLFIL	1.13	40.30	19.90	24.90	0.03						
2-Wire Votos Grade Port (Centrex / EBS-M5312)38asc Local   UEP9D   UEPYT   1.13   40.30   19.90   24.98   6.65					UEP9D	UEPYF	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-M5008)3 Basic Local Area   UEPPD   UEPYT   1.13   40.30   19.90   24.98   6.65																	
Area		Area			UEP9D	UEPYG	1.13	40.30	19.90	24.98	6.65						1
2-Wire Viole Grade Port (Centrex/EBS-MEZ69)) 3 Basic Local   UEP9D   UEPYU   1.13   40.30   19.90   24.98   6.65																	
Area   C-Wire Voice Grade Port (Centrex / EBS-M6216)3 Basic Local   C-Wire Voice Grade Port (Centrex / EBS-M6216)3 Basic Local   C-Wire Voice Grade Port (Centrex / EBS-M6316)3 Basic Local   C-Wire Voice Grade Port (Centrex / EBS-M6316)3 Basic Local   C-Wire Voice Grade Port (Centrex with Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex with Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller ID) Basic Local   C-Wire Voice Grade Port (Centrex Caller Sex-BSC9)(2), 4   C-Wire Voice Grade Port (Centrex Caller Sex	<b> </b>		ļ		UEP9D	UEPYT	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex / EBS-MS216)(3) Basic Local   UEP9D UEPYV   1.13   40.30   19.90   24.98   6.66   A   Area   2-Wire Voice Grade Port (Centrex / EBS-MS316)(3) Basic Local   UEP9D UEPY3   1.13   40.30   19.90   24.98   6.66   A   Area   2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local   UEP9D UEPY4   1.13   40.30   19.90   24.98   6.66   A   Area   2-Wire Voice Grade Port (Centrex Caller ID) Basic Local Area   UEP9D UEPYH   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   2-Wire Voice Grade Port (Centrex Mag Wig Lamp Indication))4   UEP9D UEPYW   1.13   40.30   19.90   24.98   6.65   A   Area   4.98					LIEDOD	HEDVII	1 12	40.20	10.00	24.00	6.65						
Area			<u> </u>	1	UEP9D	UEPTU	1.13	40.30	19.90	24.98	0.00						
2-Wire Voice Grade Port (Centrex /EBS-M6316))3 Basic Local					LIEPAD	LIEPYV	1 13	40 30	19 90	24 98	6.65						
Area  Area					OLI OD	OLI IV	1.10	40.00	10.00	24.00	0.00						
Area   UEP9D   UEPYH   1.13   40.30   19.90   24.98   6.65					UEP9D	UEPY3	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrew/Caller ID/Msg Wtg Lamp Indication))4 Basic Local Area   UEP9D   UEPYW   1.13   40.30   19.90   24.98   6.65		2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local															
Indication) 4 Basic Local Area					UEP9D	UEPYH	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4   UEP9D UEPYJ 1.13 40.30 19.90 24.98 6.65								40.00	40.00								
Basic Local Area	<del></del>		ļ	1	UEP9D	UEPYW	1.13	40.30	19.90	24.98	6.65						
2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2,3-Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4 Basic Local Area  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYO  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYC  1.13  108.36  70.71  54.47  11.94  UEP9D  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94  UEPPD  UEPYC  1.13  108.36  70.71  54.47  11.94					LIEDOD	I IEDV I	1 13	40.30	10 00	24 08	6 65						
2.3-Basic Local Area	<b>—</b>		1	1	OLI 3D	OLI 13	1.10	40.30	13.30	24.30	0.03						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4   UEP9D UEPYO 1.13 108.36 70.71 54.47 11.94   UEPPD				UEP9D	UEPYM	1.13	108.36	70.71	54.47	11.94							
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4 Basic Local Area  UEP9D UEPYP 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94  UEPPD UEPYR 1.13 108.36 70.71 54.47 11.94		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4															
Basic Local Area					UEP9D	UEPYO	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4 Basic Local Area  UEP9D UEPYQ 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5308)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY4 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94						l											
Basic Local Area	$\vdash$			1	UEP9D	UEPYP	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area  UEP9D UEPYR 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4 Basic Local Area UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94  UEP9D UEPYS 1.13 108.36 70.71 54.47 11.94					LIEDOD	LIEDVO	1 12	109.26	70.71	54.47	11 04						
Basic Local Area	<del>                                      </del>			1	UEP9D	UEFTQ	1.13	100.30	70.71	54.47	11.94						
Basic Local Area					UEP9D	UEPYR	1.13	108.36	70.71	54.47	11.94						
Basic Local Area																	
Basic Local Area		Basic Local Area	ļ		UEP9D	UEPYS	1.13	108.36	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area  UEP9D UEPY5 1.13 108.36 70.71 54.47 11.94  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94	_						I	,									, 7
Basic Local Area	$\vdash$		<b>.</b>	1	UEP9D	UEPY4	1.13	108.36	70.71	54.47	11.94				<b> </b>		
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4 Basic Local Area UEP9D UEPY6 1.13 108.36 70.71 54.47 11.94					LIEPOD	LIEDVE	1 10	100 26	70.74	5A A7	11 04						,
Basic Local Area   UEP9D UEPY6   1.13   108.36   70.71   54.47   11.94	<del>                                     </del>		<del>                                     </del>	1	OLFBD	OLF 13	1.13	100.30	70.71	54.47	11.94						
2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			1		UEP9D	UEPY6	1,13	108,36	70.71	54.47	11.94						,
Basic Local Area   UEP9D UEPY7   1.13   108.36   70.71   54.47   11.94													Ì				
			<u> </u>		UEP9D	UEPY7	1.13	108.36	70.71	54.47	11.94				<u> </u>		

UNBUNDLE	D NETWORK ELEMENTS - South Carolina												Attach	ment: 2	Exhi	bit: A
											Svc Order	Svc Order	Incremental	Incremental		Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
04750000	DATE ELEMENTO	Interi	<b>-</b>	500				DATEO (6)			Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						_	Nonrec	urrina	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service															
	Term 2,3			UEP9D	UEPYZ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent						40.00	10.00	0.4.00							
<b>—</b>	Basic Local Area  2-Wire Voice Grade Port Terminated on 800 Service Term Basic	-		UEP9D	UEPY9	1.13	40.30	19.90	24.98	6.65						
	Local Area			UEP9D	UEPY2	1.13	40.30	19.90	24.98	6.65						
AL. KY	, LA, MS, SC, & TN Only			OLI 9D	OLI 12	1.13	40.50	13.30	24.30	0.03						
, , , , ,	2-Wire Voice Grade Port (Centrex)			UEP9D	UEPQA	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP9D	UEPQB	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQC	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5009)4		1	UEP9D	UEPQD	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4	-	+	UEP9D UEP9D	UEPQE UEPQF	1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65	-	-				-
$\vdash$	2-Wire Voice Grade Port (Centrex / EBS-M5112)4 2-Wire Voice Grade Port (Centrex / EBS-M5312)4	-	1	UEP9D UEP9D	UEPQF	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5008)4		1	UEP9D	UEPQT	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5208)4			UEP9D	UEPQU	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4			UEP9D	UEPQV	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex / EBS-M5316)4			UEP9D	UEPQ3	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex with Caller ID)			UEP9D	UEPQH	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			LIEDOD	LIEDOM	4.40	40.00	10.00	04.00	0.05						
	Indication)4  2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D UEP9D	UEPQW UEPQJ	1.13 1.13	40.30 40.30	19.90 19.90	24.98 24.98	6.65 6.65						
<del>                                     </del>	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4  2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)		+	UEP9D	UEFQJ	1.13	40.30	19.90	24.90	0.03						
	2,3			UEP9D	UEPQM	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4			UEP9D	UEPQO	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			UEP9D	UEPQP	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.13	108.36	70.71	54.47	11.94						
	2-vviile voice Grade Fort (Centrex differ SvvC / Eb3-3209)2,3,4		1	OLF 9D	ULFQQ	1.13	100.30	70.71	34.47	11.54						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.13	108.36	70.71	54.47	11.94						
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.13	108.36	70.71	54.47	11.94						
					Luma :											
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4	-		UEP9D	UEPQ4	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.13	108.36	70.71	54.47	11.94						
	2-14116 40106 Grade Fort (CertifeAdiller 3440 /LB3-1413200)2,3,4		+ -	טבו שט	OLF Q3	1.13	100.30	70.71	54.47	11.94						
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.13	108.36	70.71	54.47	11.94						
	, , , ,															
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEBOD	LIEDG 7											
	Term 2,3	-		UEP9D	UEPQZ	1.13	108.36	70.71	54.47	11.94						
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.13	40.30	19.90	24.98	6.65						
	2-Wire Voice Grade Port terminated in on Megalifix of equivalent			UEP9D	UEPQ2	1.13	40.30	19.90	24.98	6.65		<b> </b>				
Local	Switching			-			0		50	2.30						
	Centrex Intercom Funtionality, per port			UEP9D	URECS	0.7996										
Local	Number Portability							<u> </u>								
	Local Number Portability (1 per port)		1	UEP9D	LNPCC	0.35										
Featur		-	+	UEP9D	UEPVF	3.04										
$\vdash$	All Standard Features Offered, per port  All Select Features Offered, per port	<b>-</b>	+	UEP9D	UEPVF	0.00	406.42					-				-
	All Centrex Control Features Offered, per port			UEP9D	UEPVC	3.04	-100.42					<b> </b>				
NARS	The second secon				1	0.04										
	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00						
	Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00						

UNBUNDLEI	NETWORK ELEMENTS - South Carolina													ment: 2		bit: A
											1	Submitted		Incremental Charge -	Incremental Charge - Manual Svc	Charge -
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			per LSR		Order vs.	Order vs.	Order vs.	Order vs.
													Electronic- 1st	Electronic- Add'l	Electronic- Disc 1st	Disc Add'l
1							Nonrec	urring	Nonrecurring	Disconnect			oss	Rates (\$)	I.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Miscell	aneous Terminations															
2-Wire	Trunk Side															
	Trunk Side Terminations, each			UEP9D	CEND6	8.86	119.57	18.78	60.03	3.77						
4-Wire	Digital (1.544 Megabits)															
	DS1 Circuit Terminations, each			UEP9D	M1HD1	73.62	202.47	95.90	72.75	2.47						
	DS0 Channels Activiated per Channel			UEP9D	M1HDO	0.00	14.51									
Interoff	ice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP9D	M1GBC	24.30	40.63	27.47	16.77	6.91				Î		Î
	Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0167										
Feature	Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.56										Ī
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.56										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9D	1PQW7	0.56										
	Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.56										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.56										
	Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			UEP9D	1PQWQ	0.56										
	Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9D	1PQWA	0.56					1					_
	curring Charges (NRC) Associated with UNE-P Centrex			OLF 9D	IFQWA	0.50					1					
	NRC Conversion Currently Combined Switch-As-Is with allowed							40.70								
	changes, per port			UEP9D	USAC2	0.00	37.93	16.72								
	New Centrex Standard Common Block			UEP9D	M1ACS	0.00	668.70				1					
	New Centrex Customized Common Block			UEP9D UEP9D	M1ACC URECA	0.00	668.70				1					
	NAR Establishment Charge, Per Occasion nal Non-Recurring Charges (NRC)	$\vdash$		UEP9D	UKEUA	0.00	72.89				1			<del>                                     </del>		<del>                                     </del>
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use				1											
	Premise			UEP9D	URETL		8.33	0.83								
	Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9D	URETN		11.24	1.10								
	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
	- Requres Interoffice Channel Mileage															
	- Installation is combination of Installation charge for SL2 Lo	op and F	ort					•								
	- Requires Specific Customer Premises Equipment															
Note: F	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Terr	ns and Condition	ns.						_			

LIMDI	INDI E	D NETWORK ELEMENTS - Tennessee												Assach		Fk	L. 14. A
UNDU	INDLE	D NETWORK ELEMENTS - Tennessee	1	1			ı					Cur Onder	Core Conden		ment: 2		bit: A
														Incremental		Incremental	Incremental
													Submitted	Charge -	Charge -	Charge -	Charge -
CATE	OPV	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
OA!L		INATE ELEMENTO	m	20110	500	0000			τικτι ΔΟ (ψ)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							Dee	Nonrecurring		Nonrecurrin	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		one" shown in the sections for stand-alone loops or loops as				ographically	Deaveraged U	NE Zones. To	view Geograp	hically Deaver	aged UNE Zon	e Designation	ons by Cent	ral Office, refe	er to internet	Website:	
		www.interconnection.bellsouth.com/become_a_clec/html/inter	rconnec	tion.ht	m	1	1	1	1	1		1		1	1	1	1
OPERA		L SUPPORT SYSTEMS (OSS) - "REGIONAL RATES"  (1) CLEC should contact its contract negotiator if it prefers the	!! - 4 - 4 -		iall 000 abanna aa		ha Ctata Camun	ississa Tha	200				the DellCe		 		CI FC
		ither the state specific Commission ordered rates for the servi															
		ither the state specific commission ordered rates for the servi	ice orae	ring cr	larges, or CLEC may	elect the re	gional service (	ordering charg	e, nowever, Ci	LEC can not of	otain a mixture	or the two	regardiess i	T CLEC has a	interconnecti	on contract e	stablished in
-		(2) Any element that can be ordered electronically will be bill	lad acco	rding	o the SOMEC rate lie	etad in this	rategory Pleas	se refer to Bell	South's Local	Ordering Hand	lbook (LOH) to	determine	if a product	can be order	ed electronics	ally For thos	o alaments
		unnot be ordered electronically at present per the LOH, the list		•						•	` ,		•			•	
		N, will be applied to a CLECs bill when it submits an LSR to B			e ili tilis category rei	iects the ch	arge triat would	i be billed to a	CLEC Office en	schollic orden	ing capabilities	s come on-n	ille for that	element. Oth	erwise, the m	anuai oruenni	g charge,
		(3) OSS - Manual Service Order Charge, Per Element - UNE Or			e annlicable rate ele	ment for SC	MAN charge**	I	I	I	1	I	1	1	I	1	I
	1.10.2.	OSS - Electronic Service Order Charge, Per Local Service	, , , ,	2400 30	applicable rate ele		at ondinge				<b>†</b>						
		Request (LSR) - UNE Only				SOMEC		3.50	0.00	3.50	0.00						
UNE S	ERVICE	DATE ADVANCEMENT CHARGE										İ		1		1	
	NOTE:	The Expedite charge will be maintained commensurate with	BellSou	th's FC	C No.1 Tariff, Section	n 5 as appli	cable.										
					UAL, UEANL, UCL,												
					UEF, UDF, UEQ,												
					UDL, UENTW, UDN,												
					UEA, UHL, ULC,												
					USL, U1T12, U1T48, U1TD1, U1TD3,												
					U1TDX, U1TO3,												
					U1TS1, U1TVX,												
					UC1BC, UC1BL,												
					UC1CC, UC1CL,												
					UC1DC, UC1DL,												
					UC1EC, UC1EL,												
					UC1FC, UC1FL,												
					UC1GC, UC1GL,												
					UC1HC, UC1HL,												
					UDL12, UDL48,												
					UDLO3, UDLSX,												
					UE3, ULD12, ULD48, ULDD1,												
					ULDD3, ULDDX,												
					ULDO3, ULDS1,												
					ULDVX, UNC1X,												
					UNC3X, UNCDX,												
					UNCNX, UNCSX,												
					UNCVX, UNLD1,												
	1				UNLD3, UXTD1,						I						
					UXTD3, UXTS1,												
		UNE Expedite Charge per Circuit or Line Assignable USOC, per			U1TUC, U1TUD,												
<u></u>	l	Day			U1TUB, U1TUA	SDASP	ļ	200.00			L	<u> </u>		ļ	ļ.	ļ	L
UNBUI		EXCHANGE ACCESS LOOP	ļ									ļ					
<u> </u>	2-WIRE	E ANALOG VOICE GRADE LOOP	<b> </b>	1	LIEANII	UEAL2	40.40	31.99	20.00	40.05	4 44	<b> </b>		20.25	10.54	40.00	40.00
-	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1 2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	<del>                                     </del>	1 2	UEANL UEANL	UEAL2 UEAL2	13.19 17.23	31.99	20.02	10.65 10.65	1.41 1.41	-		20.35 20.35	10.54	13.32 13.32	13.32 13.32
<b> </b>	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3	1		UEANL	UEAL2 UEAL2	22.53	31.99	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.32
<b>-</b>	<b>†</b>	2-Wire Analog Voice Grade Loop - Service Level 1-Zone 3	<del>                                     </del>		UEANL	UEASL	13.19	31.99	20.02	10.65	1.41	<del>                                     </del>		20.35	10.54	13.32	13.32
	1	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 1  2-Wire Analog Voice Grade Loop - Service Level 1- Zone 2	1	2	UEANL	UEASL	17.23	31.99	20.02	10.65	1.41	1	<u> </u>	20.35	10.54	13.32	13.32
	t	2-Wire Analog Voice Grade Loop - Service Level 1- Zone 3		3	UEANL	UEASL	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	i	Unbundled Miscellaneous Rate Element, Tag Loop at End User				-											
		Premise			UEANL	URETL		8.33	0.83		1			20.35	10.54	13.32	13.32
		Loop Testing - Basic 1st Half Hour			UEANL	URET1		78.92	78.92					20.35	10.54	13.32	13.32
		Loop Testing - Basic Additional Half Hour			UEANL	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	1	CLEC to CLEC Conversion Charge Without Outside Dispatch															
		(UVL-SL1)	l	l	UEANL	UREWO	l	15.80	8.95	l		1	1	20.35	10.54	13.32	13.32

UNBUND	LED NETWORK ELEMENTS - Tennessee		,											ment: 2		ibit: A
CATEGORY	/ RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Unbundled Voice Loop, Non-Design Voice Loop, billing for BST															
	providing make-up (Engineering Information - E.I.)	ļ		UEANL	UEANM		28.80	28.80								<b>↓</b>
	Manual Order Coordination for UVL-SL1s (per loop)	ļ		UEANL	UEAMC		36.52	36.52								<b>↓</b>
	Order Coordination for Specified Conversion Time for UVL-SL1				00001		04.00	04.00								
2 14/	(per LSR) IRE Unbundled COPPER LOOP	+		UEANL	OCOSL		34.29	34.29			-	<b> </b>				+
2-44	2-Wire Unbundled Copper Loop - Non-Designed Zone 1	+	1	UEQ	UEQ2X	13.19	31.99	20.02	10.65	1.41	1	ł	20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 2	+	2	UEQ	UEQ2X	17.23	31.99	20.02		1.41	<b>+</b>	<b>†</b>	20.35	10.54	13.32	
	2 Wire Unbundled Copper Loop - Non-Designed - Zone 3	1		UEQ	UEQ2X	22.53		20.02		1.41	+		20.35		13.32	
	Unbundled Miscellaneous Rate Element, Tag Loop at End User		Ť						1		1	İ				
	Premise			UEQ	URETL		8.33	0.83					20.35	10.54	13.32	13.32
	Manual Order Coordination 2 Wire Unbundled Copper Loop -															
	Non-Designed (per loop)	<u> </u>	<u>L</u>	UEQ	USBMC		36.52	36.52	<u> </u>					<u> </u>	<u></u>	
	Unbundled Copper Loop, Non-Design Copper Loop, billing for							<del></del>								
	BST providing make-up (Engineering Information - E.I.)			UEQ	UEQMU		28.80	28.80					20.35	10.54	13.32	13.32
	Loop Testing - Basic 1st Half Hour			UEQ	URET1		78.92	78.92					20.35	10.54	13.32	
	Loop Testing - Basic Additional Half Hour	1		UEQ	URETA		23.33	23.33					20.35	10.54	13.32	13.32
	CLEC to CLEC Conversion Charge Without Outside Dispatch				LIDEMO		44.00	7.44					00.05	40.54	40.00	40.00
LINIDI INIDI E	(UCL-ND)	-		UEQ	UREWO		14.29	7.44	1				20.35	10.54	13.32	13.32
	ED EXCHANGE ACCESS LOOP VIRE ANALOG VOICE GRADE LOOP	+	ļ		_				+		1			-	-	+
2-00	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+			-				+		+			-	-	+
	Zone 1		1	UEPSR UEPSB	UEALS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-	+	<u> </u>	OLI OK OLI OD	OLALO	13.13	31.33	20.02	10.00	1.41	+	<del> </del>	20.55	10.54	10.02	13.32
	Zone 1		1	UEPSR UEPSB	UEABS	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-		<u> </u>	OLI OK OLI OD	OLABO	10.10	01.00	20.02	10.00	1.41	1		20.00	10.04	10.02	10.02
	Zone 2		2	UEPSR UEPSB	UEALS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop- Service Level 1-Line Splitting-															1
	Zone 2		2	UEPSR UEPSB	UEABS	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3		3	UEPSR UEPSB	UEALS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Loop-Service Level 1-Line Splitting-															
	Zone 3	ļ	3	UEPSR UEPSB	UEABS	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	ED EXCHANGE ACCESS LOOP	-							1							-
2-W	IRE ANALOG VOICE GRADE LOOP	+	ļ		_				+		1			-	-	+
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or Ground Start Signaling - Zone 1		1	UEA	UEAL2	16.56	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	+	+-	ULA	ULALZ	10.56	73.00	40.20	20.70	17.04	<del>                                     </del>	<del>                                     </del>	20.33	10.54	13.32	13.3
	Ground Start Signaling - Zone 2		2	UEA	UEAL2	21.63	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Loop or	1	ΤĒ		1	250	, 5.50	.0.20	200		†		20.00		10.02	10.0
	Ground Start Signaling - Zone 3		3	UEA	UEAL2	28.28	75.06	48.20	28.70	17.64	1		20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UEA	OCOSL		34.29									
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 1		1	UEA	UEAR2	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse															
	Battery Signaling - Zone 2	1	2	UEA	UEAR2	21.63	75.06	48.20	28.70	17.64		ļ	20.35	10.54	13.32	13.32
	2-Wire Analog Voice Grade Loop - Service Level 2 w/Reverse		_		LIEAS?								22.5-			
	Battery Signaling - Zone 3	1	3	UEA	UEAR2	28.28	75.06 34.29	48.20	28.70	17.64	1	ļ	20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch	+	<del>                                     </del>	UEA UEA	OCOSL UREWO		75.06	36.41	+		1	<del> </del>	20.35	10.54	13.32	13.32
	Loop Tagging - Service Level 2 (SL2)	+	<del>                                     </del>	UEA	URETL		11.23	1.10			+		20.35	10.54	13.32	
4-W	IRE ANALOG VOICE GRADE LOOP	+	<b>†</b>	ULA	ONLIL		11.23	1.10	+		<del>                                     </del>	<del>                                     </del>	20.33	10.54	13.32	13.3
7-44	4-Wire Analog Voice Grade Loop - Zone 1	+	1	UEA	UEAL4	24.70	122.76	85.57	76.35	39.16	<del>                                     </del>		20.35	10.54	13.32	13.3
	4-Wire Analog Voice Grade Loop - Zone 2	<del>                                     </del>	2	UEA	UEAL4	32.25	122.76	85.57		39.16	<del>                                     </del>	1	20.35	10.54	13.32	
	4-Wire Analog Voice Grade Loop - Zone 3	1		UEA	UEAL4	42.17	122.76	85.57		39.16		<b>†</b>	20.35	10.54	13.32	
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UEA	OCOSL		34.29		1	22.10	1	1		1		1
	CLEC to CLEC Conversion Charge without outside dispatch			UEA	UREWO		75.06	36.41					20.35	10.54	13.32	13.3
2-W	IRE ISDN DIGITAL GRADE LOOP															
i	2-Wire ISDN Digital Grade Loop - Zone 1		1	UDN	U1L2X	22.22	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3

NRONDL	ED NETWORK ELEMENTS - Tennessee										1 -			ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Nonrecurring		Nonrecurring	Disconnect		1	oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire ISDN Digital Grade Loop - Zone 2		2	UDN	U1L2X	29.02	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	2-Wire ISDN Digital Grade Loop - Zone 3		3	UDN	U1L2X	37.95	142.76	88.88	76.35	39.16			20.35	10.54	13.32	13.3
	Order Coordination For Specified Conversion Time (per LSR)			UDN	OCOSL		34.29				ĺ				Î	
	CLEC to CLEC Conversion Charge without outside dispatch			UDN	UREWO		91.77	44.22					20.35	10.54	13.32	13.3
2-WIF	RE ASYMMETRICAL DIGITAL SUBSCRIBER LINE (ADSL) COMP	ATIBLE	LOOP								ĺ				Î	
	2 Wire Unbundled ADSL Loop including manual service inquiry & facility reservation - Zone 1		1	UAL	UAL2X	13.82	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop including manual service inquiry		1	UAL	UALZX	13.82	270.01	234.63	74.54	39.14	-	-	20.35	10.54	13.32	13.3
	& facility reservation - Zone 2		2	UAL	UAL2X	18.05	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
_	2 Wire Unbundled ADSL Loop including manual service inquiry			OAL	UALZA	10.03	270.01	254.05	74.54	33.14		1	20.55	10.54	10.02	10.0
	& facility reservation - Zone 3		3	UAL	UAL2X	23.60	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)	1	Ť	UAL	OCOSL	20.00	34.29	204.00	7 7.04	00.14			20.00	10.04	10.02	10.
	2 Wire Unbundled ADSL Loop without manual service inquiry &	1			2000L		04.20		1				<b>†</b>	<b> </b>	<b>i</b>	1
	facility reservation - Zone 1	1 1	1	UAL	UAL2W	13.82	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &	<u> </u>	Ė		1 1										12.32	1
	facility reservation - Zone 2	1	2	UAL	UAL2W	18.05	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	2 Wire Unbundled ADSL Loop without manual service inquiry &				1 1										10.02	1
	facility reservation - Zone 3	1	3	UAL	UAL2W	23.60	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.3
	Order Coordination for Specified Conversion Time (per LSR)			UAL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch	ı		UAL	UREWO		31.99	20.02			ĺ		20.35	10.54	13.32	13.
2-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP													
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 1		1	UHL	UHL2X	10.83	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 2		2	UHL	UHL2X	14.15	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.3
	2 Wire Unbundled HDSL Loop including manual service inquiry															
	& facility reservation - Zone 3		3	UHL	UHL2X	18.50	270.01	234.63	74.54	39.14			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	2 Wire Unbundled HDSL Loop without manual service inquiry	١.							40.0=							
_	and facility reservation - Zone 1		1	UHL	UHL2W	10.83	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	2 Wire Unbundled HDSL Loop without manual service inquiry	Ι.	2	UHL	11111 0147	44.45	24.00	20.02	40.05	4 44			20.25	10.54	13.32	40
-+	and facility reservation - Zone 2  2 Wire Unbundled HDSL Loop without manual service inquiry			UHL	UHL2W	14.15	31.99	20.02	10.65	1.41	-	-	20.35	10.54	13.32	13.
	and facility reservation - Zone 3	١.,	3	UHL	UHL2W	18.50	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)	-		UHL	OCOSL	10.50	34.29	20.02	10.03	1.41	1	1	20.33	10.54	13.32	13.
	CLEC to CLEC Conversion Charge without outside dispatch			UHL	UREWO		31.99	20.02			<del> </del>	1	20.35	10.54	13.32	13.
4-WIF	RE HIGH BIT RATE DIGITAL SUBSCRIBER LINE (HDSL) COMPA	TIBLE I	OOP	OFF	OKEWO		31.33	20.02				<b>-</b>	20.55	10.54	13.32	10.
7 ****	4 Wire Unbundled HDSL Loop including manual service inquiry				+						1	1				
	and facility reservation - Zone 1	1	1	UHL	UHL4X	13.93	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop including manual service inquiry	1													1	1
	and facility reservation - Zone 2	<u></u>	2	UHL	UHL4X	18.20	279.60	244.22	74.54	39.14	<u></u>	<u></u>	20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop including manual service inquiry															
	and facility reservation - Zone 3		3	UHL	UHL4X	23.80	279.60	244.22	74.54	39.14			20.35	10.54	13.32	13.
	Order Coordination for Specified Conversion Time (per LSR)			UHL	OCOSL		34.29									
	4-Wire Unbundled HDSL Loop without manual service inquiry															
	and facility reservation - Zone 1	I	1	UHL	UHL4W	13.93	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.		l	[ J											
_	and facility reservation - Zone 2		2	UHL	UHL4W	18.20	31.99	20.02	10.65	1.41	1	-	20.35	10.54	13.32	13.
	4-Wire Unbundled HDSL Loop without manual service inquiry	Ι.	_	 		00.00	04.00	00.00	10.0-				00.6=	10.51	10.00	1
-	and facility reservation - Zone 3		3	UHL	UHL4W	23.80	31.99	20.02	10.65	1.41	<del>                                     </del>	1	20.35	10.54	13.32	13.
-	Order Coordination for Specified Conversion Time (per LSR)  CLEC to CLEC Conversion Charge without outside dispatch		-	UHL UHL	OCOSL UREWO		34.29 31.99	20.02	<del>                                     </del>		1	-	20.35	10.54	13.32	13.
4 18/15	RE DS1 DIGITAL LOOP		-	UFIL	UKEWU		31.99	20.02	<del>                                     </del>		1	-	20.35	10.54	13.32	13.
4-1/11	4-Wire DS1 Digital Loop - Zone 1	<b>!</b>	1	USL	USLXX	57.73	313.08	219.72	96.86	40.45	1	-	18.98	8.43	11.95	11
_	4-Wire DS1 Digital Loop - Zone 1	<del>                                     </del>		USL	USLXX	75.40	313.08	219.72	96.86	40.45	<b> </b>		18.98	8.43	11.95	
_	4-Wire DS1 Digital Loop - Zone 2	<del>                                     </del>		USL	USLXX	98.59	313.08	219.72	96.86	40.45	<del>                                     </del>	<b>H</b>	18.98	8.43	11.95	11
	Order Coordination for Specified Conversion Time (per LSR)	<b> </b>		USL	OCOSL	30.39	34.59	213.12	30.00	40.45		<b>-</b>	10.30	0.43	11.95	11.
	CLEC to CLEC Conversion Charge without outside dispatch	l -		USL	UREWO		130.47	40.11			1		20.35	10.54	13.32	13.
	RE 19.2, 56 OR 64 KBPS DIGITAL GRADE LOOP		<b>-</b>		3.12.770		.00.77	70.11	+		+	<del>                                     </del>	20.00	10.04	10.02	10.

UNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'I
-							Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		I
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4 Wire Unbundled Digital 19.2 Kbps		1	UDL	UDL19	31.10	207.01	141.38	90.70	44.18		00	20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital 19.2 Kbps			UDL	UDL19	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 1			UDL	UDL56	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 2		2	UDL	UDL56	40.61	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 56 Kbps - Zone 3			UDL	UDL56	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 1		1	UDL	UDL64	31.10	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 2		2	UDL	UDL64	40.61	207.01	141.38	90.70	44.18	İ		20.35	10.54	13.32	13.32
	4 Wire Unbundled Digital Loop 64 Kbps - Zone 3		3	UDL	UDL64	53.11	207.01	141.38	90.70	44.18			20.35	10.54	13.32	13.32
	Order Coordination for Specified Conversion Time (per LSR)			UDL	OCOSL		34.29									
	CLEC to CLEC Conversion Charge without outside dispatch			UDL	UREWO		102.28	49.82					20.35	10.54	13.32	13.32
2-WII	RE Unbundled COPPER LOOP															
	2-Wire Unbundled Copper Loop-Designed including manual						İ									
	service inquiry & facility reservation - Zone 1	- 1	1	UCL	UCLPB	13.19	31.99	20.02	10.65	1.41		1	20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed including manual						i									
	service inquiry & facility reservation - Zone 2	- 1	2	UCL	UCLPB	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Unbundled Copper Loop-Designed including manual														Î	
	service inquiry & facility reservation - Zone 3	- 1	3	UCL	UCLPB	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	2-Wire Unbundled Copper Loop-Designed without manual						i									
	service inquiry and facility reservation - Zone 1	- 1	1	UCL	UCLPW	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual														Î	
	service inquiry and facility reservation - Zone 2	- 1	2	UCL	UCLPW	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2-Wire Unbundled Copper Loop-Designed without manual						i									
	service inquiry and facility reservation - Zone 3	- 1	3	UCL	UCLPW	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)	- 1		UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
4-WIF	RE COPPER LOOP															
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4S	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4S	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed including manual service inquiry															
	and facility reservation - Zone 3	- 1	3	UCL	UCL4S	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 1	- 1	1	UCL	UCL4W	24.70	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 2	- 1	2	UCL	UCL4W	32.25	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	4-Wire Copper Loop-Designed without manual service inquiry															
	and facility reservation - Zone 3	ı	3	UCL	UCL4W	42.17	122.76	85.57	76.35	39.16			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Copper Loops (per loop)			UCL	UCLMC		36.52	36.52								
	CLEC to CLEC Conversion Charge without outside dispatch															
	(UCL-Des)			UCL	UREWO		31.99	20.02					20.35	10.54	13.32	13.32
LOOP MODIF	FICATION															
	Unbundled Loop Modification, Removal of Load Coils - 2 Wire			UAL, UHL, UCL, UEQ, ULS, UEA, UEANL, UEPSR,												
	pair less than or equal to 18k ft, per Unbundled Loop			UEPSB	ULM2L		65.40	65.40			-	ļ	20.35	10.54	13.32	13.32
	Unbundled Loop Modification Removal of Load Coils - 4 Wire				l l							1			40	
	less than or equal to 18K ft, per Unbundled Loop			UHL, UCL, UEA	ULM4L		65.40	65.40					20.35	10.54	13.32	13.32
				UAL, UHL, UCL,												
	III. II. II. II. II. II. II. II. II. II			UEQ, ULS, UEA,								1				
1	Unbundled Loop Modification Removal of Bridged Tap Removal,			UEANL, UEPSR,	LUMBT		05.44	05.44				1	00.0-	40.51	10.00	10.00
ı			1	UEPSB	ULMBT		65.44	65.44	1		1	ı	20.35	10.54	13.32	13.32
SUB-LOOPS	per unbundled loop	<u> </u>			i i		1		i i				1			

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			1							T -			ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
			ļ				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Sub-Loop - Per Cross Box Location - CLEC Feeder Facility Set-															40.00
	Ор	- 1	<del> </del>	UEANL	USBSA		517.25	517.25			-	-	20.35	10.54	13.32	13.32
	Sub-Loop - Per Cross Box Location - Per 25 Pair Panel Set-Up			UEANL	USBSB		42.68	42.68					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - CLEC Feeder	· ·	1	OL7 II VL	COBOB		42.00	72.00					20.00	10.04	10.02	10.02
	Facility Set-Up	- 1		UEANL	USBSC		313.01	313.01					20.35	10.54	13.32	13.32
	Sub-Loop - Per Building Equipment Room - Per 25 Pair Panel															
	Set-Up	I		UEANL	USBSD		108.06	108.06					20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 2-Wire Analog Voice Grade Loop -					10.00										
	Statewide		SW	UEANL	USBN2	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29							1	
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -				- 350		320	320					İ		1	
	Zone 1	<u></u>	1	UEANL	USBN4	7.30	147.93	75.11	99.96	16.98	<u> </u>	<u></u>	20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop -															
	Zone 2		2	UEANL	USBN4	9.54	147.93	75.11	99.96	16.98	<u> </u>	1	20.35	10.54	13.32	13.32
	Sub-Loop Distribution Per 4-Wire Analog Voice Grade Loop - Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Zone 3		3	UEANL	USBN4	12.47	147.93	75.11	99.96	16.98			20.35	10.54	13.32	13.32
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 2-Wire Intrabuilding Network Cable (INC)	I		UEANL	USBR2	1.35	94.56	29.35					20.35	10.54	13.32	13.32
	, ,															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEANL	USBMC		34.29	34.29								
	Sub-Loop 4-Wire Intrabuilding Network Cable (INC)	I	ļ	UEANL	USBR4	2.26	116.14	37.10					20.35	10.54	13.32	13.32
	Order Consideration for Habrard of Cub Lance and sub-lance asia			UEANL	USBMC		34.29	34.29								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair Loop Testing - Basic 1st Half Hour	-	1		URET1		78.92	78.92								
	Loop Testing - Basic Additional Half Hour		1		URETA		23.33	23.33							-	
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 1	I	1		UCS2X	5.16	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 2	I		UEF	UCS2X	6.74	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
	2 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	I	3	UEF	UCS2X	8.81	110.71	37.89	94.41	13.09			20.35	10.54	13.32	13.32
				uee	1100140		0400	04.00								
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair 4 Wire Copper Unbundled Sub-Loop Distribution - Zone 1		1	UEF UEF	USBMC UCS4X	6.52	34.29 117.12	34.29 44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 2				UCS4X	8.52	117.12	44.30	99.96	16.98			20.35	10.54	13.32	13.32
	4 Wire Copper Unbundled Sub-Loop Distribution - Zone 3	i	3	UEF	UCS4X	11.14	117.12	44.30		16.98		l	20.35	10.54	13.32	13.32
	·															
	Order Coordination for Unbundled Sub-Loops, per sub-loop pair			UEF	USBMC		34.29	34.29			<u> </u>					
	Loop Testing - Basic 1st Half Hour		1	UEF	URET1		78.92	78.92	1		<u> </u>		-			-
Unbun	Loop Testing - Basic Additional Half Hour  dled Network Terminating Wire (UNTW)	-	1	UEF	URETA		23.33	23.33	+		1	<del>                                     </del>			<del>                                     </del>	-
Olibuli	Unbundled Network Terminating Wire (UNTW) per Pair		1	UENTW	UENPP	0.4555	2.48	2.48					20.35	10.54	13.32	13.32
Netwo	rk Interface Device (NID)			02.1111	02.11.1	0.1000	20	2.10					20.00	10.01	10.02	10.02
	Network Interface Device (NID) - 1-2 lines			UENTW	UND12		89.69	54.56	0.6391	0.6391			20.35	10.54	13.32	13.32
	Network Interface Device (NID) - 1-6 lines			UENTW	UND16		129.65	94.51	0.6522	0.6522			20.35	10.54	13.32	13.32
	Network Interface Device Cross Connect - 2 W		ļ	UENTW	UNDC2		11.11	11.11					20.35	10.54	13.32	13.32
LINE OTHER T	Network Interface Device Cross Connect - 4W PROVISIONING ONLY - NO RATE	-	1	UENTW	UNDC4		11.11	11.11	1		<del>                                     </del>	1	20.35	10.54	13.32	13.32
UNE UTHER, F	NID - Dispatch and Service Order for NID installation	-	1	UENTW	UNDBX	0.00	0.00				<b> </b>	-				
	UNTW Circuit Id Establishment, Provisioning Only - No Rate		<b>†</b>	UENTW	UENCE	0.00	0.00		+		1	<del>                                     </del>			<del>                                     </del>	-
	, and the state of			UEANL,UEF,UEQ,U		2.00	1 1									
	Unbundled Contract Name, Provisioning Only - No Rate			ENTW	UNECN	0.00	0.00									
UNE OTHER, F	PROVISIONING ONLY - NO RATE															
	Unbundled Contact Name, Provisioning Only - no rate			UAL,UCL,UDC,UDL, UDN,UEA,UHL,ULC	LINECN	0.00	0.00								1	
1		-	+	ODIN,OLA,OFIL,OLO	OINLOIN	0.00	0.00		1		+	<del>                                     </del>	<b>-</b>	-	<del>                                     </del>	1
i	Unbundled Sub-Loop Feeder-2 Wire Cross Box Jumper - no															

UNBU	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Unbundled Sub-Loop Feeder-4 Wire Cross Box Jumper - no				HODED	0.00	0.00									
		Inhundled DC4 Loop Superframe Formet Option no rate			UEA,USL,UCL,UDL USL	USBFR CCOSF	0.00	0.00						-			
		Unbundled DS1 Loop - Superframe Format Option - no rate Unbundled DS1 Loop - Expanded Superframe Format option -		1	USL	CCOSF	0.00	0.00				1	-	-			<del> </del>
		no rate			USL	CCOEF	0.00	0.00									
HIGH C	APACIT	Y UNBUNDLED LOCAL LOOP			002	0002.	0.00	0.00						t			<b>†</b>
		High Capacity Unbundled Local Loop - DS3 - Per Mile per															
		month			UE3	1L5ND	9.19										
		High Capacity Unbundled Local Loop - DS3 - Facility															
		Termination per month			UE3	UE3PX	374.24	595.37	304.50	234.83	170.16			36.84	36.84		
		High Capacity Unbundled Local Loop - STS-1 - Per Mile per month			LIDLEY	11 END	0.40							1			
		month High Capacity Unbundled Local Loop - STS-1 - Facility		-	UDLSX	1L5ND	9.19	-						-			<del>                                     </del>
		Termination per month			UDLSX	UDLS1	389.35	595.37	304.50	215.82	151.15			36.84	36.84		
	Note (1	): Rates provided in TN for both electronic and manual Loop	Makeui	p are ir								nents from t	he Tenness				<del>                                     </del>
LOOP N			manou						, a pormanom	late ranning on		1		T Togulator,	, , , , , , , , , , , , , , , , , , ,		<b>†</b>
		Loop Makeup - Preordering Without Reservation, per working or															
		spare facility queried (Manual).	R		UMK	UMKLW		0.76	0.76					19.99	19.99	19.99	19.99
		Loop Makeup - Preordering With Reservation, per spare facility															
		queried (Manual).	R		UMK	UMKLP		0.76	0.76					19.99	19.99	19.99	19.99
		Loop MakeupWith or Without Reservation, per working or spare facility queried (Mechanized)	R		UMK	UMKMQ		0.76	0.76								
I INF SI	AARING	S AND LINE SPLITTING	K		UIVIK	UIVIKIVIQ		0.76	0.76								
		: The Line Sharing monthly recurring rates for all installation	is comi	oleted 1	from October 02, 200	3 through m	idnight Octobe	er 01. 2004 shal	l be billed as f	follows:		1					<del>                                     </del>
		1: 10/02/2003 – 10/01/2004: 25% of the rate for an unbundled co					 	T		1							1
		1: 10/02/2004 - 10/01/2005: 50% of the rate for UCLND				ľ											
		1: 10/02/2005 - 10/01/2006: 75% of the rate for UCLND															
		: Above will apply to USOCS: ULSDT and ULSCT															
		2: The Line Sharing monthly recurring rates with USOCs ULS	SDC and	ULSC	CC applies only to ci	rcuits install	ed and inservi	ce on or before	October 1, 20	03							
		HARING															ļ
	SPLITI	ERS-CENTRAL OFFICE BASED			111.0	ULSDA	100.00	150.00	0.00	0.00	0.00	1		20.35	10.54	13.32	13.32
		Line Sharing Splitter, per System 96 Line Capacity Line Sharing Splitter, per System 24 Line Capacity			ULS ULS	ULSDA	25.00	150.00	0.00	0.00	0.00			20.35	10.54	13.32	13.32
		Line Sharing Ophtter, per Gystem 24 Eine Capacity Line Sharing-DLEC Owned Splitter in CO-CFA activaton-			OLO	OLODB	23.00	150.00	0.00	0.00	0.00			20.55	10.54	10.02	10.02
		deactivation (per LSOD)			ULS	ULSDG		163.06	0.00	92.71	0.00			20.35	10.54	13.32	13.32
	END U	SER ORDERING-CENTRAL OFFICE BASED LINE SHARING							0.00		0.00						
		Line Sharing - per Line Activation (BST Owned splitter) -															
		OBSOLETE see **NOTE 2			ULS	ULSDC	0.61	40.00	31.39	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, BST owned splitter -			]		_	_					I	_			
		Central Office Located (25% of UCLND) - please see NOTE 1				LII CDT		40.00	04.00	0.00	0.00			I			
		(E:10/2/2003) Line Share Service, TRO per line activation, BST owned splitter -		-	ULS	ULSDT	2.94	40.00	31.39	0.00	0.00	<del>                                     </del>	1	<del>                                     </del>			
		Central Office Located (50% of UCLND) - please see NOTE 1												1			
		(E:10/2/2004)			ULS	ULSDT	5.87	40.00	31.39	0.00	0.00			I			
		Line Share Service, TRO per line activation, BST owned splitter -			1		5.51	.5.50	050	5.50	3.50			1	1		
		Central Office Located (75% of UCLND) - please see NOTE 1					1	1						I			
		(E:10/2/2005)			ULS	ULSDT	8.81	40.00	31.39	0.00	0.00						
		Line Sharing - per Subsequent Activity per Line															
		Rearrangement(BST Owned Splitter)		<u> </u>	ULS	ULSDS		30.00	15.00			ļ		20.35	10.54	13.32	13.32
		Line Sharing - per Subsequent Activity per Line			111.0	111.000	1	20.00	45.00					20.25	40.54	40.00	40.00
		Rearrangement(DLEC Owned Splitter) Line Sharing - per Line Activation (DLEC owned Splitter) -		<del>                                     </del>	ULS	ULSCS	<del>                                     </del>	30.00	15.00	1		1	-	20.35	10.54	13.32	13.32
		OBSOLETE see **NOTE 2			ULS	ULSCC	0.61	47.44	19.31	0.00	0.00			20.35	10.54	13.32	13.32
		Line Share Service, TRO per line activation, CLEC owned			0_0	02000	0.01	77.77	10.01	0.00	5.00			20.00	10.04	10.02	10.02
		splitter - Central Office Located (25% of UCLND) - please see					1	1						I			
		NOTE 1 (E:10/2/2003)			ULS	ULSCT	2.94	47.44	19.31	0.00	0.00			<u> </u>			
		Line Share Service, TRO per line activation, CLEC owned															
		splitter - Central Office Located (50% of UCLND) - please see			l a						_			I			
		NOTE 1 (E:10/2/2004)		<u> </u>	ULS	ULSCT	5.87	47.44	19.31	0.00	0.00	<u> </u>		l	l		

UNBUNDLE	D NETWORK ELEMENTS - Tennessee			T	1	1					Ia a :	la a :		ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring			•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Line Share Service, TRO per line activation, CLEC owned															
	splitter - Central Office Located (75% of UCLND) - please see															
	NOTE 1 (E:10/2/2005)			ULS	ULSCT	8.81	47.44	19.31	0.00	0.00						
	SPLITTING															1
END U	SER ORDERING-CENTRAL OFFICE BASED  Line Splitting - per line activation DLEC owned splitter			UEPSR UEPSB	UREOS	0.61			-		-		-			-
	Line Splitting - per line activation BST owned - physical		-	UEPSR UEPSB	UREBP	0.61	48.96	21.39	35.06	10.79	1		20.35	10.54	13.32	13.3
	Line Splitting - per line activation BST owned - priysical  Line Splitting - per line activation BST owned - virtual			UEPSR UEPSB	UREBV	0.61	48.96	21.39		10.79	<del> </del>		20.35	10.54	13.32	13.32
MAINT	ENANCE			OLI OK OLI OD	OKEDV	0.01	40.30	21.00	33.00	10.73			20.55	10.54	10.02	10.0
	No Trouble Found - per 1/2 hour increments - Basic						80.00	55.00			1					
	No Trouble Found - per 1/2 hour increments - Overtime						120.00	82.50								
	No Trouble Found - per 1/2 hour increments - Premium						160.00	110.00			1					
	DEDICATED TRANSPORT															
INTER	OFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
	Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination			U1TVX	U1TV2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transpor t- 2-Wire Voice Grade															
	Rev Bat Per Mile per month			U1TVX	1L5XX	0.0054										
	Interoffice Channel - Dedicated Transport- 2- Wire VG Rev Bat.	1				40.50										
	Facility Termination	-	-	U1TVX	U1TR2	18.58	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 4-Wire Voice Grade	1		LIATON	1L5XX	0.0054										
	Per Mile per month Interoffice Channel - Dedicated Transport - 4- Wire Voice Grade			U1TVX	ILSXX	0.0054			-		-		-			-
	- Facility Termination			U1TVX	U1TV4	24.09	37.87	26.02	30.78	13.07			15.08	15.08		
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			UTIVA	01174	24.09	31.01	20.02	30.76	13.07	1		15.06	15.06		ł
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OTTEX	120701	0.0174					1					1
	Termination			U1TDX	U1TD5	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			U1TDX	1L5XX	0.0174										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination			U1TDX	U1TD6	17.98	55.39	17.37	27.96	3.51			20.35	21.09		
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			U1TD1	1L5XX	0.3562										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination			U1TD1	U1TF1	77.86	112.40	76.27	19.55	14.99			20.35	21.09		
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			LIATEDO	41.5007							1		I		
	month			U1TD3	1L5XX	2.34			+		<u> </u>		-	<del>                                     </del>	1	1
	Interoffice Channel - Dedicated Transport - DS3 - Facility			U1TD3	U1TF3	848.99	395.29	176.56	109.04	105.91			36.84	36.84		
	Termination per month Interoffice Channel - Dedicated Transport - STS-1 - Per Mile per	<del>                                     </del>		פטווט	01153	848.99	395.∠9	176.56	109.04	105.91	1	<b>-</b>	30.84	30.84	1	
	month			U1TS1	1L5XX	2.34								I		
	Interoffice Channel - Dedicated Transport - STS-1 - Facility	<b>-</b>		0.101	120/0/	2.34	1		<del> </del>				<del> </del>	<del>                                     </del>	<del> </del>	<del>                                     </del>
	Termination			U1TS1	U1TFS	849.30	395.29	176.56	109.04	105.91			36.84	36.84		
DARK FIBER					1	0.0.00	555.25	0.50			1		55.54	33.54		
1	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction					l			ĺ	l		İ	ĺ	1	1	Ì
	Thereof per month - Interoffice Channel			UDF, UDFCX	1L5DF	28.74						1		I		
	NRC Dark Fiber - Interoffice Channel			UDF, UDFCX	UDF14		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.32
	Dark Fiber, Four Fiber Strands, Per Route Mile or Fraction															
	Thereof per month - Local Loop			UDF, UDFCX	1L5DL	58.83										
	NRC Dark Fiber - Local Loop			UDF, UDFCX	UDFL4		1,121.00	153.19	580.26	357.17			20.35	10.54	13.32	13.3
8XX ACCESS	TEN DIGIT SCREENING				1		ļ		ļ		ļ		ļ	1		
	8XX Access Ten Digit Screening, Per Call			OHD	4	0.0005192	ļ				ļ			ļ		ļ
	8XX Access Ten Digit Screening, Reservation Charge Per 8XX			CLID	NODAY			0 =0				1	00.00	00.00	40.00	40.0
	Number Reserved  8XX Access Ten Digit Screening, Per 8XX No. Established W/O	-	-	OHD	N8R1X	-	5.21	0.76	+	-	<del>                                     </del>		20.35	20.35	13.28	13.2
1	John Access Ten Digit Screening, Per 8XX No. Established W/O	l .	1	OHD	1	I	11.47	1.46	7.34	0.7602	1	1	20.35	20.35	13.28	13.2

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	8XX Access Ten Digit Screening, Per 8XX No. Established With			OUD	NOFTY		44.47	4.40	7.04	0.7000			00.05	00.05	40.00	40.00
	POTS Translations  8XX Access Ten Digit Screening, Customized Area of Service		1	OHD	N8FTX		11.47	1.46	7.34	0.7602			20.35	20.35	13.28	13.28
	Per 8XX Number			OHD	N8FCX		4.47	2.24					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Multiple InterLATA CXR															
	Routing Per CXR Requested Per 8XX No.			OHD	N8FMX		5.23	3.00					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Change Charge Per Request			OHD	N8FAX		5.97	0.76					20.35	20.35	13.28	13.28
	8XX Access Ten Digit Screening, Call Handling and Destination															
	Features		ļ	OHD	N8FDX		4.47						20.35	20.35	13.28	13.28
LINE INFORMA	ATION DATA BASE ACCESS (LIDB)		-	007		0.0000054					ļ					
	LIDB Common Transport Per Query LIDB Validation Per Query		1	OQT OQU	-	0.0000354 0.0117403					-			-		-
	LIDB Validation Per Query  LIDB Originating Point Code Establishment or Change		-	OQT, OQU	NRBPX	0.0117403	49.03				<b> </b>		20.35	20.35	13.28	13.28
SIGNALING (C		<del>                                     </del>	1	0Q1, 0Q0	MINDLY		49.03		1	1	}	<b> </b>	20.35	20.35	13.28	13.28
SIGNALING (C	CCS7 Signaling Termination, Per STP Port		1	UDB	PT8SX	138.41					1				1	
<del>                                     </del>	CCS7 Signaling Termination, Per STP Port  CCS7 Signaling Usage, Per TCAP Message	<b>-</b>	<del>                                     </del>	UDB	1 100/	0.0000916			<del> </del>	<b> </b>	<del>                                     </del>	<b>-</b>	<b> </b>	<del> </del>	t	<del> </del>
	CCS7 Signaling Osage, Fer TOAF Message  CCS7 Signaling Connection, Per link (A link)	<b>†</b>	1	UDB	TPP++	17.84	130.84	130.84	1		1	<b> </b>	20.35	20.35	13.32	13.32
	CCS7 Signaling Connection, Per link (B link) (also known as D			000	1	17.01	100.01	100.01			İ		20.00	20.00	10.02	10.02
	link)			UDB	TPP++	17.84	130.84	130.84					20.35	20.35	13.32	13.32
	CCS7 Signaling Usage, Per ISUP Message			UDB		0.0000373										
	CCS7 Signaling Usage Surrogate, per link per LATA			UDB	STU56	352.30										
	Signaling Point Code, per Originating Point Code Establishment															
	or Change, per STP			UDB	CCAPO		121.77	121.77					20.35	20.35	13.32	13.32
CALLING NAM	E (CNAM) SERVICE															
	CNAM For DB Owners - Service Establishment			OQV			43.27									
	CNAM For Non DB Owners - Service Establishment			OQV			43.27									
	CNAM For DB Owners - Service Provisioning With Point Code															
	Establishment			OQV			1,868.00	1,382.00								
	CNAM For Non DB Owners - Service Provisioning With Point															
<b></b>	Code Establishment			OQV	ļ	0.0010=11	645.50	432.23								
	CNAM for DB Owners, Per Query CNAM for Non DB Owners, Per Query		1	OQV	-	0.0010541 0.0010541									1	
<b></b>	CNAM (Non-Databs Owner), NRC, applies when using the		-	OQV	+	0.0010541					<b> </b>					
	Character Based User Interface (CHUI)			oqv	CDDCH								20.35	20.35	13.28	13.28
SELECTIVE RO		-	1	OQV	CDDCIT				1		1		20.33	20.33	13.20	13.20
OLLLO IIVE KO	Selective Routing Per Unique Line Class Code Per Request Per		1		+						1					
	Switch						179.60	179.60					20.35	20.35		
VIRTUAL COLI																
	Virtual Collocation-2 Wire Cross Connects (Loop) for Line	1			1	l			1	ĺ	Ì			ĺ	1	ĺ
	Splitting	<u> </u>		UEPSR UEPSB	VE1LS	0.57	11.62	9.90	10.38	8.66	<u> </u>	<u> </u>	19.99	19.99	19.99	19.99
PHYSICAL COI								·								
	Physical Collocation-2 Wire Cross Connects (Loop) for Line							<u> </u>								
	Splitting			UEPSR UEPSB	PE1LS	0.7905	11.62	9.90	10.38	8.66			19.99	19.99	19.99	19.99
AIN SELECTIV	E CARRIER ROUTING															
	Regional Service Establishment			SRC	SRCEC		190,638.00		ļ				20.35	ļ	1	ļ
	End Office Establishment		_	SRC	SRCEO	0.05	317.55	317.55	3.19	3.19			20.35	20.35	13.28	13.28
AIN DELLOS	Query NRC, per query	<b>.</b>	1	SRC	+	0.0206047			1	-	ļ	<b> </b>	<b>!</b>	-	<del>                                     </del>	-
AIN - BELLSOL	JTH AIN SMS ACCESS SERVICE AIN SMS Access Service - Service Establishment, Per State,	-	1		1	-	1		<del> </del>	<del> </del>	ļ	ļ	<del>                                     </del>	<b>.</b>	<del>                                     </del>	<b>.</b>
				A4N	CAMSE		125 50	125.50				1	20.25	20.25	12.00	12.00
<del>                                     </del>	Initial Setup	-	1	A1N	CAMSE		135.56	135.56	1		<del>                                     </del>	-	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access			A1N	CAMDP		41.75	41.75				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Port Connection - Dial/Shared Access AIN SMS Access Service - Port Connection - ISDN Access	<b>-</b>	<del>                                     </del>	A1N	CAM1P		41.75	41.75	<del> </del>	<b> </b>	<del>                                     </del>	<b>-</b>	20.35	20.35	13.28	13.28
	AIN SMS Access Service - User Identification Codes - Per User		1	,	C/ W/111		71.75	71.75	1				20.00	20.00	10.20	10.20
1	ID Code			A1N	CAMAU		96.63	96.63				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Security Card, Per User ID Code,	1			1	l	33.30	22.30	1	İ					10.20	12.20
	Initial or Replacement			A1N	CAMRC		113.67	113.67				1	20.35	20.35	13.28	13.28
	AIN SMS Access Service - Storage, Per Unit (100 Kilobytes)					0.0024										
	AIN SMS Access Service - Session, Per Minute					0.0820123										

CATEGORY					1	l					0					
	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
<del></del>	AIN SMS Access Service - Company Performed Session, Per						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Minute					2.27										
	ITH AIN TOOLKIT SERVICE					2.27										
	AIN Toolkit Service - Service Establishment Charge, Per State,															
	Initial Setup			CAM	BAPSC		132.04	132.04					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Training Session, Per Customer				BAPVX		7,915.00	7,915.00					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTT		31.21	31.21					20.35	20.35	13.28	13.28
	DN, Term. Attempt AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DAPTI		31.21	31.21					20.33	20.33	13.20	13.20
	DN, Off-Hook Delay				BAPTD		31.21	31.21					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per DN, Off-Hook Immediate				BAPTM		31.21	31.21					20.35	20.35	13.28	13.28
A	AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				DADTO									20.25		
A	DN, 10-Digit PODP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTO		85.24	85.24					20.35	20.35	13.28	13.28
	DN, CDP AIN Toolkit Service - Trigger Access Charge, Per Trigger, Per				BAPTC		85.24	85.24					20.35	20.35	13.28	13.28
D	DN, Feature Code				BAPTF		85.24	85.24					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Query Charge, Per Query					0.0211882										
	AIN Toolkit Service - Type 1 Node Charge, Per AIN Toolkit Subscription, Per Node, Per Query					0.0054774										
A	AIN Toolkit Service - SCP Storage Charge, Per SMS Access Account, Per 100 Kilobytes					1.50										
	AIN Toolkit Service - Monthly report - Per AIN Toolkit Service					1.00										
	Subscription			CAM	BAPMS	17.43	33.52	33.52					20.35	20.35	13.28	13.28
s	AIN Toolkit Service - Special Study - Per AIN Toolkit Service Subscription			CAM	BAPLS	0.1321116	36.23	36.23					20.35	20.35	13.28	13.28
	AIN Toolkit Service - Call Event Report - Per AIN Toolkit Service Subscription			CAM	BAPDS	17.35	33.52	33.52					20.35	20.35	13.28	13.28
A	AIN Toolkit Service - Call Event Special Study - Per AIN Toolkit			CAM	BAPES								20.35	20.35	13.28	13.28
	Service Subscription TENDED LINK (EELs)			CAIVI	BAPES	0.0511435	36.23	36.23					20.35	20.35	13.28	13.28
	The monthly recurring and non-recurring charges below will a	apply a	nd the	Switch-As-Is Charge	will not app	l Iv for UNE co	nbinations prov	visioned as ' C	Ordinarily Comb	oined' Network	k Elements.					
	The monthly recurring and the Switch-As-Is Charge and not the															
	TED 2-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	TED DS	INTER													
	First 2-Wire VG Loop (SL2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86	ļ		20.35	21.09		
	First 2-Wire VG Loop (SL2) in Combination - Zone 2 First 2-Wire VG Loop (SL2) in Combination - Zone 3		3	UNCVX UNCVX	UEAL2 UEAL2	21.63 28.28	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86			20.35 20.35	21.09 21.09		
	Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	OINOVA	ULALZ	20.28	100.76	30.47	12.94	10.66	-		20.33	21.09		
	per month			UNC1X	1L5XX	0.3562	<u> </u>					<u> </u>				
	Interoffice Transport - Dedicated - DS1 combination - Facility															
	Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90	ļ		20.35	21.09		
	1/0 Channelization System in combination Per Month Voice Grade COCI - Per Month			UNC1X UNCVX	MQ1 1D1VG	80.77 0.91	105.76 5.70	14.48 4.42		2.74	-					
	VOICE GIAGE COOI - FEI MOITHI			UNCVA	טווטו	0.91	5.70	4.42	1							
E	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 1		1	UNCVX	UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
E	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 2		2	UNCVX	UEAL2	21.63	108.76	35.47	72.94	10.86			20.35	21.09		
	Each Additional 2-Wire VG Loop (SL 2) in Combination - Zone 3 Voice Grade COCI - Per Month		3	UNCVX UNCVX	UEAL2 1D1VG	28.28 0.91	108.76 5.70	35.47 4.42	72.94	10.86			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-			OINOVA	שועו	0.91	5.70	4.42	+		1					
Is	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u></u>	20.35	21.09		
EXTEND	DED 4-WIRE VOICE GRADE EXTENDED LOOP WITH DEDICAT	ED DS	INTER	OFFICE TRANSPOR	RT											
-	First 4-Wire Analog Voice Grade Loop in Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		
į IF.			2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86			20.35	21.09		

UNBUN	NDLE	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGO	ORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
								400 =0		=							
		First 4-Wire Analog Voice Grade Loop in Combination - Zone 3 Interoffice Transport - Dedicated - DS1 combination - Per Mile		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		+
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - Facility Termination Per			ONOTA	TESTON	0.5502										+
		Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						1
		Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42								
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
		Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	1110101	UEAL4	00.00	100.70	35.47	70.04	40.00			20.35	21.09		
		Additional 4-Wire Analog Voice Grade Loop in same DS1			UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	<b> </b>		20.35	21.09		
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional Voice Grade COCI in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42		10.00	1		20.00	21.00		+
		Nonrecurring Currently Combined Network Elements Switch -As-			0.10171	15110	0.01	0.70	2					t			†
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
E	EXTEN	DED 4-WIRE 56 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	CATED	DS1 IN	TEROFFICE TRANS	SPORT											
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 2			UNCDX	UDLS6	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		First 4-Wire 56Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile		_													†
		Per Month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 - combination Facility															1
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						<u> </u>
		OCU-DP COCI (data) per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42					1			+
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		'	UNCDA	UDLS0	31.10	100.70	33.47	72.54	10.80			20.33	21.09		+
		Interoffice Transport Combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															1
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional OCU-DP COCI (data) - in combination per month (2.4-															
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-			LINICAV	UNCCC		52.73	24.62	9.12	9.12			20.25	21.09		
	EXTENI	Is Charge DED 4-WIRE 64 KBPS EXTENDED DIGITAL LOOP WITH DEDIC	ATED	DS1 IN	UNC1X			52.73	24.62	9.12	9.12			20.35	21.09		+
	LATEIN	DED 4-WIRE 04 RBI O EXTENDED DIOTTAL LOOF WITH DEDIC	AILD	001111	TEROTTIOE TRAIN	JI OIKT								<u> </u>			
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		
																	1
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		<u> </u>
Γ	Ţ		_	l		1		I T						_			
		First 4-Wire 64Kbps Digital Grade Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1		20.35	21.09		
		Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562						1	I			1
+		interoffice Transport - Dedicated - DS1 combination - Facility		-	ONCIA	ILOAA	0.3362			<del>                                     </del>				+			+
		Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination Per Month			UNC1X	MQ1	80.77	105.76	14.48		2.74						†
		OCU-DP COCI (data) - in combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		<del>                                     </del>
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1 Interoffice Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			OINCDA	UDL04	40.01	100.76	33.47	12.94	10.86			20.35	21.09		+
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86	1	l	20.35	21.09	1	1

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	1	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional OCU-DP COCI (data) - in combination - per month				1											
	(2.4-64kbs)	-	ļ	UNCDX	1D1DD	0.91	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge	1		UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS1	INTER				32.73	24.02	9.12	3.12			20.55	21.03		
	4-Wire DS1 Digital Loop in Combination - Zone 1	1	1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	4-Wire DS1 Digital Loop in Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Interoffice Transport - Dedicated - DS1 combination - Per Mile															
<del></del>	Per Month	-	├	UNC1X	1L5XX	0.3562					1	-		-		
	Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-	1	<b>†</b>	5.1017	31111	77.30	171.24	110.12	70.07	50.30	1		20.00	21.03		
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICAT	ED DS3			RT											
	First DS1Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	First DS1Loop in Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
<b></b>	First DS1Loop in Combination - Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Interoffice Transport - Dedicated - DS3 combination - Per Mile Per Month			UNC3X	1L5XX	2.34										
	Interoffice Transport - Dedicated - DS3 - Facility Termination per		<u> </u>	ONOOX	TESTA	2.04					1	1				
	month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
	3/1Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77						
	DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Additional DS1Loop in DS3 Interoffice Transport Combination -															
	Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
	Additional DS1Loop in DS3 Interoffice Transport Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		
<del>                                     </del>	Additional DS1Loop in DS3 Interoffice Transport Combination -			UNCIX	USLAA	75.40	220.40	101.74	79.07	24.00			20.33	21.09		
	Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
	Additoinal DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Nonrecurring Currently Combined Network Elements Switch -As-	-														
	Is Charge	<u> </u>	<u> </u>	UNC3X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 2-WIRE VOICE GRADE EXTENDED LOOP/ 2 WIRE VOICE	GRAD	E INTE			40.50	400.70	05.47	70.04	10.00						
	2-WireVG Loop in combination - Zone 1 2-WireVG Loop in combination - Zone 2		2	UNCVX UNCVX	UEAL2 UEAL2	16.56 21.63	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86						
	2-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL2	28.28	108.76	35.47	72.94	10.86						
	Interoffice Transport - 2-wire VG - Dedicated- Per Mile Per															
	Month			UNCVX	1L5XX	0.0174										
	Interoffice Transport - 2-wire VG - Dedicated - Facility								I ]							
	Termination per month		-	UNCVX	U1TV2	21.79	79.83	44.08	69.32	31.00	ļ		20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED 4-WIRE VOICE GRADE EXTENDED LOOP/ 4 WIRE VOICE	GRAD	E INTE				32.13	24.02	5.12	3.12	<del>                                     </del>	<b>-</b>	20.33	21.09		
	4-WireVG Loop in combination - Zone 1		1	UNCVX	UEAL4	24.70	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 2		2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86						
	4-WireVG Loop in combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86						
	Interoffice Transport - 4-wire VG - Dedicated - Per Mile Per			LINCVY	11 5 7 7	0.0474										
<b></b>	Month Interoffice Transport - 4-wire VG - Dedicated - Facility	<del>                                     </del>	<del>                                     </del>	UNCVX	1L5XX	0.0174			+		-	<del>                                     </del>				<u> </u>
	Termination per month			UNCVX	U1TV4	27.30	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-		t		1	27.50		50	55.52	050			20.50	250		
	Is Charge		<u>L</u>	UNCVX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EXTEN	IDED DS3 DIGITAL EXTENDED LOOP WITH DEDICATED DS3	INTERC	FFICE													
	DS3 Local Loop in combination - per mile per month	-	<u> </u>	UNC3X	1L5ND	9.19										
	DS3 Local Loop in combination - Facility Termination per month			UNC3X	UE3PX	373.47	240.23	180.87	106.78	45.24						
	Interoffice Transport - Dedicated - DS3 - Per Mile per month	<b>†</b>	<del>                                     </del>	UNC3X	1L5XX	2.34	240.23	100.07	100.76	45.24	1	<del>                                     </del>				-
	1				1											

UNBUND	LED	NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	Y	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Interoffice Transport - Dedicated - DS3 combination - Facility															
		Termination per month			UNC3X	U1TF3	854.97	482.01	153.81	64.43	35.43			36.84	36.84		
		Nonrecurring Currently Combined Network Elements Switch -As- ls Charge			UNC3X	1111000		50.70	04.00	0.40	9.12			36.84	36.84		
EVI		is Charge DED STS-1 DIGITAL EXTENDED LOOP WITH DEDICATED ST	C 4 INIT	EBOEE		UNCCC		52.73	24.62	9.12	9.12	-		36.84	30.84		+
EAI		STS-1 Local Lolp in combination - per mile per month	3-1 INT	EKOFF	UNCSX	1L5ND	9.19					1	ł	1			+
		STS-1 Local Loop in combination - Facility Termination per			ONCOX	ILSIND	3.13							<u> </u>			
		month			UNCSX	UDLS1	394.56	240.23	180.87	106.78	45.24						
		Interoffice Transport - Dedicated - STS-1 combination - per mile									-						1
		per month			UNCSX	1L5XX	2.34										
		Interoffice Transport - Dedicated - STS-1 combination - Facility						ĺ									
		Termination per month			UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43			36.84	36.84		1
		Nonrecurring Currently Combined Network Elements Switch -As-				I 7		Ι Τ						_			
		ls Charge			UNCSX	UNCCC		52.73	24.62	9.12	9.12			36.84	36.84		
EXT		DED 2-WIRE ISDN EXTENDED LOOP WITH DS1 INTEROFFICE	TRANS	SPORT	LINIONIY	1141.01	20.5-							22.5-	21.2-		+
		First 2-Wire ISDN Loop in Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		-
		First 2-Wire ISDN Loop in Combination - Zone 2 First 2-Wire ISDN Loop in Combination - Zone 3		3	UNCNX UNCNX	U1L2X U1L2X	29.02 37.95	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	-		20.35 20.35	21.09 21.09		+
		Interoffice Transport - Dedicated - DS1 combination - per mile		3	UNCINA	UILZA	37.95	100.76	35.47	72.94	10.00	1		20.33	21.09		
		per month			UNC1X	1L5XX	0.3562										
		Interoffice Transport - Dedicated - DS1 combination - Facility			ONOTA	TESTA	0.5502			1		1					+
		Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		1/0 Channel System in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74	1	İ	20.00	21100		<b>†</b>
		2-wire ISDN COCI (BRITE) - in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								1
	,	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															1
		Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
		Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													
		Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		
		Additional 2-wire ISDN COCI (BRITE) - in combination- per			LINIONIV	110404	2.24	F 70	4.40								
		month  Nonrecurring Currently Combined Network Elements Switch -As-		-	UNCNX	UC1CA	3.24	5.70	4.42			1		-			
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
FXT		DED 4-WIRE DS1 DIGITAL EXTENDED LOOP WITH DEDICATI	-D STS	-1 INTE				02.70	24.02	0.12	0.12	1		20.00	21.00		+
		First DS1 Loop Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88	1		20.35	21.09		<u> </u>
		First DS1 Loop Combination - Zone 2			UNC1X	USLXX	75.40	228.40	161.74		24.88			20.35	21.09		1
		First DS1 Loop Combination - Zone 3			UNC1X	USLXX	98.59	228.40	161.74		24.88			20.35	21.09		
		Interoffice Transport - Dedicated - STS-1 combination - Per Mile															
		Per Month			UNCSX	1L5XX	2.34							L		ļ	Ļ
		Interoffice Transport - Dedicated - STS-1 combination - Facility			LINIOOV	LUTES			.=0.5:								
		Termination per month		-	UNCSX	U1TFS	849.30	482.01	153.81	64.43	35.43	1		36.84	36.84		+
		3/1 Channel System in combination per month DS1 COCI in combination per month			UNCSX UNC1X	MQ3 UC1D1	222.98 17.58	156.02 5.70	49.41 4.42	17.12	6.77	1	1	<del>                                     </del>	-	-	+
-		Additional DS1Loop in the same STS-1 Interoffice Transport			DINOIA	COIDI	17.50	5.70	4.42			<u> </u>	<b>+</b>	<del>                                     </del>		-	+
		Combination - Zone 1		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88			20.35	21.09		
		Additional DS1Loop in the same STS-1 Interoffice Transport		<u> </u>		- 52.01	30	220.40	.07		2 7.00			20.00	200		<u> </u>
	(	Combination - Zone 2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88			20.35	21.09		1
		Additional DS1Loop in the same STS-1 Interoffice Transport															
		Combination - Zone 3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88			20.35	21.09		
		DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Nonrecurring Currently Combined Network Elements Switch -As-									_						
 		Is Charge	DC 11.1-		UNCSX	UNCCC		52.73	24.62	9.12	9.12	<u> </u>	<u> </u>	36.84	36.84		
EX1		DED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH 56 KB	rs INT			LIDLEC	24.42	400.70	05.47	72.94	40.00	<b> </b>	ļ	1	-	-	+
		4-wire 56 kbps Local Loop in combination - Zone 1 4-wire 56 kbps Local Loop in combination - Zone 2			UNCDX UNCDX	UDL56 UDL56	31.10 40.61	108.76 108.76	35.47 35.47	72.94 72.94	10.86 10.86	1	1	<del>                                     </del>	-	-	+
-+		4-wire 56 kbps Local Loop in combination - Zone 2 4-wire 56 kbps Local Loop in combination - Zone 3			UNCDX	UDL56	53.11	108.76	35.47		10.86	<u> </u>	<b>+</b>	<del>                                     </del>		-	+
		Interoffice Transport - Dedicated - 4-wire 56 kbps combination -		- 5	OI TODA	0000	55.11	100.70	55.47	12.54	10.00	<b> </b>		<b>-</b>			<del>                                     </del>
1					1								•				1

CATEGORY   RATE ELEMENTS   Mind   Zone   BCS   USOC   Washington   Society   Charge   Charg	BUNDLED N	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	bit: A
APTER ELEMENTS INTO THE PROPERTY OF THE PROPER												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
## CATEGORY RAFE ELEMENTS ## ACT   Second   Seco												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
MAIL ELEMENTS   Mail   Color   Mail   Color   Mail   Color   Mail   Color   Mail   M			Intori									Elec					Manual Svc
Recording   Reco	EGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
Note			m									po. 2011	po. 20.1				Electronic-
Noncentrial Chargost - Obsticated - 4 win 56 laps combination -   NACOS   NA																	Disc Add'l
Mode   First   Add   Source																DISC 1St	DISC AUU I
Instruction Tempore, Technology - Expression   Instructi							D	Nonrecurring		Nonrecurring	Disconnect		•	OSS	Rates (\$)		
Facility Termoniatory per method   Newton Computer Contributed Newton Elements Switch - Ap-   Newton Computer Contributed Newton Elements Switch - Ap-   Newton Computer Com							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Note control Currently Control Network Elements Switch + sp.   Notice   N	Int	teroffice Transport - Dedicated - 4-wire 56 kbps combination -												Î	Î		
STANSON   STAN	Fa	acility Termination per month			UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		1
ENTRODIC - WINE 6 A MAPS DOTTAL EXTENDED LOOP WITH 6 A LAPPE NITEOR FOR THE ASSPORT   1 (LAPCOX LOUGH 4 31 to 108 78 56.47 72.54 10.06	No	onrecurring Currently Combined Network Elements Switch -As-												Î	Î		
Autor 64 Mayer cost loop in Combination - John 1   JUNGOX   JUNGA   31-10   100-77   30-47   79-34   10-86	ls (	Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
Autor 64 Abstract Corol Long in Commonators John 2   2   URICOX   U.D.6.4   40.61   109.76   35.47   77.24   10.86	EXTENDE	D 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH 64 KE	PS INT	EROFF	ICE TRANSPORT									Î	Î		
Autor 64 Abott Cold Local Cold Cold Control Control Cold Cold Cold Cold Cold Cold Cold Co	4-v	wire 64 kbps Lcoal Loop in Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86						
Intereffice Transport - Declarated - 4-wire 64 kbgs combination - Per Medical Per	4-v	wire 64 kbps Lcoal Loop in Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
Pet Mile per month	4-v	wire 64 kbps Lcoal Loop in Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			Î	Î		
Interfolice Transport - Decisional - Average 64 Apps commission -   LANCIDX   UTITOR   21.19   79.85   44.08   69.32   31.00   20.35   21.05																	
Facility Termination per month	Pe	er Mile per month			UNCDX	1L5XX	0.0174										1
Facility Termination per month												İ	İ				
Normocurring Currently Correlation Research Senior June   Incident Correlation   Incident					UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		ı
Schange				1													
SYTENOBLO 2-WIRE VOICE GRADE LOOP WITH DS INTEROPFICE TRANSPORT WJ TMUX.   UEAL2   16.66   108.76   36.47   72.94   10.86   20.35   21.09					UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
First 2-view VC Loop (SL2) in Combination - Zener 1			RANSP	ORT w								İ	İ	1	1		
First 2-view VG Loop (SL2) in Combination - Zeron 2				1		UEAL2	16.56	108.76	35.47	72.94	10.86			20.35	21.09		
First 2-wire VG Loop (SL2) in Combination - Zone 3				2													
First Interdiffee Transport - Dedicated - DST combination - Per   UNC1X																	
Mile   UNCIX   LIDXX   0.3862				Ť						1 - 1 - 1							
First Interdiffice Transport Declotedad - DS1 combination - Period (Combination - Period					UNC1X	1I 5XX	0.3562										1
Facility Termination per month					0.10.77	120/01	0.0002										
Per each DSI Channelization System Per Month   UNCYX   MO1   80.77   105.76   14.48   3.04   2.74					UNC1X	U1TF1	77.86	171 24	113 12	70.07	30.90			20.35	21 09		1
Per each Voice Grade COCI - Per Month per month														20.00	21.00		
31 Channel System in combination per month										0.01							
Per seach DSI COCI in combination per month   UNCIX   UCID1   17.58   5.70   4.42										17 12	6.77			36.84	36.84		
Each Additional 2-Wire VG Loop(SL2) in the same DS1											0.77			00.04	00.04		
Interoffice Transport Combination - Zone 1					ONOTA	00101	17.00	0.70	7.72	1							
Each Additional Z-Wire VG Loop(SL2) in the same DS1   2 UNCVX				1	LINCVX	LIFAL 2	16 56	108.76	35 47	72 94	10.86			20.35	21.09		1
Interoffice Transport Combination - Zone 2				-	ONOVA	OLINE	10.00	100.70	00.41	12.04	10.00			20.00	21.00		
Each Additional 2-Wire VG Loop(SL2) in the same DS1   Interfetice Transport Combination - Zone 3   UNCVX   UEAL2   28.28   108.76   35.47   72.94   10.86   20.35   21.09				2	LINCVY	LIEAL 2	21.63	108 76	35 47	72 04	10.86			20.35	21.00		1
Interoffice Transport Combination - Zone 3   3 UNCVX   UEAL2   28.28   108.76   35.47   72.94   10.86   20.35   21.09					ONOVA	ULALZ	21.00	100.70	33.47	12.34	10.00			20.55	21.03		
Each Additional DS1 Interoffice Channel per mile in same 3/1   UNCIX   1L5XX   0.3562   UNCIX   1L5XX   0.3562   UNCIX   UNC				3	LINCVX	LIFAL 2	28 28	108.76	35 47	72 94	10.86			20.35	21.09		1
Each Additional DS1 Interoffice Channel per mile in same 3/1				3						12.34	10.00			20.55	21.03		
Channel System per month					ONOVA	IDIVO	0.01	0.70	7.72								
Each Additional DS1 Interoffice Channel Facility Termination in same 3/f Channel System per month   UNC1X U1TF1   77.86   171.24   113.12   70.07   30.90   20.35   21.09					LINC1Y	11 5YY	0.3562										1
Same 3/1 Channel System per month					ONOTA	TLOAK	0.5502										
Each Additional DSI COCI combination per month   UNC1X   UC1D1   17.58   5.70   4.42					LINC1X	LI1TE1	77.86	171 24	113 12	70.07	30.90			20.35	21.09		1
Nonrecurring Currently Combined Network Elements Switch -As-   UNC1X				t						70.07	55.50			20.00	21.03		
Is Charge   UNC1X   UNCCC   52.73   24.62   9.12   9.12   20.35   21.09			<b>-</b>	<del>                                     </del>		30.51	17.50	5.70	7.72								
EXTENDED 4-WIRE VOICE GRADE LOOP WITH DEDICATED DS1 INTEROFFICE TRANSPORT W/ 3/1 MUX    First 4-Wire Analog Voice Grade Local Loop in Combination - Zone 1				1	UNC1X	UNCCC		52 73	24 62	9 12	9 12	1	1	20.35	21.09		ı
First 4-Wire Analog Voice Grade Local Loop in Combination -   1 UNCVX   UEAL4   24.70   108.76   35.47   72.94   10.86   20.35   21.09			EROFF	ICE TR				02.73	2-7.02	5.12	5.12			20.00	21.03		
Zone 1				· · ·		1								<b>i</b>	<b>i</b>		
First 4-Wire Analog Voice Grade Local Loop in Combination -   2 UNCVX   UEAL4   32.26   108.76   35.47   72.94   10.86   20.35   21.09				1	UNCVX	UEAL4	24 70	108 76	35 47	72 94	10.86			20.35	21 09		1
Zone 2			<b>-</b>	<u> </u>		3=	27.70	100.70	00.47	72.54	10.00			20.00	21.00		
First 4-Wire Analog Voice Grade Local Loop in Combination -				2	UNCVX	UFAL4	32 26	108 76	35 47	72 94	10.86	1	1	20.35	21.09		ı
Zone 3   JUNCVX   UEAL4   42.18   108.76   35.47   72.94   10.86   20.35   21.09				<del></del>	2	32	02.20	100.70	5517	72.54	10.00	<del> </del>	<del> </del>	20.00	21.00		
First Interoffice Transport - Dedicated - DS1 combination - Per   UNC1X				3	UNCVX	UFAL4	42 18	108 76	35 47	72 94	10.86			20.35	21 09		ı
Mile Per Month			<b>-</b>		5.101/	JE/164	72.10	100.70	33.47	12.34	10.00			20.33	21.09		
First Interoffice Transport - Dedicated - DS1 - Facility   UNC1X					UNC1X	11.5XX	0.3562										ı
Termination Per Month			<b>-</b>	<del>                                     </del>			0.0002										
Per each 1/0 Channel System in combination Per Month				1	UNC1X	U1TF1	77 86	171 24	113 12	70.07	30 au	1	1	20.35	21 00		ı
Per each Voice Grade COCI in combination - per month			<b>-</b>	<del>                                     </del>										20.33	21.09		
3/1 Channel System in combination per month			<b>-</b>	<del>                                     </del>						3.04	2.14	<b>-</b>	<b>-</b>				
Per each DS1 COCI in combination per month				<del>                                     </del>						17 19	6 77			36.84	36.84		
Additional 4-Wire Analog Voice Grade Loop in same DS1 Interoffice Transport Combination - Zone 1 1 UNCVX UEAL4 24.70 108.76 35.47 72.94 10.86 20.35 21.09 Additional 4-Wire Analog Voice Grade Loop in same DS1	J/1	er each DS1 COCL in combination per month		<del>                                     </del>						17.12	0.77			30.04	30.04		
Interoffice Transport Combination - Zone 1				<b>-</b>	ONOTA	55151	17.30	5.70	7.42			<b> </b>	<b> </b>	<b> </b>	<b> </b>		
Additional 4-Wire Analog Voice Grade Loop in same DS1				1	LINCVX	LIEAL 4	24 70	109.76	25 /17	72 04	10.96	1	1	20.25	21.00		ı
				<u> </u>	0140 4 /	JLAL	24.10	100.76	35.47	12.34	10.00			20.35	21.09		
I I Intereffice Transport Combination - 7 one 2 I I 2 IINCVY IIIEAIA I 22.26   40.976   25.47   72.04   40.96   I   20.25   24.00   I		teroffice Transport Combination - Zone 2	1	2	UNCVX	UEAL4	32.26	108.76	35.47	72.94	10.86	l	l	20.35	21.09		ı

UNBUNI	DLE	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
220141		101110000		1								Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
				1			_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Additional 4-Wire Analog Voice Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 3		3	UNCVX	UEAL4	42.18	108.76	35.47	72.94	10.86			20.35	21.09		
		Each Additional DS1 Interoffice Channel per mile in same 3/1			LINIOAV	41.5307	0.0500										, ,
		Channel System per month  Each Additional DS1 Interoffice Channel Facility Termination in		1	UNC1X	1L5XX	0.3562										
		same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
		Additional Voice Grade COCI - in combination - per month			UNCVX	1D1VG	0.91	5.70	4.42	70.07	00.00			20.00	21.00		
		Nonrecurring Currently Combined Network Elements Switch -As-															
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
E)	KTEN	DED 4-WIRE 56 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -			UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		i
$\vdash$	-+	Zone 1 First 4-Wire 56Kbps Digital Grade Local Loop in Combination -	<del>                                     </del>	1	UNCDX	UDLOB	31.10	108.76	35.47	72.94	10.86	-	-	20.35	21.09		
		Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		i
		First 4-Wire 56Kbps Digital Grade Local Loop in Combination -		<u> </u>	0.1027	02200		100.10	00	72.01	10.00			20.00	200		
		Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		1
		First Interoffice Transport - Dedicated - DS1 combination - Per															1
		Mile Per Month			UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 - combination						.=									1
<b>—</b>		Facility Termination Per Month Per each 1/0 Channel System in combination Per Month		1	UNC1X UNC1X	U1TF1 MQ1	77.86 80.77	171.24 105.76	113.12 14.48	70.07 3.04	30.90 2.74			20.35	21.09		
		Per each OCU-DP COCI (data) COCI per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42	3.04	2.14						
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		i
		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42		-						
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1															
		Interoffice Transport Combination - Zone 1		1	UNCDX	UDL56	31.10	108.76	35.47	72.94	10.86			20.35	21.09		-
		Additional 4-Wire 56Kbps Digital Grade Loop in same DS1			LINODY	1101 50	40.04	400.70	05.47	70.04	40.00			20.05	04.00		1
<b>—</b>		Interoffice Transport Combination - Zone 2 Additional 4-Wire 56Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86			20.35	21.09		
		Interoffice Transport Combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86			20.35	21.09		1
		OCU-DP COCI (data) COCI in combination per month (2.4-		Ŭ	ONODA	ODLOG	00.11	100.70	00.47	72.54	10.00			20.00	21.00		
		64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								1
		Each Additional DS1 Interoffice Channel per mile in same 3/1															1
		Channel System per month			UNC1X	1L5XX	0.3562										
		Each Additional DS1 Interoffice Channel Facility Termination in same 3/1 Channel System per month			UNC1X	U1TF1	77.00	171.24	113.12	70.07	30.90			20.35	21.09		1
		Each Additional DS1 COCI in the same 3/1 channel system		<u> </u>	UNCIX	UTIFT	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
		combination per month			UNC1X	UC1D1	17.58	5.70	4.42								i
		Nonrecurring Currently Combined Network Elements Switch -As-		t	-		50										
		Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		<u> </u>
E)	KTEN	DED 4-WIRE 64 KBPS DIGITAL LOOP WITH DEDICATED DS1	INTERC	FFICE	TRANSPORT w/ 3/1	MUX											
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice Transport Combination - Zone 1		1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86			20.35	21.09		İ
$\vdash$	-	First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		+-	UNCDX	UDL04	31.10	108.76	35.47	72.94	10.86			∠0.35	∠1.09		
		Transport Combination - Zone 2		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86			20.35	21.09		i
		First 4-Wire 64Kbps Digital Grade Loop in a DS1 Interoffice		T-				100.70			.3.00			20.00	200		
		Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		
		First Interoffice Transport - Dedicated - DS1 combination - Per															
$\vdash$		Mile Per Month		<u> </u>	UNC1X	1L5XX	0.3562										
		First Interoffice Transport - Dedicated - DS1 combination - Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		į į
<del>                                     </del>	-+	Per each Channel System 1/0 in combination Per Month		<del>                                     </del>	UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74			20.35	21.09		
<del>                                     </del>		Per each OCU-DP COCI (data) in combination - per month (2.4-		t	5.101/		55.77	100.70	17.40	0.04	2.74						
L l		64kbs)		L	UNCDX	1D1DD	0.91	5.70	4.42		<u></u>	<u></u>	<u> </u>		<u> </u>		<u> </u>
		3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		
$\perp \perp \perp$		Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
		Additional 4-Wire 64Kbps Digital Grade Loop in same DS1			LINCDY	LIDI C1	04.40	100 70	05.47	70.01	10.00			00.0=	04.00		į į
$\Box$		Interoffice Transport Combination - Zone 1	l	1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1	<u> </u>	20.35	21.09		

CNDUNDLE	D NETWORK ELEMENTS - Tennessee	1	1		<del>                                     </del>						Cup Onder	Cup Carle		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	LINODY	LIDIOA	10.01	400.70	05.47	70.04	40.00			00.05	04.00		ĺ
	Interoffice Transport Combination - Zone 2 Additional 4-Wire 64Kbps Digital Grade Loop in same DS1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86	<b>.</b>		20.35	21.09		<del></del>
	Interoffice Transport Combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional OCU-DP COCI (data) - DS1 to DS0 Channel System		Ŭ	ONODA	OBLOT	00.11	100.70	00.47	72.04	10.00			20.00	21.00		
	combination - per month (2.4-64kbs)			UNCDX	1D1DD	0.91	5.70	4.42								l
	Each Additional DS1 Interoffice Channel per mile in same 3/1						ĺ									
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in				l											l
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<del>                                     </del>
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
<del>-  </del>	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42								
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		l
EXTE	NDED 2-WIRE ISDN LOOP WITH DS1 INTEROFFICE TRANSPOR	RT w/ 3/	1 MUX													
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination															1
	Transport - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	First 2-Wire ISDN Loop in a DS1 Interoffice Combination		_	LINIONIV	U1L2X	29.02	400.70	35.47	72.94	40.00			20.35	21.09		l
	Transport - Zone 2 First 2-Wire ISDN Loop in a DS1 Interoffice Combination		2	UNCNX	UILZX	29.02	108.76	35.47	72.94	10.86	<b>.</b>		20.35	21.09		-
	Transport - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	First Interoffice Transport - Dedicated - DS1 combination - Per			ONOR	OTLEX	07.00	100.70	00.47	72.04	10.00			20.00	21.00		
	Mile per month			UNC1X	1L5XX	0.3562										l
	First Interoffice Transport - Dedicated - DS1 combination -															
	Facility Termination per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Per each Channel System 1/0 in combination - per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74						<b>——</b>
	Per each 2-wire ISDN COCI (BRITE) in combination - per month			UNCNX	UC1CA	3.24	5.70	4.42								l
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77			36.84	36.84		<del>                                     </del>
	Per each DS1 COCI in combination per month			UNC1X	UC1D1	17.58	5.70	4.42	2	0			00.01	00.01		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport															
	Combination - Zone 1		1	UNCNX	U1L2X	22.22	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport		_													l
	Combination - Zone 2		2	UNCNX	U1L2X	29.02	108.76	35.47	72.94	10.86			20.35	21.09		
	Additional 2-wire ISDN Loop in same DS1Interoffice Transport Combination - Zone 3		3	UNCNX	U1L2X	37.95	108.76	35.47	72.94	10.86			20.35	21.09		l
	Additional 2-wire ISDN COCI (BRITE) in same 1/0 channel		3	UNCINA	UILZA	37.95	106.76	35.47	72.94	10.00			20.33	21.09		<del>                                     </del>
	system combination- per month			UNCNX	UC1CA	3.24	5.70	4.42								1
	Each Additional DS1 Interoffice Channel per mile in same 3/1															
	Channel System per month			UNC1X	1L5XX	0.3562										
	Each Additional DS1 Interoffice Channel Facility Termination in						.=									1
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		<b>—</b>
	Each Additional DS1 COCI in the same 3/1 channel system combination per month			UNC1X	UC1D1	17.58	5.70	4.42								1
	Nonrecurring Currently Combined Network Elements Switch -As-			011017	30101	17.50	5.70	7.42	1							<del>                                     </del>
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		1
EXTE	IDED 4-WIRE DS1 LOOP WITH DEDICATED DS1 INTEROFFICE	TRANS		w/ 3/1 MUX												
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 1			UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Lcoal Loop in Combination - Zone 2	ļ		UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	First 4-wire DS1 Digital Local Loop in Combination - Zone 3	-	3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88	1					<del></del>
	First Interoffice Transport - Dedicated - DS1 combination - Per Mile Per Month			UNC1X	1L5XX	0.3562										1
	First Interoffice Transport - Dedicated - DS1 combination -	-		ONOIA	ILUAA	0.5562			1							<del>                                     </del>
	Facility Termination Per Month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		1
	3/1 Channel System in combination per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77		İ	36.84	36.84		
	Per each DS1 COCI combination per month			UNC1X	UC1D1	17.58	5.70	4.42								
	Each Additional DS1 Interoffice Channel per mile in same 3/1															1
	Channel System per month	l		UNC1X	1L5XX	0.3562										1

ONRONDLE	ED NETWORK ELEMENTS - Tennessee			ı							_	1-		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Each Additional DS1 Interoffice Channel Facility Termination in															
	same 3/1 Channel System per month			UNC1X	U1TF1	77.86	171.24	113.12	70.07	30.90			20.35	21.09		
	Each Additional DS1 COCI in the same 3/1 channel system					4==0										
-	combination per month		-	UNC1X	UC1D1	17.58	5.70	4.42		1						<del> </del>
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		1	UNC1X	USLXX	57.73	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone		-	UNCIX	USLAA	57.73	220.40	101.74	79.07	24.00						-
	2		2	UNC1X	USLXX	75.40	228.40	161.74	79.87	24.88						
	Additional 4-Wire DS1 Digital Local Loop in Combination - Zone			0.10.17	002,01	70.10	220.10			2 1.00	1					<b>†</b>
	3		3	UNC1X	USLXX	98.59	228.40	161.74	79.87	24.88						
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNC1X	UNCCC		52.73	24.62	9.12	9.12	L	<u> </u>	20.35	21.09		
EXTE	NDED 4-WIRE 56 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	NTERO														
	First 4-wire 56 kbps Local Loop in combination - Zone 1			UNCDX	UDL56	31.10	108.76	35.47		10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 2		2	UNCDX	UDL56	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 56 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL56	53.11	108.76	35.47	72.94	10.86						
	First 4-wiree 56 kbps Interoffice Transport - Dedicated - Per Mile															
	per month			UNCDX	1L5XX	0.0174										<b></b>
	First 4-wire 56 kbps Interoffice Transport - Dedicated - Facility			LINODY	LIATOR	04.40	70.00	14.00	00.00	04.00			00.05	04.00		
	Termination per month		-	UNCDX	U1TD5	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As- Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	21.09		
EVTE	NDED 4-WIRE 64 KBPS DIGITAL EXTENDED LOOP WITH DS0 II	UTERO	EEICE :		UNCCC		52.73	24.62	9.12	9.12	-		20.35	21.09		<del> </del>
LAIL	First 4-wire 64 kbps Local Loop in combination - Zone 1	VILKO	1 1	UNCDX	UDL64	31.10	108.76	35.47	72.94	10.86	1					<del>                                     </del>
	First 4-wire 64 kbps Local Loop in combination - Zone 1		2	UNCDX	UDL64	40.61	108.76	35.47	72.94	10.86						
	First 4-wire 64 kbps Local Loop in combination - Zone 3		3	UNCDX	UDL64	53.11	108.76	35.47		10.86	1					<del>                                     </del>
	First I4-wire 65 kbps Interoffice Transport - Dedicated - Per Mile		Ŭ	ONODA	OBLOT	00.11	100.70	00.47	72.04	10.00						
	per month			UNCDX	1L5XX	0.0174										
	First 4-wire 64 kbps Interoffice Transport - Dedicated - Facility															
	Termination per month			UNCDX	U1TD6	21.19	79.83	44.08	69.32	31.00			20.35	21.09		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge			UNCDX	UNCCC		52.73	24.62	9.12	9.12			20.35	10.54		
	NETWORK ELEMENTS															
	used as a part of a currently combined facility, the non-recurr															
	used as ordinarily combined network elements in All States, the					As Is Charge	does not.									
Nonre	ecurring Currently Combined Network Elements "Switch As Is"	Charge	(One a	pplies to each com	bination)			<b>.</b>	1	<b>.</b>						<del></del>
1	Nonrecurring Currently Combined Network Elements Switch -As-			LINCVY	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
	Is Charge - 2 wire/4-Wire VG  Nonrecurring Currently Combined Network Elements Switch -As-			UNCVX	UNCCC		52.73	24.62	9.12	9.12	1	-	53.73	24.62		
1	Is Charge - 56/64 kbps			UNCDX	UNCCC		52.73	24.62	9.12	9.12		1	20.35	10.54		
+	Nonrecurring Currently Combined Network Elements Switch -As-			ONODA	UNCCC		32.73	24.02	3.12	9.12			20.33	10.54	<b> </b>	<del>                                     </del>
1	Is Charge - DS1			UNC1X	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
1	Nonrecurring Currently Combined Network Elements Switch -As-				3230		32.70	252	0.12	5.12			556	232	İ	
1	Is Charge - DS3			UNC3X	UNCCC		52.73	24.62	9.12	9.12		1	53.73	24.62		
	Nonrecurring Currently Combined Network Elements Switch -As-															
	Is Charge - STS1			UNCSX	UNCCC		52.73	24.62	9.12	9.12			53.73	24.62		
Option	nal Features & Functions:															
				U1TD1,												
	Clear Channel Capability Extended Frame Option - per DS1			ULDD1,UNC1X	CCOEF		OI	01	01	01						<b></b>
				U1TD1,				l.,		l.,		1				
	Clear Channel Capability Super FrameOption - per DS1	i	-	ULDD1,UNC1X	CCOSF		01	UI	OI	OI			<del>                                     </del>	<b> </b>	<del>                                     </del>	<del></del>
	Clear Channel Capability (SF/ESF) Option - Subsequent			ULDD1, U1TD1,	NRCCC		105 100	22 050	2.03S	0.79S		1	45.68	4 70		
	Activity - per DS1		-	UNC1X, USL U1TD3, ULDD3,	INKUUU		185.16S	23.85S	2.035	0.795			45.68	1.76		-
	C-bit Parity Option - Subsequent Activity - per DS3			UE3, UNC3X	NRCC3		219.46S	7.68S	.7637S	0S		1	45.68	1.76		
MULT	IPLEXERS			OLO, UNUOA	ININOUS		213.403	7.000	.10313	00	<b>H</b>		45.08	1.70	<del>                                     </del>	<del></del>
- INIGET	DS1 to DS0 Channel System per month			UNC1X	MQ1	80.77	105.76	14.48	3.04	2.74		<del>                                     </del>	20.35	9.80		<del>                                     </del>
	00 0.10.11101 0,000.11 pol 111011111					00.77	100.70	17.70	0.04	4.17			20.00	5.50		
+	OCU-DP COCI (data) - DS1 to DS0 Channel System - per															I .

UNBUI	NDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exh	ibit: A
												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
												Elec	Manually		Manual Svc		
CATEG	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR	Order vs.			Order vs.
	•		m		200	0000			101120 (4)			per LSR	per LSR		Order vs.	Order vs.	
														Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
						<b>.</b>		Name and accounting and		Nonrecurring	. D:			000	Rates (\$)	L	
							Rec	Nonrecurring									
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		OCU-DP COCI (data) - DS1 to DS0 Channel System - per															
		month (2.4-64kbs) used for connection to a channelized DS1															
		Local Channel in the same SWC as collocation			U1TUD	1D1DD	1.82	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per										1					1
		month for a Local Loop			UDN	UC1CA	3.10	6.07	4.66								
		2-wire ISDN COCI (BRITE) - DS1 to DS0 Channel Systsem - per					00										
		month used for connection to a channelized DS1 Local Channel															
		in the same SWC as collocation			U1TUB	UC1CA	3.10	6.07	4.66								
				-	ОТТОВ	UCTCA	3.10	6.07	4.00						ļ	ļ	
		Voice Grade COCI - DS1 to DS0 Channel System - per month															
		used for a Local Loop			UEA	1D1VG	0.91	6.07	4.66							ļ	
		Voice Grade COCI - DS1 to DS0 Channel System - per month		1								1	I	1	1		
		used for connection to a channelized DS1 Local Channel in the		1								1	l		I	1	
		same SWC as collocation		1	U1TUC	1D1VG	0.91	6.07	4.66			1	I	1	1		
		DS3 to DS1 Channel System per month			UNC3X	MQ3	222.98	156.02	49.41	17.12	6.77	i e		20.35	9.80	1	1
		STS-1 to DS1 Channel System per month			UNCSX	MQ3	222.98	156.02	49.41	17.12	6.77	İ	i	20.35	9.80	1	i e
		DS1 COCI used with Loop per month			USL	UC1D1	17.58	6.07	4.66	2	0	1		20.00	0.00		1
		DS1 COCI (used for connection to a channelized DS1 Local			OOL	COIDI	17.00	0.07	4.00								
		Channel in the same SWC as collocation) per month			U1TUA	UC1D1	17.58	6.07	4.66								
												1					1
		DS1 COCI used with Interoffice Channel per month			U1TD1	UC1D1	17.58	6.07	4.66								
		DS3 Interface Unit (DS1 COCI) used with Local Channel per															
		month			ULDD1	UC1D1	17.58	6.07	4.66								
UNBUN	DLED L	OCAL EXCHANGE SWITCHING(PORTS)															
	Exchan	ge Ports															
	NOTE:	Although the Port Rate includes all available features in GA, F	(Y, LA	& TN, tl	ne desired features	will need to b	e ordered usin	g retail USOCs	3								Î
	2-WIRE	VOICE GRADE LINE PORT RATES (RES)										i e			1	1	1
		Exchange Ports - 2-Wire Analog Line Port- Res.			UEPSR	UEPRL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Force 2 Trice Funding Emer on Troo.			02. 0.0	02	1.00	0.00	0.10	0.00	2.02	1		20.00	10.01	10.02	
		Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res.			UEPSR	UEPRC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Forts - 2-Wile Arialog Line Fort With Caller ID - Nes.			ULFOR	ULFING	1.09	9.93	3.13	3.00	2.52	-		20.33	10.54	13.32	1.40
		Exchange Ports - 2-Wire Analog Line Port outgoing only - Res.			UEPSR	UEPRO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled TN extended local															
		dialing parity Port with Caller ID - Res.			UEPSR	UEPAQ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Plus															
		with Caller ID - Res (AC7)			UEPSR	UEPAH	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															Î
		port with Caller ID - Res (F2R)			UEPSR	UEPAK	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling								0.00							
		port with Caller ID - Res (TACER)			UEPSR	UEPAL	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling		<del>                                     </del>	521 OIX	JLI / IL	1.03	3.33	3.13	5.00	2.32	<del>                                     </del>	<del>                                     </del>	20.33	10.54	15.52	1.40
		port with Caller ID - Res (TACSR)		1	LIEDOD	UEPAM	1.89	9.93	9.19	2.00	2.92			20.05	10.54	13.32	1.40
				-	UEPSR	UEPAIVI	1.89	9.93	9.19	3.66	2.92	<del>                                     </del>	<b>.</b>	20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (1MF2X)			UEPSR	UEPAN	1.89	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled Tennessee Area Calling															
		port with Caller ID - Res (2MR)			UEPSR	UEPAO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Ports - 2-Wire VG unbundled res, low usage line port															
		with Caller ID (LUM)		1	UEPSR	UEPAP	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan				İ		2.20	20		02	İ	i			1	1
		without Caller ID		1	UEPSR	UEPWN	1.89	9.93	9.19	3.66	2.92	1	I	20.35	10.54	13.32	1.40
+		Exchange Port - 2-Wire VG Tennessee Residence Area Plus		<del>                                     </del>		J	1.00	0.00	5.15	0.00	2.02	<del>                                     </del>	<del>                                     </del>	20.00	10.04	10.02	1.40
		without Caller ID		1	UEPSR	UEPRR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
				-	UEFOR	UEPKK	1.89	9.93	9.19	3.66	2.92	<del>                                     </del>	<b>.</b>	20.35	10.54	13.32	1.40
		2-Wire voice unbundled Low Usage Line Port without Caller ID		1							_	1	I				l .
		Capability			UEPSR	UEPRT	1.89	9.93	9.19	3.66	2.92	<b></b>		20.35	10.54	13.32	1.40
		Subsequent Activity			UEPSR	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.4
T	FEATU	RES															
		All Available Vertical Features			UEPSR	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
		VOICE GRADE LINE PORT RATES (BUS)										İ		1			1
		Exchange Ports - 2-Wire Analog Line Port without Caller ID -				Ì						İ	i	i	1	1	i e
					1	UEPBL	1.89	9.93	9.19	3.66	2.92	1	1	20.35	10.54	13.32	1.40

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
$\vdash$					+		Nonrecurring		Nonrecurring	Disconnect			OSS	Rates (\$)		l .
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Exchange Ports - 2-Wire VG unbundled Line Port with				1			71441		71001	0020	00	00	00	00	00
	unbundled port with Caller+E484 ID - Bus.			UEPSB	UEPBC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus.			UEPSB	UEPBO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN extended local dialing parity Port with Caller ID - Bus.			UEPSB	UEPAV	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exhange Ports - 2-Wire VG unbundled incoming only port with Caller ID - Bus			UEPSB	UEPB1	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Economy Option - Bus (TACC1)			UEPSB	UEPAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire VG unbundled TN Bus 2-Way Area Calling Port Standard Option - Bus (TACC2)			UEPSB	UEPAD	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port - Bus (B2F)			UEPSB	UEPAE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN Bus 2-Way Collierville & Memphis Local Calling Port			UEPSB	UEPB2	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-W VG unbundled TN, Business Line Inward, Collierville & Memphis Local Calling Plan			UEPSB	UEPB3	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Exchange Ports - 2-Wire Voice Tennessee Business Dialing															
	Plan without Caller ID  2-Wire voice unbundled Incoming Only Port without Caller ID			UEPSB	UEPWO	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Capability			UEPSB	UEPBE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
FEATU	Subsequent Activity			UEPSB	USASC	0.00	0.00	0.00	1		-		20.35	10.54	13.32	1.40
FEATO	All Available Vertical Features			UEPSB	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
EXCH	ANGE PORT RATES (DID & PBX)			OLI OD	OLI VI	0.00	0.00	0.00					20.55	10.54	10.02	1.40
27.01.11	2-Wire VG Unbundled 2-Way PBX Trunk - Res			UEPSE	UEPRD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled 2-Way PBX Trunk - Bus			UEPSP	UEPPC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Outward PBX Trunk - Bus			UEPSP	UEPPO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire VG Line Side Unbundled Incoming PBX Trunk - Bus			UEPSP	UEPP1	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<b></b>	2-Wire Analog Long Distance Terminal PBX Trunk - Bus			UEPSP	UEPLD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus			UEPSP	UEPT2 UEPTO	1.79	9.93 9.93	9.19	3.66	2.92			20.35	10.54 10.54	13.32	1.40 1.40
	2-Wire TN Outward Calling Plan PBX Trunk - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPSP UEPSP	UEPLD	1.79 1.79	9.93	9.19 9.19	3.66 3.66	2.92 2.92			20.35 20.35	10.54	13.32 13.32	1.40
<del> </del>	2-Wire Voice Unbundled 2-Way PBX Tennessee Calling Port			UEPSP	UEPT2	1.79	9.93	9.19	3.66	2.92	1		20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			OLI OI	OLI 12	1.73	3.33	3.13	3.00	2.02			20.55	10.54	10.02	1.40
	Calling Port			UEPSP	UEPTO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Vice Unbundled 2-Way PBX Usage Port			UEPSP	UEPXA	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPSP	UEPXB	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPSP	UEPXC	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPSP	UEPXD	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD Capable Port			UEPSP	UEPXE	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port			UEPSP	UEPXL	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port			UEPSP	UEPXM	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-W Voice Unbundled 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port			UEPSP	UEPXN	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPSP	UEPXO	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan			UEPSP	UEPA6	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan			UEPSP	UEPA7	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPSP	UEPXS	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling Port			UEPSP	UEPXU	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40

UNBUN	DLED N	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
			1	1								Svc Order	Svc Order	Incremental	Incremental		Incrementa
												Submitted	Submitted		Charge -	Charge -	Charge -
			l									Elec		Manual Svc	Manual Svc		Manual Sv
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic
														1st	Add'l	Disc 1st	Disc Add'l
														-		Disc 1st	Disc Auu i
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Wire Voice Unbundled 2-Way PBX Tennessee RegionServ															
$\vdash$		alling Port			UEPSP	UEPXV	1.79	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
<u> </u>		ubsequent Activity			UEPSP	USASC	0.00	0.00	0.00					20.35	10.54	13.32	1.40
FE	EATURE				LIEBOB LIEBOE										10 = 1	10.00	
-		Available Vertical Features			UEPSP UEPSE	UEPVF	0.00	0.00	0.00					20.35	10.54	13.32	1.40
E)		GE PORT RATES (COIN)	-			1	0.44	0.00	0.10	0.00	2.92			00.05	40.54	40.00	4.4
N.		schange Ports - Coin Port ransmission/usage charges associated with POTS circuit sv				manuit annitale	2.11	9.93	9.19	3.66		-4	uina ICDN m	20.35	10.54	13.32	1.40
		cess to B Channel or D Channel Packet capabilities will be													Boguest Bro		
		CAL EXCHANGE SWITCHING(PORTS)	avallal	l oni	I IIIOUGII BER/NEW	Dusiliess Re	quest Process.	Rates for the	раскет сараы	illes will be de	termined via t	lie Bolla Fic	e Kequesi/i	New Dusilies:	Request Pro	less.	
		GE PORT RATES															
		Port rates below for 4-Wire DDITS Trunk Port and 4-Wire IS	DN Bort	in thic	rato ovhihit annly t	o the embed	dod base in pla	co as of 10/2/0	2 until 4/1/04	After 4/1/04 the	see rates shall	rovert to ta	iff rates or	a congrato ag	roomont		
		for 4-Wire DDITS Trunk Ports with 4-Wire ISDN DS1 Ports											iii rates or a	a separate ay	l ement.		
Re		change Ports - 2-Wire DID Port	aiter the	enect	IVE date of this ame	UEPP2	8.97	47.75	47.01	9.21	8.47	SCIEUOII.		20.35	10.54	13.32	1.4
+		schange Ports - 2-Wire DID Port schange Ports - DDITS Port - 4-Wire DS1 Port with DID		<u> </u>	OLFLX	OLFFZ	0.91	47.73	47.01	9.21	0.47			20.33	10.54	13.32	1.4
		renange Ports - DDITS Port - 4-Wire DST Port With DID	1		UEPDD	UEPDD	35.74	75.93	38.15	8.77	8.04	1		20.35	10.54	13.32	1.4
		kchange Ports - 2-Wire ISDN Port (See Notes below.)			UEPTX, UEPSX	U1PMA	16.26	30.23	29.49	4.10	4.10			20.35	10.54	13.32	1.4
		Features Offered			UEPTX, UEPSX	UEPVF	0.00	0.00	0.00	4.10	4.10			20.33	10.54	13.32	1.4
+		schange Ports - 2-Wire ISDN Port Channel Profiles		<u> </u>	UEPTX, UEPSX	U1UMA	0.00	0.00	0.00								
No		ransmission/usage charges associated with POTS circuit s	witched	Heado						ission by B-Ch	annole accoci	atod with 2	wire ISDN r	orte			
		ccess to B Channel or D Channel Packet capabilities will be													Poguet Bro	0000	
		BE PORT RATES (continued)	avaiiai	T OIL	y tillough brk/ivew	l Business Re	quest Flocess.	Rates for the	раскет сараы	illes will be de	terrifice via t	le Bolla Fic	e Requesti	vew busines	l Request Fit	less.	
L-/		schange Ports - 4-Wire ISDN DS1 Port with Detailed E911															
		ocator Capability (E:4/1/2004)			UEPEX	UEPEX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	13.32	1.40
		change Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)			UEPDX	UEPDX	75.04	148.66	147.18	38.46	36.98			20.35	10.54	10.02	1.40
		hysical Collocation - DS1 Cross-Connects		1	UEPEX UEPDX	PE1P1	1.51	53.27	40.16	30.40	30.30			20.55	10.54		
		rtual collocation - Special Access & UNE, cross-connect per		1	OLI LX OLI DX		1.51	55.21	40.10								
	DS				UEPEX UEPDX	CNC1X	1.32	32.22	17.76	10.46	8.75						
Dr		911 with Locator Capability (required with UEPEX port)			OLI EX OLI BX	0.10171		02.22		10.10	00	1					1
		bundled Exchange Ports, 4-Wire ISDN DS1 Port - E911				1											
		ocator Capability - Initial Profile Establishment per CLEC per															
		ate			UEPEX	UEP1A	0.00	1,699.00		147.00				20.35	10.54		
		nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911						.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
		ocator Capability - Subsequent Profile Changes, Additions,															
		eletions			UEPEX	UEP1B	0.00	164.94						20.35	10.54		
No		dditional PRI Telephone Numbers															
		nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911															
		ocator Capability 2-way Telephone Numbers, per number in															
		911 profile [New or Additional]			UEPEX	UEP1C	0.0755	0.94						20.35	10.54		
	Un	nbundled Exchange Ports, 4-Wire ISDN DS1 Port - E911		1		1											
		ocator Capability - Outdial Telephone Numbers, per number in															
		ocator Capability - Outdial Telephone Numbers, per number in 911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	E9				UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	E9 Un	911 profile [New or Additional]			UEPEX	UEP1D	0.0755	22.36	22.36					20.35	10.54		
	Un Te Ad	911 profile [New or Additional] nbundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or dditional]			UEPEX	UEP1D UEP1E	0.0755	22.36	22.36					20.35	10.54		
	E9 Un Te Ad Ex	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward  blephone Numbers - Inward Data Only Option [New or  dditional]  change Ports - 4-Wire ISDN DS1 Port - Subsequent [New]			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
	E9 Un Te Ad Ex Inv	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Editional]  change Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]							22.36								
LC	E9 Un Te Ad Ex Inv	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward  blephone Numbers - Inward Data Only Option [New or  dditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY			UEPDX UEPEX	UEP1E PR7ZT	0.00	0.94						20.35	10.54		
	E9 Un Te Ad Ex Inv	011 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  scal Number Portability (1 per port)			UEPDX	UEP1E	0.00	0.94						20.35	10.54		
	E9 Un Te Ad Ex Inv	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward  blephone Numbers - Inward Data Only Option [New or  dditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY			UEPDX UEPEX	UEP1E PR7ZT LNPCN	0.00	0.94						20.35 20.35 20.35	10.54 10.54 10.54		
	E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC	211 profile [New or Additional] bundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or dditional] cchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] ward Tel Numbers [Customer Testing Purposes] UMBER PORTABILITY poal Number Portability (1 per port) CE (Provsioning Only) jice/Data			UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V	0.00 0.00 1.75	0.94 44.71 0.00	44.70					20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54		
	E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  coal Number Portability (1 per port)  CE (Provsioning Only)  pice/Data  gital Data			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D	0.00 0.00 1.75 0.00 0.00	0.94 44.71 0.00 0.00	0.00 0.00					20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54		
IN	E9 Un Te Ad Ex Inv OCAL NU Lo NTERFAC	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  joe/Data  gital Data  ward Data			UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V	0.00 0.00 1.75	0.94 44.71 0.00	44.70					20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54		
IN	E9 Un Te Ad Ex Inv OCAL NU Loo NTERFAC Dig Inv Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  pice/Data  girl Data  ward Data  dditional Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D PR71E	0.00 0.00 1.75 0.00 0.00 0.00	0.94 44.71 0.00 0.00 0.00	0.00 0.00					20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54			
IN	E9 Un Te Ad Ex Inv OCAL NU Loo NTERFAC Dig Inv Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  ioe/Data  gital Data  ward Data			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D	0.00 0.00 1.75 0.00 0.00	0.94 44.71 0.00 0.00	0.00 0.00					20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54			
IN	E9 Un Te Ad Ex Inv OCAL NL Lo NTERFAC Vo Dig Inv Inv Neew or Ad	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward elephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  pice/Data  girl Data  ward Data  dditional Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D PR71E	0.00 0.00 1.75 0.00 0.00 0.00	0.94 44.71 0.00 0.00 0.00	0.00 0.00					20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54		
IN	E9 Un Te Ad Ex Inv OCAL NI Lo NTERFAC Vo Diq Inv Iew or Ad Nee Nee	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  ice/Data  gital Data  ward Data  dditional Channel  ew or Additional - Voice/Data "B" Channel  ew or Additional Inward Data "B" Channel  ew or Additional Inward Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D PR71D PR71E PR7BV PR7BF PR7BD	0.00 0.00 1.75 0.00 0.00 0.00 0.00 0.00	0.94 44.71 0.00 0.00 0.00 28.39 29.11 29.39	0.00 0.00					20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54 10.54		
IN	E9 Un Te Ad Ex Inv OCAL Nt Lo Vo Vo Inv Inv Neew or Ad Nee Nee Nee Nee Nee	211 profile [New or Additional]  abundled Exchange Ports, 4-Wire ISDN DS1 Port - Inward blephone Numbers - Inward Data Only Option [New or Idditional]  schange Ports - 4-Wire ISDN DS1 Port - Subsequent [New]  ward Tel Numbers [Customer Testing Purposes]  UMBER PORTABILITY  cal Number Portability (1 per port)  CE (Provsioning Only)  bice/Data  gital Data  ward Data  Idditional Channel  ew or Additional - Voice/Data "B" Channel  ew or Additional - Digital Data "B" Channel			UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX UEPEX	UEP1E PR7ZT LNPCN PR71V PR71D PR71E PR7BV PR7BF	0.00 0.00 1.75 0.00 0.00 0.00 0.00	0.94 44.71 0.00 0.00 0.00 28.39 29.11	0.00 0.00					20.35 20.35 20.35 20.35 20.35 20.35 20.35 20.35	10.54 10.54 10.54 10.54 10.54 10.54 10.54		

UNBUNDI	LED NETWORK ELEMENTS	- Tennessee													ment: 2	Exhi	ibit: A
CATEGORY	Y RATE EL	EMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
ı						+		Nonrecurring		Nonrecurring	Disconnect	<b>†</b>	l	oss	Rates (\$)	L	
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN		SOMAN	SOMAN	SOMAN
	New or Additional PRI "D" Chan	nel			UEPEX	PR7EX	0.00	29.39						20.35	10.54		
CAL	LL TYPES													ĺ			
	Inward				UEPEX UEPDX	PR7C1	0.00	0.00	0.00								
	Outward				UEPEX	PR7CO	0.00	0.00	0.00								
	Two-way				UEPEX	PR7CC	0.00	0.00	0.00								
	BUNDLED PORT with REMOTE CA																
UNE	BUNDLED REMOTE CALL FORWA				LIED (D					2.22					10.51	10.00	
	Unbundled Remote Call Forward	ding Service, Area Calling, Res			UEPVR	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Habitad Daniel Call Facine	dia a Candaa I aaal Callina Baa			UEPVR	UERLC	1.89	0.00	0.40	2.00	2.02			20.35	10.54	40.00	4.40
$\vdash$	Unbundled Remote Call Forward Unbundled Remote Call Forward	ding Service, Local Calling - Res	-		UEPVR	UERTE	1.89	9.93 9.93	9.19 9.19	3.66 3.66	2.92 2.92	-	-	20.35	10.54 10.54	13.32 13.32	1.40
	Unbundled Remote Call Forward				UEPVR	UERTR	1.89	9.93	9.19	3.66	2.92	<del>                                     </del>		20.35	10.54	13.32	1.40
Non	1-Recurring	uning Octyloe, intracation - Nes			OLI VIX	CLIVIIX	1.09	3.93	3.13	5.00	2.32			20.33	10.54	13.32	1.40
1.1011	Unbundled Remote Call Forward	ding Service - Conversion -				1	<b>†</b>									<u> </u>	
	Switch-as-is	<b>5</b>			UEPVR	USAC2	I	1.03	0.29				1	20.35	10.54	13.32	1.40
	Unbundled Remote Call Forward	ding Service - Conversion with				1	1		1.20						1	1	
	allowed change (PIC and LPIC)	Č			UEPVR	USACC	<u> </u>	1.03	0.29				<u> </u>	<u> </u>	<u> </u>	<u> </u>	
UNE	BUNDLED REMOTE CALL FORWA	RDING - Bus															
	Unbundled Remote Call Forward	ding Service, Area Calling - Bus			UEPVB	UERAC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
		ding Service, Local Calling - Bus			UEPVB	UERLC	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forward				UEPVB	UERTE	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forward				UEPVB	UERTR	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
	Unbundled Remote Call Forward	ding Service Expanded and															
	Exception Local Calling				UEPVB	UERVJ	1.89	9.93	9.19	3.66	2.92			20.35	10.54	13.32	1.40
Non	n-Recurring Unbundled Remote Call Forward	ding Conting Conversion				+	-	-				-				-	
	Switch-as-is	uling Service - Conversion -			UEPVB	USAC2		1.03	0.29					20.35	10.54	13.32	1.40
	Unbundled Remote Call Forward	ding Service - Conversion with			OLF VB	USACZ	1	1.03	0.29			1		20.33	10.54	13.32	1.40
	allowed change (PIC and LPIC)	uning Service - Conversion with			UEPVB	USACC		1.03	0.29								
UNBUNDLE	ED LOCAL SWITCHING, PORT USA	(GE			02. 15	007.00	t	1.00	0.20							t	<u> </u>
	Office Switching (Port Usage)																
	End Office Switching Function,						0.0008041										
Tan	dem Switching (Port Usage) (Loca	al or Access Tandem)															
	Tandem Switching Function Per	MOU					0.0009778										
	Tandem Switching Function Per					1	0.000380364	ļ						ļ	ļ	1	
	Melded Factor: 38.90% of the T	andem Rate				1		ļ								ļ	
Con	nmon Transport	A MOUL				1	0.000000	ļ				-		ļ	ļ	-	ļ
	Common Transport - Per Mile, P			<u> </u>		+	0.0000064 0.0003871					1	-	<del>                                     </del>	-	1	1
IINRIINDI =	Common Transport - Facilities T  ED PORT/LOOP COMBINATIONS - 0		-			+	0.0003871	<del>                                     </del>				-	-	-		<del>                                     </del>	<del>                                     </del>
	st Based Rates are applied where E		nd/or St	ate Co	mmission rule to pr	ovide Unhun	dled Local Swi	itching or Swite	h Ports					<del> </del>		<del> </del>	
	itures shall apply to the Unbundled									ed Port section	of this Rate F	xhibit		<del> </del>		<del> </del>	<u> </u>
	d Office and Tandem Switching Us												n Port/Loor	Combination	ns.	t	1
	e first and additional Port nonrecur															1	
	IRE VOICE GRADE LOOP WITH 2-													1			
	E Port/Loop Combination Rates	, ,															
	2-Wire VG Loop/Port Combo - Z			1			14.18										
	2-Wire VG Loop/Port Combo - Z			2			18.01										
	2-Wire VG Loop/Port Combo - Z	one 3		3			23.02							ļ	ļ		
UNE	E Loop Rates			L.	LIEBBY			ļ								ļ	ļ
	2-Wire Voice Grade Loop (SL1)			1	UEPRX	UEPLX	12.48	ļ								ļ	
	2-Wire Voice Grade Loop (SL1)			2	UEPRX	UEPLX	16.31	ļ				-		ļ	ļ	-	ļ
0.14	2-Wire Voice Grade Loop (SL1)			3	UEPRX	UEPLX	21.32					-		-	-	<del>                                     </del>	+
	/ire Voice Grade Line Port Rates (R				l		L		4= 0=	0.45		<del> </del>	15.00				<del> </del>
2-00	2 Wire voice unbundled port re	scidonoo															
Z-VV	2-Wire voice unbundled port - re 2-Wire voice unbundled port with				UEPRX UEPRX	UEPRL UEPRC	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				

JNBUNDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring	A	Nonrecurring		001150	0011411		Rates (\$)	001441	001141
	2-Wire voice Grade unbundled Tennessee extended local				+		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	dialing parity port with Caller ID - res			UEPRX	UEPAQ	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -			OLITON	OLI 71Q	1.70	22.14	10.20	0.40	0.01		10.00				
	res (AC7)			UEPRX	UEPAH	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (F2R)			UEPRX	UEPAK	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller			LIEDDY	LIEDAL	4.70	00.44	45.05	0.45	0.04		45.00				
	ID - res (TACER)  2-Wire voice unbundled Tennessee Area Calling port with Caller			UEPRX	UEPAL	1.70	22.14	15.25	8.45	3.91		15.69	-			<del> </del>
	ID - res (TACSR)			UEPRX	UEPAM	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Caller			OLITOR	OLI 7 UVI	1.70	22.14	10.20	0.40	0.01		10.00				
	ID - res (1MF2X)			UEPRX	UEPAN	1.70	22.14	15.25	8.45	3.91	L	15.69	<u> </u>		<u> </u>	
	2-Wire voice unbundled Tennessee Area Calling port with Caller															
	ID - res (2MR)			UEPRX	UEPAO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundles res, low usage line port with Caller ID			LIEDDY	LIEDAD	4 =		45.00		0.01		45.00	I			
	(LUM) 2-Wire Voice Unbundled Tennessee Residence Dialing Plan			UEPRX	UEPAP	1.70	22.14	15.25	8.45	3.91		15.69	-			<b>+</b>
	without Caller ID			UEPRX	UEPWN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Area Plus Port without			OLITOX	OLI WIY	1.70	22.17	10.20	0.40	0.01		10.00				
	Caller ID Capability			UEPRX	UEPRR	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Low Usage Line Port without Caller ID															
	Capability			UEPRX	UEPRT	1.70	22.14	15.25	8.45	3.91		15.69				
FEAT				LIEBBY	1155) (5							45.00				
1.004	All Features Offered  L NUMBER PORTABILITY			UEPRX	UEPVF	0.00	0.00	0.00				15.69	-			<b></b>
LUCA	Local Number Portability (1 per port)			UEPRX	LNPCX	0.35										
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED			OLITIX	LIVI OX	0.55										
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is			UEPRX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch with change			UEPRX	USACC		1.03	0.29				15.69				<u> </u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Subsequent Database Update						0.76					15.69				
ADDIT	TONAL NRCs						0.76		1			13.09	<del> </del>			
7.55	2-Wire Voice Grade Loop/Line Port Combination - Subsequent						1									<b>—</b>
	Activity			UEPRX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User															
	Premise			UEPRX	URETL		8.33	0.83					20.35	10.54	13.32	13.3
OFF/C	ON PREMISES EXTENSION CHANNELS		4	LIEDDY	LIEAEN	10.10	04.00	20.00	10.05				00.05	40.54	40.00	40.6
+	Wire Analog Voice Grade Extension Loop – Non-Design     Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPRX UEPRX	UEAEN UEAEN	13.19 17.23	31.99 31.99	20.02	10.65 10.65	1.41 1.41		-	20.35 20.35	10.54 10.54	13.32 13.32	13.3 13.3
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPRX	UEAEN	22.53	31.99	20.02	10.65	1.41		<del>                                     </del>	20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		1	UEPRX	UEAED	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		2	UEPRX	UEAED	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
	2 Wire Analog Voice Grade Extension Loop – Design		3	UEPRX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.3
INTER	OFFICE TRANSPORT				1						<u> </u>	1				ļ
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPRX	U1TV2	18.58	55.39	17.37	27.96	3.51			1			
-	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		-	OLPRA	UTIVZ	18.38	55.39	17.37	21.96	3.51	<del>                                     </del>	-	+			<del>                                     </del>
	or Fraction Mile			UEPRX	U1TVM	0.0174	0.00	0.00					1			
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS)															
	Port/Loop Combination Rates					_										
	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2		1	18.01					<u> </u>	1				
LINE !	2-Wire VG Loop/Port Combo - Zone 3  .oop Rates		3		+	23.02	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>			-
UNE L	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPBX	UEPLX	12.48	<del>                                     </del>		<del>                                     </del>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>			-
+	2-Wire Voice Grade Loop (SL1) - Zone 1  2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPBX	UEPLX	16.31					l	t	<b>†</b>	1		<del>                                     </del>
	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPBX	UEPLX	21.32							i e	i	i	

UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhil	oit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted	Incremental	Incremental Charge - Manual Svc Order vs. Electronic- Add'l		Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'I
					1		Nonrecurring		Nonrecurring	Disconnect			220	Rates (\$)		
					_	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wire	Voice Grade Line Port (Bus)						11130	Addi	11130	Addi	JONILO	JOHAN	JONIAN	JOWAN	JONIAN	JOINAIN
	2-Wire voice unbundled port without Caller ID - bus			UEPBX	UEPBL	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port with Caller + E484 ID - bus			UEPBX	UEPBC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled port outgoing only - bus			UEPBX	UEPBO	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice Grade unbundled Tennessee extended local					. =0										
	dialing parity port with Caller ID - bus  2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPBX UEPBX	UEPAV UEPB1	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69				
<b>—</b>	2-Wire voice unbundled incoming only port with Caller ID - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			UEPBA	UEPBI	1.70	22.14	15.25	0.45	3.91		13.09				
	Port Economy Option (TACC1)			UEPBX	UEPAC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Area Calling															
	Port Standard Option (TACC2)			UEPBX	UEPAD	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			HEDDY	LIEDAE											, [
$\vdash$	Memphis Local Calling Port (B2F)  2-Wire Voice Unbundled Tennessee Business Dialing Plan			UEPBX	UEPAE	1.70	22.14	15.25	8.45	3.91		15.69				
	without Caller ID			UEPBX	UEPWO	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee Inward Collierville and Memphis Local Calling Plan			OLI DX	OLI WO	1.70	22.17	10.20	0.40	0.01		10.00				
	(BUS)			UEPBX	UEPB2	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee 2-Way Collierville and Memphis Local Calling Plan															
	(BUS)			UEPBX	UEPB3	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire voice unbundled Incoming Only Port without Caller ID			HEDDY	LIEDDE	4.70	00.44	45.05	0.45	0.04		45.00				
LOCA	Capability L NUMBER PORTABILITY			UEPBX	UEPBE	1.70	22.14	15.25	8.45	3.91		15.69				
LOCA	Local Number Portability (1 per port)			UEPBX	LNPCX	0.35										
FEAT				02. 5%	2.1. 07.	0.00										
	All Features Offered			UEPBX	UEPVF	0.00	0.00	0.00				15.69				
NONR	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Switch-as-is	-		UEPBX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion - Switch with change			UEPBX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -			OLI DX	OOACC		1.03	0.23				13.03				
	Subsequent Database Update						0.76					15.69				
ADDIT	TONAL NRCs															
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	-		UEPBX	USAS2	0.00	0.00	0.00				15.69				
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPBX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/C	ON PREMISES EXTENSION CHANNELS			OLI DX	ORETE		0.00	0.00					20.00	10.04	10.02	10.02
	2 Wire Analog Voice Grade Extension Loop – Non-Design		1	UEPBX	UEAEN	13.19	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		2	UEPBX	UEAEN	17.23	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Non-Design		3	UEPBX	UEAEN	22.53	31.99	20.02	10.65	1.41			20.35	10.54	13.32	13.32
	2 Wire Analog Voice Grade Extension Loop – Design	-	2	UEPBX UEPBX	UEAED UEAED	16.56 21.63	75.06 75.06	48.20 48.20	28.70 28.70	17.64 17.64			20.35 20.35	10.54 10.54	13.32 13.32	13.32 13.32
	2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design			UEPBX	UEAED	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
INTER	OFFICE TRANSPORT		3	OLI DX	OLALD	20.20	73.00	40.20	20.70	17.04			20.55	10.54	13.32	13.32
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPBX	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
0.14/15	or Fraction Mile			UEPBX	U1TVM	0.0174	0.00	0.00								
	E VOICE GRADE LOOP WITH 2-WIRE LINE PORT (RES - PBX) Port/Loop Combination Rates	-			+						<b> </b>	<del>                                     </del>				
ONE P	2-Wire VG Loop/Port Combo - Zone 1		1			14.18										
	2-Wire VG Loop/Port Combo - Zone 2		2			18.01										
	2-Wire VG Loop/Port Combo - Zone 3		3			23.02										
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEPRG	UEPLX	12.48										
$\vdash$	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEPRG	UEPLX	16.31										
2_Wire	2-Wire Voice Grade Loop (SL 1) - Zone 3 Voice Grade Line Port Rates (RES - PBX)	<del>                                     </del>	3	UEPRG	UEPLX	21.32			<del> </del>		-	-				
Z-44116	TOIGE GIAGE LINE I OIT NAISS (NES - FBA)	l .			1	<u> </u>			L		I.					

ATE ELEMENTS   Intelligence   Charges   Charge	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
RATE GLEMENTS   Part St.   Company    Part St.   Pa												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ATE CLEMENTS																	Charge -
March   Marc			Interi	l_								Elec		Manual Svc	Manual Svc	Manual Svc	Manual Svc
Part	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR				Order vs.
Note   Note														Electronic-	Electronic-	Electronic-	Electronic-
Pref														1st	Add'l	Disc 1st	Disc Add'l
Pref	<del> </del>		-	-		+		Nonrecurring		Nonrecurring	n Disconnect			220	Pates (\$)		
2/We VQ Unknowned Contentions 2/Wey PQC Trans Part						+	Rec		Δdd'l			SOMEC	SOMAN			SOMAN	SOMAN
Person	<b>-</b>	2-Wire VG Unbundled Combination 2-Way PBX Trunk Port -				+		11130	Auu i	11130	Addi	JOINLO	JONIAN	JOHAN	JONAN	JOHAN	JOHIAN
COLOR   MARCE POPERATION   DEPRIES					UEPRG	UEPRD	1.70	22.14	15.25	8.45	3.91		15.69				
Scarl Number Potentiality (page page)   SEPG	LOCAL	NUMBER PORTABILITY															
PRATURES					UEPRG	LNPCP	3.15	0.00	0.00				15.69				
NONECURRING CHARGES (NECT.) = CURRENT V COMBINED	FEATU																
2-Wee Value Grade Loop Line Part Commission (PRV) - Conversion - Switch with Change   UBACC   1.03   0.29   11.666		All Features Offered			UEPRG	UEPVF	0.00	0.00	0.00	Ī			15.69	ĺ			
Convention - Select-Ave-let	NONRI	ECURRING CHARGES (NRCs) - CURRENTLY COMBINED															
2-Wire Vacio Grade Looy Line Pert Communitor   UEPRG   USACC   1.03   0.29   15.69		2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
Conversion - Stuff with Change   UEPRG   USACC   1.03   0.29   15.99					UEPRG	USAC2		1.03	0.29				15.69				
2-Wire Vooc Grade Loop Fulline Proof Condination - Conversion-																	
Subsequent Planebase Updates					UEPRG	USACC		1.03	0.29				15.69				
ADOPTIONAL NRCs  2-Wire Vision Grade Logy (Line Port Combination (PBX) - Subsequent Activity  Subsequent Activity			1			1		_							1	1	
2-Wire Voce Grade Logo Line Port Combination (PBX) - Subsequent Activity - Change Rearrange Multiline Hunt   PBX Subsequent Rearrange Multiline Hunt   PBX Subsequent Rearrange Multiline Hunt   PBX Subsequent Rearrange Rearrange Rearrange Rearrange Rearrange Rearrange			15.69	ļ	1	1											
Subsequent Activity - Change Rearrange Multim Hunt   DEPRG   USASZ   0.00   0.00   0.00   15.69	ADDIT		ļ							ļ					ļ	ļ	
PEX Subsequent Activity - Change Rearrange Multillane Hunt			1		LIEBBO				0.00				45.00		I	I	
Group	$\vdash$		<b> </b>	-	UEPRG	USAS2	0.00	0.00	0.00	<del>                                     </del>	-		15.69	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Unburided Miscellaneous Rate Element, Tag Loop at End User   Premise								44.04	44.04				45.00				
Premise	-		-	-		1		14.64	14.64				15.69				
Comparison					LIEDDO	LIDETI		0 22	0.00					20.25	10.54	12.22	13.32
Local Channel Voice grade, per termination   1 UEPRG   P2,HIX   16.56   75.06   48,20   28.70   17.64   20.35   10.54   13.32	OEE/O		1	-	UEFRG	UKEIL		0.33	0.63	1		1	1	20.33	10.54	13.32	13.32
Local Channel Voice grade, per termination   2 UEPRG   P2JHX   21.83   75.06   48.20   28.70   17.64   20.35   10.54   13.32   15.06   13.32	OF F70			1	LIEDRG	D2 IHY	16.56	75.06	48.20	28.70	17.64	1		20.35	10.54	13 32	13.32
Local Channel Voice grade, per termination												<b>-</b>	<b>-</b>				13.32
Non-Wire Direct Serve Channel Voice Grade   SW   UEPRG   SD02X   10.02   148.84   112.34   73.14   36.65   20.35   10.54   13.32												<b>-</b>	<b>-</b>				13.32
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   Termination				_								1	1				13.32
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility   UEPRG	INTER			Ü.,	02.110	ODDEA	10.02	1 10.0 1		70	00.00			20.00	10.01	10.02	10.02
Termination   UEPRG   UITVZ   18.58   55.39   17.37   27.96   3.51																	
Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile   UEPRG					UEPRG	U1TV2	18.58	55.39	17.37	27.96	3.51						
2-WIRE VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
UNE Port/Loop Combination Rates		or Fraction Mile			UEPRG	U1TVM	0.0174	0.00	0.00								
2-Wire VL Loop/Port Combo - Zone 1	2-WIRE	VOICE GRADE LOOP WITH 2-WIRE LINE PORT (BUS - PBX)															
2-Wire VG Loop/Port Combo - Zone 2	UNE P	ort/Loop Combination Rates															
2-Wire VG Loop/Port Combo - Zone 3   3   23.02																	
UNE Loop Rates																	
2-Wire Voice Grade Loop (St. 1) - Zone 1				3			23.02										
2-Wire Voice Grade Loop (St. 1) - Zone 2	UNE L																
2-Wire Voice Grade Lion (St. 1) - Zone 3   3   UEPPX   UEPLX   21.32	$\vdash$		<b> </b>							<del>                                     </del>	-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
2-Wire Voice Grade Line Port Rates (BUS - PBX)	<del>                                     </del>		<b> </b>							<del>                                     </del>	-			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus  Line Side Unbundled Outward PBX Trunk Port - Bus  UEPPX  UEPPC  1.70  22.14  15.25  8.45  3.91  15.69  Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus  UEPPX  UEPPC  1.70  22.14  15.25  8.45  3.91  15.69  Line Side Unbundled Incoming PBX Trunk Port - Bus  UEPPX  UEPPD  1.70  22.14  15.25  8.45  3.91  15.69  Line Side Unbundled Combination PBX Trunk Port - Bus  UEPPX  UEPPD  1.70  22.14  15.25  8.45  3.91  15.69  Line Side Unbundled CPBX LD Terminal Ports  UEPPX  UEPPX  UEPPD  1.70  22.14  15.25  8.45  3.91  15.69  LEPPX  UEPPX	2 141:		-	3	UEPPA	UEPLX	21.32	<del>                                     </del>		+	-	1	1	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
Line Side Unbundled Outward PBX Trunk Port - Bus   UEPPX   UEPPO   1.70   22.14   15.25   8.45   3.91   15.69	2-wire	Voice Grade Line Port Kates (BUS - PBX)	+	-		+				1		-	-		<del>                                     </del>	<del>                                     </del>	
Line Side Unbundled Outward PBX Trunk Port - Bus   UEPPX   UEPPO   1.70   22.14   15.25   8.45   3.91   15.69		Line Side Unbundled Combination 2 Way DBV Trunk Bort Bus	1		LIEDDY	LIEDDO	1 70	22 14	15.05	0 15	2.04		15.60		I	I	
Line Side Unbundled Incoming PBX Trunk Port - Bus	<del>                                     </del>		t									<b>-</b>		<b> </b>	t	<del>                                     </del>	
2-Wire Voice Unbundled PBX LD Terminal Ports	<del>                                     </del>		t									<b>-</b>		<b> </b>	t	<del>                                     </del>	
2-Wire Voice Unbundled 2-Way Combination PBX Tennessee   UEPPX   UEPT2   1.70   22.14   15.25   8.45   3.91   15.69			<b>†</b>									<del>                                     </del>			<b>I</b>	<b>I</b>	
Calling Port			t			1-2.2	0	22.14	.0.20	3.40	3.51			i	1	1	
2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee					UEPPX	UEPT2	1.70	22.14	15.25	8.45	3.91		15.69		1	1	
Calling Port			1			1	0			1	2.31			İ	1	1	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports   UEPPX   UEPXB   1.70   22.14   15.25   8.45   3.91   15.69					UEPPX	UEPTO	1.70	22.14	15.25	8.45	3.91		15.69		1	1	
2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports   UEPPX   UEPX		2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPPX	UEPXA	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled PBX LD Terminal Switchboard Port   UEPPX   UEPXD   1.70   22.14   15.25   8.45   3.91   15.69					UEPPX	UEPXB	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD   UEPPX																	
Capable Port					UEPPX	UEPXD	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Administrative Calling Port UEPX UEPX 1.70 22.14 15.25 8.45 3.91 15.69 2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy																	
Administrative Calling Port   UEPPX   UEPX   1.70   22.14   15.25   8.45   3.91   15.69			1		UEPPX	UEPXE	1.70	22.14	15.25	8.45	3.91		15.69				
2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy						1									1	1	
	<b></b>				UEPPX	UEPXL	1.70	22.14	15.25	8.45	3.91		15.69		ļ		
		2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy Room Calling Port	1		UEPPX	UEPXM	1.70	22.14	15.25	8.45	3.91		15.69		I	I	

UNDUNDL	ED NETWORK ELEMENTS - Tennessee		1	ı								06		ment: 2		bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy															
	Administrative Calling Port TN Calling Port			UEPPX	UEPXN	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital			UEPPX	LIEDVO	4.70	00.44	45.05	0.45	0.04		45.00				
	Discount Room Calling Port  2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port		<u> </u>	UEPPX	UEPXO UEPXS	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		15.69 15.69			-	-
-	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPPA	UEFAS	1.70	22.14	15.25	0.45	3.91		15.69			1	1
	Port			UEPPX	UEPXU	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			02.17	02.70			10.20	0.10	0.01		10.00			t	
	Callling Port			UEPPX	UEPXV	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo Each Additional Trunk						i									
	Collierville and Memphis Local Calling Plan			UEPPX	UEPA6	1.70	22.14	15.25	8.45	3.91		15.69				
	Tennessee PBX 2-Way Combo First Trunk Collierville and															
1.55	Memphis Local Calling Plan			UEPPX	UEPA7	1.70	22.14	15.25	8.45	3.91		15.69			1	1
LOCA	AL NUMBER PORTABILITY		-	LIEDDY	LNDCD	0.4=	0.00	2.00	1			45.00			<del> </del>	
EEAT	Local Number Portability (1 per port)  FURES			UEPPX	LNPCP	3.15	0.00	0.00				15.69			-	-
FEAT	All Features Offered			UEPPX	UEPVF	0.00	0.00	0.00				15.69				-
NON	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			ULFFX	OLF VI	0.00	0.00	0.00				13.09			-	
itoit.	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch-As-Is			UEPPX	USAC2		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Conversion - Switch with Change			UEPPX	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop / Line Port Combination - Conversion -															
	Subsequent Database Update						0.76					15.69				
ADDI	TIONAL NRCs															
	2-Wire Voice Grade Loop/ Line Port Combination (PBX) -															
	Subsequent Activity			UEPPX	USAS2	0.00	0.00	0.00				15.69			1	-
	PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group						14.64	14.64				15.69				
-	Unbundled Miscellaneous Rate Element, Tag Loop at End User						14.04	14.04				13.09			1	1
	Premise			UEPPX	URETL		8.33	0.83					20.35	10.54	13.32	13.32
OFF/	ON PREMISES EXTENSION CHANNELS			02.17	UNLIL		0.00	0.00					20.00	10.01	10.02	10.02
	Local Channel Voice grade, per termination		1	UEPPX	P2JHX	16.56	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		2	UEPPX	P2JHX	21.63	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Local Channel Voice grade, per termination		3	UEPPX	P2JHX	28.28	75.06	48.20	28.70	17.64			20.35	10.54	13.32	13.32
	Non-Wire Direct Serve Channel Voice Grade		SW	UEPPX	SDD2X	10.02	148.84	112.34	73.14	36.65			20.35	10.54	13.32	13.32
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination			UEPPX	LIATVO	18.58	55.00	47.07	07.00	2.54						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile		<u> </u>	UEPPX	U1TV2	18.58	55.39	17.37	27.96	3.51					-	-
	or Fraction Mile			UEPPX	U1TVM	0.0174	0.00	0.00								
UNF	Port/Loop Combination Rates			OLITA	OTTVIVI	0.0174	0.00	0.00								
0.12	2-Wire VG Coin Port/Loop Combo – Zone 1		1			14.18									t	1
	2-Wire VG Coin Port/Loop Combo – Zone 2		2			18.01										
	2-Wire VG Coin Port/Loop Combo – Zone 3		3			23.02	i									
UNE	Loop Rates															
	2-Wire Voice Grade Loop (SL1) - Zone 1		1	UEPCO	UEPLX	12.48										
	2-Wire Voice Grade Loop (SL1) - Zone 2		2	UEPCO	UEPLX	16.31									ļ	ļ
0.15"	2-Wire Voice Grade Loop (SL1) - Zone 3		3	UEPCO	UEPLX	21.32			1						<del>                                     </del>	<del>                                     </del>
2-Wir	re Voice Grade Line Ports (COIN)		-						-		1				<del>                                     </del>	<del>                                     </del>
	2-Wire Coin 2-Way without Operator Screening and without Blocking (TN)			UEPCO	UEPTB	1.70	22.14	15.25	8.45	3.91		15.69			I	
	2-Wire Coin 2-Way with Operator Screening and Blocking: 011,		<del>                                     </del>	OLFOO	ULFID	1.70	22.14	15.25	0.40	3.91	<del>                                     </del>	15.69			<del> </del>	<del>                                     </del>
	900/976, 1+DDD (NC, TN)			UEPCO	UEPRP	1.70	22.14	15.25	8.45	3.91		15.69			I	
	2-Wire Coin 2-Way with Operator Screening and 011 Blocking				- '	0			20						1	
	(TN)		<u></u>	UEPCO	UEPTA	1.70	22.14	15.25	8.45	3.91		15.69			L	L
	2-Wire Coin 2-Way with Operator Screening: 900 Blocking:															
	900/976, 1+DDD, 011+, and Local (NC, TN)	1	İ	UEPCO	UEPCA	1.70	22.14	15.25	8.45	3.91	1	15.69	l	l	1	1

JNBUNDL	ED NETWORK ELEMENTS - Tennessee													ment: 2	1	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Coin Outward with Operator Screening and 011 Blocking	3														
	(TN)			UEPCO	UEPTC	1.70	22.14	15.25	8.45	3.91		15.69				
	2-Wire Coin Outward with Operator Screening and Blocking:					. =-		4= 0=				4= 00				
	900/976, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA)	_		UEPCO UEPCO	UEPOT UEPCK	1.70 1.88		15.25	8.45	3.91		15.69 15.69				
	2-Wire Coin Outward Smartline with 900/976 (all states except LA)	+		UEPCU	UEPCK	1.88					1	15.69			-	
	LA)			UEPCO	UEPCR	1.88						15.69				
ADD	ITIONAL UNE COIN PORT/LOOP (RC)	1		OLI CO	OLI OK	1.00	t					13.03				
ADD	UNE Coin Port/Loop Combo Usage (Flat Rate)	1	1	UEPCO	URECU	3.45	0.00	0.00	0.00	0.00	1	15.69				
	Local Number Portability (1 per port)	1		UEPCO	LNPCX	0.35					1				t	
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-	i –			2.30	1						İ	İ	1	İ
	Switch-as-is		L	UEPCO	USAC2		1.03	0.29	<u>                                      </u>		<u></u>	15.69		<u> </u>	<u> </u>	<u></u>
	2-Wire Voice Grade Loop / Line Port Combination - Conversion	-														
	Switch with change		<u></u>	UEPCO	USACC		1.03	0.29				15.69				
	2-Wire Voice Grade Loop/Line Port Combination - Subsequent															
	Activity	1	<u> </u>	UEPCO	USAS2	0.00	0.00	0.00			ļ	15.69	ļ	ļ	1	
- 1	Unbundled Miscellaneous Rate Element, Tag Loop at End User															l
	Premise	<u> </u>		UEPCO	URETL		8.33	0.83					20.35	10.54	13.32	13.3
	RE VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIR	E LINE I	PORT (	RES)												
UNE	Port/Loop Combination Rates	+	4			40.45			-		1				-	
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 1 2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	+	1 2		+	18.45 23.52	-				-	-			-	
_	2-Wire VG Loop/IO Tranport/Port Combo - Zone 2  2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	+	3		-	30.17	1				-	-				
LINE	Loop Rates	+			+	30.17					1	1			-	
OIL	2-Wire Voice Grade Loop (SL2) - Zone 1	+	1	UEPFR	UECF2	16.56										
	2-Wire Voice Grade Loop (SL2) - Zone 2	1	2	UEPFR	UECF2	21.63					1					
	2-Wire Voice Grade Loop (SL2) - Zone 3	1	3	UEPFR	UECF2	28.28										
2-Wi	re Voice Grade Line Port Rates (Res)															
	2-Wire voice unbundled port - residence			UEPFR	UEPRL	1.89	84.99	57.39	32.36	20.56	1	15.69				
	2-Wire voice unbundled port with Caller ID - res			UEPFR	UEPRC	1.89	84.99	57.39	32.36	20.56		15.69		ĺ		
	2-Wire voice unbundled port outgoing only - res			UEPFR	UEPRO	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice Grade unbundled Tennessee extended local															
	dialing parity port with Caller ID - res			UEPFR	UEPAQ	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Plus with Caller ID -															
	res (AC7)	4		UEPFR	UEPAH	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	1	LIEDED	UEPAK	4.00	04.00	F7 00	20.22	20.50		45.00			I	
	ID - res (F2R)  2-Wire voice unbundled Tennessee Area Calling port with Calle	-	<del>                                     </del>	UEPFR	UEPAK	1.89	84.99	57.39	32.36	20.56	1	15.69			<del>                                     </del>	-
	ID - res (TACER)	'		UEPFR	UEPAL	1.89	84.99	57.39	32.36	20.56		15.69			1	
-	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	<del>                                     </del>	OLI I IX	OLI AL	1.09	04.39	31.39	32.30	20.30	<b>†</b>	13.09	<del> </del>	<del> </del>	<del> </del>	
	ID - res (TACSR)	1		UEPFR	UEPAM	1.89	84.99	57.39	32.36	20.56		15.69			I	1
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	t		02. / uvi	1.00	04.00	07.00	32.30	20.00		10.00	1	1	<u> </u>	
	ID - res (1MF2X)			UEPFR	UEPAN	1.89	84.99	57.39	32.36	20.56		15.69			I	1
	2-Wire voice unbundled Tennessee Area Calling port with Calle	r	t			30	1	230	52.50		1		İ	İ	1	
	ID - res (2MR)			UEPFR	UEPAO	1.89	84.99	57.39	32.36	20.56		15.69			1	
	2-Wire voice unbundles res, low usage line port with Caller ID															
	(LUM)	1	<u> </u>	UEPFR	UEPAP	1.89	84.99	57.39	32.36	20.56		15.69				
	2-Wire Voice Unbundled Tennessee Residence Dialing Plan														_	
	without Caller ID	1	<u> </u>	UEPFR	UEPWN	1.89	84.99	57.39	32.36	20.56	ļ	15.69		ļ	1	
INTE	ROFFICE TRANSPORT	1	<u> </u>								ļ				ļ	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility			LIEDED	11477.60	40 =0	55.00	47.00	07.00	0					I	1
_	Termination	+	<u> </u>	UEPFR	U1TV2	18.58	55.39	17.37	27.96	3.51	<b></b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1		UEPFR	1L5XX	0.0174									I	1
EE A	or Fraction Mile	+	<del>                                     </del>	OLPER	ILOAA	0.0174	1				1	-			<del>                                     </del>	-
FEA	All Features Offered	+	<del>                                     </del>	UEPFR	UEPVF	0.00	0.00	0.00			<b> </b>	15.69	<del> </del>	<del>                                     </del>	<del>                                     </del>	-
Inc	AL NUMBER PORTABILITY	+	<b>†</b>	OLITA	OLF VI	0.00	0.00	0.00	<del>                                     </del>			13.09	<b> </b>	<b> </b>	<del>                                     </del>	
	Local Number Portability (1 per port)	+	<b>-</b>	UEPFR	LNPCX	0.35	1				<b> </b>				<b>†</b>	<del>                                     </del>
1	RECURRING CHARGES (NRCs) - CURRENTLY COMBINED	+	+		· · · · · ·	0.00	<del>                                     </del>				<del></del>	<del>                                     </del>	<b></b>		+	

UNBUN	IDLEI	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
												Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		
CATEGO	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									po. zo.t	por zort	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																Disc 1st	Disc Add I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
$\sqcup \sqcup$		Combination - Conversion - Switch-as-is			UEPFR	USAC2		16.94	3.72				15.69				
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port															
$\sqcup \sqcup$		Combination - Conversion - Switch-With-Change			UEPFR	USACC		16.94	3.72				15.69				
		Unbundled Miscellaneous Rate Element, Tag Designed Loop at															
		End User Premise			UEPFR	URETN		11.23	1.10					20.35	10.54	13.32	13.32
		VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	LINE	PORT (	BUS)												
L L	JNE Po	ort/Loop Combination Rates					10.15										
$\vdash$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1		1			18.45										ļ
$\vdash$		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2		2			23.52										
<del>                                     </del>	INIE	2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	<del>                                     </del>	3		+	30.17			<del>                                     </del>		<del> </del>	1	<del>                                     </del>	<del>                                     </del>	<b> </b>	<del> </del>
$\vdash \vdash \vdash$	INE LO	op Rates	<del>                                     </del>	1	UEPFB	UECF2	16.56			<del>                                     </del>		1	-	-	-		<del> </del>
$\vdash \vdash$		2-Wire Voice Grade Loop (SL2) - Zone 1	<b> </b>	<u> </u>	UEPFB UEPFB	UECF2	16.56 21.63					<b>}</b>	<del>                                     </del>	<b> </b>	<b> </b>	<del> </del>	<del> </del>
$\vdash \vdash$		2-Wire Voice Grade Loop (SL2) - Zone 2	-	2						<del></del>		-					<del> </del>
<del>-  -</del>	Mirc	2-Wire Voice Grade Loop (SL2) - Zone 3 Voice Grade Line Port (Bus)	<del>                                     </del>	3	UEPFB	UECF2	28.28			<del>                                     </del>		1	-	-	-		<del> </del>
<del>                                     </del>	-vvire	2-Wire voice unbundled port without Caller ID - bus	-	<del>                                     </del>	UEPFB	UEPBL	1.89	84.99	57.39	32.36	20.56		15.69	-	-	-	+
$\vdash$		2-Wire voice unbundled port with Caller + E484 ID - bus		<u> </u>	UEPFB	UEPBC	1.89	84.99	57.39	32.36	20.56	1	15.69				
$\vdash$		2-Wire voice unbundled port outgoing only - bus			UEPFB	UEPBO	1.89	84.99	57.39	32.36	20.56	<b> </b>	15.69				<b></b>
$\vdash$		2-Wire voice Grade unbundled Tennessee extended local	-	-	OLFIB	OLFBO	1.05	04.55	31.35	32.30	20.30	ł	13.09				<del>                                     </del>
		dialing parity port with Caller ID - bus			UEPFB	UEPAV	1.89	84.99	57.39	32.36	20.56		15.69				
$\vdash$		2-Wire voice unbundled incoming only port with Caller ID - Bus			UEPFB	UEPB1	1.89	84.99	57.39	32.36	20.56		15.69				
$\vdash$		2-Wire voice unbundled incoming only port with Caller 15 - Bus 2-Wire voice unbundled Tennessee Bus 2-Way Area Calling			OLFIB	OLFBI	1.05	04.55	31.35	32.30	20.30	<u> </u>	13.09	1	1	1	<del>                                     </del>
		Port Economy Option (TACC1)			UEPFB	UEPAC	1.89	84.99	57.39	32.36	20.56		15.69				
$\vdash$		2-Wire voice unbundled Tennessee Bus 2-Way Area Calling		1	OLITB	OLI 710	1.00	04.00	01.00	02.00	20.00	<b>†</b>	10.00				<del>                                     </del>
		Port Standard Option (TACC2)			UEPFB	UEPAD	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire voice unbundled Tennessee Bus 2-Way Collierville and			02.13	02.7.0	1.00	0 1.00	01.00	02.00	20.00	İ	10.00				
		Memphis Local Calling Port (B2F)			UEPFB	UEPAE	1.89	84.99	57.39	32.36	20.56		15.69				
		2-Wire Voice Unbundled Tennessee Business Dialing Plan										İ					
		without Caller ID			UEPFB	UEPWO	1.89	84.99	57.39	32.36	20.56		15.69				
		Tennessee Inward Collierville and Memphis Local Calling Plan															1
		(BUS)			UEPFB	UEPB2	1.89	84.99	57.39	32.36	20.56		15.69				
		Tennessee 2-Way Collierville and Memphis Local Calling Plan												ĺ	ĺ		
		(BUS)			UEPFB	UEPB3	1.89	84.99	57.39	32.36	20.56		15.69				
L	.OCAL	NUMBER PORTABILITY															1
		Local Number Portability (1 per port)			UEPFB	LNPCX	0.35										
l l	NTERC	OFFICE TRANSPORT							· ·								
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility	l														
igsquare		Termination	ļ	<u> </u>	UEPFB	U1TV2	18.58	55.39	17.37	27.96	3.51			ļ	ļ	ļ	<b></b>
		Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile	1														
<u></u>		or Fraction Mile	ļ	<u> </u>	UEPFB	1L5XX	0.0174					1					<b></b>
F	EATU												1= 00				
<del></del>	IONES	All Features Offered	ļ	<u> </u>	UEPFB	UEPVF	0.00	0.00	0.00			-	15.69				<b>↓</b>
N	ONKE	CURRING CHARGES (NRCs) - CURRENTLY COMBINED	-	<u> </u>		_						ļ	-	-	-	-	<del> </del>
		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Combination - Conversion - Switch-as-is	l		UEPFB	USAC2		16.94	3.72				15.69				
$\vdash \vdash$		2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	<b>-</b>	<del>                                     </del>	ULPFD	USAUZ		16.94	3.72			1	15.69	-	-	-	<del> </del>
		Combination - Conversion - Switch with change	1		UEPFB	USACC		16.94	3.72				15.69				
$\vdash \!$		Unbundled Miscellaneous Rate Element, Tag Designed Loop at	1	<del>                                     </del>	OLITO	UUAUU		10.54	3.12			1	13.09	1	1	1	+
		End User Premise	1		UEPFB	URETN		11.23	1.10					20.35	10.54	13.32	13.32
1 2	-WIRF	VOICE LOOP/ 2WIRE VOICE GRADE IO TRANSPORT/ 2-WIRE	INF	PORT (		OILLIN		11.23	1.10			<b>†</b>	<u> </u>	20.33	10.34	10.02	15.52
		ort/Loop Combination Rates	<u>,,,</u>	T		1						1		<b>i</b>	<b>i</b>	<b>i</b>	t
H		2-Wire VG Loop/IO Tranport/Port Combo - Zone 1	l	1			18.45							i	i	i	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 2	l	2			23.52							i	i	i	
		2-Wire VG Loop/IO Tranport/Port Combo - Zone 3	1	3			30.17	i - 1		1		1		İ	İ	İ	1
ι	JNE Lo	op Rates			1			i i						ĺ	ĺ	ĺ	
		2-Wire Voice Grade Loop (SL2) - Zone 1		1	UEPFP	UECF2	16.56										
		2-Wire Voice Grade Loop (SL2) - Zone 2		2	UEPFP	UECF2	21.63										I
		2-Wile Voice Grade Loop (3L2) - Zorie 2															

UNBUNDLI	ED NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
2-Wir	e Voice Grade Line Port Rates (BUS - PBX)															
	Line Side Unbundled Combination 2-Way PBX Trunk Port - Bus			UEPFP	UEPPC	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Outward PBX Trunk Port - Bus			UEPFP	UEPPO	1.79	106.40	63.08	42.67	18.54		15.69				
	Line Side Unbundled Incoming PBX Trunk Port - Bus 2-Wire Voice Unbundled PBX LD Terminal Ports			UEPFP UEPFP	UEPP1 UEPLD	1.79 1.79	106.40	63.08 63.08	42.67 42.67	18.54 18.54		15.69 15.69			1	
	2-Wire Voice Unbundled 2-Way Combination PBX Tennessee			UEPFP	UEPLD	1.79	106.40	63.08	42.67	18.54	-	15.69				
	Calling Port			UEPFP	UEPT2	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Tennessee			OLFIF	ULF 12	1.75	100.40	03.00	42.07	10.54	1	13.09			-	
	Calling Port			UEPFP	UEPTO	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way Combination PBX Usage Port			UEPFP	UEPXA	1.79	106.40	63.08	42.67	18.54		15.69			<u> </u>	
	2-Wire Voice Unbundled PBX Toll Terminal Hotel Ports			UEPFP	UEPXB	1.79	106.40	63.08	42.67	18.54		15.69		İ	1	
	2-Wire Voice Unbundled PBX LD DDD Terminals Port			UEPFP	UEPXC	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled PBX LD Terminal Switchboard Port			UEPFP	UEPXD	1.79	106.40	63.08	42.67	18.54		15.69				<u> </u>
İ	2-Wire Voice Unbundled PBX LD Terminal Switchboard IDD															
	Capable Port			UEPFP	UEPXE	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Administrative Calling Port			UEPFP	UEPXL	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Hotel/Hospital Economy															
	Room Calling Port			UEPFP	UEPXM	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1W Out PBX Hotel/Hospital Economy					. =-	400.40		40.00							
	Administrative Calling Port TN Calling Port		-	UEPFP	UEPXN	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port			UEPFP	UEPXO	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 1-Way Outgoing PBX Measured Port			UEPFP	UEPXS	1.79	106.40	63.08	42.67	18.54	-	15.69				
	2-Wire Voice Unbundled PBX Collierville and Memphis Calling			UEPFF	UEFAS	1.79	106.40	63.06	42.07	10.34		15.69			1	
	Port			UEPFP	UEPXU	1.79	106.40	63.08	42.67	18.54		15.69				
	2-Wire Voice Unbundled 2-Way PBX Tennessee RegionServ			OLITI	OLI XO	1.70	100.40	00.00	72.07	10.04	1	10.00			1	
	Callling Port			UEPFP	UEPXV	1.79	106.40	63.08	42.67	18.54		15.69				
LOCA	L NUMBER PORTABILITY															
	Local Number Portability (1 per port)			UEPFP	LNPCP	3.15	0.00	0.00				15.69				
INTE	ROFFICE TRANSPORT															
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility															
	Termination			UEPFP	U1TV2	18.58	55.39	17.37	27.96	3.51						
	Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile															
	or Fraction Mile			UEPFP	1L5XX	0.0174										
FEAT	URES		-	LIEDED	LIEDVE	0.00	0.00	0.00				45.00				
NONE	All Features Offered RECURRING CHARGES (NRCs) - CURRENTLY COMBINED			UEPFP	UEPVF	0.00	0.00	0.00				15.69				
NONF	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	1	<del>                                     </del>		+ -						<del>                                     </del>	1			<del>                                     </del>	1
	Combination - Conversion - Switch-as-is			UEPFP	USAC2		16.94	3.72				15.69			1	
	2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port	t	<b>†</b>	0=111	00/102		10.34	5.12	1		<del>                                     </del>	13.03		1	<b>I</b>	1
	Combination - Conversion - Switch with change			UEPFP	USACC		16.94	3.72				15.69			I	
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at													İ	1	
	End User Premise			UEPFP	URETN		11.23	1.10					20.35	10.54	13.32	13.32
	PORT/LOOP COMBINATIONS - COST BASED RATES															
	E VOICE GRADE LOOP- BUS ONLY - WITH 2-WIRE DID TRUNK	PORT														
UNE	Port/Loop Combination Rates															ļ
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 1		1		$\perp$	18.38									1	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 2		2			19.87									ļ	
	2-Wire VG Loop/2-Wire DID Trunk Port Combo - UNE Zone 3		3		+	24.78									<del>                                     </del>	1
UNE	Loop Rates	-	4	UEPPX	UECD1	9.60					1	ļ		-	<del>                                     </del>	1
	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 2	-	2	UEPPX	UECD1	11.09					1	ļ		-	<del>                                     </del>	1
		-	3	UEPPX	UECD1	16.00					-				<del>                                     </del>	
-																1
LINE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3		3	OLITA	OLOD1	10.00						i e				
UNE	2-Wire Analog Voice Grade Loop - (SL2) - UNE Zone 3   Port Rate		3	UEPPX	UEPD1	8.78	45.44	29.94	8.45	3.91			30.89	7.03		

NRONDLE	D NETWORK ELEMENTS - Tennessee											1			ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	В	cs	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual So
							Rec	Nonrecurring		Nonrecurring			_		Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Combination -																
	Switch-as-is			UEPPX		USAC1		8.76	5.75					30.89	7.03		<b>↓</b>
	2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with BellSouth Allowable Changes			UEPPX		USA1C		8.76	5.75					30.89	7.03		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPX		URETN		11.23	1.10								
Telepl	hone Number/Trunk Group Establisment Charges																
	DID Trunk Termination (One Per Port)			UEPPX		NDT	0.00	0.00	0.00								↓
	Additional DID Numbers for each Group of 20 DID Numbers			UEPPX		ND4	0.00		0.00								.↓
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPPX		ND5	0.00		0.00								1
	Reserve Non-Consecutive DID numbers			UEPPX		ND6	0.00		0.00			ļ					1
	Reserve DID Numbers			UEPPX		NDV	0.00	0.00	0.00								1
LOCA	L NUMBER PORTABILITY																
	Local Number Portability (1 per port)			UEPPX		LNPCP	3.15	0.00	0.00								
	E ISDN DIGITAL GRADE LOOP WITH 2-WIRE ISDN DIGITAL LIN	NE SIDE	PORT	•													
UNE F	Port/Loop Combination Rates																
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 1		1	UEPPB	UEPPR		32.27										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 2		2	UEPPB	UEPPR		34.78										
	2W ISDN Digital Grade Loop/2W ISDN Digital Line Side Port - UNE Zone 3		3	UEPPB	UEPPR		44.32										
UNE L	.oop Rates																Ī
	2-Wire ISDN Digital Grade Loop - UNE Zone 1		1	UEPPB	UEPPR	USL2X	16.20										
	2-Wire ISDN Digital Grade Loop - UNE Zone 2		2	UEPPB	UEPPR	USL2X	18.71										
	2-Wire ISDN Digital Grade Loop - UNE Zone 3		3	UEPPB	UEPPR	USL2X	28.25										
UNE F	Port Rate																
	Exchange Port - 2-Wire ISDN Line Side Port			UEPPB	UEPPR	UEPPB	16.07	141.75	118.37	49.20	43.26			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED																
	2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port Combination - Conversion			UEPPB	UEPPR	USACB	0.00	117.23	117.23					19.99	19.99		
ADDIT	TIONAL NRCs																
	2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk			UEPPB	UEPPR	USASB		212.88						19.99	19.99		
	Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise			UEPPB	UEPPR	URETN		11.23	1.10								
	Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise			UEPPB	UEPPR	URETL		8.33	0.83								
LOCA	L NUMBER PORTABILITY						Î										T
	Local Number Portability (1 per port)			UEPPB	UEPPR	LNPCX	0.35	0.00	0.00								
B-CH/	ANNEL USER PROFILE ACCESS:																
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCA	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCB	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCC	0.00	0.00	0.00								T
B-CH/	ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SC	C,MS, &	TN)														
	CVS/CSD (DMS/5ESS)			UEPPB	UEPPR	U1UCD	0.00	0.00	0.00								
	CVS (EWSD)			UEPPB	UEPPR	U1UCE	0.00	0.00	0.00								
	CSD			UEPPB	UEPPR	U1UCF	0.00	0.00	0.00								
USER	TERMINAL PROFILE																
	User Terminal Profile (EWSD only)			UEPPB	UEPPR	U1UMA	0.00	0.00	0.00								
VERT	ICAL FEATURES																
	All Vertical Features - One per Channel B User Profile			UEPPB	UEPPR	UEPVF	0.00	0.00	0.00								T
INTER	OFFICE CHANNEL MILEAGE					1						1					
	Interoffice Channel mileage each, including first mile and facilities termination			UEPPB	UEPPR	M1GNC	17.91	53.99	17.37					19.99	19.99		
-	Interoffice Channel mileage each, additional mile					M1GNM	0.173	0.00	0.00					.5.55	.5.55	1	<b>†</b>
																i	+
4-WIR	E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK	PORT											ĺ	1			

UNBUNDI F	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	hit: A
ONDONDEL		I	l		1						Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted		Charge -	Charge -	Charge -
		In terms									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m						.,,			per Lor	per Lor	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
															Disc 1st	DISC Add I
						Rec	Nonrecurring			g Disconnect				Rates (\$)		
							First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	ests for 4-Wire DS1 Digital Loop with 4-Wire ISDN DS1 Digital 1	Frunk Po	ort afte	the effective date of	of this amend	ment shall be	provided pursu	ant to a sepa	rate agreement	or tariff at Bel	lSouth's di	scretion.				
UNE P	ort/Loop Combination Rates															
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE															
	Zone 1		1	UEPPP		132.58										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE		_													
	Zone 2		2	UEPPP		150.25										
	4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - UNE			LIEDDD		470.44										
	Zone 3		3	UEPPP		173.44										
UNE L	oop Rates		4	LIEDDD	1101.45	F7 70					1					
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 1	<del>                                     </del>	7	UEPPP UEPPP	USL4P USL4P	57.73 75.40	<del>                                     </del>		<b> </b>		1	-		<del>                                     </del>		
$\vdash$	4-Wire DS1 Digital Loop - UNE Zone 2 4-Wire DS1 Digital Loop - UNE Zone 3	<del> </del>	3	UEPPP	USL4P USL4P	98.59	<del></del>		1				-	<del></del>		
LINE	Port Rate	<del>                                     </del>	3	ULFFF	USL4F	90.59	+		1		<b> </b>	<del>                                     </del>		+		
UNE	Exchange Ports - 4-Wire ISDN DS1 Port (E:4/1/2004)	<del>                                     </del>	<del>                                     </del>	UEPPP	UEPPP	74.85	415.53	366.90	89.28	77.43	}		19.99	19.99	<del> </del>	
NOND	ECURRING CHARGES - CURRENTLY COMBINED	<del>                                     </del>	<del>                                     </del>	OLFFF	ULFFF	74.65	410.03	300.90	09.28	11.43	}		19.99	19.99	<del> </del>	
NONK	4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port											1				
	Combination - Conversion -Switch-as-is (E:4/1/2004)			UEPPP	USACP	0.00	328.53	328.53					19.99	19.99		
ADDIT	TONAL NRCs	1		OLITI	OOACI	0.00	320.33	320.33	1		<b>†</b>	<b>-</b>	13.33	13.33		
ADDIT	4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy-				+		<del> </del>				<u> </u>		1			
	Inward/two way Tel Nos. (except NC)			UEPPP	PR7TF		0.94						19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port -			OLITI	110111		0.04				1	1	10.00	10.00		
	Outward Tel Numbers (All States except NC)			UEPPP	PR7TO		22.36	22.36					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port -			02			22.00	22.00			İ		10.00	10.00		
	Subsequent Inward Tel Numbers			UEPPP	PR7ZT		44.71	44.70					19.99	19.99		
LOCA	L NUMBER PORTABILITY											İ				
	Local Number Portability (1 per port)			UEPPP	LNPCN	1.75										
INTER	FACE (Provsioning Only)															
	Voice/Data			UEPPP	PR71V	0.00	0.00	0.00								
	Digital Data			UEPPP	PR71D	0.00	0.00	0.00								
	Inward Data			UEPPP	PR71E	0.00	0.00	0.00								
New o	r Additional "B" Channel															
	New or Additional - Voice/Data B Channel			UEPPP	PR7BV	0.00	28.39						19.99	19.99		
	New or Additional - Digital Data B Channel			UEPPP	PR7BF	0.00	29.11						19.99	19.99		
	New or Additional Inward Data B Channel			UEPPP	PR7BD	0.00	29.39						19.99	19.99		
CALL	TYPES	<u> </u>	ļ	LIEDDD	DD76 :				<b> </b>			-	ļ	-	ļ	
$\vdash$	Inward	<b>!</b>	-	UEPPP	PR7C1	0.00	0.00	0.00	<del> </del>	<del> </del>	<b> </b>		<del>                                     </del>	<del>                                     </del>	<del>                                     </del>	
$\vdash$	Outward	<del>                                     </del>	-	UEPPP	PR7CO	0.00		0.00	<del> </del>	-	<del> </del>	1	<b> </b>	<del>                                     </del>	<b> </b>	
Interes	Two-way ffice Channel Mileage	<del>                                     </del>	-	UEPPP	PR7CC	0.00	0.00	0.00	<del> </del>	-	<del> </del>	1	<b> </b>	<del>                                     </del>	<b> </b>	
intero	Fixed Each Including First Mile	<del> </del>	+	UEPPP	1LN1A	76.1825	145.98	109.85	19.55		<del>                                     </del>	-	19.99	19.99		-
$\vdash$	Each Airline-Fractional Additional Mile	<del>                                     </del>	<del>                                     </del>	UEPPP	1LN1A 1LN1B	0.3525	145.98	109.85	19.55	1	}	<del>                                     </del>	19.99	19.99	<del> </del>	
A-WID	E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT	<del>                                     </del>	<b>!</b>	OLFFF	ILIVID	0.3525	t		1	<del> </del>	1	<b>H</b>	<del>                                     </del>	t	<del>                                     </del>	
	NE-P DS1 combination rates below for in this rate exhibit appl	v to the	ember	lded hase in nlace a	s of 10/2/03	intil 4/1/04 Af	ter 4/1/04 these	rates shall re	vert to tariff rat	es or a senara	te commerc	ial agreeme	nt.	<del>                                     </del>	<b> </b>	
	ests for 4-Wire DS1 Digital Loop with 4-Wire DDITS after the eff											ugreenile	 I	<del>                                     </del>	<b> </b>	
	Port/Loop Combination Rates	1	1				u							<u> </u>		
3.421	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 1	†	1	UEPDC		93.28	1		1	i			19.99	19.99	i	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 2	l	2	UEPDC	1	110.95	t		<b>†</b>				19.99	19.99	İ	
	4W DS1 Digital Loop/4W DDITS Trunk Port - UNE Zone 3	1	3	UEPDC		134.14	1		İ	İ	1		19.99	19.99	İ	
UNE L	oop Rates	1					1		İ	İ	1		1		İ	
	4-Wire DS1 Digital Loop - UNE Zone 1		1	UEPDC	USLDC	57.53					İ		1		1	
	4-Wire DS1 Digital Loop - UNE Zone 2	<u></u>	2	UEPDC	USLDC	75.40										
	4-Wire DS1 Digital Loop - UNE Zone 3		3	UEPDC	USLDC	98.59										
UNE P	ort Rate															
	4-Wire DDITS Digital Trunk Port (E:4/1/2004)			UEPDC	UDD1T	35.55	342.80	257.87	61.41	48.49			19.99	19.99		
NONR	ECURRING CHARGES - CURRENTLY COMBINED															
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO			040.04	040.04					40.00	40.00		
$\vdash$	- Switch-as-is (E:4/1/2004)  4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination	-	1	UEPDC	USAC4		312.91	312.91	<b>+</b>			<del></del>	19.99	19.99		
	- Conversion with DS1 Changes (E:4/1/2004)			UEPDC	USAWA		312.91	312.91					19.99	19.99		
	- Conversion with DOT Changes (E.4/1/2004)	1		OLFDO	JOANNA		312.91	312.91	L	L	1	1	19.99	19.99	L	

ONRONDLE	NETWORK ELEMENTS - Tennessee													ment: 2	1	ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-	Charge - Manual Sv Order vs. Electronic
									•				1st	Add'l	Disc 1st	Disc Add'
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
	ANT BOARD IN A CANTO BRITO TO A DE LO CANTO						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination			LIEDDO	LICANAID		040.04	040.04					40.00	40.00		
ADDITIO	- Conversion with Change - Trunk (E:4/1/2004)  ONAL NRCs			UEPDC	USAWB		312.91	312.91	-				19.99	19.99		-
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent		-						-							
	Service Activity Per Service Order			UEPDC	USAS4		94.88	94.88								
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC -			UEPDC	USAS4		94.00	94.00			1				-	1
	Subsequent Channel Activation/Chan - 2-Way Trunk			UEPDC	UDTTA		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent			OLI DO	ODITA		100.07	100.07					13.33	13.33		<b>†</b>
	Channel Activation/Chan - 1-Way Outward Trunk			UEPDC	UDTTB		108.67	108.67					19.99	19.99		
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsgnt Channel			02. 50	05.15		100.07	100.01			1		10.00	10.00	1	1
	Activation/Chan Inward Trunk w/out DID			UEPDC	UDTTC		108.67	108.67					19.99	19.99		
1 1	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan				12				† †					12,00	t	
	Activation Per Chan - Inward Trunk with DID			UEPDC	UDTTD		108.67	108.67					19.99	19.99	I	1
	4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan			ĺ										1	1	1
	Activation / Chan - 2-Way DID w User Trans			UEPDC	UDTTE		108.67	108.67					19.99	19.99		
	AR 8 ZERO SUBSTITUTION															
	B8ZS -Superframe Format			UEPDC	CCOSF		0.00i	590.00s					19.99	19.99		
	B8ZS - Extended Superframe Format			UEPDC	CCOEF		0.00i	590.00s					19.99	19.99		
Alternat	te Mark Inversion															
	AMI -Superframe Format			UEPDC	MCOSF		0.00	0.00								
	AMI - Extended SuperFrame Format			UEPDC	MCOPO		0.00	0.00								
Telepho	one Number/Trunk Group Establisment Charges															
	Telephone Number for 2-Way Trunk Group			UEPDC	UDTGX	0.00							19.99	19.99		
	Telephone Number for 1-Way Outward Trunk Group			UEPDC	UDTGY	0.00							19.99	19.99		
	Telephone Number for 1-Way Inward Trunk Group Without DID			UEPDC	UDTGZ	0.00							19.99	19.99		
	DID Numbers for each Group of 20 DID Numbers			UEPDC	ND4	0.00							19.99	19.99		
	DID Numbers, Non- consecutive DID Numbers , Per Number			UEPDC	ND5	0.00							19.99	19.99		
	Reserve Non-Consecutive DID Nos.			UEPDC	ND6	0.00		0.00								
	Reserve DID Numbers			UEPDC	NDV	0.00	0.00	0.00								
	ed DS1 (Interoffice Channel Mileage) - FX/FCO for 4-Wire DS1	Digita	Loop	with 4-Wire DDITS	Trunk Port											
	Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities															
	Termination)			UEPDC	1LNO1	75.83	145.98	109.85	19.66	14.99						
	Interoffice Channel Mileage - Additional rate per mile - 0-8 miles			UEPDC	1LNOA	0.3525	0.00	0.00								
	Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities			LIEBBO	41.000		0.00								1	
	Termination)		-	UEPDC	1LNO2	0.00	0.00	0.00	<del>                                     </del>		-			-	1	<del>                                     </del>
	Interoffice Channel Mileage - Additional rate per mile - 9-25			LIEBDO	11 NOB	0.3525	0.00	0.00							I	1
+	miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities		-	UEPDC	1LNOB	0.3525	0.00	0.00	<del>                                     </del>		1			<del>                                     </del>	<del>                                     </del>	1
	Termination)			UEPDC	1LNO3	0.00	0.00	0.00								
-	Termination)			UEPDC	ILINOS	0.00	0.00	0.00			1				-	
	Interoffice Channel Mileage - Additional rate per mile - 25+ miles			UEPDC	1LNOC	0.3525	0.00	0.00								
	Local Number Portability, per DS0 Activated			UEPDC	LNPCP	3.15		0.00								1
	Central Office Termininating Point		-	UEPDC	CTG	0.00		0.00						1		
	DS1 LOOP WITH CHANNELIZATION WITH PORT			OLI DO	010	0.00										<del> </del>
	is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti	ivations					1				1				1	<b>†</b>
	ystem can have up to 24 combinations of rates depending on			ber of ports used			1				1				1	<b>†</b>
	E-P DS1 combination rates below for 4-Wire DS1 Loop with C					ly to the embe	edded base in r	lace as of 10/2	2/03 until 4/1/04	. After 4/1/04	these rates	shall revert	to tariff rates	or a separate	agreement.	<b>†</b>
	ts for 4-Wire DS1 Loop with Channelization with Port after the															<b>†</b>
	S1 Loop				l line	, , , , , , , , , , , , , , , , , , , ,		J						İ	1	t
	4-Wire DS1 Loop - UNE Zone 1		1	UEPMG	USLDC	57.73	0.00	0.00	† 1					İ	t	
	4-Wire DS1 Loop - UNE Zone 2		2	UEPMG	USLDC	75.40		0.00								İ
	4-Wire DS1 Loop - UNE Zone 3		3	UEPMG	USLDC	98.59		0.00								
	O Channelization Capacities (D4 Channel Bank Configuration	ns)		1					į į					ĺ		
	24 DSO Channel Capacity - 1 per DS1			UEPMG	VUM24	131.87	0.00	0.00					19.99	19.99		
	48 DSO Channel Capacity - 1 per 2 DS1s			UEPMG	VUM48	263.74		0.00					19.99	19.99		
	96 DSO Channel Capacity -1per 4 DS1s			UEPMG	VUM96	527.48		0.00					19.99	19.99		
	144 DS0 Channel Capacity - 1 per 6 DS1s			UEPMG	VUM14	791.42		0.00					19.99	19.99		
				UEPMG	VUM19	827.76	0.00	0.00					19.99	19.99		

UNBUNI	DLED	NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	bit: A
		J	l									Svc Order	Svc Order	Incremental		Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
			And and									Elec		Manual Svc	Manual Svc		Manual Svo
CATEGOR	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m						- (1)			per Lor	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
																Disc 1st	
														1st	Add'l	DISC 1St	Disc Add'l
							B	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
			i				Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	- 1	240 DS0 Channel Capacity - 1 per 10 DS1s	i		UEPMG	VUM2O	1,318.70	0.00	0.00					19.99	19.99		
	- 1	288 DS0 Channel Capacity - 1 per 12 DS1s	i		UEPMG	VUM28	1,582.44	0.00	0.00					19.99	19.99		
		384 DS0 Channel Capacity - 1 per 16 DS1s	i		UEPMG	VUM38	2,109.92	0.00	0.00					19.99	19.99		
		480 DS0 Channel Capacity - 1 per 20 DS1s	i		UEPMG	VUM4O	2,637.40	0.00	0.00					19.99	19.99		
		576 DS0 Channel Capacity -1 per 24 DS1s			UEPMG	VUM57	3,164.88	0.00	0.00					19.99	19.99		
	(	672 DS0 Channel Capacity - 1 per 28 DS1s	i		UEPMG	VUM67	3,692.36	0.00	0.00					19.99	19.99		
No	n-Red	curring Charges (NRC) Associated with 4-Wire DS1 Loop with	h Chanr	neliztio	n with Port - Conve	rsion Charge	Based on a Sy	stem									
		num System configuration is One (1) DS1, One (1) D4 Channe															
		es of this configuration functioning as one are considered Ad										İ					
		NRC - Conversion (Currently Combined) with or without			,	Ĭ						İ					
		BellSouth Allowed Changes			UEPMG	USAC4	0.00	303.61	15.74					19.99	19.99		
Sv	stem	Additions at End User Locations Where 4-Wire DS1 Loop wi	th Chan	nelizat	ion with Port Comb	ination Curre	ntly Exists and					İ					
		ot Currently Combined) in all states, except in Density Zone 1															
		1 DS1/D4 Channel Bank - Additionally Add NRC for each Port	1														
		and Assoc Fea Activation (E:4/1/2004)			UEPMG	VUMD4	0.00	704.68	441.48	138.36	16.41			19.99			
Bi		8 Zero Substitution										İ					
		Clear Channel Capability Format, superframe - Subsequent										İ					
		Activity Only			UEPMG	CCOSF	0.00	0.00i	590.00s								
		Clear Channel Capability Format - Extended Superframe -	t														
		Subsequent Activity Only			UEPMG	CCOEF	0.00	0.00i	590.00s								
Alf		e Mark Inversion (AMI)	t					0.00									
		Superframe Format	1		UEPMG	MCOSF	0.00	0.00	0.00								
		Extended Superframe Format	t		UEPMG	MCOPO	0.00	0.00	0.00								
Ex		ge Ports Associated with 4-Wire DS1 Loop with Channelization	on with	Port													
		ge Ports															
		Line Side Combination Channelized PBX Trunk Port - Business	1														
		(E:4/1/2004)			UEPPX	UEPCX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Outward Channelized PBX Trunk Port - Business										İ					
		(E:4/1/2004)			UEPPX	UEPOX	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Line Side Inward Only Channelized PBX Trunk Port without DID	1														
		(E:4/1/2004)			UEPPX	UEP1X	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		2-Wire Trunk Side Unbundled Channelized DID Trunk Port										İ					
		(E:4/1/2004)			UEPPX	UEPDM	8.97	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –	t														
		(AL, KY, LA, MS, & TN)(Conversion from Network Access															
		Service) (E:4/1/2004)			UEPPX	UEPCY	1.70	0.00	0.00	0.00	0.00			30.89	7.03		
		Unbundled Exchange Ports, 2-Wire Channelized – Combination	1														
		(AL, KY, LA, MS, & TN) (Conversion from Network Access	1			1							1		I	I	l
		Service) (E:4/1/2004)	1		UEPPX	UEPCT	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03	I	l
		Unbundled Exchange Ports, 2-Wire Channelized – Outdial –															1
		Tennessee Only - Calling Plan - Regionserv (E:4/1/2004)			UEPPX	UEPCZ	1.70	0.00	0.00	0.00	0.00			30.89	7.03	1	
		Unbundled Exchange Ports, 2-Wire Channelized – Two Way -															
		Tennessee Only - Calling Plan - Regionsery (E:4/1/2004)	1		UEPPX	UEPC6	1.70	0.00	0.00	0.00	0.00		1	30.89	7.03	I	1
Fe	ature	Activations - Unbundled Loop Concentration	Ì														
		Feature (Service) Activation for each Line Port Terminated in D4															
	1	Bank (includes Q.1.4, P50.1, P.50.498)			UEPPX	1PQWM	2.02	23.94	12.64	3.82	3.80			30.89	7.03		
		Feature (Service) Activation for each Trunk Port Terminated in															
		D4 Bank (includes Q.1.4, P50.1, P.50.498)	1		UEPPX	1PQWU	2.02	73.67	17.37	54.09	10.57		1	30.89	7.03	I	1
Te	lepho	ne Number/ Group Establishment Charges for DID Service															
		DID Trunk Termination (1 per Port)			UEPPX	NDT	0.00	0.00	0.00								
		DID Numbers - groups of 20 - Valid all States			UEPPX	ND4	0.00	0.00	0.00								
		Non-Consecutive DID Numbers - per number			UEPPX	ND5	0.00	0.00	0.00								
		Reserve Non-Consecutive DID Numbers			UEPPX	ND6	0.00	0.00	0.00								
		Reserve DID Numbers			UEPPX	NDV	0.00	0.00	0.00								
Lo		umber Portability															
		Local Number Portability - 1 per port			UEPPX	LNPCP	3.15	0.00	0.00								
	ATUR	RES - Vertical and Optional															
Lo		witching Features Offered with Line Side Ports Only															
		All Features Available			UEPPX	UEPVF	0.00	0.00	0.00								

LIMBI	INDI E	D NETWORK ELEMENTS - Tennessee												Attack	ment: 2	Exhil	-:4. A
ONDO	NULL	D NETWORK ELEMENTS - Tellilessee		1			I					Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATE	ORY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)				per LSR				
0,112		10.112 ====	m						(+)			per LSR	perLSK	Order vs.	Order vs. Electronic-	Order vs. Electronic-	Order vs. Electronic-
														Electronic-			
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNBU	NDLED (	CENTREX PORT/LOOP COMBINATIONS - COST BASED RATES	3			ĺ											
		t Based Rates are applied where BellSouth is required by FCC															
		ures shall apply to the Unbundled Port/Loop Combination - C															
	3. End	Office and Tandem Switching Usage and Common Transport	Usage i	rates ir	the Port section of	this rate exh	ibit shall apply	to all combina	ations of loop/	port network e	lements excep	t for UNE C	oin Port/Lo	op Combinat	ions.		
		first and additional Port nonrecurring charges apply to Not Cu	ırrently	Comb	ined Combos. For (	Currently Co	mbined Combo	s, the nonrecu	irring charges	shall be those	identified in t	he Nonrecu	rring - Curre	ently Combine	ed sections. I	Additional NR	Cs may
		also and are categorized accordingly.															
		ket Rates for Unbundled Centrex Port/Loop Combination will		otiated	on an Individual Ca	se Basis, un	til further notic	e.									
		CENTREX - 1AESS - (Valid in AL,FL,GA,KY,LA,MS,&TN only	)														
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo ort/Loop Combination Rates (Non-Design)		-													
	UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Non-Design		1	UEP91		14.18										
-	<del>                                     </del>	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		-	OLFSI	-	14.18					<b>-</b>					
1		Non-Design		2	UEP91		18.01						1				
<b>—</b>	+	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			OE1 31		10.01										<del>                                     </del>
		Non-Design		3	UEP91		23.02										
	UNF P	ort/Loop Combination Rates (Design)		Ŭ	02. 0.		20.02										
	OIVE !	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP91		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP91		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP91		29.98										
	UNE L	oop Rate				ĺ											
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP91	UECS1	12.48										
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP91	UECS1	16.31										
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP91	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP91	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP91	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP91	UECS2	28.28										
	UNE P																
	All Sta	tes (Except North Carolina and Sout Carolina)					4 = 0	20.11	45.05	0.45							
-	1	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP91	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area			LIED04	UEPYB	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
	1	2-Wire Voice Grade Port (Centrex with Caller ID)Note1 Basic			UEP91	UEFTB	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
		Local Area			UEP91	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	1	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)			DEP91	UEPTH	1.70	22.14	15.25	0.40	3.91		30.69	7.03			
1		Note 2, 3 Basic Local Area			UEP91	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<b> </b>	<del>                                     </del>	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service		<del>                                     </del>	02.01	021 1101	1.70	22.17	10.20	5.45	0.01		00.00	7.00			
1		Term - Basic Local Area			UEP91	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent								00							
		- Basic Local Area			UEP91	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term -															
		Basic Local Area			UEP91	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	AL, KY	, LA, MS, & TN Only															
		2-Wire Voice Grade Port (Centrex )			UEP91	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)			UEP91	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP91	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	1	Center)2,3			UEP91	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															7
<u> </u>	1	Service Term			UEP91	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
1		[															
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP91	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>		2-Wire Voice Grade Port Terminated on 800 Service Term		<b></b>	UEP91	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
<u> </u>	Local	Switching		ļ	LIEDO4	LIDEOO	0.0001										
-	Lassii	Centrex Intercom Funtionality, per port		-	UEP91	URECS	0.6381					-					
	Local	Number Portability		1	l .								<u> </u>				

JNBU	NDLE	NETWORK ELEMENTS - Tennessee													ment: 2	1	ibit: A
CATEG	ORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Local Number Portability (1 per port)			UEP91	LNPCC	0.35										
	Feature				LIEBO									=			
		All Standard Features Offered, per port			UEP91	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port		-	UEP91	UEPVS	0.00					1	30.89	7.03		-	
	NARS	All Centrex Control Features Offered, per port		-	UEP91	UEPVC	0.00					1	30.89	7.03		-	
	NAKS	Unbundled Network Access Register - Combination			UEP91	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03		1	
		Unbundled Network Access Register - Indial			UEP91	UAR1X	0.00		0.00	0.00	0.00	1	0.00	7.03			<b>+</b>
		Unbundled Network Access Register - Outdial			UEP91	UAROX	0.00		0.00		0.00		0.00	7.03			1
	Miscell	aneous Terminations									0.00	1				t	<u> </u>
		Trunk Side				1							İ		1		
		Trunk Side Terminations, each			UEP91	CENA6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
		ice Channel Mileage - 2-Wire															
		Interoffice Channel Facilities Termination - Voice Grade			UEP91	M1GBC	18.58		15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP91	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	е					ļ				ļ	ļ			ļ	<del>                                     </del>
	D4 Cha	nnel Bank Feature Activations			LIEDOA	4001410	0.00										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP91	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP91	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP91	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -			OLI 91	II QW/	0.00										
		Different Wire Center			UEP91	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP91	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot			UEP91	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP91	1PQWA	0.66			1		1	1			-	
	Non-Re	curring Charges (NRC) Associated with UNE-P Centrex			OLI 01	11 000000	0.00			1		1					<b>+</b>
		Conversion - Currently Combined Switch-As-Is with allowed											İ				
		changes, per port			UEP91	USAC2		1.03	0.29				30.89	7.03			
		New Centrex Standard Common Block			UEP91	M1ACS	0.00	658.60					30.89	7.03			1
		New Centrex Customized Common Block			UEP91	M1ACC	0.00						30.89	7.03			1
		Secondary Block, per Block			UEP91	M2CC1	0.00						30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP91	URECA		68.57					30.89	7.03			ļ
	Additio	nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP91	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP91	URETN		11.23	1.10								
	IINF-P	CENTREX - 5ESS (Valid in All States)			OLF91	UKLIN		11.23	1.10								<del>                                     </del>
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo											İ				
		ort/Loop Combination Rates (Non-Design)				1						i e	İ			t	
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -										1					
		Non-Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		14.18										
		Non-Design		2	UEP95		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP95		23.02										
	UNF P	ort/Loop Combination Rates (Design)		- 3	OL1 90	+	20.02	<del>                                     </del>		1		<b> </b>		1		<b>†</b>	<del>                                     </del>
	J	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		_	LIEDOS		10.00									1	
		Design 2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1	UEP95		18.26						1	1		<del>                                     </del>	<del>                                     </del>
		Design		2	UEP95		23.33										<u> </u>
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		3	UEP95		29.98										
		pop Rate															
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP95	UECS1	12.48										

NRONDLE	D NETWORK ELEMENTS - Tennessee											T -		ment: 2	1	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Increment Charge Manual S Order vs Electroni Disc Add
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Loop (SL 1) - Zone 2			UEP95	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP95	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP95	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP95	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP95	UECS2	28.28										
	ort Rate				$\perp$											
All Sta				LIEDAE	11551/4		20.44		0.45				= 00			
	2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP95	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area			UEP95	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire						22.14									
	Center)2,3 Basic Local Area			UEP95	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800 Service Term - Basic Local Area			UEP95	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area			UEP95	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
AI KY	Basic Local Area LA. MS. SC. & TN Only			UEP95	UEPY2	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03			
AL, KI	2-Wire Voice Grade Port (Centrex )			UEP95	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Fort (Centrex )  2-Wire Voice Grade Port (Centrex 800 termination)			UEP95	UEPQB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex odo terrimation)  2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP95	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex from diff Serving Wire			OLI 00	OLI GII	1.70	22.17	10.20	0.40	0.01		00.00	7.00			
	Center)2,3  2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			UEP95	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	Term 2,3			UEP95	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP95	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP95	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	A Only															
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP95	URECS	0.6381										
Local I	Number Portability															
Feature	Local Number Portability (1 per port)			UEP95	LNPCC	0.35	-									
i catur	All Standard Features Offered, per port		-	UEP95	UEPVF	0.00						30.89	7.03			
-	All Select Features Offered, per port		-	UEP95	UEPVS	0.00	433.78				<b>†</b>	30.89	7.03			
_	All Centrex Control Features Offered, per port			UEP95	UEPVC	0.00	100.70				1	30.89	7.03		1	
NARS					-											
	Unbundled Network Access Register - Combination			UEP95	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Indial			UEP95	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
	Unbundled Network Access Register - Outdial			UEP95	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Miscel	aneous Terminations															
2-Wire	Trunk Side		İ		1								1			
	Trunk Side Terminations, each			UEP95	CEND6	8.78	47.75	47.01	9.21	8.47		30.89	7.03			
	Digital (1.544 Megabits)				1											
	DS1 Circuit Terminations, each			UEP95	M1HD1	35.55	75.93	38.15				30.89	7.03			
	DS0 Channels Activated, each			UEP95	M1HDO	0.00	108.67					30.89	7.03			
Interof	fice Channel Mileage - 2-Wire															
	Interoffice Channel Facilities Termination			UEP95	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
	Interoffice Channel mileage, per mile or fraction of mile			UEP95	M1GBM	0.0174										
	e Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4 Cha	nnel Bank Feature Activations															
	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP95	1PQWS	0.66		· · · · ·		•						
	Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP95	1PQW6	0.66										
	Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP95	1PQW7	0.66										

ONDONDLE	D NETWORK ELEMENTS - Tennessee		1	ı							Cur Out	Core Cond		ment: 2	+	bit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
						Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Feature Activation on D-4 Channel Bank Centrex Loop Slot -															
	Different Wire Center			UEP95	1PQWP	0.66										
	Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP95	1PQWV	0.66										
	Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop		-	UEF95	IFQVV	0.00					+					-
	Slot			UEP95	1PQWQ	0.66										
	Feature Activation on D-4 Channel Bank WATS Loop Slot		<del>                                     </del>	UEP95	1PQWA	0.66					<u> </u>					
Non-R	ecurring Charges (NRC) Associated with UNE-P Centrex															
	NRC Conversion Currently Combined Switch-As-Is with allowed															
	changes, per port			UEP95	USAC2		1.03	0.29				30.89	7.03			
	New Centrex Standard Common Block			UEP95	M1ACS	0.00	658.60					30.89	7.03			
	New Centrex Customized Common Block			UEP95	M1ACC	0.00	658.60					30.89	7.03			
	NAR Establishment Charge, Per Occasion	ļ	<u> </u>	UEP95	URECA	0.00	68.57				1	30.89	7.03			
Additi	onal Non-Recurring Charges (NRC)	ļ	<u> </u>												1	
	Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise	1		UEP95	URETL		8.33	0.83			1					
-	Unbundled Miscellaneous Rate Element, Tag Design Loop at		1	UEF95	UKETL		0.33	0.63			+					1
	End Use Premise			UEP95	URETN		11.23	1.10								
UNE-P	CENTREX - DMS100 (Valid in All States)		1	OLI SO	OKETIV		11.20	1.10			+					<b>†</b>
	VG Loop/2-Wire Voice Grade Port (Centrex) Combo										1					
	ort/Loop Combination Rates (Non-Design)															
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
	Non-Design		1	UEP9D		14.18										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Non-Design		2	UEP9D		18.01										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			LIEDOD		00.00										
LINE D	Non-Design Port/Loop Combination Rates (Design)		3	UEP9D	-	23.02										
UNEF	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		-								1					
	Design		1	UEP9D		18.26										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		+ -	OLI OD		10.20					<u> </u>					
	Design		2	UEP9D		23.33										
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -		1				i									
	Design		3	UEP9D		29.98										
UNE L	oop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9D	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9D	UECS1	16.31					1					
	2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1	-	3	UEP9D UEP9D	UECS1	21.32 16.56					+					1
	2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2	-	2	UEP9D UEP9D	UECS2 UECS2	21.63					1			<b> </b>	<b> </b>	-
	2-Wire Voice Grade Loop (SL 2) - Zone 2  2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9D	UECS2	28.28			1		<del>                                     </del>				+	
UNE P	Port Rate		Ť	02.00	32002	20.20										
	TATES	i e														
	2-Wire Voice Grade Port (Centrex ) Basic Local Area		i –	UEP9D	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local															
	Area		<u> </u>	UEP9D	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local	1									1					
	Area	ļ	<u> </u>	UEP9D	UEPYC	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03		ļ	1
	2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local	1		LIEBOD	UEPYD	1.70	22.44	15.25	8.45	3.91		30.89	7.03			
	Area  2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local	1	<del>                                     </del>	UEP9D	UEFTU	1.70	22.14	15.25	8.45	3.91	+	30.89	7.03		1	<del>                                     </del>
	Area	1		UEP9D	UEPYE	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local		<b>†</b>	02.00	52.12	1.70	22.17	10.20	5.45	0.91		55.55	7.00			
	Area	1		UEP9D	UEPYF	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local	İ									İ					
	Area		<u> </u>	UEP9D	UEPYG	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local	l												l		
1	Area	l	1	UEP9D	UEPYT	1.70	22.14	15.25	8.45	3.91		30.89	7.03	l	1	1

OMBONDLE	D NETWORK ELEMENTS - Tennessee		1	ı							10	I 0 C .		ment: 2		ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			ļ			Rec	Nonrecurring		Nonrecurring			T =		Rates (\$)		
	O Mire Veice Crede Dest (Control / EDC MESON) 2 Desigl and		-				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area			UEP9D	UEPYU	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
-	2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local		1	OLF9D	OLFIO	1.70	22.14	13.23	0.43	3.91		30.09	7.03			+
	Area			UEP9D	UEPYV	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local															
	Area			UEP9D	UEPY3	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local			LIEDOD	UEPYH	1.70	20.44	15.25	0.45	2.04		20.00	7.03			
	Area  2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp			UEP9D	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	<u> </u>
	Indication))4 Basic Local Area			UEP9D	UEPYW	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))4								00	0.0.						
	Basic Local Area			UEP9D	UEPYJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)					. =-			0.45				=			
	2,3-Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		-	UEP9D	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	<u> </u>
	Basic Local Area			UEP9D	UEPYO	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2,3,4			02.00	02 0			10.20	0.10	0.01		00.00	7.00			
	Basic Local Area			UEP9D	UEPYP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4															
	Basic Local Area			UEP9D	UEPYQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4 Basic Local Area			UEP9D	UEPYR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEFTK	1.70	22.14	15.25	0.45	3.91		30.09	7.03		<u> </u>	
	Basic Local Area			UEP9D	UEPYS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4															
	Basic Local Area			UEP9D	UEPY4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3			UEP9D	UEPY5	1.70	22.14	15.05	8.45	3.91		30.89	7.03			
	Basic Local Area  2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPTS	1.70	22.14	15.25	0.45	3.91		30.09	7.03			1
	Basic Local Area			UEP9D	UEPY6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4															
	Basic Local Area			UEP9D	UEPY7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDV7	4.70	00.44	45.05	0.45	0.04		00.00	7.00			
	Term 2,3 2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		-	-
	Basic Local Area			UEP9D	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term Basic								00	0.0.						
	Local Area			UEP9D	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
AL, K	, LA, MS, SC, & TN Only		ļ													
	2-Wire Voice Grade Port (Centrex)  2-Wire Voice Grade Port (Centrex 800 termination)		-	UEP9D UEP9D	UEPQA UEPQB	1.70 1.70	22.14 22.14	15.25 15.25	8.45 8.45	3.91 3.91		30.89 30.89	7.03 7.03		1	<del> </del>
	2-Wire Voice Grade Port (Centrex 800 termination)  2-Wire Voice Grade Port (Centrex / EBS-PSET)4			UEP9D	UEPQB	1.70	22.14	15.25	8.45	3.91	<b> </b>	30.89	7.03			<del> </del>
	2-Wire Voice Grade Port (Centrex / EBS-PSE1)4  2-Wire Voice Grade Port (Centrex / EBS-M5009)4		-	UEP9D	UEPQD	1.70	22.14	15.25	8.45	3.91	ł	30.89	7.03	-	-	<b>-</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5209)4		-	UEP9D	UEPQE	1.70		15.25	8.45	3.91	ł	30.89	7.03	-	-	<b>-</b>
	2-Wire Voice Grade Port (Centrex / EBS-M5112)4		-	UEP9D	UEPQF	1.70		15.25	8.45	3.91	ł	30.89	7.03	-	-	<b>-</b>
				UEP9D	UEPQG	1.70			8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5312)4 2-Wire Voice Grade Port (Centrex / EBS-M5008)4		<del>                                     </del>	UEP9D	UEPQG	1.70	22.14 22.14	15.25 15.25	8.45	3.91	1	30.89	7.03	1	+	<del>                                     </del>
+	2-Wire Voice Grade Port (Centrex / EBS-W5006)4  2-Wire Voice Grade Port (Centrex / EBS-M5208)4	-	<del>                                     </del>	UEP9D	UEPQU	1.70		15.25	8.45	3.91	<del>                                     </del>	30.89	7.03	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Fort (Centrex / EBS-M5260)4			UEP9D	UEPQV	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex / EBS-M5216)4  2-Wire Voice Grade Port (Centrex / EBS-M5316)4	-	<del>                                     </del>	UEP9D	UEPQ3	1.70	22.14	15.25	8.45	3.91	<del>                                     </del>	30.89	7.03	<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
	2-Wire Voice Grade Port (Centrex vith Caller ID)	<b>-</b>	<del>                                     </del>	UEP9D	UEPQH	1.70		15.25	8.45	3.91	<b>†</b>	30.89	7.03		t	<del> </del>
	2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp		<b>†</b>	02100	OL1 ((1)	1.70	22.14	10.20	0.43	5.31	1	30.03	7.03		<b>I</b>	<b>†</b>
	Indication)4			UEP9D	UEPQW	1.70	22.14	15.25	8.45	3.91		30.89	7.03		I	
	2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)4			UEP9D	UEPQJ	1.70	22.14	15.25	8.45	3.91		30.89	7.03		1	
	2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)							-								
	2,3			UEP9D	UEPQM	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			<u> </u>
															I	
	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2,3,4		<u> </u>	UEP9D	UEPQO	1.70	22.14	15.25	8.45	3.91	1	30.89	7.03	l	1	

NBUND	LE	NETWORK ELEMENTS - Tennessee													ment: 2		bit: A
ATEGORY		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2.3.4			UEP9D	UEPQP	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	-	2-Wile Voice Grade Port (Centrexdiner SWC /EBS-W5009)2,3,4			UEF9D	UEFQF	1.70	22.14	15.25	0.40	3.91		30.09	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2,3,4			UEP9D	UEPQQ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	-	2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2,3,4			UEP9D	UEPQR	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2,3,4			UEP9D	UEPQS	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2 Wile value Grade For (Germonalite) GWO/EBG WigoT2/2,0,4			OLI OD	OLI QU	1.70	22.14	10.20	0.40	0.01		00.00	7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2,3,4			UEP9D	UEPQ4	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
_		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2,3,4			UEP9D	UEPQ5	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2,3,4			UEP9D	UEPQ6	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	$\dashv$				02		0	22.14	10.20	5.40	0.01		55.55	7.00			
		2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2,3,4			UEP9D	UEPQ7	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service			LIEDOD	LIEDO7	4 70	00.41	45.00		0.01		00.00	7.00			
		Term 2,3			UEP9D	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP9D	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port Terminated on 800 Service Term			UEP9D	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Lo		witching															
		Centrex Intercom Funtionality, per port			UEP9D	URECS	0.6381										
Lo		lumber Portability Local Number Portability (1 per port)			UEP9D	LNPCC	0.35			-							
Fea	ature				UEF9D	LINFCC	0.33										
- 1.5		All Standard Features Offered, per port			UEP9D	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9D	UEPVS	0.00	433.78					30.89	7.03			
		All Centrex Control Features Offered, per port			UEP9D	UEPVC	0.00						30.89	7.03			
NA	RS	Unbundled Network Access Register - Combination			UEP9D	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination Unbundled Network Access Register - Inward			UEP9D	UAR1X	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Outdial			UEP9D	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
Mis		aneous Terminations															
2-V		Trunk Side															
		Trunk Side Terminations, each			UEP9D	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			
4-V		Digital (1.544 Megabits)						== 00	00.45					=			
		DS1 Circuit Terminations, each DS0 Channels Activiated per Channel			UEP9D UEP9D	M1HD1 M1HDO	35.55 0.00	75.93 108.67	38.15	-			30.89 30.89	7.03 7.03			
Int		ice Channel Mileage - 2-Wire			UEF9D	WITHDO	0.00	106.67					30.09	7.03			
		Interoffice Channel Facilities Termination			UEP9D	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03			
		Interoffice Channel mileage, per mile or fraction of mile			UEP9D	M1GBM	0.0174										
		Activations (DS0) Centrex Loops on Channelized DS1 Service	e														
D4		nnel Bank Feature Activations			LIEBOD	4001112											
$-\vdash$	-	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9D	1PQWS	0.66										
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9D	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop					3.00										
		Slot			UEP9D	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center			UEP9D	1PQWP	0.66										
		Feature Activation on D-4 Channel Bank Private Line Loop Slot			UEP9D	1PQWV	0.66										
		Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop			LIEDOD	40000	0.00										
_	_	Feature Activation on D-4 Channel Bank WATS Loop Slot	-	-	UEP9D UEP9D	1PQWQ 1PQWA	0.66	-		<del>                                     </del>							
No		curring Charges (NRC) Associated with UNE-P Centrex			OLFSD	IFWVVA	00.00										
7		NRC Conversion Currently Combined Switch-As-Is with allowed															
		changes, per port			UEP9D	USAC2		1.03	0.29			1	30.89	7.03			

UNBL	INDLE	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
ATEC	SORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			II .	Svc Order Submitted Manually per LSR	Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
							Rec	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		New Centrex Standard Common Block			UEP9D	M1ACS	0.00	658.60					30.89	7.03			
		New Centrex Customized Common Block			UEP9D	M1ACC	0.00	658.60					30.89	7.03			
		NAR Establishment Charge, Per Occasion			UEP9D	URECA		68.57					30.89	7.03			
	Additio	onal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
		Premise			UEP9D	URETL		8.33	0.83								1
		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
		End Use Premise			UEP9D	URETN		11.23	1.10								1
		CENTREX - EWSD (Valid in AL, FL, KY, LA, MS & TN)															
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo															1
	UNE P	ort/Loop Combination Rates (Non-Design)															1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -		1	l								1	I			
		Non-Design		1	UEP9E		14.18										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l									1			
		Non-Design		2	UEP9E		18.01										1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -			l									1			
		Non-Design		3	UEP9E		23.02										
	UNE P	ort/Loop Combination Rates (Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo -															
		Design		1	UEP9E		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		2	UEP9E		23.33										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
		Design		3	UEP9E		29.98										
	UNE L	pop Rate															1
		2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP9E	UECS1	12.48										1
		2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP9E	UECS1	16.31										1
		2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP9E	UECS1	21.32										
		2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP9E	UECS2	16.56										
		2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP9E	UECS2	21.63										
		2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP9E	UECS2	28.28										1
		ort Rate															1
	AL, FL	, KY, LA, MS, & TN only															
		2-Wire Voice Grade Port (Centrex ) Basic Local Area			UEP9E	UEPYA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port (Centrex 800 termination)Basic Local												1			
	1	Area		<u> </u>	UEP9E	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
		2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local												1			
		Area			UEP9E	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
		2-Wire Voice Grade Port (Centrex from diff Serving Wire		1									1	I			
	1	Center)2,3 Basic Local Area		<u> </u>	UEP9E	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800			l	[ ]								1			
	L	Service Term - Basic Local Area		<b> </b>	UEP9E	UEPYZ	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			ļ
		2-Wire Voice Grade Port terminated in on Megalink or equivalent			l	1								1			
		- Basic Local Area			UEP9E	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
		2-Wire Voice Grade Port Terminated on 800 Service Term -												1			
	1	Basic Local Area		<b></b>	UEP9E	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
	AL, KY	, LA, MS, & TN Only		<b> </b>		1		ļ				ļ		<b></b>			ļ
	1	2-Wire Voice Grade Port (Centrex )		<u> </u>	UEP9E	UEPQA	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<u> </u>
	L	2-Wire Voice Grade Port (Centrex 800 termination)		<b> </b>	UEP9E	UEPQB	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			ļ
	<b>_</b>	2-Wire Voice Grade Port (Centrex with Caller ID)1		-	UEP9E	UEPQH	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			<del>                                     </del>
		2-Wire Voice Grade Port (Centrex from diff Serving Wire			LIEDOE	LIEDO:											
	1	Center)2,3		ļ	UEP9E	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03	<b> </b>		<del>                                     </del>
		2-Wire Voice Grade Port, Diff Serving Wire Center 2,3 - 800		1													
		Service Term		<b></b>	UEP9E	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			ļ
		<u> </u>			l			]					1	I			
		2-Wire Voice Grade Port terminated in on Megalink or equivalent		<b></b>	UEP9E	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b></b>
	Ļ	2-Wire Voice Grade Port Terminated on 800 Service Term		<b> </b>	UEP9E	UEPQ2	1.70	22.14	15.25	8.45	3.91	ļ	30.89	7.03			<b>↓</b>
	Local S	Switching															↓
	1	Centrex Intercom Funtionality, per port		1	UEP9E	URECS	0.6381	L l		<u> </u>		<u> </u>		1	l		1

NRONI	ULEL	NETWORK ELEMENTS - Tennessee	_		ı	1						0	06		ment: 2	+	ibit: A
CATEGOR	RΥ	RATE ELEMENTS	Interi m	Zone	ne BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Charge - Charge - Manual Svc Manual Svc		Order vs.	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Lo		umber Portability															ļ
		Local Number Portability (1 per port)			UEP9E	LNPCC	0.35										
Fe	ature				LIEDAE	LUEDVE											
		All Standard Features Offered, per port			UEP9E	UEPVF	0.00						30.89	7.03			
		All Select Features Offered, per port			UEP9E	UEPVS	0.00	433.78					30.89	7.03			ļ
NI.	ARS	All Centrex Control Features Offered, per port	ļ		UEP9E	UEPVC	0.00						30.89	7.03			<del>                                     </del>
N/	ARS	Habita diad Naturali Assass Basistas Cambinatina	1	1	UEP9E	UARCX	0.00	0.00	0.00	0.00	0.00		0.00	7.03			
		Unbundled Network Access Register - Combination						0.00			0.00						
		Unbundled Network Access Register - Indial			UEP9E UEP9E	UAR1X UAROX	0.00		0.00	0.00			0.00	7.03			-
DA:		Unbundled Network Access Register - Outdial aneous Terminations			UEP9E	UARUX	0.00	0.00	0.00	0.00	0.00	-	0.00	7.03			<del> </del>
		Trunk Side	<del>                                     </del>	<del>                                     </del>		+				+ +		<del>                                     </del>				1	<del>                                     </del>
2-1		Trunk Side Trunk Side Terminations, each	<del> </del>	1	UEP9E	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03		1	$\vdash$
4-1		Digital (1.544 Megabits)	<del>                                     </del>	<del>                                     </del>	OLI OL	SEINDO	0.70	22.14	15.25	0.40	3.91	<b>H</b>	30.08	7.03	<del> </del>	1	$\vdash$
		DS1 Circuit Terminations, each	<del>                                     </del>	1	UEP9E	M1HD1	35.55	75.93	38.15	<del>                                     </del>		<b>H</b>	30.89	7.03	<del>                                     </del>	1	<del>                                     </del>
		DS0 Channel Activated Per Channel	<del>                                     </del>	<del>                                     </del>	UEP9E	M1HDO	0.00	108.67	50.15	+ + +			30.89	7.03		<b>†</b>	<del>                                     </del>
Int		ice Channel Mileage - 2-Wire	1	<del>                                     </del>	0L1 0L		0.00	100.07		† †		<del>                                     </del>	30.03	7.03	1	1	
		Interoffice Channel Facilities Termination			UEP9E	M1GBC	18.58	22.14	15.25	8.45	3.91	1	30.89	7.03			t
		Interoffice Channel mileage, per mile or fraction of mile	1		UEP9E	M1GBM	0.0174	22.17	10.20	0.40	0.01		00.00	7.00			+
Fe		Activations (DS0) Centrex Loops on Channelized DS1 Service	ce														
		nnel Bank Feature Activations	Ī													İ	1
		Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP9E	1PQWS	0.66										1
		Feature Activation on D-4 Channel Bank FX line Side Loop Slot			UEP9E	1PQW6	0.66										
		Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot			UEP9E	1PQW7	0.66										
		Feature Activation on D-4 Channel Bank Centrex Loop Slot -										İ					1
	_	Different Wire Center			UEP9E	1PQWP	0.66										-
		Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop			UEP9E	1PQWV	0.66										
		Slot			UEP9E	1PQWQ	0.66										
		Feature Activation on D-4 Channel Bank WATS Loop Slot			UEP9E	1PQWA	0.66			1							+
No		curring Charges (NRC) Associated with UNE-P Centrex			OLI 3L	II QWA	0.00			1							+
		NRC Conversion Currently Combined Switch-As-Is with allowed	1			+											+
		changes, per port	1	1	UEP9E	USAC2		1.03	0.29	1			30.89	7.03			
		New Centrex Standard Common Block	t	t	UEP9E	M1ACS	0.00	658.60	0.20	† †			30.89	7.03	İ		
-		New Centrex Customized Common Block	1	i –	UEP9E	M1ACC	0.00	658.60		1			30.89	7.03	ĺ		1
		NAR Establishment Charge, Per Occasion		1	UEP9E	URECA	0.00	68.57		1			30.89	7.03			
Ac		nal Non-Recurring Charges (NRC)															
		Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise			UEP9E	URETL		8.33	0.83								
		Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise			UEP9E	URETN		11.23	1.10								
UI		CENTREX - DCO - Valid in AL, KY, LA, MS, & TN)		1						1							
		VG Loop/2-Wire Voice Grade Port (Centrex) Combo		i –													
		rt/Loop Combination Rates (Non-Design)															
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Non-Design		1	UEP93		14.18										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		2	UEP93		18.01										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Non-Design		3	UEP93		23.02										
UN	NE Po	rt/Loop Combination Rates (Design)	Ì														1
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex) Port Combo- Design	-	1	UEP93		18.26										
		2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo - Design		2	UEP93		23.33										

	D NETWORK ELEMENTS - Tennessee													ment: 2		ibit: A
ATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			1	Submitted		Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge Manual S Order vs
						Rec	Nonrecurring		Nonrecurring			•		Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	2-Wire VG Loop/2-Wire Voice Grade Port (Centrex)Port Combo -															
	Design		3	UEP93		29.98										
	pop Rate															
	2-Wire Voice Grade Loop (SL 1) - Zone 1		1	UEP93	UECS1	12.48										
	2-Wire Voice Grade Loop (SL 1) - Zone 2		2	UEP93	UECS1	16.31										
	2-Wire Voice Grade Loop (SL 1) - Zone 3		3	UEP93	UECS1	21.32										
	2-Wire Voice Grade Loop (SL 2) - Zone 1		1	UEP93	UECS2	16.56										
	2-Wire Voice Grade Loop (SL 2) - Zone 2		2	UEP93	UECS2	21.63										
	2-Wire Voice Grade Loop (SL 2) - Zone 3		3	UEP93	UECS2	28.28										
	ort Rate															
AL, KY	, LA, MS, & TN only					. =-	20.44	4= 0=	0.45							
	2-Wire Voice Grade Port (Centrex ) Basic Local Area	ļ		UEP93	UEPYA	1.70	22.14	15.25	8.45	3.91	-	30.89	7.03	<b>.</b>	ļ	₩
	2-Wire Voice Grade Port (Centrex 800 termination)Basic Local	1		LIEBOO	LIEDVO	4 =	00.11	45.00		0.00		00.00				1
	Area	<b>.</b>		UEP93	UEPYB	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>↓</b>
	2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local	1		LIEBOO	LIEDY"			.=								1
	Area	ļ		UEP93	UEPYH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			<b>↓</b>
	2-Wire Voice Grade Port (Centrex from diff Serving Wire	1		LIEBOO	LIEDVA.			.=								
	Center)2,3 Basic Local Area			UEP93	UEPYM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 - 800															
	Service Term - Basic Local Area			UEP93	UEPYZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent															
	- Basic Local Area			UEP93	UEPY9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term -															
	Basic Local Area			UEP93	UEPY2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex )			UEP93	UEPQA	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex 800 termination)			UEP93	UEPQB	1.70		15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex with Caller ID)1			UEP93	UEPQH	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port (Centrex from diff Serving Wire															
	Center)2,3			UEP93	UEPQM	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port, Diff Serving Wire Center - 2,3 -800															
	Service Term			UEP93	UEPQZ	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port terminated in on Megalink or equivalent			UEP93	UEPQ9	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
	2-Wire Voice Grade Port Terminated on 800 Service Term			UEP93	UEPQ2	1.70	22.14	15.25	8.45	3.91		30.89	7.03			
Local S	Switching															
	Centrex Intercom Funtionality, per port			UEP93	URECS	0.6381										
Local N	lumber Portability															
	Local Number Portability (1 per port)			UEP93	LNPCC	0.35										
Feature																
	All Standard Features Offered, per port			UEP93	UEPVF	0.00										
	All Centrex Control Features Offered, per port			UEP93	UEPVC	0.00										
NARS																
	Unbundled Network Access Register - Combination	ļ		UEP93	UARCX	0.00		0.00	0.00	0.00		0.00	7.03	ļ	ļ	<b>↓</b>
	Unbundled Network Access Register - Indial	ļ		UEP93	UAR1X	0.00		0.00	0.00	0.00		0.00	7.03			<b>↓</b>
	Unbundled Network Access Register - Outdial	ļ		UEP93	UAROX	0.00	0.00	0.00	0.00	0.00		0.00	7.03	ļ	ļ	<b>↓</b>
	aneous Terminations	<b>.</b>											-			<b>↓</b>
	Trunk Side															
	Trunk Side Terminations, each	<u> </u>		UEP93	CEND6	8.78	22.14	15.25	8.45	3.91		30.89	7.03			<b>↓</b>
	Digital (1.544 Megabits)	<b>.</b>		LIEBOO	NAME :								L			<b>↓</b>
	DS1 Circuit Terminations, each	<b>.</b>		UEP93	M1HD1	35.55		38.15				30.89	7.03			<b>↓</b>
	DS0 Channels Activated, Per Channel	ļ		UEP93	M1HDO	0.00	108.67					30.89	7.03			
	ice Channel Mileage - 2-Wire	<b>.</b>		LIEBOO		10										<b>↓</b>
	Interoffice Channel Facilities Termination	ļ		UEP93	M1GBC	18.58	22.14	15.25	8.45	3.91		30.89	7.03	ļ	ļ	<b>↓</b>
	Interoffice Channel mileage, per mile or fraction of mile	l		UEP93	M1GBM	0.0174	ļ						ļ			<b>↓</b>
	Activations (DS0) Centrex Loops on Channelized DS1 Service	e					<b> </b>						<b>.</b>	ļ	ļ	<b>↓</b>
	nnel Bank Feature Activations	I									ļ				ļ	<b>↓</b>
D4 Cha																
D4 Cha	Feature Activation on D-4 Channel Bank Centrex Loop Slot			UEP93	1PQWS	0.66	ļ									

ATEORY RATE ELEMENTS Interi   Interi	UNBUNDLE	D NETWORK ELEMENTS - Tennessee												Attach	ment: 2	Exhi	ibit: A
ATEORY RATE ELEMENTS Inter m Zone BCS USOC RATES (s) Electronic Electronic Scharge Pr LSR Prist Add 1 First Add 1 SOMEC SOMAN												Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
ATEORY RATE ELEMENTS Interim Manual Sv. Park (Manual Sv.																	
## ATE ELEMENTS   Miles   Done   BCS   USOC   RATES (\$)												I .					
Rec	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)								
Section			m						- (17			per Lor	per LSK				
Rec																	
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP93														1St	Addi	DISC 1St	DISC Add I
Feature Activation on D-4 Channel Bank FX Trunk Side Loop   UEP93   1PQW7   0.66							Pec									•	•
Sint							Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
Feature Activation on D-4 Channel Bank Private Line Loop Slot   UEP93																	
Different Wire Center					UEP93	1PQW7	0.66										
Feature Activation on D-4 Channel Bank Private Line Loop Slot   UEP93   1PQWV   0.66																	]
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop   UEP93   1PQWQ   0.66		Different Wire Center			UEP93	1PQWP	0.66										
Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop   UEP93   1PQWQ   0.66																	
Slot					UEP93	1PQWV	0.66										
Feature Activation on D-4 Channel Bank WATS Loop Slot   UEP93   1PQWA   0.66		Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop															
Non-Recurring Charges (NRC) Associated with UNE-P Centrex   NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port   UEP93																	
NRC Conversion Currently Combined Switch-As-Is with allowed changes, per port					UEP93	1PQWA	0.66										
Changes, per port	Non-Re	ecurring Charges (NRC) Associated with UNE-P Centrex															
New Centrex Standard Common Block		NRC Conversion Currently Combined Switch-As-Is with allowed															
New Centrex Customized Common Block									0.29								
NAR Establishment Charge, Per Occasion  Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise  UEP93  URETL  8.33  0.83  URETN  11.23  1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment		New Centrex Standard Common Block			UEP93		0.00	658.60					30.89	7.03			
Additional Non-Recurring Charges (NRC)  Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP93 URETL 8.33 0.83  UEP93 URETL 8.33 0.83  UEP93 URETN 11.23 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment		New Centrex Customized Common Block			UEP93	M1ACC	0.00	658.60					30.89	7.03			
Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise UEP93 URETL 8.33 0.83 Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP93 URETN 11.23 1.10 Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment		NAR Establishment Charge, Per Occasion			UEP93	URECA		68.57					30.89	7.03			1
Premise UEP93 URETL 8.33 0.83  Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP93 URETN 11.23 1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD Note 2 - Requires Interoffice Channel Mileage Note 3 - Installation is combination of Installation charge for SL2 Loop and Port Note 4 - Requires Specific Customer Premises Equipment	Additio	onal Non-Recurring Charges (NRC)															
Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise  UEP93  URETN  11.23  1.10  Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD  Note 2 - Requres Interoffice Channel Mileage  Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment		Unbundled Miscellaneous Rate Element, Tag Loop at End Use															
End Use Premise		Premise			UEP93	URETL		8.33	0.83								
Note 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD  Note 2 - Requires Interoffice Channel Mileage  Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment		Unbundled Miscellaneous Rate Element, Tag Design Loop at															
Note 2 - Requires Interoffice Channel Mileage  Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment		End Use Premise			UEP93	URETN		11.23	1.10								
Note 3 - Installation is combination of Installation charge for SL2 Loop and Port  Note 4 - Requires Specific Customer Premises Equipment	Note 1	- Required Port for Centrex Control in 1AESS, 5ESS & EWSD															
Note 4 - Requires Specific Customer Premises Equipment	Note 2	- Requres Interoffice Channel Mileage															
			op and l	Port													
Note: Rates displaying an "R" in Interim column are interim and subject to rate true-up as set forth in General Terms and Conditions.																1	
	Note:	Rates displaying an "R" in Interim column are interim and sub	ject to r	ate tru	e-up as set forth in	General Terr	ns and Condition	ons.				1				İ	

### **Attachment 3**

**Network Interconnection** 

Version 3Q03: 11/12/2003

### TABLE OF CONTENTS

1.	GENERAL	3
2.	DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)	3
3.	NETWORK INTERCONNECTION	5
4.	INTERCONNECTION TRUNK GROUP ARCHITECTURES	7
5.	NETWORK DESIGN AND MANAGEMENT FOR INTERCONNE	CTION13
6.	LOCAL DIALING PARITY	17
7.	INTERCONNECTION COMPENSATION	17
8.	FRAME RELAY SERVICE INTERCONNECTION	23
9.	ORDERING CHARGES	26
10	BASIC 911 AND E911 INTERCONNECTION	26
Rat	tes	Exhibit A
Bas	sic Architecture	Exhibit B
On	e Way Architecture	Exhibit C
Tw	o Way Architecture	Exhibit D
Sur	pergroup Architecture	Exhibit E

#### NETWORK INTERCONNECTION

#### 1. GENERAL

1.1 The Parties shall provide interconnection with each other's networks for the transmission and routing of telephone exchange service (Local Traffic), ISP-bound Traffic, and exchange access (Switched Access Traffic) on the following terms:

#### 2. DEFINITIONS: (FOR THE PURPOSE OF THIS ATTACHMENT)

For purposes of this attachment only, the following terms shall have the definitions set forth below:

- Automatic Location Identification (ALI) is a feature by which the address associated with the calling party's telephone number (ANI) is forwarded to the PSAP for display. Access to the ALI database is described in Attachment 2 to this Agreement.
- 2.2 **Automatic Number Identification (ANI)** corresponds to the seven-digit telephone number assigned by the serving local exchange carrier.
- Basic 911 Service (B911) routes a call to one centralized answering location. The attendant at the answering location obtains the pertinent information that identifies the call and the caller's needs. The attendant then determines the appropriate agency and dials a 7-digit number to transfer the caller to that agency. The calling party's emergency information is verbally relayed to the responding agency and a unit is dispatched to the caller's location.
- 2.4 **Call Termination** has the meaning set forth for "termination" in 47CFR § 51.701(d).
- 2.5 **Call Transport** has the meaning set forth for "transport" in 47 CFR § 51.701(c).
- 2.6 **Call Transport and Termination** is used collectively to mean the switching and transport functions from the Interconnection Point to the last point of switching.
- 2.7 **Common (Shared) Transport** is defined as the transport of the originating Party's traffic by the terminating Party over the terminating Party's common (shared) facilities between (1) the terminating Party's tandem switch and end office switch, (2) between the terminating Party's tandem switches, and/or (3) between the terminating Party's host and remote end office switches. All switches referred herein must be entered into the Local Exchange Routing Guide (LERG).
- 2.8 **Dedicated Interoffice Facility** is defined as a switch transport facility between a Party's Serving Wire Center and the first point of switching within the LATA on the other Party's network.

Version 3Q03: 11/12/2003

2.9 **End Office Switching** is defined as the function that establishes a communications path between the trunk side and line side of the End Office switch. 2.10 **Enhanced 911 Service** provides features not present in Basic 911 Service, including ANI and ALI display, Selective Routing (SR) and other standard and optional features. 2.11 **Fiber Meet** is an interconnection arrangement whereby the Parties physically interconnect their networks via an optical fiber interface at which one Party's facilities, provisioning, and maintenance responsibility begins and the other Party's responsibility ends. 2.12 **Final Trunk Group** is defined as the trunk group that does not carry overflow traffic. 2.13 **Interconnection Point (IP)** is the physical telecommunications equipment interface that interconnects the networks of BellSouth and CI2. 2.14 **IntraLATA Toll Traffic** is as defined in Section 7 of this Attachment. 2.15 **ISP-bound Traffic** is as defined in Section 7 of this Attachment. 2.16 **Local Channel** is defined as a switched transport facility between a Party's Interconnection Point and the IP's Serving Wire Center. 2.17 **Local Traffic** is as defined in Section 7 of this Attachment. 2.18 **Public Safety Answering Point (PSAP)** is the answering location for 911 calls. 2.19 **Reciprocal Trunk Group** is defined as a one-way trunk group carrying BellSouth originated traffic to be terminated by CI2. 2.20 **Serving Wire Center** is defined as the wire center owned by one Party from which the other Party would normally obtain dial tone for its IP. 2.21 **Selective Routing (SR)** is a standard feature that routes an E911 call from the tandem to the designated PSAP based upon the address of the ANI of the calling party. 2.22 **Tandem Switching** is defined as the function that establishes a communications path between two switching offices through a third switching office through the provision of trunk side to trunk side switching. 2.23 **Transit Traffic** is traffic originating on CI2's network that is switched and/or transported by BellSouth and delivered to a third party's network, or traffic originating on a third party's network that is switched and/or transported by BellSouth and delivered to CI2's network.

#### 3. NETWORK INTERCONNECTION

- 3.1 This Attachment pertains only to the provision of network interconnection where CI2 owns, leases from a third party or otherwise provides its own switch(es).
- 3.2 Network interconnection may be provided by the Parties at any technically feasible point within BellSouth's network. Requests to BellSouth for interconnection at points other than as set forth in this Attachment may be made through the Bona Fide Request/New Business Request (BFR/NBR) process set out in this Agreement.
- 3.2.1 Each Party is responsible for providing, engineering and maintaining the network on its side of the IP. The IP must be located within BellSouth's serving territory in the LATA in which traffic is originating. The IP determines the point at which the originating Party shall pay the terminating Party for the Call Transport and Termination of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic.
- 3.2.2 Pursuant to the provisions of this Attachment, the location of the initial IP in a given LATA shall be established by mutual agreement of the Parties. Subject to the requirements for installing additional IPs, as set forth below, any IPs existing prior to the Effective Date of the Agreement will be accepted as initial IPs and will not require re-grooming. When the Parties mutually agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between each other, the Parties shall mutually agree to the location of IP(s). If the Parties are unable to agree to a mutual initial IP, each Party, as originating Party, shall establish a single IP in the LATA for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party for Call Transport and Termination by the terminating Party.
- 3.2.3 When first establishing the interconnection arrangement in each LATA, the location of the IP shall be established by mutual agreement of the Parties. In selecting the IP, both Parties will act in good faith and select the point that is most efficient for both Parties. If the Parties are unable to agree on the location of the IP, each Party will designate IPs for its originated traffic. Additional IP(s) in a LATA may be established by mutual agreement of the Parties. Notwithstanding the foregoing, additional IP(s) in a particular LATA shall be established, at the request of either Party, when the Local Traffic and ISP-bound Traffic exceeds 8.9 million minutes per month for three consecutive months at the proposed location of the additional IP. BellSouth will not request the establishment of an IP where physical or virtual collocation space is not available or where BellSouth fiber connectivity is not available. When the Parties agree to utilize two-way interconnection trunk groups for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic the Parties must agree to the location of the IP(s).

#### 3.3 Interconnection via Dedicated Facilities

- 3.3.1 <u>Local Channel Facilities.</u> As part of Call Transport and Termination, the originating Party may obtain Local Channel facilities from the terminating Party. The percentage of Local Channel facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of Local Channel facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of Local Channel facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.2 <u>Dedicated Interoffice Facilities.</u> As a part of Call Transport and Termination, the originating Party may obtain Dedicated Interoffice Facilities from the terminating Party. The percentage of Dedicated Interoffice Facilities utilized for Local Traffic shall be determined based upon the application of the Percent Local Facility (PLF) Factor on a statewide basis. The charges applied to the percentage of the Dedicated Interoffice Facilities used for Local Traffic as determined by the PLF are as set forth in Exhibit A to this Attachment. The remaining percentage of the Dedicated Interoffice Facilities shall be billed at BellSouth's applicable access tariff rates.
- 3.3.3 The facilities purchased pursuant to this Section 3 shall be ordered via the Access Service Request (ASR) process.

#### 3.4 Fiber Meet

- 3.4.1 Notwithstanding Section 3.2.1, 3.2.2, and 3.2.3 above, if CI2 elects to establish interconnection with BellSouth pursuant to a Fiber Meet Local Channel, CI2 and BellSouth shall jointly engineer, operate and maintain a Synchronous Optical Network (SONET) transmission system by which they shall interconnect their transmission and routing of Local Traffic via a Local Channel at either the DS1 or DS3 level. The Parties shall work jointly to determine the specific transmission system. However, CI2's SONET transmission system must be compatible with BellSouth's equipment, and the Data Communications Channel (DCC) must be turned off.
- 3.4.2 Each Party, at its own expense, shall procure, install and maintain the agreed upon SONET transmission system in its network.
- 3.4.3 The Parties shall agree to a Fiber Meet point between the BellSouth Serving Wire Center and the CI2 Serving Wire Center. The Parties shall deliver their fiber optic facilities to the Fiber Meet point with sufficient spare length to reach the fusion splice point for the Fiber Meet Point. BellSouth shall, at its own expense, provide and maintain the fusion splice point for the Fiber Meet. A building type Common Language Location Identification (CLLI) code will be established for each Fiber Meet point. All orders for interconnection facilities from the Fiber Meet point shall indicate the Fiber Meet point as the originating point for the facility.

- 3.4.4 Upon verbal request by CI2, BellSouth shall allow CI2 access to the fusion splice point for the Fiber Meet point for maintenance purposes on CI2's side of the Fiber Meet point.
- 3.4.5 Neither Party shall charge the other for its Local Channel portion of the Fiber Meet facility used exclusively for Local Traffic. All other appropriate charges will apply. CI2 shall be billed for a mixed use of the Local Channel using the actual traffic CI2 elects to transmit over the facility and the rates from this Agreement and the appropriate tariff(s). Charges for switched and special access services shall be billed in accordance with the applicable access service tariff.

#### 4. INTERCONNECTION TRUNK GROUP ARCHITECTURES

- 4.1 BellSouth and CI2 shall establish interconnecting trunk groups and trunk group configurations between networks, including the use of one-way or two-way trunks in accordance with the following provisions set forth in this Agreement. For trunking purposes, traffic will be routed based on the digits dialed by the originating End User and in accordance with the LERG.
- 4.2 CI2 shall establish an interconnection trunk group(s) to at least one BellSouth access tandem within the LATA for the delivery of CI2's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and for the receipt and delivery of Transit Traffic. To the extent CI2 desires to deliver Local Traffic, ISP-bound Traffic, IntraLATA Toll Traffic and/or Transit Traffic to BellSouth access tandems within the LATA, other than the tandems(s) to which CI2 has established interconnection trunk groups, CI2 shall order Multiple Tandem Access, as described in this Attachment, to such other BellSouth access tandems.
- 4.2.1 Notwithstanding the forgoing, CI2 shall establish an interconnection trunk group(s) to all BellSouth access and local tandems in the LATA where CI2 has homed (i.e. assigned) its NPA/NXXs. CI2 shall home its NPA/NXXs on the BellSouth tandems that serve the exchange rate center areas to which the NPA/NXXs are assigned. The specified exchange rate center assigned to each BellSouth tandem is defined in the LERG. CI2 shall enter its NPA/NXX access and/or local tandem homing arrangements into the LERG.
- 4.3 Switched access traffic will be delivered to and from Interexchange Carriers (IXCs) based on CI2's NXX access tandem homing arrangement as specified by CI2 in the LERG.
- Any CI2 interconnection request that (1) deviates from the interconnection trunk group architectures as described in this Agreement, (2) affects traffic delivered to CI2 from a BellSouth switch, and (3) requires special BellSouth switch translations and other network modifications will require CI2 to submit a BFR/NBR via the BFR/NBR Process as set forth in this Agreement.

- 4.5 Recurring and nonrecurring rates associated with interconnecting trunk groups between BellSouth and CI2 are set forth in Exhibit A. To the extent a rate associated with the interconnecting trunk group is not set forth in Exhibit A, the rate shall be as set forth in the appropriate BellSouth tariff for switched access services.
- 4.6 For two-way trunk groups that carry only both Parties' Local Traffic, the Parties shall be compensated at 50% of the nonrecurring and recurring rates for dedicated trunks and DS1 facilities. CI2 shall be responsible for ordering and paying for any two-way trunks carrying Transit Traffic.
- 4.7 All trunk groups will be provisioned as Signaling System 7 (SS7) capable where technically feasible. If SS7 is not technically feasible multi-frequency (MF) protocol signaling shall be used.
- 4.8 In cases where CI2 is also an IXC, the IXC's Feature Group D (FG D) trunk group(s) must remain separate from the local interconnection trunk group(s).
- Each Party shall order interconnection trunks and trunk group including trunk and trunk group augmentations via the ASR process. A Firm Order Confirmation (FOC) shall be returned to the ordering Party, after receipt of a valid, error free ASR, within the timeframes set forth in each state's applicable Performance Measures. Notwithstanding the foregoing, blocking situations and projects shall be managed through BellSouth's Carrier Interconnection Switching Center (CISC) Project Management Group and CI2's equivalent trunking group, and FOCs for such orders shall be returned in the timeframes applicable to the project. A project is defined as (1) a new trunk group or (2) a request for more than 96 trunks on a single or multiple group(s) in a given BellSouth local calling area.

# 4.10 Interconnection Trunk Groups for Exchange of Local Traffic and Transit Traffic

Upon mutual agreement of the Parties in a joint planning meeting, the Parties' shall exchange Local Traffic on two-way interconnection trunk group(s) with the quantity of trunks being mutually determined and the provisioning being jointly coordinated. Furthermore, the Parties shall agree upon the IP(s) for two-way interconnection trunk groups transporting both Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic. CI2 shall order such two-way trunks via the Access Service Request (ASR) process. BellSouth will use the Trunk Group Service Request (TGSR) to request changes in trunking. Furthermore, the Parties shall jointly review trunk performance and forecasts on a periodic basis. The Parties' use of two-way interconnection trunk groups for the transport of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between the Parties does not preclude either Party from establishing additional one-way interconnection trunks for the delivery of its originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the other Party.

#### 4.10.1 **BellSouth Access Tandem Interconnection**

BellSouth access tandem interconnection at a single access tandem provides access to those end offices subtending that access tandem (Intratandem Access). Access tandem interconnection is available for any of the following access tandem architectures

#### 4.10.1.1 **Basic Architecture**

In the basic architecture, CI2's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and originating and terminating Transit Traffic is transported on a single two-way trunk group between CI2 and BellSouth access tandem(s) within a LATA to provide Intratandem Access. This trunk group carries Transit Traffic between CI2 and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which CI2 desires to exchange traffic. This trunk group also carries CI2 originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to CI2. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The basic Architecture is illustrated in Exhibit B.

#### 4.10.1.2 One-Way Trunk Group Architecture

In one-way trunk group architecture, the Parties interconnect using three separate trunk groups. A one-way trunk group provides Intratandem Access for CI2originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for BellSouth End Users. A second one-way trunk group carries BellSouthoriginated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic destined for CI2 End-Users. A two-way trunk group provides Intratandem Access for CI2's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between CI2 and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which CI2 desires to exchange traffic. This trunk group also carries CI2 originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic is transported on a separate single one-way trunk group terminating to CI2. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The one-way trunk group architecture is illustrated in Exhibit C.

#### 4.10.1.3 **Two-Way Trunk Group Architecture**

The two-way trunk group Architecture establishes one two-way trunk group to provide Intratandem Access for the exchange of Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic between CI2 and BellSouth. In addition, a separate two-way transit trunk group must be established for CI2's originating and terminating Transit Traffic. This trunk group carries Transit Traffic between CI2 and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which CI2 desires to exchange traffic. This trunk group also carries CI2 originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to CI2. However, where CI2 is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the two-way Local Traffic trunk group carrying ISP-bound Traffic and IntraLATA Toll Traffic. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The two-way trunk group architecture is illustrated in Exhibit D.

#### 4.10.1.4 **Supergroup Architecture**

In the supergroup architecture, the Parties' Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic and CI2's Transit Traffic are exchanged on a single twoway trunk group between CI2 and BellSouth to provide Intratandem Access to CI2. This trunk group carries Transit Traffic between CI2 and Independent Companies, Interexchange Carriers, other CLECs, CMRS providers that have a Meet Point Billing arrangement with BellSouth, and other network providers with which CI2 desires to exchange traffic. This trunk group also carries CI2 originated Transit Traffic transiting a single BellSouth access tandem destined to third party tandems such as an Independent Company tandem or other CLEC tandem. BellSouth originated traffic may, in order to prevent or remedy traffic blocking situations, be transported on a separate single one-way trunk group terminating to CI2. However, where CI2 is responsive in a timely manner to BellSouth's transport needs for its originated traffic, BellSouth originating traffic will be placed on the Supergroup. Other trunk groups for operator services, directory assistance, emergency services and intercept must be established pursuant to the applicable BellSouth tariff if service is requested. The LERG contains current routing and tandem serving arrangements. The supergroup architecture is illustrated in Exhibit E.

#### 4.10.1.5 **Multiple Tandem Access Interconnection**

Version 3Q03: 11/12/2003

- 4.10.1.5.1 Where CI2 does not choose access tandem interconnection at every BellSouth access tandem within a LATA, CI2 may utilize BellSouth's multiple tandem access interconnection (MTA). To utilize MTA CI2 must establish an interconnection trunk group(s) at a BellSouth access tandem through multiple BellSouth access tandems within the LATA as required. BellSouth will route CI2's originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic for LATA wide transport and termination. CI2 must also establish an interconnection trunk group(s) at all BellSouth access tandems where CI2 NXXs are homed as described in Section 4.2.1 above. If CI2 does not have NXXs homed at any particular BellSouth access tandem within a LATA and elects not to establish an interconnection trunk group(s) at such BellSouth access tandem, CI2 can order MTA in each BellSouth access tandem within the LATA where it does have an interconnection trunk group(s) and BellSouth will terminate CI2's Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to End-Users served through those BellSouth access tandems where CI2 does not have an interconnection trunk group(s). MTA shall be provisioned in accordance with BellSouth's Ordering Guidelines.
- 4.10.1.5.2 CI2 may also utilize MTA to route its originated Transit Traffic; provided, however, that MTA may not be utilized to route switched access traffic that transits the BellSouth network to an Interexchange Carrier (IXC). Switched access traffic originated by or terminated to CI2 will be delivered to and from IXCs based on CI2's NXX access tandem homing arrangement as specified by CI2 in the LERG.
- 4.10.1.5.3 Compensation for MTA shall be at the applicable tandem switching and transport charges specified in Exhibit A to this Attachment and shall be billed in addition to any Call Transport and Termination charges.
- 4.10.1.5.4 To the extent CI2 does not purchase MTA in a LATA served by multiple access tandems, CI2 must establish an interconnection trunk group(s) to every access tandem in the LATA to serve the entire LATA. To the extent CI2 routes its traffic in such a way that utilizes BellSouth's MTA service without properly ordering MTA, CI2 shall pay BellSouth the associated MTA charges.

#### 4.10.2 **Local Tandem Interconnection**

- 4.10.2.1 Local Tandem Interconnection arrangement allows CI2 to establish an interconnection trunk group(s) at BellSouth local tandems for: (1) the delivery of CI2-originated Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic transported and terminated by BellSouth to BellSouth end offices served by those BellSouth local tandems, and (2) for local Transit Traffic transported by BellSouth for third party network providers who have also established an interconnection trunk group(s) at those BellSouth local tandems.
- 4.10.2.2 When a specified local calling area is served by more than one BellSouth local tandem, CI2 must designate a "home" local tandem for each of its assigned

NPA/NXXs and establish trunk connections to such local tandems. Additionally, CI2 may choose to establish an interconnection trunk group(s) at the BellSouth local tandems where it has no codes homing but is not required to do so. CI2 may deliver Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to a "home" BellSouth local tandem that is destined for other BellSouth or third party network provider end offices subtending other BellSouth local tandems in the same local calling area where CI2 does not choose to establish an interconnection trunk group(s). It is CI2's responsibility to enter its own NPA/NXX local tandem homing arrangements into the LERG either directly or via a vendor in order for other third party network providers to determine appropriate traffic routing to CI2's codes. Likewise, CI2 shall obtain its routing information from the LERG.

- 4.10.2.3 Notwithstanding establishing an interconnection trunk group(s) to BellSouth's local tandems, CI2 must also establish an interconnection trunk group(s) to BellSouth access tandems within the LATA on which CI2 has NPA/NXXs homed for the delivery of Interexchange Carrier Switched Access (SWA) and toll traffic, and traffic to Type 2A CMRS connections located at the access tandems. BellSouth shall not switch SWA traffic through more than one BellSouth access tandem. SWA, Type 2A CMRS or toll traffic routed to the local tandem in error will not be backhauled to the BellSouth access tandem for completion. (Type 2A CMRS interconnection is defined in BellSouth's A35 General Subscriber Services Tariff).
- 4.10.2.4 BellSouth's provisioning of Local Tandem Interconnection assumes that CI2 has executed the necessary local interconnection agreements with the other third party network providers subtending those local tandems as required by the Act.

#### 4.10.3 **Direct End Office-to-End Office Interconnection**

- 4.10.3.1 Direct End Office-to-End Office one-way or two-way interconnection trunk groups allow for the delivery of a Party's originating Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic to the terminating Party on a direct end office-to-end office basis.
- 4.10.3.2 The Parties shall utilize direct end office-to-end office trunk groups under any one of the following conditions:
- 4.10.3.2.1 Tandem Exhaust If a tandem through which the Parties are interconnected is unable to, or is forecasted to be unable to support additional traffic loads for any period of time, the Parties will mutually agree on an end office trunking plan that will alleviate the tandem capacity shortage and ensure completion of traffic between CI2 and BellSouth.
- 4.10.3.2.2 Traffic Volume –To the extent either Party has the capability to measure the amount of traffic between CI2's switch and a BellSouth end office and where such traffic exceeds or is forecasted to exceed a single DS1 of traffic per month, then

the Parties shall install and retain direct end office trunking sufficient to handle such traffic volumes. Either Party will install additional capacity between such points when overflow traffic exceeds or is forecasted to exceed a single DS1 of traffic per month. In the case of one-way trunking, additional trunking shall only be required by the Party whose trunking has achieved the preceding usage threshold.

4.10.3.2.3 Mutual Agreement - The Parties may install direct end office trunking upon mutual agreement in the absence of conditions (1) or (2) above.

#### 4.10.4 Transit Traffic Trunk Group

Transit Traffic trunks can either be two-way trunks or two one-way trunks ordered by CI2 to deliver and receive Transit Traffic. Establishing Transit Traffic trunks at BellSouth access and local tandems provides intratandem access to the third parties also interconnected at those tandems.

#### 4.10.4.1 **Toll Free Traffic**

- 4.10.4.1.1 If CI2 chooses BellSouth to perform the Service Switching Point (SSP) Function (i.e., handle Toll Free database queries) from BellSouth's switches, all CI2 originating Toll Free traffic will be routed over the Transit Traffic Trunk Group and shall be delivered using GR-394 format. Carrier Code "0110" and Circuit Code (to be determined for each LATA) shall be used for all such calls.
- 4.10.4.1.2 CI2 may choose to perform its own Toll Free database queries from its switch. In such cases, CI2 will determine the nature (local/intraLATA/interLATA) of the Toll Free call (local/IntraLATA/InterLATA) based on the response from the database. If the call is a BellSouth local or intraLATA Toll Free call, CI2 will route the post-query local or IntraLATA converted ten-digit local number to BellSouth over the local or intraLATA trunk group. If the call is a third party (ICO, IXC, CMRS or other CLEC) local or intraLATA Toll Free call, CI2 will route the post-query local or intraLATA converted ten-digit local number to BellSouth over the Transit Traffic Trunk Group and CI2 shall provide to BellSouth a Toll Free call, CI2 will route the post-query interLATA Toll Free call (1) directly from its switch for carriers interconnected with its network or (2) over the Transit Traffic Trunk Group to carriers that are not directly connected to CI2's network but that are connected to BellSouth's access tandem.
- 4.10.5 All post-query Toll Free calls for which CI2 performs the SSP function, if delivered to BellSouth, shall be delivered using GR-394 format for calls destined to IXCs, and GR-317 format for calls destined to end offices that directly subtend a BellSouth access tandem within the LATA.

#### 5. NETWORK DESIGN AND MANAGEMENT FOR INTERCONNECTION

- 5.1 <u>Network Management and Changes</u>. The Parties will exchange toll-free maintenance contact numbers and escalation procedures. The Parties will provide public notice of network changes in accordance with applicable federal and state rules and regulations.
- Interconnection Technical Standards. The interconnection of all networks will be based upon accepted industry/national guidelines for transmission standards and traffic blocking criteria. Interconnecting facilities shall conform, at a minimum, to the telecommunications industry standard of DS-1 pursuant to Telcordia Standard No. TR-NWT-00499. Where CI2 chooses to utilize Signaling System 7 signaling, also known as Common Channel Signaling (SS7), SS7 connectivity is required between the CI2 switch and the BellSouth Signaling Transfer Point (STP). BellSouth will provide SS7 signaling using Common Channel Signaling Access Capability in accordance with the technical specifications set forth in the BellSouth Guidelines to Technical Publication, TR-TSV-000905. Facilities of each Party shall provide the necessary on-hook, off-hook answer and disconnect supervision and shall provide calling number ID (Calling Party Number) when technically feasible.
- Quality of Interconnection. The local interconnection for the transmission and routing of telephone exchange service and exchange access that each Party provides to each other will be at least equal in quality to what it provides to itself and any subsidiary or affiliate, where technically feasible, or to any other Party to which each Party provides local interconnection.
- Network Management Controls. Both Parties will work cooperatively to apply sound network management principles by invoking appropriate network management controls (e.g., call gapping) to alleviate or prevent network congestion.
- SS7 Signaling. Both Parties will utilize LEC-to-LEC SS7 Signaling, where available, in conjunction with all traffic in order to enable full interoperability of CLASS features and functions except for call return. All SS7 signaling parameters will be provided, including but not limited to automatic number identification (ANI), originating line information (OLI) calling company category and charge number. All privacy indicators will be honored, and the Parties will exchange Transactional Capabilities Application Part (TCAP) messages to facilitate full interoperability of SS7-based features between the respective networks. Neither Party shall alter the SS7 parameters, or be a party to altering such parameters, or knowingly pass SS7 parameters that have been altered in order to circumvent appropriate interconnection charges.
- 5.6 <u>Signaling Call Information</u>. BellSouth and CI2 will send and receive 10 digits for Local Traffic. Additionally, BellSouth and CI2 will exchange the proper call information, i.e. originated call company number and destination call company

number, CIC, and OZZ, including all proper translations for routing between networks and any information necessary for billing.

#### 5.7 Forecasting for Trunk Provisioning

- 5.7.1 Within six (6) months after execution of this Agreement, CI2 shall provide an initial interconnection trunk group forecast for each LATA in which it plans to provide service within BellSouth's region. Upon receipt of CI2's forecast, the Parties shall conduct a joint planning meeting to develop a joint interconnection trunk group forecast. Each forecast provided under this Section shall be deemed "Confidential Information" under the General Terms and Conditions of this Agreement.
- 5.7.1.1 At a minimum, the forecast shall include the projected quantity of Transit Trunks, CI2-to-BellSouth one-way trunks (CI2 Trunks), BellSouth-to-CI2 one-way trunks (Reciprocal Trunk Groups) and/or two-way interconnection trunks, if the Parties have agreed to interconnect using two-way trunking to transport the Parties' Local Traffic and IntraLATA Toll Traffic. The quantities shall be projected for a minimum of six months and shall include an estimate of the current year plus the next two years total forecasted quantities. The Parties shall mutually develop Reciprocal Trunk Groups and/or two-way interconnection trunk forecast quantities.
- 5.7.1.2 All forecasts shall include, at a minimum, Access Carrier Terminal Location (ACTL), trunk group type (local/intraLATA toll, Transit, Operator Services, 911, etc.), A location/Z location (CLLI codes for CI2 location and BellSouth location where the trunks shall terminate), interface type (e.g., DS1), Direction of Signaling, Trunk Group Number, if known, (commonly referred to as the 2-6 code) and forecasted trunks in service each year (cumulative).
- 5.7.2 Once initial interconnection trunk forecasts have been developed, CI2 shall continue to provide interconnection trunk forecasts on a semiannual basis or at otherwise mutually agreeable intervals. CI2 shall use its best efforts to make the forecasts as accurate as possible based on reasonable engineering criteria. The Parties shall continue to develop Reciprocal Trunk Group and/or two-way interconnection trunk forecasts as described in Section 5.7.1.1.
- 5.7.3 The submitting and development of interconnection trunk forecasts shall not replace the ordering process for local interconnection trunks. Each Party shall exercise its best efforts to provide the quantity of interconnection trunks mutually forecasted. However, the provision of the forecasted quantity of interconnection trunks is subject to trunk terminations and facility capacity existing at the time the trunk order is submitted. Furthermore, the receipt and development of trunk forecasts does not imply any liability for failure to perform if capacity (trunk terminations or facilities) is not available for use at the forecasted time.

#### 5.8 Trunk Utilization

- 5.8.1 For the Reciprocal Trunk Groups that are Final Trunk Groups (Reciprocal Final Trunk Groups), BellSouth and CI2 shall monitor traffic on each interconnection Reciprocal Final Trunk Group that is ordered and installed. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at 60 percent (60%) of the time consistent busy hour utilization level within 90 days of installation. The Parties agree that the Reciprocal Final Trunk Groups will be utilized at eighty percent (80%) of the time consistent busy hour utilization level within 180 days of installation. Any Reciprocal Final Trunk Group not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth may disconnect any Under-utilized Reciprocal Final Trunk Groups and CI2 shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.
- BellSouth's CISC will notify CI2 of any under-utilized Reciprocal Trunk Groups and the number of such trunk groups that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated CI2 interface. CI2 will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which CI2 expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with CI2 to determine if agreement can be reached on the number of Reciprocal Final Trunk Groups to be removed. If no agreement can be reached, BellSouth will issue disconnect orders to CI2. The due date of these orders will be four weeks after CI2 was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.
- 5.8.3 For the two-way trunk groups, BellSouth and CI2 shall monitor traffic on each interconnection trunk group that is ordered and installed. The Parties agree that within 90 days of the installation of the BellSouth two-way trunk or trunks, the trunks will be utilized at 60 percent (60%) of the time consistent busy hour utilization level. The Parties agree that within 180 days of the installation of a trunk or trunks, the trunks will be utilized at eighty percent (80%) of the time consistent busy hour utilization level. Any trunk or trunks not meeting the minimum thresholds set forth in this Section are defined as "Under-utilized" trunks. BellSouth will request the disconnection of any Under-utilized two-way

trunk(s) and CI2 shall refund to BellSouth the associated nonrecurring and recurring trunk and facility charges paid by BellSouth, if any.

- BellSouth's LISC will notify CI2 of any under-utilized two-way trunk groups and the number of trunks that BellSouth wishes to disconnect. BellSouth will provide supporting information either by email or facsimile to the designated CI2 interface. CI2 will provide concurrence with the disconnection in seven (7) business days or will provide specific information supporting why the two-way trunks should not be disconnected. Such supporting information should include expected traffic volumes (including traffic volumes generated due to Local Number Portability) and the timeframes within which CI2 expects to need such trunks. BellSouth's CISC Project Manager and Circuit Capacity Manager will discuss the information with CI2 to determine if agreement can be reached on the number of trunks to be removed. If no agreement can be reached, CI2 will issue disconnect orders to BellSouth. The due date of these orders will be four weeks after CI2 was first notified in writing of the underutilization of the trunk groups.
- To the extent that any interconnection trunk group is utilized at a time-consistent busy hour of eighty percent (80%) or greater, the Parties may review the trunk groups and, if necessary, shall negotiate in good faith for the installation of augmented facilities.

#### 6. LOCAL DIALING PARITY

6.1 BellSouth and CI2 shall provide local and toll dialing parity, as defined in FCC rules and regulations, with no unreasonable dialing delays. Dialing parity shall be provided for all originating telecommunications services that require dialing to route a call.

#### 7. INTERCONNECTION COMPENSATION

- 7.1 Compensation for Call Transportation and Termination for Local Traffic, ISP-bound Traffic and IntraLATA Toll Traffic
- 7.1.1 For the purposes of this Attachment and for reciprocal compensation between the Parties pursuant to this Attachment, Local Traffic is defined as any telephone call that originates in one exchange and terminates in either the same exchange, or other local calling area associated with the originating exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service Tariff.
- 7.1.1.1 Additionally, Local Traffic includes any cross boundary, voice-to-voice intrastate, interLATA or interstate, interLATA calls established as a local call by the ruling regulatory body.
- 7.1.2 ISP-bound Traffic is defined as calls to an information service provider or Internet service provider (ISP) that are dialed by using a local dialing pattern (7 or 10

digits) by a calling party in one exchange to an ISP server or modem in either the same exchange or a corresponding Extended Area Service (EAS) exchange as defined and specified in Section A3 of BellSouth's General Subscriber Service tariff. ISP-bound Traffic is not Local Traffic subject to reciprocal compensation, but instead is information access traffic subject to the FCC's jurisdiction.

- 7.1.3 Notwithstanding the definitions of Local Traffic and ISP-bound traffic above, and pursuant to the FCC's Order on Remand and Report and Order in CC Docket 99-68 released April 27, 2001 (ISP Order on Remand), BellSouth and CI2 agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or CI2 that exceeds a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered ISP-bound traffic for compensation purposes. BellSouth and CI2 further agree to the rebuttable presumption that all combined circuit switched Local and ISP-bound Traffic delivered to BellSouth or CI2 that does not exceed a 3:1 ratio of terminating to originating traffic on a statewide basis shall be considered Local Traffic for compensation purposes.
- 7.1.4 Neither Party shall pay compensation to the other Party for per minute of use rate elements associated with the Call Transport and Termination of Local Traffic or ISP-bound Traffic.
- 7.1.5 The appropriate elemental rates set forth in Exhibit A of this Attachment shall apply for Transit Traffic as described in Sections 7.6 and 7.6.1 below and to Multiple Tandem Access as described in Section 4.10.1.5 above.
- 7.1.6 Neither Party shall represent Switched Access Traffic as Local Traffic or ISP-bound Traffic for purposes of determining compensation for the call.
- 7.1.7 IntraLATA Toll Traffic is defined as all traffic that originates and terminates within a single LATA that is not Local or ISP-bound traffic under this Attachment.
- 7.1.7.1 For terminating its intraLATA toll traffic on the other company's network, the originating Party will pay the terminating Party BellSouth's current intrastate or interstate, whichever is appropriate, terminating switched access tariff rates as set forth in BellSouth's Access Services Tariffs as filed and in effect with the FCC or Commission. The appropriate charges will be determined by the routing of the call. Additionally, if one Party is the other Party's End User's presubscribed interexchange carrier or if one Party's End User uses the other Party as an interexchange carrier on a 101XXXXX basis, the originating party will charge the other Party the appropriate BellSouth originating switched access tariff rates as set forth in BellSouth's Intrastate or Interstate Access Services Tariff as filed and in effect with the FCC or appropriate Commission.

- 7.1.8 If CI2 assigns NPA/NXXs to specific BellSouth rate centers within the LATA and assigns numbers from those NPA/NXXs to CI2 End Users physically located outside of that LATA, BellSouth traffic originating from within the LATA where the NPA/NXXs are assigned and delivered to a CI2 customer physically located outside of such LATA, shall not be deemed Local Traffic. Further, CI2 agrees to identify such interLATA traffic to BellSouth and to compensate BellSouth for originating and transporting such interLATA traffic to CI2 at BellSouth's switched access tariff rates.
- 7.2 If CI2 does not identify such interLATA traffic to BellSouth, to the best of BellSouth's ability BellSouth will determine which whole CI2 NPA/NXXs on which to charge the applicable rates for originating network access service as reflected in BellSouth's Access Service Tariff. BellSouth shall make appropriate billing adjustments if CI2 can provide sufficient information for BellSouth to determine whether or not said traffic is Local or ISP-bound Traffic.

#### 7.3 **Jurisdictional Reporting**

- 7.3.1 Percent Local Use. Each Party shall report to the other a Percent Local Usage (PLU) factor. The application of the PLU will determine the amount of local or ISP-bound minutes to be billed to the other Party. Each Party shall update its PLU on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month based on local and ISP-bound usage for the past three months ending the last day of December, March, June and September, respectively. Requirements associated with PLU calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- 7.3.2 Percent Local Facility. Each Party shall report to the other a Percent Local Facility (PLF) factor. The application of the PLF will determine the portion of switched dedicated transport to be billed per the local jurisdiction rates. The PLF shall be applied to Multiplexing, Local Channel and Interoffice Channel Switched Dedicated Transport utilized in the provision of local interconnection trunks. Each Party shall update its PLF on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month to be effective the first bill period the following month, respectively. Requirements associated with PLU and PLF calculation and reporting shall be as set forth in BellSouth's Jurisdictional Factors Reporting Guide, as it is amended from time to time.
- Percent Interstate Usage. Each Party shall report to the other the projected Percent Interstate Usage (PIU) factor. All jurisdictional report requirements, rules and regulations for Interexchange Carriers specified in BellSouth's Intrastate Access Services Tariff will apply to CI2. After interstate and intrastate traffic percentages have been determined by use of PIU procedures, the PLU and PLF factors will be used for application and billing of local interconnection. Each Party

Version 3Q03: 11/12/2003

shall update its PIUs on the first of January, April, July and October of the year and shall send it to the other Party to be received no later than 30 days after the first of each such month, for all services showing the percentages of use for the past three months ending the last day of December, March, June and September.

- Notwithstanding the provisions in Section 7.3.1, 7.3.2, and 7.3.3 above, where the terminating Party has message recording technology that identifies the jurisdiction of traffic terminated as defined in this Agreement, such information shall, at the terminating Party's option, be utilized to determine the appropriate jurisdictional reporting factors (PLU, PIU, and/or PLF), in lieu of those provided by the originating Party. In the event that the terminating Party opts to utilize its own data to determine jurisdictional reporting factors, such terminating Party shall notify the originating Party at least 15 days prior to the beginning of the calendar quarter in which the terminating Party will begin to utilize its own data. Such factors shall subject to the Dispute Resolution provisions in this Agreement, as well as the Audit provisions set forth in 7.3.5 below.
- Audits. On thirty (30) days written notice, each Party must provide the other the ability and opportunity to conduct an annual audit to ensure the proper billing of traffic. BellSouth and CI2 shall retain records of call detail for a minimum of nine months from which the PLU, PLF and/or PIU can be ascertained. The audit shall be conducted during normal business hours at an office designated by the Party being audited. Audit requests shall not be submitted more frequently than one (1) time per calendar year. Audits shall be performed by a mutually acceptable independent auditor paid for by the Party requesting the audit. The PLF, PLU and/or PIU shall be adjusted based upon the audit results and shall apply for the quarter the audit was completed, for the quarter prior to the completion of the audit, and for the two quarters following the completion of the audit. If, as a result of an audit, either Party is found to have overstated the PLF, PLU and/or PIU by twenty percentage points (20%) or more, that Party shall reimburse the auditing Party for the cost of the audit.

#### 7.4 Compensation for 8XX Traffic

- 7.4.1 <u>Compensation for 8XX Traffic</u>. Each Party shall pay the other the appropriate switched access charges set forth in the BellSouth intrastate or interstate switched access tariffs. CI2 will pay BellSouth the database query charge as set forth in the BellSouth intrastate or interstate switched access tariffs as applicable.
- 7.4.2 Records for 8XX Billing. Each Party will provide to the other the appropriate records necessary for billing intraLATA 8XX customers. The records provided will be in a standard EMI format.
- 7.4.3 <u>8XX Access Screening</u>. BellSouth's provision of 8XX Toll Free Dialing (TFD) to CI2 requires interconnection from CI2 to BellSouth's 8XX Signal Channel Point (SCP). Such interconnections shall be established pursuant to BellSouth's

Common Channel Signaling Interconnection Guidelines and Telcordia's CCS Network Interface Specification document, TR-TSV-000905. CI2 shall establish SS7 interconnection at the BellSouth Local Signal Transfer Points serving the BellSouth 8XX SCPs that CI2 desires to query. The terms and conditions for 8XX TFD are set out in BellSouth's Intrastate Access Services Tariff.

#### 7.5 **Mutual Provision of Switched Access Service**

- 7.5.1 Switched Access Traffic. Switched Access Traffic is described as telephone calls requiring local transmission or switching services for the purpose of the origination or termination of Telephone Toll Service. Switched Access Traffic includes, but is not limited to, the following types of traffic: Feature Group A, Feature Group B, Feature Group C, Feature Group D, toll free access (e.g., 8XX), 900 access and their successors. Additionally, any Public Switched Telephone Network interexchange telecommunications traffic, regardless of transport protocol method, where the originating and terminating points, end-to-end points, are in different LATAs, or are in the same LATA and the Parties' Switched Access services are used for the origination or termination of the call, shall be considered Switched Access Traffic. Irrespective of transport protocol method used, a call which originates in one LATA and terminates in another LATA (i.e., the end-to-end points of the call) or in which the Parties' Switched Access Services are used for the origination or termination of the call, shall not be considered Local Traffic or ISP-bound Traffic.
- 7.5.2 If the BellSouth End User chooses CI2 as their presubscribed interexchange carrier, or if the BellSouth End User uses CI2 as an interexchange carrier on a 101XXXX basis, BellSouth will charge CI2 the appropriate BellSouth tariff charges for originating switched access services.
- 7.5.3 Where the originating Party delivers a call to the terminating Party over switched access facilities, the originating Party will pay the terminating Party terminating, switched access charges as set forth in BellSouth's Intrastate or Interstate Access Services Tariff, as appropriate.
- When CI2's end office switch provides an access service connection to or from an interexchange carrier (IXC) by a direct trunk group to the IXC utilizing BellSouth facilities, each Party will provide its own access services to the IXC and bill on a multi-bill, multi-tariff meet-point basis. Each Party will bill its own access services rates to the IXC with the exception of the interconnection charge. The interconnection charge will be billed by CI2 as the Party providing the end office function. Each party will use the Multiple Exchange Carrier Access Billing (MECAB) guidelines to establish meet point billing for all applicable traffic. The Parties shall utilize a thirty (30) day billing period.
- 7.5.4.1 When CI2's end office subtends the BellSouth Access Tandem switch for receipt or delivery of switched access traffic and provides an access service connection to

or from an IXC via BellSouth's Access Tandem switch, BellSouth, as the tandem company agrees to provide to CI2, as the End Office Company, as defined in MECAB, at no charge, all the switched access detail usage data, recorded at the access tandem, within no more than sixty (60) days after the recording date. Each Party will notify the other when it is not feasible to meet these requirements. As business requirements change, data reporting requirements may be modified as necessary.

- 7.5.5 BellSouth, as the tandem provider company, will retain for a minimum period of sixty (60) days, access message detail sufficient to recreate any data that is lost or damaged by the tandem provider company or any third party involved in processing or transporting data.
- 7.5.6 BellSouth, as the tandem provider company, agrees to recreate the lost or damaged data within forty-eight (48) hours of notification by the other or by an authorized third party handling the data.
- 7.5.7 Any claims against BellSouth, as the tandem provider company, for unbillable or uncollectible revenue should be filed with the tandem provider company within 120 days of the usage date.
- 7.5.8 BellSouth, as the tandem provider company shall keep records of its billing activities relating to jointly-provided Intrastate and Interstate access services in sufficient detail to permit the Subsequent Billing Party to, by formal or informal review or audit, to verify the accuracy and reasonableness of the jointly-provided access billing data provided by the Initial Billing Party. Each Party agrees to cooperate in such formal or informal reviews or audits and further agrees to jointly review the findings of such reviews or audits in order to resolve any differences concerning the findings thereof.
- 7.5.9 CI2 agrees not to deliver switched access traffic to BellSouth for termination except over CI2 ordered switched access trunks and facilities.

#### 7.6 **Transit Traffic**

7.6.1 BellSouth shall provide tandem switching and transport services for CI2's Transit Traffic. Rates for local Transit Traffic and ISP-bound Transit Traffic shall be the applicable Call Transport and Termination charges as set forth in Exhibit A to this Attachment. Rates for Switched Access Transit Traffic shall be the applicable charges as set forth in BellSouth Interstate or Intrastate Switched Access tariffs. Billing associated with all Transit Traffic shall be pursuant to MECAB guidelines. Traffic between CI2 and Wireless Type 1 third parties shall not be treated as Transit Traffic from a routing or billing perspective. Traffic between CI2 and Wireless Type 2A or a third party CLEC utilizing BellSouth switching shall not be treated as Transit Traffic from a routing or billing perspective until BellSouth and

the Wireless carrier or a third party CLEC utilizing BellSouth switching have the capability to properly meet-point-bill in accordance with MECAB guidelines.

7.6.2 The delivery of traffic that transits the BellSouth network and is transported to another carrier's network is excluded from any BellSouth billing guarantees. BellSouth agrees to deliver Transit Traffic to the terminating carrier; provided, however, that CI2 is solely responsible for negotiating and executing any appropriate contractual agreements with the terminating carrier for the exchange of Transit Traffic through the BellSouth network. BellSouth will not be liable for any compensation to the terminating carrier or to CI2. In the event that the terminating third party carrier imposes on BellSouth any charges or costs for the delivery of Transit Traffic, CI2 shall reimburse BellSouth for such costs. Additionally, the Parties agree that any billing to a third party or other telecommunications carrier under this section shall be pursuant to MECAB procedures.

#### 8. FRAME RELAY SERVICE INTERCONNECTION

- 8.1 In addition to the Local Interconnection services set forth above, BellSouth will offer a network to network Interconnection arrangement between BellSouth's and CI2's frame relay switches as set forth below. The following provisions will apply only to Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service in those states in which CI2 is certified and providing Frame Relay Service as a Local Exchange Carrier and where traffic is being exchanged between CI2 and BellSouth Frame Relay Switches in the same LATA.
- 8.2 The Parties agree to establish two-way Frame Relay facilities between their respective Frame Relay Switches to the mutually agreed upon Frame Relay Service point(s) of interconnection (IP(s)) within the LATA. All IPs shall be within the same Frame Relay Network Serving Areas as defined in Section A40 of BellSouth's General Subscriber Service Tariff except as set forth in this Attachment.
- 8.3 Upon the request of either Party, such interconnection will be established where BellSouth and CI2 have Frame Relay Switches in the same LATA. Where there are multiple Frame Relay switches in one central office, an interconnection with any one of the switches will be considered an interconnection with all of the switches at that central office for purposes of routing packet traffic.
- 8.4 The Parties agree to provision local and intraLATA Frame Relay Service and Exchange Access Frame Relay Service and Managed Shared Frame Relay Service (both intrastate and interstate) over Frame Relay interconnection facilities between the respective Frame Relay switches and the IPs.

- 8.5 The Parties agree to assess each other reciprocal charges for the facilities that each provides to the other according to the Percent Local Circuit Use Factor (PLCU), determined as follows:
- 8.5.1 If the data packets originate and terminate in locations in the same LATA, and are consistent with the local definitions of the Agreement, the traffic is considered local. Frame Relay framed packet data is transported within Virtual Circuits (VC). For the purposes of this Agreement, if all the data packets transported within a VC remain within the LATA, then consistent with the local definitions in this Agreement, the traffic on that VC is local (Local VC).
- 8.5.2 If the originating and terminating locations of the two-way packet data traffic are not in the same LATA, the traffic on that VC is interLATA (InterLATA VC).
- 8.5.3 The PLCU is determined by dividing the total number of Local VCs, by the total number of VCs on each Frame Relay facility. To facilitate implementation, CI2 may determine its PLCU in aggregate, by dividing the total number of Local VCs in a given LATA by the total number VCs in that LATA. The Parties agree to renegotiate the method for determining PLCU, at BellSouth's request, and within 90 days, if BellSouth notifies CI2 that it has found that this method does not adequately represent the PLCU.
- 8.5.4 If there are no VCs on a facility when it is billed, the PLCU will be zero.
- 8.5.5 BellSouth will provide the circuit between the Parties' respective Frame Relay Switches. The Parties will be compensated as follows: BellSouth will invoice, and CI2 will pay, the total nonrecurring and recurring charges for the circuit based upon the rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. CI2 will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed charges for the circuit by one-half of CI2's PLCU.
- The Parties agree to compensate each other for Frame Relay network-to-network interface (NNI) ports based upon the NNI rates set forth in BellSouth's Interstate Access Tariff, FCC No. 1. Compensation for each pair of NNI ports will be calculated as follows: BellSouth will invoice, and CI2 will pay, the total nonrecurring and recurring charges for the NNI port. CI2 will then invoice, and BellSouth will pay, an amount calculated by multiplying the BellSouth billed nonrecurring and recurring charges for the NNI port by CI2's PLCU.
- 8.7 Each Party agrees that there will be no charges to the other Party for its own subscriber's Permanent Virtual Circuit (PVC) rate elements for the local PVC segment from its Frame Relay switch to its own subscriber's premises. PVC rate elements include the Data Link Connection Identifier (DLCI) and Committed Information Rate (CIR).

- 8.8 For the PVC segment between the CI2 and BellSouth Frame Relay switches, compensation for the PVC charges is based upon the rates in BellSouth's Interstate Access Tariff, FCC No. 1.
- 8.9 Compensation for PVC rate elements will be calculated as follows:
- 8.9.1 If CI2 orders a VC connection between a BellSouth subscriber's PVC segment and a PVC segment from the BellSouth Frame Relay switch to the CI2 Frame Relay switch, BellSouth will invoice, and CI2 will pay, the total nonrecurring and recurring PVC charges for the PVC segment between the BellSouth and CI2 Frame Relay switches. If the VC is a Local VC, CI2 will then invoice and BellSouth will pay, the total nonrecurring and recurring PVC charges billed for that segment. If the VC is not local, no compensation will be paid to CI2 for the PVC segment.
- 8.9.2 If BellSouth orders a Local VC connection between a CI2 subscriber's PVC segment and a PVC segment from the CI2 Frame Relay switch to the BellSouth Frame Relay switch, BellSouth will invoice, and CI2 will pay, the total nonrecurring and recurring PVC and CIR charges for the PVC segment between the BellSouth and CI2 Frame Relay switches. If the VC is a Local VC, CI2 will then invoice and BellSouth will pay the total nonrecurring and recurring PVC and CIR charges billed for that segment. If the VC is not local, no compensation will be paid to CI2 for the PVC segment.
- 8.9.3 The Parties agree to compensate each other for requests to change a PVC segment or PVC service order record, according to the Feature Change charge as set forth in the BellSouth access tariff BellSouth Tariff FCC No. 1.
- 8.9.4 If CI2 requests a change, BellSouth will invoice and CI2 will pay a Feature Change charge for each affected PVC segment.
- 8.9.4.1 If BellSouth requests a change to a Local VC, CI2 will invoice and BellSouth will pay a Feature Change charge for each affected PVC segment.
- 8.9.5 The Parties agree to limit the sum of the CIR for the VCs on a DS1 NNI port to not more than three times the port speed, or not more than six times the port speed on a DS3 NNI port.
- 8.9.6 Except as expressly provided herein, this Agreement does not address or alter in any way either Party's provision of Exchange Access Frame Relay Service, Managed Shared Frame Relay Service or interLATA Frame Relay Service. All charges by each Party to the other for carriage of Exchange Access Frame Relay Service or interLATA Frame Relay Service are included in the BellSouth access tariff BellSouth Tariff FCC No. 1.

- 8.10 CI2 will identify and report quarterly to BellSouth the PLCU of the Frame Relay facilities it uses, per Section 8.5.3 above.
- 8.11 Either Party may request a review or audit of the various service components, consistent with the provisions of section E2 of the BellSouth State Access Services tariffs or Section 2 of the BellSouth FCC No.1 Tariff.

#### 9. ORDERING CHARGES

9.1 The terms, conditions and rates for Ordering Charges are as set forth in FCC Tariff for Access Service Records.

#### 10 BASIC 911 AND E911 INTERCONNECTION

- Basic 911 and E911 provides a caller access to the applicable emergency service bureau by dialing 911.
- Basic 911 Interconnection. BellSouth will provide to CI2 a list consisting of each municipality that subscribes to Basic 911 service. The list will also provide, if known, the E911 conversion date for each municipality and, for network routing purposes, a ten-digit directory number representing the appropriate emergency answering position for each municipality subscribing to 911. CI2 will be required to arrange to accept 911 calls from its end users in municipalities that subscribe to Basic 911 service and translate the 911 call to the appropriate 10-digit directory number as stated on the list provided by BellSouth. CI2 will be required to route that call to BellSouth at the appropriate 911 tandem. When a municipality converts to E911 service, CI2 will be required to begin using E911 procedures.
- 10.3 E911 Interconnection. CI2 shall install a minimum of two dedicated trunks originating from its Serving Wire Center and terminating to the appropriate E911 tandem. The Serving Wire Center must be in the same LATA as the E911 tandem. The dedicated trunks shall be, at a minimum, DS0 level trunks configured as part of a digital (1.544 Mb/s) interface (DS1 facility). The configuration shall use CAMA-type signaling with multifrequency (MF) pulsing that will deliver ANI with the voice portion of the call. If the user interface is digital, MF pulses as well as other AC signals shall be encoded per the u-255 Law convention. CI2 will be required to provide BellSouth daily updates to the E911 database. CI2 will be required to forward 911 calls to the appropriate E911 tandem along with ANI based upon the current E911 end office to tandem homing arrangement as provided by BellSouth. If the E911 tandem trunks are not available, CI2 will be required to route the call to a designated 7-digit or 10-digit local number residing in the appropriate Public Service Answering Point (PSAP). This call will be transported over BellSouth's interoffice network and will not carry the ANI of the calling party. CI2 shall be responsible for providing BellSouth with complete and


Version 3Q03: 11/12/2003

accurate data for submission to the 911/E911 database for the purpose of providing 911/E911 to its end users.

- 10.4 <u>Rates.</u> BellSouth will impose applicable charges on CI2 for BellSouth trunking arrangements. Rates for trunking arrangements are as set forth in Exhibit A of this Attachment. In addition CI2 will be responsible for charges for the facilities that the E911 trunks will ride. Facility rates are as set forth in the access tariff.
- 10.5 The detailed practices and procedures for 911/E911 interconnection are contained in the E911 Local Exchange Carrier Guide For Facility-Based Providers as amended from time to time during the term of this Agreement.


### **Basic Architecture**

Exhibit B




# **One-Way Architecture**

**Exhibit C** 



# **Two-Way Architecture**


**Exhibit D** 



# ATTACHMENT 3 PAGE 31

#### Exhibit E

# **Supergroup Architecture**



LOCAL INT	ERCONNECTION - Alabama													ment: 3		ibit: A
											Svc Order	Svc Order	Incremental	Incremental	Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		m									<b>,</b>	<b>,</b>	Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
																<u> </u>
	RCONNECTION (CALL TRANSPORT AND TERMINATION)			4	1											<u> </u>
	: "bk" beside a rate indicates that the Parties have agreed to be	ili and k	eep roi	tnat element pursu	lant to the te	rms and conditi	ons in Attachr	nent 3.	-							
IAND	Tandem Switching Function Per MOU			OHD	+	0.0004980bk								-		<del> </del>
<del>                                     </del>	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD		0.0004960DK					1					
	only)			OHD		0.000498										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										+
* This	charge is applicable only to transit traffic and is applied in ad	dition to	o appli		l/or intercon											
	K CHARGE			l			-		İ							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.56	8.12								
	Installation Trunk Side Service - per DS0		1	OHD	TPP9X		21.56	8.12	į į		Ì					1
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										1
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	s rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	5								
COM	MON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000023bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0003224bk										
	RCONNECTION (DEDICATED TRANSPORT)															
INTER	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -	1		OUM	41 ENIE	0.000000										
-	Per Mile per month			OHM	1L5NF	0.008838			-		1					<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month			ОНМ	1L5NF	21.13	40.54	27.41	16.74	6.90						
+	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OF IIVI	ILSINI	21.13	40.54	27.41	10.74	0.90	1					
	per month			ОНМ	1L5NK	0.008838										
<b> </b>	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TEGIVIT	0.000000										1
	Termination per month			ОНМ	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			ОНМ	1L5NK	0.008838										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	15.12	40.54	27.41	16.74	6.90						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															1
	month			OH1, OH1MS	1L5NL	0.18										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	60.16	89.27	81.81	16.35	14.44						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.09										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.101.00						=0.40						
	Termination per month			OH3, OH3MS	1L5NM	703.52	278.75	162.76	60.20	58.46						
LOCA	L CHANNEL - DEDICATED TRANSPORT			OHM	TEFV2	13.97	193.10	33.17	36.64	3.20						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM												
<del>                                     </del>	Local Channel - Dedicated - 4-Wire Voice Grade per month  Local Channel - Dedicated - DS1 per month	1	<del> </del>	OHM OH1	TEFV4 TEFHG	14.93 35.76	193.53 177.47	33.60 153.72	37.11 22.19	3.67 15.26				+		+
<del>                                     </del>	Local Orlanner - Dedicated - DOT per month	1	<del>                                     </del>	0111	ILITIO	33.76	111.41	155.72	22.19	13.20				<del> </del>	1	<del>                                     </del>
] [	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	416.54	451.52	263.94	119.49	83.58				I		
LOCA	L INTERCONNECTION MID-SPAN MEET	1	<b>!</b>		1.20	710.04	TO 1.02	200.04	110.40	55.50	1			<b>I</b>	1	<del>                                     </del>
	: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.				†					1		
1.012	Local Channel - Dedicated - DS1 per month			OH1MS	TEFHG	0.00	0.00		† 1					1		<b>†</b>
	Local Channel - Dedicated - DS3 per month	1	i –	OH3MS	TEFHJ	0.00	0.00		1							1
MULT	TPLEXERS	1	i –		1				1							1
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	101.06	91.04	62.57	10.54	9.79						1
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	166.13	178.14	93.97	33.26	31.63						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	12.70	6.58	4.72								
Notes	: If no rate is identified in the contract, the rates, terms, and co	ondition	s for t	he specific service o	or function w	ill be as set fort	h in applicable	e BellSouth ta	riff.							

LOCA	AL INTE	RCONNECTION - Florida													ment: 3		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
	1					+	i I	Nonrec	curring	Nonrecurring	Disconnect		1	oss	Rates (\$)	I.	<u> </u>
						+	Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL	LINTER	CONNECTION (CALL TRANSPORT AND TERMINATION)															
		"bk" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	that element pursu	ant to the te	rms and conditi	ons in Attachn	nent 3.								
		M SWITCHING															
		Tandem Switching Function Per MOU			OHD		0.0006019bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem															
		only)			OHD		0.0006019										
	* Thin	Tandem Intermediary Charge, per MOU*	dition t	o oppli	OHD	d/or intercen	0.0025					1					
		charge is applicable only to transit traffic and is applied in ad	dition to	о арри	cable switching and	J/or interconi	nection charges	•									<b></b>
		CHARGE Installation Trunk Side Service - per DS0	1	1	OHD	TPP6X	+	21.73	8.19								<del> </del>
<del></del>	+	Installation Trunk Side Service - per DS0	1	<b>-</b>	OHD	TPP9X	<del> </del>	21.73	8.19			1				1	<del>                                     </del>
<b>-</b>	1	Dedicated End Office Trunk Port Service-per DS0**	1	<del> </del>	OHD	TDEOP	0.00	21.73	0.19						1	1	<del>                                     </del>
	†	Dedicated End Office Trunk Port Service-per DS1**	1	<u> </u>	OH1 OH1MS	TDE1P	0.00										
		Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
		Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	** This	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
	COMM	ON TRANSPORT (Shared)															
		Common Transport - Per Mile, Per MOU			OHD		0.0000035bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0004372bk										
LOCAL		CONNECTION (DEDICATED TRANSPORT)															ļ
		OFFICE CHANNEL - DEDICATED TRANSPORT															
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade - Per Mile per month			ОНМ	1L5NF	0.0091										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade - Facility Termination per month	•		ОНМ	1L5NF	25.32	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile per month			ОНМ	1L5NK	0.0091										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	18.44	47.35	31.78	18.31	7.03						
Ì		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility			OH1, OH1MS	1L5NL	0.1856										
		Termination per month Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OH1, OH1MS	1L5NL	88.44	105.54	98.47	21.47	19.05						
	-	month Interoffice Channel - Dedicated Transport - DS3 - Facility			OH3, OH3MS	1L5NM	3.87										
	LOCAL	Termination per month  CHANNEL - DEDICATED TRANSPORT			OH3, OH3MS	1L5NM	1,071.00	335.46	219.28	72.03	70.56						
		Local Channel - Dedicated - 2-Wire Voice Grade per month	1		ОНМ	TEFV2	19.66	265.84	46.97	37.63	4.00						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			ОНМ	TEFV4	20.45	266.54	47.67	44.22	5.33						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	36.49	216.65	183.54	24.30	16.95						
		Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	531.91	556.37	343.01	139.13	96.84						
l		INTERCONNECTION MID-SPAN MEET	1		L.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>						ļ			ļ	ļ	<b></b>
-	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch			0.00	0.00							1		<b>├</b>
-	+	Local Channel - Dedicated - DS1 per month	1	1	OH1MS	TEFHG	0.00	0.00							1	1	<del> </del>
<b>-</b>	MIII	Local Channel - Dedicated - DS3 per month PLEXERS	1	<del>                                     </del>	OH3MS	TEFHJ	0.00	0.00				1			1	1	<del> </del>
		Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	146.77	101.42	71.62	11.09	10.49						<del> </del>
<del>                                     </del>	+	DS3 to DS1 Channel System per month	1	<b>-</b>	OH3, OH3MS	SATNS	211.19	199.28	118.64	40.34	39.07	1				1	<del></del>
	1	DS3 Interface Unit (DS1 COCI) per month		<del>                                     </del>	OH1, OH1MS	SATCO	13.76	10.07	7.08	70.04	55.07						
<b></b>	Notoci	If no rate is identified in the contract, the rates, terms, and co	ondition	s for t						iff.		1	i		Ì	Ì	

LOCAL IN	TERCONNECTION - Georgia													ment: 3		ibit: A
				]			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		Svc Order				Incremental	Incrementa
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		- ""											Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						ļ										
						Rec	Nonrec		Nonrecurring					Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCALINIT	FROMINECTION (CALL TRANSPORT AND TERMINATION)	1			+										-	
	ERCONNECTION (CALL TRANSPORT AND TERMINATION) E: "bk" beside a rate indicates that the Parties have agreed to b	ill and b	oon fo	that alamant nursu	iont to the to	rmo and sanditi	ana in Attachn	nont 2							-	
	DEM SWITCHING	III anu k	eep ioi	that element pursu	iant to the te	ins and conditi	Ons in Attachi	nent 3.	1							
17.1	Tandem Switching Function Per MOU			OHD		0.0004086bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD	+	0.000 <del>-</del> 0000K										
	only)			OHD		0.0004086										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										
* Th	is charge is applicable only to transit traffic and is applied in ac	Idition to	o appli		d/or interconi											
TRU	INK CHARGE								1							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.53	8.11								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.53	8.11								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	nis rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
CON	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000027bk										
	Common Transport - Facilities Termination Per MOU			OHD		0.0001914bk										
	ERCONNECTION (DEDICATED TRANSPORT)															
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		OUN4	41.515	0.0057										
	Per Mile per month	1		OHM	1L5NF	0.0057									-	
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	- [		ОНМ	1L5NF	12.87	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			Onivi	ILSINF	12.07	46.433	19.40	16.575	4.995	1					
	per month			ОНМ	1L5NK	0.0057										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TESIVIC	0.0037										
	Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	TEGIVIT	7.00	40.400	10.40	10.070	4.000						
	per month			ОНМ	1L5NK	0.0057										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			ОНМ	1L5NK	7.83	48.455	19.48	16.575	4.995						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			OH1, OH1MS	1L5NL	0.1154										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	34.19	111.025	80.28	31.355	21.73						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	2.53										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	342.02	320.47	86.32	66.77	52.81						
LOC	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	7.74	121.065	53.295	46.395	13.365						
$\vdash$	Local Channel - Dedicated - 4-Wire Voice Grade per month	<b>-</b>	<u> </u>	OHM	TEFV4	8.72	125.62	54.43	46.395	13.365				-	-	
$\vdash$	Local Channel - Dedicated - DS1 per month	1	<del>                                     </del>	OH1	TEFHG	18.47	149.46	111.195	40.355	26.115	-			<del>                                     </del>	<del>                                     </del>	1
	Local Channel Dedicated DS2 Facility Termination	1		OH3	TEFHJ	147.01	445.01	145.18	112.905	75 00				I	I	
100	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET	1	<del>                                     </del>	UITO	IEFfJ	147.01	445.01	145.18	112.905	75.88				<del></del>	<del></del>	1
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	ral Ch	I annol rato is annlina	able	+			+					<del> </del>	<del> </del>	<b> </b>
INOI	Local Channel - Dedicated - DS1 per month	I VICE LC	cai ch	OH1MS	TEFHG	0.00	0.00		<del>                                     </del>					<del> </del>	<del> </del>	
<del>                                     </del>	Local Channel - Dedicated - DS1 per month	1	<b>†</b>	OH3MS	TEFHJ	0.00	0.00							t	t	<del>                                     </del>
MUI	TIPLEXERS	<del> </del>	1	JJ		5.00	0.00							<b>-</b>	<b>-</b>	<del> </del>
IIIO	Channelization - DS1 to DS0 Channel System	1	<b>!</b>	OH1, OH1MS	SATN1	69.75	105.675	41.585	23.75	4.19	<u> </u>			<b>I</b>	<b>I</b>	1
	DS3 to DS1 Channel System per month	1	<b>†</b>	OH3, OH3MS	SATNS	121.90	224.475	71.83	40.005	31.065				1	1	
<del>                                     </del>	DS3 Interface Unit (DS1 COCI) per month	1	t	OH1, OH1MS	SATCO	7.35	15.805	11.385	6.605	6.605				1	t	İ
								BellSouth tai		0.000						

LOCAL IN	ITERCONNECTION - Kentucky													ment: 3		ibit: A
							· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	Svc Order	Svc Order	Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
		""									•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
						1										
		1	1			Rec	Nonrec		Nonrecurring					Rates (\$)		
					1		First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCALINIT	EDCONNECTION (CALL TRANSPORT AND TERMINATION)		1													<del> </del>
	ERCONNECTION (CALL TRANSPORT AND TERMINATION) TE: "bk" beside a rate indicates that the Parties have agreed to b	ill and b	oon fo	r that alamant nursu	iont to the to	rmo and sanditi	ana in Attachn	nont 2			1				-	<u> </u>
	NDEM SWITCHING	ili anu k	eep 10	triat element pursu	iant to the te	ins and conditi	Ons in Attachi	nent 3.	1							<u> </u>
1.51	Tandem Switching Function Per MOU			OHD		0.0006772bk					1					
<del> </del>	Multiple Tandem Switching, per MOU (applies to intial tandem			OHD	+	0.0000772DK										+
	only)			OHD		0.0006772										
	Tandem Intermediary Charge, per MOU*			OHD	+	0.0025										
* Th	his charge is applicable only to transit traffic and is applied in a	dition to	o appli		d/or interconi											
TRU	JNK CHARGE								1							
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.58	8.13								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.58	8.13								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
	Dedicated Tandem Trunk Port Service-per DS1**			OH1 OH1MS	TDW1P	0.00										
	his rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	3								
COI	MMON TRANSPORT (Shared)															
	Common Transport - Per Mile, Per MOU			OHD		0.0000030bk										
	Common Transport - Facilities Termination Per MOU	1	1	OHD		0.0007466bk										
	ERCONNECTION (DEDICATED TRANSPORT)															
INT	EROFFICE CHANNEL - DEDICATED TRANSPORT	1	1													
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade	-		OLIM	41 ENIE	0.04										
-	Per Mile per month	+	1	ОНМ	1L5NF	0.01					1				-	<u> </u>
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade Facility Termination per month	-		ОНМ	1L5NF	29.11	47.34	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile	+	1	Onivi	ILSINF	29.11	47.34	31.70	22.11	6.75	1					1
	per month			ОНМ	1L5NK	0.0115										
-	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			OT IIVI	TESIVIC	0.0113					1					
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			OT IIVI	ILOIVIC	20.07	47.00	01.70	22.77	0.70						1
	per month			ОНМ	1L5NK	0.0115										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			ОНМ	1L5NK	20.97	47.35	31.78	22.77	8.75						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per								1							
	month			OH1, OH1MS	1L5NL	0.23										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	96.04	105.52	98.46	23.09	20.49						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.97										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	1,175.15	335.40	219.24	89.57	87.75						
Loc	CAL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month	1	1	OHM	TEFV2	18.57	265.78	46.96	46.79	4.98						
$\vdash$	Local Channel - Dedicated - 4-Wire Voice Grade per month	-		OHM	TEFV4	19.86	266.48	47.65	47.54	5.73				-	-	<b>!</b>
-	Local Channel - Dedicated - DS1 per month	1	-	OH1	TEFHG	40.46	209.60	176.51	30.21	21.07	1			1	1	<del>                                     </del>
	Local Channel Dedicated DC2 Equility Termination and and	. [		ОНЗ	TEFHJ	576.05	551.38	338.08	173.00	120.42				1	1	
100	Local Channel - Dedicated - DS3 Facility Termination per month CAL INTERCONNECTION MID-SPAN MEET	+	1	UIJO	IEFfJ	5/0.05	351.38	338.08	173.00	120.42	<del>                                     </del>			<del></del>	<del></del>	<del>                                     </del>
	TE: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice ! c	rcal Ch	annel rate is applied	able	+			+		}			<del> </del>	<del> </del>	<del>                                     </del>
INU	Local Channel - Dedicated - DS1 per month	I VICE LC	cai ch	OH1MS	TEFHG	0.00	0.00		<del>                                     </del>					<del> </del>	<del> </del>	<del>                                     </del>
$\vdash$	Local Channel - Dedicated - DS3 per month	+		OH3MS	TEFHJ	0.00	0.00				<del>                                     </del>			t	t	<del>                                     </del>
MUI	LTIPLEXERS	1	1	CSIVIO		5.00	0.00							<b>-</b>	<b>-</b>	<b>†</b>
	Channelization - DS1 to DS0 Channel System	1	1	OH1, OH1MS	SATN1	113.33	101.40	71.60	13.79	13.04	1			<b>I</b>	<b>I</b>	<del>                                     </del>
	DS3 to DS1 Channel System per month	1		OH3, OH3MS	SATNS	158.20	199.23	118.62	50.16	48.59				1	1	1
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	11.80	10.07	7.08	555	.0.50				1	t	1
		1		he specific service of					·		1	1		<del>                                     </del>	<del>                                     </del>	+

LOCAL II	NTER	RCONNECTION - Louisiana													ment: 3		ibit: A
								· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	<del></del>		Svc Order	Svc Order	Incremental	Incremental	Incremental	Incrementa
												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svo
CATEGOR	Y	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									<b>P</b>	p = = = = = = =	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
																D130 131	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
							1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		ONNECTION (CALL TRANSPORT AND TERMINATION)															
		ok" beside a rate indicates that the Parties have agreed to bi	ill and k	eep fo	r that element pursu	uant to the te	rms and conditi	ons in Attachn	nent 3.								
IA		SWITCHING															
		andem Switching Function Per MOU			OHD		0.0005507bk										
		Multiple Tandem Switching, per MOU (applies to intial tandem			OHD		0.0005507										
		nly) andem Intermediary Charge, per MOU*		1	OHD		0.0005507 0.0025										
* TI		andern intermediary Charge, per MOO arge is applicable only to transit traffic and is applied in ad	dition t	o onnli		d/or intercent											
		charge is applicable only to transit trainc and is applied in ad	dition t	о аррп	Cable Switching and	a/or interconi	lection charges										
IK		nstallation Trunk Side Service - per DS0	1	1	OHD	TPP6X		21.64	8.15			1					
-		nstallation Trunk Side Service - per DS0			OHD	TPP9X		21.64	8.15								
<del>                                     </del>		Dedicated End Office Trunk Port Service-per DS0**	1	1	OHD	TDEOP	0.00	21.04	0.15	1	1				t	t	1
<del>                                     </del>		Dedicated End Office Trunk Port Service-per DS0  Dedicated End Office Trunk Port Service-per DS1**	1	1	OH1 OH1MS	TDE1P	0.00			1	1				t	t	1
<del>                                     </del>		Dedicated End Office Trunk Port Service-per DS1*	1		OHD	TDWOP	0.00				<u> </u>				t	t	<del> </del>
		Dedicated Tandem Trunk Port Service-per DS0**	1	1	OH1 OH1MS	TDW1P	0.00								<b>-</b>	<b>-</b>	<b> </b>
** T		ate element is recovered on a per MOU basis and is included	d in the	End O				I rate elements									
		N TRANSPORT (Shared)	u III tile	I I	The ownering and	Tandem Own	lonning, per wiot	rate elements	•								
<del>                                      </del>		Common Transport - Per Mile, Per MOU			OHD		0.0000032bk										
		Common Transport - Facilities Termination Per MOU			OHD		0.0003748bk										
LOCAL INT		ONNECTION (DEDICATED TRANSPORT)			0.15		0.00001 10DK										
		FICE CHANNEL - DEDICATED TRANSPORT															
-		nteroffice Channel - Dedicated Transport - 2-Wire Voice Grade -															
		Per Mile per month			OHM	1L5NF	0.013										
		nteroffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		acility Termination per month			ОНМ	1L5NF	22.60	39.36	26.62								
		nteroffice Channel - Dedicated Transport - 56 kbps - per mile															
	р	per month			OHM	1L5NK	0.013										
	İr	nteroffice Channel - Dedicated Transport - 56 kbps - Facility															
	Т	ermination per month			OHM	1L5NK	15.61	39.37	26.62								
	Ir	nteroffice Channel - Dedicated Transport - 64 kbps - per mile															
	р	er month			OHM	1L5NK	0.013										
	lr	nteroffice Channel - Dedicated Transport - 64 kbps - Facility															
		ermination per month			OHM	1L5NK	15.61	39.37	26.62								
		nteroffice Channel - Dedicated Channel - DS1 - Per Mile per															
		nonth			OH1, OH1MS	1L5NL	0.2652										
		nteroffice Channel - Dedicated Tranport - DS1 - Facility								]	]				_	_	
		ermination per month			OH1, OH1MS	1L5NL	70.47	86.69	79.44								
		nteroffice Channel - Dedicated Transport - DS3 - Per Mile per								]	]				_	_	
		nonth			OH3, OH3MS	1L5NM	6.04								1	1	
		nteroffice Channel - Dedicated Transport - DS3 - Facility													1	1	
		ermination per month			OH3, OH3MS	1L5NM	850.45	270.69	158.05								
LO		CHANNEL - DEDICATED TRANSPORT															
		ocal Channel - Dedicated - 2-Wire Voice Grade per month		1	OHM	TEFV2	18.32	187.51	32.21								
		ocal Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	19.41	187.94	32.63								
<b>-</b>	L	ocal Channel - Dedicated - DS1 per month	1	-	OH1	TEFHG	39.18	172.34	149.27	ļ	-				1	1	1
	Ι,	and Channel Dedicated DC2 Facility Termination			OHa	TEFHJ	400 44	400.40	250.00						I	I	
H . ~		ocal Channel - Dedicated - DS3 Facility Termination per month	1	-	OH3	IEFHJ	469.44	438.46	256.30	ļ	-				1	1	1
		NTERCONNECTION MID-SPAN MEET				1	ļ			<del> </del>	1	-			<del>                                     </del>	<del>                                     </del>	ļ
NO		Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cai Ch			0.00	0.00							<del>                                     </del>	<del>                                     </del>	-
<del>                                     </del>		ocal Channel - Dedicated - DS1 per month ocal Channel - Dedicated - DS3 per month	1		OH1MS OH3MS	TEFHG TEFHJ	0.00	0.00		-	-				-	-	1
N/II		LEXERS	1		OI ISIVIS	IEFFIJ	0.00	0.00		-	-				-	-	1
IVIU		Channelization - DS1 to DS0 Channel System	1	<del>                                     </del>	OH1, OH1MS	SATN1	105.09	88.41	60.76	<b> </b>	-				<del></del>	<del></del>	1
		DS3 to DS1 Channel System per month	1	1	OH3, OH3MS	SATNS	201.48	172.99	91.25			1			1	1	1
<b></b>		DS3 Interface Unit (DS1 COCI) per month	1	1	OH3, OH3MS	SATING	11.78	6.39	4.58	1	1	<del>                                     </del>			<del> </del>	<del> </del>	ł
					IOLLI, OLLIIVIO	ISAICU	11./8		4.38			1				1	1

LOCAL INT	TERCONNECTION - Mississippi													ment: 3		ibit: A
 				]				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		Svc Order				Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	<b>Manual Svc</b>	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
													Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
			<u> </u>						T. N	B'			000	D-1 (A)		<u> </u>
						Rec	Nonrec		Nonrecurring		001150	001441		Rates (\$)	001141	000000
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)				+									-	-	<del> </del>
	: "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	een fo	that element nursu	iant to the te	rme and conditi	one in Attachr	nent 3			1					<u> </u>
	DEM SWITCHING	l ana k	 	I that cicinicite parsa	Tant to the te	ling and conditi	Olio III Attuolii	ilent o.								+
	Tandem Switching Function Per MOU			OHD		0.0005379bk										
	Multiple Tandem Switching, per MOU (applies to intial tandem															
	only)			OHD		0.0005379										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
* This	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	d/or interconi	nection charges										
TRUN	NK CHARGE															
	Installation Trunk Side Service - per DS0	ļ		OHD	TPP6X		21.58	8.13						ļ	ļ	ļ
	Installation Trunk Side Service - per DS0	ļ		OHD	TPP9X		21.58	8.13	ļ					1	1	<b></b>
	Dedicated End Office Trunk Port Service-per DS0**	ļ	<u> </u>	OHD	TDEOP	0.00			ļ		ļ					<b>↓</b>
<del>                                     </del>	Dedicated End Office Trunk Port Service-per DS1**	ļ	<del>                                     </del>	OH1 OH1MS	TDE1P	0.00								1	1	<del> </del>
-	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00										
** Th:	Dedicated Tandem Trunk Port Service-per DS1** is rate element is recovered on a per MOU basis and is included	d in the	End O	OH1 OH1MS	TDW1P	0.00	l roto alamanta									
	MON TRANSPORT (Shared)	in the	Ena O	Ince Switching and	Tandem Swi	tening, per wo	) rate elements	•								<u> </u>
COMI	Common Transport - Per Mile, Per MOU		1	OHD	1	0.0000026bk					1					
	Common Transport - Facilities Termination Per MOU			OHD	+	0.0004541bk										<del>                                     </del>
LOCAL INTE	RCONNECTION (DEDICATED TRANSPORT)			OLID	+	0.000 TO TOR										1
	ROFFICE CHANNEL - DEDICATED TRANSPORT															
	Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				1				İ							
	Per Mile per month			ОНМ	1L5NF	0.0098										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
	Facility Termination per month			OHM	1L5NF	22.52	40.77	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
	per month			OHM	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
	Termination per month			OHM	1L5NK	15.68	40.78	27.57	17.26	7.11						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile			01.114	41.55.07	0.0000										
ļ	per month		<u> </u>	ОНМ	1L5NK	0.0098										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility Termination per month			ОНМ	1L5NK	15.68	40.78	27.57	17.26	7.11						
<b>-</b>	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			OHIVI	ILDINK	13.00	40.76	21.51	17.20	7.11				-	-	
	month			OH1. OH1MS	1L5NL	0.201										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility			OTTI, OTTIMO	TEGINE	0.201										1
	Termination per month			OH1, OH1MS	1L5NL	57.33	89.79	82.28	16.86	14.90						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	4.76										
	Interoffice Channel - Dedicated Transport - DS3 - Facility															
	Termination per month			OH3, OH3MS	1L5NM	641.90	280.37	163.70	62.08	60.29						
LOCA	AL CHANNEL - DEDICATED TRANSPORT															
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	14.91	194.22	33.36	37.79	3.30						
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	15.99	194.66	33.80	38.27	3.78						
<b>———</b>	Local Channel - Dedicated - DS1 per month	ļ	<u> </u>	OH1	TEFHG	36.83	178.50	154.61	22.89	15.74						<b></b>
	Local Channel Dedicated DC2 Facility Terminal	1	1	OH3	TEFHJ	440.07	454.40	204 47	400.00	00.10				I	I	
1004	Local Channel - Dedicated - DS3 Facility Termination per month AL INTERCONNECTION MID-SPAN MEET	1	-	Uris	IEFHJ	413.87	454.13	264.47	123.23	86.19	1			<del>                                     </del>	<del>                                     </del>	<del> </del>
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice ! ^	cal Cr	annel rate is annliss	able				+					+	+	<del>                                     </del>
INOTE	Local Channel - Dedicated - DS1 per month	VICE LO	cai ch	OH1MS	TEFHG	0.00	0.00		<del>                                     </del>					<del> </del>	<del> </del>	+
<del>                                     </del>	Local Channel - Dedicated - DS3 per month	<b>!</b>		OH3MS	TEFHJ	0.00	0.00		<del>                                     </del>		<b> </b>			<del>                                     </del>	<del>                                     </del>	<del>                                     </del>
MULT	TIPLEXERS	1	<del>                                     </del>	C. 101VIO	12110	0.00	0.00							<b>†</b>	<del> </del>	<del>                                     </del>
	Channelization - DS1 to DS0 Channel System	1		OH1, OH1MS	SATN1	102.85	91.57	62.94	10.87	10.10				1	1	<b>†</b>
	DS3 to DS1 Channel System per month	<b>†</b>		OH3, OH3MS	SATNS	170.63	179.17	94.52	34.30	32.82				1	1	İ
	DS3 Interface Unit (DS1 COCI) per month	1		OH1, OH1MS	SATCO	12.96	6.62	4.74						1	İ	İ .
Netes	s: If no rate is identified in the contract, the rates, terms, and co	ondition	s for t						riff.		İ					1

LOCAL IN	TERCONNECTION - North Carolina													ment: 3		ibit: A
											Svc Order				Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											1		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T 81	- B'				D-1 (A)		<u> </u>
						Rec	Nonrec			g Disconnect	001150	001111		Rates (\$)	001141	000000
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTE	RCONNECTION (CALL TRANSPORT AND TERMINATION)	-			+											
	E: "bk" beside a rate indicates that the Parties have agreed to b	ill and k	oon fo	that alament nursu	iant to the to	me and conditi	one in Attachn	nont 2								
	DEM SWITCHING	III alla k	Г	Tinat element pursu	Tant to the te	ins and conditi	Olis III Attacili	ilent J.			1					
17.11	Tandem Switching Function Per MOU			OHD	+	0.0012000bk										+
	Multiple Tandem Switching, per MOU (applies to intial tandem			OTID		0.0012000BR										
	only)			OHD		0.0012										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
* Thi	s charge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	l/or interconi	nection charges										
TRUI	NK CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.55	8.12								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.55	8.12								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**			OHD	TDWOP	0.00									ļ	<b>↓</b>
<b>—</b>	Dedicated Tandem Trunk Port Service-per DS1**	1	<u> </u>	OH1 OH1MS	TDW1P	0.00			ļ	ļ	ļ					<b>↓</b>
	is rate element is recovered on a per MOU basis and is include	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOl	J rate elements	\$								ļ
COM	MON TRANSPORT (Shared)	ļ		O. I.B.		0.000040011										
	Common Transport - Per Mile, Per MOU			OHD		0.0000100bk										
LOCAL INTE	Common Transport - Facilities Termination Per MOU			OHD		0.0003400bk										<b>_</b>
	RCONNECTION (DEDICATED TRANSPORT)															<del> </del>
INTE	ROFFICE CHANNEL - DEDICATED TRANSPORT  Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -															<del> </del>
	Per Mile per month			ОНМ	1L5NF	0.0282										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		OF IIVI	ILSINI	0.0202					1					1
	Facility Termination per month			ОНМ	1L5NF	18.00	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OT IIVI	TEGINI	10.00	107.40	02.00								
	per month			ОНМ	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			O		0.0202										
	Termination per month			ОНМ	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
	per month			ОНМ	1L5NK	0.0282										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	17.40	137.48	52.58								
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.5753										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility				1										1	
	Termination per month		<u> </u>	OH1, OH1MS	1L5NL	71.29	217.17	163.75						ļ	ļ	<b>ļ</b>
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per				I	40								1	I	
$\vdash$	month	1	<u> </u>	OH3, OH3MS	1L5NM	12.98					<u> </u>			ļ	-	<b>.</b>
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0110 0110340	41.5834	700.00	70401	-70 F-						1	I	
H	Termination per month AL CHANNEL - DEDICATED TRANSPORT	1	<u> </u>	OH3, OH3MS	1L5NM	720.38	794.94	579.55	1	1	}			1	<b>!</b>	<del> </del>
LOC	Local Channel - Dedicated TRANSPORT	1	<del>                                     </del>	OHM	TEFV2	11.24	553.80	89.69	1	1	1			<del>                                     </del>	<del>                                     </del>	<del> </del>
$\vdash$	Local Channel - Dedicated - 2-wire voice Grade per month  Local Channel - Dedicated - 4-Wire Voice Grade per month	1	<del>                                     </del>	OHM	TEFV2	11.24	562.23	92.67	1	1	<del>                                     </del>			-	<del></del>	<del> </del>
$\vdash$	Local Channel - Dedicated - 4-Wire Voice Grade per month  Local Channel - Dedicated - DS1 per month	1	<del> </del>	OHM OH1	TEFHG	12.03 27.05	562.23	92.67 462.69	1		}			1	+	<del> </del>
<del>                                     </del>	person charmer - Dedicated - DOT per month	1	<b>†</b>	0.11	ILITIG	21.00	JJ4.40	402.09	1	1	<del>                                     </del>			<del>                                     </del>	t	<del>                                     </del>
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	298.92	438.46	256.30							1	
LOC	AL INTERCONNECTION MID-SPAN MEET		t		1									1	t	
	E: If Access service ride Mid-Span Meet, one-half the tariffed se	rvice Lo	cal Ch	annel rate is applica	able.									İ	İ	
	Local Channel - Dedicated - DS1 per month	T	1	OH1MS	TEFHG	0.00	0.00								1	1
	Local Channel - Dedicated - DS3 per month	1	1	OH3MS	TEFHJ	0.00	0.00				Ì					1
MUL	TIPLEXERS															
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	146.69	197.78	140.06								
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	233.10	403.97	234.40								
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	16.07	13.09	9.38								
Note	s: If no rate is identified in the contract, the rates, terms, and c	ondition	s for t	he specific service of	or function w	ill be as set for	h in applicable	e BellSouth ta	riff.							

LOCAL INTE	RCONNECTION - South Carolina													ment: 3		ibit: A
								·		· ·	Svc Order				Incremental	
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi									Elec	Manually	<b>Manual Svc</b>	Manual Svc	Manual Svc	Manual Svo
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											•		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
									T N1	B'			000	D-1 (A)		<u> </u>
						Rec	Nonrec		Nonrecurring		001150	001111		Rates (\$)	0011411	001141
_							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
LOCAL INTERC	CONNECTION (CALL TRANSPORT AND TERMINATION)	-			+											-
	"bk" beside a rate indicates that the Parties have agreed to bi	ill and k	oon fo	that alament nursu	iant to the to	rme and conditi	one in Attachr	nont 2								-
	M SWITCHING	III alla k	Г	Tinat element pursu	Tant to the te	lins and conditi	Olis III Attacili	ilent J.			1					
	Tandem Switching Function Per MOU			OHD	+	0.0007360bk										+
	Multiple Tandem Switching, per MOU (applies to intial tandem			OLID	+	0.0007 000DK										
	only)			OHD		0.000736										
	Tandem Intermediary Charge, per MOU*			OHD		0.0025										
	harge is applicable only to transit traffic and is applied in ad	dition to	o appli	cable switching and	d/or interconi	nection charges										
TRUNK	CHARGE															
	Installation Trunk Side Service - per DS0			OHD	TPP6X		21.65	8.16								
	Installation Trunk Side Service - per DS0			OHD	TPP9X		21.65	8.16								
	Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
	Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	Dedicated Tandem Trunk Port Service-per DS0**	1		OHD	TDWOP	0.00										<u> </u>
	Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDW1P	0.00			ļ					ļ	ļ	ļ
	rate element is recovered on a per MOU basis and is included	d in the	End O	ffice Switching and	Tandem Swi	tching, per MOL	J rate elements	5								
	ON TRANSPORT (Shared)			O. I.D.												
	Common Transport - Per Mile, Per MOU			OHD		0.0000045bk										<b>.</b>
	Common Transport - Facilities Termination Per MOU			OHD		0.0004095bk										
	CONNECTION (DEDICATED TRANSPORT)								-							<b></b>
	DFFICE CHANNEL - DEDICATED TRANSPORT Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -								-							<b></b>
	Per Mile per month			ОНМ	1L5NF	0.0167										
	Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -	1		OF IIVI	ILSINI	0.0107					1					
	Facility Termination per month			ОНМ	1L5NF	24.30	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 56 kbps - per mile			OT IIVI	TEGINI	24.00	40.00	21.41	10.77	0.01						1
	per month			ОНМ	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 56 kbps - Facility			0	1201111	0.0.0										
	Termination per month			ОНМ	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Transport - 64 kbps - per mile															1
	per month			ОНМ	1L5NK	0.0167										
	Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
	Termination per month			OHM	1L5NK	16.76	40.63	27.47	16.77	6.91						
	Interoffice Channel - Dedicated Channel - DS1 - Per Mile per															
	month			OH1, OH1MS	1L5NL	0.3415										
	Interoffice Channel - Dedicated Tranport - DS1 - Facility															
	Termination per month			OH1, OH1MS	1L5NL	77.14	89.47	81.99	16.39	14.48						
	Interoffice Channel - Dedicated Transport - DS3 - Per Mile per															
	month			OH3, OH3MS	1L5NM	8.02										
	Interoffice Channel - Dedicated Transport - DS3 - Facility			0.10 0.1010												
	Termination per month	ļ		OH3, OH3MS	1L5NM	880.65	279.37	163.12	60.33	58.59						
LOCAL	CHANNEL - DEDICATED TRANSPORT			OUN.	TEE\ (0	45.00	100 50	00.04	00.70	0.01						
	Local Channel - Dedicated - 2-Wire Voice Grade per month			OHM	TEFV2	15.33	193.53	33.24	36.72	3.21	1					<del> </del>
	Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4 TEFHG	16.54	193.97 177.87	33.68	37.19	3.68 15.30						-
	Local Channel - Dedicated - DS1 per month			OH1	IEFRG	42.62	177.87	154.06	22.24	15.30				<del> </del>	<del> </del>	
	Local Channel - Dedicated - DS3 Facility Termination per month			ОНЗ	TEFHJ	446.00	452.52	264.53	119.75	83.77				1		
	INTERCONNECTION MID-SPAN MEET	<b>-</b>	1	00		770.00	702.02	204.00	110.70	55.77				<b>-</b>	<b>†</b>	<del>                                     </del>
	If Access service ride Mid-Span Meet, one-half the tariffed se	rvice I o	cal Ch	annel rate is applica	able.	†			t 1					<u> </u>	<b>†</b>	<del>                                     </del>
	Local Channel - Dedicated - DS1 per month		Ju. 011	OH1MS	TEFHG	0.00	0.00		†					1	1	
	Local Channel - Dedicated - DS3 per month	1		OH3MS	TEFHJ	0.00	0.00		†						İ	
	PLEXERS	1	i –		1				1						İ	1
	Channelization - DS1 to DS0 Channel System			OH1, OH1MS	SATN1	107.57	91.24	62.71	10.56	9.81						
	DS3 to DS1 Channel System per month			OH3, OH3MS	SATNS	144.02	178.54	94.18	33.33	31.90						
	DS3 Interface Unit (DS1 COCI) per month			OH1, OH1MS	SATCO	8.64	6.59	4.73								
Notes:	If no rate is identified in the contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and contract, the rates, terms, and the rates, terms, and the rates, th	ondition	s for t	he specific service of	or function w	ill be as set fort	h in applicable	e BellSouth ta	riff.							

LOC	AL INTE	RCONNECTION - Tennessee													ment: 3		ibit: A
CATE	GORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
																DISC 1St	DISC Add 1
							Rec	Nonrecurring		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
1.004	LINITED	CONNECTION (CALL TRANSPORT AND TERMINATION)		1		+						1					
LOCA		CONNECTION (CALL TRANSPORT AND TERMINATION) "bk" beside a rate indicates that the Parties have agreed to bi	ll and k	oon fo	that alamant nursu	iont to the to	ma and aanditi	ono in Attachn	nont 2			1					
		M SWITCHING	III allu k	Г	That element pursu	Tank to the te	Ilis and conditi	Olis III Attacili	ilent 3.			1					<del>                                     </del>
		Tandem Switching Function Per MOU		1	OHD	+	0.0009778bk					1					
		Multiple Tandem Switching, per MOU (applies to intial tandem	1		OFID		0.0003770DK										<del> </del>
		only)			OHD		0.0009778										
		Tandem Intermediary Charge, per MOU*			OHD		0.0025										
	* This o	charge is applicable only to transit traffic and is applied in ad	dition to	appli	cable switching and	d/or intercon	nection charges	i.									
		CHARGE															
		Installation Trunk Side Service - per DS0			OHD	TPP6X		21.59	8.09		-						
		Installation Trunk Side Service - per DS0			OHD	TPP9X		21.59	8.09		-						
		Dedicated End Office Trunk Port Service-per DS0**			OHD	TDEOP	0.00										
		Dedicated End Office Trunk Port Service-per DS1**			OH1 OH1MS	TDE1P	0.00										
	1	Dedicated Tandem Trunk Port Service-per DS0**	ļ	<u> </u>	OHD	TDWOP	0.00					ļ			ļ	ļ	<b></b>
		Dedicated Tandem Trunk Port Service-per DS1**	<u> </u>	<u> </u>	OH1 OH1MS	TDW1P	0.00										ļ
		rate element is recovered on a per MOU basis and is included	in the	End O	fice Switching and	l andem Swi	tching, per MO	J rate elements	3								ļ
	COMIN	ON TRANSPORT (Shared)			OHD		0.0000064bk										
		Common Transport - Per Mile, Per MOU  Common Transport - Facilities Termination Per MOU	1	<u> </u>	OHD	-	0.0000064bk										
LOCAL	INTED	CONNECTION (DEDICATED TRANSPORT)			OHD	+	0.000387 IDK										
LUCA		DEFICE CHANNEL - DEDICATED TRANSPORT				+											1
		Interoffice Channel - Dedicated Transport - 2-Wire Voice Grade -				+											
		Per Mile per month			ОНМ	1L5NF	0.0174										
		Interoffice Channel - Dedicated Transport- 2- Wire Voice Grade -															
		Facility Termination per month			ОНМ	1L5NF	18.58	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Transport - 56 kbps - per mile															
		per month			OHM	1L5NK	0.0174										
		Interoffice Channel - Dedicated Transport - 56 kbps - Facility															
		Termination per month			OHM	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Transport - 64 kbps - per mile															
		per month			OHM	1L5NK	0.0174										
		Interoffice Channel - Dedicated Transport - 64 kbps - Facility															
		Termination per month			ОНМ	1L5NK	17.98	55.39	17.37	27.96	3.51						
		Interoffice Channel - Dedicated Channel - DS1 - Per Mile per			0114 0114140	41.5511	0.0500										
		month Interoffice Channel - Dedicated Tranport - DS1 - Facility	1	<u> </u>	OH1, OH1MS	1L5NL	0.3562										-
		Termination per month			OH1, OH1MS	1L5NL	77.86	112.40	76.27	19.55	14.99						
		Interoffice Channel - Dedicated Transport - DS3 - Per Mile per			OTTI, OTTINIO	TESINE	77.00	112.40	10.21	19.55	14.55						
		month			OH3, OH3MS	1L5NM	2.34										
		Interoffice Channel - Dedicated Transport - DS3 - Facility			Crio, Criome	1201111	2.01										
		Termination per month			OH3, OH3MS	1L5NM	848.99	395.29	176.56	109.04	105.91						
	LOCAL	CHANNEL - DEDICATED TRANSPORT															
		Local Channel - Dedicated - 2-Wire Voice Grade per month			ОНМ	TEFV2	19.43	199.33	24.16	54.81	4.80						
		Local Channel - Dedicated - 4-Wire Voice Grade per month			OHM	TEFV4	20.56	201.53	24.83	55.52	5.51						
		Local Channel - Dedicated - DS1 per month			OH1	TEFHG	40.99	277.35	233.26	33.18	22.30						
											<u> </u>						
		Local Channel - Dedicated - DS3 Facility Termination per month			OH3	TEFHJ	611.30	595.37	304.50	215.82	151.15						<u> </u>
		INTERCONNECTION MID-SPAN MEET	L	<u> </u>	<u> </u>	1											<u> </u>
	NOTE:	If Access service ride Mid-Span Meet, one-half the tariffed ser	rvice Lo	cal Ch								ļ			ļ	ļ	<b></b>
	-	Local Channel - Dedicated - DS1 per month	ļ	<del>                                     </del>	OH1MS	TEFHG	0.00	0.00							1	1	<del>                                     </del>
	MIN TO	Local Channel - Dedicated - DS3 per month	ļ	<del>                                     </del>	OH3MS	TEFHJ	0.00	0.00							1	1	<del>                                     </del>
		PLEXERS Channelization - DS1 to DS0 Channel System	1	<u> </u>	OH1, OH1MS	SATN1	80.77	141.87	77.11	44.47	42.62	-			-	-	<del>                                     </del>
-	1	DS3 to DS1 Channel System per month	1	1	OH3, OH3MS	SATNS	222.98	308.03	108.47	6.34	42.62	}					<del>                                     </del>
	1	DS3 Interface Unit (DS1 COCI) per month	<del>                                     </del>		OH3, OH3MS	SATING	17.58	6.07	4.66	0.34	4.23	1			1	1	<del>                                     </del>
1		If no rate is identified in the contract, the rates, terms, and co								:44		1	-		ł	1	<del>                                     </del>

## **Attachment 4**

**Physical Collocation** 

#### BELLSOUTH

#### PHYSICAL COLLOCATION

#### 1. Scope of Attachment

- 1.1 The rates, terms, and conditions contained within this Attachment shall only apply when CI2 is physically collocated as a sole occupant or as a Host within a "BellSouth Premises" location pursuant to this Attachment. "BellSouth Premises" include BellSouth Central Offices and Serving Wire Centers (hereinafter "BellSouth Premises"). This Attachment is applicable to "BellSouth Premises" owned or leased by BellSouth. However, if the "BellSouth Premises" occupied by BellSouth is leased by BellSouth from a third party, special considerations and intervals may apply in addition to the terms and conditions contained in this Attachment.
- Right to Occupy. BellSouth shall offer to CI2 collocation on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the FCC. Subject to the rates, terms and conditions of this Attachment, where space is available and it is technically feasible, BellSouth will allow CI2 to occupy a certain area designated by BellSouth within a "BellSouth Premises", or on BellSouth property upon which the "BellSouth Premises" is located, of a size which is specified by CI2 and agreed to by BellSouth (hereinafter "Collocation Space"). The necessary rates, terms and conditions for h premises as defined by the FCC, other than BellSouth Premises, shall be negotiated upon reasonable request for collocation at such premises.
- 1.2.1 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth in this Attachment.
- 1.2.1.1 In all states other than Florida, the size specified by CI2 may contemplate a request for space sufficient to accommodate CI2's growth within a twenty-four (24) month period.
- 1.2.1.2 In the state of Florida, the size specified by CI2 may contemplate a request for space sufficient to accommodate CI2's growth within an eighteen (18) month period.
- 1.3 Space Allocation. BellSouth shall attempt to accommodate CI2's requested space preferences, if any. In allocating Collocation Space, BellSouth shall not materially increase CI2's cost or materially delay CI2's occupation and use of the Collocation Space, assign Collocation Space that will impair the quality of service or otherwise limit the service CI2 wishes to offer, reduce unreasonably the total space available for physical collocation or preclude unreasonable physical collocation within the "BellSouth Premises". Space shall not be available for collocation if it is: (a) physically occupied by non-obsolete equipment; (b) assigned to another collocated telecommunications carrier; (c) used to provide physical access to occupied space; (d) used to enable technicians to work on equipment located within occupied space; (e) properly reserved for future use, either by BellSouth or another collocated

telecommunications carrier; or (f) essential for the administration and proper functioning of the "BellSouth Premises". BellSouth may segregate Collocation Space and require separate entrances for collocated telecommunications carriers to access their Collocation Space, pursuant to FCC Rules.

- 1.4 <u>Space Reclamation.</u> In the event of space exhaust within a "BellSouth Premises", BellSouth may include in its documentation for the Petition for Waiver filed with the Commission, any unutilized space in the "BellSouth Premises", including unutilized space held by CI2 and other collocated telecommunications carriers in BellSouth's Premises. CI2 will be responsible for the justification of unutilized space within its Collocation Space, if the Commission requires such justification.
- 1.4.1 If physical Collocation Space is needed to accommodate another telecommunication carrier's request for physical collocation or BellSouth's own immediate space needs, BellSouth may reclaim from CI2 any physical Collocation Space that is not being "efficiently used" or that cannot be proven to be needed within the two (2) year (18 months in Florida) planning period. This term ("efficiently used") shall mean that substantially all of the floor space is taken up by CI2's collocated equipment as described in Section 5.1 of this Attachment. In addition, BellSouth may reclaim, for the same reasons as those stated above, any space that is not being used at all to house CI2's equipment and/or facilities for collocation purposes. CI2 will have one hundred eighty (180) calendar days from receipt of notice by BellSouth to CI2 of the need for such physical Collocation Space to ensure that such space is being used in accordance with the terms and conditions herein and shall be responsible to justify to the Commission, if the Commission requires such justification.
- 1.5 <u>Use of Space</u>. CI2 shall use the Collocation Space for the purpose of installing, maintaining and operating CI2's equipment (including testing and monitoring equipment) necessary for interconnection with BellSouth's services/facilities or for accessing BellSouth's unbundled network elements for the provision of telecommunications services, as specifically set forth in this Agreement. The Collocation Space assigned to CI2 may not be used for any purposes other than as specifically described herein or in any amendment hereto.
- 1.6 <u>Rates and Charges</u>. CI2 agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.7 If any due date contained in this Attachment falls on a weekend or a National holiday, the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less, National holidays will be excluded.
- 1.8 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

#### 2. Space Availability Report

- 2.1 Space Availability Report. Upon request from CI2 and at the CI2's expense, BellSouth will provide a written report (Space Availability Report) describing in detail the space that is currently available for collocation at a particular "BellSouth Premises". This report will include the amount of Collocation Space available at the "BellSouth Premises" requested, the number of collocators present at the "BellSouth Premises", any modifications in the use of the space since the last report on the "BellSouth Premises" requested and the measures BellSouth is taking to make additional space available for collocation arrangements. A Space Availability Report does not reserve space at the "BellSouth Premises" for which the Space Availability Report was requested by CI2.
- 2.1.1 The request from CI2 for a Space Availability Report must be in writing and include the "BellSouth Premises" street address, as identified in the Local Exchange Routing Guide (LERG) and Common Language Location Identification (CLLI) code of the "BellSouth Premises". CLLI code information is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular "BellSouth Premises" within ten (10) calendar days of the receipt of such a request. BellSouth will make its best efforts to respond in ten (10) calendar days to a Space Availability Report request when the request includes from two (2) to five (5) "BellSouth Premises" within the same state. The response time for Space Availability Report requests of more than five (5) "BellSouth Premises", whether the request are for the same state or for two or more states within the BellSouth Region, shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify CI2 and inform CI2 of the timeframe under which it can respond.

#### 3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow CI2 to collocate CI2's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow CI2 to have direct access to CI2's equipment and facilities in accordance with Section 5.9. BellSouth shall make cageless collocation available in single bay increments. Except where CI2's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, CI2 must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment.

- 3.2 Caged. At CI2's expense, CI2 will arrange with a Supplier certified by BellSouth (BellSouth Certified Supplier) to construct a collocation arrangement enclosure in accordance with BellSouth's Technical References (TRs) (hereinafter referred to as Specifications) prior to starting equipment installation. BellSouth will provide Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's enclosure Specifications, CI2 and CI2's BellSouth Certified Supplier must comply with the more stringent local building code requirements. CI2's BellSouth Certified Supplier shall be responsible for filing and obtaining any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with CI2 and provide, at CI2's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for CI2's BellSouth Certified Supplier to obtain all necessary permits and/or other licenses. CI2's BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by CI2's BellSouth Certified Supplier. CI2 must provide the local BellSouth Central Office Building Contact with two (2) Access Keys that will allow entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access CI2's locked enclosure prior to notifying CI2 at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required. Upon request, BellSouth shall construct the enclosure for CI2.
- 3.2.1 BellSouth may elect to review CI2's plans and specifications prior to allowing construction to start, to ensure compliance with BellSouth's Specifications. BellSouth will notify CI2 of its desire to execute this review in BellSouth's response to the Initial Application, if CI2 has indicated its desire to construct its own enclosure. If CI2's Initial Application does not indicate its desire to construct its own enclosure, but its subsequent firm order does indicate its desire to construct its own enclosure, then notification to review will be given within ten (10) calendar days after the date the firm order has been received by BellSouth. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of CI2's plans and specifications. Regardless of whether or not BellSouth elects to review CI2's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction has been completed to ensure that it is constructed according to CI2's submitted plans and specifications and/or BellSouth's Specifications, as applicable. If BellSouth decides to inspect the constructed Collocation Space, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from CI2. BellSouth shall require CI2 to remove or correct within seven (7) calendar days, at CI2's expense, any structure that does not meet CI2's plans and specifications or BellSouth's Specifications, as applicable.
- 3.3 <u>Shared Caged Collocation</u>. CI2 may allow other telecommunications carriers to share CI2's caged collocation arrangement, pursuant to the terms and conditions agreed to by CI2 (Host) and the other telecommunications carriers (Guests) contained in this Section, except where the "BellSouth Premises" is located within a leased space and BellSouth is prohibited by said lease from offering such an option to CI2. BellSouth

shall be notified in writing by CI2 upon the execution of any agreement between the Host and its Guest(s) within ten (10) calendar days of its execution and prior to the submission of any Firm Orders. Further, such notification shall include the name of the Guest(s), the term of the agreement, and a certification by CI2 that said agreement imposes upon the Guest(s) the same terms and conditions for Collocation Space as set forth in this Attachment between BellSouth and CI2. The term of the agreement between the Host and its Guest(s) shall not exceed the term of this Attachment between BellSouth and CI2.

- 3.3.1 CI2, as the Host, shall be the sole interface and responsible Party to BellSouth for the assessment and billing of rates and charges contained within this Attachment. CI2 is also responsible for ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest(s), its employees and agents. BellSouth shall provide CI2 with a proration of the costs of the Collocation Space based on the number of collocators and the space used by each. There will be a minimum charge of one (1) bay/rack per Host/Guest. In addition to the above, for all states other than Florida, CI2 shall be the responsible party to BellSouth for the purpose of submitting applications for initial and additional equipment placement for the Guest(s). In Florida, the Guest(s) may submit its own initial and subsequent equipment placement applications using the Host's Access Carrier Name Abbreviation (ACNA). A separate Guest application shall result in the assessment of an Initial Application Fee or a Subsequent Application Fee, as set forth in Exhibit B, which will be billed to the Host on the date that BellSouth provides its written response to the Guest(s) Bona Fide Application (Application Response).
- 3.3.2 Notwithstanding the foregoing, the Guest(s) may submit service orders directly to BellSouth to request the provisioning of interconnecting facilities between BellSouth and the Guest(s), the provisioning of services, and access to unbundled network elements. The bill for these interconnecting facilities, services and UNEs will be charged to the Guest(s) pursuant to the applicable Tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 CI2 shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of CI2's Guest(s) in the Collocation Space, except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 Adjacent Collocation. Subject to technical feasibility and space availability, BellSouth will permit an adjacent collocation arrangement (Adjacent Arrangement) on "BellSouth Premises" property only when space within the requested "BellSouth Premises" is legitimately exhausted and where the Adjacent Arrangement does not interfere with access to existing or planned structures or facilities on the "BellSouth Premises" property. An Adjacent Arrangement shall be procured by CI2 or constructed by the CI2's BellSouth Certified Supplier and must be in conformance with BellSouth's design and construction Specifications. Further, CI2 shall construct,

procure, maintain and operate said Adjacent Arrangement(s) pursuant to all of the rates, terms and conditions set forth in this Attachment.

- 3.4.1 If CI2 requests Adjacent Collocation, pursuant to the conditions stated in 3.4 above, CI2 must arrange with a BellSouth Certified Supplier to construct the Adjacent Arrangement structure in accordance with BellSouth's Specifications. BellSouth will provide the appropriate Specifications upon request. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, CI2 and CI2's BellSouth Certified Supplier shall comply with the more stringent local building code requirements. CI2's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. CI2's BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 to comply with this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by CI2's BellSouth Certified Supplier. CI2 must provide the local BellSouth Central Office Building Contact with two (2) cards, keys or other access devices used to gain entry into the locked enclosure. Except in the case of an emergency, BellSouth will not access CI2's locked enclosure prior to notifying CI2 at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the Collocation Space is required.
- 3.4.2 CI2 must submit its Adjacent Arrangement construction plans and specifications to BellSouth when it places its firm order. BellSouth shall review CI2's plans and specifications prior to the construction of an Adjacent Arrangement(s) to ensure CI2's compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of the plans and specifications from CI2 for the Adjacent Arrangement. BellSouth may inspect the Adjacent Arrangement during and after construction is completed to ensure that it is constructed according to CI2's submitted plans and specifications. If BellSouth decides to inspect the completed Adjacent Arrangement, BellSouth will complete its inspection within fifteen (15) calendar days after receipt of written notification of completion of the enclosure from CI2. BellSouth shall require CI2 to remove or correct within seven (7) calendar days, at CI2's expense, any structure that does not meet its submitted plans and specifications or BellSouth's Specifications, as applicable.
- 3.4.3 CI2 shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning (HVAC), lighting, and all of the facilities that are required to connect the structure (i.e., racking, conduits, etc.) to the BellSouth point of demarcation. At CI2's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities, subject to the same nondiscriminatory requirements as those applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, subject to individual case basis (ICB) pricing. CI2's BellSouth Certified Supplier shall be responsible, at CI2's sole expense, for filing and obtaining any and all necessary permits and/or licenses for an Adjacent Arrangement. BellSouth shall allow Shared Caged

- Collocation within an Adjacent Arrangement, pursuant to the terms and conditions set forth in Section 3.3 above.
- 3.5 Direct Connect. BellSouth will permit CI2 to directly interconnect between its own virtual/physical Collocation Space within the same central office by utilizing a Direct Connect. CI2 shall contract with a BellSouth Certified Supplier to place the Direct Connect, which shall be provisioned using facilities owned by CI2. CI2-provisioned DC's shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, and a nonrecurring charge per cable, of the actual common cable support structure used by CI2 to provision the Direct Connects between its virtual/physical Collocation Spaces. In those instances where CI2's virtual/physical Collocation Space is contiguous in the central office, CI2 will have the option of using CI2's own technicians to deploy the Direct Connects using either electrical or optical facilities between its Collocation Spaces by constructing its own dedicated cable support structure. CI2 will deploy such electrical or optical connections directly between its own facilities without being routed through BellSouth's equipment. CI2 may not self-provision Direct Connects on any BellSouth distribution frame, POT, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). CI2 is responsible for ensuring the integrity of the signal.
- 3.5.1 To place an order for Direct Connects, CI2 must submit an Initial Application or Subsequent Application. If no modification to the Collocation Space is requested other than the placement of Direct Connects, the Subsequent Application Fee for Direct Connects, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of Direct Connects are requested, either an Initial Application Fee or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. This non-recurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response to CI2.
- 3.6 Co-Carrier Cross Connect (CCXC). The primary purpose of collocation is for a telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services. BellSouth will permit CI2 to interconnect between its virtual or physical collocation arrangement(s) and that (those) of another collocated telecommunications carrier within the same "BellSouth Premises". Both CI2's agreement and the other collocated telecommunications carrier's agreement must contain the CCXC rates, terms and conditions before BellSouth will permit the provisioning of CCXCs between the two collocated carriers. CI2 is prohibited from using the Collocation Space for the sole or primary purpose of cross-connecting to other collocated telecommunications carriers.
- 3.6.1 CI2 must contract with a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned using facilities owned by CI2. Such cross-connections to other collocated telecommunications carriers may be made using either electrical or optical facilities. CI2 shall be responsible for providing a letter of authorization (LOA), with the application, to BellSouth from the other collocated telecommunications carrier to which it will be cross-connecting. The CI2-provisioned

CCXC shall utilize BellSouth common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used by CI2 to provision the CCXC to the other collocated telecommunications carrier. In those instances where CI2's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Space, CI2 may use its own technicians to install co-carrier cross connects using either electrical or optical facilities between the equipment of both collocated telecommunications carriers by constructing a dedicated cable support structure between the two contiguous cages. CI2 shall deploy such electrical or optical cross-connections directly between its own facilities and the facilities of another collocated telecommunications carrier without being routed through BellSouth's equipment. CI2 shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-Connect) or LGX (Light Guide Cross-Connect). CI2 is responsible for ensuring the integrity of the signal.

3.6.2 To place an order for CCXCs, CI2 must submit an Initial Application or Subsequent Application to BellSouth. If no modification to the Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If other modifications, in addition to the placement of CCXCs, are requested, either an Initial Application or Subsequent Application Fee will apply, pursuant to Section 6.3.1 of this Attachment. BellSouth will bill this nonrecurring fee on the date that it provides an Application Response to CI2.

#### 4. Occupancy

4.1 Occupancy. BellSouth will notify CI2 in writing when the Collocation Space is ready for occupancy (Space Ready Date). CI2 will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days of the Space Ready Date. BellSouth will correct any deviations in CI2's original or jointly amended application requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different time frame. BellSouth will then establish a new Space Ready Date. Another acceptance walkthrough will be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to only those items identified in the initial walkthrough. If CI2 completes its acceptance walkthrough within the fifteen (15) calendar day interval, billing will begin upon the date of CI2's acceptance of the Collocation Space (Space Acceptance Date). In the event CI2 fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Collocation Space shall be deemed accepted by CI2 on the Space Ready Date and billing will commence from that date. If CI2 decides to occupy the space prior to the Space Ready Date, the date CI2 occupies the space is deemed the new Space Acceptance Date and billing will begin from that date. CI2 must notify BellSouth in writing that its collocation equipment installation is complete and operational with BellSouth's network. BellSouth may, at its discretion, refuse to accept any orders for cross-connects until it has received such notice. For the purposes of this paragraph, CI2's telecommunications equipment will be deemed operational

- when it has been cross-connected to BellSouth's network for the purpose of provisioning telecommunication services to its customers.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Agreement, CI2 may terminate its occupancy of a particular Collocation Space by submitting a Subsequent Application requesting termination of occupancy. Such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date that CI2 and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that CI2 signs off on the Space Relinquishment Form and sends this form to BellSouth, provided no discrepancies are found during BellSouth's subsequent inspection of the terminated space. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and CI2 jointly conduct an inspection, confirming that CI2 has corrected all of the noted discrepancies identified by BellSouth. A Subsequent Application Fee will not apply for the termination of occupancy; however, specific disconnect fees may apply to certain rate elements in Alabama, Florida, Georgia, Kentucky, Mississippi, South Carolina and Tennessee. The particular disconnect fees that would apply in each state are contained in Exhibit B of this Attachment. BellSouth may terminate CI2's right to occupy Collocation Space in the event CI2 fails to comply with any provision of this Agreement, including payment of the applicable fees contained in Exhibit B of this Attachment.
- 4.2.1 Upon termination of occupancy, CI2, at its sole expense, shall remove its equipment and any other property owned, leased or controlled by the CI2 from the Collocation Space. CI2 shall have thirty (30) calendar days from the Bona Fide Firm Order (BFFO) date ("Termination Date") to complete such removal, including the removal of all equipment and facilities of CI2's Guest(s), unless CI2's Guest(s) has assumed responsibility for the Collocation Space housing the Guest(s)'s equipment and executed the appropriate documentation required by BellSouth prior to the CI2 removal date. CI2 shall continue the payment of all monthly recurring charges to BellSouth until the date CI2, and if applicable CI2's Guest(s), has fully vacated the Collocation Space and the Space Relinquishment Form has been accepted by BellSouth. If CI2 or CI2's Guest(s) fails to vacate the Collocation Space within thirty (30) calendar days from the "Termination Date", BellSouth shall have the right to remove and dispose of the equipment and any other property of CI2 or CI2's Guest(s), in any manner that BellSouth deems fit, at CI2's expense and with no liability whatsoever for CI2's property or CI2's Guest(s)'s property. Upon termination of CI2's right to occupy specific Collocation Space, the Collocation Space will revert back to BellSouth's space inventory, and CI2 shall surrender the Collocation Space to BellSouth in the same condition as when it was first occupied by CI2, with the exception of ordinary wear and tear, unless otherwise agreed to by the Parties. CI2's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including, but not limited to, BellSouth's Central Office Record Drawings and ERMA Records. CI2 shall be responsible for the cost of removing any

CI2 constructed enclosure, together with any supporting structures (e.g., racking, conduits, or power cables), by the "Termination Date" and restoring the grounds to their original condition.

#### 5. <u>Use of Collocation Space</u>

- 5.1 Equipment Type. BellSouth permits the collocation of any equipment necessary for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a "BellSouth Premises" must be for interconnection to BellSouth's network or access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include, but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on a "BellSouth Premises" must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.
- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 1 requirements as outlined in Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on CI2's failure to comply with this Section.
- 5.1.3 CI2 shall not request more DS0, DS1, DS3 and optical terminations for a collocation arrangement than the total port or termination capacity of the equipment physically installed in the arrangement. The total capacity of the equipment collocated in the arrangement will include equipment contained in an application, as well as equipment already placed in the collocation arrangement. If full network termination capacity of the equipment being installed is not requested in the application, additional network terminations for the installed equipment will require the submission of another application. In the event CI2 submits an application for terminations that will exceed the total capacity of the collocated equipment, CI2 will be informed of the discrepancy by BellSouth and required to submit a revision to the application.

Commencing with the most current calendar quarter after the effective date of this Attachment, and thereafter with respect to each subsequent calendar quarter during the term of this Attachment, CI2 will, no later than thirty (30) days after the close of such calendar quarter, provide a report to ICS Collocation Product Management, Room 34A55, 675 W. Peachtree Street, Atlanta, Georgia 30375 listing any equipment in the Collocation Space (i) that was added during the calendar quarter to which such report pertains, and (ii) for which there is a UCC-1 lien holder or another entity that has a secured financial interest in such equipment. Equipment that satisfies both subparts (i) and (ii) of this section shall be defined as "Secured Equipment". If no Secured Equipment has been installed within a given calendar quarter, no report shall be due hereunder in connection with such calendar quarter.

- 5.2 CI2 shall not use the Collocation Space for marketing purposes, nor shall it place any identifying signs or markings outside the Collocation Space or on the grounds of the "BellSouth Premises".
- 5.3 CI2 shall place a plaque or affix other identification (e.g., stenciling) to CI2's equipment, including the appropriate emergency contacts with their corresponding telephone numbers, in order for BellSouth to properly identify CI2's equipment in the case of an emergency.
- 5.4 Entrance Facilities. CI2 may elect to place CI2-owned or CI2-leased fiber entrance facilities into its Collocation Space. BellSouth will designate the point of interconnection in close proximity to the "BellSouth Premises" building housing the Collocation Space, such as at an entrance manhole or a cable vault, which are physically accessible by both Parties. CI2 will provide and place fiber cable at the point of entrance of sufficient length to be pulled through conduit and into the splice location. CI2 will provide and install a sufficient length of fire retardant riser cable, to which the entrance cable will be spliced by BellSouth. The fire retardant riser cable will extend from the splice location to CI2's equipment in the Collocation Space. In the event CI2 utilizes a non-metallic, riser-type entrance facility, a splice will not be required. CI2 must contact BellSouth for instructions prior to placing any entrance facility cable in the manhole. CI2 is responsible for the maintenance of the entrance facilities. At CI2's option, BellSouth will accommodate, where technically feasible, a microwave entrance facility, pursuant to separately negotiated terms and conditions. In the case of adjacent collocation, copper facilities may be used between the adjacent collocation arrangement and the central office demarcation point unless BellSouth determines that limited space is available for the placement of entrance facilities.
- 5.5.1 <u>Dual Entrance Facilities</u>. BellSouth will provide at least two interconnection points at each Premise where at least two such interconnection points are available and capacity exists. Upon receipt of a request by CI2 for dual entrance facilities to its physical Collocation Space, BellSouth shall provide CI2 with information regarding BellSouth's capacity to accommodate the requested dual entrance facilities. If conduit in the serving manhole(s) is available and is not reserved for another purpose or for utilization within twelve (12) months of the receipt of an application for collocation,

BellSouth will make the requested conduit space available for the installation of a second entrance facility to CI2's Collocation Space. The location of the serving manhole(s) will be determined at the sole discretion of BellSouth. Where dual entrance facilities are not available due to lack of capacity, BellSouth will provide this information to CI2 in the Application Response.

- Shared Use. CI2 may utilize spare capacity on an existing interconnector's entrance facility for the purpose of providing an entrance facility to CI2's Collocation Space within the same "BellSouth Premises". BellSouth shall allow the splice, as long as the fiber is non-working fiber. CI2 must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier authorizing BellSouth to perform the splice of the CI2-provided riser cable to the spare capacity on the entrance facility. If CI2 desires to allow another telecommunications carrier to use its entrance facilities, that other telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from CI2 authorizing BellSouth to perform the splice of that telecommunications carrier's provided riser cable to the spare capacity on CI2's entrance facility.
- Demarcation Point. BellSouth will designate the point(s) of demarcation between CI2's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For 2-wire and 4-wire connections to BellSouth's network, the demarcation point shall be a common block on BellSouth's designated conventional distributing frame (CDF). CI2 shall be responsible for providing the necessary cabling, and CI2's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the common block and any necessary cabling identified in Section 7 of this Attachment. CI2 or its agent must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision cross-connects that may be required within its own Collocation Space to activate service requests.
- 5.6.1 In Tennessee, BellSouth will designate the point(s) of demarcation between CI2's equipment and/or network and BellSouth's network. Each Party will be responsible for the maintenance and operation of all equipment/facilities on its side of the demarcation point. For connections to BellSouth's network, the demarcation point shall be a CI2-provided Point of Termination Bay (POT Bay) in a common area within the "BellSouth Premises". CI2 shall be responsible for providing, and CI2's BellSouth Certified Supplier shall be responsible for installing and properly labeling/stenciling the POT Bay, as well as installing the necessary cabling between CI2's Collocation Space and the demarcation point. CI2, its agent, or CI2's BellSouth Certified Supplier must perform all required maintenance to the equipment/facilities on its side of the demarcation point, pursuant to Section 5.7, following, and may self-provision crossconnects that may be required within its own Collocation Space to activate service requests. BellSouth will negotiate alternative rates, terms and conditions related to the

- demarcation point in Tennessee, if CI2 desires to avoid the use of an intermediary device as contemplated by the Tennessee Regulatory Authority.
- 5.7 <u>CI2's Equipment and Facilities</u>. CI2, or if required by this Attachment, CI2's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by CI2 which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include, but are not limited to, cable(s), equipment, and point of termination connections. CI2 and its designated BellSouth Certified Supplier must follow and comply with all BellSouth Specifications outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564.
- BellSouth's Access to Collocation Space. From time to time, BellSouth may require access to CI2's Collocation Space. BellSouth retains the right to access CI2's space for the purpose of making BellSouth equipment and building modifications (e.g., running, altering or removing racking, ducts, electrical wiring, HVAC, and cabling). BellSouth will give notice to CI2 at least forty-eight (48) hours before access to CI2's Collocation Space is required. CI2 may elect to be present whenever BellSouth performs work in the CI2's Collocation Space. The Parties agree that CI2 will not bear any of the expense associated with this type of work.
- 5.9 Access. Pursuant to Section 12, CI2 shall have access to its Collocation Space twenty-four (24) hours a day, seven (7) days a week. CI2 agrees to provide the name and social security number, date of birth, or driver's license number of each employee, supplier, or agent of CI2 or CI2's Guest(s) that will be provided with access keys or cards (Access Keys), prior to the issuance of said Access Keys, using form RF-2906-C, the "CLEC and CLEC Certified Supplier Access Request and Acknowledgement" form. The appropriate key acknowledgement forms (the "Collocation Acknowledgement Sheet" for access cards and the "Key Acknowledgement Form" for keys) must be signed by CI2 and returned to BellSouth Access Management within fifteen (15) calendar days of CI2's receipt. Failure to return these properly acknowledged forms will result in the holding of subsequent access key or card requests until the proper key acknowledgement documents have been received by BellSouth and reflect current information. Access Keys may not be duplicated under any circumstances. CI2 agrees to be responsible for all Access Keys and for the return of all Access Keys in the possession of CI2's employees, suppliers, agents, or Guest(s) after termination of the employment relationship, the contractual obligation with CI2 ends, upon the termination of this Attachment, or upon the termination of occupancy of Collocation Space in a specific "BellSouth Premises".
- 5.9.1 BellSouth will permit one (1) accompanied site visit to CI2's designated Collocation Space, after receipt of the BFFO, without charge to CI2. CI2 must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to a "BellSouth Premises" at least thirty (30) calendar days prior to the date CI2 desires access to the Collocation Space. In order to permit reasonable

access during construction of the Collocation Space, CI2 may submit a request for its one (1) accompanied site visit to its designated Collocation Space at any time subsequent to BellSouth's receipt of the BFFO. In the event CI2 desires access to the Collocation Space after submitting such a request, but prior to the approval of its access request, in addition to the first accompanied free visit, BellSouth shall permit CI2 to access the Collocation Space accompanied by a security escort, at CI2's expense, which will be assessed pursuant to the Security Escort fees contained in Exhibit B. CI2 must request escorted access to its designated Collocation Space at least three (3) business days prior to the date such access is desired.

- 5.10 <u>Lost or Stolen Access Devises</u>. CI2 shall immediately notify BellSouth in writing when any of its Access Keys have been lost or stolen. If it becomes necessary for BellSouth to re-key buildings or deactivate an Access card as a result of a lost or stolen Access Device(s) or for failure of CI2's employees, suppliers, agents or Guest(s) to return an Access Device(s), CI2 shall pay for the costs of re-keying or deactivating the Access card pursuant to the fees set forth in Exhibit B.
- 5.11 Interference or Impairment. Notwithstanding any other provisions of this Attachment, CI2 shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment or facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or any other entity or any person's use of its telecommunications services; 2) endangers or damages the equipment, facilities or any other property of BellSouth or any other entity or person; 3) compromises the privacy of any communications; or 4) creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of CI2 violates the provisions of this paragraph, BellSouth shall provide written notice to CI2, which shall direct CI2 to cure the violation within forty-eight (48) hours of CI2's receipt of written notice or, at a minimum, to commence curative measures within twenty-four (24) hours and exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to conduct an inspection of the Collocation Space.
- 5.11.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if CI2 fails to take curative action within forty-eight (48) hours or if the violation is of a character that poses an immediate and substantial threat of damage to property or injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or another entity's service, then and only in that event, BellSouth may take such action as it deems appropriate to correct the violation including, without limitation, the interruption of electrical power to CI2's equipment and/or facilities. BellSouth will endeavor, but is not required, to provide notice to CI2 prior to the taking of such action and BellSouth shall have no liability to CI2 for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.11.2 For purposes of this Section, the term "significantly degrades" shall be defined as an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and CI2 fails to take curative action within forty-eight (48) hours of CI2's receipt of written notice, BellSouth will establish before the appropriate Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to CI2 or, if subsequently necessary, the Commission must be provided by BellSouth with specific and verifiable information. When BellSouth demonstrates that a certain technology deployed by CI2 is significantly degrading the performance of other advanced services or traditional voice band services, CI2 shall discontinue deployment of that technology and migrate its customers to other technologies that will not significantly degrade the performance of such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that it is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.12 Personalty and its Removal. Facilities and equipment placed by CI2 in the Collocation Space shall not become a part of the Collocation Space, even if nailed, screwed or otherwise fastened to the Collocation Space, but shall retain their status as personal property and may be removed by CI2 at any time. Any damage caused to the Collocation Space by CI2's employees, suppliers, agents or representatives during the installation or removal of such property shall be promptly repaired by CI2 at its sole expense. If CI2 decides to remove equipment from its Collocation Space and the removal requires no physical work be performed by BellSouth and CI2's physical work includes, but is not limited to, power reduction, cross-connects, or tie pairs, BellSouth will bill CI2 an Administrative Only Application Fee as set forth in Exhibit B. This non-recurring fee will be billed on the date that BellSouth provides an Application Response to CI2.
- Alterations. Under no condition shall CI2 or any person acting on behalf of CI2 make any rearrangement, modification, augment, improvement, addition, and/or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Collocation Space or the "BellSouth Premises", without the express written consent of BellSouth, which shall not be unreasonably withheld. The cost of any such rearrangement, modification, augment, improvement, addition, and/or other alteration shall be paid by CI2, and shall require a Subsequent Application and will result in the assessment of either a Subsequent Application Fee, an Administrative Only Application Fee or an Initial Application Fee as set forth in Section 6.3.1, which will be billed by BellSouth on the date that BellSouth provides CI2 with an Application Response.
- 5.14 <u>Janitorial Service</u>. CI2 shall be responsible for the general upkeep of its Collocation Space. CI2 shall arrange directly with a BellSouth Certified Supplier for janitorial

services applicable to Caged Collocation Space. BellSouth shall provide a list of such suppliers on a "BellSouth Premises"-specific basis, upon request.

#### 6. Ordering and Preparation of Collocation Space

- 6.1 If any state or federal regulatory agency imposes procedures or intervals applicable to CI2 and BellSouth that are different from the procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications that are submitted for the first time after the effective date thereof.
- 6.2 <u>Initial Application</u>. For CI2's or CI2's Guest's(s') initial equipment placement, CI2 shall input a Physical Expanded Interconnection Application Document (Initial Application) directly into BellSouth's electronic application (e.App) system for processing. The Initial Application is considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the application are completed with the appropriate type of information. An application fee will apply to each application submitted by CI2 and will be billed by BellSouth on the date BellSouth provides CI2 with an Application Response.
- 6.3 <u>Subsequent Application.</u> In the event CI2 or CI2's Guest(s) desires to modify its use of the Collocation Space after a BFFO, CI2 shall complete an application (Subsequent Application) that contains all of the detailed information associated with the alteration related to the Collocation Space, as defined in Section 5.13 of this Attachment. The Subsequent Application will be considered Bona Fide when it is complete and accurate, meaning that all of the required fields on the Subsequent Application are completed with the appropriate type of information associated with the alteration. BellSouth shall determine what modifications, if any, to the "BellSouth Premises" are required to accommodate the change requested by CI2 in the application. Such modifications to the "BellSouth Premises" may include, but are not limited to, floor loading changes, changes necessary to meet HVAC requirements, changes to power plant requirements, equipment additions, etc.
- 6.3.1 Subsequent Application Fee. The application fee paid by CI2 shall be dependent upon the level of assessment needed. If the modifications reflected on the Subsequent Application require no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. This Administrative Only Application Fee would be applicable in instances such as those associated with a Transfer of Ownership of the Collocation Space, Removal of Equipment from the Collocation Space, a modification to an application prior to receipt of the BFFO and a V-to-P Conversion (In Place). The fee for a Subsequent Application in which the modifications requested have limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC,

power and terminations are available) shall be the Subsequent Application Fee, as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require CI2 to submit the Subsequent Application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides CI2 with an Application Response.

- Space Preferences. If CI2 has previously requested and received a Space Availability Report for the "BellSouth Premises", CI2 may submit up to three (3) space preferences on its application by identifying the specific space identification numbers referenced on the Space Availability Report for the space it is requesting. In the event BellSouth cannot accommodate the CI2's preference(s), CI2 may accept the space allocated by BellSouth or cancel its application and submit another application requesting additional space preferences for the same central office. This application will be treated as a new application and an application fee will apply. The application fee will be billed by BellSouth on the date that BellSouth provides CI2 with an Application Response.
- 6.5 Space Availability Notification.
- Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within the requested "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify CI2 of the amount of space that is available and no application fee will apply. When BellSouth's response includes an amount of space less than that requested by CI2 or space that is configured differently, no application fee will apply. If CI2 decides to accept the available space, CI2 must resubmit its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO. When CI2 resubmits its application to accept the available space, BellSouth will bill CI2 the appropriate application fee.
- 6.5.2 BellSouth will respond to a Florida or Tennessee application within fifteen (15) calendar days as to whether space is available or not available within a "BellSouth Premises". BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide, the items/revisions necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and bill CI2 an appropriate application fee on the date that BellSouth provides the Application Response. When BellSouth's Application Response includes an amount of space less than that requested by CI2 or space that is configured differently, if CI2 decides to accept the available space, CI2 must amend its application to reflect the actual space available, including the configuration of the space, prior to submitting a BFFO.
- 6.5.3 <u>Denial of Application</u>. If BellSouth notifies CI2 that no space is available (Denial of Application), BellSouth will not assess an application fee to CI2. After notifying CI2

that there is no available space in the requested "BellSouth Premises", BellSouth will allow CI2, upon request, to tour the entire "BellSouth Premises" within ten (10) calendar days of such Denial of Application. In order to schedule this tour within ten (10) calendar days, BellSouth must receive the request for a tour of the "BellSouth Premises" within five (5) calendar days of the Denial of Application.

- 6.6 Filing of Petition for Waiver. Upon Denial of Application, BellSouth will timely file a petition with the appropriate Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit CI2 to inspect any floor plans or diagrams that BellSouth provides to the Commission.
- Waiting List. On a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". BellSouth will notify each telecommunication carrier on the waiting list that can be accommodated by the amount of space that becomes available, according to the position of the telecommunication carrier on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis, which is governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting telecommunication carriers that have either received a Denial of Application or, where it is publicly known that the "BellSouth Premises" is out of space, have submitted a Letter of Intent to collocate in that "BellSouth Premises". Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Commission and the telecommunication carriers on the waiting list by mail when space becomes available according to the position of each telecommunication carrier on said waiting list. If BellSouth does not know sixty (60) calendar days in advance of when space will become available, BellSouth will notify the Commission and the telecommunication carriers on the waiting list within two (2) business days of the determination that space will become available. A telecommunication carrier that, upon denial of physical Collocation Space, requests virtual Collocation Space shall automatically be placed on the waiting list for physical Collocation Space that may become available in the future.
- 6.7.2 When physical Collocation Space becomes available, CI2 must submit an updated, complete, and accurate application to BellSouth within thirty (30) calendar days of notification by BellSouth that physical Collocation Space will be available in the requested "BellSouth Premises" previously out of space. If CI2 has originally requested caged Collocation Space and cageless Collocation Space becomes available, CI2 may refuse such space and notify BellSouth in writing within the thirty (30) day

timeframe that CI2 wants to maintain its place on the waiting list for caged Physical Collocation Space, without accepting the available cageless Collocation Space.

CI2 may accept an amount of space less than what it originally requested by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If CI2 does not submit an application or notify BellSouth in writing as described above, BellSouth will offer the space to the next telecommunication carrier on the waiting list and remove CI2 from the waiting list. Upon request, BellSouth will advise CI2 as to its position on the waiting list.

- 6.8 <u>Public Notification</u>. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all "BellSouth Premises" that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that insufficient space is available to accommodate physical collocation. BellSouth will also post a document on its Interconnection Services website that contains a general notice when space becomes available in a "BellSouth Premises" previously on the space exhaust list.
- 6.9 <u>Application Response.</u>
- 6.9.1 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, when space has been determined to be available for physical (caged or cageless) arrangements, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide Application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and any other applicable space preparation fees, as described in Section 8.
- In Florida and Tennessee, within fifteen (15) calendar days of receipt of a Bona Fide Application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable CI2 to place a firm order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When CI2 submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response interval will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- 6.10 <u>Application Modifications</u>.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide Application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, at the request of CI2, or as necessitated by technical considerations, the application shall be considered a new

application and handled as a new application with respect to the response and provisioning intervals. BellSouth will charge CI2 the appropriate application fee associated with the level of assessment performed by BellSouth. If the modification requires no labor or capital expenditure by BellSouth, but BellSouth must perform an assessment of the application to evaluate whether or not BellSouth would be required to perform necessary infrastructure or provisioning activities, then an Administrative Only Application Fee shall apply. The fee for an application modification in which the modification requested has limited effect (e.g., requires labor expenditure but no capital expenditure by BellSouth and where sufficient cable support structure, HVAC, power and terminations are available) shall be the Subsequent Application Fee as set forth in Exhibit B. A modification involving a capital expenditure by BellSouth shall require CI2 to submit the application with an Initial Application Fee. The appropriate nonrecurring application fee will be billed on the date BellSouth provides CI2 with an Application Response.

#### 6.11 Bona Fide Firm Order.

- 6.11.1 CI2 shall indicate its intent to proceed with equipment installation in a "BellSouth Premises" by submitting a Bona Fide Firm Order (BFFO) to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to CI2's Bona Fide Application or CI2's application will expire.
- BellSouth will establish a firm order date based upon the date BellSouth is in receipt of CI2's BFFO. BellSouth will acknowledge the receipt of CI2's BFFO within seven (7) calendar days of receipt, so that CI2 will have positive confirmation from BellSouth that its BFFO has been received. BellSouth's response to a BFFO will include a Firm Order Confirmation, which contains the firm order date. No revisions can be made to a BFFO.

### 7. <u>Construction and Provisioning</u>

- 7.1 Construction and Provisioning Intervals.
- 7.1.1 In Florida and Tennessee, BellSouth will complete construction of physical Collocation Space as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For virtual Collocation Space, BellSouth will complete construction as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO or as agreed to by the Parties. For Augments requested to Collocation Space after the initial space has been completed, BellSouth will complete construction for Collocation Space as soon as possible within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant provisioning interval and BellSouth and CI2 cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, or within thirty (30) calendar days of receipt of the BFFO for an Augment, BellSouth may seek an extension from the Commission.

- 7.1.2 In Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will complete construction for physical caged Collocation Space under ordinary conditions as soon as possible within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. BellSouth will complete construction for physical cageless Collocation Space under ordinary conditions as soon as possible within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions, or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes required to BellSouth's support systems (Examples include, but are not limited to: minor modifications to HVAC, cabling and BellSouth's power plant). Extraordinary conditions include, but may not be limited to: major BellSouth equipment rearrangements or additions; power plant additions or upgrades; major mechanical additions or upgrades; major upgrades for ADA compliance; environmental hazards or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from the ordered interval from the appropriate Commission.
- 7.1.3 When CI2 adds equipment within initial demand parameters that requires no additional space preparation work on the part of BellSouth, then no additional charges or intervals will be imposed by BellSouth that would cause delay in CI2's operation.
- 7.1.4 In the states of Alabama, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, and South Carolina, BellSouth will provide the reduced intervals outlined below to CI2, when CI2 requests an augment that is identified in Sections 7.1.4.1, 7.1.4.2, 7.1.4.3, 7.1.4.4 and 7.1.4.5 ("Augment") after the Space Ready Date for existing physical Collocation Space. Unless otherwise set forth in Section 7.1.4.10, any such augment application will require a Subsequent Application and will result in the assessment of an Augment Application fee as set forth in Exhibit B.
- 7.1.4.1 Simple Augments will be completed within twenty (20) calendar days after receipt of the BFFO for an:
  - Extension of Existing AC Circuit Capacity within Arrangement Where Sufficient Circuit Capacity is Available
  - Fuse Change and/or Increase or Decrease -48V DC Power from Existing ILEC BDFB
- 7.1.4.2 Minor Augments will be completed within forty-five (45) calendar days after receipt of the BFFO for:
  - 168 DS1s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
  - 96 DS3s Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)

- 99 Fiber Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- Maximum of 2000 Service Ready DS0 Terminations at the ILEC Demarcation Frame (Databasing Only; Panels, Relay Racks and Overhead Racking Exist)
- 7.1.4.3 Intermediate Augments will be completed within sixty (60) calendar days after receipt of the BFFO for:
  - 168 DS1s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 96 DS3s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 99 Fiber Terminations (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - 2000 DS0s (Databasing and Installation of Termination Panels, Relay Racks or Additional Structure as Required)
  - Installation of Cable Racking or Other Support Structures as Required to Support Co-Carrier Cross Connects (Adequate Floor or Ceiling Structural Capacity Exists and Support/Protection Structure for Fiber Patch Cord is Excluded)
- 7.1.4.4 Major Augments of physical Collocation Space will be completed within ninety (90) calendar days after BFFO. This category includes all requests for additional physical Collocation Space (caged or cageless).
- 7.1.4.5 Major Augments of virtual Collocation Space will be completed within seventy-five (75) calendar days after BFFO. This category includes all requests for additional virtual Collocation Space.
- 7.1.4.6 If CI2 submits an augment application request that includes two augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the provisioning interval associated with the next highest augment category will apply (e.g., if two items from the minor augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate category).
- 7.1.4.7 If CI2 submits an augment application request that includes three augment items from the same category in either Section 7.1.4.1, 7.1.4.2, or7.1.4.3 above, the major augment interval of ninety (90) calendar days from the receipt of the BFFO would apply (e.g., if three items from the simple augment category are requested on the same request for a physical collocation arrangement, then an interval of ninety (90) calendar days from the receipt of the BFFO would apply, which is the major physical augment interval; likewise if three items from the simple augment category are requested on the same request for a virtual collocation arrangement, then an interval of seventy-five (75) calendar days from the receipt of the BFFO would apply, which is the major virtual augment interval).

- 7.1.4.8 If CI2 submits an augment application request that includes one augment item from two separate categories in Sections 7.1.4.1, 7.1.4.2 and 7.1.4.3 above, the augment interval associated with the highest augment category will apply (e.g., if an item from the minor augment category and an item from the intermediate augment category are requested on the same request, then an interval of sixty (60) calendar days from the receipt of the BFFO would apply, which is the interval associated with the intermediate augment category).
- 7.1.4.9 All Augments not expressly included in the Simple, Minor, Intermediate or Major categories, as outlined above, will be placed into the appropriate category as negotiated by CI2 and BellSouth. If CI2 and BellSouth are unable to determine the appropriate category through negotiation, then the appropriate major augment category, identified in Section 7.1.4.4 and Section 7.1.4.5, would apply based on whether the augment request is for CI2's physical or virtual Collocation Space.
- 7.1.4.10 Individual application fees associated with simple, minor and intermediate augment applications are contained in Exhibit B. The appropriate application fee will be assessed to CI2 at the time BellSouth provides CI2 with the Application Response. CI2 will be assessed a Subsequent Application Fee for all Major Augment applications (Major Augments are defined above in Sections 7.1.4.4 and 7.1.4.5). The Subsequent Application Fee is also reflected in Exhibit B of this Attachment.
- Joint Planning. Joint planning between BellSouth and CI2 will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Collocation Space and the equipment configuration requirements as reflected in the Bona Fide Application and BFFO. The Collocation Space completion interval will be provided to CI2 during the joint planning meeting.
- Permits. Each Party, its agent(s) or BellSouth Certified Supplier(s) will file for the appropriate permits required for the scope of work to be performed by that Party, its agent(s) or BellSouth Certified Supplier(s) within ten (10) calendar days of the completion of the finalized construction design and specifications.
- Acceptance Walkthrough. CI2 will schedule and complete an acceptance walkthrough of the Collocation Space with BellSouth within fifteen (15) calendar days after the Space Ready Date. In the event CI2 fails to complete an acceptance walkthrough within this fifteen (15) day interval, the Collocation Space shall be deemed accepted by CI2 on the Space Ready Date. BellSouth will correct any deviations to CI2's original or jointly amended design and/or specification requirements within seven (7) calendar days after the walkthrough, unless the Parties mutually agree upon a different timeframe.
- 7.5 <u>Circuit Facility Assignments (CFAs).</u> Unless otherwise specified, BellSouth will provide CFAs to CI2 prior to the applicable provisioning interval set forth herein (Provisioning Interval) for those "BellSouth Premises" in which CI2 has physical Collocation Space with no POT bay or with a grand fathered POT bay provided by

BellSouth. BellSouth cannot provide CFAs to CI2 prior to the Provisioning Interval for those "BellSouth Premises" in which CI2 has physical Collocation Space with a POT bay provided by CI2 or virtual Collocation Space, until CI2 provides BellSouth with the following information:

For physical Collocation Space with a CI2-provided POT bay, CI2 shall provide BellSouth with a complete layout of the POT panels on an equipment inventory update (EIU) form, showing locations, speeds, etc.

- For virtual Collocation Space, CI2 shall provide BellSouth with a complete layout of CI2's equipment on an equipment inventory update (EIU) form, including the locations of the low speed ports and the specific frame terminations to which the equipment will be wired by CI2's BellSouth Certified Supplier.
- 7.5.1 BellSouth cannot begin work on the CFAs until the complete and accurate EIU form is received from CI2. If the EIU form is provided within ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be made available by the ending date of the Provisioning Interval. If the EIU form is not received ten (10) calendar days prior to the ending date of the Provisioning Interval, then the CFAs will be provided within ten (10) calendar days of receipt of the EIU form.
- 7.5.2 BellSouth will bill CI2 a nonrecurring charge, as set forth in Exhibit B, each time CI2 requests a resend of its CFAs for any reason other than a BellSouth error in the CFAs initially provided to CI2.
- 7.6 Use of BellSouth Certified Supplier. CI2 shall select a supplier which has been approved as a BellSouth Certified Supplier to perform all engineering and installation work. CI2 and CI2's BellSouth Certified Supplier must follow and comply with all of BellSouth's Specifications, as outlined in the following BellSouth Technical Requirements: TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, CI2 must select different BellSouth Certified Suppliers for those work activities associated with transmission equipment, switching equipment and power equipment. BellSouth shall provide CI2 with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing CI2's equipment and associated components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is completed, and notifying BellSouth's equipment engineers and CI2 upon successful completion of the installation, etc. The BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 pursuant to this Attachment. BellSouth shall have no liability for, nor responsibility to pay, such charges imposed by CI2's BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to CI2 or any supplier proposed by CI2 and will not unreasonably withhold certification. All work performed by or for CI2 shall conform to generally accepted industry standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth shall place environmental alarms in the "BellSouth Premises" for the protection of BellSouth equipment and facilities. CI2 shall be responsible for the placement, monitoring and removal of environmental and

equipment alarms used to service CI2's Collocation Space. Upon request, BellSouth will provide CI2 with an applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by CI2. Both Parties shall use best efforts to notify the other of any verified environmental condition known to that Party.

- 7.8 Virtual to Physical Collocation Relocation. In the event physical Collocation Space was previously denied at a "BellSouth Premises" due to technical reasons or space limitations and physical Collocation Space has subsequently become available, CI2 may relocate its existing virtual collocation arrangement(s) to a physical collocation arrangement(s) and pay the appropriate fees associated with physical Collocation Space and the rearrangement or reconfiguration of services currently being terminated in the virtual collocation arrangement. If BellSouth knows when additional space for physical collocation may become available at the "BellSouth Premises" requested by CI2, such information will be provided to CI2 in BellSouth's written denial of physical Collocation Space. To the extent that (i) physical Collocation Space becomes available to CI2 within one hundred eighty (180) calendar days of BellSouth's written denial of CI2's request for physical Collocation Space, (ii) BellSouth had knowledge that the space was going to become available, and (iii) CI2 was not informed in the written denial that physical Collocation Space would become available within such one hundred eighty (180) calendar day period, then CI2 may relocate its virtual collocation arrangement to a physical collocation arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Collocation Space. CI2 must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Collocation Space to its physical Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual Collocation Space to cageless physical Collocation Space within thirty (30) calendar days and from virtual Collocation Space to caged physical Collocation Space within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical collocation arrangements if the potential conversion meets all of the following criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual Collocation Space; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual Collocation Space; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to physical conversions (in-place) within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill CI2 an Administrative Only Application Fee, as set forth in Exhibit B, on the date BellSouth provides an Application Response to CI2.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If at any time prior to space acceptance, CI2 cancels its order for Collocation Space (Cancellation), BellSouth will bill the applicable nonrecurring charge(s) for any and all work processes for which work has begun or been completed. In Georgia, if CI2 cancels its order for Collocation Space at any time prior to space acceptance, BellSouth will bill CI2 for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the firm order not been cancelled.
- 7.11 <u>Licenses.</u> CI2, at its own expense, will be solely responsible for obtaining from the proper governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, permits, licenses, and certificates necessary or required to operate as a provider of telecommunication services to the public or to build-out, equip and/or occupy Collocation Space in a "BellSouth Premises".
- 7.12 <u>Environmental Compliance.</u> The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

# 8. Rates and Charges

- 8.1 <u>Application Fee.</u> BellSouth shall assess a nonrecurring application fee via a service order on the date BellSouth responds pursuant to Section 6.10 (Application Response).
- 8.1.1 In Tennessee, the application fee for caged Collocation Space is the planning fee for both Initial Applications and Subsequent Applications placed by CI2. Likewise, for cageless Collocation Space, the same Cageless Application Fee applies for both Initial Applications and Subsequent Applications placed by CI2. BellSouth will bill the appropriate nonrecurring application fee on the date that BellSouth provides an Application Response to CI2.
- 8.2 <u>Cable Installation</u>. Cable Installation Fee(s) are assessed per entrance cable placed. This nonrecurring fee will be billed by BellSouth upon receipt of CI2's BFFO.
- 8.3 Recurring Charges. If CI2 has met the applicable fifteen (15) calendar day walkthrough interval specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that CI2 fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval, billing for recurring charges will commence on the Space Ready Date. If CI2 occupies the space prior to the Space Ready Date, the date CI2 occupies the space is deemed the new Space Acceptance Date and billing for recurring charges will begin on that date.

- Space Preparation. Space preparation fees consist of a nonrecurring charge for Firm Order Processing and monthly recurring charges for Central Office Modifications assessed per arrangement, per square foot and Common Systems Modifications assessed per arrangement, per square foot for cageless collocation and per cage for caged collocation. CI2 shall remit payment of the nonrecurring Firm Order Processing fee coincident with the submission of a BFFO. These charges recover the costs associated with preparing the Collocation Space, which includes, but is not limited to, the following items: a survey, engineering of the Collocation Space, design and modification costs for network, building and support systems, etc. In the event CI2 opts for cageless space, the space preparation fees will be assessed based on the total square footage of floor space dedicated to CI2 as prescribed in this Section.
- 8.5 Floor Space. The Floor Space Charge includes reasonable charges for lighting, HVAC, and other allocated expenses associated with maintenance of the "BellSouth Premises", but does not include any power-related costs incurred by BellSouth. When the Collocation Space is enclosed, CI2 shall pay floor space charges based upon the number of square feet so enclosed. The minimum size for caged Collocation Space is 100 square feet. Additional caged Collocation Space may be requested in increments of 50 square feet. When the Collocation Space is not enclosed, CI2 shall pay floor space charges based upon the following floor space calculation: [(depth of the equipment lineup in which the rack is placed) + (0.5 x maintenance aisle depth) + (0.5 maintenance aisle depth)x wiring aisle depth)] x (width of rack and spacers). For purposes of this calculation, the depth of the equipment lineup shall consider the footprint of equipment racks plus any equipment overhang. BellSouth will assign unenclosed Collocation Space in conventional equipment rack lineups where feasible. In the event CI2's collocated equipment requires special cable racking, isolated grounding or other treatment which prevents placement within conventional equipment rack lineups, CI2 shall be required to request an amount of floor space sufficient to accommodate the total equipment arrangement.
- 8.6 Power. BellSouth shall make available –48 Volt (-48V) Direct Current (DC) power for CI2's Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) upon CI2's request within the "BellSouth Premises"; however, the determination of whether BellSouth will permit the power configuration requested by CI2 will be made at BellSouth's sole discretion, which shall not be unreasonably withheld. BellSouth will revise CI2's recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by CI2's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from CI2 certifying the completion of the power reduction work, including the removal of the power cabling by CI2's BellSouth Certified Supplier.
- When obtaining power from a BDFB, fuses and power cables (A&B) must be engineered (sized), and installed by CI2's BellSouth Certified Supplier. Likewise, when obtaining power from a BellSouth power board, power cables (A&B) must be engineered (sized) and installed by CI2's BellSouth Certified Supplier. CI2 is

responsible for contracting with a BellSouth Certified Supplier for the power distribution feeder cable running from a BellSouth BDFB or BellSouth power board to CI2's equipment. The determination of whether CI2's requested DC power will be provided from the BellSouth BDFB or BellSouth power board will be made at BellSouth's sole, but reasonable, discretion. The BellSouth Certified Supplier contracted by CI2 must provide BellSouth with a copy of the engineering power specifications prior to the day on which CI2's equipment becomes operational (Commencement Date). BellSouth will provide the common power feeder cable support structure between the BellSouth BDFB or BellSouth power board and CI2's Collocation Space. CI2 shall contract with a BellSouth Certified Supplier who will be responsible for the following power provisioning activities: installing, removing or replacing dedicated power cable support structure within CI2's arrangement, power cable feeds, and terminations of cable. A BellSouth Certified Supplier must perform all terminations at a BellSouth power board. CI2 shall comply with all applicable National Electric Code (NEC), BellSouth TR73503, Telcordia and ANSI Standards regarding power cabling, installation, and maintenance.

- 8.6.2 If CI2 elects to install its own DC Power Plant, BellSouth shall provide Alternating Current (AC) power to feed CI2's DC Power Plant. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized) and installed by CI2's BellSouth Certified Supplier, except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. CI2's BellSouth Certified Supplier must also provide a copy of the engineering power Specifications prior to the Commencement Date. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At CI2's option, CI2 may arrange for AC power in an adjacent collocation arrangement from a retail provider of electrical power.
- 8.6.3 In Tennessee, monthly recurring charges for -48V DC power consumption will be assessed per ampere per month based upon the engineered and installed power feed fused ampere capacity. Rates include redundant feeder fuse positions (A&B) and common cable racks to CI2's equipment or space enclosure. CI2 shall contract with a BellSouth Certified Supplier to perform the installation and removal of dedicated power cable support structure within CI2's arrangement and terminations of cable within the Collocation Space.
- 8.6.3.1 In Tennessee, nonrecurring charges for –48V DC power distribution will be based on the costs associated with collocation power plant investment and the associated infrastructure.
- 8.6.4 In Alabama and Louisiana, CI2 has the option to purchase power directly from an electric utility company. Under such an option, CI2 is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement,

including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by CI2. CI2's BellSouth Certified Supplier must comply with all applicable safety codes, including the National Electric Safety Codes, in the installation of this power arrangement. If CI2 previously had power supplied by BellSouth, CI2 may request to change its Collocation Space to obtain power from an electric utility company by submitting a Subsequent Application. BellSouth will waive the application fee for this Subsequent Application if no other changes are requested therein. Any floor space, cable racking, etc. utilized by CI2 in provisioning said power will be billed on an ICB basis.

- 8.6.5 In South Carolina, CI2 has the option to purchase power directly from an electric utility company where technically feasible and where space is available in a requested "BellSouth Premises". Under such option, CI2 is responsible for contracting with the electric utility company for its own power feed and meter and is financially responsible for purchasing all equipment necessary to accomplish the arrangement, including inverters, batteries, power boards, bus bars, BDFBs, backup power supplies and power cabling. The actual work to install this arrangement must be performed by a BellSouth Certified Supplier hired by CI2. CI2's BellSouth Certified Supplier must comply with all applicable national, regional, state and local safety, electrical, fire and building codes, including the National Electric Safety Code standards, in the installation of this power arrangement, just as BellSouth is required to comply with these codes. CI2 must submit an application to BellSouth for the appropriate amount of Collocation Space that CI2 requires to install this type of power arrangement. BellSouth will evaluate the request and determine if the appropriate amount of space is available within the office for the installation of CI2's power equipment and facilities. This type of power arrangement must be located in an appropriate area in the central office that has been properly conditioned for the installation of power equipment and conforms to the applicable national, regional, state and local safety, electrical, fire and building codes. BellSouth shall waive the application fee or any other nonrecurring charges that would otherwise be due from a CLEC that decides to reconfigure an existing collocation power arrangement to purchase power directly from an electric utility company as provided herein. CI2 shall be responsible for the recurring charges associated with the central office space needed for this type of power arrangement, including space required to place associated power-related equipment and facilities (i.e., batteries, generator, power meter, etc.). If there is no space available for this type of power arrangement in the requested central office, BellSouth may seek a waiver of these requirements from the Commission for the central office requested. CI2 would still retain the option of ordering its power needs directly from BellSouth.
- 8.6.6 If CI2 desire to reduce the amount of power that it has requested from BellSouth, CI2 must submit a Subsequent Application for this power reduction. If no other modifications to the Collocation Space are requested other than the reduction in power, the Power Reduction Only, Application fee, as set forth in Exhibit B, will apply. If other modifications are requested in addition to the reduction of power, the Subsequent Application Fee will apply. BellSouth will bill the appropriate

nonrecurring application fee on the date BellSouth provides an Application Response to CI2.

- 8.6.7 In Alabama and Louisiana, if CI2 is currently served from the BellSouth main power board and requests that its power be reconfigured to connect to a BellSouth BDFB in a specific central office, CI2 must submit a Subsequent Application to BellSouth. A response to such application will be provided by BellSouth within seven (7) calendar days and no application fee will apply for the initial power reduction at each "BellSouth Premises" in which CI2 is currently collocated.
- 8.7 <u>Security Escort.</u> A security escort will be required whenever CI2 or its approved agent desires access to the entrance manhole or must have access to a "BellSouth Premises" after the one (1) accompanied site visit allowed pursuant to Section 5.9 prior to completing BellSouth's Security Training requirements. The rates for security escort service are assessed, beginning with the scheduled escort time, pursuant to the fee schedule in Exhibit B. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and CI2 shall pay for such half-hour charges in the event CI2 fails to show up.
- 8.8 Cable Record charges. These charges apply for work required to add or change existing cable records assigned to CI2 in BellSouth's database systems. The VG/DS0 per cable record charge is for a maximum of 3600 records. The Fiber cable record charge is for a maximum of 99 records. The Cable Record charges are assessed as nonrecurring fees in all BellSouth states, other than Louisiana, and will be billed upon receipt of CI2's BFFO. In Louisiana, the Cable Record charges are assessed on a monthly recurring basis and will be billed upon receipt of CI2's BFFO.
- 8.9 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

### 9. <u>Insurance</u>

- 9.1 CI2 shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 CI2 shall maintain the following specific coverage:
- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.

- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of CI2's real and personal property situated on or within BellSouth's Central Office location(s).
- 9.2.4 CI2 may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to CI2 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by CI2 shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Premises and shall remain in effect for the term of this Attachment or until all CI2's property has been removed from BellSouth's Premises, whichever period is longer. If CI2 fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from CI2.
- 9.5 CI2 shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. CI2 shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from CI2's insurance company. CI2 shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 CI2 must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 <u>Self-Insurance</u>. If CI2's net worth exceeds five hundred million dollars (\$500,000,000), CI2 may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. CI2 shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Collocation Space. BellSouth shall then review such audited

financial statements and respond in writing to CI2 in the event that self-insurance status is not granted to CI2. If BellSouth approves CI2 for self-insurance, CI2 shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of CI2's corporate officers. The ability to self-insure shall continue so long as the CI2 meets all of the requirements of this Section. If CI2 subsequently no longer satisfies this Section, CI2 is required to purchase insurance as indicated by Sections 9.2.1 and 9.2.2.

- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to CI2 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

### 10. <u>Mechanics Liens</u>

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or CI2), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

### 11. <u>Inspections</u>

BellSouth may conduct an inspection of CI2's equipment and facilities in the Collocation Space(s) prior to the activation of facilities between CI2's equipment and equipment of BellSouth. BellSouth may conduct an inspection if CI2 adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed upon by the Parties. BellSouth shall provide CI2 with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

### 12. Security and Safety Requirements

- Unless otherwise specified, CI2 will be required, at its own expense, to conduct a statewide investigation of criminal history records for each CI2 employee hired in the past five years being considered for work on the "BellSouth Premises", for the states/counties where the CI2 employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. CI2 shall not be required to perform this investigation if an affiliated company of CI2 has performed an investigation of the CI2 employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if CI2 has performed a pre-employment statewide investigation of criminal history records of the CI2 employee for the states/counties where the CI2 employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 CI2 will be required to administer to its personnel assigned to the "BellSouth Premises" security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- CI2 shall provide its employees and agents with picture identification, which must be worn and visible at all times while in the Collocation Space or other areas in or around the "BellSouth Premises". The photo identification card shall bear, at a minimum, the employee's name and photo and CI2's name. BellSouth reserves the right to remove from a "BellSouth Premises" any employee of CI2 not possessing identification issued by CI2 or who has violated any of BellSouth's policies as outlined in the CLEC Security Training documents. CI2 shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises". CI2 shall be solely responsible for ensuring that any Guest(s) of CI2 is in compliance with all subsections of this Section.
- CI2 shall not assign to the "BellSouth Premises" any personnel with records of felony criminal convictions. CI2 shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse building access to any CI2 personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that CI2 chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, CI2 may, in the alternative, certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).
- 12.4.1 CI2 shall not knowingly assign to the "BellSouth Premises" any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.

- 12.4.2 CI2 shall not knowingly assign to the "BellSouth Premises" any individual who was a former supplier of BellSouth and whose access to a "BellSouth Premises" was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each CI2 employee or agent hired by CI2 within five years of being considered for work on the "BellSouth Premises", who requires access to a "BellSouth Premises" pursuant to this Attachment, CI2 shall furnish BellSouth, prior to an employee or agent gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certify that the employee completed the security training. If the employee's criminal history includes misdemeanor convictions, CI2 will disclose the nature of the convictions to BellSouth at that time. In the alternative, CI2 may certify to BellSouth that it shall not assign to the "BellSouth Premises" any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- 12.5.1 For all other CI2 employees requiring access to a "BellSouth Premises" pursuant to this Attachment, CI2 shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, CI2 shall promptly remove from the "BellSouth Premises" any employee of CI2 BellSouth does not wish to grant access to a "BellSouth Premises" 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of CI2 is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- 12.7 Security Violations. BellSouth reserves the right to interview CI2's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to CI2's Security representative of such interview. CI2 and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving CI2's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill CI2 for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that CI2's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill CI2 for BellSouth property, which is stolen or damaged where an investigation determines the culpability of CI2's employees, agents, or suppliers and where CI2 agrees, in good faith, with the results of such investigation. CI2 shall notify BellSouth in writing immediately in the event that CI2 discovers one of its employees already working on the "BellSouth Premises" is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including

- removal from BellSouth's Premises, any employee found to have violated the security and safety requirements of this Section. CI2 shall not hold BellSouth harmless for any damages resulting from such removal of its personnel from a "BellSouth Premises".
- 12.8 <u>Use of Supplies</u>. Unauthorized use of equipment, supplies or other property by either Party, whether or not used routinely to provide telephone service will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on BellSouth's Premises. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

### 13. Destruction of Collocation Space

13.1 In the event a Collocation Space is wholly or partially damaged by fire, windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for CI2's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate occupancy of the damaged Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof. If the Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for CI2's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to CI2, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. CI2 may, at its own expense, accelerate the rebuild of its collocated space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space preparation has been completed. If CI2's acceleration of the project increases the cost of the project, then those additional charges will be incurred by CI2. Where allowed and where practical, CI2 may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Collocation Space shall be rebuilt or repaired, CI2 shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Collocation Space for CI2's permitted use, until such Collocation Space is fully repaired and restored and CI2's equipment installed therein (but in no event later than thirty (30) calendar days after the Collocation Space is fully repaired and restored). Where CI2 has placed an Adjacent Arrangement pursuant to Section 3.4, CI2 shall

have the sole responsibility to repair or replace said Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Adjacent Arrangement.

### 14. Eminent Domain

14.1 If the whole of a Collocation Space or Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Collocation Space or Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Collocation Space or Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Collocation Space or Adjacent Arrangement shall be taken under eminent domain, BellSouth and CI2 shall each have the right to terminate this Attachment with respect to such Collocation Space or Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

15.1 CI2 understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

### 1. GENERAL PRINCIPLES

- Compliance with Applicable Law. BellSouth and CI2 agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC (Applicable Laws). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and CI2 shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. CI2 should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for CI2 to follow when working at a "BellSouth Premises" (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. CI2 will require its suppliers, agents and others accessing the "BellSouth Premises" to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CI2 when operating in the "BellSouth Premises".
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the CI2 space with proper notification. BellSouth reserves the right to stop any CI2 work operation that imposes Imminent Danger to the environment, employees or other persons in the area on BellSouth's Premises.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the "BellSouth Premises" by CI2 are owned by CI2. CI2 will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by CI2 or different hazardous materials used by CI2 at a "BellSouth Premises". CI2 must demonstrate adequate emergency response capabilities for its materials used or remaining at the "BellSouth Premises".

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a "BellSouth Premises", either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by CI2 to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and CI2 will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and CI2 will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, CI2 must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and CI2 shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages (including direct and indirect damages and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the "BellSouth Premises".

### 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Premises, CI2 agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. CI2 further agrees to cooperate with BellSouth to ensure that CI2's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by CI2, its employees, agents and/or suppliers.
- 2.2 The most current version of the reference documentation must be requested from CI2's BellSouth Regional Contract Manager (RCM) (f/k/a Account Team Collocation Coordinator ATCC).

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous	Compliance with all applicable	Std T&C 450
material or other regulated	local, state, & federal laws and	Fact Sheet Series 17000
material	regulations	
(e.g., batteries, fluorescent		

tubes, solvents & cleaning materials)	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	Fact Sheet Series 17000 Building Emergency Operations Plan (EOP) (specific to and located on BellSouth's Premises)
Contract labor/outsourcing for services with environmental implications	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
to be performed on "BellSouth Premises" (e.g., disposition of hazardous material/waste; maintenance of storage	Performance of services in accordance with BST's environmental M&Ps  Insurance	Std T&C 450-B (Contact RCM Representative for copy of appropriate E/S M&Ps.)
tanks)	hisurance	Std T&C 660
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450 Fact Sheet Series 17000
	Pollution liability insurance	Std T&C 660-3
	EVET approval of supplier	Approved Environmental Vendor List (Contact RCM Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	Std T&C 450
Other maintenance work	Protection of BST employees and equipment	29CFR 1910.147 (OSHA Standard) 29CFR 1910 Subpart O (OSHA Standard)
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	Procurement Manager (CRES Related Matters)-BST Supply Chain Services
	All Hazardous Material and	

	Waste  Asbestos notification and protection of employees and equipment	Fact Sheet Series 17000  GU-BTEN-001BT, Chapter 3 BSP 010-170-001BS (Hazcom)
Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance  EVET approval of supplier	Std T&C 450 Fact Sheet 14050 BSP 620-145-011PR Issue A, August 1996 Std T&C 660-3 Approved Environmental Vendor List (Contact RCM Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3 For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center: AL, MS, TN, KY & LA (local area code) 557-6194 FL, GA, NC & SC (local area code) 780-2740

### 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

Hazardous Waste. As defined in Section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a "BellSouth Premises" which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

### 4. ACRONYMS

<u>RCM</u> – Regional Collocation Manager (f/k/a Account Team Collocation Coordinator)

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

<u>E/S</u> – Environmental/Safety

**EVET - Environmental Vendor Evaluation Team** 

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

Std T&C - Standard Terms & Conditions

# **Attachment 4**

**Remote Site Physical Collocation** 

#### BELLSOUTH

### REMOTE SITE PHYSICAL COLLOCATION

### 1. Scope of Attachment

- 1.1 <u>Scope of Attachment.</u> The rates, terms, and conditions contained within this Attachment shall only apply when CI2 is occupying the collocation space as a sole occupant or as a Host within a Remote Site Location ("Remote Collocation Space") pursuant to this Attachment.
- Right to occupy. BellSouth shall offer to CI2 Remote Collocation Space on rates, terms, and conditions that are just, reasonable, non-discriminatory and consistent with the rules of the Federal Communications Commission ("FCC"). Subject to the rates, terms, and conditions of this Attachment, where space is available and collocation is technically feasible, BellSouth will allow CI2 to occupy that certain area designated by BellSouth within a BellSouth Remote Site Location, or on BellSouth property upon which the BellSouth Remote Site Location is located, of a size, which is specified by CI2 and agreed to by BellSouth. BellSouth Remote Site Locations include cabinets, huts, and controlled environmental vaults owned or leased by BellSouth that house BellSouth Network Facilities. To the extent this Attachment does not include all the necessary rates, terms and conditions for BellSouth Remote Site Locations other than cabinets, huts and controlled environmental vaults, the Parties will negotiate said rates, terms, and conditions upon request for collocation at BellSouth Remote Site Locations other than those specified above.

### 1.3 Space Reservation.

- 1.3.1 In all states other than Florida, the number of racks/bays specified by CI2 may contemplate a request for space sufficient to accommodate CI2's growth within a two-year period.
- 1.3.2 In the state of Florida, the number of racks/bays specified by CI2 may contemplate a request for space sufficient to accommodate CI2's growth within an eighteen (18) month period.
- 1.3.3 Neither BellSouth nor any of BellSouth's affiliates may reserve space for future use on more preferential terms than those set forth above.
- 1.4 <u>Third Party Property.</u> If the Premises, or the property on which it is located, is leased by BellSouth from a Third Party or otherwise controlled by a Third Party, special considerations and intervals may apply in addition to the terms and conditions of this

Attachment. Additionally, where BellSouth notifies CI2 that BellSouth's agreement with a Third Party does not grant BellSouth the ability to provide access and use rights to others, upon CI2's request, BellSouth will use its best efforts to obtain the owner's consent and to otherwise secure such rights for CI2. CI2 agrees to reimburse BellSouth for the reasonable and demonstrable costs incurred by BellSouth in obtaining such rights for CI2. In cases where a Third Party agreement does not grant BellSouth the right to provide access and use rights to others as contemplated by this Attachment and BellSouth, despite its best efforts, is unable to secure such access and use rights for CI2 as above, CI2 shall be responsible for obtaining such permission to access and use such property. BellSouth shall cooperate with CI2 in obtaining such permission.

- 1.5 <u>Space Reclamation</u>. In the event of space exhaust within a Remote Site Location, BellSouth may include in its documentation for the Petition for Waiver filing any unutilized space in the Remote Site Location. CI2 will be responsible for any justification of unutilized space within its Remote Collocation Space, if the Commission requires such justification.
- 1.6 <u>Use of Space.</u> CI2 shall use the Remote Collocation Space for the purposes of installing, maintaining and operating CI2's equipment (to include testing and monitoring equipment) necessary for interconnection with BellSouth services and facilities or for accessing BellSouth unbundled network elements (UNEs) for the provision of telecommunications services, as specifically set forth in this Agreement. The Remote Collocation Space may be used for no other purposes except as specifically described herein or in any amendment hereto.
- 1.7 <u>Rates and charges</u>. CI2 agrees to pay the rates and charges identified in Exhibit B attached hereto.
- 1.8 If any due date contained in this Attachment falls on a weekend or National holiday, then the due date will be the next business day thereafter. For intervals of ten (10) calendar days or less National holidays will be excluded.
- 1.9 The Parties agree to comply with all applicable federal, state, county, local and administrative laws, rules, ordinances, regulations and codes in the performance of their obligations hereunder.

### 2. Space Availability Report

2.1 Space Availability Report. Upon request from CI2, BellSouth will provide a written report ("Space Availability Report"), describing in detail the space that is available for collocation and specifying the amount of Remote Collocation Space available at the Remote Site Location requested, the number of collocators present at the Remote Site Location, any modifications in the use of the space since the last report on the Remote Site Location requested and the measures BellSouth is taking to make additional space

- available for collocation arrangements. A Space Availability Report does not reserve space at the Remote Site Location.
- 2.1.1 The request from CI2 for a Space Availability Report must be written and must include the Common Language Location Identification ("CLLI") code for both the Remote Site Location and the serving wire center. The CLLI code information for the serving wire center is located in the National Exchange Carrier Association (NECA) Tariff FCC No. 4. If CI2 is unable to obtain the CLLI code for the Remote Site Location from, for example, a site visit to the remote site, CI2 may request the CLLI code from BellSouth. To obtain a CLLI code for a Remote Site Location directly from BellSouth, CI2 should submit to BellSouth a Remote Site Interconnection Request for the serving wire center CLLI code prior to submitting its request for a Space Availability Report. CI2 should complete all the requested information and submit the Request to BellSouth. BellSouth will bill the applicable fee upon receipt of the request.
- 2.1.2 BellSouth will respond to a request for a Space Availability Report for a particular Remote Site Location within ten (10) calendar days of receipt of such request. BellSouth will make best efforts to respond in ten (10) calendar days to such a request when the request includes from two (2) to five (5) Remote Site Locations within the same state. The response time for requests of more than five (5) Remote Site Locations shall be negotiated between the Parties. If BellSouth cannot meet the ten (10) calendar day response time, BellSouth shall notify CI2 and inform CI2 of the time frame under which it can respond.
- 2.2 Remote Terminal information. Upon request, BellSouth will provide CI2 with the following information concerning BellSouth's remote terminals: (i) the address of the remote terminal; (ii) the CLLI code of the remote terminal; (iii) the carrier serving area of the remote terminal; (iv) the designation of which remote terminals subtend a particular central office; and (v) the number and address of customers that are served by a particular remote terminal.
- 2.2.1 BellSouth will provide this information on a first come, first served basis within thirty (30) calendar days of a CI2 request subject to the following conditions: (i) the information will only be provided on a CD in the same format in which it appears in BellSouth's systems; (ii) the information will only be provided for each serving wire center designated by CI2, up to a maximum of thirty (30) wire centers per CI2 request per month per state, and up to for a maximum of one hundred twenty (120) wire centers total per month per state for all CLECs; and (iii) CI2 agrees to pay the costs incurred by BellSouth in providing the information.

### 3. Collocation Options

3.1 <u>Cageless.</u> BellSouth shall allow CI2 to collocate CI2's equipment and facilities without requiring the construction of a cage or similar structure. BellSouth shall allow CI2 to have direct access to CI2's equipment and facilities in accordance with Section

- 5.8. BellSouth shall make cageless collocation available in single rack/bay increments. Except where CI2's equipment requires special technical considerations (e.g., special cable racking or isolated ground plane), BellSouth shall assign cageless Remote Collocation Space in conventional equipment rack lineups where feasible. For equipment requiring special technical considerations, CI2 must provide the equipment layout, including spatial dimensions for such equipment pursuant to generic requirements contained in Telcordia GR-63-Core, and shall be responsible for compliance with all special technical requirements associated with such equipment pursuant to Section 7.6 following.
- 3.2 Caged. At CI2's expense, CI2 may arrange with a Supplier certified by BellSouth ("BellSouth Certified Supplier") to construct a collocation arrangement enclosure, where technically feasible as that term has been defined by the FCC, in accordance with BellSouth's Technical References (TR) ("Specifications") prior to starting equipment installation. BellSouth will provide Specifications upon request. CI2's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary permits and/or licenses for such construction. BellSouth shall cooperate with CI2 and provide, at CI2's expense, the documentation, including existing building architectural drawings, enclosure drawings, and Specifications required and necessary for CI2's BellSouth Certified Supplier to obtain the zoning, permits and/or other licenses. CI2's BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by CI2's BellSouth Certified Supplier. CI2 must provide the local BellSouth Remote Site Location contact with two Access Keys used to enter the locked enclosure. Except in case of emergency, BellSouth will not access CI2's locked enclosure prior to notifying CI2 at least forty-eight (48) hours before access to the Remote Site Location is required. Upon request, BellSouth shall construct the enclosure for CI2.
- 3.2.1 BellSouth may elect to review CI2's plans and specifications prior to allowing construction to start to ensure compliance with BellSouth's Specifications. Notification to CI2 indicating BellSouth's desire to execute this review will be provided in BellSouth's response to the Application, if CI2 has indicated their desire to construct their own enclosure. If CI2's Application does not indicate their desire to construct their own enclosure, but their firm order does indicate their desire to construct their own enclosure, then notification to review will be given within ten (10) calendar days after the Firm Order date. BellSouth shall complete its review within fifteen (15) calendar days after the receipt of the plans and specifications. Regardless of whether or not BellSouth elects to review CI2's plans and specifications, BellSouth reserves the right to inspect the enclosure after construction to make sure it is constructed according to the submitted plans and specifications and/or BellSouth's Specifications, as applicable. BellSouth shall require CI2 to remove or correct within seven (7) calendar days at CI2's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.

- 3.3 Shared Collocation. CI2 may allow other telecommunications carriers to share CI2's Remote Collocation Space pursuant to terms and conditions agreed to by CI2 ("Host") and other telecommunications carriers ("Guests") and pursuant to this Section, except where the BellSouth Remote Site Location is located within a leased space and BellSouth is prohibited by said lease from offering such an option or is located on property for which BellSouth holds an easement and such easement does not permit such an option. CI2 shall notify BellSouth in writing upon execution of any agreement between the Host and its Guest within ten (10) calendar days of its execution and prior to any Firm Order. Further, such notice shall include the name of the Guest(s) and the term of the agreement, and shall contain a certification by CI2 that said agreement imposes upon the Guest(s) the same terms and conditions for Remote Collocation Space as set forth in this Attachment between BellSouth and CI2.
- 3.3.1 CI2, as the Host, shall be the sole interface and responsible Party to BellSouth for assessment of rates and charges contained within this Attachment and for the purposes of ensuring that the safety and security requirements of this Attachment are fully complied with by the Guest, its employees and agents. BellSouth shall provide CI2 with a proration of the costs of the Remote Collocation Space based on the number of collocators and the space used by each with a minimum charge of one (1) bay/rack per Host/Guest. In those instances where the Host permits a Guest to use a shelf within the Host's bay, BellSouth will not prorate the cost of the bay. In all states other than Florida, and in addition to the foregoing, CI2 shall be the responsible party to BellSouth for the purpose of submitting applications for bay/rack placement for the Guest. In Florida the Guest may directly submit bay/rack placement applications using the Host's access carrier name abbreviation (ACNA). A separate Guest application shall require the assessment of an Application Fee, as set forth in Exhibit B, which will be charged to the Host. BellSouth shall bill this nonrecurring fee on the date that BellSouth provides it written response ("Application Response").
- 3.3.2 Notwithstanding the foregoing, the Guest may arrange directly with BellSouth for the provision of the interconnecting facilities between BellSouth and the Guest and for the provision of the services and access to unbundled network elements. The bill for these interconnecting facilities, services and access to UNEs will be charged to the Guest pursuant to the applicable tariff or the Guest's Interconnection Agreement with BellSouth.
- 3.3.3 CI2 shall indemnify and hold harmless BellSouth from any and all claims, actions, causes of action, of whatever kind or nature arising out of the presence of CI2's Guest(s) in the Remote Collocation Space except to the extent caused by BellSouth's sole negligence, gross negligence, or willful misconduct.
- 3.4 <u>Adjacent Collocation</u>. Subject to technical feasibility and space availability, BellSouth will permit adjacent Remote Site collocation arrangements ("Remote Site Adjacent Arrangement") on the property on which the Remote Site is located when space within the Remote Site Location is legitimately exhausted, where the Remote Site Adjacent

Arrangement does not interfere with access to existing or planned structures or facilities on the Remote Site Location property. The Remote Site Adjacent Arrangement shall be constructed or procured by CI2 and in conformance with BellSouth's design and construction Specifications. Further, CI2 shall construct, procure, maintain and operate said Remote Site Adjacent Arrangement(s) pursuant to all of the terms and conditions set forth in this Attachment. Rates shall be negotiated at the time of the application for the Remote Site Adjacent Arrangement.

- 3.4.1 Should CI2 elect Adjacent Collocation, CI2 must arrange with a BellSouth Certified Supplier to construct a Remote Site Adjacent Arrangement structure in accordance with BellSouth's Specifications. Where local building codes require enclosure specifications more stringent than BellSouth's Specifications, CI2 and CI2's BellSouth Certified Supplier must comply with local building code requirements. CI2's BellSouth Certified Supplier shall be responsible for filing and receiving any and all necessary zoning, permits and/or licenses for such construction. CI2's BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 pursuant to this Attachment and BellSouth shall have no liability for nor responsibility to pay such charges imposed by CI2's BellSouth Certified Supplier. CI2 must provide the local BellSouth Remote Site Location contact with two cards, keys or other access device used to enter the locked enclosure. Except in cases of emergency, BellSouth shall not access CI2's locked enclosure prior to notifying CI2 at least forty-eight (48) hours or two (2) business days, whichever is greater, before access to the locked enclosure is required.
- 3.4.2 CI2 must submit its plans and specifications to BellSouth with its Firm Order. BellSouth shall review CI2's plans and specifications prior to construction of a Remote Site Adjacent Arrangement(s) to ensure compliance with BellSouth's Specifications. BellSouth shall complete its review within fifteen (15) calendar days after receipt of plans and specifications. BellSouth may inspect the Remote Site Adjacent Arrangement(s) during and after construction to confirm it is constructed according to the submitted plans and specifications. BellSouth shall require CI2 to remove or correct within seven (7) calendar days at CI2's expense any structure that does not meet these plans and specifications or, where applicable, BellSouth's Specifications.
- 3.4.3 CI2 shall provide a concrete pad, the structure housing the arrangement, heating/ventilation/air conditioning ("HVAC"), lighting, and all facilities that connect the structure (i.e. racking, conduits, etc.) to the BellSouth point of demarcation. At CI2's option, and where the local authority having jurisdiction permits, BellSouth shall provide an AC power source and access to physical collocation services and facilities subject to the same nondiscriminatory requirements as applicable to any other physical collocation arrangement. In Alabama and Louisiana, BellSouth will provide DC power to Adjacent Collocation sites where technically feasible, as that term has been defined by the FCC, and subject to individual case basis pricing. CI2's BellSouth Certified Supplier shall be responsible, at CI2's expense, for filing and receiving any and all

necessary zoning, permits and/or licenses for such arrangement. BellSouth shall allow Shared Collocation within a Remote Site Adjacent Arrangement pursuant to the terms and conditions set forth herein.

- 3.5 Co-carrier cross-connect (CCXC). The primary purpose of collocation is for a collocated telecommunications carrier to interconnect with BellSouth's network or to access BellSouth's unbundled network elements for the provision of telecommunications services within a BellSouth Premises. BellSouth will permit CI2 to interconnect between its virtual or physical collocation arrangements and those of another collocated telecommunications carrier within the same Remote Site Location. Both CI2's agreement and the other collocated telecommunications carrier's agreement must contain rates, terms and conditions for CCXC language. At no point in time shall CI2 use the Remote Collocation Space for the sole or primary purpose of cross connecting to other collocated telecommunications carriers.
- 3.5.1 CI2 must use a BellSouth Certified Supplier to place the CCXC. The CCXC shall be provisioned through facilities owned by CI2. Such connections to other collocated telecommunications carriers may be made using either optical or electrical facilities. In cases where CI2's equipment and the equipment of the other collocated telecommunications carrier are located in contiguous caged Collocation Spaces, CI2 will have the option of using CI2's own technicians to deploy co-carrier cross connects using either electrical or optical facilities between the sets of equipment and construct its own dedicated cable support structure. CI2 shall deploy such optical or electrical connections directly between its own facilities and the facilities of other collocated telecommunications carriers without being routed through BellSouth equipment. CI2 shall not provision CCXC on any BellSouth distribution frame, POT (Point of Termination) Bay, DSX (Digital System Cross-connect) or LGX (Light Guide Cross-connect). CI2 is responsible for ensuring the integrity of the signal.
- 3.5.2 CI2 shall be responsible for providing a letter of authorization ("LOA") to BellSouth from the other collocated telecommunications carrier prior to installing the CCXC. CI2-provisioned CCXC shall utilize common cable support structure. There will be a recurring charge per linear foot, per cable, of common cable support structure used. In the case of two contiguous caged collocation arrangements, CI2 will have the option of using CI2's own technicians to construct its own dedicated support structure.
- 3.5.3 To order CCXCs, CI2 must submit an Application. If no modification to the Remote Collocation Space is requested other than the placement of CCXCs, the Subsequent Application Fee for CCXCs, as defined in Exhibit B, will apply. If modifications in addition to the placement of CCXCs are requested, the Application Fee will apply. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.

### 4. Occupancy

- 4.1 Occupancy. BellSouth will notify CI2 in writing that the Remote Collocation Space is ready for occupancy ("Space Ready Date"). CI2 will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying CI2 that Remote Collocation Space is ready for occupancy ("Space Ready Date"). BellSouth will correct any deviations to CI2's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame, and BellSouth shall establish a new Space Ready Date. Another acceptance walkthrough will then be scheduled and conducted within fifteen (15) calendar days of the new Space Ready Date. This follow-up acceptance walkthrough will be limited to those items identified in the initial walkthrough. If CI2 has met the fifteen (15) calendar day interval(s), billing will begin upon the date of CI2's acceptance of the Collocation Space ("Space Acceptance Date"). In the event that CI2 fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by CI2 on the Space Ready Date and billing will commence from that date. If CI2 decides to occupy the space prior to the Space Ready Date, the date CI2 occupies the space becomes the new Space Acceptance Date and billing begins from that date. CI2 must notify BellSouth in writing that collocation equipment installation is complete and is operational with BellSouth's network. BellSouth may, at its option, not accept orders for cross connects until receipt of such notice. For purposes of this paragraph, CI2's telecommunications equipment will be deemed operational when cross-connected to BellSouth's network for the purpose of service provision.
- 4.2 Termination of Occupancy. In addition to any other provisions addressing termination of occupancy in this Attachment, CI2 may terminate occupancy in a particular Remote Collocation Space by submitting an Application requesting termination of occupancy; such termination shall be effective upon BellSouth's acceptance of the Space Relinquishment Form. Billing for monthly recurring charges will cease on the date CI2 and BellSouth conduct an inspection of the terminated space and jointly sign off on the Space Relinquishment Form or on the date that CI2 signs off on the Space Relinquishment Form and sends the form to BellSouth if a subsequent inspection of the terminated space by BellSouth reveals no discrepancies. If the subsequent inspection by BellSouth reveals discrepancies, billing will cease on the date that BellSouth and CI2 jointly conduct an inspection which confirms that CI2 has corrected the discrepancies. An Application Fee will not apply for termination of occupancy. BellSouth may terminate CI2's right to occupy the Remote Collocation Space in the event CI2 fails to comply with any provision of this Agreement.
- 4.2.1 Upon termination of occupancy, CI2 at its expense shall remove its equipment and other property from the Remote Collocation Space. CI2 shall have thirty (30) calendar days from the Bona Fide Firm Order ("BFFO") Application Date ("Termination Date") to complete such removal, including the removal of all

equipment and facilities of CI2's Guest(s), unless CI2's Guest(s) has assumed responsibility for the Remote Collocation Space housing the Guest(s)'s equipment and executed the documentation required by BellSouth prior to such removal date. CI2 shall continue payment of monthly fees to BellSouth until such date as CI2, and if applicable CI2's Guest(s), has fully vacated the Remote Collocation Space and the Space Relinguish Form has been accepted by BellSouth. Should CI2 or CI2's Guest(s) fail to vacate the Remote Collocation Space within thirty (30) calendar days from the Termination Date, BellSouth shall have the right to remove the equipment and dispose of the equipment and other property of CI2 or CI2's Guest(s), in any manner that BellSouth deems fit, at CI2's expense and with no liability whatsoever for CI2's or CI2's Guest(s)'s property. Upon termination of CI2's right to occupy Remote Collocation Space, the Remote Collocation Space will revert back to BellSouth, and CI2 shall surrender such Remote Collocation Space to BellSouth in the same condition as when first occupied by the CI2 except for ordinary wear and tear unless otherwise agreed to by the Parties. For CEVs and huts CI2's BellSouth Certified Supplier shall be responsible for updating and making any necessary changes to BellSouth's records as required by BellSouth's Specifications including but not limited to Record Drawings and ERMA Records. CI2 shall be responsible for the cost of removing any CI2 constructed enclosure, together with all support structures (e.g., racking, conduits, or power cables), at the termination of occupancy and restoring the grounds to their original condition.

# 5. <u>Use of Remote Collocation Space</u>

- Equipment Type. BellSouth permits the collocation of any type of equipment necessary for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services, as the term "necessary" is defined by FCC 47 C.F.R. Section 51.323 (b). The primary purpose and function of any equipment collocated in a Remote Collocation Space must be for interconnection to BellSouth's network or for access to BellSouth's unbundled network elements in the provision of telecommunications services.
- 5.1.1 Examples of equipment that would not be considered necessary include but are not limited to: traditional circuit switching equipment, equipment used exclusively for call-related databases, computer servers used exclusively for providing information services, operations support system (OSS) equipment used to support collocated telecommunications carrier network operations, equipment that generates customer orders, manages trouble tickets or inventory, or stores customer records in centralized databases, etc. BellSouth will determine upon receipt of an application if the requested equipment is necessary based on the criteria established by the FCC. Multifunctional equipment placed on BellSouth's Premises must not place any greater relative burden on BellSouth's property than comparable single-function equipment. BellSouth reserves the right to permit collocation of any equipment on a nondiscriminatory basis.

- 5.1.2 Such equipment must, at a minimum, meet the following Telcordia Network Equipment Building Systems (NEBS) General Equipment Requirements: Criteria Level 3 requirements as outlined in the Telcordia Special Report SR-3580, Issue 1. Except where otherwise required by a Commission, BellSouth shall comply with the applicable FCC rules relating to denial of collocation based on CI2's failure to comply with this Section.
- 5.1.2.1 All CI2 equipment installation shall comply with BellSouth TR 73503-11h, "Grounding Engineering Procedures". Metallic cable sheaths and metallic strength members of optical fiber cables as well as the metallic cable sheaths of all copper conductor cables shall be bonded to the designated grounding bus for the Remote Site Location. All copper conductor pairs, working and non-working, shall be equipped with a solid-state protector unit (over-voltage protection only), which has been listed by a nationally recognized testing laboratory.
- 5.1.3 CI2 shall identify to BellSouth whenever CI2 submits a Method of Procedure ("MOP") adding equipment to CI2's Remote Collocation Space all UCC-1 lien holders or other entities that have a financial interest, secured or otherwise, in the equipment in CI2's Remote Collocation Space. CI2 shall submit a copy of the list of any lien holders or other entities that have a financial interest to CI2's ATCC Representative.
- 5.2 CI2 shall not use the Remote Collocation Space for marketing purposes nor shall it place any identifying signs or markings in the area surrounding the Remote Collocation Space or on the grounds of the Remote Site Location.
- 5.3 CI2 shall place a plaque or other identification affixed to CI2's equipment to identify CI2's equipment, including a list of emergency contacts with telephone numbers.
- Entrance Facilities. CI2 may elect to place CI2-owned or CI2-leased fiber entrance facilities into the Remote Collocation Space. BellSouth will designate the point of interconnection at the Remote Site Location housing the Remote Collocation Space, which is physically accessible by both Parties. CI2 will provide and place copper cable through conduit from the Remote Collocation Space to the Feeder Distribution Interface to the splice location of sufficient length for splicing by BellSouth. CI2 must contact BellSouth for instructions prior to placing the entrance facility cable. CI2 is responsible for maintenance of the entrance facilities.
- 5.4.1 <u>Shared Use</u>. CI2 may utilize spare capacity on an existing interconnector entrance facility for the purpose of providing an entrance facility to CI2's collocation arrangement within the same BellSouth Remote Site Location. BellSouth shall allow splicing to the entrance facility, provided that the fiber is non-working fiber. CI2 must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from the other telecommunications carrier for BellSouth to splice the CI2 provided riser cable to the spare capacity on the

entrance facility. If CI2 desires to allow another telecommunications carrier to use its entrance facilities, then that telecommunications carrier must arrange with BellSouth in accordance with BellSouth's Special Construction Procedures, RL93-11-030BT, and provide a LOA from CI2 for BellSouth to splice that telecommunications carrier's provided riser cable to the spare capacity on CI2's entrance facility.

- Demarcation Point. BellSouth will designate the point(s) of demarcation between CI2's equipment and/or network and BellSouth's network. Each Party will be responsible for maintenance and operation of all equipment/facilities on its side of the demarcation point. CI2 or its agent must perform all required maintenance to CI2 equipment/facilities on its side of the demarcation point, pursuant to Section 5.6, following.
- 5.6 <u>CI2's Equipment and Facilities</u>. CI2, or if required by this Attachment, CI2's BellSouth Certified Supplier, is solely responsible for the design, engineering, installation, testing, provisioning, performance, monitoring, maintenance and repair of the equipment and facilities used by CI2 which must be performed in compliance with all applicable BellSouth Specifications. Such equipment and facilities may include but are not limited to cable(s), equipment, and point of termination connections. CI2 and its selected BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564.
- 5.7 <u>BellSouth's Access to Remote Collocation Space</u>. From time to time BellSouth may require access to the Remote Collocation Space. BellSouth retains the right to access the Remote Collocation Space for the purpose of making BellSouth equipment and Remote Site Location modifications. Except in case of emergency, BellSouth will give notice to CI2 at least forty-eight (48) hours before access to the Remote Collocation Space is required. CI2 may elect to be present whenever BellSouth performs work in the Collocation Space. The Parties agree that CI2 will not bear any of the expense associated with this work.
- 5.8 Access. Pursuant to Section 12, CI2 shall have access to the Remote Collocation Space twenty-four (24) hours a day, seven (7) days a week. CI2 agrees to provide the name and social security number or date of birth or driver's license number of each employee, supplier, or agents of CI2 or CI2's Guests to be provided with access keys or cards ("Access Keys") prior to the issuance of said Access Keys using form RF-2906-C "CLEC and CLEC Certified Supplier Access Request and Acknowledgement". Key acknowledgement forms, "Collocation Acknowledgement Sheet" for access cards and "Key Acknowledgement Form" for keys, must be signed by CI2 and returned to BellSouth Access Management within fifteen (15) calendar days of CI2's receipt. Failure to return properly acknowledged forms will result in the holding of subsequent requests until acknowledgements are current. Access Keys shall not be duplicated under any circumstances. CI2 agrees to be responsible for all Access Keys and for the return of all said Access Keys in the possession of CI2's employees, suppliers, Guests, or agents after termination of the employment relationship,

contractual obligation with CI2 or upon the termination of this Attachment or the termination of occupancy of an individual Remote Collocation Space arrangement.

- BellSouth will permit one accompanied site visit to CI2's designated collocation arrangement location after receipt of the BFFO without charge to CI2. CI2 must submit to BellSouth the completed Access Control Request Form for all employees or agents requiring access to the BellSouth Remote Site Location a minimum of thirty (30) calendar days prior to the date CI2 desires access to the Remote Collocation Space. In order to permit reasonable access during construction of the Remote Collocation Space, CI2 may submit such a request at any time subsequent to BellSouth's receipt of the BFFO. In the event CI2 desires access to the Remote Collocation Space after submitting such a request but prior to access being approved, in addition to the first accompanied free visit, BellSouth shall permit CI2 to access the Remote Collocation Space accompanied by a security escort at CI2's expense. CI2 must request escorted access at least three (3) business days prior to the date such access is desired.
- Lost or Stolen Access Keys. CI2 shall notify BellSouth in writing immediately in the case of lost or stolen Access Keys. Should it become necessary for BellSouth to rekey Remote Site Locations or deactivate a card as a result of a lost Access Key(s) or for failure to return an Access Key(s), CI2 shall pay for all reasonable costs associated with the re-keying or deactivating the card.
- 5.10 Interference or Impairment. Notwithstanding any other provisions of this Attachment, CI2 shall not use any product or service provided under this Agreement, any other service related thereto or used in combination therewith, or place or use any equipment and facilities in any manner that 1) significantly degrades, interferes with or impairs service provided by BellSouth or by any other entity or any person's use of its telecommunications service; 2) endangers or damages the equipment, facilities or other property of BellSouth or of any other entity or person; 3) compromises the privacy of any communications; or 4)creates an unreasonable risk of injury or death to any individual or to the public. If BellSouth reasonably determines that any equipment or facilities of CI2 violates the provisions of this paragraph, BellSouth shall give written notice to CI2, which notice shall direct CI2 to cure the violation within forty-eight (48) hours of CI2's actual receipt of written notice or, at a minimum, to commence curative measures within 24 hours and to exercise reasonable diligence to complete such measures as soon as possible thereafter. After receipt of the notice, the Parties agree to consult immediately and, if necessary, to inspect the arrangement.
- 5.10.1 Except in the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services, if CI2 fails to take curative action within forty-eight (48) hours or if the violation is of a character which poses an immediate and substantial threat of damage to property, injury or death to any person, or any other significant degradation, interference or impairment of BellSouth's or any other entity's service, then and only

in that event BellSouth may take such action as it deems appropriate to correct the violation, including without limitation the interruption of electrical power to CI2's equipment. BellSouth will endeavor, but is not required, to provide notice to CI2 prior to taking such action and shall have no liability to CI2 for any damages arising from such action, except to the extent that such action by BellSouth constitutes willful misconduct.

- 5.10.2 For purposes of this section, the term significantly degrade shall mean an action that noticeably impairs a service from a user's perspective. In the case of the deployment of an advanced service which significantly degrades the performance of other advanced services or traditional voice band services and CI2 fails to take curative action within forty-eight (48) hours then BellSouth will establish before the Commission that the technology deployment is causing the significant degradation. Any claims of network harm presented to CI2 or, if subsequently necessary, the Commission must be supported with specific and verifiable information. Where BellSouth demonstrates that a deployed technology is significantly degrading the performance of other advanced services or traditional voice band services, CI2 shall discontinue deployment of that technology and migrate its customers to technologies that will not significantly degrade the performance of other such services. Where the only degraded service itself is a known disturber, and the newly deployed technology satisfies at least one of the criteria for a presumption that is acceptable for deployment under Section 47 C.F.R. 51.230, the degraded service shall not prevail against the newly-deployed technology.
- 5.11 Personalty and its Removal. Facilities and equipment placed by CI2 in the Remote Collocation Space shall not become a part of the Remote Site Location, even if nailed, screwed or otherwise fastened to the Remote Collocation Space but shall retain their status as personalty and may be removed by CI2 at any time. Any damage caused to the Remote Collocation Space by CI2's employees, agents or representatives shall be promptly repaired by CI2 at its expense.
- 5.11.1 If CI2 decides to remove equipment from its Remote Collocation Space and the removal requires no physical changes, BellSouth will bill CI2 an Administrative Only Application Fee as set forth in Exhibit B for these changes. This nonrecurring fee will be billed on the date that BellSouth provides an Application Response.
- Alterations. In no case shall CI2 or any person acting on behalf of CI2 make any rearrangement, modification, improvement, addition, or other alteration which could affect in any way space, power, HVAC, and/or safety considerations to the Remote Collocation Space or the BellSouth Remote Site Location without the written consent of BellSouth, which consent shall not be unreasonably withheld. The cost of any specialized alterations shall be paid by CI2. Any such material rearrangement, modification, improvement, addition, or other alteration shall require an application and Application Fee. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.

5.13 <u>Upkeep of Remote Collocation Space</u>. CI2 shall be responsible for the general upkeep and cleaning of the Remote Collocation Space. CI2 shall be responsible for removing any CI2 debris from the Remote Collocation Space and from in and around the Remote Site Location on each visit.

### 6. Ordering and Preparation of Remote Collocation Space

- 6.1 Should any state or federal regulatory agency impose procedures or intervals applicable to CI2 and BellSouth that are different from procedures or intervals set forth in this Section, whether now in effect or that become effective after execution of this Agreement, those procedures or intervals shall supersede the requirements set forth herein for that jurisdiction for all applications submitted for the first time after the effective date thereof
- Remote Site Application. When CI2 or CI2's Guest(s) desires to install a bay/rack in a Remote Site Location, CI2 shall submit to BellSouth a Physical Expanded Interconnection Application Document ("Application"). The application is Bona Fide when it is complete and accurate, meaning that all required fields on the application are completed with the appropriate type of information. An application fee will apply which will be billed on the date that BellSouth provides an Application Response. The placement of an additional bay/rack at a later date will be treated in the same fashion and an application will be required. The installation of additional shelves/equipment, subject to the restrictions contained in Section 5.10, within an existing bay/rack does not require an application.
- Availability of Space. Upon submission of an application, BellSouth will permit CI2 to physically collocate, pursuant to the terms of this Attachment, at any BellSouth Remote Site Location, unless BellSouth has determined that there is no space available due to space limitations or that collocation at the Remote Site Location is not practical for technical reasons. In the event space is not immediately available at a Remote Site Location, BellSouth reserves the right to make additional space available, in which case the conditions in Section 7 shall apply, or BellSouth may elect to deny space in accordance with this Section in which case virtual or adjacent collocation options may be available. If the amount of space requested is not available, BellSouth will notify CI2 of the amount that is available.

### 6.4 Space Availability Notification.

Unless otherwise specified, BellSouth will respond to an application within ten (10) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If the amount of space requested is not available, BellSouth will notify CI2 of the amount of space that is available and no Application Fee shall apply. When BellSouth's response includes an amount of space less than that requested by

CI2 or differently configured no application fee shall apply. If CI2 decides to accept the available space, CI2 must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed.

- BellSouth will respond to a Florida application within fifteen (15) calendar days as to whether space is available or not available within a BellSouth Remote Site Location. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide. If a lesser amount of space than requested is available, BellSouth will provide an Application Response for the amount of space that is available and an Application Fee will be billed by BellSouth on the date that BellSouth provides an Application Response. When BellSouth's Application Response includes an amount of space less than that requested by CI2 or differently configured, if CI2 decides to accept the available space, CI2 must amend its application to reflect the actual space available prior to submitting a BFFO.
- 6.4.3 BellSouth will respond to a Louisiana application within ten (10) calendar days for space availability for one (1) to ten (10) applications; fifteen (15) calendar days for eleven (11) to twenty (20) applications; and for more than twenty (20) applications, the response interval is increased by five (5) calendar days for every five additional applications received within five (5) business days. If the amount of space requested is not available, BellSouth will notify CI2 of the amount of space that is available and no Application Fee will apply. When BellSouth's response includes an amount of space less than that requested by CI2 or differently configured no application fee shall apply. If CI2 decides to accept the available space, CI2 must resubmit its application to reflect the actual space available prior to submitting a BFFO and an application fee will be billed. BellSouth will also respond as to whether the application is Bona Fide and if it is not Bona Fide the items necessary to cause the application to become Bona Fide.
- Denial of Application. If BellSouth notifies CI2 that no space is available ("Denial of Application"), BellSouth will not assess an Application Fee. After notifying CI2 that BellSouth has no available space in the requested Remote Site Location, BellSouth will allow CI2, upon request, to tour the Remote Site Location within ten (10) calendar days of such Denial of Application. In order to schedule said tour within ten (10) calendar days, the request for a tour of the Remote Site Location must be received by BellSouth within five (5) calendar days of the Denial of Application.
- 6.6 Filing of Petition for Waiver. Upon Denial of Application BellSouth will timely file a petition with the Commission pursuant to 47 U.S.C. § 251(c)(6). BellSouth shall provide to the Commission any information requested by that Commission. Such information shall include which space, if any, BellSouth or any of BellSouth's affiliates have reserved for future use and a detailed description of the specific future uses for which the space has been reserved. Subject to an appropriate nondisclosure agreement or provision, BellSouth shall permit CI2 to inspect any plans or diagrams that BellSouth provides to the Commission.

- Maiting List. On a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. BellSouth will notify the telecommunications carriers on the waiting list that can be accommodated by the amount of space that becomes available according to the position of the telecommunications carriers on said waiting list.
- 6.7.1 In Florida, on a first-come, first-served basis governed by the date of receipt of an application or Letter of Intent, BellSouth will maintain a waiting list of requesting carriers who have either received a Denial of Application or, where it is publicly known that the Remote Site Location is out of space, have submitted a Letter of Intent to collocate. Sixty (60) calendar days prior to space becoming available, if known, BellSouth will notify the Florida PSC and the telecommunications carriers on the waiting list by mail when space becomes available according to the position of the telecommunications carrier on said waiting list. If not known sixty (60) calendar days in advance, BellSouth shall notify the Florida PSC and the telecommunications carriers on the waiting list within two business days of the determination that space is available. A telecommunications carrier that, upon denial of physical collocation, requests virtual collocation shall be automatically placed on the waiting list.
- When space becomes available, CI2 must submit an updated, complete, and correct application to BellSouth within thirty (30) calendar days of such notification. If CI2 has originally requested caged Remote Collocation Space and cageless Remote Collocation Space becomes available, CI2 may refuse such space and notify BellSouth in writing within that time that CI2 wants to maintain its place on the waiting list without accepting such space. CI2 may accept an amount of space less than its original request by submitting an application as set forth above, and upon request, may maintain its position on the waiting list for the remaining space that was initially requested. If CI2 does not submit such an application or notify BellSouth in writing as described above, BellSouth will offer such space to the next telecommunications carrier on the waiting list and remove CI2 from the waiting list. Upon request, BellSouth will advise CI2 as to its position on the list.
- 6.8 Public Notification. BellSouth will maintain on its Interconnection Services website a notification document that will indicate all Remote Site Locations that are without available space. BellSouth shall update such document within ten (10) calendar days of the date that BellSouth becomes aware that there is insufficient space to accommodate collocation at the Remote Site Location. BellSouth will also post a document on its Interconnection Services website that contains a general notice where space has become available in a Remote Site Location previously on the space exhaust list.
- 6.9 Application Response.

- 6.9.1 In Florida, within fifteen (15) calendar days of receipt of a Bona Fide application, when space has been determined to be available or when a lesser amount of space than that requested is available, then with respect to the space available, BellSouth will provide an Application Response including sufficient information to enable CI2 to place a Firm Order. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8. When CI2 submits ten (10) or more applications within ten (10) calendar days, the initial fifteen (15) calendar day response period will increase by ten (10) calendar days for every additional ten (10) applications or fraction thereof.
- In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee when space has been determined to be available, BellSouth will provide an Application Response within twenty (20) calendar days of receipt of a Bona Fide application. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.9.3 In Louisiana, when space has been determined to be available, BellSouth will respond with an Application Response within thirty (30) calendar days for one (1) to ten (10) applications; thirty (35) calendar days for eleven (11) to twenty (20) applications; and for requests of more than twenty (20) applications, the Application Response interval will be increased by five (5) calendar days for every five (5) applications received within five (5) business days. The Application Response will include, at a minimum, the configuration of the space, the Cable Installation Fee, Cable Records Fee, and the space preparation fees, as described in Section 8.
- 6.10 <u>Application Modifications</u>.
- 6.10.1 If a modification or revision is made to any information in the Bona Fide application prior to a BFFO, with the exception of modifications to Customer Information, Contact Information or Billing Contact Information, either at the request of CI2 or necessitated by technical considerations, said application shall be considered a new application and shall be handled as a new application with respect to response and provisioning intervals and BellSouth will charge CI2 a full application fee as set forth in Exhibit B. BellSouth will bill the nonrecurring fee on the date that BellSouth provides an Application Response.
- 6.10.2 <u>Bona Fide Firm Order.</u>
- 6.10.3 CI2 shall indicate its intent to proceed with equipment installation in a BellSouth Remote Site Location by submitting a Firm Order to BellSouth. The BFFO must be received by BellSouth no later than thirty (30) calendar days after BellSouth's Application Response to CI2's Bona Fide application or the application will expire.

6.10.4 BellSouth will establish a firm order date based upon the date BellSouth is in receipt of a BFFO. BellSouth will acknowledge the receipt of CI2's BFFO within seven (7) calendar days of receipt indicating that the BFFO has been received. A BellSouth response to a BFFO will include a Firm Order Confirmation containing the firm order date. No revisions will be made to a BFFO.

# 7. <u>Construction and Provisioning</u>

- 7.1 <u>Construction and Provisioning Intervals.</u>
- 7.1.1 In Florida, BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of ninety (90) calendar days from receipt of a BFFO or as agreed to by the Parties. For changes to Remote Collocation Space after initial space completion ("Augmentation"), BellSouth will complete construction for collocation arrangements as soon as possible and within a maximum of forty-five (45) calendar days from receipt of a BFFO or as agreed to by the Parties. If BellSouth does not believe that construction will be completed within the relevant time frame and BellSouth and CI2 cannot agree upon a completion date, within forty-five (45) calendar days of receipt of the BFFO for an initial request, and within thirty (30) calendar days for Augmentations, BellSouth may seek an extension from the Florida Commission.
- 7.1.2 In Alabama, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, and Tennessee, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO and ninety (90) calendar days from receipt of a BFFO for extraordinary conditions or as agreed to by the Parties. Ordinary conditions are defined as space available with only minor changes to support systems required, such as but not limited to, HVAC, cabling and the power plant(s). Extraordinary conditions shall include, but not limited to, major BellSouth equipment rearrangement or addition; power plant addition or upgrade; major mechanical addition or upgrade; major upgrade for ADA compliance; environmental hazard or hazardous materials abatement; and arrangements for which equipment shipping intervals are extraordinary in length. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.1.3 In Louisiana, BellSouth will complete construction for collocation arrangements under ordinary conditions as soon as possible and within a maximum of sixty (60) calendar days from receipt of a BFFO for an initial request, and within 60 calendar days for an Augmentation, or as agreed to by the Parties. The Parties may mutually agree to renegotiate an alternative provisioning interval or BellSouth may seek a waiver from this interval from the Commission.
- 7.2 In the event BellSouth does not have space immediately available at a Remote Site Location, BellSouth may elect to make additional space available by, for example but not limited to, rearranging BellSouth facilities or constructing additional capacity. In

such cases, the above intervals shall not apply and BellSouth will provision the Remote Collocation Space in a nondiscriminatory manner and at parity with BellSouth and will provide CI2 with the estimated completion date in its Response.

- Joint Planning. Joint planning between BellSouth and CI2 will commence within a maximum of twenty (20) calendar days from BellSouth's receipt of a BFFO. BellSouth will provide the preliminary design of the Remote Collocation Space and the equipment configuration requirements as reflected in the Bona Fide application and affirmed in the BFFO. The Remote Collocation Space completion time period will be provided to CI2 during joint planning.
- 7.4 <u>Permits</u>. Each Party or its agents will diligently pursue filing for the permits required for the scope of work to be performed by that Party or its agents within ten (10) calendar days of the completion of finalized construction designs and specifications.
- 7.5 Acceptance Walkthrough. CI2 will schedule and complete an acceptance walkthrough of each Remote Collocation Space with BellSouth within fifteen (15) calendar days of BellSouth's notifying CI2 that the Remote Collocation Space is ready for occupancy. In the event that CI2 fails to complete an acceptance walkthrough within this fifteen (15) calendar day interval, the Remote Collocation Space shall be deemed accepted by CI2 on the Space Ready Date. BellSouth will correct any deviations to CI2's original or jointly amended requirements within seven (7) calendar days after the walkthrough, unless the Parties jointly agree upon a different time frame.
- 7.6 Use of BellSouth Certified Supplier. CI2 shall select a supplier which has been approved by BellSouth to perform all engineering and installation work CI2 and CI2's BellSouth Certified Supplier must follow and comply with all BellSouth requirements outlined in BellSouth's TR 73503, TR 73519, TR 73572, and TR 73564. In some cases, CI2 must select separate BellSouth Certified Suppliers for transmission equipment, switching equipment and power equipment. BellSouth shall provide CI2 with a list of BellSouth Certified Suppliers upon request. The BellSouth Certified Supplier(s) shall be responsible for installing CI2's equipment and components, extending power cabling to the BellSouth power distribution frame, performing operational tests after installation is complete, and notifying BellSouth's Outside Plant engineers and CI2 upon successful completion of installation. The BellSouth Certified Supplier shall bill CI2 directly for all work performed for CI2 pursuant to this Attachment, and BellSouth shall have no liability for nor responsibility to pay such charges imposed by the BellSouth Certified Supplier. BellSouth shall make available its supplier certification program to CI2 or any supplier proposed by CI2 and will not unreasonably withhold certification. All work performed by or for CI2 shall conform to generally accepted industry standards.
- 7.7 <u>Alarm and Monitoring</u>. BellSouth may place alarms in the Remote Site Location for the protection of BellSouth equipment and facilities. CI2 shall be responsible for placement, monitoring and removal of environmental and equipment alarms used to

service CI2's Remote Collocation Space. Upon request, BellSouth will provide CI2 with applicable tariffed service(s) to facilitate remote monitoring of collocated equipment by CI2. Both Parties shall use best efforts to notify the other of any verified hazardous conditions known to that Party.

- 7.8 Virtual Remote Collocation Space Relocation. In the event physical Remote Collocation Space was previously denied at a Remote Site Location due to technical reasons or space limitations, and physical Remote Collocation Space has subsequently become available, CI2 may relocate its virtual Remote Collocation arrangements to physical Remote Collocation Space arrangements and pay the appropriate fees for physical Remote Collocation Space and for the rearrangement or reconfiguration of services terminated in the virtual Remote Collocation Space arrangement, as outlined in the appropriate BellSouth tariffs. In the event that BellSouth knows when additional space for physical Remote Collocation Space may become available at the location requested by CI2, such information will be provided to CI2 in BellSouth's written denial of physical Remote Collocation Space. To the extent that (i) physical Remote Collocation Space becomes available to CI2 within one hundred eighty (180) calendar days of BellSouth's written denial of CI2's request for physical collocation, (ii) BellSouth had knowledge that the space was going to become available, and (iii) CI2 was not informed in the written denial that physical Remote Collocation Space would become available within such one hundred eighty (180) calendar days, then CI2 may relocate its virtual Remote Collocation Space arrangement to a physical Remote Collocation Space arrangement and will receive a credit for any nonrecurring charges previously paid for such virtual Remote Collocation Space. CI2 must arrange with a BellSouth Certified Supplier for the relocation of equipment from its virtual Remote Collocation Space to its physical Remote Collocation Space and will bear the cost of such relocation.
- 7.8.1 In Alabama, BellSouth will complete a relocation from virtual collocation to physical collocation within ninety (90) calendar days.
- Virtual to Physical Conversion (In-Place). Virtual collocation arrangements may be converted to "in-place" physical arrangements if the potential conversion meets the following four criteria: 1) there is no change in the amount of equipment or the configuration of the equipment that was in the virtual collocation arrangement; 2) the conversion of the virtual collocation arrangement will not cause the equipment or the results of that conversion to be located in a space that BellSouth has reserved for its own future needs; 3) the converted arrangement does not limit BellSouth's ability to secure its own equipment and facilities due to the location of the virtual collocation arrangement; and 4) any changes to the arrangement can be accommodated by existing power, HVAC, and other requirements. Unless otherwise specified, BellSouth will complete virtual to in-place physical collocation conversions within sixty (60) calendar days from receipt of the BFFO. BellSouth will bill CI2 an Administrative Only Application Fee as set forth in Exhibit B for these charges on the date that BellSouth provides an Application Response.

- 7.9.1 In Alabama and Tennessee, BellSouth will complete Virtual to Physical Conversions (In Place) within thirty (30) calendar days from receipt of the BFFO.
- 7.10 <u>Cancellation</u>. If, at any time prior to space acceptance, CI2 cancels its order for the Remote Collocation Space(s) ("Cancellation"), BellSouth will bill the applicable nonrecurring rate for any and all work processes for which work has begun. In Georgia, if CI2 cancels its order for Remote Collocation Space at any time prior to space acceptance, BellSouth will bill CI2 for all costs incurred prior to the date of Cancellation and for any costs incurred as a direct result of the Cancellation, not to exceed the total amount that would have been due had the order not been cancelled.
- 7.11 <u>Licenses</u>. CI2, at its own expense, will be solely responsible for obtaining from governmental authorities, and any other appropriate agency, entity, or person, all rights, privileges, and licenses necessary or required to operate as a provider of telecommunications services to the public or to build-out, equip and occupy the Remote Collocation Space.
- 7.12 <u>Environmental Hazard Guidelines</u>. The Parties agree to utilize and adhere to the Environmental Hazard Guidelines identified in Exhibit A attached hereto.

## 8. Rates and Charges

- 8.1 Recurring Charges. If CI2 has met the applicable fifteen (15) calendar day walkthrough interval(s) specified in Section 4, billing for recurring charges will begin upon the Space Acceptance Date. In the event that CI2 fails to complete an acceptance walkthrough within the applicable fifteen (15) calendar day interval(s), billing for recurring charges will commence on the Space Ready Date. If CI2 occupies the space prior to the Space Ready Date, the date CI2 occupies the space becomes the new Space Acceptance Date and billing for recurring charges begin on that date.
- 8.2 <u>Application Fee</u>. BellSouth shall assess an Application Fee via a service order, which shall be issued at the time BellSouth responds that space is available pursuant to Section 6.10 (Application Response). This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.2.1 In Tennessee, the applicable application fee is the planning fee for both Initial Applications and Subsequent Applications placed by CI2. This nonrecurring fee will be billed by BellSouth on the date that BellSouth provides an Application Response.
- 8.3 Rack/Bay Space. The rack/bay space charge includes reasonable charges for air conditioning, ventilation and other allocated expenses associated with maintenance of the Remote Site Location, and includes amperage necessary to power CI2's equipment. CI2 shall pay rack/bay space charges based upon the number of racks/bays requested. BellSouth will assign Remote Collocation Space in conventional remote site rack/bay lineups where feasible.

- 8.4 Power. BellSouth shall make available –48 Volt (-48V) DC power for CI2's Remote Collocation Space at a BellSouth Power Board or BellSouth Battery Distribution Fuse Bay (BDFB) at CI2's option within the Remote Site Location. The charge for power shall be assessed as part of the recurring charge for rack/bay space. If the power requirements for CI2's equipment exceeds the capacity available, then such power requirements shall be assessed on an individual case basis. BellSouth will revise recurring power charges to reflect a power upgrade upon notification of the completion of the upgrade by CI2's BellSouth Certified Vendor. BellSouth will revise recurring power charges to reflect a power reduction upon BellSouth's receipt of the Power Reduction Form from CI2 certifying the completion of the power reduction, including the removal of the power cabling by CI2's BellSouth Certified Supplier.
- Adjacent Collocation Power. Charges for AC power will be assessed per breaker ampere per month. Rates include the provision of commercial and standby AC power, where available. When obtaining power from a BellSouth service panel, protection devices and power cables must be engineered (sized), and installed by CI2's BellSouth Certified Supplier except that BellSouth shall engineer and install protection devices and power cables for Adjacent Collocation. CI2's BellSouth Certified Supplier must also provide a copy of the engineering power specification prior to the equipment becoming operational. Charges for AC power shall be assessed pursuant to the rates specified in Exhibit B. AC power voltage and phase ratings shall be determined on a per location basis. At CI2's option, CI2 may arrange for AC power in an Adjacent Collocation arrangement from a retail provider of electrical power.
- 8.5 <u>Security Escort</u>. A security escort will be required whenever CI2 or its approved agent desires access to the Remote Site Location after the one accompanied site visit allowed pursuant to Section 5 prior to completing BellSouth's Security Training requirements. Rates for a security escort are assessed according to the schedule appended hereto as Exhibit B beginning with the scheduled escort time. BellSouth will wait for one-half (1/2) hour after the scheduled time for such an escort and CI2 shall pay for such half-hour charges in the event CI2 fails to show up.
- 8.6 Other. If no rate is identified in the contract, the rate for the specific service or function will be negotiated by the Parties upon request by either Party.

## 9. Insurance

- 9.1 CI2 shall, at its sole cost and expense, procure, maintain, and keep in force insurance as specified in this Section and underwritten by insurance companies licensed to do business in the states applicable under this Agreement and having a Best's Insurance Rating of A-.
- 9.2 CI2 shall maintain the following specific coverage:

- 9.2.1 Commercial General Liability coverage in the amount of ten million dollars (\$10,000,000.00) or a combination of Commercial General Liability and Excess/Umbrella coverage totaling not less than ten million dollars (\$10,000,000.00). BellSouth shall be named as an Additional Insured on the Commercial General Liability policy as specified herein.
- 9.2.2 Statutory Workers Compensation coverage and Employers Liability coverage in the amount of one hundred thousand dollars (\$100,000.00) each accident, one hundred thousand dollars (\$100,000.00) each employee by disease, and five hundred thousand dollars (\$500,000.00) policy limit by disease.
- 9.2.3 All Risk Property coverage on a full replacement cost basis insuring all of CI2's real and personal property situated on or within BellSouth's Remote Site Location.
- 9.2.4 CI2 may elect to purchase business interruption and contingent business interruption insurance, having been advised that BellSouth assumes no liability for loss of profit or revenues should an interruption of service occur.
- 9.3 The limits set forth in Section 9.2 above may be increased by BellSouth from time to time during the term of this Agreement upon thirty (30) calendar days notice to CI2 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.4 All policies purchased by CI2 shall be deemed to be primary and not contributing to or in excess of any similar coverage purchased by BellSouth. All insurance must be in effect on or before the date equipment is delivered to BellSouth's Remote Site Location and shall remain in effect for the term of this Attachment or until all of CI2's property has been removed from BellSouth's Remote Site Location, whichever period is longer. If CI2 fails to maintain required coverage, BellSouth may pay the premiums thereon and seek reimbursement of same from CI2.
- 9.5 CI2 shall submit certificates of insurance reflecting the coverage required pursuant to this Section a minimum of ten (10) business days prior to the commencement of any work in the Remote Collocation Space. Failure to meet this interval may result in construction and equipment installation delays. CI2 shall arrange for BellSouth to receive thirty (30) business days' advance notice of cancellation from CI2's insurance company. CI2 shall forward a certificate of insurance and notice of cancellation/non-renewal to BellSouth at the following address:

BellSouth Telecommunications, Inc. Attn.: Risk Management Coordinator 17H53 BellSouth Center 675 W. Peachtree Street Atlanta, Georgia 30375

- 9.6 CI2 must conform to recommendations made by BellSouth's fire insurance company to the extent BellSouth has agreed to, or shall hereafter agree to, such recommendations.
- 9.7 Self-Insurance. If CI2's net worth exceeds five hundred million dollars (\$500,000,000), CI2 may elect to request self-insurance status in lieu of obtaining any of the insurance required in Sections 9.2.1 and 9.2.2. CI2 shall provide audited financial statements to BellSouth thirty (30) calendar days prior to the commencement of any work in the Remote Collocation Space. BellSouth shall then review such audited financial statements and respond in writing to CI2 in the event that self-insurance status is not granted to CI2. If BellSouth approves CI2 for self-insurance, CI2 shall annually furnish to BellSouth, and keep current, evidence of such net worth that is attested to by one of CI2's corporate officers. The ability to self-insure shall continue so long as CI2 meets all of the requirements of this Section. If CI2 subsequently no longer satisfies this Section, CI2 is required to purchase insurance as indicated by Sections 9.2.1 and Section 9.2.2.
- 9.8 The net worth requirements set forth in Section 9.7 may be increased by BellSouth from time to time during the term of this Attachment upon thirty (30) calendar days' notice to CI2 to at least such minimum limits as shall then be customary with respect to comparable occupancy of BellSouth structures.
- 9.9 Failure to comply with the provisions of this Section will be deemed a material breach of this Attachment.

## 10. Mechanics Liens

10.1 If any mechanics lien or other liens shall be filed against property of either Party (BellSouth or CI2), or any improvement thereon by reason of or arising out of any labor or materials furnished or alleged to have been furnished or to be furnished to or for the other Party or by reason of any changes, or additions to said property made at the request or under the direction of the other Party, the other Party directing or requesting those changes shall, within thirty (30) business days after receipt of written notice from the Party against whose property said lien has been filed, either pay such lien or cause the same to be bonded off the affected property in the manner provided by law. The Party causing said lien to be placed against the property of the other shall also defend, at its sole cost and expense, on behalf of the other, any action, suit or proceeding which may be brought for the enforcement of such liens and shall pay any damage and discharge any judgment entered thereon.

## 11. Inspections

BellSouth may conduct an inspection of CI2's equipment and facilities in the Remote Collocation Space(s) prior to the activation of facilities between CI2's equipment and equipment of BellSouth. BellSouth may conduct an inspection if CI2 adds equipment and may otherwise conduct routine inspections at reasonable intervals mutually agreed

upon by the Parties. BellSouth shall provide CI2 with a minimum of forty-eight (48) hours or two (2) business days, whichever is greater, advance notice of all such inspections. All costs of such inspection shall be borne by BellSouth.

# 12. <u>Security and Safety Requirements</u>

- 12.1 Unless otherwise specified, CI2 will be required, at its own expense, to conduct a statewide investigation of criminal history records for each CI2 employee hired in the past five years being considered for work on the BellSouth Remote Site Location, for the states/counties where the CI2 employee has worked and lived for the past five years. Where state law does not permit statewide collection or reporting, an investigation of the applicable counties is acceptable. CI2 shall not be required to perform this investigation if an affiliated company of CI2 has performed an investigation of the CI2 employee seeking access, if such investigation meets the criteria set forth above. This requirement will not apply if CI2 has performed a preemployment statewide investigation of criminal history records of the CI2 employee for the states/counties where the CI2 employee has worked and lived for the past five years or, where state law does not permit a statewide investigation, an investigation of the applicable counties.
- 12.2 CI2 will be required to administer to their personnel assigned to the BellSouth Premises security training either provided by BellSouth, or meeting criteria defined by BellSouth.
- CI2 shall provide its employees and agents with picture identification, which must be worn, and visible at all times while in the Remote Collocation Space or other areas in or around the Remote Site Location. The photo Identification card shall bear, at a minimum, the employee's name and photo, and CI2's name. BellSouth reserves the right to remove from its Remote Site Location any employee of CI2 not possessing identification issued by CI2 or who have violated any of BellSouth's policies as outlined in the CLEC Security Training documents. CI2 shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth Remote Site Location. CI2 shall be solely responsible for ensuring that any Guest(s) of CI2 is in compliance with all subsections of this Section.
- 12.4 CI2 shall not assign to the BellSouth Remote Site Location any personnel with records of felony criminal convictions. CI2 shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions, except for misdemeanor traffic violations, without advising BellSouth of the nature and gravity of the offense(s). BellSouth reserves the right to refuse access to any CI2 personnel who have been identified to have misdemeanor criminal convictions. Notwithstanding the foregoing, in the event that CI2 chooses not to advise BellSouth of the nature and gravity of any misdemeanor conviction, CI2 may, in the alternative, certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions (other than misdemeanor traffic violations).

- 12.4.1 CI2 shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former employee of BellSouth and whose employment with BellSouth was terminated for a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- 12.4.2 CI2 shall not knowingly assign to the BellSouth Remote Site Location any individual who was a former supplier of BellSouth and whose access to a BellSouth Remote Site Location was revoked due to commission of a criminal offense whether or not BellSouth sought prosecution of the individual for the criminal offense.
- For each CI2 employee or agent hired by CI2 within five years of being considered for work on the BellSouth Remote Site Location, who requires access to a BellSouth Remote Site Location pursuant to this Attachment, CI2 shall furnish BellSouth, prior to an employee gaining such access, a certification that the aforementioned background check and security training were completed. The certification will contain a statement that no felony convictions were found and certifying that the security training was completed by the employee. If the employee's criminal history includes misdemeanor convictions, CI2 will disclose the nature of the convictions to BellSouth at that time. In the alternative, CI2 may certify to BellSouth that it shall not assign to the BellSouth Remote Site Location any personnel with records of misdemeanor convictions other than misdemeanor traffic violations.
- For all other CI2 employees requiring access to a BellSouth Remote Site Location pursuant to this Attachment, CI2 shall furnish BellSouth, prior to an employee gaining such access, a certification that the employee is not subject to the requirements of Section 12.5 above and that security training was completed by the employee.
- At BellSouth's request, CI2 shall promptly remove from BellSouth's Remote Site Location any employee of CI2 BellSouth does not wish to grant access to its Remote Site Location 1) pursuant to any investigation conducted by BellSouth or 2) prior to the initiation of an investigation if an employee of CI2 is found interfering with the property or personnel of BellSouth or another collocated telecommunications carrier, provided that an investigation shall promptly be commenced by BellSouth.
- Security Violations. BellSouth reserves the right to interview CI2's employees, agents, or suppliers in the event of wrongdoing in or around BellSouth's property or involving BellSouth's or another collocated telecommunications carrier's property or personnel, provided that BellSouth shall provide reasonable notice to CI2's Security representative of such interview. CI2 and its suppliers shall reasonably cooperate with BellSouth's investigation into allegations of wrongdoing or criminal conduct committed by, witnessed by, or involving CI2's employees, agents, or suppliers. Additionally, BellSouth reserves the right to bill CI2 for all reasonable costs associated with investigations involving its employees, agents, or suppliers if it is established and mutually agreed in good faith that CI2's employees, agents, or suppliers are responsible for the alleged act. BellSouth shall bill CI2 for BellSouth property, which

is stolen or damaged where an investigation determines the culpability of CI2's employees, agents, or suppliers and where CI2 agrees, in good faith, with the results of such investigation. CI2 shall notify BellSouth in writing immediately in the event that the CI2 discovers one of its employees already working on the BellSouth Remote Site Location is a possible security risk. Upon request of the other Party, the Party who is the employer shall discipline consistent with its employment practices, up to and including removal from BellSouth's Remote Site Location, any employee found to have violated the security and safety requirements of this section. CI2 shall hold BellSouth harmless for any damages resulting from such removal of its personnel from BellSouth's Remote Site Location.

- 12.8 <u>Use of Supplies</u>. Unauthorized use of telecommunications equipment or supplies by either Party, whether or not used routinely to provide telephone service (e.g. plug-in cards,) will be strictly prohibited and handled appropriately. Costs associated with such unauthorized use may be charged to the offending Party, as may be all associated investigative costs.
- 12.9 <u>Use of Official Lines</u>. Except for non-toll calls necessary in the performance of their work, neither Party shall use the telephones of the other Party on the BellSouth Remote Site Location. Charges for unauthorized telephone calls may be charged to the offending Party, as may be all associated investigative costs.
- 12.10 <u>Accountability</u>. Full compliance with the Security requirements of this Section shall in no way limit the accountability of either Party to the other for the improper actions of its employees.

# 13. Destruction of Remote Collocation Space

In the event a Remote Collocation Space is wholly or partially damaged by fire, 13.1 windstorm, tornado, flood or by similar causes to such an extent as to be rendered wholly unsuitable for CI2's permitted use hereunder, then either Party may elect within ten (10) calendar days after such damage, to terminate this Attachment with respect to the affected Remote Collocation Space, and if either Party shall so elect, by giving the other written notice of termination, both Parties shall stand released of and from further liability under the terms hereof with respect to such Remote Collocation Space. If the Remote Collocation Space shall suffer only minor damage and shall not be rendered wholly unsuitable for CI2's permitted use, or is damaged and the option to terminate is not exercised by either Party, BellSouth covenants and agrees to proceed promptly without expense to CI2, except for improvements not to the property of BellSouth, to repair the damage. BellSouth shall have a reasonable time within which to rebuild or make any repairs, and such rebuilding and repairing shall be subject to delays caused by storms, shortages of labor and materials, government regulations, strikes, walkouts, and causes beyond the control of BellSouth, which causes shall not be construed as limiting factors, but as exemplary only. CI2 may, at its own expense, accelerate the rebuild of its Remote Collocation Space and equipment provided however that a BellSouth Certified Supplier is used and the necessary space

preparation has been completed. Rebuild of equipment must be performed by a BellSouth Certified Vendor. If CI2's acceleration of the project increases the cost of the project, then those additional charges will be incurred by CI2. Where allowed and where practical, CI2 may erect a temporary facility while BellSouth rebuilds or makes repairs. In all cases where the Remote Collocation Space shall be rebuilt or repaired, CI2 shall be entitled to an equitable abatement of rent and other charges, depending upon the unsuitability of the Remote Collocation Space for CI2's permitted use, until such Remote Collocation Space is fully repaired and restored and CI2's equipment installed therein (but in no event later than thirty (30) calendar days after the Remote Collocation Space is fully repaired and restored). Where CI2 has placed a Remote Site Adjacent Arrangement pursuant to Section 3.4, CI2 shall have the sole responsibility to repair or replace said Remote Site Adjacent Arrangement provided herein. Pursuant to this Section, BellSouth will restore the associated services to the Remote Site Adjacent Arrangement.

## 14. Eminent Domain

14.1 If the whole of a Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken by any public authority under the power of eminent domain, then this Attachment shall terminate with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement as of the day possession shall be taken by such public authority and rent and other charges for the Remote Collocation Space or Remote Site Adjacent Arrangement shall be paid up to that day with proportionate refund by BellSouth of such rent and charges as may have been paid in advance for a period subsequent to the date of the taking. If any part of the Remote Collocation Space or Remote Site Adjacent Arrangement shall be taken under eminent domain, BellSouth and CI2 shall each have the right to terminate this Attachment with respect to such Remote Collocation Space or Remote Site Adjacent Arrangement and declare the same null and void, by written notice of such intention to the other Party within ten (10) calendar days after such taking.

# 15. <u>Nonexclusivity</u>

15.1 CI2 understands that this Attachment is not exclusive and that BellSouth may enter into similar agreements with other Parties. Assignment of space pursuant to all such agreements shall be determined by space availability and made on a first come, first served basis.

# ENVIRONMENTAL AND SAFETY PRINCIPLES

The following principles provide basic guidance on environmental and safety issues when applying for and establishing Physical Collocation arrangements.

#### 1. GENERAL PRINCIPLES

- Compliance with Applicable Law. BellSouth and CI2 agree to comply with applicable federal, state, and local environmental and safety laws and regulations including U.S. Environmental Protection Agency (USEPA) regulations issued under the Clean Air Act (CAA), Clean Water Act (CWA), Resource Conservation and Recovery Act (RCRA), Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), Superfund Amendments and Reauthorization Act (SARA), the Toxic Substances Control Act (TSCA), and OSHA regulations issued under the Occupational Safety and Health Act of 1970, as amended and NFPA and National Electrical Codes (NEC) and the NESC ("Applicable Laws"). Each Party shall notify the other if compliance inspections are conducted by regulatory agencies and/or citations are issued that relate to any aspect of this Attachment.
- 1.2 Notice. BellSouth and CI2 shall provide notice to the other, including Material Safety Data Sheets (MSDSs), of known and recognized physical hazards or Hazardous Chemicals existing on site or brought on site. A Hazardous Chemical inventory list is posted on an OSHA Poster and updated annually at each Central Office. This Poster is normally located near the front entrance of the building or in the lounge area. Each Party is required to provide specific notice for known potential Imminent Danger conditions. CI2 should contact 1-800-743-6737 for any BellSouth MSDS required.
- 1.3 Practices/Procedures. BellSouth may make available additional environmental control procedures for CI2 to follow when working at a BellSouth Remote Site Location (See Section 2, below). These practices/procedures will represent the regular work practices required to be followed by the employees and suppliers of BellSouth for environmental protection. CI2 will require its suppliers, agents and others accessing the BellSouth Remote Site Location to comply with these practices. Section 2 lists the Environmental categories where BST practices should be followed by CI2 when operating in the BellSouth Remote Site Location.
- Environmental and Safety Inspections. BellSouth reserves the right to inspect the CI2 space with proper notification. BellSouth reserves the right to stop any CI2 work operation that imposes Imminent Danger to the environment, employees or other persons in the area or Remote Site Location.
- 1.5 <u>Hazardous Materials Brought On Site</u>. Any hazardous materials brought into, used, stored or abandoned at the BellSouth Remote Site Location by CI2 are owned by CI2. CI2 will indemnify BellSouth for claims, lawsuits or damages to persons or property caused by these materials. Without prior written BellSouth approval, no substantial new safety or environmental hazards can be created by CI2 or different hazardous materials used by CI2 at the BellSouth Remote Site Location. CI2 must demonstrate adequate emergency response capabilities for its materials used or remaining at the BellSouth Remote Site Location.

- 1.6 <u>Spills and Releases</u>. When contamination is discovered at a BellSouth Remote Site Location, either Party discovering the condition must notify the other Party. All Spills or Releases of regulated materials will immediately be reported by CI2 to BellSouth.
- 1.7 Coordinated Environmental Plans and Permits. BellSouth and CI2 will coordinate plans, permits or information required to be submitted to government agencies, such as emergency response plans, spill prevention control and countermeasures (SPCC) plans and community reporting. If fees are associated with filing, BellSouth and CI2 will develop a cost sharing procedure. If BellSouth's permit or EPA identification number must be used, CI2 must comply with all of BellSouth's permit conditions and environmental processes, including environmental "best management practices (BMP)" (see Section 2, below) and/or selection of BST disposition vendors and disposal sites.
- Environmental and Safety Indemnification. BellSouth and CI2 shall indemnify, defend and hold harmless the other Party from and against any claims (including, without limitation, third-party claims for personal injury or death or real or personal property damage), judgments, damages, (including direct and indirect damages, and punitive damages), penalties, fines, forfeitures, costs, liabilities, interest and losses arising in connection with the violation or alleged violation of any Applicable Law or contractual obligation or the presence or alleged presence of contamination arising out of the acts or omissions of the indemnifying Party, its agents, suppliers, or employees concerning its operations at the Remote Site Location.

## 2. CATEGORIES FOR CONSIDERATION OF ENVIRONMENTAL ISSUES

- When performing functions that fall under the following Environmental categories on BellSouth's Remote Site Location, CI2 agrees to comply with the applicable sections of the current issue of BellSouth's Environmental and Safety Methods and Procedures (M&Ps), incorporated herein by this reference. CI2 further agrees to cooperate with BellSouth to ensure that CI2's employees, agents, and/or suppliers are knowledgeable of and satisfy those provisions of BellSouth's Environmental M&Ps which apply to the specific Environmental function being performed by CI2, its employees, agents and/or suppliers.
- 2.1.1 The most current version of reference documentation must be requested from CI2's BellSouth Account Team Collocation Coordinator (ATCC) Representative.

ENVIRONMENTAL CATEGORIES	ENVIRONMENTAL ISSUES	ADDRESSED BY THE FOLLOWING DOCUMENTATION
Disposal of hazardous material or other regulated material	Compliance with all applicable local, state, & federal laws and	• Std T&C 450
(e.g., batteries, fluorescent	regulations	• Fact Sheet Series 17000
tubes, solvents & cleaning materials)	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC)

		Representative)
Emergency response	Hazmat/waste release/spill fire safety emergency	<ul> <li>Fact Sheet Series 1700</li> <li>Building Emergency Operations Plan (EOP) (specific to and located on Remote Site Location)</li> </ul>
Contract labor/outsourcing for services with environmental implications to be performed on BellSouth Remote Site Location (e.g., disposition of hazardous material/waste; maintenance of storage tanks)	Compliance with all applicable local, state, & federal laws and regulations  Performance of services in accordance with BST's environmental M&Ps  Insurance	<ul> <li>Std T&amp;C 450</li> <li>Std T&amp;C 450-B</li> <li>(Contact ATCC Representative for copy of appropriate E/S M&amp;Ps.)</li> <li>Std T&amp;C 660</li> </ul>
Transportation of hazardous material	Compliance with all applicable local, state, & federal laws and regulations  Pollution liability insurance	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet Series 17000</li> <li>Std T&amp;C 660-3</li> </ul>
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Maintenance/operations work which may produce a waste	Compliance with all applicable local, state, & federal laws and regulations	• Std T&C 450
Other maintenance work	Protection of BST employees and equipment	<ul> <li>29CFR 1910.147 (OSHA Standard)</li> <li>29CFR 1910 Subpart O (OSHA Standard)</li> </ul>
Janitorial services	All waste removal and disposal must conform to all applicable federal, state and local regulations	-Procurement Manager     (CRES Related Matters)-BST     Supply Chain Services
	All Hazardous Material and Waste  Asbestos notification and protection of employees and equipment	<ul> <li>Fact Sheet Series 17000</li> <li>GU-BTEN-001BT, Chapter 3</li> <li>BSP 010-170-001BS (Hazcom)</li> </ul>

Manhole cleaning	Compliance with all applicable local, state, & federal laws and regulations	<ul> <li>Std T&amp;C 450</li> <li>Fact Sheet 14050</li> <li>BSP 620-145-011PR         Issue A, August 1996 </li> </ul>
	Pollution liability insurance	• Std T&C 660-3
	EVET approval of supplier	Approved Environmental     Vendor List (Contact ATCC     Representative)
Removing or disturbing building materials that may contain asbestos	Asbestos work practices	GU-BTEN-001BT, Chapter 3     For questions regarding removing or disturbing materials that contain asbestos, call the BellSouth Building Service Center:     AL, MS, TN, KY & LA (local area code) 557-6194     FL, GA, NC & SC (local area code) 780-2740

## 3. **DEFINITIONS**

<u>Generator</u>. Under RCRA, the person whose act produces a Hazardous Waste, as defined in 40 CFR 261, or whose act first causes a Hazardous Waste to become subject to regulation. The Generator is legally responsible for the proper management and disposal of Hazardous Wastes in accordance with regulations.

<u>Hazardous Chemical</u>. As defined in the U.S. Occupational Safety and Health (OSHA) hazard communication standard (29 CFR 1910.1200), any chemical which is a health hazard or physical hazard.

<u>Hazardous Waste</u>. As defined in section 1004 of RCRA.

<u>Imminent Danger</u>. Any conditions or practices at a remote site location which are such that a danger exists which could reasonably be expected to cause immediate death or serious harm to people or immediate significant damage to the environment or natural resources.

Spill or Release. As defined in Section 101 of CERCLA.

## 4. ACRONYMS

ATCC - Account Team Collocation Coordinator

BST – BellSouth Telecommunications

<u>CRES</u> – Corporate Real Estate and Services (formerly PS&M)

<u>DEC/LDEC</u> - Department Environmental Coordinator/Local Department Environmental Coordinator

E/S – Environmental/Safety

**EVET** - Environmental Vendor Evaluation Team

<u>GU-BTEN-001BT</u> - BellSouth Environmental Methods and Procedures

NESC - National Electrical Safety Codes

<u>P&SM</u> - Property & Services Management

<u>Std T&C</u> - Standard Terms & Conditions

COLLOCAT	ION - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I I OCATION															
TITIOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEFOB	FE IRZ	0.03	12.30	11.00	0.03	5.44						
	Wire ISDN		1	UEPSX	PE1R2	0.03	12.30	11.80	6.03	5.44						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-					2.00	:=:00		2.00						İ	
	Wire ISDN			UEPTX	PE1R2	0.03	12.30	11.80	6.03	5.44					<u> </u>	
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-									· · · · · · · · · · · · · · · · · · ·						
DI 10/010 A 1 - 2 -	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.05	12.39	11.87	6.39	5.73					ļ	
PHYSICAL CO				01.0	DEADA		1 070 10		0.54							
	Physical Collocation - Initial Application Fee Physical Collocation - Subsequent Application Fee		1	CLO CLO	PE1BA PE1CA		1,879.48 1,566.60		0.51							
	Physical Collocation - Subsequent Application Fee  Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		742.15									
	Physical Collocation - Space Preparation - Firm Order			OLO	ILIDE		742.15									
	Processing			CLO	PE1SJ		600.71									
	Physical Collocation - Space Preparation - C.O. Modification per															
	square ft.			CLO	PE1SK	1.96										
	Physical Collocation - Space Preparation, Common Systems															
	Modifications-Cageless, per square foot			CLO	PE1SL	2.62										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	88.86										
	Physical Collocation - Cable Installation, Pricing, non-recurring			CLO	PETSIVI	88.86									<b> </b>	
	charge, per Entrance Cable			CLO	PE1BD		859.71		22.49							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	3.22	000 1		22.10							
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	17.11										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	7.83										
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	FEIFK		390.70									
	per Breaker Amp			CLO	PE1FB	4.91										
	Physical Collocation - Power, 240V AC Power, Single Phase,															
	per Breaker Amp			CLO	PE1FD	9.84										
	Physical Collocation - Power, 120V AC Power, Three Phase, per							· · · · · ·								
	Breaker Amp		ļ	CLO	PE1FE	14.74									ļ	
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp		1	CLO	PE1FG	34.06										
	Breaker Amp			UEANL,UEQ,	FEIFG	34.06										
				UNLDX, UNCNX,												
1				UEA, UCL, UAL,												
				UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.03	12.30	11.80	6.03	5.44						
1	Dhusian Callagation Audio assessment laws and it		1	UEA, UHL, UNCVX,	DE4D4	0.0-	10.00	44.6=	0.00							
-	Physical Collocation - 4-wire cross-connect, loop, provisioning		-	UNCDX, UCL, UDL WDS1L,WDS1S,	PE1P4	0.05	12.39	11.87	6.39	5.73					ļ	
			1	UXTD1, ULDD1,												
				USLEL, UNLD1.												
1				UEPEX, UEPDX,												
	Physical Collocation -DS1 Cross-Connect for Physical		1	USL, ULC, U1TD1,												
	Collocation, provisioning		<u> </u>	UNC1X	PE1P1	1.11	22.03	15.93	6.40	5.79						

COLLOCAT	ION - Alabama				1							-		ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.16	20.89	15.20	7.38	5.92						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.81	20.89	15.20	7.38	5.92						
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	4.99	25.55	19.86	9.71	8.25						
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	156.33										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	15.34										
	Physical Collocation - Security Access System - Security System per Central Office			CLO	PE1AX	45.70										
	Physical Collocation -Security Access System - New Card			CLO	FLIAX	45.70										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.05	27.79									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.79									
	Stolen Card, per Card			CLO	PE1AR		22.78									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.10									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.10									
	Physical Collocation - Space Availability Report, per Central			0.0	55.05											
	Office Requested Physical Collocation - CFA Information Resend Request, per			CLO	PE1SR		1,075.17									
-	premises, per request  Physical Collocation - Cable Records, per request			CLO CLO	PE1C9 PE1CR		77.56 759.29	488.11	133.00						-	
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		326.92	400.11	189.12							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
ļļ	100 pair			CLO	PE1CO	ļļ	4.81		5.90		1					
<del>                                     </del>	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO CLO	PE1C1 PE1C3		2.25 7.88		2.76 9.66		1				-	1
	Physical Collocation, Cable Records, DS3, per 13 TE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.49		77.13							
	Physical Collocation - Security Escort for Basic Time - normally				. 2.55	1	54.48		,,							
	scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		16.93	10.73			-				-	-
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.05	13.86								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.17	16.98								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV	_	33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	
						Rec		curring	Nonrecurring					Rates (\$)		
						1166	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															ĺ
	per DS3 Circuit			CLO	PE1B3		52.00									<b> </b>
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									1
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DEADE		07.00									
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-			CLO	PE1BE		37.00									<del> </del>
	Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0011										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0011										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.22									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,196.424	42.721								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.103									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)				PE1EC		1.000.913	42.721								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber				PE1ED		7.241									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.41		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.47		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	I		CLO	PE1DU		535.37									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable	ı		CLO	PE1DV		535.37									
ADJACENT CO			<u> </u>	01.040	DE											<b>—</b>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.	<u> </u>	<b>!</b>		PE1JA PE1JC	0.14 5.41			<del> </del>		1					<del>                                     </del>
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects	1	1	UEA,UHL,UDL,UCL		0.02	12.30	11.80	6.03	5.44	}					<del>                                     </del>
	Adjacent Collocation - 2-Wire Cross-Connects	l	l	UEA,UHL,UDL,UCL		0.02	12.39	11.87		5.73	1					<b>—</b>
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.03	22.03	15.93		5.79						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	13.95	20.89	15.20	7.38	5.92						
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	2.36	20.89	15.20		5.92						
	Adjacent Collocation - 4-Fiber Cross-Connect	<u> </u>	<u> </u>	CLOAC	PE1F4	4.52	25.55	19.86		8.25						<b>—</b>
<b>—</b>	Adjacent Collocation - Application Fee		<u> </u>	CLOAC	PE1JB		1,576.69		0.51							<u> </u>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	4.91										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	9.84										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	14.74										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	34.06										
PHYSICAL COL	LLOCATION IN THE REMOTE SITE	<u> </u>	<b>!</b>	CLODC	DE4D*		007.70		100.00				ļ	ļ	ļ	<del>                                     </del>
	Physical Collocation in the Remote Site - Application Fee Cabinet Space in the Remote Site per Bay/ Rack	<b> </b>	<b>!</b>	CLORS CLORS	PE1RA PE1RB	201.42	307.70		168.22		ļ		<del>                                     </del>	<del>                                     </del>		<del>                                     </del>
	Cabinet Space in the Remote Site per Bay/ Rack  Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RB PE1RD	201.42	13.10									
	Physical Collocation in the Remote Site - Security Access - Rey  Report per Premises Requested			CLORS	PE1SR		115.87									

COLLO	CATI	ON - Alabama												Attach	ment: 4	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000			.=									İ
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.56									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		233.38									-
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DE4DT		16.93	40.70								İ
		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLORS	PE1BT		16.93	10.73								<del></del>
		normally scheduled working hours on a scheduled work day,															İ
		per half hour			CLORS	PE1OT		22.05	13.86								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		22.00	13.00								-
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.17	16.98								
PHYSIC/	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			020110				10.00	İ							
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	- 1		CLORS	PE1RS	6.27						1				1
										1							
		Remote Site-Adjacent Collocation - Real Estate, per square foot	- 1		CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee	-		CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nece	essary 1	for rem	ote site collocation,	the Parties v	will negotiate ap	ppropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,205.26		0.51							
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		742.15									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		859.71		22.49							
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.22										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.83										
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	14.97										İ
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
		Virtual Collocation - 2-wire Cross Connects (loop)  Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.03	12.30	11.80	6.03	5.44						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		2.84	20.89	15.20	7.38	5.92						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.69	25.55	19.86	9.71	8.25						
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.11	22.03	15.93	6.40	5.79						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.16	20.89	15.20	7.38	5.92						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			l	l				Ι Τ			1				1
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0026 0.0038										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	3.3300	535.37									

COLLOCAT	ION - Alabama													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic
													1st	Add'l	Disc 1st	Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		535.37									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		759.29	488.11	133.00							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		326.92	326.92	189.12							
	Virtual Collocaiton Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		4.81		5.90							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.25		2.76		1					
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTES	VE1BE	1	7.88		9.66		1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF		84.49		77.13							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.93	10.73	11.13							
	Virtual collocation - Security Escort - Basic, per half hour  Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX		22.05	13.86								
	Virtual collocation - Security Escort - Overtime, per half hour	<u> </u>		AMTFS	SPTPX		27.17	16.98								
	Virtual collocation - Security Escort - Premium, per hair nour			AMTFS	CTRLX		27.17	10.73								ļ
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.47	13.86								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.02	16.98								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.56									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.03	12.30	11.80	6.03	5.44						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.05	12.39	11.87	6.39	5.44						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	in General Tern	ns and Condition	ns.									

COLLOCAT	ION - Florida													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrec			Disconnect	001150	001111		Rates (\$)	001441	001441
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	NI LOCATION															+
TITTOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1													-
	Wire Analog - Res			UEPSR	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus		1	UEPSB	PE1R2	0.0276	8.22	7.22								<del> </del>
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPSX	PE1R2	0.0276	8.22	7.22								
<del>                                     </del>	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	OLFOA	I'L IIVZ	0.0270	0.22	1.22			1	1	1	<del> </del>	<del> </del>	+
	Wire ISDN			UEPTX	PE1R2	0.0276	8.22	7.22								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-															
	Wire ISDN DS1			UEPEX	PE1R4	0.0552	8.42	7.36								
PHYSICAL CO																
	Physical Collocation - Initial Application Fee			CLO	PE1BA		2,597.00									
	Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,236.00									
	Physical Collocation Administrative Only - Application Fee	I		CLO	PE1BL		742.00									ļ
	Physical Collocation - Space Preparation - Firm Order			0.0	55404											
	Processing  Physical Collocation - Space Preparation - C.O. Modification per			CLO	PE1SJ		288.93									ļ
	square ft.			CLO	PE1SK	2.38										
-	Physical Collocation - Space Preparation - Common Systems			CLO	PEION	2.30					1			-	-	
	Modifications-Caged, per cage			CLO	PE1SM	92.55										
	Physical Collocation - Cable Installation, Pricing, non-recurring			OLO	I L I OWI	02.00										
	charge, per Entrance Cable			CLO	PE1BD		1,750.00		45.16							
	Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	7.86										
	Physical Collocation - Cable Support Structure, per Entrance															
	Cable			CLO	PE1PM	18.96										
				0.0	55.45	= 00										
	Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1PL	7.80										
	Fee			CLO	PE1PR		399.43									
	Physical Collocation - Power, 120V AC Power, Single Phase,	'		CLO	PEIPR		399.43								1	
	per Breaker Amp			CLO	PE1FB	5.38										
	Physical Collocation - Power, 240V AC Power, Single Phase,			1	5	5.55										
	per Breaker Amp			CLO	PE1FD	10.77					L	<u> </u>		<u> </u>	<u> </u>	
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	16.15										<u> </u>
	Physical Collocation - Power, 277V AC Power, Three Phase, per			0.0	DE4E0									1	1	
	Breaker Amp			CLO	PE1FG	37.30										<b> </b>
				UEANL,UEQ, UNLDX, UNCNX,												
				UEA, UCL, UAL,												
				UHL, UDC, UDN,										1	1	
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0276	8.22	7.22	5.74	4.58				1	1	
				UEA, UHL, UNCVX,						144						1
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UNCDX, UCL, UDL	PE1P4	0.0552	8.42	7.36	5.90	4.66	<u> </u>			<u></u>	<u></u>	<u> </u>
				WDS1L,WDS1S,				· · · · · · · · · · · · · · · · · · ·								
				UXTD1, ULDD1,										I		
				USLEL, UNLD1,										1	1	
	Dhysical Callegation, DC4 Cone Connect for Dhysical			UEPEX, UEPDX,										1	1	
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			USL, ULC, U1TD1, UNC1X	PE1P1	1.32	27.77	15.52	5.93	4.77				I	I	
LI	Conocation, provisioning	L	1	UNUIA	FEIFI	1.32	21.11	15.52	5.93	4.77	<u> </u>	l	l	l	l	

COLLOCAT	ION - Florida			1	1	1					1_	-		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	16.81	25.48	14.05	7.77	5.01						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3,	PE1F2	3.34	41.94	30.52	13.91	11.16						
				U1T12, U1T48,												
	Physical Collocation - 4-Fiber Cross-Connect			UDLO3, UDL12, UDF	PE1F4	5.92	51.30	39.87	18.29	15.54						
<del>                                     </del>	Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Space enclosure, welded wire, first 100		<b>!</b>	001	r ⊑ 11°4	5.92	31.30	38.67	10.29	10.04						
	square feet			CLO	PE1BW	189.45										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.58										
	Physical Collocation - Security Access System - Security System															
	per Central Office Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0105										
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0577	55.80									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.65									
	Stolen Card, per Card			CLO	PE1AR		45.75									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		26.30									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		26.30									
	Physical Collocation - Space Availability Report, per Central			0.0	DE40D		0.450.00									
	Office Requested Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1SR PE1C9		2,159.00 77.54									
<del>                                     </del>	Physical Collocation - Cable Records, per request			CLO	PE1C9 PE1CR		1,525.00	980.22	267.08							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		656.50	000.22	379.78							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair		ļ	CLO CLO	PE1CO		9.66		11.84 5.54							
	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE	<u> </u>	<u> </u>	CLO	PE1C1 PE1C3		4.52 15.82		5.54 19.40							
	Physical Collocation, Cable Records, DS3, per 13 TIE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		169.67		154.89							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83	10.1.00							
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		21.92	14.19								
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1PT		27.31	17.55								
	per Voice Grade Circuit Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1BV		33.00									
	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1BO PE1B1		33.00 52.00									

COLLOCAT	ION - Florida													ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Physical Collocation - Virtual to Physical Collocation Relocation,						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	per DS3 Circuit	1		CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit	-		CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit	ı		CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,						20.00									
	Per DS1 Circuit	ı		CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In-	-		CLO	FLIDL		37.00									
	Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1B7		592.00									
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per lin. ft.  Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DS	0.0014										
	Connect, Application Fee, per application			CLO	PE1DT		584.11									
	Physical Collocation - Copper Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EA		1,169.133	42.712								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.009									
	Physical Collocation - Fiber Entrance Cable per Cable (CO			OLO	I LILD		10.003									
	manhole to vault splice)			CLO	PE1EC		973.661	42.712								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.24									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -						7.24									
	Fiber Cable Support Structure, per cable	ı		CLO	PE1DU		535.54									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		535.54									
ADJACENT C	OLLOCATION			CLO	FLIDV		333.34									
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.1635										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.11	04.00	00.00	44.77	40.00						
	Adjacent Collocation - 2-Wire Cross-Connects Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL	PE1P2 PE1P4	0.0213 0.0426	24.69 24.88	23.69 23.83	11.77 12.04	10.62 10.80						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		1.22	44.24	31.98	12.07	10.91						
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	16.56	41.94	30.52	13.91	11.15						
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC CLOAC	PE1F2 PE1F4	2.81 5.36	41.94 51.30	30.52 39.87	13.91 18.29	11.16 15.54					-	
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	5.36	2,785.00	39.01	10.29	15.54						
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,									
	per AC Breaker Amp			CLOAC	PE1FB	5.38										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.77										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FE	16.15										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.30										
	Adjacent Collocation - Cable Support Structure per Entrance		<b> </b>													
	Cable	I		CLOAC	PE1PM	18.96										
PHYSICAL CO	PLLOCATION IN THE REMOTE SITE  Physical Collocation in the Remote Site - Application Fee		-	CLORS	PE1RA		617.91		328.81		1					
	Cabinet Space in the Remote Site per Bay/ Rack		1	CLORS	PE1RB	219.49	017.31		320.01		<b>†</b>				<b>†</b>	
	Physical Collocation in the Remote Site - Security Access - Key Physical Collocation in the Remote Site - Space Availability		<u> </u>	CLORS	PE1RD		26.30				-					
	Report per Premises Requested			CLORS	PE1SR		232.69									

COLLO	CATI	ON - Florida												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)		:		Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring Discor					Rates (\$)		T
								First	Add'l	First Ad	d'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		75.44									
-		Code Request, per CLLI Code Requested			CLORS CLORS	PE1RE		75.41									
-		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.51									
		scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
+		Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIDI		10.32	10.03		-						
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		21.92	14.19								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		21.32	14.13								
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
PHYSIC/	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT			020110			27.01									
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
				1			1										
		Remote Site-Adjacent Collocation - Real Estate, per square foot		<u> </u>	CLORS	PE1RT	0.134									<u></u>	
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUAL	COL	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		4,122.00	1,249.00								
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		742.00									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX	12.45	965.00									
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.25										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.95										
		Virtual Collocation - Cable Support Structure, per entrance			AMTFS	=====	13.35										
		cable			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,	ESPSX											
		Virtual Collocation - 2-wire Cross Connects (loop)  Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.0502	11.57									
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		6.71	2,431.00									
		Virtual Collocation - 4-Fiber Cross Connects			U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.71	2,431.00									
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	7.50	155.00	14.00								
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	56.25	151.90	11.83								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			l						T		1				
+		Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0028										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC	0.00.1	535.54									

COLLOCAI	ION - Florida			ı	1						I			ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonreci	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		535.54									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,525.00		267.08							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		656.50		379.78							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		9.66		11.84							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.52		5.54							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.82		19.40							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber								4=400							
	records			AMTES	VE1BF		169.67		154.89							_
	Virtual collocation - Security Escort - Basic, per quarter hour			AMTFS	SPTBQ		10.89									
	Virtual collocation - Security Escort - Overtime, per quarter hour			AMTFS	SPTOQ		13.64									
	Virtual collocation - Security Escort - Premium, per quarter hour			AMTFS	SPTPQ		16.40									
	Virtual Collocation - 2-wire Cross Connects (loop), per ckts			AMTFS	VE1R2	0.05	11.57									
	Virtual Collocation - 4-wire Cross Connects (loop), per ckts			AMTFS	VE1R4	0.05	11.57									
	Virtual Collocation - DS-1/DCS Cross Connects, PER CKTS			AMTFS	VE11S	8.09	69.64									
	Virtual Collocation - DS-1.DSX Cross Connects, PER CKTS			AMTFS	VE11X	0.41	69.64									
	Virtual Collocation - DS-3/DCS Cross Connects, PER CKT			AMTFS	VE13S	59.67	528.00									
	Virtual Collocation - DS-3/DSC Cross Connects, PER CKT			AMTFS	VE13X	10.06	528.00									
	Virtual collocation - Maintenance in CO - Basic, per quarter hour			AMTFS	SPTRE		10.89									
	Virtual collocation - Maintenance in CO - Overtime, per quarter hour			AMTFS	SPTOE		13.64									
	Virtual collocation - Maintenance in CO - Premium per quarter hour			AMTFS	SPTPE		16.40									
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.54									
/IRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0502	11.57	11.57								
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			UEPSX	VE1R2	0.0502	11.57	11.57								
	ISDN Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire			UEPTX	VE1R2	0.0502	11.57	11.57								
	ISDN DS1			UEPEX le-up as set forth in	VE1R4	0.0502	11.57	11.57								

COLLO	CATIO	ON - Georgia												Attach	ment: 4	Exhi	bit: B
00220	<u> </u>	on coorgia		1								Svc Order	Svc Order	Incremental		Incremental	
												Submitted	Submitted		Charge -	Charge -	Charge -
												Elec		Manual Svc	Manual Svc		Manual Svc
CATEGO	RY	RATE ELEMENTS	Interi	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			m									per LSK	per LSK	Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
							_	Nonrec	urring	Nonrecurring	g Disconnect			oss	Rates (\$)		
							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICA		LOCATION															
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res	- 1		UEPSR	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus	- 1		UEPSP	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res	- 1		UEPSE	PE1R2	0.30	12.60	12.60								
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
$\vdash$		Wire Analog - Bus	1	ļ	UEPSB	PE1R2	0.30	12.60	12.60	<b>.</b>							
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1 .			DE 40-				I					1	1	
$\vdash \!$		Wire ISDN		<u> </u>	UEPSX	PE1R2	0.30	12.60	12.60	<b>.</b>		ļ			ļ	ļ	
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	١.		LIEDTY	DE4D0	0.00	40.00	10.00	I					1	1	
$\vdash$		Wire ISDN		1	UEPTX	PE1R2	0.30	12.60	12.60	<b>!</b>	<b> </b>	ļ		1	<del> </del>	<del> </del>	1
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4- Wire ISDN DS1	1		UEPEX	PE1R4	0.50	12.60	40.00	I					Ì	Ì	
DUVCICA		LOCATION			UEPEX	PE1R4	0.50	12.60	12.60	-		1					
PHISICA		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,285.98		0.59		1					
$\vdash$		Physical Collocation - Initial Application Fee			CLO	PE1CA		1,085.48		0.59		1					
<del>                                     </del>		Physical Collocation Administrative Only - Application Fee			CLO	PE1BL		740.83		0.55		1					
<b></b>		Physical Collocation - Space Preparation - Firm Order			OLO	ILIDE		740.03									
		Processing			CLO	PE1SJ		141.10									
		Physical Collocation - Space Preparation - C.O. Modification per			020	. 2.00						1					
		square ft.			CLO	PE1SK	2.01										
		Physical Collocation - Space Preparation, Common Systems															
		Modifications-Cageless, per square foot			CLO	PE1SL	2.23										
		Physical Collocation - Space Preparation - Common Systems															
		Modifications-Caged, per cage			CLO	PE1SM	75.61										
		Physical Collocation - Cable Installation, Pricing, non-recurring															
$\perp$		charge, per Entrance Cable			CLO	PE1BD		736.93		21.51							
		Physical Collocation - Floor Space, per sq feet			CLO	PE1PJ	4.52										
		Physical Collocation - Cable Support Structure, per Entrance															
$\vdash$		Cable			CLO	PE1PM	7.21										
		Di			CLO	DE 4 DI	4.70										
$\vdash$		Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application			CLO	PE1PL	4.78			-							
		Physical Collocation - Power Reconfiguration Only, Application  Fee			CLO	PE1PR		398.80									
+-+		Physical Collocation - Power, 120V AC Power, Single Phase,	<del>- '-</del>	1	OLO	LIFK		J90.0U		<del> </del>	1	<b> </b>		1	1	1	1
		per Breaker Amp			CLO	PE1FB	5.14										
$\vdash$		Physical Collocation - Power, 240V AC Power, Single Phase,	<del>                                     </del>	1		5	0.14			<b>I</b>				1	<b> </b>	<b> </b>	1
		per Breaker Amp	1		CLO	PE1FD	10.30			I					1	1	
		Physical Collocation - Power, 120V AC Power, Three Phase, per															
		Breaker Amp	1		CLO	PE1FE	15.44			I					1	1	
		Physical Collocation - Power, 277V AC Power, Three Phase, per															
		Breaker Amp			CLO	PE1FG	35.65										
	Ţ				UEANL,UEQ,												
			1		UNLDX, UNCNX,					I					1	1	
					UEA, UCL, UAL,					1							
		Physical Callegates Contracts	1		UHL, UDC, UDN,	DE4D2	6 6 4 6 5			I					1	1	
$\vdash$		Physical Collocation - 2-wire cross-connect, loop, provisioning	<del>                                     </del>	<b>!</b>	UNCVX	PE1P2	0.0197			<del>                                     </del>	<b> </b>	<b> </b>		-	<del>                                     </del>	<del>                                     </del>	-
		Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0393			1					1	1	
<del></del>		rnysical Collocation - 4-wire cross-connect, loop, provisioning	<del>                                     </del>	1	WDS1L,WDS1S,	rEIF4	0.0393			<del>                                     </del>	-	1			-	-	
					UXTD1, ULDD1,												
			1		USLEL, UNLD1,					I					1	1	
					UEPEX, UEPDX,												
			1	1		1				1	1	1	1	I	1		I
		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,		I	J									

COLLOCAT	ION - Georgia			T	,							T -		ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	4.06										
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	1.72										
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect		1	UDF	PE1F4	3.30										
	Physical Collocation - Space enclosure, welded wire, first 100		1													
	square feet			CLO	PE1BW	160.45										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	15.74										
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft.			CLO	PE1AY	0.0106										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State			CLO	PE1A1		22.00									
	Physical Collocation - Security Access System - New Access Card Deactivation, per Card			CLO	PE1A4		8.72	8.72								
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card			CLO	PE1AA		5.38									
	Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card			CLO	PE1AR		17.01									
<b>-</b>	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK PE1AK	-	13.20				1					
	Physical Collocation - Security Access - Initial Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or			CLO	FLIAN		13.20									
	Stolen Key, per Key			CLO	PE1AL		13.20									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		248.75									
	Physical Collocation - CFA Information Resend Request, per															
	premises, per request		<u> </u>	CLO	PE1C9		77.42				ļ					
	Physical Collocation - Cable Records, per request		<u> </u>	CLO	PE1CR		743.65	478.06	125.75							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		317.60		177.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair		1	CLO	PE1CO		4.48		5.30							
<del>                                     </del>	Physical Collocation, Cable Records, DS1, per T1 TIE		<del>                                     </del>	CLO	PE1C0		2.22		2.63		<del>                                     </del>				<del> </del>	
	Physical Collocation, Cable Records, DS3, per T3 TIE		<b>†</b>	CLO	PE1C3	1	7.76		9.19						1	
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		83.45		73.57							
	Physical Collocation - Securify Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.31	17.55								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									

COLLOCAT	ΓΙΟΝ - Georgia													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec	urring	Nonrecurring	Disconnect				Rates (\$)	•	•
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS1 Circuit			CLO	PE1B1		52.00									<u> </u>
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PEIDS		52.00								1	<del>                                     </del>
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per															1
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									<b></b>
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit	l		CLO	PE1BE		37.00								1	
	Physical Collocation - Virtual to Physical Collocation In-			OLO	LEIDE		37.00				<del>                                     </del>				-	<del>                                     </del>
	Place/Relocation, space cable facilities assigned to Collocation			1												
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
İ	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001					ļ					<u> </u>
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1		0.0	55.450											
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										<b>.</b>
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.18									
	Physical Collocation - Copper Entrance Cable per Cable (CO			CLO	FLIDI		303.10									<del>                                     </del>
	manhole to vault splice)			CLO	PE1EA		1,198.43	42.645								
	Physical Collocation - Copper Entrance Cable Installation, per						,									
	100 Pairs			CLO	PE1EB		18.071									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,003.267	42.645								<b>.</b>
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.228									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.05		1.21							+
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		832.95		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,057.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Fiber Cable Support Structure, per cable	l I		CLO	PE1DU		553.43									<u> </u>
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	1.		CLO	PE1DV		553.43									
	Copper/Coax Cable Support Structure, per cable Physical Collocation, Entrance Cable Support Structure,	'		CLO	PEIDV		333.43								1	
	Copper, per each 100 pairs or fraction thereof (CO Manhole to															
	Frame)	1		CLO	PE1EE	0.2629										
	Physical Collocation, Entrance Cable Installation, Copper, per															
	Cable (CO Manhole to Frame)	ı		CLO	PE1EF		755.15		21.51							<u> </u>
	Physical Collocation, Entrance Cable Installation, Copper, per	Ι.		CLO	PE1EG		9.12									
AD IACENT C	each 100 pairs or fraction thereof (CO Manhole to Frame)			CLO	PETEG		9.12									<b></b>
ADJACENT	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.164										+
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	4.01										
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P2	0.0172										
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0344										
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	0.3608										<u> </u>
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3 PE1F2	4.73			1		<b> </b>					<b></b>
<del>                                     </del>	Adjacent Collocation - 2-Fiber Cross-Connect  Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC CLOAC	PE1F2 PE1F4	1.66 3.24			1		<del>                                     </del>					<del>                                     </del>
	Adjacent Collocation - 4-1 iber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	5.24	1,382.19		0.50		1				<b>†</b>	<del>                                     </del>
	Adjacent Collocation - 120V, Single Phase Standby Power Rate						,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		2.30							1
	per AC Breaker Amp			CLOAC	PE1FB	5.14										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
L _	per AC Breaker Amp			CLOAC	PE1FD	10.30					<u> </u>					<del>                                     </del>
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp	l	1	CLOAC	PE1FE	15.44								l	I	

COLLOCAT	ION - Georgia												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonred		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			01.040	DE4E0	05.05										
	per AC Breaker Amp Adjacent Collocation - 240V, Three Phase Standby Power Rate		1	CLOAC	PE1FG	35.65					-					
	per AC Breaker Amp			CLOAC	PE1JD	35.65										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE	-		OLONO	1 2 100	00.00			1		1					
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		300.61		132.62							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	143.23										
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.20									
	Physical Collocation in the Remote Site - Space Availability															
	Report per Premises Requested			CLORS	PE1SR		109.94									
	Physical Collocation in the Remote Site - Remote Site CLLI Code Request, per CLLI Code Requested		1	CLORS	PE1RE		36.04									
<del>                                     </del>	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO		-	CLORS	PE1RE PE1RR	<del>                                     </del>	36.04 116.64		+		1		-	<b> </b>	-	1
	Physical Collocation - Security Escort for Basic Time - normally			OLONO	LIKK		110.04									
	scheduled work, per half hour			CLORS	PE1BT		16.52	10.83								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,															
	per half hour			CLORS	PE1OT		21.92	14.19								
	Physical Collocation - Security Escort for Premium Time -															
	outside of scheduled work day, per half hour			CLORS	PE1PT		27.31	17.55								
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT															
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
	Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
	Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU	0.134	755.62	755.62								
NOTE:	: If Security Escort and/or Add'I Engineering Fees become nec	essary i	for rem			will negotiate a			1		1					
VIRTUAL COL		,														
	Virtual Collocation - Application Fee			AMTFS	EAF		609.52		0.59							
	Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		609.52									
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		736.93		21.51							
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	4.52										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	4.78										
	Virtual Collocation - Cable Support Structure, per entrance															
-	cable		1	AMTFS UEANL,UEA,UDN,U	ESPSX	7.57					-					
	Virtual Collocation - 2-wire Cross Connects (loop)			DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0188										
				UEA,UHL,UCL,UDL,												
				UAL, UDN, UNCVX,												
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0.0375										
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	1.73										
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	3.45										
i t				USL,ULC, ULR,												
	Virtual collocation - Special Access & UNE, cross-connect per			UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1,												
	DS1		1	UEPEX, UEPDX	CNC1X	0.3726						<u> </u>			1	

COLLOCAT	ION - Georgia													ment: 4		bit: B
											Svc Order		Incremental		Incremental	Incremental
											Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
		Interi	l_								Elec	Manually	Manual Svc	Manual Svc	Manual Svc	Manual Svc
CATEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
											_		Electronic-	Electronic-	Electronic-	Electronic-
													1st	Add'l	Disc 1st	Disc Add'l
							Nonrec	urrina	Nonrecurring	Disconnect				Rates (\$)		
						Rec	First	Add'l	First	Add'l		SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				USL,UE3, U1TD3,												
				UXTS1, UXTD3,												
				UNC3X, UNCSX.												
				ULDD3, U1TS1,												
	Virtual collocation - Special Access & UNE, cross-connect per			ULDS1, UDLSX,												
	DS3			UNLD3	CND3X	4.06										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable								1							
	Support Structure, per linear foot			AMTFS	VE1CB	0.0023										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0034										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable															
	Support Structure,per cable		<u></u>	AMTFS	VE1CC	L	553.43		<u> </u>					<u></u>		L
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax															
	Cable Support Structure, per cable			AMTFS	VE1CE		553.43									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		743.65	478.06	125.75							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		1		1									<u> </u>		]
	record			AMTFS	VE1BB		317.60		177.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		4.48		5.30							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.22		2.63							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.76		9.19							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTES	VE1BF		83.45	10.00	73.57							
	Virtual collocation - Security Escort - Basic, per half hour		<u> </u>	AMTFS	SPTBX		16.52	10.83								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTES	SPTOX SPTPX		21.92	14.19								
-	Virtual collocation - Security Escort - Premium, per half hour Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS AMTFS	CTRLX		27.31 26.54	17.55 10.83								
-	virtual collocation - Maintenance in CO - Basic, per nail nour			AIVITES	CIRLX		20.54	10.83								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.44	14.19								
+	Virtual collocation - Maintenance in CO - Overtime, per hair nour		1	AWITTO	OI TOW		33.44	14.13			1					
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		44.34	17.55								
	Virtual Collocation - Request Resend of CFA Information, per			740111 0	01 11 101		77.07	17.00								
	CLLI			AMTFS	VE1QR		77.42									
	Virtual Collocation, Entrance Cable Support Structure, Copper,															
	per each 100 pairs or fraction thereof (CO Manhole to Frame)	- 1		AMTFS	VE1EE	0.23										
	Virtual Collocation, Entrance Cable Installation, Copper, per															
I	Cable (CO Manhole to Frame)	1	L	AMTFS	VE1EF	<u> </u>	755.15		21.51		<u></u>	<u></u>		<u> </u>		<u></u>
1	Virtual Collocation, Entrance Cable Installation, Copper, per															
	each 100 pairs or fraction thereof (CO Manhole to Frame)			AMTFS	VE1EG		9.12									
VIRTUAL COL																
1 1	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-								]							
	Wire Analog - Res			UEPSR	VE1R2	0.30	12.60	12.60	ļl					ļ		ļ
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-		1				40	40								1
	Wire Line Side PBX Trunk - Bus		ļ	UEPSP	VE1R2	0.30	12.60	12.60	ļ <del>.</del>					1		1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			LIEBOE	VEADO	0.00	40.00	40.00	]							
	Voice Grade PBX Trunk - Res  Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire		<del>                                     </del>	UEPSE	VE1R2	0.30	12.60	12.60	ļ		}				1	<del> </del>
	Analog Bus	1	1	UEPSB	VE1R2	0.30	12.60	12.60								Ì
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire		-	ULFOD	VEIRZ	0.30	12.00	12.00	<del>                                     </del>					-	<b> </b>	-
	ISDN		1	UEPSX	VE1R2	0.30	12.60	12.60								1
<u> </u>	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire	-	<del>                                     </del>	OLI OA	V L IIVZ	0.30	12.00	12.00	<del>                                     </del>							<del> </del>
ı I	ISDN			UEPTX	VE1R2	0.30	12.60	12.60								
$\leftarrow$	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	<del></del>		0=1 1/A	721112	0.50	12.00	12.00	<del> </del>		<del>                                     </del>				1	<del> </del>
	The state of the s		1	1	1	1			1		1	1		I	1	I
	ISDN DS1			UEPEX	VE1R4	0.50	12.60	12.60								

CATEGORY   RATE ELEMENTS   Milar   Zone   BCS   USC   RATES (\$)	COLLOCAT	ON - Kentucky												Attach	ment: 4	Exhi	bit: B
Prince Content	JULIOUAI											Svc Order	Svc Order				
ATECONY   RATE LEMENTS   Internal   Name   Record   Name												Submitted	Submitted	Charge -	Charge -	Charge -	Charge -
Mark Electricity   Mark Electr			Interi									Elec	Manually	Manual Svc		Manual Svc	Manual Svc
Principle   Prin	CATEGORY	RATE ELEMENTS		Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
														Electronic-	Electronic-	Electronic-	Electronic-
Miles														1st	Add'l	Disc 1st	Disc Add'l
Physical Collocation   Physical Collocation								Nonrec	urring	Nonrecurring	n Disconnect			220	Pates (\$)	L	
Privation Col. DOI/1700							Rec					SOMEC	SOMAN			SOMAN	SOMAN
Psychology   Person								11131	Addi	11130	Addi	COMILO	COMPAR	COMPAR	COMPAR	COMPAR	COMPAN
Wise Analogs, Res	PHYSICAL CO	LLOCATION															
Physical Collections SVMP Cross Connect, Earhange Prot 2- Week Uses Crisinal FMX Trust. Nat. Connect, Earhange Prot 2- Week Vision Crisinal FMX Trust. Nat. Connect, Earhange Prot 2- Week Vision Crisinal FMX Trust. Nat. Plant Project College Col		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
Wite Line Side PKT Yeak - Bus					UEPSR	PE1R2	0.0333	24.68	23.68	12.14	10.95						
Physical Collegions 2-View Cross Connect, Exchange Port 2-View (See See See See See See See See See Se		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				55.50											
Wire Visco Grade PRX Trunk - Res   Physical Collection 2 Wire Cross Connect, Exchange Port 2- Wire Institute, Par.				<u> </u>	UEPSP	PE1R2	0.0333	24.68	23.68	12.14	10.95						
Physical Collocation 2-Wine Cross Cornect, Exchange Port 2-					LIEPSE	PF1R2	0.0333	24 68	23.68	12 14	10.95						
Wife Analog - Bits   Wife Cross Connect, Exchange Prof. 2   UEPSX   PERR   0.0333   24.68   22.68   12.14   10.95	-				OLI OL	1 2 11 (2	0.0000	24.00	20.00	12.14	10.55						
Wise ISDN   UPPSX   PEYR2   0.0333   24.68   23.68   12.14   10.95					UEPSB	PE1R2	0.0333	24.68	23.68	12.14	10.95						
Physical Colicotation - 2-wire Cross Connect, Exchange Port 2-   UEPTX   PE-182   0.0333   24.68   23.68   12.44   10.09																	
Wite ISDN   Physical Collocation - Wifer Cross Connect, Exchange Port 4- Wite ISDN 1051   Wite ISDN 1051   Wife ISDN 1051					UEPSX	PE1R2	0.0333	24.68	23.68	12.14	10.95						
Physical Collocation - Writer Cross Connect. Exchange Port 4   UEPEX   PE184   1.48   44.23   31.98   12.81   11.57					LIEDTY	DE4D0	0.0000	04.00	00.00	40	40.00				1	1	
Wise (ESN DS1   Private Collocation - Tribial Agrication Fee   Co.   PETRA			1	-	UEPIX	PE1K2	0.0333	24.68	23.68	12.14	10.95				1	1	
PHYSICAL ColLocation - Initial Application Fee	1				LIEPEX	PF1R4	1 /19	44 22	21 00	12.91	11 57						
Physical Collocation - Initial Application Fee	PHYSICAL CO				OLFLX	FLIK4	1.40	44.23	31.50	12.01	11.57						
Physical Collocation Administrative Only - Applicator Fee	1				CLO	PE1BA		3,773.54									
Physical Collocation - Space Preparation - Firm Order Processing Physical Collocation - Space Preparation - Co. Modification per square 1t Physical Collocation - Space Preparation - Common Systems CLO PE1SK 2.32  CLO PE1SK 2.32  Physical Collocation - Space Preparation - Common Systems Modifications - Space Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modifications - Capital Preparation - Common Systems Modification - Capital Preparation - Common Systems Modification - Capital Preparation - Common Systems Modification - Capital Preparation - Common Systems CLO PE1BD 1,729.11  Preparation - Common Systems CLO PE1BD 1,729.11  Preparation - Capital Preparation - Common Systems CLO PE1PM 19.86  CLO PE1PM 19.86  CLO PE1PM 19.86  Preparation - Power, 240V AC Power, Single Phase, per Preparation - Common Systems I CLO PE1PB 5.44  Preparation - Power, 240V AC Power, Single Phase, per Preparation - Common Systems I CLO PE1PB 5.44  Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Preparation - Power, 240V AC Power, Single Phase, per Pr		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		3,145.35									
Pricessing					CLO	PE1BL		742.12									
Physical Collocation - Space Preparation - C.O. Modification per square ft.  Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot Physical Collocation - Space Preparation, Common Systems Modifications-Cagles Installation, Pricing, non-recurring CLO PE1SL 3.26  Physical Collocation - Cable Installation, Pricing, non-recurring Charge, per Entrance Cable Physical Collocation - Floor Space, per sq 1eet Physical Collocation - Cable Installation Structure, per Entrance Cable Physical Collocation - Power, 48V DC Power - per Fused Amp Physical Collocation - Power, 48V DC Power - per Fused Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 210V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 220V AC Power, Three Phase, per Breaker Amp																	
Square It.					CLO	PE1SJ		1,206.07									
Physical Collocation - Space Preparation, Common Systems Modifications-Cappless, per square fod Physical Collocation - Space Preparation - Common Systems Modifications-Capples, per cappe CLO PETSL 3.26  Physical Collocation - Capple Installation, Pricing, non-recurring charge, per Entrance Cabile Physical Collocation - Space, per sq feet CLO PETBD 11.729.11  45.16  CLO PETBD 45.16  Physical Collocation - Space, per sq feet CLO PETBD 5.7.99  CLO PETBD 19.86  CLO PETBD 19.86  CLO PETPD 7.99  Physical Collocation - Power, 48V DC Power - per Fused Amp Physical Collocation - Power, 48V DC Power - per Fused Amp Physical Collocation - Power Reconfiguration Only, Application in Physical Collocation - Power Reconfiguration Only, Application in Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Pow					CLO	DE1CK	2 22										
Modifications-Capless, per square foot CLO PETSL 3.26 Physical Collocation - Space Preparation - Common Systems Modifications-Caped, per cage CLO PETSM 110.57 CLO PETBD 110.57 Physical Collocation - Cable Institution, Pricing, non-recurring charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet CLO PETBD 1,799.1 Physical Collocation - Floor Space, per sq feet CLO PETBD 1,799.1 Physical Collocation - Cable Support Structure, per Entrance Cable Physical Collocation - Cable Support Structure, per Entrance CLO PETPM 19.86  Physical Collocation - Power, -48V DC Power - per Fused Amp CLO PETPM 19.86 Physical Collocation - Power Reconfiguration Only, Application Physical Collocation - Power Reconfiguration Only, Application Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp Physical Collocation - Power, 277V AC Power, Development Physical Collocation - Power, 277V AC Power, Development Physical Collocation - Power, 277V AC Power, Development Physical Collocation - Power, 277V AC Power, Development Physical Collocation - Power, 277V AC Power, Development Physical Collocation - Power, 277V AC Power, Devel					CLO	PEISK	2.32										
Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cape Physical Collocation - Cable Installation, Prioring, non-recurring charge, per Enrance Cable Physical Collocation - Fower, -48V DC Power - per Fused Amp Physical Collocation - Power, -48V DC Power - per Fused Amp Physical Collocation - Power (not provided and per su					CLO	PE1SL	3.26										
Physical Collocation - Cable Installation, Pricing, non-recurring charge, per fartance Cable   CLO   PE1BD   1,729.11   45.16							3.23										
Classe   Def Entrance Cable   CLO   PETPD   1,729.11   45.16					CLO	PE1SM	110.57										
Physical Collocation - Floor Space, per sq feet																	
Physical Collocation - Cable Support Structure, per Entrance   CLO   PE1PM   19.86							=	1,729.11		45.16							
CLO   PE1PM   19.86					CLO	PE1PJ	7.99									-	
Physical Collocation - Power, -48V DC Power - per Fused Amp					CLO	PF1PM	19.86										
Physical Collocation - Power Reconfiguration Only, Application Fee Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp CLO PE1FD 10.88 Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp CLO PE1FD 10.88 CLO PE1FD 10.88 CLO PE1FC 16.32	-	Cable			OLO		10.00										
Fee		Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	8.06										
Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp  Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp  Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  CLO PE1FD 10.88  Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 16.32  CLO PE1FE 16.32  CLO PE1FE 16.32  CLO PE1FE 16.32  Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 16.32  UEANL, UEQ, UNILDX, UNCX, UFE, ULL, UNL, UNCX, UFE, UCL, UAL, UHL, UDC, UDN, UNCX, UFE, UCL, UAL, UHL, UDC, UDN, UNCX, UFE, UCL, UDL, UDC, UDN, UNCX, UFE, UCL, UDL, UDC, UDN, UNCX, UFE, ULL, UDC, UDL, UDC, UDL, UDC, UDL, UDC, UDC, UDC, UDC, UDC, UDC, UDC, UDC		Physical Collocation - Power Reconfiguration Only, Application															
Der Breaker Amp			- 1		CLO	PE1PR		399.50									
Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp  Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 16.32  Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 16.32  CLO PE1FE 16.32  CLO PE1FE 16.32  Pe1FG 37.68  PE1FG 37.68  PE1FG 37.68  PE1FG 37.68  Physical Collocation - 2-wire cross-connect, loop, provisioning URANLUPC, UNCVX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX, UNCX					CLO	DE1ED	- 44										
Der Breaker Amp			<u> </u>		CLU	RE1FR	5.44			-					<del>                                     </del>	<b>-</b>	
Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp  CLO PE1FE 16.32  Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp  CLO PE1FG 37.68  UEANIL, UEQ, UNLDX, UNCDX, UCL, UAL, UHL, UDC, UDN, UNCVX Physical Collocation - 2-wire cross-connect, loop, provisioning  Physical Collocation - 4-wire cross-connect, loop, provisioning  Physical Collocation - 4-wire cross-connect, loop, provisioning  WDS1L, WDS1S, UXTD1, ULDD1, USLEL, UNLD1, USLEL, UNLD1, UEPEX, UEPDX,					CLO	PF1FD	10.88										
Breaker Amp					010		10.00										
Breaker Amp	1	Breaker Amp			CLO	PE1FE	16.32										
UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, UNCVX PE1P2																	
UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN, PE1P2		Breaker Amp	ļ			PE1FG	37.68								1	1	
UEA, UCL, UAL, UHL, UDC, UDN, UNCVX   PE1P2   0.0333   24.68   23.68   12.14   10.95															1	1	
Physical Collocation - 2-wire cross-connect, loop, provisioning	1																
Physical Collocation - 2-wire cross-connect, loop, provisioning			1										1				
UEA, UHL, UNCVX, UNCDX, ULC., UDL PE1P4	1	Physical Collocation - 2-wire cross-connect, loop, provisioning				PE1P2	0.0333	24.68	23.68	12.14	10.95						
WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX,		-															
UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX,		Physical Collocation - 4-wire cross-connect, loop, provisioning				PE1P4	0.0665	24.88	23.82	12.77	11.46						
USLEL, UNLD1, UEPEX, UEPDX,																	
UEPEX, UEPDX,			1										1				
	1																
		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,										1	1	
Collocation, provisioning			<u>L</u>	L		PE1P1	1.48	44.23	31.98	12.81	11.57	<u> </u>	<u> </u>		<u> </u>	<u> </u>	

CATEORY   RATE ELEMENTS   Interf   Zone   BCS   USOC   RATES (s)   Security	OLLOCATI	ION - Kentucky												Attach	ment: 4	Exhi	bit: B
CATEORY   RATE ELEMENTS   miner   mi	<u></u>											Svc Order	Svc Order			Incremental	Incremental
CATEGORY   RATE ELEMENTS   Image   BC3   USOC   RATES (6)   per LSR   per LSR   Corder vs.   C																Charge -	Charge -
Bectronic   Bect	TECODY	DATE ELEMENTO	Interi	7	DCC	11000			DATES (\$)								Manual Svc
Second   S	TEGORY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR			Order vs.	Order vs.
Box   Box																Electronic-	Electronic-
Near   Near														1st	Add'l	Disc 1st	Disc Add'l
URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URB.UTTOS.   URb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb.UTTOS.   Urb							Dee	Nonrec	curring	Nonrecurring	Disconnect			oss	Rates (\$)		l.
Physical Collocation - DS3 Cross-Connect, provisioning							Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
UNCXX, UNCSX, ULDDS,																	
ULDO3, UTTS LUDS1, UTTS LUDS2, UTTS LUDS																	
Physical Collocation - DS3 Cross-Connect, provisioning   UNIDS   UNI																	
Physical Collocation - DS3 Cross-Connect, provisioning   UNIO3   PE1P3   18.89   41.93   30.51   14.75   11.83																	
CLO, ULDO3, ULD12, ULD48, UTO3, UTT03, ULD03, ULD12, ULD03, ULD03, ULD12, ULD03, ULD03,	/11 03	30.51	14.75	11 83													
ULD12, ULD48, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3, UTT12, UTG3,	-	1 Hysical Collocation - DGS Gross-Connect, provisioning				I L II 3	10.03	41.93	30.51	14.73	11.03						
UTGS, UTT12, UTGS, UTT12, UTGS, UDCS, UD																	
Physical Collocation - 2-Fiber Cross-Connect																	
ULDOS, ULD12, UTTA8, UTTO3, ULD13, UTTA9, UTTA9, ULD   UDF					U1T48, UDLO3,												
ULD48, UTTO3, UTT148, UDCO3, UDC1128, UDCO3, UDC1128, UDCO3, UDC1129, UDF PE1F4		Physical Collocation - 2-Fiber Cross-Connect				PE1F2	3.75	41.93	30.51	14.76	11.84						
Physical Collocation - 4-Fiber Cross-Connect  Physical Collocation - Space enclosure, welded wire, first 100 square feet  Physical Collocation - Space enclosure, welded wire, first 100 cLO  PE1BW 184.97  Physical Collocation - Space enclosure, welded wire, first 100 cLO  PE1BW 184.97  Physical Collocation - Security Access System, Security System, per Central Office  Physical Collocation - Security Access System - New Card Activation, per Cart Activation, per Cart Activation, per Cart Activation, Per Cart Activation, Per Cart Activation, Per Cart Activation, Per Cart Activation, Per Cart Activation, Per Cart Activation, Per Cart Activation - Security Access System - Aministrative Change, existing Access Card, per Request, per Cart CLO  PE1AA 15.64  Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key, per Key  Physical Collocation - Security Access Initial Key Initial Initi																	
Physical Collocation - 4-Fiber Cross-Connect   UDLO3, UDL12, UDF   PE1F4   6.66   51.29   39.87   19.41   16.49																	
Physical Collocation - Space enclosure, welded wire, first 100 ct. O PETRM 184.97 Physical Collocation - Space enclosure, welded wire, first 100 ct. O PETRM 184.97 Physical Collocation - Space enclosure, welded wire, each additional 50 square feet																	
Physical Collocation - Space enclosure, welded wire, first 100 supure feet CLO PE18W 184.97  Physical Collocation - Space enclosure, welded wire, each additional 50 square feet CLO PE1CW 18.14  Physical Collocation - Security Access System, Security System, per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation,		Physical Collegation 4 Fiber Cross Connect				DE1E4	6.65	E4 00	20.07	10.44	16.40						
soure feet Physical Colication - Space enclosure, welded wire, each additional 50 square feet Physical Colication - Security Access System, Security System, CLO PETCW 18.14 Physical Colication - Security Access System - New Card Activation, per Card Activation Activation Activation	-				UDF	PETF4	6.00	51.29	39.87	19.41	16.49						
Physical Collocation - Space enclosure, welded wire, each additional 59 sugarant feet   Physical Collocation - Security Access System, Security System, per Central Office   Physical Collocation - Security Access System - New Card   Activation, per Card Activation (First), per State   CLO PE1A1   O.058   55.79    Physical Collocation-Security Access System-Administrative   Change, existing Access Card, per Request, per State, per Card   Physical Collocation - Security Access System-Administrative   Change, existing Access Card, per Request, per State, per Card   Physical Collocation - Security Access System-Administrative   CLO PE1AA					CLO	PF1BW	184 97										
additional 50 square feet  Physical Collocation - Security Access System, Security System, per Central Office  Physical Collocation - Security Access System - New Card  Activation, per Card Activation (First), per State  CLO PE1AX 76.10  Physical Collocation - Security Access System - New Card  Activation, per Card Activation (First), per State    CLO PE1A1 0.058 55.79  Physical Collocation-Security Access System - Administrative Change, existing Access Cardy Access System - Replace Lost or Stolen Card, per Card    Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card    Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or CLO PE1AL 26.29  Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  Physical Collocation - Security Access - Key, Replace Lost or CLO PE1AL 26.29  Physical Collocation - Security Access - Key, Replace Lost or CLO PE1BR 2,158.67  Physical Collocation - Security Access - Key, Replace Lost or CLO PE1CR 2,158.67  Physical Collocation - Cable Records, Per request CLO PE1CR 1,524.45 980.01 267.02  Physical Collocation - Cable Records, Service Cable record (maximum 3600 records)  Physical Collocation, Cable Records, DS1, per 1 TIE CLO PE1CD 9,656.37 379.70  Physical Collocation, Cable Records, DS1, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation, Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation, Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation, Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation - Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation - Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation - Cable Records, DS3, per 13 TIE CLO PE1CB 169.83 154.85  Physical Collocation - Cable Records, DS3, per 13 TIE CLO PE1CB 169.83	$\neg$				020		10 1101										
per Central Office Physical Collocation - Security Access System - New Card Activation, per Card Activation (First), per State  CLO PE1A1 0.058 55.79  Physical Collocation - Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System-Replace Lost or Stolen Card, per Card Physical Collocation - Security Access System-Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AR Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Physical Collocation - Space Availability Report, per Central Office Requested Physical Collocation - Cable Records, per request CLO PE1SR Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 360) records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 360) records Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 360) records Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C0 PE1C1 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C1 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C1 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C8 Physical Collocation, Cable Rec					CLO	PE1CW	18.14										
Physical Collocation - Security Access System - New Card Activation, per Card Activation, per Card Activation (First), per State    CLO PE1A1 0.058 55.79    Physical Collocation-Security Access System-Administrative Change, existing Access System - Replace Lost or Stolen Card, per Request, per State, per Card CLO PE1AA 15.64    Physical Collocation - Security Access - New Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key CLO PE1AK 26.29    Physical Collocation - Security Access - New Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - New Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - New Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - New Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - New Replace Lost or CLO PE1AL 26.29    Physical Collocation - Security Access - New Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - New Replace Lost or CLO PE1AL 26.29    Physical Collocation - Security Access - New Replace Lost or CLO PE1AL 26.29    Physical Collocation - Security Access - New Replace Lost or CLO PE1CB 77.55    Physical Collocation - Cable Records, Per Replace Lost or CLO PE1CB 77.55    Physical Collocation - Cable Records, VarDSO Cable, per cable record (maximum 3600 records) (VarDSO Cable, per each 100 pair Physical Collocation, Cable Records, DS3, per 13 TIE CLO PE1CB 16.8    Physical Collocation, Cable Records, DS3, per 13 TIE CLO PE1CB 16.8    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 16.9    Physical Collocation, Cable Records, DS3, per 3 TIE CLO PE1CB 1		Physical Collocation - Security Access System, Security System,															
Activation, per Card Activation (First), per State					CLO	PE1AX	76.10										
Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - CFA Information Resend Request, per premises, per request CLO PE1SR 2,158.67  Physical Collocation - Cable Records, per request CLO PE1CR 1,524.45 980.01 267.02  Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1CO 9.66 11.84 Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, DS3, per T3 TIE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally scheduled working hours on a scheduled work day, Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,																	
Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Office Requested Physical Collocation - CFA Information Resend Request, per permises, per request Physical Collocation - CFA Information Resend Request, per permises, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1CD Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled work day,		Activation, per Card Activation (First), per State			CLO	PE1A1	0.058	55.79									
Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Office Requested Physical Collocation - CFA Information Resend Request, per permises, per request Physical Collocation - CFA Information Resend Request, per permises, per request Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1CD Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1CB Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled work day,		Bhusian Callagation Convity Assess Custom Administrative															
Physical Collocation - Security Access System - Replace Lost or Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Office Requested Physical Collocation - CFA Information Resend Request, per premises, per request Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, per cable record (maximum 360) records) Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C0 PE1C1 PHysical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 Physical Collocation - Security Escord for Death per cable record (maximum 99 records) Physical Collocation - Security Escord for Death or normally scheduled work, per half hour Physical Collocation - Security Escord for Overtime - outside of normally scheduled work flow, per half hour Physical Collocation on a scheduled work day,					CLO	DE1AA		15.64									
Stolen Card, per Card Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Physical Collocation - CFA Information Resend Request, per premises, per request Physical Collocation - Cable Records, per request CLO PE1SR Physical Collocation - Cable Records, per request CLO PE1CR PE1CR PE1CR PE1SR Physical Collocation - Cable Records, per request CLO PE1CR PE1C	-				CLO	PETAA		15.64									
Physical Collocation - Security Access - Initial Key, per Key Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key Physical Collocation - Space Availability Report, per Central Office Requested Office Requested Office Requested Physical Collocation - CFA Information Resend Request, per premises, per request Physical Collocation - Cable Records, per request CLO PETCR Physical Collocation - Cable Records, VG/DSC Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DSC Cable, per each 100 pair CLO PETCD Physical Collocation, Cable Records, DST, per T1 TIE CLO PETCD Physical Collocation, Cable Records, DST, per T1 TIE CLO PETCD Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE Physical Collocation, Cable Records, DSS, per T3 TIE CLO PETCB PETCB T3.398 21.53					CLO	PE1AR		45.74									
Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key  Physical Collocation - Space Availability Report, per Central Office Requested  Physical Collocation - CFA Information Resend Request, per premises, per request  Physical Collocation - Cable Records, per request  Physical Collocation - Cable Records, per request  Physical Collocation - Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DSO Cable, per table record (maximum 3600 records)  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PETC1 4.52 5.54  Physical Collocation, Cable Records, DS3, per T3 TIE CLO PETC3 15.81 19.39  Physical Collocation - Cable Records, Piber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,																	
Physical Collocation - Space Availability Report, per Central Office Requested  Physical Collocation - CFA Information Resend Request, per premises, per request  Physical Collocation - Cable Records, per request  CLO PE1C9 Physical Collocation - Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, DS3, per T3 TIE Physical Collocation, Cable Records, Fiber Cable, per cable record (maximum 9 records)  Physical Collocation - Cable Records, DS3, per T3 TIE CLO PE1C3 Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 9 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,		Physical Collocation - Security Access - Key, Replace Lost or					ĺ										
Office Requested  Physical Collocation - CFA Information Resend Request, per premises, per request  Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, per request  Physical Collocation, Cable Records, VG/DSO Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DSO Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1CD  PE1CD  656.37  379.70  CLO  PE1CD  9.65  11.84  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1CD  9.65  11.84  Physical Collocation, Cable Records, DS3, per T3 TIE  CLO  PE1C3  PE1C3  15.81  Physical Collocation Cable Records, DS3, per T3 TIE  CLO  PE1C3  PE1C3  15.81  15.81  19.39  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,					CLO	PE1AL		26.29									
Physical Collocation - CFA Information Resend Request, per premises, per request Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records) Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair CLO PE1CD 656.37 379.70  CLO PE1CD 9.65 11.84  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 5.54  Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 15.81 19.39  Physical Collocation, Cable Records, Fiber Cable, per cable record (maximum 99 records) Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour normally scheduled working hours on a scheduled work day,																	
premises, per request  Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  Physical Collocation, Cable Records, DS1, per T1 TIE  CLO  PE1CD  PE1CD  9.65  11.84  Physical Collocation, Cable Records, DS3, per T3 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE  CLO  PE1C3  PE1C3  15.81  19.39  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,					CLO	PE1SR		2,158.67									
Physical Collocation - Cable Records, per request  Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CD 656.37 379.70  CLO PE1CD 656.37 379.70  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CO 9.65 11.84  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 5.54  Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 15.81 19.39  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,					CI O	DE400		77.55									
Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)  CLO PE1CD 656.37 379.70  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair  CLO PE1CO 9.65 11.84  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 5.54  Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 15.81 19.39  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLO PE1BT 33.98 21.53  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,	-								980.01	267.02							
record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair CLO PE1CO 9.65 11.84  Physical Collocation, Cable Records, DS1, per T1 TIE CLO PE1C1 4.52 5.54  Physical Collocation, Cable Records, DS3, per T3 TIE CLO PE1C3 15.81 19.39  Physical Collocation - Cable Records, DS3, per T3 TIE CLO PE1C3 15.81 19.39  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLO PE1BT 33.98 21.53  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,	+-		1		010	LION	<del>                                     </del>	1,324.43	300.01	201.02		1	-				
Physical Collocation, Cable Records, VG/DS0 Cable, per each 100 pair CLO PE1CO 9.65 11.84 1.84 1.84 1.84 1.84 1.84 1.84 1.8					CLO	PE1CD		656.37		379.70							
100 pair																	
Physical Collocation, Cable Records, DS3, per T3 TIE  Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum by records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,																	
Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLO PE1BT 33.98 21.53  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,	$\bot\!\!\!\bot\!\!\!\!\bot$		ļ				ļ <u>l</u>										
record (maximum 99 records)  Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,			<u> </u>	<b>.</b>	CLO	PE1C3		15.81		19.39							
Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour CLO PE1BT 33.98 21.53  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,					CLO	DE1CB		160.00		154.05							
scheduled work, per half hour CLO PE1BT 33.98 21.53  Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,	+-		1		CLO	reiob	<del>                                     </del>	109.03		154.85		1	1				1
Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,					CLO	PE1BT		33.98	21.53								
normally scheduled working hours on a scheduled work day,	-		<u> </u>			1		33.50	250	1							
		per half hour			CLO	PE1OT		44.26	27.81								
Physical Collocation - Security Escort for Premium Time -																	
outside of scheduled work day, per half hour CLO PE1PT 54.54 34.09			ļ		CLO	PE1PT		54.54	34.09								
Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit  CLO PE1BV 33.00					CLO	DE4BV		22.00									
Physical Collocation - Virtual to Physical Collocation Relocation,	-+-		<del>                                     </del>		CLO	LE IDA	<del>                                     </del>	33.00		<del>                                     </del>		-					1
Priystaa Conocation - Virtual to Priystaa Conocation Relocation,  Der DSO Circuit  CLO PE180 33.00					CLO	PE1BO		33.00									
Physical Collocation - Virtual to Physical Collocation Relocation,						1.2.20	† †	33.00		1							
per DS1 Circuit CLO PE1B1 52.00					CLO	PE1B1		52.00		I							

COLLOCATI	ON - Kentucky												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonre		Nonrecurring					Rates (\$)		
						1.60	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50		=====									ĺ
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									<del>                                     </del>
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									1
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0012										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0012										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		584.20									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,224.485	42.719								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.102									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,028.981	42.719								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber				PE1ED		7.241									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.98		1.21							<b>.</b>
-	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment			CLO CLO	PE1KM PE1K1		834.26 1,059.00		1.21							<b>—</b>
	Physical Collocation - Application Cost, Intermediate Augment  Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PEIKI		1,059.00		1.21							
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	ı		CLO	PE1DU		535.55									ļ
AD IA OFNIT OF	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		535.55									
ADJACENT CO	Adjacent Collocation - Space Charge per Sq. Ft.	<u> </u>		CLOAC	PE1JA	0.0173			<del> </del>		-					<del></del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.				PE1JA PE1JC	5.35			1		<del>                                     </del>					<del></del>
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0258	24.68	23.68	12.14	10.95						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL	PE1P4	0.0515	24.88	23.82	12.77	11.46						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.37	44.23	31.98		11.57						
	Adjacent Collocation - DS3 Cross-Connects	<b> </b>		UEA,UHL,UDL,UCL		18.61	41.93	30.51		11.83	1					<del></del>
	Adjacent Collocation - 2-Fiber Cross-Connect				PE1F2	3.15	41.93	30.51		11.84						<u> </u>
<del>                                     </del>	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee			CLOAC CLOAC	PE1F4 PE1JB	6.02	51.29 3,165.50	39.87	19.41	16.49	1		-	-		<del></del>
<del>                                     </del>	Adjacent Collocation - Application Fee Adjacent Collocation - 120V, Single Phase Standby Power Rate			OLOAU	LIVD		3, 103.30		1		1					
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.44										<u> </u>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	10.88										
	per AC Breaker Amp Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	16.32										
PHYSICAL COL	per AC Breaker Amp  LLOCATION IN THE REMOTE SITE			CLOAC	PE1FG	37.68										
I ITTOICAL COI	Physical Collocation in the Remote Site - Application Fee	<u> </u>		CLORS	PE1RA		617.78		338.89		1	1	1	1	1	<del>                                     </del>
-	Cabinet Space in the Remote Site per Bay/ Rack	l			PE1RB	219.67	017.70		550.09		1					
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD	2.0.07	26.29									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		232.64									

COLLO	CATI	ON - Kentucky												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000												
		Code Request, per CLLI Code Requested		<u> </u>	CLORS	PE1RE		75.40									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.42									
		scheduled work, per half hour			CLORS	PE1BT		33.98	21.53								
		Physical Collocation - Security Escort for Overtime - outside of			CLORG	FLIDI		33.90	21.33								
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		44.26	27.81								
		Physical Collocation - Security Escort for Premium Time -															
		outside of scheduled work day, per half hour			CLORS	PE1PT		54.54	34.09								
PHYSIC/	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT															
																	_
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										<u> </u>
											·						
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee	L	<u> </u>	CLORS	PE1RU	<u> </u>	755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	or rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s.								
VIRTUAL	COL	LOCATION			AMTFS	EAF		0.440.00		1.01							
		Virtual Collocation - Application Fee Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		2,419.86 742.12		1.01							<b></b>
		Virtual Collocation - Cable Installation Cost, per cable	-		AMTFS	ESPCX		1,729.11		45.16							
		Virtual Collocation - Cable Installation Cost, per cable  Virtual Collocation - Floor Space, per sq. ft.		1	AMTFS	ESPVX	7.99	1,729.11		45.10							
		Virtual Collocation - Power, per fused amp		1	AMTFS	ESPAX	8.06			+							
		Virtual Collocation - Cable Support Structure, per entrance			7 UVIII O	201700	0.00										<del>                                     </del>
		cable			AMTFS	ESPSX	17.38										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0309	24.68	23.68	12.14	10.95						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0619	24.88	23.82	12.77	11.46						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.80	41.94	30.51	14.76	11.84						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	7.59	51.29	39.87	19.41	16.49						
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.48	44.23	31.98	12.81	11.57						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	18.89	41.93	30.51	14.75	11.83						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANTEG	VE405							1				
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CB VE1CD	0.003										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		535.55									

COLLOCAI	ION - Kentucky													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge - Manual Sv Order vs.
									N1	D'					2.00 .01	2.007.444.
			1			Rec	Nonrec First	urring Add'l	Nonrecurring First	Add'l	SOMEC	SOMAN	SOMAN	Rates (\$) SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						FIRST	Add I	FIRST	Addi	SOMEC	SUMAN	SUMAN	SUMAN	SUMAN	SUMAN
	Cable Support Structure, per cable			AMTFS	VE1CE		535.55									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1,524.45	980.01	267.02		-				-	+
	Virtual Collocation Cable Records - Per request  Virtual Collocation Cable Records - VG/DS0 Cable, per cable			AWITTO	VLIDA		1,324.43	900.01	207.02		-				-	+
	record			AMTFS	VE1BB		656.37		379.70							
+	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	AIVITO	VEIDD		030.37		3/9./0		1					+
	100 pair			AMTFS	VE1BC		9.65		11.84							
	Virtual Collocation Cable Records -DS1, per T1TIE	<u> </u>		AMTFS	VE1BD		4.52		5.54							+
	Virtual Collocation Cable Records - DS3, per T3TIE	<u> </u>		AMTFS	VE1BD		15.81		19.39							+
	Virtual Collocation Cable Records - B33, per 1311E  Virtual Collocation Cable Records - Fiber Cable, per 99 fiber	<u> </u>		AIVITES	VEIDE		10.01		19.39							+
	records			AMTFS	VE1BF		169.63		154.85							
	Virtual collocation - Security Escort - Basic, per half hour	<u> </u>		AMTFS	SPTBX		33.98	21.53	154.85							+
	Virtual collocation - Security Escort - Basic, per half hour  Virtual collocation - Security Escort - Overtime, per half hour	-	-	AMTES	SPTOX		33.98 44.26	27.81								
	Virtual collocation - Security Escort - Overtime, per half hour	-	-	AMTES	SPTPX		54.54	34.09								
	Virtual collocation - Security Escott - Premium, per half hour	<u> </u>		AMTFS	CTRLX		56.07	21.53								+
	Virtual collocation - Maintenance in CO - Basic, per half hour	<u> </u>		AIVITES	CIRLX		56.07	21.53								+
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		73.23	27.81								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		90.39	34.09								
	Virtual Collocation - Request Resend of CFA Information, per															
	CLLI			AMTFS	VE1QR		77.55									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire															
	Analog Bus			UEPSB	VE1R2	0.0309	24.68	23.68	12.14	10.95						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire															
	ISDN	<u> </u>	<u></u>	UEPSX	VE1R2	0.0309	24.68	23.68	12.14	10.95			<u> </u>		<u> </u>	1
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0309	24.68	23.68	12.14	10.95						
+	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire	<del>                                     </del>	+	52. IX	VE1112	0.0000	2-1.00	20.00	12.17	10.33	<del> </del>				1	+
	ISDN DS1			UEPEX	VE1R4	1.48	44.23	31.98	12.81	11.57					1	1
	Rates displaying an "R" in Interim column are interim and sub							31.30	12.01	11.37				l	<del></del>	+

COLLOCAT	ION - Louisiana													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I
						Rec	Nonred			g Disconnect				Rates (\$)		
-							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	I OCATION		1													
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-										1					
	Wire Analog - Res			UEPSR	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PE1R2	0.0318	11.94	11.46								<b>_</b>
	Wire Analog - Bus			UEPSB	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1	ULFOB	FLINZ	0.0316	11.54	11.40								<del>                                     </del>
1	Wire ISDN			UEPSX	PE1R2	0.0318	11.94	11.46							1	
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPTX	PE1R2	0.0318	11.94	11.46								
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			l	L										1	
DILIVEIGAL CO	Wire ISDN DS1		<u> </u>	UEPEX	PE1R4	0.0636	12.04	11.53	1	-						<del>                                     </del>
PHYSICAL CO	Physical Collocation - Initial Application Fee			CLO	PE1BA		1,837.24									
	Physical Collocation - Initial Application Fee  Physical Collocation - Subsequent Application Fee			CLO	PE1BA PE1CA		1,533.41									<del> </del>
	Physical Collocation - Subsequent Application Fee		1	CLO	PE1BL		741.97									
	Physical Collocation - Space Preparation - Firm Order			020							1					
	Processing			CLO	PE1SJ		583.33									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.31										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	2.70										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage			CLO	PE1SM	91.60										
	Physical Collocation - Cable Installation, Pricing, non-recurring			0.0	55.55											
	charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet			CLO CLO	PE1BD PE1PJ	5.30	841.54									<del> </del>
	Physical Collocation - Proof Space, per sq reet  Physical Collocation - Cable Support Structure, per Entrance			CLO	FEIFJ	5.30										
	Cable			CLO	PE1PM	18.31										
	Physical Collocation - Power, -48V DC Power - per Fused Amp	1		CLO	PE1PL	8.32										
1	Physical Collocation - Power Reconfiguration Only, Application	·		020		0.02									t	
	Fee	- 1		CLO	PE1PR		398.76									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.45										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	10.92										
	Physical Collocation - Power, 120V AC Power, Three Phase, per Breaker Amp			CLO	PE1FE	16.37										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp			CLO	PE1FG	37.80										
				UEANL,UEQ, UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning			UNCVX	PE1P2	0.0318	11.94	11.46								
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0636	12.04	11.53								
	Physical Collocation -DS1 Cross-Connect for Physical			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1,												
	Collocation, provisioning			UNC1X	PE1P1	1.04	21.39	15.47								

COLLOCAT	ION - Louisiana				1						1-			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC	RATES (\$)						Submitted Manually	Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring I					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	13.21	20.28	14.76								
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.62	20.28	14.76								
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	4.65	24.81	19.29		1						
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet			CLO	PE1BW	184.50										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	18.10										
	Physical Collocation - Security Access System - Security System per Central Office, per Sq. Ft.			CLO	PE1AY	0.0224				1						
	Physical Collocation -Security Access System - New Card			CLO	FEIMI	0.0224				<del> </del>						
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0579	27.50								<u> </u>	]
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.74									
	Stolen Card, per Card			CLO	PE1AR		22.64			1						
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.01									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.01									
	Physical Collocation - Space Availability Report, per Central Office Requested			CLO	PE1SR		1,044.07			1						
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77.43									
	Recurring Collocation Cable Records - per request			CLO	PE1CU	10.97	77.40		1	1						
	Recurring Collocation Cable Records - VG/DS0 Cable, per cable record			CLO	PE1CE	5.29										
	Recurring Collocation Cable Records - VG/DS0 Cable, per each			01.0	DEACT					_						
<b> </b>	100 pair Recurring Collocation Cable Records - DS1, per T1TIE			CLO CLO	PE1CT PE1C2	0.08 0.04				-						
	Recurring Collocation Cable Records - DS1, per TTTE  Recurring Collocation Cable Records - DS3, per T3TIE		1	CLO	PE1C4	0.04										
	Recurring Collocation Cable Records - Fiber Cable, per 99 fiber records			CLO	PE1CG	1.37										
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		16.44	10.42			ļ					
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		21.41	13.45								
<del>                                     </del>	Physical Collocation - Security Escort for Premium Time -			CLO	PETOI	1	∠1.41	13.45		<del> </del>						
	outside of scheduled work day, per half hour Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1PT		26.38	16.49								
	per Voice Grade Circuit			CLO	PE1BV		33.00			1						
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO	_	33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	ION - Louisiana													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,															
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit			CLO	PE1BE		37.00									+
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.30									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,358.81	42.653								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.074									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,163.609	42.653								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber			CLO	PE1ED		7.23									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		596.35		1.22							1
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		836.18		1.22							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,061.00		1.22							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Fiber Cable Support Structure, per cable	I		CLO	PE1DU		534.79									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per cable			CLO	PE1DV		534.79									
ADJACENT C	OLLOCATION	-		OLO	ILIDV		334.79									+
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0552									İ	†
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.61										1
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0245	11.94	11.46								
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0491	12.04	11.53								
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL		0.9605	21.39	15.47								
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL		13.01	20.28	14.76								+
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect		1	CLOAC CLOAC	PE1F2 PE1F4	2.20 4.21	20.28 24.81	14.76 19.29							-	+
	Adjacent Collocation - 4-Fiber Cross-Connect  Adjacent Collocation - Application Fee			CLOAC	PE1JB	4.21	1,543.20	19.29			1				-	+
	Adjacent Collocation - Application ree  Adjacent Collocation - 120V, Single Phase Standby Power Rate			CLOAC	FLIJB		1,343.20								1	+
	per AC Breaker Amp			CLOAC	PE1FB	5.45										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FD	10.92										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	16.37										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FG	37.80										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE		1	OLOAG	1 2 11 0	37.00									<del> </del>	+
1	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		298.80							1	1	<del>                                     </del>
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	225.39										<b>†</b>
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.01									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		112.52									

COLLO	CATI	ON - Louisiana												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonred		Nonrecurring Disc					Rates (\$)		
								First	Add'l	First A	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			01.000	DEADE		00.47									
		Code Request, per CLLI Code Requested			CLORS CLORS	PE1RE		36.47									
-		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally			CLORS	PE1RR		233.21									
		scheduled work, per half hour			CLORS	PE1BT		16.44	10.42								
		Physical Collocation - Security Escort for Overtime - outside of			CLORS	PEIDI		10.44	10.42	<del> </del>							1
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		21.41	13.45								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		21.41	10.40								<del>                                     </del>
		outside of scheduled work day, per half hour			CLORS	PE1PT		26.38	16.49								
PHYSIC/	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27					<u> </u>	<u> </u>	<u> </u>	<u> </u>		
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,770.40									
		Virtual Collocation Administrative Only - Application Fee			AMTFS	VE1AF		741.97									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		841.54									
		Virtual Collocation - Floor Space, per sq. ft.			AMTES	ESPVX	3.20										
		Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	8.32										_
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	16.02										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0296	11.94	11.46								
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0591	12.04	11.53								
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.65	20.29	14.76								
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.31	24.81	19.29								
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.04	21.39	15.47								
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	13.21	20.28	14.76								
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		1	l	l								1			
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0024										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per cable			AMTFS	VE1CD	0.0036	534.79									

COLLOCAT	ION - Louisiana												Attach			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
															DISC 1St	DISC AUU I
			1			Rec	Nonrec			g Disconnect	L			Rates (\$)		
							First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.79									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA	10.97										ĺ
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB	5.29										
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC	0.08										
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD	0.04										
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE	0.13										
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber records			AMTFS	VE1BF	1.37										
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX	1.07	16.44	10.42			+					<del> </del>
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		21.41	13.45			-					<b>†</b>
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		26.38	16.49			-					<b>†</b>
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX	+	27.12	10.42			+					+
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.42	13.45								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		43.72	16.49								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.43									
/IRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0296	11.94	11.46								
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0591	12.04	11.53								
Note:	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru	e-up as set forth	in General Term	ns and Condition	ns.									1

COLLOC	CATIO	DN - Mississippi												Attach	ment: 4	Exhi	hit: B
332230												Svc Order	Svc Order	Incremental		Incremental	
			l									Submitted	Submitted		Charge -	Charge -	Charge -
			Interi									Elec	Manually	Manual Svc	Manual Svc		Manual Svc
CATEGOR	RY	RATE ELEMENTS	m	Zone	BCS	USOC			RATES (\$)			per LSR	per LSR	Order vs.	Order vs.	Order vs.	Order vs.
			""											Electronic-	Electronic-	Electronic-	Electronic-
														1st	Add'l	Disc 1st	Disc Add'l
								Name		Namaanumin	Disconnect			220	Rates (\$)		
<b></b>							Rec	Nonrec First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
-								FIISL	Auu i	FIISL	Add I	SOMEC	SOWAN	SOWAN	SOWAN	SOWAN	SUMAN
PHYSICAL	COL	LOCATION															
1111010711		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Analog - Res			UEPSR	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0288	12.37	11.87	6.04	5.45						
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			LIEDOD	PE1R2	0.0288	12.37	11.87	0.04	5 45						
		Wire Analog - Bus Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSB	PETRZ	0.0288	12.37	11.87	6.04	5.45	-			-	-	
		Wire ISDN	l		UEPSX	PE1R2	0.0288	12.37	11.87	6.04	5.45				1	1	
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-	1		02. 0/	. = 1112	0.0200	12.01	11.07	3.04	0.40				<b>—</b>	<b>—</b>	
		Wire ISDN	1		UEPTX	PE1R2	0.0288	12.37	11.87	6.04	5.45		1				
		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-							·								
		Wire ISDN DS1			UEPEX	PE1R4	0.0576	12.47	11.94	6.59	5.91						
PHYSICAL		LOCATION															
		Physical Collocation - Initial Application Fee			CLO	PE1BA		1,890.38									
		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		1,575.69									
		Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		740.76		-					-		
		Priysical Collocation - Space Preparation - Firm Order Processing	١.,		CLO	PE1SJ		604.19									
-		Physical Collocation - Space Preparation - C.O. Modification per	<u> </u>		CLO	FLISS		004.19									
		square ft.	l 1		CLO	PE1SK	2.30										
		Physical Collocation - Space Preparation, Common Systems				_											
		Modifications-Cageless, per square foot	- 1		CLO	PE1SL	2.52										
		Physical Collocation - Space Preparation - Common Systems															
		Modifications-Caged, per cage	ı		CLO	PE1SM	85.67										
		Physical Collocation - Cable Installation, Pricing, non-recurring			0.0	55.55											
		charge, per Entrance Cable Physical Collocation - Floor Space, per sq feet			CLO CLO	PE1BD PE1PJ	5.74	926.27		22.62						-	
		Physical Collocation - Floor Space, per sq reet  Physical Collocation - Cable Support Structure, per Entrance			CLO	PETPJ	5.74										
		Cable			CLO	PE1PM	17.42										
		04510			020		2										
		Physical Collocation - Power, -48V DC Power - per Fused Amp	- 1		CLO	PE1PL	7.33										
		Physical Collocation - Power Reconfiguration Only, Application															
		Fee	- 1		CLO	PE1PR		398.76									
		Physical Collocation - Power, 120V AC Power, Single Phase,	Ι		0.0					_			]		_	_	
		per Breaker Amp			CLO	PE1FB	5.29										
		Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp	l .		CLO	PE1FD	10.58			1			1				
<del>                                     </del>		per Breaker Amp Physical Collocation - Power, 120V AC Power, Three Phase, per	<del>- '-</del>		OLO	FEIFU	10.58			<del> </del>		1	-		<del> </del>	<del> </del>	
		Breaker Amp	1		CLO	PE1FE	15.87			1			1				
		Physical Collocation - Power, 277V AC Power, Three Phase, per	<del>'</del>							1					1	1	
		Breaker Amp	<u> </u>		CLO	PE1FG	36.65			<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	
					UEANL,UEQ,			_									
					UNLDX, UNCNX,					1						1	
			l		UEA, UCL, UAL,					1					1		
		Physical Collegation 2 wire gross connect loop	1		UHL, UDC, UDN, UNCVX	PE1P2	0.0288	12.37	11.87	6.04	5.45		1				
<del>                                     </del>		Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UEA, UHL, UNCVX,	r E 1 F Z	0.0288	12.37	11.87	6.04	5.45	1	-		<del> </del>	<del> </del>	
		Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0.0576	12.47	11.94	6.59	5.91		1				
		,	1		WDS1L,WDS1S,		3.00.0			5.55	5.51				1	1	
			1		UXTD1, ULDD1,					1			1				
			l		USLEL, UNLD1,					1					1		
			l		UEPEX, UEPDX,					1					1		
		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,	DE4D4		00.40	10.00							1	
		Collocation, provisioning	<u> </u>		UNC1X	PE1P1	1.14	22.16	16.02	6.60	5.97	L	L		I	I	

COLLOCAT	ION - Mississippi			1	1	1							Attach			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.49	21.01	15.29	7.61	6.10						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.87	21.01	15.29	7.61	6.10						
				UDLO3, UDL12,												
$\vdash$	Physical Collocation - 4-Fiber Cross-Connect			UDF	PE1F4	5.10	25.70	19.97	10.01	8.50						<u> </u>
1 1	Physical Collocation - Space enclosure, welded wire, first 100 square feet			CLO	PE1BW	183.20										
	Square reet Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	17.97										
	Physical Collocation - Security Access System, Security System,			020	1 2 1000	17.57										
	per Central Office	- 1		CLO	PE1AX	75.23										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	ı		CLO	PE1A1	0.0576	27.95									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	1		CLO	PE1AA		7.84									
	Stolen Card, per Card			CLO	PE1AR		22.91									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.17									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.17									
	Physical Collocation - Space Availability Report, per Central Office Requested	١,		CLO	PE1SR		1,081.40									
	Physical Collocation - CFA Information Resend Request, per premises, per request	1		CLO	PE1C9		77.41									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		763.69	490.94	133.77							
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		328.81		190.22							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each			0.0	DE 100											
<b></b>	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE			CLO CLO	PE1CO PE1C1		4.84 2.27		5.93 2.78							-
<del>                                     </del>	Physical Collocation, Cable Records, DS1, per T1 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE			CLO	PE1C3	1	7.92		9.72							
	Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		84.98		77.58							
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		17.02	10.79								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,			010	DEACT		20.4=	40.0:		·						
	per half hour  Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1OT PE1PT		22.17	13.94 17.08								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00	17.50								
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCATI	ON - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		
						Rec	Nonre		Nonrecurring					Rates (\$)		
						NGC	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,			0.0	55.50		=====									ł
	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1B3		52.00									<del>                                     </del>
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place, Per DS1 Circuit			CLO	PE1BS		33.00									l
	Physical Collocation - Virtual to Physical Collocation In-Place, per DS3 Circuit			CLO	PE1BE		37.00									1
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect, Application Fee, per application			CLO	PE1DT		583.13									
	Physical Collocation - Copper Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EA		1,265.629	42.641								
	Physical Collocation - Copper Entrance Cable Installation, per 100 Pairs			CLO	PE1EB		18.069									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		1,070.484	42.641								
	Physical Collocation - Fiber Entrance Cable Installation, per Fiber				PE1ED		7.228									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		597.34		1.22							<b></b>
	Physical Collocation - Application Cost, Minor Augment Physical Collocation - Application Cost, Intermediate Augment			CLO CLO	PE1KM PE1K1		837.57 1,063.00		1.22							<del></del>
	Physical Collocation - Application Cost, Intermediate Augment  Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PEINI		1,063.00		1.22							
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	ı		CLO	PE1DU		534.65									ļ
ADJACENT CO	Copper/Coax Cable Support Structure, per cable	1		CLO	PE1DV		534.65									
ADJACENT CC	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0678										<del></del>
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.		1		PE1JC	4.68			1							ĺ
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0223	12.37	11.87	6.04	5.45						i
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0446	12.47	11.94		5.91						
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.05	22.16	16.02		5.97						<u> </u>
	Adjacent Collocation - DS3 Cross-Connects		<u> </u>	UEA,UHL,UDL,UCL		14.27	21.01	15.29		6.10	1					<del></del>
	Adjacent Collocation - 2-Fiber Cross-Connect Adjacent Collocation - 4-Fiber Cross-Connect		<b>!</b>	CLOAC CLOAC	PE1F2 PE1F4	2.42 4.62	21.01 25.70	15.29 19.97		6.10 8.50	1		-	-		l
	Adjacent Collocation - 4-Fiber Cross-Connect Adjacent Collocation - Application Fee	<u> </u>	<del>                                     </del>	CLOAC	PE1F4 PE1JB	4.02	1,585.83	19.97	10.01	0.30	1	1	1	1	1	
<del>                                     </del>	Adjacent Collocation - Application ree  Adjacent Collocation - 120V, Single Phase Standby Power Rate	l	l	020/10			1,000.00		1		1					
	per AC Breaker Amp Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PE1FB	5.29					1					<b>—</b>
	per AC Breaker Amp   Adjacent Collocation - 120V, Three Phase Standby Power Rate			CLOAC	PE1FD	10.58										-
	per AC Breaker Amp   Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLOAC	PE1FE	15.87										
PHYSICAL CO	per AC Breaker Amp  LLOCATION IN THE REMOTE SITE			CLOAC	PE1FG	36.65										<del>                                     </del>
GIGAL CO	Physical Collocation in the Remote Site - Application Fee		<del>                                     </del>	CLORS	PE1RA		309.48		168.63		<b> </b>		<u> </u>	<u> </u>		ſ
1	Cabinet Space in the Remote Site per Bay/ Rack		1		PE1RB	210.05	200.70									
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		13.17									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested			CLORS	PE1SR		116.54									<del></del>

COLLC	CATI	ON - Mississippi												Attach	ment: 4	Exhi	bit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000	55.55											İ
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.77									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO Physical Collocation - Security Escort for Basic Time - normally		1	CLORS	PE1RR		233.14									<del></del>
		scheduled work, per half hour			CLORS	PE1BT		17.02	10.79								İ
		Physical Collocation - Security Escort for Overtime - outside of		1	CLORG	FLIDI		17.02	10.79								<del> </del>
		normally scheduled working hours on a scheduled work day,															İ
		per half hour			CLORS	PE1OT		22.17	13.94								İ
		Physical Collocation - Security Escort for Premium Time -															
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.32	17.08								İ
PHYSIC	AL CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
		Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27								<u> </u>	<u> </u>	<u> </u>
									-		-						1
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	opropriate rate	s.								
VIRTUA	L COLI	LOCATION			ALTEO	E . E		4 040 05		0.54							
-		Virtual Collocation - Application Fee			AMTES	EAF		1,212.25		0.51							
-		Virtual Collocation Administrative Only - Application Fee Virtual Collocation - Cable Installation Cost, per cable	<u> </u>	-	AMTFS AMTFS	VE1AF ESPCX		740.76 926.27		22.62							
+		Virtual Collocation - Cable Installation Cost, per cable Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	5.74	926.27		22.02							<del></del>
+		Virtual Collocation - Proof Space, per sq. n.  Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	7.33										<del></del>
-		Virtual Collocation - Cable Support Structure, per entrance		_	AWITTO	LOI AX	7.55			1							
		cable			AMTFS	ESPSX	15.24										
		Virtual Collocation - 2-wire Cross Connects (loop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0268	12.37	11.87	6.04	5.45						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0536	12.47	11.94	6.59	5.91						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.91	21.01	15.29	7.61	6.10						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.82	25.70	19.97	10.01	8.50						
		Virtual Collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	1.14	22.16	16.02	6.60	5.97						
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	14.49	21.01	15.29	7.61	6.10						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable			ANTEO	VE405							1				1
		Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0025 0.0037										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		534.65									

COLLOCAT	ION - Mississippi													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'
								_							DISC 1SI	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
	Note at Oally and a construction of the constr						First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		534.65									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		763.69	490.94	133.77							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable		1													1
	record			AMTFS	VE1BB		328.81		190.22							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each															
	100 pair			AMTFS	VE1BC		4.84		5.93							
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.27		2.78							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.92		9.72							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.98		77.58							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		17.02	10.79								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.17	13.94								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.32	17.08								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		28.09	10.79								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.69	13.94								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.28	17.08								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.41									
IRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-															
	Wire Analog - Res			UEPSR	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			ULFSL	VLTINZ	0.0200	12.57	11.07	0.04	3.43						<del>                                     </del>
	Analog Bus			UEPSB	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0268	12.37	11.87	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.0536	12.47	11.94	6.59	5.91						
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth i	in General Tern	ns and Condition	ns.									1

COLL	OCATI	ON - North Carolina												Attach	ment: 4	Exhil	oit: B
CATEG		RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge -		Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
																DISC 1St	DISC Add I
							Rec	Nonrec			g Disconnect				Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
DHACIU	AL CO	LLOCATION															
1111010	 	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-				1											
		Wire Analog - Res			UEPSR	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSE	PEIRZ	0.32	41.70	39.23		1			26.94	12.76		
		Wire Analog - Bus			UEPSB	PE1R2	0.32	41.78	39.23					26.94	12.76		
		Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
		Wire ISDN			UEPSX	PE1R2	0.32	41.78	39.23					26.94	12.76		
1		Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire ISDN			UEPTX	PE1R2	0.32	41.78	39.23		1			26.94	12.76		
-		Physical Collocation 4-Wire Cross Connect, Exchange Port 4-			UEFIX	FE IKZ	0.32	41.78	39.23		-			∠6.94	12.76		
		Wire ISDN DS1			UEPEX	PE1R4	0.64	41.91	39.25		1			26.94	12.76		
PHYSIC	CAL CO	LLOCATION															
		Physical Collocation - Initial Application Fee	ı		CLO	PE1BA		2,322.00									
		Physical Collocation - Subsequent Application Fee			CLO	PE1CA		2,311.00									
		Physical Collocation Administrative Only - Application Fee Physical Collocation - Space Preparation - Firm Order			CLO	PE1BL		741.44			-						
		Processing			CLO	PE1SJ		1,196.00									
		Physical Collocation - Space Preparation - C.O. Modification per			020	. 2.00		1,100.00									
		square ft.	I		CLO	PE1SK	2.42										
		Physical Collocation - Space Preparation, Common Systems															
		Modifications-Cageless, per square foot Physical Collocation - Space Preparation - Common Systems	<u> </u>		CLO	PE1SL	2.88										
		Modifications-Caged, per cage	l ,		CLO	PE1SM	97.98										
		Space Preparation Fees - Power Per Nominal -48V Dc Amp	i		CLO	PE1FH	5.76										
		Physical Collocation - Cable Installation, Pricing, non-recurring															
		charge, per Entrance Cable			CLO	PE1BD		1,701.00									
		Physical Collocation - Floor Space, per sq feet Physical Collocation - Cable Support Structure, per Entrance	I		CLO	PE1PJ	2.30										
		Cable	l ,		CLO	PE1PM	20.57										
		Cable	<u> </u>		020		20.0.										
		Physical Collocation - Power, -48V DC Power - per Fused Amp	- 1		CLO	PE1PL	7.65										
		Physical Collocation - Power Reconfiguration Only, Application	١.		01.0	DE4DD		000.10			1						
-		Fee Physical Collocation - Power, 120V AC Power, Single Phase,			CLO	PE1PR		399.13		1	<del>                                     </del>						
1		per Breaker Amp	L		CLO	PE1FB	5.50				1						
		Physical Collocation - Power, 240V AC Power, Single Phase,															
		per Breaker Amp	1		CLO	PE1FD	11.01										
1		Physical Collocation - Power, 120V AC Power, Three Phase, per			CLO	PE1FE	16.51				1						
-		Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLU	FEIFE	16.51				<del>                                     </del>						
1		Breaker Amp	1		CLO	PE1FG	38.12				1						
					UEANL,UEQ,												
1					UNLDX, UNCNX,						1						
					UEA, UCL, UAL, UHL, UDC, UDN,						1						
		Physical Collocation - 2-wire cross-connect, loop, provisioning	1		UHL, UDC, UDN, UNCVX	PE1P2	0.0309	33.53	31.65		1						
		1 Tysical Constation - 2-wife cross-connect, loop, provisioning	<b>-</b> '-		UEA, UHL, UNCVX,	1 - 11 -	0.0309	33.33	31.03		<u> </u>						
L		Physical Collocation - 4-wire cross-connect, loop, provisioning	1		UNCDX, UCL, UDL	PE1P4	0.0618	33.67	31.70		<u> </u>			<u> </u>	<u> </u>		
					WDS1L,WDS1S,												
					UXTD1, ULDD1,												
					USLEL, UNLD1, UEPEX, UEPDX,						1						
1		Physical Collocation -DS1 Cross-Connect for Physical			USL, ULC, U1TD1,						1						
<u></u>	<u> </u>	Collocation, provisioning			UNC1X	PE1P1	1.38	52.87	39.86		<u> </u>						

COLLOCAT	ION - North Carolina			ı							1			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec			g Disconnect				Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning	I		UNLD3	PE1P3	17.62	51.97	38.59								
	Physical Collocation - 2-Fiber Cross-Connect	ı		CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	3.50	51.97	38.59								
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	L_ı	L	UDF	PE1F4	6.20	64.53	51.15	<u>                                     </u>	<u> </u>					<u> </u>	<u> </u>
	Physical Collocation - Space enclosure, welded wire, first 100															
	square feet	l		CLO	PE1BW		559.81									
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet	I		CLO	PE1CW		25.37									
	Physical Collocation - Security Access System - Security System															
	per Central Office, per Sq. Ft.  Physical Collocation -Security Access System - New Card			CLO	PE1AY	0.0135										
	Activation, per Card Activation (First), per State	1		CLO	PE1A1	0.062	15.00									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or	ı		CLO	PE1AA		15.51									
	Stolen Card, per Card			CLO	PE1AR		15.00									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		15.00									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		15.00									
	Physical Collocation - Space Availability Report, per Central															
	Office Requested Physical Collocation - CFA Information Resend Request, per	I		CLO	PE1SR		2,140.00	2,140.00								
	premises, per request			CLO	PE1C9		77.48									
	Physical Collocation - Cable Records, per request Physical Collocation, Cable Records, VG/DS0 Cable, per cable			CLO	PE1CR		1,707.00									
	record (maximum 3600 records)  Physical Collocation, Cable Records, VG/DS0 Cable, per each			CLO	PE1CD		923.08									-
	100 pair		ļ	CLO	PE1CO		18.02			ļ						
<del>                                     </del>	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		<u> </u>	CLO CLO	PE1C1 PE1C3		8.43 29.51		1	<del>                                     </del>	-					<b>├</b>
$\vdash$	Physical Collocation, Cable Records, DS3, per 13 TIE  Physical Collocation - Cable Records, Fiber Cable, per cable		-	CLU	PETU3		29.51		-	<del>                                     </del>	-					<del> </del>
	record (maximum 99 records)			CLO	PE1CB		278.82									
	Physical Collocation - Security Escort for Basic Time - normally scheduled work, per half hour			CLO	PE1BT		33.68	21.34								
	Physical Collocation - Security Escort for Overtime - outside of normally scheduled working hours on a scheduled work day,															
	per half hour Physical Collocation - Security Escort for Premium Time -			CLO	PE1OT		43.87	27.57		-						-
	outside of scheduled work day, per half hour  Physical Collocation - Virtual to Physical Collocation Relocation,			CLO	PE1PT		54.06	33.80								
	per Voice Grade Circuit			CLO	PE1BV		33.00									ļ
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCA	FION - North Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonred			Disconnect	001150	001111		Rates (\$)	001441	
	Physical Collocation - Virtual to Physical Collocation Relocation,		1				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	prysical Collocation - Virtual to Physical Collocation Relocation, per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			OLO	I LIBS		32.00		+		+					+
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per								†						İ	+
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per DS1 Circuit			CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DEADE		07.00									
-	per DS3 Circuit Physical Collocation - Virtual to Physical Collocation In-			CLO	PE1BE		37.00		-							+
	Place/Relocation, space cable facilities assigned to Collocation		1	1					1							1
	Space, per 700 cable pairs or fraction thereof		1	CLO	PE1B7		592.00		1							1
	Physical Collocation - Co-Carrier Cross Connects/Direct				1				1		1		1			1
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0028										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	•														
	Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0041			<b>.</b>							
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	PE1DT		583.66									
-	Connect, Application Fee, per application  Physical Collocation - Copper Entrance Cable per Cable (CO			CLO	PEIDI		583.66		-							+
	manhole to vault splice)			CLO	PE1EA		1,167.175	42.68								
	Physical Collocation - Copper Entrance Cable Installation, per			OLO	I L I L/X		1,107.170	42.00	1							1
	100 Pairs			CLO	PE1EB		18.086									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															1
	manhole to vault splice)			CLO	PE1EC		971.852	42.68								
	Physical Collocation - Fiber Entrance Cable Installation, per															
-	Fiber			CLO CLO	PE1ED PE1KS		7.234 575.93		1.10							-
-	Physical Collocation - Application Cost, Simple Augment Physical Collocation - Application Cost, Minor Augment			CLO	PE1KS PE1KM		806.66		1.16 1.16							+
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,023.00		1.16							+
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			020			1,020.00								İ	+
	Fiber Cable Support Structure, per cable	- 1		CLO	PE1DU		532.72									
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -															
	Copper/Coax Cable Support Structure, per cable	I		CLO	PE1DV		532.72									
ADJACENT C	OLLOCATION			0.010	DE414											
	Adjacent Collocation - Space Charge per Sq. Ft.  Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC CLOAC	PE1JA PE1JC	0.1555 5.78			<del>                                     </del>							-
+	Adjacent Collocation - Electrical Facility Charge per Linear Ft.  Adjacent Collocation - 2-Wire Cross-Connects				PE1DC PE1P2	0.0239	33.53	31.65								+
	Adjacent Collocation - 2-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0239	33.67	31.70			+				<b>†</b>	<del>                                     </del>
	Adjacent Collocation - DS1 Cross-Connects			UEA,UHL,UDL,UCL	PE1P1	1.28	52.87	39.86			1					<b>†</b>
	Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL	PE1P3	17.35	51.97	38.59								
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.94	51.97	38.59								
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	5.62	64.53	51.15								
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		3,139.00									-
	Adjacent Collocation - 120V, Single Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FB	5.50										
<b>—</b>	Adjacent Collocation - 240V, Single Phase Standby Power Rate			CLOAC	PEIFB	5.50			†		1				1	+
	per AC Breaker Amp			CLOAC	PE1FD	11.01										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate			1					1		<b>†</b>					<b>†</b>
	per AC Breaker Amp	<u> </u>		CLOAC	PE1FE	16.51			<u>1                                    </u>		1	<u> </u>		<u> </u>		<u> </u>
	Adjacent Collocation - 277V, Three Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FG	38.12					1					<u> </u>
PHYSICAL C	DLLOCATION IN THE REMOTE SITE		<u> </u>	01.000	DEADA		005.01		<b></b>		1				ļ	<b></b>
	Physical Collocation in the Remote Site - Application Fee			CLORS CLORS	PE1RA PE1RB	054.00	865.34		+		1					<del>                                     </del>
	Cabinet Space in the Remote Site per Bay/ Rack			CLUKS	PE1KB	254.02			+	-	-		-		-	+
	Physical Collocation in the Remote Site - Security Access - Key			CLORS	PE1RD		26.06								1	
<del>                                     </del>	Physical Collocation in the Remote Site - Space Availability	1					20.50		1		1			1	1	<del>                                     </del>
	Report per Premises Requested			CLORS	PE1SR		230.60		1						1	

COLLO	CATI	ON - North Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec		curring	Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000	55.55											
		Code Request, per CLLI Code Requested			CLORS	PE1RE		74.74									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		232.94									_
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DEADT		33.68	04.04								
		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of		-	CLORS	PE1BT		33.08	21.34								<b>+</b>
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		43.87	27.57								
		Physical Collocation - Security Escort for Premium Time -		1	OLONO	1 2101		43.07	21.51								
		outside of scheduled work day, per half hour			CLORS	PE1PT		54.06	33.80								
PHYSICA	AL CO	LOCATION IN THE REMOTE SITE - ADJACENT			020110			0 1.00	00.00								
Ť																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp	l		CLORS	PE1RS	6.27										
		· · · · · · · · · · · · · · · · · · ·															
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'I Engineering Fees become nec	essary 1	for rem	ote site collocation,	the Parties	will negotiate ap	ppropriate rate	s.								
VIRTUAL	_ COLI	OCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,208.00		1.16				26.94	12.76		
		Virtual Collocation Administrative Only - Application Fee	I		AMTFS	VE1AF		741.44									
		Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		2,750.00						26.94	12.76		
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.20										
		Virtual Collocation - Power, per fused amp		ļ	AMTFS	ESPAX	3.48										
		Virtual Collocation - Cable Support Structure, per entrance cable			AMTFS	ESPSX	12.60										
					UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX,												
		Virtual Collocation - 2-wire Cross Connects (loop)  Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX, UNCNX UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC2 UEAC4	0.0208							26.94	12.76		
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF		1.86							26.94	12.76		
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	3.73							26.94	12.76		
		Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX	CNC1X	0.3978							26.94	12.76		
		Virtual collocation - Special Access & UNE, cross-connect per DS3			USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	4.18							26.94	12.76		
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable											1				
		Support Structure, per linear foot Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0028										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		532.72						26.94	12.76		

COLLOCAT	ION - North Carolina												Attach			bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Sv Order vs. Electronic Disc Add
ı							Nonro	curring	Nonrocurri	ng Disconnect			220	Rates (\$)		
						Rec	First	Add'I	First	Add'I	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax						11130	Auu	11130	Auu	JOINEC	JOINAN	JOWAN	JONIAN	JOHAN	JOHIAN
	Cable Support Structure, per cable			AMTFS	VE1CE		532.72						26.94	12.76		
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		1474.00 I	947.42 S	247.64 I	247.64 S	1	1	20.01	12.70		1
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable			7	72.07			0111120	2	2111010	1	1				1
	record			AMTFS	VE1BB		629.42 I	629.42 S	350.10 I	350.10 S						
	Virtual Collocation Cable Records - VG/DS0 Cable, per each		1	,	12.00		02021	0202 0	00001	5556	1					
	100 pair		1	AMTFS	VE1BC		8.87 I	8.87 S	10.43 I	10.43 S					1	
+	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		4.40 I	4.40 S	5.17 I	5.17 S	1	1				1
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		15.38 I	15.38 S	18.09 I	18.09 S	1					
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			74	72.02		10.00	10.00 0	.0.00 .	10.00 0	1					
	records			AMTFS	VE1BF		165.38 I	165.38 S	144.87 I	144.87 S						
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		41.00	25.00					26.94	12.76		
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		48.00	30.00	1		1	1	26.94	12.76		1
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		55.00	35.00					26.94	12.76		
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		52.59	21.45					26.94	12.76		
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		70.24	28.11					26.94	12.76		
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		87.88	34.77					26.94	12.76		
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.48									
VIRTUAL COL	LOCATION															
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.09	41.78	39.23					26.94	12.76		
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.18		39.25					26.94	12.76		
Note:	Rates displaying an "R" in Interim column are interim and sub	ject to	rate tru	e-up as set forth	in General Tern	ns and Conditi	ons.									

COLLOCAT	ION - South Carolina										T -	_	Attach			ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						1100	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
PHYSICAL CO	LLOCATION															<del> </del>
PHISICAL CO	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		<u> </u>													<b></b>
	Wire Analog - Res  Physical Collocation 2-Wire Cross Connect, Exchange Fort 2-			UEPSR	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Analog - Bus			UEPSB	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			UEPSX	PE1R2	0.0341	12.32	11.83	6.04	5.45					-	<del> </del>
	Wire ISDN			UEPTX	PE1R2	0.0341	12.32	11.83	6.04	5.45						
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	PE1R4	1.12	22.08	15.96	6.42	5.80						
PHYSICAL CO				01.0	25.12.1											ļ
	Physical Collocation - Initial Application Fee			CLO	PE1BA PE1CA		1,883.67									<b> </b>
	Physical Collocation - Subsequent Application Fee Physical Collocation Administrative Only - Application Fee		<u> </u>	CLO	PE1CA PE1BL		1,570.10 743.66									
	Physical Collocation - Space Preparation - Firm Order			CLO	PEIBL		743.00									<del>                                     </del>
	Processing			CLO	PE1SJ		602.05									
	Physical Collocation - Space Preparation - C.O. Modification per square ft.			CLO	PE1SK	2.75										
	Physical Collocation - Space Preparation, Common Systems Modifications-Cageless, per square foot			CLO	PE1SL	3.24										
	Physical Collocation - Space Preparation - Common Systems Modifications-Caged, per cage			CLO	PE1SM	110.16										
	Physical Collocation - Cable Installation, Pricing, non-recurring					110.10										
	charge, per Entrance Cable			CLO CLO	PE1BD PE1PJ	3.95	794.22		22.54							<del> </del>
	Physical Collocation - Floor Space, per sq feet Physical Collocation - Cable Support Structure, per Entrance			CLO	PETPJ	3.95										
	Cable			CLO	PE1PM	21.33										
	Physical Collocation - Power, -48V DC Power - per Fused Amp			CLO	PE1PL	9.19										
	Physical Collocation - Power Reconfiguration Only, Application Fee			CLO	PE1PR		400.33									
	Physical Collocation - Power, 120V AC Power, Single Phase, per Breaker Amp			CLO	PE1FB	5.67										
	Physical Collocation - Power, 240V AC Power, Single Phase, per Breaker Amp			CLO	PE1FD	11.36										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp Physical Collocation - Power, 277V AC Power, Three Phase, per			CLO	PE1FE	17.03										
	Breaker Amp			CLO UEANL,UEQ,	PE1FG	39.33										
				UNLDX, UNCNX, UEA, UCL, UAL, UHL, UDC, UDN,												
	Physical Collocation - 2-wire cross-connect, loop, provisioning		ļ	UNCVX	PE1P2	0.0341	12.32	11.83	6.04	5.45						<u> </u>
	Physical Collocation - 4-wire cross-connect, loop, provisioning			UEA, UHL, UNCVX, UNCDX, UCL, UDL	PE1P4	0.0682	12.42	11.90	6.40	5.74						
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning			WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1.12	22.08	15.96	6.42	5.80						

COLLOCAT	ION - South Carolina	1	1		1	1					·			ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -
						Rec	Nonrec		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning			UNLD3	PE1P3	14.21	20.94	15.23	7.39	5.93						
	Physical Collocation - 2-Fiber Cross-Connect			CLO, ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48,	PE1F2	2.82	20.94	15.23	7.40	5.93						
				UDLO3, UDL12,												
	Physical Collocation - 4-Fiber Cross-Connect	L	L	UDF	PE1F4	5.01	25.61	19.90	9.73	8.26				<u> </u>	<u> </u>	
	Physical Collocation - Space enclosure, welded wire, first 100															
ļļ	square feet			CLO	PE1BW	219.19										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	21.50										
	Physical Collocation - Security Access System, Security System, per Central Office			CLO	PE1AX	74.72										
	Physical Collocation -Security Access System - New Card			CLO	FLIAX	14.12										+
	Activation, per Card Activation (First), per State			CLO	PE1A1	0.0601	27.85									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		7.81									
	Stolen Card, per Card			CLO	PE1AR		22.83									
	Physical Collocation - Security Access - Initial Key, per Key			CLO	PE1AK		13.13									
	Physical Collocation - Security Access - Key, Replace Lost or Stolen Key, per Key			CLO	PE1AL		13.13									
	Physical Collocation - Space Availability Report, per Central			0.0	55.05											
	Office Requested Physical Collocation - CFA Information Resend Request, per			CLO	PE1SR		1,077.57									
-	premises, per request  Physical Collocation - Cable Records, per request			CLO CLO	PE1C9 PE1CR		77.71 760.98	489.20	133.29						-	+
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable record (maximum 3600 records)			CLO	PE1CD		327.65	403.20	189.54							
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
ļļ	100 pair			CLO	PE1CO		4.82		5.91							ļ
<del>                                     </del>	Physical Collocation, Cable Records, DS1, per T1 TIE Physical Collocation, Cable Records, DS3, per T3 TIE		-	CLO CLO	PE1C1 PE1C3		2.26 7.90		2.77 9.68		1				-	<del>                                     </del>
	Physical Collocation, Cable Records, DS3, per 13 TE Physical Collocation - Cable Records, Fiber Cable, per cable record (maximum 99 records)			CLO	PE1CB		7.90 84.68		77.30							
<b> </b>	Physical Collocation - Security Escort for Basic Time - normally			010			04.00		77.30						<b>†</b>	<del>†                                    </del>
	scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLO	PE1BT		16.96	10.75								
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		22.10	13.89								
	Physical Collocation - Security Escort for Premium Time - outside of scheduled work day, per half hour			CLO	PE1PT		27.23	17.02								
	Physical Collocation - Virtual to Physical Collocation Relocation, per Voice Grade Circuit			CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DSO Circuit			CLO	PE1BO		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation, per DS1 Circuit			CLO	PE1B1		52.00									

COLLOCAT	TION - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
							Managa		l Names accoming	. Dianamant			220	Detec (\$)	l	<u> </u>
			1			Rec	Nonred		Nonrecurring		COMEC	SOMAN	SOMAN	Rates (\$)	SOMAN	SOMAN
	Physical Collocation - Virtual to Physical Collocation Relocation,						First	Add'l	First	Add'l	SOMEC	SOWAN	SUMAN	SOWAN	SUMAN	SOWAN
	per DS3 Circuit			CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			020	I LIBO		02.00									<del> </del>
	Per Voice Grade Circuit			CLO	PE1BR		23.00									
	Physical Collocation Virtual to Physical Collocation In-Place, Per															
	DSO Circuit			CLO	PE1BP		23.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,			01.0	DE 4 DO		00.00									
	Per DS1 Circuit Physical Collocation - Virtual to Physical Collocation In-Place,			CLO	PE1BS		33.00									1
	per DS3 Circuit			CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In-			OLO	TEIDE		07.00									1
	Place/Relocation, space cable facilities assigned to Collocation													1	1	
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Collocation - Co-Carrier Cross Connects/Direct															
	Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.001										
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect - Copper/Coax Cable Support Structure, per lin. ft.			CLO	PE1DS	0.0015										
	Physical Collocation - Co-Carrier Cross Connects/Direct			CLO	FLIDS	0.0013									1	
	Connect, Application Fee, per application			CLO	PE1DT		584.42									
	Physical Collocation - Copper Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EA		1,136.597	42.808								
	Physical Collocation - Copper Entrance Cable Installation, per															
	100 Pairs			CLO	PE1EB		18.14									
	Physical Collocation - Fiber Entrance Cable per Cable (CO manhole to vault splice)			CLO	PE1EC		940.686	42.808								
	Physical Collocation - Fiber Entrance Cable Installation, per			CLO	PETEC		940.686	42.808								<del> </del>
	Fiber			CLO	PE1ED		7.256									
	Physical Collocation - Application Cost, Simple Augment			CLO	PE1KS		594.27		1.21							
	Physical Collocation - Application Cost, Minor Augment			CLO	PE1KM		833.26		1.21							
	Physical Collocation - Application Cost, Intermediate Augment			CLO	PE1K1		1,058.00		1.21							
	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	١.		01.0	DEADLI		500.50									
	Fiber Cable Support Structure, per cable  Physical Collocation - Co-Carrier Cross Connect/Direct Connect -	- 1		CLO	PE1DU		536.56									-
	Copper/Coax Cable Support Structure, per cable	1 .		CLO	PE1DV		536.56									
ADJACENT C	OLLOCATION			020	LIDV		000.00									<del>                                     </del>
I	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0939										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	6.40										
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.0264	12.32	11.83		5.45						
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.0527	12.42	11.90		5.74						
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL	PE1P1	1.03 14.00	22.08 20.94	15.96 15.23		5.80 5.93						
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	2.37	20.94	15.23		5.93					1	
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	4.53	25.61	19.90		8.26						<del>                                     </del>
	Adjacent Collocation - Application Fee			CLOAC	PE1JB		1,580.20									
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															1
	per AC Breaker Amp			CLOAC	PE1FB	5.67										<b></b>
	Adjacent Collocation - 240V, Single Phase Standby Power Rate		1	01.040	DE4ED	44.00										
	per AC Breaker Amp Adjacent Collocation - 120V, Three Phase Standby Power Rate		<b></b>	CLOAC	PE1FD	11.36			<del> </del>					-	-	<del>                                     </del>
	per AC Breaker Amp		1	CLOAC	PE1FE	17.03										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			0_0/10		17.03										
	per AC Breaker Amp		1	CLOAC	PE1FG	39.33										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE															
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		308.38		168.60							
	Cabinet Space in the Remote Site per Bay/ Rack		<u> </u>	CLORS	PE1RB	246.44			<b> </b>							<u> </u>
	Physical Collocation in the Remote Site - Security Access - Key		1	CLORS	PE1RD		13.13									
<del>                                     </del>	Physical Collocation in the Remote Site - Security Access - Rey  Physical Collocation in the Remote Site - Space Availability	-	1	CLORO	FEIRD		13.13							+	+	<del>                                     </del>
	Report per Premises Requested		1	CLORS	PE1SR		116.13						1	1	I	

COLLO	CATI	ON - South Carolina												Attach	ment: 4	Exhi	ibit: B
CATEGO		RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			1	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I		Incremental Charge -
							Rec	Nonrec		Nonrecurring					Rates (\$)		
								First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
		Physical Collocation in the Remote Site - Remote Site CLLI			0.000												
		Code Request, per CLLI Code Requested			CLORS	PE1RE		37.64									
		Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.50									_
		Physical Collocation - Security Escort for Basic Time - normally			CLODE	DEADT		16.96	40.75								
-		scheduled work, per half hour Physical Collocation - Security Escort for Overtime - outside of			CLORS	PE1BT		16.96	10.75								<b>+</b>
		normally scheduled working hours on a scheduled work day,															
		per half hour			CLORS	PE1OT		22.10	13.89								
		Physical Collocation - Security Escort for Premium Time -			OLONO	1 2101		22.10	13.03								
		outside of scheduled work day, per half hour			CLORS	PE1PT		27.23	17.02								
PHYSICA	L CO	LLOCATION IN THE REMOTE SITE - ADJACENT															
Ĩ																	
		Remote Site-Adjacent Collocation - AC Power, per breaker amp		L	CLORS	PE1RS	6.27			<u>                                      </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		
	•																
		Remote Site-Adjacent Collocation - Real Estate, per square foot			CLORS	PE1RT	0.134										
		Remote Site-Adjacent Collocation-Application Fee			CLORS	PE1RU		755.62	755.62								
		If Security Escort and/or Add'l Engineering Fees become nec	essary	or rem	ote site collocation,	the Parties	will negotiate a	ppropriate rate	s.								
VIRTUAL	. COLI	LOCATION															
		Virtual Collocation - Application Fee			AMTFS	EAF		1,207.95		0.51							
		Virtual Collocation Administrative Only - Application Fee	- 1	<u> </u>	AMTFS	VE1AF		743.66		00.54							
		Virtual Collocation - Cable Installation Cost, per cable			AMTES	ESPCX	0.05	794.22		22.54							_
		Virtual Collocation - Floor Space, per sq. ft.			AMTFS AMTFS	ESPVX ESPAX	3.95 9.19										
		Virtual Collocation - Power, per fused amp Virtual Collocation - Cable Support Structure, per entrance			AMIFS	ESPAX	9.19			-							<b></b>
		cable			AMTFS	ESPSX	18.66										
		Virtual Collocation - 2-wire Cross Connects (Ioop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.0317	12.32	11.83	6.04	5.45						
		Virtual Collocation - 4-wire Cross Connects (loop)			UEA,UHL,UCL,UDL, UAL, UDN, UNCVX, UNCDX	UEAC4	0.0634	12.42	11.90	6.40	5.74						
		Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	2.86	20.94	15.23	7.40	5.93						
		Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	5.71	25.61	19.90	9.73	8.26						
		Virtual collocation - Special Access & UNE,cross-connect per			USL,ULC, ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1,												
		DS1  Virtual collocation - Special Access & UNE, cross-connect per DS3			UEPEX, UEPDX USL,UE3, U1TD3, UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CNC1X  CND3X	1.12	22.08	15.96 15.23	7.39	5.80 5.93						
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable		1	l	l				]				1	1		
		Support Structure, per linear foot  Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax  Cable Support Structure, per linear ft			AMTFS AMTFS	VE1CB VE1CD	0.0022										
		Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		536.56									

COLLOCAT	ION - South Carolina													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually		Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Order vs.
															DISC 1St	DISC Add I
						Rec	Nonrec		Nonrecurring					Rates (\$)		
			<u> </u>				First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable			AMTFS	VE1CE		536.56									
	Virtual Collocation Cable Records - per request			AMTFS	VE1BA		760.98	489.20	133.29							
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable															
	record			AMTFS	VE1BB		327.65		189.54							
	Virtual Collocation Cable Records - VG/DS0 Cable, per each			-												1
	100 pair	l	1	AMTFS	VE1BC		4.82		5.91						1	
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		2.26		2.77							
	Virtual Collocation Cable Records - DS3, per T3TIE			AMTFS	VE1BE		7.90		9.68							
	Virtual Collocation Cable Records - Fiber Cable, per 99 fiber															
	records			AMTFS	VE1BF		84.68		77.30							
	Virtual collocation - Security Escort - Basic, per half hour			AMTFS	SPTBX		16.96	10.75								
	Virtual collocation - Security Escort - Overtime, per half hour			AMTFS	SPTOX		22.10	13.89								
	Virtual collocation - Security Escort - Premium, per half hour			AMTFS	SPTPX		27.23	17.02								
	Virtual collocation - Maintenance in CO - Basic, per half hour			AMTFS	CTRLX		27.99	10.75								
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		36.56	13.89								
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		45.12	17.02								
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.71									
IRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2-								İ							
	Wire Analog - Res	L	<u></u>	UEPSR	VE1R2	0.0317	12.32	11.83	6.04	5.45			<u> </u>		<u> </u>	L
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire			OLI OL	VETILE	0.0017	12.02	11.00	0.04	0.40						+
	Analog Bus			UEPSB	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.0317	12.32	11.83	6.04	5.45						
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	1.12	22.08	15.96	6.42	5.80						
Notes	Rates displaying an "R" in Interim column are interim and sub	iect to	rate tru					.0.00	U.72	5.00	<del>                                     </del>				<b> </b>	<del></del>

COLLOCAT	ION - Tennessee													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Charge -	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
			<u> </u>				Nonrecurring		Monrocurrin	g Disconnect			220	Rates (\$)	L	
						Rec	First	Add'l	First	Add'l	COMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
			1				FIISL	Auu i	FIISL	Add I	SOWIEC	SOWAN	SOWAN	SOWAN	SOWAN	SOWAN
PHYSICAL CO	I LOCATION		1		+						1					
TITIOICAL CC	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-		1		+						1					
	Wire Analog - Res			UEPSR	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			02. 0.1		0.00	10.20	.0.20					20.00	10.01	10.02	
	Wire Line Side PBX Trunk - Bus			UEPSP	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Voice Grade PBX Trunk - Res			UEPSE	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire Analog - Bus			UEPSB	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-															
	Wire ISDN			UEPSX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 2-Wire Cross Connect, Exchange Port 2-			l	L										1	
	Wire ISDN			UEPTX	PE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Physical Collocation 4-Wire Cross Connect, Exchange Port 4-				55.5.		40.00									
PHYSICAL CO	Wire ISDN DS1			UEPEX	PE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40
PHYSICAL CC	Physical Collocation - Cageless - Application Fee		1	CLO	PE1CH		2,633.00								-	
	Physical Collocation - Cageless - Application Fee  Physical Collocation Administrative Only - Application Fee		<u> </u>	CLO	PE1CH PE1BL		743.25									
	Physical Collocation - Space Preparation - Firm Order	-	1	CLO	FLIDL		743.23									
	Processing	l ,		CLO	PE1SJ		1,204.00									
	Physical Collocation - Space Preparation - C.O. Modification per	-		CLO	1 1 100		1,204.00									
	square ft.	l i		CLO	PE1SK	2.74										
	Physical Collocation - Space Preparation, Common Systems	i i		020												
	Modifications-Cageless, per square foot	l ı		CLO	PE1SL	2.95										
	Physical Collocation - Space Preparation - Common Systems															
	Modifications-Caged, per cage	ı		CLO	PE1SM	100.14										
	Physical Collocation - Cageless - Cable Installation Cost, per															
	cable			CLO	PE1ZA		1,749.00									
	Physical Collocation - Cageless - Floor Space, per sq. ft.			CLO	PE1ZB	3.91										
	Physical Collocation - Floor Space, per sq feet	I		CLO	PE1PJ	5.94										
	Physical Collocation - Cageless - Cable Support Structure, per			0.0	55101											
	Entrance Cable Physical Collocation - Cable Support Structure, per Entrance			CLO	PE1CJ	17.87										
	Cable	١.		CLO	PE1PM	19.80										
	Physical Collocation - Cageless - Power, per Fused Amp	-	1	CLO	PE1ZC	6.79										
	i nysicai conocation - cageress - rower, per i useu Amp			020	. L 120	0.79				<u> </u>	<b> </b>			<del>                                     </del>	t	1
	Physical Collocation - Power, -48V DC Power - per Fused Amp	Li	1	CLO	PE1PL	8.87								1	I	
	Physical Collocation - Power Reconfiguration Only, Application	<u> </u>			1	2.0.									1	
	Fee	1	1	CLO	PE1PR		400.10									
	Physical Collocation - Power, 120V AC Power, Single Phase,															
	per Breaker Amp	L		CLO	PE1FB	5.60										
	Physical Collocation - Power, 240V AC Power, Single Phase,			1										1		
	per Breaker Amp	I		CLO	PE1FD	11.22										
	Physical Collocation - Power, 120V AC Power, Three Phase, per															
	Breaker Amp			CLO	PE1FE	16.82										
	Physical Collocation - Power, 277V AC Power, Three Phase, per Breaker Amp	l .	1	CLO	PE1FG	38.84										
$\vdash$	Dieavei VIIIh	<del>- '</del> -	<del>                                     </del>	UEANL,UEQ,	PEIFG	38.84				-	1			-	<del></del>	1
		l		UNLDX, UNCNX,											1	
		l		UEA, UCL, UAL,											1	
		l		UHL, UDC, UDN,											1	
	Physical Collocation - 2-wire cross-connect, loop, provisioning	1	1	UNCVX	PE1P2	0.033	33.82	31.92								
	Physcial Collocation - Cageless - 2-Wire Cross-Connects			UNLDX, UNCNX	PE1ZD	0.57	11.62	9.90	10.38	8.66						
				UEA, UHL, UNCVX,												
<u> </u>	Physical Collocation - 4-wire cross-connect, loop, provisioning	1	L	UNCDX, UCL, UDL	PE1P4	0.066	33.94	31.95	<u></u>	<u> </u>	<u></u>	<u> </u>		<u> </u>	<u> </u>	
	Physical Collocation - Cageless - 4-Wire Cross Connects			UNCVX, UNCDX,	PE1ZE	0.57	11.81	10.04	10.44	8.67						

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge -	Incremental Charge -
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
				WDS1L,WDS1S,			First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation -DS1 Cross-Connect for Physical Collocation, provisioning	ı		UXTD1, ULDD1, USLEL, UNLD1, UEPEX, UEPDX, USL, ULC, U1TD1, UNC1X	PE1P1	1.51	53.27	40.16								
				WDS1L,WDS1S, UXTD1, ULDD1, USLEL, UNLD1,												
	Physical Collocation - Cageless - DS1 Cross Connects			UEPEX, UEPDX	PE1ZF	1.32	32.22	17.76	10.46	8.75						
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physical Collocation - DS3 Cross-Connect, provisioning	- 1		UNLD3	PE1P3	19.26	52.37	38.89								
				UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1,												
	Physcial Collocation - Cageless - DS3 Cross Connects			UNLD3	PE1ZG	12.32	29.97	16.30	12.03	8.99						
	Physical Collocation - 2-Fiber Cross-Connect	I		CLO, ULDO3, ULD12, ULD48, U1T03, U1T12, U1T48, UDLO3, UDL12, UDF CLO, ULDO3, ULD12, ULD48, U1T03, U1T12,	PE1F2	15.64	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
				U1T48, UDLO3,	DE 4014		44.50		40.00							
	Physical Collocation - Cageless - 2 Fiber Cross Connect  Physical Collocation - 4-Fiber Cross-Connect	ı		UDL12, UDF ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CK	3.03	41.56 50.53	29.82	12.96 16.97	10.34			2.69	2.69	1.56	1.56
	Physical Collocation - Cageless - 4-Fiber Cross-Connect			ULDO3, ULD12, ULD48, U1TO3, U1T12, U1T48, UDLO3, UDL12, UDF	PE1CL	6.06	50.53	38.78	16.97	14.35						
	Physical Collocation - Space enclosure, welded wire, first 100 square feet	l ,		CLO	PE1BW	218.53										
	Physical Collocation - Space enclosure, welded wire, each additional 50 square feet			CLO	PE1CW	21.44										
	Physical Collocation - Security Access System - Security System per Central Office	ı		CLO	PE1AX	55.99										
	Physical Collocation -Security Access System - New Card Activation, per Card Activation (First), per State	ı		CLO	PE1A1	0.059	55.67									
	Physical Collocation-Security Access System-Administrative Change, existing Access Card, per Request, per State, per Card Physical Collocation - Security Access System - Replace Lost or			CLO	PE1AA		15.61									
	Stolen Card, per Card  Physical Collocation - Security Access - Initial Key, per Key			CLO CLO	PE1AR PE1AK		45.64 26.24					-			-	<del>                                     </del>
	Physical Collocation - Security Access - Initial Rey, per Rey  Physical Collocation - Security Access - Key, Replace Lost or			OLO	FEIAN		20.24					<u> </u>				<del>                                     </del>
	Stolen Key, per Key	1		CLO	PE1AL		26.24					<u> </u>	<u> </u>		<u> </u>	

COLLOCAT	ION - Tennessee													ment: 4		ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Space Availability Report, per Central															
	Office Requested			CLO	PE1SR		2,027.00	2,154.00								ļ
	Physical Collocation - CFA Information Resend Request, per premises, per request			CLO	PE1C9		77.67									
	Physical Collocation - Cable Records, per request			CLO	PE1CR		1,711.00									
	Physical Collocation, Cable Records, VG/DS0 Cable, per cable						.,									
	record (maximum 3600 records)	I		CLO	PE1CD		925.06									
	Physical Collocation, Cable Records, VG/DS0 Cable, per each															
	100 pair Physical Collocation, Cable Records, DS1, per T1 TIE	- !		CLO CLO	PE1CO PE1C1		18.05 8.45			-					1	<del> </del>
_	Physical Collocation, Cable Records, DS1, per T1 TIE  Physical Collocation, Cable Records, DS3, per T3 TIE	i i		CLO	PE1C3		29.57			1					1	
	Physical Collocation - Cable Records, Fiber Cable, per cable			OLO	12100		20.07									1
I	record (maximum 99 records)	I	L	CLO	PE1CB		279.42			<u> </u>		<u> </u>		<u> </u>	<u> </u>	
	Physcial Collocation - Cageless - Security Escort - Basic, per															
	Half Hour			CLO	PE1ZM		33.15	20.44								<u> </u>
	Physical Collocation - Cageless - Security Escort - Overtime, per Half Hour			CLO	PE1ZN		41.50	25.61								
	Physical Collocation - Cageless - Security Escort - Premium, per			CLO	FLIZIN		41.50	25.01								1
	Half Hour			CLO	PE1ZO		49.86	30.79								
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLO	PE1BT		33.91	21.49								<u> </u>
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day, per half hour			CLO	PE1OT		44.17	27.76								
_	Physical Collocation - Security Escort for Premium Time -			CLO	FLIOI		44.17	21.10		1					1	
	outside of scheduled work day, per half hour			CLO	PE1PT		54.42	34.02								
	Physical Collocation - Virtual to Physical Collocation Relocation,						•									
	per Voice Grade Circuit	- 1		CLO	PE1BV		33.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	١.		0.0	55450											
-	per DSO Circuit Physical Collocation - Virtual to Physical Collocation Relocation,	- 1		CLO	PE1BO		33.00									
	per DS1 Circuit			CLO	PE1B1		52.00									
	Physical Collocation - Virtual to Physical Collocation Relocation,	-								1					İ	
	per DS3 Circuit	- 1		CLO	PE1B3		52.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	Per Voice Grade Circuit	I		CLO	PE1BR		23.00									ļ
	Physical Collocation Virtual to Physical Collocation In-Place, Per DSO Circuit			CLO	PE1BP		23.00									
-	Physical Collocation - Virtual to Physical Collocation In-Place,	-		OLO	I LIBI		25.00									
	Per DS1 Circuit	- 1		CLO	PE1BS		33.00									
	Physical Collocation - Virtual to Physical Collocation In-Place,															
	per DS3 Circuit	ı		CLO	PE1BE		37.00									
	Physical Collocation - Virtual to Physical Collocation In- Place/Relocation, space cable facilities assigned to Collocation															
	Space, per 700 cable pairs or fraction thereof			CLO	PE1B7		592.00									
	Physical Caged Collocation-App Cost(initial & sub)-Planning,			020	, , , , ,		002.00									
	per request			CLO	PE1AC	16.16	2,903.66									
<b>—</b>	Physical Caged Collocation-Space Prep-Grounding, per location Physical Collocation, Caged Collocation - Space Prep-Power			CLO	PE1BB	4.32			1	<b>!</b>						<del>                                     </del>
	Cable, 40 AMP, includes 20 AMP A and B Feed		1	CLO	PE1SN		142.40			1						
	Physical Collocation, Caged Collocation - Space Prep-Power			020	1 2 1011		1-72.40		1	1						
	Cable, 100 AMP, includes 50 AMP A and B Feed			CLO	PE1SO		185.72			<u> </u>						
	Physical Collocation, Caged Collocation - Space Prep-Power															
$\vdash$	Cable, 200 AMP, includes 100 AMP A and B Feed			CLO	PE1SP		242.05		ļ							ļ
	Physical Caged Collocation-Space Enclosure-Cage Preparation, per first 100 sq. ft.			CLO	PE1S1	110.97										
	Phycical Caged Collocation-Space Enclosure-Cage			OLO .	FLISI	110.97			1	<del> </del>	<del>                                     </del>					<del>                                     </del>
	Preparation2, per add'l 50 sq. ft.		1	CLO	PE1S5	55.49	]			I				1	I	

COLLOCAT	ION - Tennessee			I	1	T					1_			ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring	g Disconnect			oss	Rates (\$)	l.	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Caged collocation-Cable Installation-Entrance Fiber Structure, interduct per ft.			CLO	PE1CP	0.0156										
	Phycical Caged Collocation-Cable Installation-Entrance Fiber, per cable			CLO	PE1CQ	2.56	944.27									
	Physical Caged Collocation-Floor Space-Land & Buildings, per sq. ft.			CLO	PE1FS	5.94										
	Physical Caged Collocation-Cable Support Structure-Cable Racking, per entrance cable			CLO	PE1CS	21.47										
	Physical Caged Collocation-Power-Power Construction, per amp			CLO	FLICS	21.47										<del> </del>
	DC plant			CLO	PE1PN	3.55										
	Physical Caged Collocation-Power-Power Consumption,per amp AC usage			CLO	PE1PO	2.03										
	Physical Caged Collocation-2-wire Cross Connects-Voice Grade ckts, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE12C	0.0475	7.68									
	Physical Caged Collocation-4-wire Cross Connects-Voice Grade Ckts, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE14C	0.0475	7.68									
	Physical Caged Collocation-DS1 Cross Connects-connection to DCS, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11S	7.68	41.65									
	Physical Caged Collocation-DS1 Cross Connects-Connection to DSX, per ckt.			UE3,U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE11X	0.38	41.65									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DCS, per ckt.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13S	53.96	298.03									
	Physical Caged Collocation-DS3 Cross Connects-Connection to DSX, per ckt.			U1TD3, UXTD3, UXTS1, UNC3X, UNCSX, ULDD3, U1TS1,ULDS1, UNLD3	PE13X	9.32	298.03									
	Physical Caged Collocation-Security Access-Access Cards, per 5 Cards			CLO	PE1A2		76.10									
	Physical Collocation - Co-Carrier Cross Connects/Direct Connect - Fiber Cable Support Structure, per linear ft.			CLO	PE1ES	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear ft.			CLO	PE1ZH	0.0013										
	Physical Collocation - Cageless - Co-Carrier Cross Connects-					0.0031	FFF 00									<del>                                     </del>
	Fiber Cable Support Structure, per cable Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			CLO	PE1ZK		555.03									<del>                                     </del>
	Copper/Coax Cable Support Structure, per lin. ft.  Physical Collocation - Cageless - Co-Carrier Cross Connects -			CLO	PE1DS	0.0019										<del>                                     </del>
	Copper/Coax Cable Support Structure, per linear ft.			CLO	PE1ZJ	0.0045										<u> </u>

COLLOCAT	TION - Tennessee				,	1								ment: 4		bit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'I	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Dee	Nonrecurring		Nonrecurring	Disconnect			oss	Rates (\$)	•	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Physical Collocation - Cageless - Co-Carrier Cross Connects -															
	Copper/Coax Cable Support Structure, per cable			CLO	PE1ZL		555.03									
	Physical Collocation - Co-Carrier Cross Connects/Direct			01.0	DE 4 DE		505.00									
	Connect, Application Fee, per application  Physical Collocation - Copper Entrance Cable per Cable (CO		1	CLO	PE1DT		585.09									
	manhole to vault splice)			CLO	PE1EA		1,279.91	42.784								
	Physical Collocation - Copper Entrance Cable Installation, per			OLO	1 2 12/1		1,270.01	42.704								
	100 Pairs			CLO	PE1EB		18.13									
	Physical Collocation - Fiber Entrance Cable per Cable (CO															
	manhole to vault splice)			CLO	PE1EC		1,084.11	42.784								
	Physical Collocation - Fiber Entrance Cable Installation, per															
	Fiber Physical Collocation - Co-Carrier Cross Connect/Direct Connect -		<u> </u>	CLO	PE1ED		7.252									
	Fiber Cable Support Structure, per cable	1 .		CLO	PE1DU		555.03									
<del>                                     </del>	Physical Collocation - Co-Carrier Cross Connect/Direct Connect -			010	1 - 100		333.03		+							<del>                                     </del>
	Copper/Coax Cable Support Structure, per cable	1	1	CLO	PE1DV		555.03									
ADJACENT C	OLLOCATION															
	Adjacent Collocation - Space Charge per Sq. Ft.			CLOAC	PE1JA	0.0656										
	Adjacent Collocation - Electrical Facility Charge per Linear Ft.			CLOAC	PE1JC	5.53										
	Adjacent Collocation - 2-Wire Cross-Connects				PE1P2	0.34	11.12	10.18	11.33	10.23			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Wire Cross-Connects			UEA,UHL,UDL,UCL		0.33	11.30	10.31	11.62	10.44			1.77	1.77	1.12	1.12
	Adjacent Collocation - DS1 Cross-Connects Adjacent Collocation - DS3 Cross-Connects			UEA,UHL,UDL,UCL UEA,UHL,UDL,UCL		1.70 19.03	28.39 26.23	16.88 15.51	11.65 13.40	10.54 10.77			1.77 1.77	1.77 1.77	1.12 1.12	1.12 1.12
	Adjacent Collocation - 2-Fiber Cross-Connect			CLOAC	PE1F2	3.49	26.23	15.51	13.41	10.77			1.77	1.77	1.12	1.12
	Adjacent Collocation - 4-Fiber Cross-Connect			CLOAC	PE1F4	6.50	29.75	19.02	17.60	14.97			1.77	1.77	1.12	1.12
	Adjacent Collocation - Application Fee			CLOAC	PE1JB	0.00	2,973.00	10.02	11.00						2	
	Adjacent Collocation - 120V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FB	5.81										
	Adjacent Collocation - 240V, Single Phase Standby Power Rate															
	per AC Breaker Amp			CLOAC	PE1FD	11.64										
	Adjacent Collocation - 120V, Three Phase Standby Power Rate per AC Breaker Amp			CLOAC	PE1FE	17.45										
	Adjacent Collocation - 277V, Three Phase Standby Power Rate			CLUAC	PEIFE	17.45					-					-
	per AC Breaker Amp			CLOAC	PE1FG	40.30										
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE			020710		10.00										
	Physical Collocation in the Remote Site - Application Fee			CLORS	PE1RA		580.20		312.76							
	Cabinet Space in the Remote Site per Bay/ Rack			CLORS	PE1RB	220.41										
	Physical Collocation in the Remote Site - Security Access - Key		<u> </u>	CLORS	PE1RD		24.69									
	Physical Collocation in the Remote Site - Space Availability Report per Premises Requested		1	CLORS	PE1SR		218.49									
	Physical Collocation in the Remote Site - Remote Site CLLI			CLORS	PEISK		210.49									
	Code Request, per CLLI Code Requested			CLORS	PE1RE		70.81									
	Remote Site DLEC Data (BRSDD), per Compact Disk, per CO			CLORS	PE1RR		234.15									
	Physical Collocation - Security Escort for Basic Time - normally															
	scheduled work, per half hour			CLORS	PE1BT		33.91	21.49								
	Physical Collocation - Security Escort for Overtime - outside of															
	normally scheduled working hours on a scheduled work day,			CLODC	DEAOT		44.47	07.70								
	per half hour  Physical Collocation - Security Escort for Premium Time -		-	CLORS	PE1OT		44.17	27.76	1					-	1	-
	outside of scheduled work day, per half hour		1	CLORS	PE1PT		54.42	34.02							1	
PHYSICAL CO	DLLOCATION IN THE REMOTE SITE - ADJACENT						J2	332						Ì	İ	
							1									
	Remote Site-Adjacent Collocation - AC Power, per breaker amp			CLORS	PE1RS	6.27										
								· ·								
	Remote Site-Adjacent Collocation - Real Estate, per square foot		<u> </u>	CLORS	PE1RT	0.134	755.62	755.00								
NOTE	Remote Site-Adjacent Collocation-Application Fee  If Security Escort and/or Add'l Engineering Fees become nec	0000000	or rom	CLORS	PE1RU	vill nogotists -		755.62						<b> </b>	<b> </b>	<del>                                     </del>
	: if Security Escort and/or Add1 Engineering Fees become nec	coodry 1	or rem	ote site collocation,	me Fattles V	viii negotiate a	phiohiigge tage	э.	ļ		<b></b>					ļ

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)			Svc Order Submitted Elec per LSR	Svc Order Submitted Manually per LSR	Incremental Charge - Manual Svc Order vs. Electronic- 1st	Incremental Charge - Manual Svc Order vs. Electronic- Add'l	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l
						Rec	Nonrecurring		Nonrecurring					Rates (\$)		
						Nec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual Collocation - Application Fee			AMTFS	EAF		2,633.00						2.07	2.81	0.67	1.41
	Virtual Collocation Administrative Only - Application Fee	- 1		AMTFS	VE1AF		743.25									
	Virtual Collocation - Cable Installation Cost, per cable			AMTFS	ESPCX		1,749.00						2.07	2.81	0.67	1.41
	Virtual Collocation - Floor Space, per sq. ft.			AMTFS	ESPVX	3.91										
	Virtual Collocation - Power, per fused amp			AMTFS	ESPAX	6.79										
	Virtual Collocation - Cable Support Structure, per entrance															
	cable			AMTFS	ESPSX	17.87										
	Virtual Collocation - 2-wire Cross Connects (Ioop)			UEANL,UEA,UDN,U DC,UAL,UHL,UCL,U EQ, UNCVX, UNCDX, UNCNX	UEAC2	0.57	11.62	9.90	10.38	8.66			2.07	2.81	0.67	1.41
				UEA,UHL,UCL,UDL,												
				UAL, UDN, UNCVX,										1	1	
	Virtual Collocation - 4-wire Cross Connects (loop)			UNCDX	UEAC4	0.57	11.81	10.04	10.44	8.67			2.07	2.81	0.67	1.41
	Virtual Collocation - 2-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC2F	3.03	41.56	29.82	12.96	10.34			2.69	2.69	1.56	1.56
	Virtual Collocation - 4-Fiber Cross Connects			UDL12, UDLO3, U1T48, U1T12, U1T03, ULDO3, ULD12, ULD48, UDF	CNC4F	6.06	50.53	38.78	16.97	14.35			2.69	2.69	1.56	1.56
	Virtual collocation - Special Access & UNE, cross-connect per DS1			USL,ULC,ULR, UXTD1, UNC1X, ULDD1, U1TD1, USLEL, UNLD1, UEPEX, UEPDX USL,UE3, U1TD3,	CNC1X	1.32	32.22	17.76	10.46	8.75			2.07	2.81	0.67	1.41
	Virtual collocation - Special Acess & UNE, cross-connect per DS3			UXTS1, UXTD3, UNC3X, UNCSX, ULDD3, U1TS1, ULDS1, UDLSX, UNLD3	CND3X	12.32	29.97	16.30	12.03	8.99			2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure, per linear foot			AMTFS	VE1CB	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per linear ft			AMTFS	VE1CD	0.0031										
	Virtual Collocation - Co-Carrier Cross Connects - Fiber Cable Support Structure,per cable			AMTFS	VE1CC		555.03						2.07	2.81	0.67	1.41
	Virtual Collocation - Co-Carrier Cross Connects - Copper/Coax Cable Support Structure, per cable Virtual Collocation Cable Records - per request			AMTFS AMTFS	VE1CE VE1BA		555.03 1,711.00						2.07	2.81	0.67	1.41
	Virtual Collocation Cable Records - VG/DS0 Cable, per cable record			AMTFS	VE1BB		925.06									
	Virtual Collocation Cable Records - VG/DS0 Cable, per each 100 pair			AMTFS	VE1BC		18.05									
	Virtual Collocation Cable Records - DS1, per T1TIE			AMTFS	VE1BD		8.45							1	1	
	Virtual Collocation Cable Records - DS3, per T3TIE Virtual Collocation Cable Records - Fiber Cable, per 99 fiber			AMTEC	VE1BE		29.57									
	records		1	AMTES	VE1BF		279.42				ļ		0.00	0.01	0.00	
$\longrightarrow$	Virtual collocation - Security Escort - Basic, per half hour		<u> </u>	AMTES	SPTBX		33.15		<b>.</b>				2.07	2.81		1.41
	Virtual collocation - Security Escort - Overtime, per half hour		<u> </u>	AMTES	SPTOX	1	41.50		1				2.07	2.81	0.67	1.41
$\longrightarrow$	Virtual collocation - Security Escort - Premium, per half hour		<u> </u>	AMTES	SPTPX		49.86		<b>.</b>				2.07	2.81	0.67	1.41
$\longrightarrow$	Virtual collocation - Maintenance in CO - Basic, per half hour		<u> </u>	AMTFS	CTRLX		30.64		<b>.</b>				2.07	2.81	0.67	1.41
	Virtual collocation - Maintenance in CO - Overtime, per half hour			AMTFS	SPTOM		35.77						2.07	2.81	0.67	1.41

COLLOCAT	ION - Tennessee												Attach	ment: 4	Exhi	ibit: B
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc	RATES (\$)				Submitted Manually	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st	Charge -		
						_	Nonrecurring		Nonrecurring I	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
	Virtual collocation - Maintenance in CO - Premium per half hour			AMTFS	SPTPM		40.90						2.07	2.81	0.67	1.41
	Virtual Collocation - Request Resend of CFA Information, per CLLI			AMTFS	VE1QR		77.67									
VIRTUAL COL																
	Virtual Collocation - 2-wire Cross Connect, Exchange Port 2- Wire Analog - Res			UEPSR	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2- Wire Line Side PBX Trunk - Bus			UEPSP	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Voice Grade PBX Trunk - Res			UEPSE	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire Analog Bus			UEPSB	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchnage Port 2-Wire ISDN			UEPSX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 2-Wire Cross Connect, Exchange Port 2-Wire ISDN			UEPTX	VE1R2	0.30	19.20	19.20					20.35	10.54	13.32	1.40
	Virtual Collocation 4-Wire Cross Connect, Exchange Port 4-Wire ISDN DS1			UEPEX	VE1R4	0.50	19.20	19.20					20.35	10.54	13.32	1.40

## **Attachment 5**

Access to Numbers and Number Portability

## TABLE OF CONTENTS

1.	NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS	3
	LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT OLUTION (LNP)	3
3.	OPERATIONAL SUPPORT SYSTEM (OSS) RATES	4

#### ACCESS TO NUMBERS AND NUMBER PORTABILITY

#### 1. NON-DISCRIMINATORY ACCESS TO TELEPHONE NUMBERS

- During the term of this Agreement, where CI2 is utilizing its own switch, CI2 shall contact the North American Numbering Plan Administrator, NeuStar, for the assignment of numbering resources. In order to be assigned a Central Office Code, CI2 will be required to complete the Central Office Code (NXX) Assignment Request and Confirmation Form (Code Request Form) in accordance with Industry Numbering Committee's Central Office Code (NXX) Assignment Guidelines (INC 95-0407-008).
- Where BellSouth provides local switching or resold services to CI2, BellSouth will provide CI2 with on-line access to intermediate telephone numbers as defined by applicable FCC rules and regulations on a first come first served basis. CI2 acknowledges that such access to numbers shall be in accordance with the appropriate FCC rules and regulations. CI2 acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center; and in such instances, BellSouth may request that CI2 return unused intermediate numbers to BellSouth. CI2 shall return unused intermediate numbers to BellSouth upon BellSouth's request. BellSouth shall make all such requests on a nondiscriminatory basis.
- 1.3 BellSouth will allow CI2 to designate up to 100 intermediate telephone numbers per rate center for CI2's sole use. Assignment, reservation and use of telephone numbers shall be governed by applicable FCC rules and regulations. CI2 acknowledges that there may be instances where there is a shortage of telephone numbers in a particular rate center and BellSouth has the right to limit access to blocks of intermediate telephone numbers. These instances include: 1) where jeopardy status has been declared by the North American Numbering Plan (NANP) for a particular Numbering Plan Area (NPA); or 2) where a rate center has less than six months supply of numbering resources.

# 2. LOCAL SERVICE PROVIDER NUMBER PORTABILITY - PERMANENT SOLUTION (LNP)

- 2.1 The Parties will offer Number Portability in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora.
- 2.2 <u>End User Line Charge</u>. Where CI2 subscribes to BellSouth's local switching, BellSouth shall bill and CI2 shall pay the end user line charge associated with implementing LNP as set forth in BellSouth's FCC Tariff No. 1. This charge is not subject to the resale discount set forth in Attachment 1 of this Agreement.

- To limit service outage, BellSouth and CI2 will adhere to the process flows and cutover guidelines for porting numbers as outlined in the LNP Reference Guide, as amended from time to time. The LNP Reference Guide, incorporated herein by reference, is accessible via the Internet at the following site: http://www.interconnection.bellsouth.com. All intervals referenced in the LNP Reference Guide shall apply to both BellSouth and CI2.
- 2.4 The Parties will set Location Routing Number (LRN) unconditional or 10-digit triggers where applicable. Where triggers are set, the porting Party will remove the ported number at the same time the trigger is removed.
- A trigger order is a service order issued in advance of the porting of a number. A trigger order 1) initiates call queries to the AIN SS7 network in advance of the number being ported; and 2) provides for the new service provider to be in control of when a number ports.
- Where triggers are not set, the Parties shall coordinate the porting of the number between service providers so as to minimize service interruptions to the End User.
- 2.7 BellSouth and CI2 will work cooperatively to implement changes to LNP process flows ordered by the FCC or as recommended by standard industry forums addressing LNP.

## 3. OPERATIONAL SUPPORT SYSTEM (OSS) RATES

3.1 The terms, conditions and rates for OSS are as set forth in Attachment 2.

## **Attachment 6**

Pre-Ordering, Ordering, Provisioning, Maintenance and Repair

## **TABLE OF CONTENTS**

1.	QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR.	3
2.	ACCESS TO OPERATIONS SUPPORT SYSTEMS	3
3.	MISCELLANEOUS	5

### PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

# 1. QUALITY OF PRE-ORDERING, ORDERING, PROVISIONING, MAINTENANCE AND REPAIR

- 1.1 BellSouth shall provide to CI2 nondiscriminatory access to its Operations Support Systems (OSS) and the necessary information contained therein in order that CI2 can perform the functions of pre-ordering, ordering, provisioning, maintenance and repair, and billing.. BellSouth shall provide CI2 with all relevant documentation (manuals, user guides, specifications, etc.) regarding business rules and other formatting information as well as practices and procedures necessary to ensure requests are efficiently processed. All documentation will be readily accessible at BellSouth's interconnection website and are incorporated herein by reference. BellSouth shall ensure that its OSS are designed to accommodate access requests for both current and projected demand of CI2 and other CLECs in the aggregate.
- 1.2 BellSouth shall provision services during its regular working hours. To the extent CI2 requests provisioning of service to be performed outside BellSouth's regular working hours, or the work so requested requires BellSouth's technicians or project manager to work outside of regular working hours, overtime charges shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by a BellSouth technician or project manager during his or her scheduled shift and BellSouth does not incur any overtime charges in performing the work on behalf of CI2, BellSouth will not assess CI2 additional charges beyond the rates and charges specified in this Agreement.

### 2. ACCESS TO OPERATIONS SUPPORT SYSTEMS

- BellSouth shall provide CI2 nondiscriminatory access to its OSS and the necessary information contained therein in order that CI2 can perform the functions of preordering, ordering, provisioning, maintenance and repair, and billing. BellSouth shall provide nondiscriminatory access to the OSS through manual and/or electronic interfaces as described in this Attachment. It is the sole responsibility of CI2 to obtain the technical capability to access and utilize BellSouth's OSS interfaces. Specifications for CI2's access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference.
- 2.1.1 <u>Pre-Ordering</u>. BellSouth will provide electronic access to its OSS and the information contained therein in order that CI2 can perform the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information, customer record information and loop makeup information. Mechanized access is provided by electronic interfaces whose specifications for access and use are set forth at BellSouth's interconnection

website and are incorporated herein by reference. The process by which BellSouth and CI2 will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. CI2 shall provide to BellSouth access to customer record information, including circuit numbers associated with each telephone number where applicable. CI2 shall provide such information within four (4) hours after request via electronic access where available. If electronic access is not available, CI2 shall provide to BellSouth paper copies of customer record information, including circuit numbers associated with each telephone number where applicable. If BellSouth requests the information before noon, the customer record information shall be provided the same day. If BellSouth requests the information after noon, the customer record information shall be provided by noon the following day.

- 2.1.2 The Parties agree not to view, copy, or otherwise obtain access to the customer record information of any customer without that customer's permission. CI2 will obtain access to customer record information only in strict compliance with applicable laws, rules, or regulations of the state in which the service is provided. BellSouth reserves the right to audit CI2's access to customer record information. If a BellSouth audit of CI2's access to customer record information reveals that CI2 is accessing customer record information without having obtained the proper End User authorization, BellSouth upon reasonable notice to CI2 may take corrective action, including but not limited to suspending or terminating CI2's electronic access to BellSouth's OSS functionality. All such information obtained through an audit shall be deemed Information covered by the Proprietary and Confidential Information section in the General Terms and Conditions of this Agreement.
- 2.1.3 Ordering. BellSouth will make available to CI2 electronic interfaces for the purpose of exchanging order information, including order status and completion notification, for non-complex and certain complex resale requests and certain network elements. Specifications for access and use of BellSouth's electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and CI2 will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below.
- 2.1.4 <u>Maintenance and Repair</u>. BellSouth will make available to CI2 electronic interfaces for the purpose of reporting and monitoring service troubles. Specifications for access and use of BellSouth's maintenance and repair electronic interfaces are set forth at BellSouth's interconnection website and are incorporated herein by reference. The process by which BellSouth and CI2 will manage these electronic interfaces to include the development and introduction of new interfaces will be governed by the change management process as described below. Requests for trouble repair are billed in accordance with the provisions of this Agreement. BellSouth and CI2 agree to adhere to BellSouth's Operational Understanding, as amended from time to time during this Agreement and as incorporated herein by

reference. The Operational Understanding may be accessed via BellSouth's interconnection website.

- 2.1.5 <u>Billing</u>. BellSouth will provide CI2 nondiscriminatory access to billing information as specified in Attachment 7 to this Agreement.
- Change Management. BellSouth and CI2 agree that the collaborative change management process known as the Change Control Process (CCP) will be used to manage changes to existing interfaces, introduction of new interfaces and retirement of interfaces. BellSouth and CI2 agree to comply with the provisions of the documented Change Control Process as may be amended from time to time and incorporated herein by reference. The change management process will cover changes to BellSouth's electronic interfaces, BellSouth's testing environment, associated manual process improvements, and relevant documentation. The process will define a procedure for resolution of change management disputes. Documentation of the CCP as well as related information and processes will be clearly organized and readily accessible to CI2 at BellSouth's interconnection website.
- 2.3 <u>Rates.</u> Charges for use of OSS shall be as set forth in this Agreement.

#### 3. MISCELLANEOUS

- Pending Orders. Orders placed in the hold or pending status by CI2 will be held for a maximum of thirty (30) calendar days from the date the order is placed on hold. After such time, CI2 shall be required to submit a new service request. Incorrect or invalid requests returned to CI2 for correction or clarification will be held for thirty (30) calendar days. If CI2 does not return a corrected request within thirty (30) calendar days, BellSouth will cancel the request.
- 3.2 Single Point of Contact. CI2 will be the single point of contact with BellSouth for ordering activity for network elements and other services used by CI2 to provide services to its End Users, except that BellSouth may accept a request directly from another CLEC, or BellSouth, acting with authorization of the affected End User. CI2 and BellSouth shall each execute a blanket letter of authorization with respect to customer requests so that prior proof of End User authorization will not be necessary with every request (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of customer authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines. Pursuant to a request from another carrier, BellSouth may disconnect any network element being used by CI2 to provide service to that End User and may reuse such network elements or facilities to enable such other carrier to provide service to the End User. BellSouth will notify CI2 that such a request has been processed but will not be required to notify CI2 in advance of such processing.

- 3.2.1 Neither BellSouth nor CI2 shall prevent or delay an End User from migrating to another carrier because of unpaid bills, denied service, or contract terms.
- 3.2.2 BellSouth shall return a Firm Order Confirmation (FOC) and Local Service Request (LSR) rejection/clarification within the intervals in accordance with the Service Quality Measurement (SQM) set forth in Attachment 9 of this Agreement.
- 3.2.3 CI2 shall return a FOC to BellSouth within thirty-six (36) hours after CI2's receipt from BellSouth of a valid LSR.
- 3.2.4 CI2 shall provide a Reject Response to BellSouth within twenty-four (24) hours after BellSouth's submission of an LSR which is incomplete or incorrectly formatted.
- 3.3 <u>Use of Facilities</u>. When a customer of CI2 elects to discontinue service and to transfer service to another local exchange carrier, including BellSouth, BellSouth shall have the right to reuse the facilities provided to CI2 by BellSouth. In addition, where BellSouth provides local switching, BellSouth may disconnect and reuse facilities when the facility is in a denied state and BellSouth has received a request to establish new service or transfer of service from a customer or a customer's CLEC at the same address served by the denied facility. BellSouth will notify CI2 that such a request has been processed after the disconnect order has been completed.
- 3.4 <u>Contact Numbers</u>. The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of services.
- 3.5 <u>Subscription Functions</u>. In cases where BellSouth performs subscription functions for an interexchange carrier (IXC) (i.e. PIC and LPIC changes via Customer Account Record Exchange (CARE)), BellSouth will in all possible instances provide the affected IXCs with the Operating Company Number (OCN) of the local provider for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- 3.5.1 When CI2's End User, served by resale or loop and port combinations, changes its PIC or LPIC, and per BellSouth's FCC or state tariff the interexchange carrier elects to charge the End User the PIC or LPIC change charge, BellSouth will bill the PIC or LPIC change charge to CI2, which has the billing relationship with that End User, and CI2 may pass such charge to the End User.
- 3.6 <u>Cancellation Charges</u>. If CI2 cancels a request for network elements or resold services, any costs incurred by BellSouth in conjunction with the provisioning of that request will be recovered in accordance with BellSouth's Private Line Tariff or BellSouth's FCC No. 1 Tariff, Section 5.4, as applicable. Notwithstanding the foregoing, if CI2 places an LSR based upon BellSouth's loop makeup information, and such information is inaccurate resulting in the inability of BellSouth to

provision the network elements requested and another spare compatible facility cannot be found with the transmission characteristics of the network elements originally requested, cancellation charges described in this Section shall not apply. Where CI2 places a single LSR for multiple network elements or services based upon loop makeup information, and information as to some, but not all, of the network elements or services is inaccurate, if BellSouth cannot provision the network elements or services that were the subject of the inaccurate loop makeup information, CI2 may cancel its request for those network elements or services without incurring cancellation charges as described in this Section. In such instance, should CI2 elect to cancel the entire LSR, cancellation charges as described in this Section shall apply to those elements and services that were not the subject of inaccurate loop makeup.

3.7 <u>Service Date Advancement Charges (a.k.a. Expedites)</u>. For Service Date Advancement requests by CI2, Service Date Advancement charges will apply for intervals less than the standard interval as outlined in the BellSouth Product and Services Interval Guide. The charges as outlined in BellSouth's FCC No. 1 Tariff, Section 5, will apply as applicable.

# **Attachment 7**

**Billing** 

# TABLE OF CONTENTS

Ι.	PAYMENT AND BILLING ARRANGEMENTS	
_•		
2.	BILLING DISPUTES	6
3.	RAO HOSTING	7
4.	OPTIONAL DAILY USAGE FILE	11
5.	ACCESS DAILY USAGE FILE	13
6.	ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)	15
	res.	

## BILLING

# 1. PAYMENT AND BILLING ARRANGEMENTS

The terms and conditions set forth in this Attachment shall apply to all services ordered and provisioned pursuant to this Agreement.

- 1.1 <u>Billing</u>. BellSouth will bill through the Carrier Access Billing System (CABS), Integrated Billing System (IBS) and/or the Customer Records Information System (CRIS) depending on the particular service(s) provided to CI2 under this Agreement. BellSouth will format all bills in Carrier Billing Output Specification (CBOS) Standard or CLUB/EDI format, depending on the type of service provided. For those services where standards have not yet been developed, BellSouth's billing format will change as necessary when standards are finalized by the applicable industry forum.
- 1.1.1 For any service(s) BellSouth receives from CI2, CI2 shall bill BellSouth in CBOS format.
- 1.1.2 Any switched access charges associated with interexchange carrier access to the resold local exchange lines will be billed by, and due to BellSouth.
- 1.1.3 BellSouth will render bills each month on established bill days for each of CI2's accounts. If either Party requests multiple billing media or additional copies of the bills, the billing Party will provide these at a reasonable cost.
- 1.1.4 BellSouth will bill CI2 in advance for all services to be provided during the ensuing billing period except charges associated with service usage and nonrecurring charges, which will be billed in arrears.
- 1.1.4.1 Charges for services will be calculated on an individual End User account level, including, if applicable, any charge for usage or usage allowances. BellSouth will also bill CI2, and CI2 will be responsible for and remit to BellSouth, all charges applicable to said services including but not limited to 911 and E911 charges, End Users common line charges, federal subscriber line charges, telecommunications relay charges (TRS), and franchise fees, unless otherwise ordered by a Commission.
- 1.1.5 BellSouth will not perform billing and collection services for CI2 as a result of the execution of this Agreement.
- 1.1.6 In the event that this Agreement or an amendment to this Agreement effects a rate change to recurring rate elements that are billed in advance, BellSouth will make an adjustment to such recurring rates billed in advance at the previously effective rate. The adjustment shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

- 1.2 Establishing Accounts. After submitting a credit profile and deposit, if required, and after receiving certification as a local exchange carrier from the appropriate regulatory agency, CI2 will provide the appropriate BellSouth advisory team/local contract manager the necessary documentation to enable BellSouth to establish accounts for Local Interconnection, Network Elements and Other Services, Collocation and/or resold services. Such documentation shall include the Application for Master Account, if applicable, proof of authority to provide telecommunications services, the appropriate Operating Company Numbers (OCN) for each state as assigned by the National Exchange Carriers Association (NECA), Carrier Identification Code (CIC), Access Customer Name and Abbreviation (ACNA), Blanket Letter of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, CI2 may not order services under a new account established in accordance with this Section 1.2 until 30 days after all information specified in this Section 1.2 is received from CI2.
- 1.2.1 OCN. If CI2 needs to change its OCN(s) under which it operates when CI2 has already been conducting business utilizing those OCN(s), CI2 shall bear all costs incurred by BellSouth to convert CI2 to the new OCN(s). OCN conversion charges include all time required to make system updates to all of CI2's End User customer records and will be handled by the BFR/NBR process.
- 1.2.2 Payment Responsibility. Payment of all charges will be the responsibility of CI2. CI2 shall make payment to BellSouth for all services billed. Payments made by CI2 to BellSouth as payment on account will be credited to CI2's accounts receivable master account. BellSouth will not become involved in billing disputes that may arise between CI2 and CI2's customer.
- 1.3 <u>Payment Due</u>. Payment for services provided is due on or before the next bill date in immediately available funds. Payment is considered to have been made when received by BellSouth.
- Due Dates. If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.6, below, shall apply.
- 1.5 <u>Tax Exemption</u>. Upon BellSouth's receipt of tax exemption certificate, the total amount billed to CI2 will not include those taxes or fees from which CI2 is exempt. CI2 will be solely responsible for the computation, tracking, reporting and payment of all taxes and like fees associated with the services provided to the End User of CI2.

- Late Payment. If any portion of the payment is not received by BellSouth on or before the payment due date as set forth preceding, or if any portion of the payment is received by BellSouth in funds that are not immediately available to BellSouth, then a late payment charge shall be due to BellSouth. The late payment charge shall be the portion of the payment not received by the payment due date multiplied by a late factor and will be applied on a per bill basis. The late factor shall be as set forth in Section A2 of the General Subscriber Services Tariff, Section B2 of the Private Line Service Tariff or Section E2 of the Intrastate Access Tariff, as appropriate. In addition to any applicable late payment charges, CI2 may be charged a fee for all returned checks as set forth in Section A2 of the General Subscriber Services Tariff or pursuant to the applicable state law.
- 1.7 <u>Discontinuing Service to CI2</u>. The procedures for discontinuing service to CI2 are as follows:
- 1.7.1 BellSouth reserves the right to suspend or terminate service in the event of prohibited, unlawful or improper use of BellSouth facilities or service, abuse of BellSouth facilities, or any other violation or noncompliance by CI2 of the rules and regulations of BellSouth's tariffs.
- 1.7.2 BellSouth reserves the right to suspend or terminate service for nonpayment. If payment of amounts not subject to a billing dispute, as described in Section 2, is not received by the bill date in the month after the original bill date, BellSouth will provide written notice to CI2 that additional applications for service may be refused, that any pending orders for service may not be completed, and/or that access to ordering systems may be suspended if payment of such amounts, and all other amounts not in dispute that become past due before refusal, incompletion or suspension, is not received by the fifteenth day following the date of the notice. In addition, BellSouth may, at the same time, provide written notice to the person designated by CI2 to receive notices of noncompliance that BellSouth may discontinue the provision of existing services to CI2 if payment of such amounts, and all other amounts not in dispute that become past due before discontinuance, is not received by the thirtieth day following the date of the initial notice.
- 1.7.3 In the case of discontinuance of services, all billed charges, as well as applicable termination charges, shall become due.
- 1.7.4 Discontinuance of service on CI2's account will effect a discontinuance of service to CI2's End Users. BellSouth will reestablish service for CI2 upon payment of all past due charges and the appropriate connection fee subject to BellSouth's normal application procedures. CI2 is solely responsible for notifying the End User of the discontinuance of the service. If within fifteen (15) days after CI2's service has been discontinued and no arrangements to reestablish service have been made consistent with this subsection, CI2's service will be disconnected.

- 1.8 Deposit Policy. CI2 shall complete the BellSouth Credit Profile and provide information to BellSouth regarding credit worthiness. Based on the results of the credit analysis, BellSouth reserves the right to secure the account with a suitable form of security deposit. Such security deposit shall take the form of cash, an Irrevocable Letter of Credit (BellSouth form), Surety Bond (BellSouth form) or, in BellSouth's sole discretion, some other form of security proposed by CI2. Any such security deposit shall in no way release CI2 from its obligation to make complete and timely payments of its bill. CI2 shall pay any applicable deposits prior to the inauguration of service. If, in the sole opinion of BellSouth, circumstances so warrant and/or gross monthly billing has increased beyond the level initially used to determine the level of security deposit, BellSouth reserves the right to request additional security and/or file a Uniform Commercial Code (UCC-1) security interest in CI2's "accounts receivables and proceeds." Interest on a security deposit, if provided in cash, shall accrue and be paid in accordance with the terms in the appropriate BellSouth tariff. Security deposits collected under this Section shall not exceed two months' estimated billing. In the event CI2 fails to remit to BellSouth any deposit requested pursuant to this Section, service to CI2 may be terminated in accordance with the terms of Section 1.7 of this Attachment, and any security deposits will be applied to CI2's account(s). In the event CI2 defaults on its account, service to CI2 will be terminated in accordance with the terms of Section 1.7 above, and any security deposits will be applied to CI2's account.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, including notices relating to security deposits, disconnection of services for nonpayment of charges, and rejection of additional orders from CI2, shall be forwarded to the individual and/or address provided by CI2 in establishment of its billing account(s) with BellSouth, or to the individual and/or address subsequently provided by CI2 as the contact for billing information. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from CI2 to BellSouth's billing organization, the notice of discontinuance of services purchased by CI2 under this Agreement provided for in Section 1.7.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of the General Terms and Conditions of this Agreement.
- 1.10 <u>Rates.</u> Rates for Optional Daily Usage File (ODUF), Access Daily Usage File (ADUF), Enhanced Optional Daily Usage File (EODUF) and Centralized Message Distribution Service (CMDS) are set out in Exhibit A to this Attachment. If no rate is identified in this Attachment, the rate for the specific service or function will be as set forth in the applicable BellSouth tariff or as negotiated by the Parties upon request by either Party.

# 2. BILLING DISPUTES

- Each Party agrees to notify the other Party in writing upon the discovery of a billing dispute. CI2 shall report all billing disputes to BellSouth using the Billing Adjustment Request Form (RF 1461) provided by BellSouth. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) calendar days of the notification date. If the Parties are unable within the 60 day period to reach resolution, then the aggrieved Party may pursue dispute resolution in accordance with the General Terms and Conditions of this Agreement.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute of a specific amount of money actually billed by either Party. The dispute must be clearly explained by the disputing Party and supported by written documentation, which clearly shows the basis for disputing charges. A billing dispute will not include the refusal to pay all or part of a bill or bills when no written documentation is provided to support the dispute, nor shall a billing dispute include the refusal to pay other amounts owed by the billed Party until the dispute is resolved. Claims by the billed Party for damages of any kind will not be considered a billing dispute for purposes of this Section. If the billing dispute is resolved in favor of the billing Party, the disputing Party will make immediate payment of any of the disputed amount owed to the billing Party or the billing Party shall have the right to pursue normal treatment procedures. Any credits due to the disputing Party, pursuant to the billing dispute, will be applied to the disputing Party's account by the billing Party immediately upon resolution of the dispute.
- 2.3 If a Party disputes a charge and does not pay such charge by the payment due date, or if a payment or any portion of a payment is received by either Party after the payment due date, or if a payment or any portion of a payment is received in funds which are not immediately available to the other Party, then a late payment charge and interest, where applicable, shall be assessed. For bills rendered by either Party for payment, the late payment charge for both Parties shall be calculated based on the portion of the payment not received by the payment due date multiplied by the late factor as set forth in the following BellSouth tariffs: for services purchased from the General Subscribers Services Tariff for purposes of resale and for ports and non-designed loops, Section A2 of the General Subscriber Services Tariff; for services purchased from the Private Line Tariff for purposes of resale, Section B2 of the Private Line Service Tariff; and for designed network elements and other services and local interconnection charges, Section E2 of the Access Service Tariff. The Parties shall assess interest on previously assessed late payment charges only in a state where it has the authority pursuant to its tariffs.

# 3. RAO HOSTING

3.1 RAO Hosting, Calling Card and Third Number Settlement System (CATS) and Non-Intercompany Settlement System (NICS) services provided to CI2 by BellSouth will be in accordance with the methods and practices regularly applied

by BellSouth to its own operations during the term of this Agreement, including such revisions as may be made from time to time by BellSouth.

- 3.2 CI2 shall furnish all relevant information required by BellSouth for the provision of RAO Hosting, CATS and NICS.
- 3.3 Charges or credits, as applicable, will be applied by BellSouth to CI2 on a monthly basis in arrears. Amounts due (excluding adjustments) are payable within thirty (30) days of receipt of the billing statement.
- 3.4 CI2 must have its own unique hosted RAO code. Where BellSouth is the selected CMDS interfacing host, CI2 must request that BellSouth establish a unique hosted RAO code for CI2. Such request shall be in writing to the BellSouth RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of services pursuant to this Section. Services shall commence on a date mutually agreed by the Parties.
- 3.5 BellSouth will receive messages from CI2 that are to be processed by BellSouth, another LEC in the BellSouth region or a LEC outside the BellSouth region. CI2 shall send all messages to BellSouth no later than sixty (60) days after the message date.
- 3.6 BellSouth will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from CI2.
- 3.7 All data received from CI2 that is to be processed or billed by another LEC within the BellSouth region will be distributed to that LEC in accordance with the Agreement(s) in effect between BellSouth and the involved LEC.
- 3.8 All data received from CI2 that is to be placed on the CMDS network for distribution outside the BellSouth region will be handled in accordance with the agreement(s) in effect between BellSouth and its connecting contractor.
- 3.9 BellSouth will receive messages from the CMDS network that are destined to be processed by CI2 and will forward them to CI2 on a daily basis for processing.
- 3.10 Transmission of message data between BellSouth and CI2 will be via CONNECT:Direct or Secure File Transfer Protocol (FTP).
- 3.10.1 Data circuits (private line or dial-up) will be required between BellSouth and CI2 for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, CI2 will be responsible for ordering the circuit and coordinating the installation with BellSouth. CI2 is responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit data will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be

installed in the BellSouth data center by BellSouth and the associated charges assessed to CI2. Additionally, all message toll charges associated with the use of the dial circuit by CI2 will be the responsibility of CI2. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the CI2 end for the purpose of data transmission will be the responsibility of CI2.

- 3.10.2 If CI2 utilizes Secure File Transfer Protocol for data file transmission, purchase of the Secure File Transfer Protocol software will be the responsibility of CI2.
- 3.11 All messages and related data exchanged between BellSouth and CI2 will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 3.12 CI2 will maintain recorded message detail necessary to recreate files provided to BellSouth for a period of three (3) calendar months beyond the related message dates.
- 3.13 Should it become necessary for CI2 to send data to BellSouth more than sixty (60) days past the message date(s), CI2 will notify BellSouth in advance of the transmission of the data. BellSouth will work with its connecting contractor and/or CI2, where necessary, to notify all affected LECs.
- In the event that data to be exchanged between the two Parties should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. If the data cannot be retrieved, the Party responsible for losing or destroying the data will be liable to the other Party for any resulting lost revenue. Lost revenue may be a combination of revenues that could not be billed to the End Users and associated access revenues. Both Parties will work together to estimate the revenue amount based upon historical data through a method mutually agreed upon. The resulting estimated revenue loss will be paid by the responsible Party to the other Party within three (3) calendar months of the resolution of the amount owed, or as mutually agreed upon by the Parties.
- 3.15 Should an error be detected by the EMI format edits performed by BellSouth on data received from CI2, the entire pack containing the affected data will not be processed by BellSouth. BellSouth will notify CI2 of the error. CI2 will correct the error(s) and will resend the entire pack to BellSouth for processing. In the event that an out-of-sequence condition occurs on subsequent packs, CI2 will resend these packs to BellSouth after the pack containing the error has been successfully reprocessed by BellSouth.
- In association with message distribution service, BellSouth will provide CI2 with associated intercompany settlements reports (CATS and NICS) as appropriate.

- 3.17 Notwithstanding anything in this Agreement to the contrary, in no case shall either Party be liable to the other for any direct or consequential damages incurred as a result of the obligations set out in this Section 3.
- 3.18 Intercompany Settlements Messages
- 3.18.1 Intercompany Settlements Messages facilitate the settlement of revenues associated with traffic originated from or billed by CI2 as a facilities based provider of local exchange telecommunications services outside the BellSouth region. Only traffic that originates in one Bell operating territory and bills in another Bell operating territory is included. Traffic that originates and bills within the same Bell operating territory will be settled on a local basis between CI2 and the involved company(ies), unless that company is participating in NICS.
- 3.18.2 Both traffic that originates outside the BellSouth region by CI2 and is billed within the BellSouth region, and traffic that originates within the BellSouth region and is billed outside the BellSouth region by CI2, is covered by CATS. Also covered is traffic that either is originated by or billed by CI2, involves a company other than CI2, qualifies for inclusion in the CATS settlement, and is not originated or billed within the BellSouth region (NICS).
- 3.18.3 Once CI2 is operating within the BellSouth territory, revenues associated with calls originated and billed within the BellSouth region will be settled via NICS.
- 3.18.4 BellSouth will receive the monthly NICS reports from Telcordia on behalf of CI2. BellSouth will distribute copies of these reports to CI2 on a monthly basis.
- 3.18.5 BellSouth will receive the monthly CATS reports from Telcordia on behalf of CI2. BellSouth will distribute copies of these reports to CI2 on a monthly basis.
- 3.18.6 BellSouth will collect the revenue earned by CI2 from the Bell operating company in whose territory the messages are billed via CATS, less a per message billing and collection fee of five cents (\$0.05), on behalf of CI2. BellSouth will remit the revenue billed by CI2 to the Bell operating company in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), on behalf on CI2. These two amounts will be netted together by BellSouth and the resulting charge or credit issued to CI2 via a monthly Carrier Access Billing System (CABS) miscellaneous bill.
- 3.18.7 BellSouth will collect the revenue earned by CI2 within the BellSouth territory from another CLEC also within the BellSouth territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents (\$0.05), on behalf of CI2. BellSouth will remit the revenue billed by CI2 within the BellSouth region to the CLEC also within the BellSouth region, where the messages originated, less a per message billing and collection fee of five cents

(\$0.05). These two amounts will be netted together by BellSouth and the resulting charge or credit issued to CI2 via a monthly CABS miscellaneous bill.

3.18.8 BellSouth and CI2 agree that monthly netted amounts of less than fifty dollars (\$50.00) will not be settled.

# 4. OPTIONAL DAILY USAGE FILE

- 4.1 Upon written request from CI2, BellSouth will provide the Optional Daily Usage File (ODUF) service to CI2 pursuant to the terms and conditions set forth in this section.
- 4.2 CI2 shall furnish all relevant information required by BellSouth for the provision of the ODUF.
- 4.3 The ODUF feed will contain billable messages that were carried over the BellSouth Network and processed in the BellSouth Billing System, but billed to a CI2 customer.
- 4.4 Charges for the ODUF will appear on CI2s' monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. CI2 will be billed at the ODUF rates that are in effect at the end of the previous month.
- 4.5 The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format.
- 4.6 Messages that error in the billing system of CI2 will be the responsibility of CI2. If, however, CI2 should encounter significant volumes of errored messages that prevent processing by CI2 within its systems, BellSouth will work with CI2 to determine the source of the errors and the appropriate resolution.
- 4.7 The following specifications shall apply to the ODUF feed.
- 4.7.1 ODUF Messages to be Transmitted
- 4.7.1.1 The following messages recorded by BellSouth will be transmitted to CI2:
- 4.7.1.1.1 Message recording for per use/per activation type services (examples:

Three -Way Calling, Verify, Interrupt, Call Return, etc.)

- 4.7.1.1.2 Measured billable Local
- 4.7.1.1.3 Directory Assistance messages
- 4.7.1.1.4 IntraLATA Toll
- 4.7.1.1.5 WATS and 800 Service

4.7.1.1.6 N11 4.7.1.1.7 Information Service Provider Messages 4.7.1.1.8 **Operator Services Messages** 4.7.1.1.9 Operator Services Message Attempted Calls (Network Element only) 4.7.1.1.10 Credit/Cancel Records 4.7.1.1.11 Usage for Voice Mail Message Service 4.7.1.2 Rated Incollects (messages BellSouth receives from other revenue accounting offices) can also be on ODUF. Rated Incollects will be intermingled with BellSouth recorded rated and unrated usage. Rated Incollects will not be packed separately. 4.7.1.3 BellSouth will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to CI2. 4.7.1.4 In the event that CI2 detects a duplicate on ODUF they receive from BellSouth, CI2 will drop the duplicate message and will not return the duplicate to BellSouth. 4.7.2 **ODUF Physical File Characteristics** 4.7.2.1 ODUF will be distributed to CI2 via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN. 4.7.2.2 Data circuits (private line or dial-up) will be required between BellSouth and CI2 for the purpose of data transmission as set forth in Section 3.10.1 above. 4.7.2.3 If CI2 utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of CI2. 4.7.3 **ODUF Packing Specifications** 4.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack. 4.7.3.2 The OCN, From RAO, and Invoice Number will control the invoice sequencing.

The From RAO will be used to identify to CI2 which BellSouth RAO that is

sending the message. BellSouth and CI2 will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by CI2 and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 4.7.4 ODUF Pack Rejection
- 4.7.4.1 CI2 will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. CI2 will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to CI2 by BellSouth.
- 4.7.5 ODUF Control Data
- 4.7.5.1 CI2 will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate CI2's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by CI2 for reasons stated in the above section.
- 4.7.6 ODUF Testing
- 4.7.6.1 Upon request from CI2, BellSouth shall send ODUF test files to CI2. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, BellSouth shall request that CI2 set up a production (live) file. The live test may consist of CI2's employees making test calls for the types of services CI2 requests on ODUF. These test calls are logged by CI2, and the logs are provided to BellSouth. These logs will be used to verify the files. Testing will be completed within 30 calendar days from the date on which the initial test file was sent.

# 5. ACCESS DAILY USAGE FILE

- 5.1 Upon written request from CI2, BellSouth will provide the Access Daily Usage File (ADUF) service to CI2 pursuant to the terms and conditions set forth in this section.
- 5.2 CI2 shall furnish all relevant information required by BellSouth for the provision of ADUF.
- 5.3 ADUF will contain access messages associated with a port that CI2 has purchased from BellSouth

- 5.4 Charges for ADUF will appear on CI2's monthly bills for the previous month's usage. The charges are as set forth in Exhibit A to this Attachment. CI2 will be billed at the ADUF rates that are in effect at the end of the previous month.
- Messages that error in the billing system of CI2 will be the responsibility of CI2. If, however, CI2 should encounter significant volumes of errored messages that prevent processing by CI2 within its systems, BellSouth will work with CI2 to determine the source of the errors and the appropriate resolution.
- 5.6 ADUF Messages To Be Transmitted
- 5.6.1 The following messages recorded by BellSouth will be transmitted to CI2:
- 5.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with a port.
- 5.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with a port.
- 5.6.2 BellSouth will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to CI2.
- In the event that CI2 detects a duplicate on ADUF they receive from BellSouth, CI2 will drop the duplicate message and will not return the duplicate to BellSouth.
- 5.6.4 ADUF Physical File Characteristics
- ADUF will be distributed to CI2 via CONNECT:Direct, Secure File Transfer Protocol (FTP) or another mutually agreed medium. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (210 byte). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one dataset per workday per OCN.
- 5.6.4.2 Data circuits (private line or dial-up) will be required between BellSouth and CI2 for the purpose of data transmission as set forth in Section 3.10.1 above.
- 5.6.4.3 If CI2 utilizes Secure File Transfer Protocol (FTP) for data file transmission, purchase of the Secure File Transfer Protocol (FTP) software will be the responsibility of CI2.
- 5.6.5 ADUF Packing Specifications
- 5.6.5.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.

The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CI2 which BellSouth RAO is sending the message. BellSouth and CI2 will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by CI2 and resend the data as appropriate.

The data will be packed using ATIS EMI records.

- 5.6.6 ADUF Pack Rejection
- 5.6.6.1 CI2 will notify BellSouth within one business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (i.e. out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. CI2 will not be required to return the actual rejected data to BellSouth. Rejected packs will be corrected and retransmitted to CI2 by BellSouth.
- 5.6.7 ADUF Control Data
- 5.6.7.1 CI2 will send one confirmation record per pack that is received from BellSouth. This confirmation record will indicate CI2's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by CI2 for reasons stated in the above section.
- 5.6.8 ADUF Testing
- 5.6.8.1 Upon request from CI2, BellSouth shall send a test file of generic data to CI2 via Connect:Direct or Text File via E-Mail. The Parties agree to review and discuss the test file's content and/or format.

# 6. ENHANCED OPTIONAL DAILY USAGE FILE (EODUF)

- Upon written request from CI2, BellSouth will provide the Enhanced Optional Daily Usage File (EODUF) service to CI2 pursuant to the terms and conditions set forth in this section. EODUF will only be sent to existing ODUF subscribers who request the EODUF option.
- 6.2 CI2 shall furnish all relevant information required by BellSouth for the provision of the Enhanced Optional Daily Usage File.
- 6.3 The Enhanced Optional Daily Usage File (EODUF) will provide usage data for local calls originating from resold Flat Rate Business and Residential Lines.
- Charges for delivery of the Enhanced Optional Daily Usage File will appear on CI2's monthly bills for the previous month's usage. The charges are as set forth in

effect at the end of the previous month. 6.5 All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) EMI record format. 6.6 Messages that error in the billing system of CI2 will be the responsibility of CI2. If, however, CI2 should encounter significant volumes of errored messages that prevent processing by CI2 within its systems, BellSouth will work with CI2 to determine the source of the errors and the appropriate resolution. 6.7 The following specifications shall apply to the EODUF feed. 6.7.1 Usage To Be Transmitted 6.7.1.1 The following messages recorded by BellSouth will be transmitted to CI2: 6.7.1.1.1 Customer usage data for flat rated local call originating from CI2's End User lines (1FB or 1FR). The EODUF record for flat rate messages will include: 6.7.1.1.2 Date of Call 6.7.1.1.3 From Number 6.7.1.1.4 To Number 6.7.1.1.5 Connect Time 6.7.1.1.6 Conversation Time 6.7.1.1.7 Method of Recording 6.7.1.1.8 From RAO Rate Class 6.7.1.1.9 6.7.1.1.10 Message Type 6.7.1.1.11 **Billing Indicators** 6.7.1.1.12 Bill to Number BellSouth will perform duplicate record checks on EODUF records processed to 6.7.1.2 Optional Daily Usage File. Any duplicate messages detected will be deleted and not sent to CI2.

Exhibit A to this Attachment. CI2 will be billed at the EODUF rates that are in

- 6.7.1.3 In the event that CI2 detects a duplicate on Enhanced Optional Daily Usage File they receive from BellSouth, CI2 will drop the duplicate message (CI2 will not return the duplicate to BellSouth).
- 6.7.2 Physical File Characteristics
- 6.7.2.1 The EODUF feed will be distributed to CI2 over their existing Optional Daily Usage File (ODUF) feed. The EODUF messages will be intermingled among CI2's Optional Daily Usage File (ODUF) messages. The EODUF will be a variable block format (2476) with an LRECL of 2472. The data on the EODUF will be in a non-compacted EMI format (175 byte format plus modules). It will be created on a daily basis (Monday through Friday except holidays).
- 6.7.2.2 Data circuits (private line or dial-up) may be required between BellSouth and CI2 for the purpose of data transmission. Where a dedicated line is required, CI2 will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with BellSouth. CI2 will also be responsible for any charges associated with this line. Equipment required on the BellSouth end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Where a dial-up facility is required, dial circuits will be installed in the BellSouth data center by BellSouth and the associated charges assessed to CI2. Additionally, all message toll charges associated with the use of the dial circuit by CI2 will be the responsibility of CI2. Associated equipment on the BellSouth end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on CI2's end for the purpose of data transmission will be the responsibility of CI2.
- 6.7.3 Packing Specifications
- 6.7.3.1 A pack will contain a minimum of one message record or a maximum of 99,999 message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of 99 packs and a minimum of one pack.
- The Operating Company Number (OCN), From Revenue Accounting Office (RAO), and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CI2 which BellSouth RAO is sending the message. BellSouth and CI2 will use the invoice sequencing to control data exchange. BellSouth will be notified of sequence failures identified by CI2 and resend the data as appropriate.
- 6.7.3.3 The data will be packed using ATIS EMI records.

ODUF/ADUF	F/CMDS - Alabama												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.007037										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.000113										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message		ļ			0.000011										
	ODUF: Message Processing, per message		1			0.004101										
	ODUF: Message Processing, per Magnetic Tape provisioned					42.67										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.000094										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					<u> </u>

ODUF/ADUF	CMDS - Florida												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l.	<del></del>
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001656										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001245										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000071										
	ODUF: Message Processing, per message					0.002146										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.91										ļ!
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010375										
CENTE	ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)			•			•									
	CMDS: Message Processing, per message					0.004	•									
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

ODUF/ADU	F/CMDS - Georgia												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonre	curring	Nonrecurring	a Disconnect			oss	Rates (\$)		-
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/0	CMDS															
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001713										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013027										
OPTIC	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000068										
	ODUF: Message Processing, per message					0.002167										
	ODUF: Message Processing, per Magnetic Tape provisioned					36.06										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010856										
CENT	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	cable BellSout	n tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADUF	C/CMDS - Kentucky												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	-															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.001857										igspace
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012447										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000136										
	ODUF: Message Processing, per message					0.002506										
	ODUF: Message Processing, per Magnetic Tape provisioned					35.90										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010372										
CENTR	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)			•			•						•			
	CMDS: Message Processing, per message					0.004	•						•			
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					L

ODUF/ADUI	F/CMDS - Louisiana												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	usoc			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	1	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.007983										ļ
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012681										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000117										
	ODUF: Message Processing, per message					0.004641										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.45										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010568										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	n request by e	ther Party.					

ODUF/ADUF	C/CMDS - Mississippi												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge -	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
							Nonre	urring	Nonrecurring	Disconnect			oss	Rates (\$)		
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.008087										J
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00012803										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000063										
	ODUF: Message Processing, per message					0.004707										ļ
	ODUF: Message Processing, per Magnetic Tape provisioned					49.04										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010669										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004	•	•								
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

RATE ELEMENTS	Interi m	Zone	BCS	usoc						Submitted	Submitted	Charge -	Incremental Charge - Manual Svc	Incremental Charge - Manual Svc	Charge -
RATE ELEMENTS	m	Zone	ВСЗ	0300			DATEC (6)								
							RATES (\$)			per LSR	per LSR	Order vs. Electronic- 1st	Order vs. Electronic- Add'l	Order vs. Electronic- Disc 1st	Order vs. Electronic- Disc Add'l
					B	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)		
					Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
essage Processing, per message					0.01435										
ata Transmission (CONNECT:DIRECT), per message					0.0001277										
( USAGE FILE (ODUF)															
ecording, per message					0.0003										
essage Processing, per message					0.0032										
essage Processing, per Magnetic Tape provisioned					54.61										
ata Transmission (CONNECT:DIRECT), per message					0.00004										
ESSAGE DISTRIBUTION SERVICE (CMDS)															
essage Processing, per message					0.004										
ata Transmission (CONNECT:DIRECT), per message					0.001										
1	TUSAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	ata Transmission (CONNECT:DIRECT), per message  I USAGE FILE (ODUF)  ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message	essage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  If USAGE FILE (ODUF) ecording, per message essage Processing, per message essage Processing, per Magnetic Tape provisioned ata Transmission (CONNECT:DIRECT), per message ESSAGE DISTRIBUTION SERVICE (CMDS) lessage Processing, per message ata Transmission (CONNECT:DIRECT), per message	essage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  / USAGE FILE (ODUF)  ecording, per message  essage Processing, per message  essage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  ESSAGE DISTRIBUTION SERVICE (CMDS)  lessage Processing, per message  ata Transmission (CONNECT:DIRECT), per message	essage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  / USAGE FILE (ODUF)  ecording, per message  essage Processing, per message  essage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  ESSAGE DISTRIBUTION SERVICE (CMDS)  lessage Processing, per message  ata Transmission (CONNECT:DIRECT), per message	SAGE FILE (ADUF)	SAGE FILE (ADUF)	ISAGE FILE (ADUF)  essage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  to cording, per message  essage Processing, per message  essage Processing, per message  essage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  essage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  ESSAGE DISTRIBUTION SERVICE (CMDS)  essage Processing, per message  0.0004	ISAGE FILE (ADUF) Bessage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  TUSAGE FILE (DOUF) Bessage Processing, per message Bessage Processing, per message Bessage Processing, per message Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per Magnetic Tape provisioned Bessage Processing, per message	ISAGE FILE (ADUF) Bessage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  TUSAGE FILE (DOUF) Bessage Processing, per message  Bessage Processing, per message  Bessage Processing, per message  Bessage Processing, per Magnetic Tape provisioned  Bata Transmission (CONNECT:DIRECT), per message  Bessage Processing, per Magnetic Tape provisioned  Bata Transmission (CONNECT:DIRECT), per message  Bessage Processing, per message	ISAGE FILE (ADUF) Bessage Processing, per message  ata Transmission (CONNECT:DIRECT), per message  O.001277  USAGE FILE (DOUF) Bessage Processing, per message  O.00032 Bessage Processing, per message  O.00032 Bessage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  Bata Transmission (CONNECT:DIRECT), per message  Bata Transmission (CONNECT:DIRECT), per message  Bata Transmission (CONNECT:DIRECT), per message  Bata Transmission (CONNECT:DIRECT), per message  O.00004  BESSAGE DISTRIBUTION SERVICE (CMDS)  Bessage Processing, per message  O.0004	ISAGE FILE (ADUF) Bessage Processing, per message  10.001277  10 SAGE FILE (DOUF) Bessage Processing, per message  10.0001277  10 SAGE FILE (DOUF) Bessage Processing, per message  10.0003 Bessage Processing, per message  10.0003 Bessage Processing, per Magnetic Tape provisioned  10 SAGE FILE (DOUF) Bessage Processing, per message  10.0003 Bessage Processing, per Magnetic Tape provisioned  10 SOMEC SOMAN  10 SOMEC SOMAN  10 SOMEC SOMAN  11 SOMEC SOMAN  11 SOMEC SOMAN  12 SOMEC SOMAN  13 SOMEC SOMAN  14 SOMEC SOMAN  15 SOMEC SOMAN  16 SOMEC SOMAN  16 SOMEC SOMAN  17 SOMEC SOMAN  18 SOM	ISAGE FILE (ADUF) Bessage Processing, per message  O.001277  USAGE FILE (ODUF) Bessage Processing, per message  O.0001277  USAGE FILE (ODUF) Bessage Processing, per message  O.0003 Bessage Processing, per message  O.0003 Bessage Processing, per Magnetic Tape provisioned  ata Transmission (CONNECT:DIRECT), per message  D.0004  BESSAGE DISTRIBUTION SERVICE (CMDS) Bessage Processing, per message  O.0004  D.0004	SAGE FILE (ADUF) essage Processing, per message  1.0.001277  1.0.0001277  1.0.0003 1	First   Add'I   First   Add'I   SOMEC   SOMAN   SOMA

ODUF/ADUI	F/CMDS - South Carolina												Attach	ment: 7	Exhi	ibit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge -	Charge -	Charge - Manual Svc Order vs.	Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l
						_ 1	Nonre	curring	Nonrecurring	Disconnect			oss	Rates (\$)	l	
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C																
ACCE	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.008061										ļ
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.00013036										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000216										
	ODUF: Message Processing, per message					0.004704										
	ODUF: Message Processing, per Magnetic Tape provisioned					48.87										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.00010863										
CENTI	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	or fun	ction will be as set	forth in appl	icable BellSout	h tariff or as n	egotiated by t	he Parties upor	request by e	ther Party.					

ODUF/ADUF	F/CMDS - Tennessee												Attach	ment: 7	Exhi	bit: A
CATEGORY	RATE ELEMENTS	Interi m	Zone	BCS	USOC			RATES (\$)				Submitted Manually	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Charge - Manual Svc Order vs. Electronic-	Order vs. Electronic-
							Nonrecurring		Nonrecurring	n Disconnect			1st	Add'l Rates (\$)	Disc 1st	Disc Add'l
						Rec	First	Add'l	First	Add'l	SOMEC	SOMAN	SOMAN	SOMAN	SOMAN	SOMAN
ODUF/ADUF/C	MDS															
ACCES	SS DAILY USAGE FILE (ADUF)															
	ADUF: Message Processing, per message					0.0158054										
	ADUF: Data Transmission (CONNECT:DIRECT), per message					0.0001387										
OPTIO	NAL DAILY USAGE FILE (ODUF)															
	ODUF: Recording, per message					0.0000044										
	ODUF: Message Processing, per message					0.0027366										
	ODUF: Message Processing, per Magnetic Tape provisioned					52.75										
	ODUF: Data Transmission (CONNECT:DIRECT), per message					0.0000339										
CENTE	RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS)															
	CMDS: Message Processing, per message					0.004										
	CMDS: Data Transmission (CONNECT:DIRECT), per message					0.001										
Notes:	If no rate is identified in the contract, the rate for the specific	service	e or fun	ction will be as set	forth in appli	icable BellSout	h tariff or as no	egotiated by t	he Parties upor	request by e	ther Party.					<u> </u>

# **Attachment 8**

Rights-of-Way, Conduits and Pole Attachments

# Rights-of-Way, Conduits and Pole Attachments

BellSouth will provide nondiscriminatory access to any pole, duct, conduit, or right-of-way owned or controlled by BellSouth pursuant to 47 U.S.C. § 224, as amended by the Act, pursuant to terms and conditions of a license agreement subsequently negotiated with BellSouth's Competitive Structure Provisioning Center.

# **Attachment 9**

**Performance Measurements** 

Version 3Q03: 12/10/2003

# PERFORMANCE MEASUREMENTS

Upon a particular Commission's issuance of an Order pertaining to Performance Measurements in a proceeding expressly applicable to all CLECs generally, BellSouth shall implement in that state such Performance Measurements as of the date specified by the Commission. Performance Measurements that have been Ordered in a particular state can currently be accessed via the internet at http://pmap.bellsouth.com. The following Service Quality Measurements (SQM) plan as it presently exists and as it may be modified in the future, is being included as the performance measurements currently in place for the state of Tennessee. At such time that the TRA issues a subsequent Order pertaining to Performance Measurements, such Performance Measurements shall supersede the SQM contained in the Agreement.

Version 3O03: 12/10/2003



# BellSouth Service Quality Measurement Plan (SQM)

**Tennessee Performance Metrics** 

Measurement Descriptions Version 2.00

Issue Date: July 1, 2003



# Introduction

The BellSouth Service Quality Measurement Plan (SQM) describes in detail the measurements produced to evaluate the quality of service delivered to BellSouth's customers both wholesale and retail. The SQM was developed to respond to the requirements of the Communications Act of 1996 Section 251 (96 Act) which required BellSouth to provide non-discriminatory access to Competitive Local Exchange Carriers (CLEC)<sup>1</sup> and their Retail Customers. The reports produced by the SQM provide regulators, CLECs and BellSouth the information necessary to monitor the delivery of non-discriminatory access.

This plan results from the many divergent forces evolving from the 96 Act. The 96 Act, the Georgia Public Service Commission (GPSC) Order (Docket 7892-U 12/30/97), LCUG 1-7.0, the FCC's NPRM (CC Docket 98-56 RM9101 04/17/98), the Louisiana Public Service Commission (LPSC) Order (Docket U-22252 Subdocket C 04/19/98), numerous arbitration cases, LPSC sponsored collaborative workshops (10/98-02/00), and proceedings in Alabama, Florida, Mississippi, and North Carolina have and continue to influence the SQM. Per the Order in Docket 01-00193, issued by the Tennessee Regulatory Authority on October 4, 2002, this version of the SQM reflects the Florida Public Service Commission Order Nos. PSC-02-1736-PAA-TP, issued December 10, 2002, PSC-03-0529-PAA-TP, issued April 22, 2003 and PSC-03-0603-CO-TP, issued May 15, 2003.

The SQM and the reports flowing from it must change to reflect the dynamic requirements of the industry. New measurements are added as new products, systems, and processes are developed and fielded. New products and services are added as the markets for them develop and the processes stabilize. The measurements are also changed to reflect changes in systems, correct errors, and respond to both 3<sup>rd</sup> Party audit requirements and the Florida PSC.

This document is intended for use by someone with knowledge of the telecommunications industry, information technologies and a functional knowledge of the subject areas covered by the BellSouth Performance Measurements and the reports that flow from them.

Once it is approved, the most current copy of this document can be found on the web at URL: <a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a> in the Documentation/Exhibits folder.

# **Report Publication Dates**

Each month, preliminary SQM reports will be posted to BellSouth's SQM web site (<a href="http://pmap.bellsouth.com">http://pmap.bellsouth.com</a>) by 8:00 A.M. EST on the 21st day of each month or the first business day after the 21st. The validated SQM reports will be posted by 8:00 A.M. on the last day of the month. Reports not posted by this time will be considered late for SEEM payment purposes. Validated SEEM reports will be posted on the 15th of the following month. SEEM payments due will also be paid on the

Version 2.00 i Issue Date: July 1, 2003

<sup>&</sup>lt;sup>1</sup>Alternative Local Exchange Companies (ALEC) and Competing Local Providers (CLP) are referred to as Competitive Local Exchange Carriers (CLEC) in this document.

Introduction



### **Tennessee Performance Metrics**

15th of the following month. For instance: May data will be posted in preliminary SQM reports on June 21. Final validated SQM reports will be posted on the last day of the month. Final validated SEEM reports will be posted and payments mailed on the 15th of the following month. BellSouth shall retain the performance measurement raw data files for a period of 18 months and further retain the monthly reports produced in PMAP for a period of three years.

# **Report Delivery Methods**

CLEC SQM and SEEM reports will be considered delivered when posted to the web site. The Tennessee Regulatory Authority has access to the web site. In addition, a copy of the SQM and Monthly State Summary reports will be filed with the TRA as soon as possible after the last day of each month.





# **Contents**

Section 1	l: Operations Support Systems (OSS)	
OSS-1	Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)	4
OSS-2	OSS Availability (Pre-Ordering/Ordering)	7
OSS-3	OSS Availability (Maintenance & Repair)	9
OSS-4	Response Interval (Maintenance & Repair)	11
PO-1:	Loop Makeup - Response Time – Manual	13
PO-2:	Loop Makeup - Response Time - Electronic	15
Section '	2: Ordering	
		17
O-1: O-2:	Acknowledgement Message Timeliness	
O-3: O-4:	Percent Flow-Through Service Requests (Summary)  Percent Flow-Through Service Requests (Detail)	
0-4.		
0.6	Flow-Through Error Analysis  CLEC LSR Information	
O-6:		
O-7:	Percent Rejected Service Requests	
O-8:	Reject Interval	
0-9:	Firm Order Confirmation Timeliness	
O-10:	Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual	
0-11:	Firm Order Confirmation and Reject Response Completeness	
O-12:	Speed of Answer in Ordering Center	46
Section 3	3: Provisioning	
P-1:	Mean Held Order Interval & Distribution Intervals	48
P-2:	(Deleted) Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices	
P-2A:	Jeopardy Notice Interval	52
P-2B:	Percentage of Orders Given Jeopardy Notices	54
P-3:	Percent Missed Initial Installation Appointments	57
P-3A:	(Deleted) Percent Missed Installation Appointments Including Subsequent Appointment	
P-4:	Average Completion Interval (OCI) & Order Completion Interval Distribution	
P-4A:	(Deleted) Average Order Completion Interval (OCI) & Order Completion Interval Distribution	
P-5:	Average Completion Notice Interval	
P-6:	% Completions/Attempts without Notice or < 24 hours Notice	
P-7:	Coordinated Customer Conversions Interval	
P-7A:	Coordinated Customer Conversions – Hot Cut Timeliness% within Interval and Average Interval	
P-7B:	Coordinated Customer Conversions – Average Recovery Time	
P-7C:	Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order	
P-8:	Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing	
P-9: P-10:	(Deleted) Total Service Order Cycle Time (TSOCT)	
P-10.	Service Order Accuracy	
P-11A	·	
P-12:	(Deleted) LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution	
P-13B:		
P-13C:		
P-13D	0 11 0 00	
Continu	l. Maintananaa & Banain	
	I: Maintenance & Repair I: Missed Repair Appointments	97
	2: Customer Trouble Report Rate	
	3: Maintenance Average Duration	
	4: Percent Repeat Troubles within 30 Days	

M&R-6: Average M&R-7: Mean Timeline Recurrent Mean Tim	Answer Time – Repair Centers.  ne To Notify CLEC of Network Outages	
M&R-6: Average M&R-7: Mean Timeline Recurrent Mean Tim	Answer Time – Repair Centers	
M&R-7: Mean Time  Section 5: Billing  B-1: Invoice A B-2: Mean Time B-3: Usage D B-4: Usage D B-5: Usage D B-6: Mean Time B-7: Recurrin B-8: Non-Recurrin B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to DA-3: Percent I D-3: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	ne To Notify CLEC of Network Outages  Accuracy	
B-1: Invoice A B-2: Mean Ti B-3: Usage D B-4: Usage D B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I B-10: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I Section 8: E911 E-1: Timeline E-2: Accuracy	ne to Deliver Invoices ata Delivery Accuracy ata Delivery Completeness ata Delivery Timeliness and to Deliver Usage a Charge Completeness arring Charge Completeness arring Charge Feed Errors Corrected in "X" Business Days billing Errors Corrected in "X" Business Days b	
B-1: Invoice A B-2: Mean Ti B-3: Usage D B-4: Usage D B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I B-10: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I Section 8: E911 E-1: Timeline E-2: Accuracy	ne to Deliver Invoices ata Delivery Accuracy ata Delivery Completeness ata Delivery Timeliness and to Deliver Usage a Charge Completeness arring Charge Completeness arring Charge Feed Errors Corrected in "X" Business Days billing Errors Corrected in "X" Business Days b	
B-2: Mean Ti B-3: Usage D B-4: Usage D B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	ne to Deliver Invoices ata Delivery Accuracy ata Delivery Completeness ata Delivery Timeliness and to Deliver Usage a Charge Completeness arring Charge Completeness arring Charge Feed Errors Corrected in "X" Business Days billing Errors Corrected in "X" Business Days b	
B-4: Usage D B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	tata Delivery Completeness	
B-4: Usage D B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	tata Delivery Completeness	
B-5: Usage D B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	tata Delivery Timeliness ne to Deliver Usage g Charge Completeness narring Charge Completeness Daily Usage Feed Errors Corrected in "X" Business Days Dilling Errors Corrected in "X" Business Days Dilling Errors Corrected in "X" Business Days Dilling Errors Corrected in "X" Business Days Days Days Days Days Days Days Days	
B-6: Mean Ti B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	ne to Deliver Usage g Charge Completeness urring Charge Completeness Daily Usage Feed Errors Corrected in "X" Business Days Dailing Errors Corrected in "X" Business Days Dailing Errors Corrected in "X" Business Days  Lor Services and Directory Assistance  Answer Performance/Average Speed to Answer - Toll  Answer Performance/Percent Answered within "X" Seconds - Toll  Answer Performance/Average Speed to Answer - Directory Assistance (DA)  Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)  Answer Performance/Percent Answered within "X" Seconds - Directory Assistance (DA)  Database Update Information  Database Update Accuracy	
B-7: Recurrin B-8: Non-Rec B-9: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I Section 8: E911 E-1: Timeline E-2: Accuracy	g Charge Completeness Darring Charge Completeness Daily Usage Feed Errors Corrected in "X" Business Days Dailing  in "X" Business Days Days Dailing Errors Corrected in "X" Business Days Days Dailing Errors Corrected in "X" Business Days Days Dailing Errors Corrected in "X" Business Days Days Dailing Errors Corrected in "X" Business Days Days Days Dailing Errors Corrected in "X" Business Days Days Days Dailing Errors Corrected in "X" Business Days Days Days Days Days Days Days Days	
B-8: Non-Rec B-9: Percent I B-10: Percent I B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I E-1: Timeline E-2: Accuracy	arring Charge Completeness	
B-9: Percent I B-10: Percent I Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I E-1: Timeline E-2: Accuracy	Daily Usage Feed Errors Corrected in "X" Business Days Silling Errors Corrected in "X" Business Days Silling Errors Corrected in "X" Business Days Stor Services and Directory Assistance Answer Performance/Average Speed to Answer - Toll	
B-10: Percent I  Section 6: Opera OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	tor Services and Directory Assistance  Answer Performance/Average Speed to Answer - Toll	
OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I E-1: Timeline E-2: Accuracy	Answer Performance/Average Speed to Answer - Toll	
OS-1: Speed to OS-2: Speed to DA-1: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I E-1: Timeline E-2: Accuracy	Answer Performance/Average Speed to Answer - Toll	
OS-2: Speed to DA-1: Speed to DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	Answer Performance/Percent Answered within "X" Seconds – Toll	
DA-1: Speed to DA-2: Speed to DA-2: Speed to	Answer Performance/Average Speed to Answer – Directory Assistance (DA)	140 142
DA-2: Speed to  Section 7: Datab D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)  ase Update Information Database Update Interval Database Update Accuracy	142
D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	Database Update Interval	
D-1: Average D-2: Percent I D-3: Percent I  Section 8: E911 E-1: Timeline E-2: Accuracy	Database Update Interval	
D-2: Percent I D-3: Percent I  Section 8: E911  E-1: Timeline E-2: Accuracy	Patabase Update Accuracy	144
D-3: Percent I  Section 8: E911  E-1: Timeline E-2: Accuracy		
E-1: Timeline E-2: Accuracy	IXXs and LRNs Loaded by the LERG Effective Date	
E-1: Timeline E-2: Accuracy		
E-2: Accuracy	SS.	150
•		
	erval	
D 3. Wear In	El Val	133
	Group Performance	
	oup Performance-Aggregate	
TGP-2: Trunk G	oup Performance-CLEC Specific	158
Section 10: Collo		
C-1: Collocati	on Average Response Time	161
	on Average Arrangement Time	
C-3: Collocati	on Percent of Due Dates Missed	165
Section 11: Chan	ge Management	
CM-1: Timeline	ss of Change Management Notices	167
CM-2: Change I	Management Notice Average Delay Days	169
	ss of Documents Associated with Change	
CM-4: Change I	Management Documentation Average Delay Days	173
	on of CLEC Interface Outages	
	f Software Errors Corrected in "X" (10, 30, 45) Business Days	
	f Change Requests Accepted or Rejected within 10 Days	
	Change Requests Rejected	
	of Defects in Production Releases (Type 6 CR)	
CM-10: Software CM-11: Percent of	Validations	



Tennessee Performance Metrics		Contents	
Appendi	ppendix A: Reporting Scope		
A-1:	Standard Service Groupings		
A-2:	Standard Service Order Activities		
Appendi	ix B: Glossary of Acronyms and Terms		
Appendi	ix C: BellSouth Audit Policy		
C-1:	BellSouth's Internal Audit Policy	199	
C-2:	BellSouth's External Audit Policy	199	
Appendi	ix D: OSS Tables		
Appendi	ix E: Flow-Through Matrix		



# Section 1: Operations Support Systems (OSS)

# OSS-1: Average Response Interval and Percent within Interval (Pre-Ordering/Ordering)

#### Definition

The average response interval and percent within the Interval is the average times and percent of requests responded to within certain intervals for accessing legacy data associated with appointment scheduling, service and feature availability, address verification, request for Telephone numbers (TNs), and Customer Service Records (CSRs).

#### **Exclusions**

- · Syntactically incorrect queries
- · Scheduled OSS Maintenance
- · Retail usage of LENS

#### **Business Rules**

The average response interval for retrieving pre-order/order information from a given legacy system is determined by summing the response times for all requests submitted to the legacy systems during the reporting period and dividing by the total number of legacy system requests for that month.

The response interval starts when the application (LENS or TAG for CLECs and RNS or ROS for BellSouth) submits a request to the legacy system and ends when the appropriate response is received by the client application. The percent of accesses to the legacy systems during the reporting period which take less than 2.3 seconds, the percent of accesses which take more than 6 seconds, and the percent which are less than or equal to 6.3 seconds are also captured. BellSouth will not schedule maintenance during the hours from 8:00 a.m. until 9:00 p.m., Monday through Friday.

#### Calculation

# **Response Interval** = (a - b)

- a = Date and Time of Legacy Response
- b = Date and Time of Legacy Request

#### Average Response Interval = c / d

- c = Sum of Response Intervals
- d = Number of Legacy Requests During the Reporting Period

#### **Percent within Interval** = (e / f) X 100

- e = Count of requests within the designated Interval within the reporting period.
- f = Number of Legacy Requests during the Reporting Period for System for which a response was provided.

#### **Report Structure**

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level



# Data Retained

#### **Relating to CLEC Experience**

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

#### Relating to BellSouth Performance

- Report Month
- Legacy Contract (per reporting dimension)
- Response Interval
- Regional Scope

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

- RSAG Address (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- RSAG TN (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
  numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve
  telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- **DSAP** (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information
  about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR
  information.
- P/SIMS (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service
  availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this legacy system.

#### **SQM Analog/Benchmark**

Parity + 2 seconds

#### (See Appendix D: Tables for SQM OSS Legacy Access Times)

#### **SEEM Measure**

SEEM	Tier I	Tier II	Tier III
Yes		X	

#### **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

- **RSAG Address** (Regional Street Address Guide-Address) stores street address information used to validate customer addresses. CLECs and BellSouth query this legacy system.
- **RSAG TN** (Regional Street Address Guide-Telephone number) contains information about facilities available and telephone numbers working at a given address. CLECs and BellSouth query this legacy system.
- ATLAS (Application for Telephone Number Load Administration and Selection) acts as a warehouse for storing telephone
  numbers that are available for assignment by the system. It enables CLECs and BellSouth service reps to select and reserve



- telephone numbers. CLECs and BellSouth query this legacy system.
- **COFFI** (Central Office Feature File Interface) stores information about product and service offerings and availability. CLECs query this legacy system.
- DSAP (DOE Support Application) provides due date information. CLECs and BellSouth query this legacy system.
- CRIS (Customer Record Information System) Source of CSR (Customer Service Record) information. Contains information about individual customers including listings, addresses, features, services, etc. CLECs and BellSouth can query for CSR information.
- **P/SIMS** (Product/Services Inventory Management system) provides information on capacity, tariffs, inventory and service availability. CLECs query this legacy system.
- OASIS (Obtain Available Services Information Systems) Information on feature and rate availability. BellSouth queries this
  legacy system.

#### **SEEM Analog/Benchmark**

• Parity + 2 Seconds

(See Appendix D: Tables for SEEM OSS Legacy Systems)



# OSS-2: OSS Availability (Pre-Ordering/Ordering)

#### **Definition**

Percent of time OSS interface is functionally available compared to scheduled availability. Availability percentages for CLEC interface and for all Legacy systems accessed by them are captured. ("Functional Availability" is the amount of time in hours during the reporting period that the legacy systems are available to users. The planned System Scheduled Availability is the time in hours per day that the legacy system is scheduled to be available.)

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

#### **Exclusions**

- CLEC impacting troubles caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided by an application or system available to the CLEC, but with significantly reduced response or processing time.
- · Scheduled OSS Maintenance

#### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full and Loss of Functionality outages are included in the calculation for this measure. Full outages are defined as occurrences of either of the following:

- Application/Interface application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.
- Loss of Functionality outages are defined as:
  - A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of pre-ordering and ordering systems.

(Note: Scheduled maintenance will not be performed between the hours of 8:00 a.m through 9:00 p.m. Monday through Friday.)

#### Calculation

OSS Availability (Pre-Ordering/Ordering) = (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

#### **Report Structure**

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- Regional Level



#### **Data Retained**

#### **Relating to CLEC Experience**

- Report Month
- Legacy Contract Type (per reporting dimension)
- Regional Scope
- Hours of Downtime

#### **Relating to BellSouth Performance**

- Report Month
- Legacy Contract Type (per reporting dimension)
- · Regional Scope
- · Hours of Downtime

#### **SQM Disaggregation - Analog/Benchmark**

#### SQM Level of Disaggregation

**SQM Analog/Benchmark** 

• Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SQM OSS Availability)

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes		X

#### **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation**

**SEEM Analog/Benchmark** 

• Regional Level, Per OSS Interface.....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability)



# **OSS-3: OSS Availability (Maintenance & Repair)**

#### Definition

Percent of time applications are functionally available as compared to scheduled availability. Calculations are based upon availability of applications and interfacing applications utilized by CLECs for maintenance and repair. "Functional Availability" is defined as the number of hours in the reporting period that the applications/interfaces are available to users. "Scheduled Availability" is defined as the number of hours in the reporting period that the applications/interfaces are scheduled to be available.

Scheduled availability is posted on the Interconnection website: (www.interconnection.bellsouth.com/oss/osshour.html)

#### **Exclusions**

- CLEC-impacting trouble caused by factors outside of BellSouth's purview, e.g., troubles in customer equipment, troubles in networks owned by telecommunications companies other than BellSouth, etc.
- Degraded service outages which are defined as a critical function that is normally performed by the CLEC or is normally provided
  by an application or system available to the CLEC, but with significantly reduced response or processing time.

#### **Business Rules**

This measurement captures the functional availability of applications/interfaces as a percentage of scheduled availability for the same systems. Only full outages are included in the calculations for this measure. Full outages are defined as occurrences of either of the following:

- Application/interfacing application is down or totally inoperative.
- Application is totally inoperative for customers attempting to access or use the application. This includes transport outages when
  they may be directly associated with a specific application.

Loss of Functionality outages are defined as:

 A critical function that is normally performed by the CLEC or is normally provided by an application or system is temporarily unavailable to the CLEC.

Comparison to an internal benchmark provides a vehicle for determining whether or not CLECs and retail BellSouth entities are given comparable opportunities for use of maintenance and repair systems.

#### Calculation

OSS Availability (a / b) X 100

- a = Functional Availability
- b = Scheduled Availability

#### Report Structure

- Interface Type
- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

#### **Data Retained**

#### Relating to CLEC Experience

- Availability of CLEC TAFI
- · Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM



ECTA

#### Relating to BellSouth Performance

- Availability of BellSouth TAFI
- · Availability of LMOS HOST, MARCH, SOCS, CRIS, PREDICTOR, LNP and OSPCM

#### **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation • Regional Level, Per OSS Interface.....>= 99.5% (See Appendix D: Tables for OSS Availability (M&R)

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes		X

#### **SEEM Disaggregation - Analog/Benchmark**

# SEEM Disaggregation SEEM Analog/Benchmark • Regional Level, Per OSS Interface....>= 99.5%

(See Appendix D: Tables for SEEM OSS Availability (M&R)

(A) BELLSOUTH®

# **OSS-4: Response Interval (Maintenance & Repair)**

#### **Definition**

The response intervals are determined by subtracting the time a request is received on the BellSouth side of the interface from the time the response is received from the legacy system. Percentages of requests falling into each interval category are reported, along with the actual number of requests falling into those categories.

#### **Exclusions**

None

#### **Business Rules**

This measure is designed to monitor the time required for the CLEC and BellSouth interface system to obtain from BellSouth's legacy systems the information required to handle maintenance and repair functions. The clock starts on the date and time when the request is received on the BellSouth side of the interface\_and the clock stops when the response has been transmitted through that same point to the requester.

Note: The OSS Response Interval BellSouth Total Report is a combination of BellSouth Residence and Business Total.

#### Calculation

#### **OSS Response Interval** = (a - b)

- a = Query Response Date and Time
- b = Query Request Date and Time

#### **Percent Response Interval** (per category) = (c / d) X 100

- c = Number of Response Intervals in category "X"
- d = Number of Queries Submitted in the Reporting Period

```
where, "X" is <= 4, > 4 <= 10, <= 10, > 10, or > 30 seconds.
```

#### Average Interval = (e / f)

- e = Sum of Response Intervals
- f = Number of Queries Submitted in the Reporting Period

#### Report Structure

- Not CLEC Specific
- Not Product/Service Specific
- · Regional Level

#### **Data Retained**

#### Relating to CLEC Experience

• CLEC Transaction Intervals

#### **Relating to BellSouth Performance**

· BellSouth Business and Residential Transactions Intervals



# **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### **SQM Analog/Benchmark**

Regional Level, Per OSS Interface......Parity with Retail

(See Appendix D: Tables for Legacy System Access Times for M&R)

Note: BellSouth's Appendix D lists the query functions and the appropriate legacy systems that the queries travel through to return a response.

#### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 X

#### **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**

# PO-1: Loop Makeup - Response Time - Manual

#### **Definition**

This report measures the average interval and percent within the interval from the submission of a Manual Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### **Exclusions**

- Inquiries, which are submitted electronically
- Designated Holidays are excluded from the interval calculation
- Weekends are excluded from the interval calculation
- Canceled Inquiries

#### **Business Rules**

The CLEC Manual Loop Makeup Service Inquiry (LMUSI) process includes inquiries submitted via E-mail or FAX to BellSouth's Complex Resale Support Group (CRSG)

This measurement combines three intervals:

- 1. From receipt of a valid Service Inquiry for Loop Makeup to hand off to the Service Advocacy Center (SAC) for "Look-up."
- 2. From SAC start date to SAC complete date
- 3. From SAC complete date to date the Complex Resale Support Group (CRSG) distributes loop makeup information back to the CLEC.

The "Receive Date" is defined as the date the Manual LMUSI is received by the CRSG. It is counted as day Zero. LMU "Return Date" is defined as the date the LMU information is sent back to the CLEC from BellSouth. The interval calculation is reset to Zero when a CLEC initiated change occurs on the Manual LMU request.

**Note**: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

#### Calculation

**Response Interval** = (a - b)

- a = Date the LMUSI returned to CLEC
- b = Date the LMUSI is received

Average Interval = (c / d)

- c = Sum of all Response Intervals
- d = Total Number of LMUSIs received within the reporting period

**Percent within interval** = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period



# **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region
- Interval for manual LMUs:
  - 0 <= 1 day
  - >1 <= 2 days
  - >2 <= 3 days
  - $0 \le 3 \text{ days}$
  - >3 <= 6 days
  - >6 <= 10 days
  - > 10 days
- Average Interval in days

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- Total Number of Inquiries
- SI Intervals
- State and Region

#### **Relating to BellSouth Performance**

#### **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation

#### **SQM Analog/Benchmark**

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

#### **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**

(A) BELLSOUTH®

# PO-2: Loop Makeup - Response Time - Electronic

#### **Definition**

This report measures the average interval and the percent within the interval from the electronic submission of a Loop Makeup Service Inquiry (LMUSI) to the distribution of Loop Makeup information back to the CLEC.

#### **Exclusions**

- · Manually submitted inquiries
- · Canceled Requests

#### **Business Rules**

The response interval starts when the CLEC's Mechanized Loop Makeup Service Inquiry (LMUSI) is submitted electronically through the Operational Support Systems interface, TAG. It ends when BellSouth's Loop Facility Assignment and Control System (LFACS) responds electronically to the CLEC with the requested Loop Makeup data via the TAG Interface. LSRs submitted via LENs will be reflected in the results for the TAG interface.

**Note**: The Loop Makeup Service Inquiry Form does not require the CLEC to furnish the type of Loop. The CLEC determines whether the loop makeup will support the type of service they wish to order or not and qualifies the loop. If the loop makeup will support the service, a firm order LSR is submitted by the CLEC. EDI is not a pre-ordering system, and, therefore, is not applicable in this measure.

#### Calculation

#### **Response Interval** = (a - b)

- a = Date and Time the LMUSI returned to CLEC
- b = Date and Time the LMUSI is received

#### Average Interval = (c / d)

- c = Sum of all response intervals
- d = Total Number of LMUSIs received within the reporting period

#### **Percent within interval** = (e / f) X 100

- e = Total LMUSIs received within the interval
- f = Total Number of LMUSIs processed within the reporting period

#### **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region
- Interval for electronic LMUs:
  - $0 \le 1$  minute
  - >1 <= 5 minutes
  - $0 \le 5$  minutes
  - $> 5 \le 8$  minutes
  - $> 8 \le 15$  minutes



- > 15 minutes
- Average Interval in minutes

#### **Data Retained**

#### **Relating to CLEC Experience**

- Report Month
- Total Number of Inquires
- SI Interval
- State and Region

#### **Relating to BellSouth Performance**

• Not Applicable

# **SQM Disaggregation - Analog/Benchmark**

### 



# **Section 2: Ordering**

# **O-1: Acknowledgement Message Timeliness**

#### **Definition**

This measurement provides the response interval and percent within the interval from the time an LSR or transmission (may contain multiple LSRs from one or more CLECs in multiple states) is electronically submitted via EDI or TAG until an acknowledgement notice is sent by the system.

#### **Exclusions**

- · Scheduled OSS Maintenance
- Manually Submitted LSRs

#### **Business Rules**

The process includes EDI and TAG system functional acknowledgements for all Local Service Requests (LSRs) which are electronically submitted by the CLEC. The start time is the receipt time of the LSR at BellSouth's side of the interface (gateway). The end time is when the acknowledgement is transmitted by BellSouth at BellSouth's side of the interface (gateway). For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented.

#### Calculation

#### **Response Interval** = (a - b)

- a = Date and Time Acknowledgement Notices returned to CLEC
- b = Date and Time Messages/LSRs electronically submitted by the CLEC via EDI or TAG respectively

#### **Average Response Interval** = (c / d)

- c = Sum of all Response Intervals for returned acknowledgements
- d = Total number of electronically submitted Messages/LSRs received, via EDI or TAG respectively, for which Acknowledgement Notices were returned in the Reporting Period.

#### Percent within Interval = (e / f) X 100

- e = Total number of electronically submitted messages/LSRs received, from CLEC via EDI or TAG respectively, in the Reporting Period.
- f = Total number of electronically submitted messages/LSRs acknowledged in the Reporting Period.

#### Reporting Structure

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - Region
- · Electronically Submitted LSRs
  - 0 = 10 minutes
  - > 10 <= 20 minutes
  - > 20 <= 30 minutes
  - $0 \le 30$  minutes
  - > 30 <= 45 minutes
  - > 45 <= 60 minutes



- > 60 <= 120 minutes
- > 120 minutes
- · Average interval for electronically submitted LSRs in minutes

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- · Record of Functional Acknowledgements

#### **Relating to BellSouth Performance**

• Not Applicable

# **SQM Disaggregation - Analog/Benchmark**

# **SQM Level of Disaggregation**

#### **SQM Analog/Benchmark**

TAG  $\sim$  TAG – 95%  $\leq$  30 Minutes

#### **SEEM Measure**

**SEEM** Tier I Tier II Yes ..... X ..... X

#### **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**

• EDI — EDI – 95% <= 30 Minutes 



# O-2: Acknowledgement Message Completeness

#### **Definition**

This measurement provides the percent of Messages/LSRs received via EDI or TAG, which are acknowledged electronically.

#### **Exclusions**

Manually submitted LSRs

#### **Business Rules**

EDI and TAG send Functional Acknowledgements for all LSRs, which are electronically submitted by a CLEC. For those CLECs using EDI, if more than one CLEC uses the same ordering center, an Acknowledgement Message will be returned to the "Aggregator", however, BellSouth will not be able to determine which specific CLEC this message represented. The Acknowledgement Message is returned prior to the determination of whether the LSR will be partially mechanized or fully mechanized.

#### Calculation

#### Acknowledgement Completeness = (a / b) X 100

- a = Total number of Functional Acknowledgements returned in the reporting period for Messages/LSRs electronically submitted by EDI or TAG respectively
- b = Total number of electronically submitted Messages/LSRs received in the reporting period by EDI or TAG respectively

#### **Report Structure**

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - Region

Note: Acknowledgement message is generated before the system recognizes whether this message (LSR) will be partially or fully mechanized.

#### **Data Retained**

#### Relating to CLEC Experience

- · Report Month
- Record of Functional Acknowledgements

#### Relating to BellSouth Performance

· Not Applicable

#### **SQM Disaggregation - Analog/Benchmark**

#### 



O-2: Acknowledgement Message Completeness

Issue Date: July 1, 2003



**SEEM Measure** 

Version 2.00

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

# **SEEM Disaggregation - Analog/Benchmark**

#### 

• TAG......Benchmark: 99.5%

20



# O-3: Percent Flow-Through Service Requests (Summary)

#### **Definition**

The percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual intervention.

#### **Exclusions**

- · Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- · CLEC System Fallout
- · Scheduled OSS Maintenance

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### **Definitions:**

**Fatal Rejects:** Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

**Auto-Clarification:** Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex\*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

\*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior



Commission approval.

**Total System Fallout:** Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

Z Status: LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

#### Calculation

**Percent Flow Through** = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

#### **Percent Achieved Flow Through** = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued.
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

#### **Report Structure**

- · CLEC Aggregate
  - Region

# Data Retained

#### Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
  - TAG
  - EDI
  - LENS
- Total Number of Errors by Type, by CLEC
  - Fatal Rejects
  - Auto Clarification
  - CLEC Caused System Fallout
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

#### **Relating to BellSouth Performance**

- Report Month
- Total Number of Errors by Type
  - BellSouth System Error



# **SQM Disaggregation - Analog/Benchmark**

#### SQM Level of Disaggregation SQM Analog/Benchmark<sup>a</sup>

•	Residence	Benchmark: 95%
•	Business	Benchmark: 90%
	UNE - Loops	
	UNE-P	
•	I.NP	Benchmark: 85%

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes		X

# **SEEM Disaggregation - Analog/Benchmark**

# SEEM Disaggregation SEEM Analog/Benchmark<sup>a</sup>

•	Residence	Benchmark: 95%
•	Business	Benchmark: 90%
•	UNE - Loops	Benchmark: 85%
	UNE-P	
•	LNP	Benchmark: 85%

<sup>&</sup>lt;sup>a</sup> Benchmarks do not apply to the "Percent Achieved Flow-Through."



# O-4: Percent Flow-Through Service Requests (Detail)

#### **Definition**

A detailed list, by CLEC, of the percentage of Local Service Requests (LSR) and LNP Local Service Requests (LNP LSRs) submitted electronically via the CLEC mechanized ordering process that flow through and reach a status for a FOC to be issued, without manual or human intervention.

#### **Exclusions**

- Fatal Rejects
- Auto Clarification
- Manual Fallout for Percent Flow-Through only
- CLEC System Fallout
- Scheduled OSS Maintenance

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued, without manual intervention. These LSRs can be divided into two classes of service: Business and Residence, and two types of service: Resale, and Unbundled Network Elements (UNE). The CLEC mechanized ordering process does not include LSRs, which are submitted manually (for example, fax and courier) or are not designed to flow through (for example, Manual Fallout.)

#### **Definitions:**

**Fatal Rejects:** Errors that prevent an LSR, submitted electronically by the CLEC, from being processed further. When an LSR is submitted by a CLEC, LEO/LNP Gateway will perform edit checks to ensure the data received is correctly formatted and complete. For example, if the PON field contains an invalid character, LEO/LNP Gateway will reject the LSR and the CLEC will receive a Fatal Reject.

**Auto-Clarification:** Clarifications that occur due to invalid data within the LSR. LESOG/LAUTO will perform data validity checks to ensure the data within the LSR is correct and valid. For example, if the address on the LSR is not valid according to RSAG, or if the LNP is not available for the NPA NXX requested, the CLEC will receive an Auto-Clarification.

Manual Fallout: Planned Fallout that occur by design. Certain LSRs are designed to fallout of the Mechanized Order Process due to their complexity. These LSRs are manually processed by the LCSC. When a CLEC submits an LSR, LESOG/LAUTO will determine if the LSR should be forwarded to LCSC for manual handling. Following are the categories for Manual Fallout:

- 1. Complex\*
- 2 Special pricing plans
- 3. Some Partial migrations (All LNP Partial Migrations)
- 4. New telephone number not yet posted to BOCRIS
- 5. Pending order review required
- 6. CSR inaccuracies such as invalid or missing CSR data in CRIS
- 7. Expedites (requested by the CLEC)
- 8. Denials-restore and conversion, or disconnect and conversion orders
- 9. Class of service invalid in certain states with some types of service
- 10. Low volume such as activity type "T" (move)
- 11. More than 25 business lines, or more than 15 loops
- 12. Transfer of calls option for the CLEC end users
- 13. Directory Listings (Identions and Captions)
- 14. LNP Only Supplement LSRs except supps of O-2 (Due Date Changes) on Req Type CB

\*See LSR Flow-Through Matrix in Appendix E for a list of services, including complex services, and whether LSRs issued for the services are eligible to flow through. The matrix is updated automatically when new services are added or the systems are improved to allow a service to flow through. The current version of the Flow-Through Matrix is on the PMAP website (http://pmap.bellsouth.com) in the



Documentation/Exhibits folder. Any change in the flow-through order category from flow-through to non-flow-through shall require prior Commission approval.

**Total System Fallout:** Errors that require manual review by the LCSC to determine if the error is caused by the CLEC, or is due to BellSouth system functionality. If it is determined the error is caused by the CLEC, the LSR will be sent back to the CLEC for clarification. If it is determined the error is BellSouth caused, the LCSC representative will correct the error, and the LSR will continue to be processed.

**Z Status:** LSRs that receive a supplemental LSR submission prior to final disposition of the original LSR.

#### Calculation

**Percent Flow Through** = a / [b - (c + d + e + f)] X 100

- a = the total number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c =the number of LSRs that fallout for manual processing
- d = the number of LSRs that are returned to the CLEC for auto clarification
- e = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- f = the number of LSRs that receive a Z status.

**Percent Achieved Flow Through** = a / [b - (c + d + e)] X 100

- a = the number of LSRs that flow through LESOG/LAUTO and reach a status for a FOC to be issued
- b = the number of LSRs passed from LEO/LNP Gateway to LESOG/LAUTO
- c = the number of LSRs that are returned to the CLEC for auto clarification
- d = the number of LSRs that are returned to the CLEC from the LCSC due to CLEC clarification
- e = the number of LSRs that receive Z status

#### **Report Structure**

Provides the flow through percentage for each CLEC (by alias designation) submitting LSRs through the CLEC mechanized ordering process. The report provides the following:

- CLEC (by alias designation)
- Number of fatal rejects
- · Mechanized interface used
- Total mechanized LSRs
- Total manual fallout
- · Number of auto clarifications returned to CLEC
- · Number of validated LSRs
- · Number of BellSouth caused fallout
- Number of CLEC caused fallout
- · Number of Service Orders Issued
- · Base calculation
- · CLEC error excluded calculation
- Region

#### **Data Retained**

#### Relating to CLEC Experience

- Report Month
- Total Number of LSRs Received, by Interface, by CLEC
  - TAG
  - EDI
  - LENS
- Total Number of Errors by Type, by CLEC
  - Fatal Rejects
  - Auto Clarification



- CLEC Errors
- Total Number of Errors by Error Code
- Total Fallout for Manual Processing

#### **Relating to BellSouth Performance**

- · Report Month
- Total Number of Errors by Type
  - BellSouth System Error

#### **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation Residence Benchmark: 95% Business Benchmark: 90% UNE - Loops Benchmark: 85% UNE-P Benchmark: 90% LNP Benchmark: 90% Benchmark: 85% Benchmark: 85% Benchmark: 85% Benchmark: 90% Tier I Tier II

# SEEM Disaggregation - Analog/Benchmark

Yes ...... X .....

# SEEM Disaggregation SEEM Analog/Benchmark • Residence Benchmark: 95% • Business Benchmark: 90% • UNE- Loops Benchmark: 85% • UNE-P Benchmark: 90% • LNP Benchmark: 85%

<sup>&</sup>lt;sup>a</sup> Benchmarks do not apply to the "Percent Achieved Flow-Through."



# Flow-Through Error Analysis

#### **Definition**

An analysis of each error type (by error code) that was experienced by the LSRs that did not flow through or reached a status for a FOC to be issued.

#### **Exclusions**

Each Error Analysis is error code specific, therefore exclusions are not applicable.

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Total for each error type

# **Report Structure**

Provides an analysis of each error type (by error code). The report is in descending order by count of each error code and provides the following:

- Error Type (by error code)
- Count of each error type
- · Percent of each error type
- · Cumulative percent
- Error Description
- CLEC Caused Count of each error code
- Percent of aggregate by CLEC caused count
- · Percent of CLEC caused count
- BellSouth Caused Count of each error code
- · Percent of aggregate by BellSouth caused count
- Percent of BellSouth by BellSouth caused count.

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- · Total Number of LSRs Received
- Total Number of Errors by Type (by Error Code)
  - CLEC caused error

Flow-Through Error Analysis



**Tennessee Performance Metrics** 

# **Relating to BellSouth Performance**

- Report Month
- Total Number of Errors by Type (by Error Code)
  - BellSouth System Error

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of D  • Not App	00 0		SQM Analog/BenchmarkNot Applicable
SEEM Measu	ıre		
<b>SEEM</b> No	Tier I	Tier II	
SEEM Disag	gregation -	Analog/Benchma	rk
SEEM Disaggre	gation		SEEM Analog/Benchmark

SEEM Disaggregation 



#### O-6: CLEC LSR Information

#### **Definition**

A list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period.

#### **Exclusions**

- Fatal Rejects
- LSRs Submitted Manually

#### **Business Rules**

The CLEC mechanized ordering process includes all LSRs, including supplements (subsequent versions) which are submitted through one of the three gateway interfaces (TAG, EDI, and LENS), that flow through and reach a status for a FOC to be issued. The CLEC mechanized ordering process does not include LSRs which are submitted manually (for example, fax and courier).

#### Calculation

Not Applicable

#### **Report Structure**

Provides a list with the flow through activity of LSRs by CC, PON and Ver, issued by each CLEC during the report period with an explanation of the columns and content. This report is available on a CLEC specific basis. The report provides the following for each LSR.

- CC
- PON
- Ver
- Timestamp
- Type
- Err #
- Note or Error Description

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- · Record of LSRs Received by CC, PON and Ver
- · Record of Timestamp, Type, Err # and Note or Error Description for Each LSR by CC, PON and Ver

#### **Relating to BellSouth Performance**

Not Applicable

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM** Level of Disaggregation

#### **SQM Analog/Benchmark**

Not Applicable......Not Applicable



**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# O-7: Percent Rejected Service Requests

#### **Definition**

Percent Rejected Service Request is the percent of total Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] received which are rejected due to error or omission. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete.

#### **Exclusions**

- Service Requests canceled by the CLEC prior to being rejected/clarified.
- Fatal Rejects
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Test Orders, etc.) where identifiable
- · LSRs identified as "Projects"

#### **Business Rules**

**Fully Mechanized:** An LSR/Service Request is considered "rejected" when it is submitted electronically but does not pass edit checks in the ordering systems (EDI, LENS, TAG, LESOG, LNP Gateway, LAUTO) and is returned to the CLEC without manual intervention. There are two types of "Rejects" in the Mechanized category:

A **Fatal Reject** occurs when a CLEC attempts to electronically submit an LSR but required fields are either not populated or incorrectly populated and the request is returned to the CLEC before it is considered a valid LSR.

Fatal rejects are reported in a separate column, and for informational purposes ONLY. They are not considered in the calculation of the percent of total LSRs rejected or the total number of rejected LSRs.

An **Auto Clarification** occurs when a valid LSR is electronically submitted but rejected from LESOG or LAUTO because it does not pass further edit checks for order accuracy.

**Partially Mechanized:** A valid LSR, which is electronically submitted (via EDI, LENS, TAG) but cannot be processed electronically and "falls out" for manual handling. It is then put into "clarification" and sent back (rejected) to the CLEC.

**Non-Mechanized:** LSRs which are faxed or mailed to the LCSC for processing and "clarified" (rejected) back to the CLEC by the BellSouth service representative.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

#### Calculation

**Percent Rejected Service Requests** = (a / b) X 100

- a = Total Number of Service Requests Rejected in the reporting period
- b = Total Number of Service Requests Received in the reporting period

# **Report Structure**

- Fully Mechanized, Partially Mechanized, Non-Mechanized
- Trunks
- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State



- Region
- Product Specific percent Rejected
- Total percent Rejected

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- Total Number of LSRs
- Total Number of Rejects
- · State and Region
- Total Number of ASRs (Trunks)

#### **Relating to BellSouth Performance**

· Not Applicable

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

**SQM Analog/Benchmark** 

Mechanized, Partially Mechanized and Non-Mechanized

- Resale Business
- Resale Design (Special)
- · Resale PBX
- Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- · Local Interconnection Trunks

#### **SEEM Measure**

SEEM	Tier I	Tier II
No		



**0-7: Percent Rejected Service Requests** 



# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation SEEM Analog/Benchmark



# O-8: Reject Interval

#### **Definition**

Reject Interval is the average reject time from receipt of Service Requests [(Local Service Requests (LSRs) or Access Service Requests (ASRs)] to the distribution of a Reject. Service Requests are considered valid when they are submitted by the CLEC and pass edit checks to insure the data received is correctly formatted and complete. When there are multiple rejects on a single version of an LSR, the first reject issued is used for the calculation of the interval duration.

#### **Exclusions**

- Service Requests canceled by CLEC prior to being rejected/clarified.
- Fatal Rejects
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

Local Interconnection Service Center (LISC) - Monday through Friday 4:30 PM until 8:00 AM
From 4:30 PM Friday until 8:00 AM Monday

The hours excluded will be altered to reflect changes in the Center operating hours. The LCSC will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

#### **Business Rules**

The Reject interval is determined for each rejected LSR processed during the reporting period. The Reject interval is the elapsed time from when BellSouth receives LSR (date and time stamps in EDI or TAG) until that LSR is rejected back to the CLEC. Elapsed time for each LSR (date and time stamps in EDI or TAG) is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of rejected LSRs to produce the reject interval distribution.

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until the LSR is rejected (date and time stamp or reject in EDI translator, or TAG). Auto Clarifications are considered in the Fully Mechanized category.

**Partially Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI translator or TAG) until it falls out for manual handling. The stop time on partially mechanized LSRs is when the LCSC Service Representative clarifies the LSR back to the CLEC via EDI translator, or TAG.

**Non-Mechanized:** The elapsed time from receipt of a valid LSR (date and time stamp of FAX or date and time mailed LSR is received in the LCSC) until notice of the reject (clarification) is returned to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

O-8: Reject Interval



#### **Tennessee Performance Metrics**

#### Calculation

#### **Reject Interval** = (a - b)

- a = Date and Time of Service Request Rejection
- b = Date and Time of Service Request Receipt

#### Average Reject Interval = (c / d)

- c = Sum of all Reject Intervals
- d = Number of Service Requests Rejected in Reporting Period

#### **Reject Interval Distribution** = (e / f) X 100

- e = Service Requests Rejected in reported interval
- f = Total Number of Service Requests Rejected in Reporting Period

#### **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
  - State
  - Region
- Fully Mechanized:
  - $0 \le 4$  minutes
  - > 4 <= 8 minutes
  - >8 <= 12 minutes
  - > 12  $\leq 60$  minutes
  - $0 \le 1 \text{ hour}$
  - > 1 <= 4 hours
  - > 4 <= 8 hours
  - > 8 <= 12 hours
  - > 12 <= 16 hours
  - $> 16 \le 20 \text{ hours}$
  - $> 20 \le 24 \text{ hours}$
  - > 24 hours
- Partially Mechanized:
  - $0 \le 1 \text{ hour}$
  - $> 1 \le 4 \text{ hours}$
  - > 4 <= 8 hours
  - > 8 <= 10 hours
  - $0 \le 10 \text{ hours}$
  - > 10 <= 18 hours
  - $0 \le 18 \text{ hours}$
  - > 18 <= 24 hours
  - > 24 hours
- Non-mechanized:
  - $0 \le 1 \text{ hour}$
  - $> 1 \le 4$  hours
  - > 4 <= 8 hours
  - > 8 <= 12 hours
  - > 12 <= 16 hours
  - > 16 <= 20 hours > 20 - <= 24 hours
  - $0 \le 24 \text{ hours}$
  - > 24 hours
- Trunks:



- $0 \le 36 \text{ hours}$
- > 36 hours
- Average Interval is reported in business hours.

#### **Data Retained**

#### Relating to CLEC Experience

- · Report Month
- Reject Interval
- Total Number of LSRs
- Total Number of Rejects
- · State and Region
- Total Number of ASRs (Trunks)

#### Relating to BellSouth Performance

· Not Applicable

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### **SQM Analog/Benchmark**

- Resale PBX
- · Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- Local Interconnection Trunks: 95% <= 36 Hours

# O-8: Reject Interval



#### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

# **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

# **SEEM Analog/Benchmark**

•	Fully Mechanized	97% <= 1 hour
	Partially Mechanized	
	Non-Mechanized	
•	Local Interconnection Trunks	95% <= 36 hours



#### **O-9: Firm Order Confirmation Timeliness**

#### **Definition**

Interval for Return of a Firm Order Confirmation (FOC Interval) is the average response time from receipt of valid LSR or ASR to distribution of a Firm Order Confirmation. The interval will include an electronic facilities check.

#### **Exclusions**

- · Service Requests canceled by CLEC prior to being confirmed.
- Designated Holidays are excluded from the interval calculation for partially mechanized and non-mechanized LSRs/ASRs only.
- LSRs which are identified and classified as "Projects"

Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

For ASRs processed in the Local Interconnection Service Center (LISC) - From 4:30 PM All hours outside of Monday – Friday 8:00 AM – 4:30 PM CST, should be excluded.

The hours excluded will be altered to reflect changes in the Center operating hours. The Centers will accept faxed LSRs only during posted hours of operation.

The interval will be the amount of time accrued from receipt of the LSR until normal closing of the center if an LSR is worked using overtime hours.

In the case of a Partially Mechanized LSR received and worked after normal business hours, the interval will be set at one (1) minute.

#### **Business Rules**

**Fully Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI or TAG) until the LSR is processed, appropriate service orders are generated and a Firm Order Confirmation is returned to the CLEC via EDI translator or TAG.

**Partially Mechanized:** The elapsed time from receipt of a valid electronically submitted LSR (date and time stamp in EDI, or TAG) which falls out for manual handling until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is returned to the CLEC via EDI translator, or TAG.

**Non-Mechanized:** The elapsed time from receipt of a valid paper LSR (date and time stamp of FAX or date and time paper LSRs received in LCSC) until appropriate service orders are issued by a BellSouth service representative via Direct Order Entry (DOE) or Service Order Negotiation Generation System (SONGS) to SOCS and a Firm Order Confirmation is sent to the CLEC via LON.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). The elapsed time is measured from receipt of a valid ASR (date and time stamp of a FAX or paper ASR received in the LISC) until the appropriate orders are issued by a BellSouth representative and a FOC issued in EXACT. Trunk data is reported as a separate category.

Note: When multiple FOCs occur on a single version of an LSR, the first FOC is used to measure the interval.

O-9: Firm Order Confirmation Timeliness



**Tennessee Performance Metrics** 

#### Calculation

#### Firm Order Confirmation Interval = (a - b)

- a = Date and Time of Firm Order Confirmation
- b = Date and Time of Service Request Receipt

#### Average FOC Interval = (c / d)

- c = Sum of all Firm Order Confirmation Times
- d = Number of Service Requests Confirmed in Reporting Period

#### **FOC Interval Distribution** = (e / f) X 100

- e = Service Requests Confirmed in Designated Interval
- f = Total Service Requests Confirmed in the Reporting Period

#### **Report Structure**

- · Fully Mechanized, Partially Mechanized, Non-Mechanized
  - CLEC Specific
  - CLEC Aggregate
- · Geographic Scope
  - State
  - Region
- Fully Mechanized:
  - 0 <= 15 minutes
  - > 15 <= 30 minutes
  - > 30 <= 45 minutes
  - $> 45 \le 60 \text{ minutes}$
  - > 60 <= 90 minutes
  - > 90 <= 120 minutes
  - > 120 <= 180 minutes
  - $0 \le 3 \text{ hours}$
  - > 3 <= 6 hours
  - > 6 <= 12 hours
  - > 12 <= 24 hours
  - > 24 <= 48 hours
  - > 48 hours
- Partially Mechanized:
  - $0 \le 4$  hours
  - > 4 <= 8 hours
  - > 8 <= 10 hours
  - $0 \le 10 \text{ hours}$
  - > 10 <= 18 hours
  - $0 \le 18 \text{ hours}$
  - > 18 <= 24 hours
  - $> 24 \le 48 \text{ hours}$
  - > 48 hours
- Non-mechanized:
  - $0 \le 4$  hours
  - > 4 <= 8 hours
  - > 8 <= 12 hours> 12 - <= 16 hours
  - $0 \le 24 \text{ hours}$
  - > 16 <= 20 hours
  - > 20 <= 24 hours
  - > 24 <= 36 hours
  - $0 \le 36 \text{ hours}$



- $> 36 \le 48 \text{ hours}$
- > 48 hours
- Trunks:
  - $0 \le 48 \text{ hours}$
  - > 48 hours
- Average Interval is reported in business hours

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- Interval for FOC
- Total Number of LSRs
- State and Region
- Total Number of ASRs (Trunks)

### **Relating to BellSouth Performance**

• Not Applicable

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

### **SQM Analog/Benchmark**

•	Resale – Residence	Fully Mechanized: 95% <= 3 Hours
•	Resale – Business	Partially Mechanized: 95% <= 10 Hours
•	Resale – Design (Special)	Non-Mechanized: 95% <= 24 Hours

- Resale PBX
- · Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1</li>
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport

### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X



### **SEEM Disaggregation - Analog/Benchmark**

### SEEM Disaggregation

### **SEEM Analog/Benchmark**

•	Fully Mechanized	95%	<= 3 I	Hours
	Partially Mechanized			
	Non-Mechanized			
•	Local Interconnection Trunks	95%	<= 48	Hours



# O-10: Service Inquiry with LSR Firm Order Confirmation (FOC) Response Time Manual<sup>1</sup>

### **Definition**

This report measures the interval and the percent within the interval from the submission of a Service Inquiry (SI) with Firm Order LSR to the distribution of a Firm Order Confirmation (FOC).

### **Exclusions**

- Designated Holidays are excluded from the interval calculation.
- Weekend hours from 5:00 PM Friday until 8:00AM Monday are excluded from the interval calculation of the Service Inquiry.
- · Canceled Requests
- Electronically Submitted Requests
- Non-business hours for Partially Mechanized and Non-Mechanized LSRs are excluded from the interval calculation. The excluded time is the time outside of normal operations which can be found at the following website: http://www.interconnection.bellsouth.com/centers/html/lcsc.html

### **Business Rules**

This measurement combines four intervals:

- 1. From receipt of a valid Service Inquiry with LSR to hand off to the Service Advocacy Center (SAC) for Loop 'Look-up'.
- 2. From SAC start date to SAC complete date.
- 3. From SAC complete date to the Complex Resale Support Group (CRSG) complete date with hand off to LCSC.
- 4. From receipt of a valid SI/LSR in the LCSC to Firm Order Confirmation.

(A valid Service Inquiry is an inquiry that has all required fields populated correctly and has not been returned for clarification.)

### Calculation

### **FOC Timeliness Interval with SI** = (a - b)

- a = Date and Time Firm Order Confirmation (FOC) for SI with LSR returned to CLEC
- b = Date and Time SI with LSR received

### Average Interval = (c / d)

- c = Sum of all FOC Timeliness Intervals with SI
- d = Total number of SIs with LSRs received in the reporting period

### **Percent Within Interval** = (e / f) X 100

- e = Total number of Service Inquiries with LSRs received by the CRSG to distribution of FOC by the Local Carrier Service Center (LCSC)
- f = Total number of Service Inquiries with LSRs received in the reporting period

### **Report Structure**

- CLEC Aggregate
- CLEC Specific
- Geographic Scope
  - State
  - Region

<sup>1</sup>See O-9 for FOC Timeliness



- Intervals
  - $0 \le 3 \text{ days}$
  - > 3 <= 5 days
  - $0 \le 5 \text{ days}$
  - > 5 <= 7 days
  - $> 7 \le 10 \text{ days}$
  - > 10 <= 15 days
  - >15 days
- · Average Interval measured in days

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- Total Number of Requests
- · SI Intervals
- State and Region

### **Relating to BellSouth Performance**

• Not Applicable

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

### **SQM Analog/Benchmark**

- xDSL (includes UNE unbundled ADSL, HDSL and ......95% Returned <= 5 Business Days UNE Unbundled Copper Loops)
- Unbundled Interoffice Transport

### **SEEM Measure**

SEEM Tier I Tier II

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**



### O-11: Firm Order Confirmation and Reject Response Completeness

### Definition

A response is expected from BellSouth for every Local Service Request transaction (version). Firm Order Confirmation and Reject Response Completeness is the corresponding number of Local Service Requests received to the combination of Firm Order Confirmation and Reject Responses.

### **Exclusions**

- Service Requests canceled by the CLEC prior to FOC or Rejected/Clarified
- Fatal Rejects
- · LSRs identified as "Projects"

### **Business Rules**

**Mechanized** – The number of FOCs or Auto Clarifications sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs.

**Partially Mechanized** – The number of FOCs or Rejects sent to the CLEC from EDI, or TAG in response to electronically submitted LSRs which fall out for manual handling by the LCSC personnel.

Non-Mechanized: The number of FOCs or Rejects sent to the CLECs by FAX server.

**Interconnection Trunks:** Interconnection Trunks are ordered on Access Service Requests (ASRs). ASRs are submitted to and processed by the Local Interconnection Service Center (LISC). Trunk data is reported as a separate category.

### For CLEC Results:

Percent responses is determined by computing the number of Firm Order Confirmations and Rejects transmitted by BellSouth and dividing by the number of Local Service Requests (all versions) received in the reporting period.

### Calculation

Firm Order Confirmation / Reject Response Completeness = (a / b) X 100

- a = Total Number of Service Requests for which a Firm Order Confirmation or Reject is Sent
- b = Total Number of Service Requests Received in the Report Period

### Report Structure

Fully Mechanized, Partially Mechanized, Non-Mechanized and Interconnection Trunks

- · State and Region
- CLEC Specific
- · CLEC Aggregate

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- · Total Number of LSRs
- Total Number of rejects



- Total Number of ASRs (Trunks)
- Total Number of FOCs

### **Relating to BellSouth Performance**

· Not Applicable

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

### **SQM Analog/Benchmark**

- Resale Business
- Resale Design (Special)
- Resale PBX
- Resale Centrex
- · Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop with INP Design
- 2W Analog Loop with INP Non-Design
- 2W Analog Loop with LNP Design
- 2W Analog Loop with LNP Non-Design
- UNE Digital Loop < DS1
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
- UNE Combination Other
- UNE ISDN Loop
- UNE Other Design
- UNE Other Non-Design
- UNE Line Splitting
- EELs
- Switch Ports
- UNE xDSL (ADSL, HDSL, UCL)
- Line Sharing
- Local Interoffice Transport
- · Local Interconnection Trunks

### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

- Partially Mechanized
- Non-Mechanized
- Local Interconnection Trunks



### O-12: Speed of Answer in Ordering Center

### **Definition**

Measures the average time a customer is in queue.

### **Exclusions**

None

### **Business Rules**

The clock starts when the appropriate option is selected (i.e., 1 for Resale Consumer, 2 for Resale Multiline, and 3 for UNE-LNP, etc.) and the call enters the queue for that particular group in the LCSC. The clock stops when a BellSouth service representative in the LCSC answers the call. The speed of answer is determined by measuring and accumulating the elapsed time from the entry of a CLEC call into the BellSouth automatic call distributor (ACD) until a service representative in BellSouth's Local Carrier Service Center (LCSC) answers the CLEC call.

### Calculation

### **Speed of Answer in Ordering Center** = (a / b)

- a = Total seconds in queue
- b = Total number of calls answered in the Reporting Period

### **Report Structure**

### Aggregate

- CLEC Local Carrier Service Center
- BellSouth
  - Business Service Center
- Geographic Scope
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

· Mechanized Tracking Through LCSC Automatic Call Distributor

### **Relating to BellSouth Performance**

• Mechanized Tracking Through BellSouth Retail Center Support System



### **SQM Disaggregation - Analog/Benchmark**

**SQM** Level of Disaggregation

**SQM Analog/Benchmark** 

Aggregate

CLEC – Local Carrier Service Center
 Parity with Retail (Business Service Center)

**SEEM Measure** 

 SEEM
 Tier I
 Tier II

 Yes
 X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**



### **Section 3: Provisioning**

### P-1: Mean Held Order Interval & Distribution Intervals

### **Definition**

When delays occur in completing CLEC orders, the average period that CLEC orders are held for BellSouth reasons, pending a delayed completion, should be no worse for the CLEC when compared to BellSouth delayed orders. Calculation of the interval is the total days orders are held and pending but not completed that have passed the currently committed due date; divided by the total number of held orders. This report is based on orders still pending, held and past their committed due date. The distribution interval is based on the number of orders held and pending but not completed over 15 and 90 days. (Orders reported in the >90 day interval are also included in the >15 day interval.)

### **Exclusions**

- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T
- Disconnect (D) & From (F) orders
- Orders with Appointment Code of 'A', i.e., orders for locations requiring special construction including locations where no address exists and a technician must make a field visit to determine how to get facilities to the location.

### **Business Rules**

Mean Held Order Interval: This metric is computed at the close of each report period. The held order interval is established by first identifying all orders, at the close of the reporting interval, that both have not been reported as completed in SOCS and have passed the currently committed due date for the order and identifying all orders that have been reported as completed in SOCS after the currently committed due date for the order. For each such order, the number of calendar days between the earliest committed due date on which BellSouth had a company missed appointment and the close of the reporting period is established and represents the held order interval for that particular order. The held order interval is accumulated by the standard groupings, unless otherwise noted, and the reason for the order being held. The total number of days accumulated in a category is then divided by the number of held orders within the same category to produce the mean held order interval. The interval is by calendar days with no exclusions for Holidays or Sundays.

CLEC Specific reporting is by type of held order (facilities, equipment, other), total number of orders held, and the total and average days.

**Held Order Distribution Interval:** This measure provides data to report total days held and identifies these in categories of >15 days and >90 days. (Orders counted in >90 days are also included in >15 days).

### Calculation

### Mean Held Order Interval = a / b

- a = Sum of held-over-days for all Past Due Orders Held with a BellSouth Missed Appointment from the earliest BellSouth missed appointment
- b = Number of Past Due Orders Held and Pending But Not Completed and past the committed due date

### **Held Order Distribution Interval** (for each interval) = $(c / d) \times 100$

- c = # of Orders Held for >= 15 days or # of Orders Held for >= 90 days
- d = Total # of Past Due Orders Held and Pending But Not Completed)

P-1: Mean Held Order Interval & Distribution Intervals



**Tennessee Performance Metrics** 

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Circuit Breakout < 10, >= 10 (except trunks)
- Dispatch/Non-Dispatch
- · Geographic Scope
  - State
  - Region

### **Data Retained**

### Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Order Submission Date (TICKET ID)
- Committed Due Date (DD)
- Service Type (CLASS\_SVC\_DESC)
- · Hold Reason
- Total Line/Circuit Count
- · Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

### **Relating to BellSouth Performance**

- Report Month
- BellSouth Order Number
- · Order Submission Date
- Committed Due Date
- Service Type
- Hold Reason
- Total Line/Circuit Count
- Geographic Scope

### SQM Disaggregation - Analog/Benchmark

### **SQM** Level of Disaggregation **SQM Analog/Benchmark** Resale Centrex Retail Centrex Resale ISDN Retail ISDN Switch-Based Orders) Switch-Based Orders) Switch-Based Orders)



• UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
• UNE Loop + Port Combinations	
- Dispatch In	Dispatch
- Switch Based	Switched Based
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
• UNE ISDN (Includes UDC)	Retail ISDN - BRI
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	ADSL to Retail
• EELs	

### **SEEM Measure**

SEEM	Tier I	Tier II
No		

### **SEEM Disaggregation - Analog/Benchmark**

## SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



# P-2: Average Jeopardy Notice Interval & Percentage of Orders Given Jeopardy Notices

(Deleted)



### P-2A: Jeopardy Notice Interval

### **Definition**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The interval is from the date/time the notice is released to the CLEC/BellSouth systems until 5pm on the due date of the order.

### **Exclusions**

- · Orders held for CLEC end user reasons
- · Disconnect (D) and From (F) orders
- Orders with Jeopardy Notice when jeopardy is identified on the due date. This exclusion only applies when the technician on premises has attempted to provide service but must refer to Engineer or Cable Repair for facility jeopardy.
- Orders issued with a due date of < = 48 hours.

### **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunk results are usually zero as these trunks seldom experience facility delays. The Committed Due Date is considered the Confirmed Due Date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

### Calculation

**Jeopardy Interval** = a - b

- a = Date and Time of Scheduled Due Date on Service Order
- b = Date and Time of Jeopardy Notice

### Average Jeopardy Interval = c / d

- c = Sum of all Jeopardy Intervals
- d = Number of Orders Notified of Jeopardy in Reporting Period

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geographic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- · CLEC Order Number and PON



- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

### **Relating to BellSouth Performance**

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice Sent
- Committed Due Date
- Service Type

### **SQM Disaggregation - Analog/Benchmark**

SQM Le	vel of Disaggregation	SQM Analog/Benchmark
•	Resale Residence	.95% > = 48  hours
•	Resale Business	.95% > = 48  hours
•	Resale Design	.95% > = 48  hours
•	Resale PBX	
•	Resale Centrex	.95% > = 48  hours
•	Resale ISDN	.95% > = 48  hours
•	LNP (Standalone)	.95% > = 48  hours
•	INP (Standalone)	.95% > = 48  hours
•	2W Analog Loop Design	.95% > = 48  hours
•	2W Analog Loop Non-Design	
•	2W Analog Loop with LNP - Design	.95% > = 48  hours
•	2W Analog Loop with LNP- Non-Design	
•	2W Analog Loop with INP-Design	.95% > = 48  hours
•	2W Analog Loop with INP-Non-Design	.95% > = 48  hours
•	UNE Digital Loop < DS1	
•	UNE Digital Loop >= DS1	.95% > = 48  hours
•	UNE Loop + Port Combinations	
	- Dispatch In	
	- Switch Based	
•	UNE Switch Ports	
•	UNE Combo Other	
•	UNE xDSL (HDSL, ADSL and UCL)	
•	UNE ISDN (Includes UDC)	
•	UNE Line Sharing	
•	UNE Other Design	
•	UNE Other Non-Design	
•	Local Transport (Unbundled Interoffice Transport)	
•	Local Interconnection Trunks	
•	UNE Line Splitting	
•	EELs	. 95% > = 48 nours
SEEM	Measure	
SEE	M Tier I Tier II	
N	0	
SEEM D	isaggregation	SEEM Analog/Benchmark



### P-2B: Percentage of Orders Given Jeopardy Notices

### **Definition**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC.

The Percent of Orders is the percentage of orders given jeopardy notices for facility delay in the count of orders confirmed in the report period.

### **Exclusions**

- · Orders held for CLEC end user reasons
- Disconnect (D) and From (F) orders

### **Business Rules**

When BellSouth can determine in advance that a committed due date is in jeopardy for facility delay, it will provide advance notice to the CLEC. The number of committed orders in a report period is the number of orders that have a due date in the reporting period. Jeopardy notices for interconnection trunks results are usually zero as these trunks seldom experience facility delays. The Committed due date is considered the Confirmed due date. This report measures dispatched orders only. If an order is originally sent as non-dispatch and it is determined there is a facility delay, the order is converted to a dispatch code so the facility problem can be corrected. It will remain coded dispatched until completion.

### Calculation

Percent of Orders Given Jeopardy Notice = (a / b) X 100

- a = Number of Orders Given Jeopardy Notices in Reporting Period
- b = Number of Orders Confirmed (due) in Reporting Period

Percent of Orders Given Jeopardy Notice > = 48 hours = (c / d) X 100

- c = Number of Orders Given Jeopardy Notice >= 48 hours in Reporting Period (electronic only)
- d = Number of Orders Given Jeopardy Notices in Reporting Period (electronic only)

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- · Mechanized Orders
- Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Geograhic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- CLEC Order Number and PON



- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

### **Relating to BellSouth Performance**

- Report Month
- BellSouth Order Number
- Date and Time Jeopardy Notice sent
- Committed Due Date
- Service Type

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with LNP - Design	
2W Analog Loop with LNP - Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
2W Analog Loop with INP-Design	
2W Analog Loop with INP-Non-Design	Retail Residence and Business – (POTS Excluding Switch-
	Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop <ds1< th=""></ds1<>
UNE Digital Loop >=DS1	
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	Dispatch In
- Switch Based	
UNE Switch Ports  UNE Control Officers and Control Officers an	` /
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
UNE Other Design	
• UNE Other Non-Design	
Local Transport (Unbundled Interoffice Transport)  Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks  LINE Line Solitation	
UNE Line Splitting	
• EELs	Ketan DS1/DS3

P-2B: Percentage of Orders Given Jeopardy Notices

**SEEM Measure** 

**SEEM** Tier I Tier II No.....

**SEEM Disaggregation** 

**SEEM Analog/Benchmark** 



### P-3: Percent Missed Initial Installation Appointments

### **Definition**

"Percent missed initial installation appointments" monitors the reliability of BellSouth commitments with respect to committed due dates to assure that the CLEC can reliably quote expected due dates to their retail customer as compared to BellSouth. This measure is the percentage of total orders processed for which BellSouth is unable to complete the service orders on the committed due dates and reported for Total misses and End User Misses.

### **Exclusions**

- Orders canceled prior to the due date including orders that are to be provisioned on the same day they are placed. ("Zero Due Date Orders")
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders Test Orders, etc., Order types may be coded C, N, R or T)
- Disconnect (D) & From (F) orders
- · End User Misses

### **Business Rules**

Percent Missed Initial Installation Appointments (PMI) is the percentage of orders with completion dates in the reporting period that are past the original committed due date. Missed Appointments caused by end-user reasons will be excluded and reported separately. The first commitment date on the service order that is a missed appointment is the missed appointment code used for calculation whether it is a BellSouth missed appointment or an End User missed appointment. The "due date" is any time on the confirmed due date. Which means there cannot be a cutoff time for commitments, as certain types of orders are requested to be worked after standard business hours. Also, during Daylight Savings Time, field technicians are scheduled until 9PM in some areas and the customer is offered a greater range of intervals from which to select.

### Calculation

### **Percent Missed Installation Appointments** = (a / b) X 100

- a = Number of Orders with Completion date in Reporting Period past the Original Committed Due Date
- b = Number of Orders Completed in Reporting Period

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Report in Categories of <10 lines/circuits >= 10 lines/circuits (except trunks)
- Dispatch/Non-Dispatch (except Trunks)
- Geographic Scope
  - State
  - Region

### **Data Retained**

### Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON (PON)
- Committed Due Date (DD)



- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- · Standard Order Activity

Note: Code in parentheses is the corresponding header found in the raw data file.

### **Relatng to BellSouth Performance**

- Report Month
- BellSouth Order Number
- Committed Due Date (DD)
- Completion Date (CMPLTN DD)
- Status Type
- Status Notice Date
- Standard Order Activity

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
	Switch- Based Orders)
2W Analog Loop With LNP - Design	Retail Residence and Business Dispatch
<ul> <li>2W Analog Loop With LNP- Non-Design</li> </ul>	
	Switch-Based Orders)
2W Analog Loop With INP-Design	
2W Analog Loop With INP-Non-Design	
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE Loop + Port Combinations	
- Dispatch In	Dispatch In
- Switch Based	
UNE Switch Ports	
UNE xDSL (HDSL, ADSL and UCL)  Without Conditioning	
- With Conditioning	Without Conditioning With Conditioning (BellSouth does not
- With Conditioning	offer this service to Retail)
UNE ISDN	
UNE Line Sharing Without Conditioning	
	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	
• Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	
UNE Line Splitting Without Conditioning	
• EELs	
UNE UDC/IDSL	Retail ISDN - BRI



### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 ......X
 X

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With LNP - Design	
2W Analog Loop With LNP- Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop With INP-Design	
2W Analog Loop With INP-Non-Design	
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	
- Dispatch In	
- Switch Based	
UNE Switch Ports	` '
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)     Without Conditioning	Without Conditioning
- With Conditioning	- With Conditioning (RellSouth does not offer this
With Conditioning.	service to Retail)
UNE ISDN	Retail ISDN - BRI
UNE Line Sharing Without Conditioning	ADSL Provided to Retail
With Conditioning	ADSL Provided to Retail
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting Without Conditioning	ADSL Provided to Retail
With Conditioning	ADSL Provided to Retail
UNE Other Design	Retail Design
UNE Other Non-Design	Retail Residence and Business
• EELs	Retail DS1/DS3
UNE UDC/IDSL	Retail ISDN - BRI

# P-3A: Percent Missed Installation Appointments Including Subsequent Appointments

(Deleted)



# P-4: Average Completion Interval (OCI) & Order Completion Interval Distribution

### **Definition**

The "average completion interval" measure monitors the interval of time it takes BellSouth to provide service for the CLEC or its own customers. The "Order Completion Interval Distribution" provides the percentages of orders completed within certain time periods. This report measures how well BellSouth meets the interval offered to customers on service orders.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- Disconnect (D & F) orders (Except "D" orders associated with LNP Standalone)
- "L" Appointment coded orders (where the customer has requested a later than offered interval)
- · End user-caused misses

### **Business Rules**

The actual completion interval is determined for each order processed during the reporting period. The completion interval is the elapsed time from when BellSouth issues a FOC or SOCS date time stamp receipt of an order from the CLEC to BellSouth's actual order completion date. The clock starts when a valid order number is assigned by SOCS and stops when the technician or system completes the order in SOCS. Elapsed time for each order is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the associated total number of orders completed. Orders that are worked on zero due dates are calculated with a .33-day interval (8 hours) in order to report a portion of a day interval. These orders are issued and worked/completed on the same day. They can be either flow through orders (no field work-non-dispatched) or field orders (dispatched).

The interval breakout for UNE and Design is: 0.5 = 0 < 5, 5.10 = 5 < 10, 10.15 = 10 < 15, 15.20 = 15 < 20, 20.25 = 20 < 25, 25.30 = 25 < 30, >= 30 = 30 and greater.

### Calculation

### **Completion Interval** = (a - b)

- a = Completion Date
- b = FOC/SOCS date time-stamp (application date)

### Average Completion Interval = (c / d)

- c = Sum of all Completion Intervals
- d = Count of Orders Completed in Reporting Period

### Order Completion Interval Distribution (for each interval) = (e / f) X 100

- e = Service Orders Completed in "X" days
- f = Total Service Orders Completed in Reporting Period

### Report Structure

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch categories applicable to all levels except trunks
- Residence and Business reported in day intervals = 0,1,2,3,4,5,5+
- UNE and Design reported in day intervals =0-5,5-10,10-15,15-20,20-25,25-30, >= 30
- All Levels are reported <10 line/circuits; >= 10 line/circuits (except trunks)



- Geographic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- CLEC Company Name
- Order Number (PON)
- Application Date and Time
- Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- · Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

### **Relating to BellSouth Performance**

- · Report Month
- BellSouth Order Number
- · Order Submission Date and Time
- Order Completion Date and Time
- Service Type
- Geographic Scope

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP - Design	
2W Analog Loop with LNP- Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with INP-Design	Retail Residence and Business Dispatch
2W Analog Loop with INP-Non-Design	Retail Residence and Business – (POTS Excluding
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	
- Switch Based	
• UNE Switch Ports	· /
UNE Combo Other	Retail Residence, Business and Design Dispatch
UNE xDSL (HDSL, ADSL and UCL)  With a Conditioning	. 5 D.
Without Conditioning     With Conditioning	<= 5 Days
With Conditioning      UNE ISDN	3
UNE Line Sharing Without Conditioning	
OTAL Line Sharing Without Conditioning	ADDL I TOYIGG TO REALIT



	With Conditioning	<= 12 Days
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail
•	UNE Line Splitting Without Conditioning	ADSL Provided to Retail
•	With Conditioning	<= 12 Days
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
	EELs	
•	LINE LIDC/IDSL	Retail ISDN - BRI

### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 ......X

### SEEM Disaggregation - Analog/Benchmark

### **SEEM Disaggregation SEEM Analog/Benchmark** Resale Business Retail Business Resale Design Retail Design Resale PBX ...... Retail PBX Resale Centrex Retail Centrex Resale ISDN Retail ISDN LNP (Standalone) Retail Residence and Business (POTS) INP (Standalone) Retail Residence and Business (POTS) Switch-Based Orders) Switch-Based Orders) Switch-Based Orders) Dispatch In..... - Dispatch In Switch Based....- Switch Based UNE xDSL (HDSL, ADSL and UCL) Without Conditioning ..... - <= 5 Days With Conditioning..... - <= 12 Days With Conditioning ......<= 12 Days With Conditioning ......<= 12 Days UNE Other Design Retail Design



# P-4A: Average Order Completion and Completion Notice Interval (AOCCNI) Distribution

(Deleted)



### P-5: Average Completion Notice Interval

### **Definitions**

The Completion Notice Interval is the elapsed time between the BellSouth reported completion of work and the issuance of a valid completion notice to the CLEC.

### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders (Exception: "D" orders associated with LNP Standalone)

### **Business Rules**

Measurement on interval of completion date and time entered by a field technician on dispatched orders, and 5PM start time on the due date for non-dispatched orders; to the release of a notice to the CLEC/BellSouth of the completion status. The field technician notifies the CLEC the work was complete and then he/she enters the completion time stamp information in his/her computer. This information switches through to the SOCS systems either completing the order or rejecting the order to the Work Management Center (WMC). If the completion is rejected, it is manually corrected and then completed by the WMC. The notice is returned on each individual order.

The start time for all orders is the completion stamp either by the field technician or the 5PM due date stamp; the end time for mechanized orders is the time stamp the notice was delivered to the CLEC interface (LENS, EDI, OR TAG). For non-mechanized orders-the end time will be date and timestamp of order update from the FAX record via LON or C-SOTS system. For the retail analog, the start time is when the technician completes the order and the end time is when the order status is changed to complete in SOCS.

### Calculation

### **Completion Notice Interval** = (a - b)

- a = Date and Time of Notice of Completion
- b = Date and Time of Work Completion

### Average Completion Notice Interval = c / d

- c = Sum of all Completion Notice Intervals
- d = Number of Orders with Notice of Completion in Reporting Period

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- · BellSouth Aggregate
- Mechanized Orders
- · Non-Mechanized Orders
- Dispatch/Non-Dispatch
- Reporting intervals in Hours; 0.1 <= 2. > 2 <= 4. > 4 <= 8. > 8 <= 12. > 12 <= 24. > 24 plus Overall Average Hour Interval
- Reported in categories of <10 line / circuits; >= 10 line/circuits (except trunks)
- · Geographic Scope
  - State
  - Region

# P-5: Average Completion Notice Interva

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- CLEC Order Number (so\_nbr)
- Work Completion Date (cmpltn\_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

### Relating to BellSouth Performance

- Report Month
- BellSouth Order Number (so\_nbr)
- Work Completion Date (cmpltn\_dt)
- Work Completion Time
- Completion Notice Availability Date
- Completion Notice Availability Time
- Service Type
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation **SQM Analog/Benchmark** Resale Residence Retail Residence Resale Design Retail Design Switch-Based Orders) Switch-Based Orders Switch-Based Orders Dispatch In - Dispatch In Switch Based --- Switch Based



•	UNE ISDN (Includes UDC)	. Retail ISDN - BRI
•	UNE Line Sharing	. ADSL Provided to Retail
	Local Transport (Unbundled Interoffice Transport)	
•	Local Interconnection Trunks	. Parity with Retail
•	UNE Line Splitting	. ADSL to Retail
	UNE Other Design	
	UNE Other Non-Design	
•	EELs	. Retail DS1/DS3

### **SEEM Measure**

SEEM Tier I Tier II

### **SEEM Disaggregation - Analog/Benchmark**

# SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



(A) BELLSOUTH®

### P-6: % Completions/Attempts without Notice or < 24 hours Notice

### **Definition**

The purpose of this measure is to report if BellSouth is returning a FOC to the CLEC in time for the CLEC to notify their customer of the scheduled date.

### **Exclusions**

- · Canceled Orders
- **Expedited Orders**
- "0" dated orders or any request where the subscriber requested an earlier due date of < 24 hours prior to the original commitment date, or any LSR received < 24 hours prior to the original commitment date.

### **Business Rules**

### For CLEC Results:

Calculation would exclude any successful or unsuccessful service delivery where the CLEC was informed at least 24 hours in advance. BellSouth may also exclude from calculation any LSRs received from the requesting CLEC with less than 24 hour notice prior to the commitment date.

### Calculation

### Percent Completions or Attempts without Notice or with Less Than 24 Hours Notice = (a / b) X 100

- a = Completion Dispatches (Successful and Unsuccessful) With No FOC or FOC Received < 24 Hours of Original Committed Due Date
- b = All Completions

### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- Dispatch /Non-Dispatch
- Total Orders FOC < 24 Hours
- Total Completed Service Orders
- % FOC < 24 Hours
- Geographic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- Committed Due Date (DD)
- FOC End Timestamp
- Report Month
- CLEC Order Number and PON

### **Relating to BellSouth Performance**

· Not Applicable



### **SQM Disaggregation - Analog/Benchmark**

### **SQM Level of Disaggregation**

### **SQM Analog/Benchmark**

- Resale Residence ......<= 5%
- Resale Business
- Resale Design
- Resale PBX
- Resale Centrex
- Resale ISDN
- LNP (Standalone)
- INP (Standalone)
- 2W Analog Loop Design
- 2W Analog Loop Non-Design
- 2W Analog Loop Design with LNP
- 2W Analog Loop Non-Design with LNP
- 2W Analog Loop Design with INP
- 2W Analog Loop Non-Design with INP
- UNE Digital Loop < DS1</li>
- UNE Digital Loop >= DS1
- UNE Loop + Port Combinations
  - Dispatch In
  - Switch Based
- UNE Switch Ports
- UNE Combo Other
- UNE xDSL (HDSL, ADSL and UCL)
- UNE ISDN (Includes UDC)
- UNE Line Sharing
- UNE Line Splitting
- Local Transport (Unbundled Interoffice Transport)
- Local Interconnection Trunks
- EELS

### **SEEM Measure**

SEEM	Tier I	Tier I
No		

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**



### P-7: Coordinated Customer Conversions Interval

### **Definition**

This report measures the average time it takes BellSouth to disconnect an unbundled loop from the BellSouth switch and cross connect it to CLEC equipment. This measurement applies to service orders with INP and LNP, and where the CLEC has requested BellSouth to provide a coordinated cutover.

### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays due to CLEC following disconnection of the unbundled loop
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.

### **Business Rules**

Where the service order includes LNP, the interval includes the total time for the cutover including the translation time to place the line back in service on the ported line. When the service order includes INP, the interval includes the total time for the cutover including the translation time to place the link back in service on the ported line. The interval is calculated for the entire cutover time for the service order and then divided by items worked in that time to give the average per-item interval for each service order.

### Calculation

### **Coordinated Customer Conversions Interval** = (a - b)

- a = Completion Date and Time for Cross Connection of a Coordinated Unbundled Loop
- b = Disconnection Date and Time of an Coordinated Unbundled Loop

### **Percent Coordinated Customer Conversions** (for each interval) = (c / d) X 100

- c = Total number of Coordinated Customer Conversions for each interval
- d = Total Number of Unbundled Loop with Coordinated Conversions (items) for the reporting period

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- The interval breakout is 0.5 = 0 <= 5, 5.15 = 55 <= 15, >= 15 = 15 and greater, plus Overall Average Interval
- Geographic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- CLEC Order Number
- Committed Due Date (DD)
- Service Type (CLASS\_SVC\_DESC)
- Cutover Start Time
- Cutover Completion time
- Portability Start and Completion Times (INP orders)
- Total Conversions (Items)

**Note:** Code in parentheses is the corresponding header found in the raw data file.



### **Relating to BellSouth Performance**

• No BellSouth Analog Exists

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

### **SQM Analog/Benchmark**

### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**



# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interval

### **Definition**

This category measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. It measures the percentage of orders where the cut begins within 15 minutes of the requested start time of the order and the average interval.

### **Exclusions**

- Any order canceled by the CLEC will be excluded from this measurement.
- Delays caused by the CLEC
- Unbundled Loops where there is no existing subscriber loop and loops where coordination is not requested.
- All unbundled loops on multiple loop orders after the first loop
- · Test Orders

### **Business Rules**

This report measures whether BellSouth begins the cutover of an unbundled loop on a coordinated and/or a time specific order at the CLEC requested start time. The cut is considered on time if it starts 15 minutes before or after the requested start time. Using the scheduled time and the actual cutover start time, the measurement will calculate the percent within interval and the average interval. If a cut involves multiple lines, the cut will be considered "on time" if the first line is cut within the interval. <= 15 minutes includes intervals that began 15:00 minutes or less before the scheduled cut time and cuts that began 15 minutes or less after the scheduled cut time; >15 minutes, <= 30 minutes includes cuts within 15:00 – 30:00 minutes either prior to or after the scheduled cut time; >30 minutes includes cuts greater than 30:00 minutes either prior to or after the scheduled cut time. If IDLC is involved, a four hour window applies to the start time. (8 A.M. to Noon or 1 P.M. to 5 P.M.) This only applies if BellSouth notifies the CLEC by 10:30 A.M. on the day before the due date that the service is on IDLC.

### Calculation

% within Interval = (a / b) X 100

- a = Total Number of Coordinated Unbundled Loop Orders for the interval
- b = Total Number of Coordinated Unbundled Loop Orders for the reporting period

Interval = (c - d)

- c = Scheduled Time for Cross Connection of a Coordinated Unbundled Loop Order
- d = Actual Start Date and Time of a Coordinated Unbundled Loop Order

Average Interval = (e / f)

- · Sum of all Intervals
- Total Number of Coordinated Unbundled Loop Orders for the reporting period.

# P-7A: Coordinated Customer Conversions – Hot Cut Timeliness % within Interval and Average Interva

### **Report Structure**

- CLEC Specific
- CLEC Aggregate

Reported in intervals of early, on time and late cuts % <= 15 minutes; % >15 minutes, <= 30 minutes; % >30 minutes, plus Overall Average Interval

- Geographic Scope
  - State
  - Region
- Percentages are reported in intervals of early, on time and late cuts for IDLC and non-IDLC cuts

```
On Time (Non-IDLC)
```

<= 15 minutes

Note: This is a 30-minute bucket representing a cut that begins 15 minutes or less before or after the scheduled start time.

### Early (Non-IDLC)

```
>15 minutes - <= 30 minutes
```

>30 minutes - <=60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

<= 240 minutes

### Late (Non-IDLC)

>15 minutes - <= 30 minutes

>30 minutes - <=60 minutes

>60 minutes - <= 120 minutes

>120 minutes - <= 180 minutes

>180 minutes - <= 240 minutes

>240 minutes

Overall Average Interval for non-IDLC

### On Time (IDLC)

 $\leq 2$  hours

Note: This is a 4-hour bucket representing a cut involving IDLC that begins 2 hours or less before or after the scheduled start time

Early (IDLC)

>2 hours

Late (IDLC)

>2 hours

Overall Average Interval for IDLC

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- CLEC Order Number (so\_nbr)
- Committed Due Date (DD)
- Service Type (CLASS\_SVC\_DESC)
- Cutover Scheduled Start Time
- Cutover Actual Start Time
- **Total Conversions Orders**

**Note:** Code in parentheses is the corresponding header found in the raw data file.



### **Relating to BellSouth Performance**

• No BellSouth Analog exists

### **SQM Disaggregation - Analog/Benchmark**

### **SQM Level of Disaggregation**

### SQM Analog/Benchmark

- - SL1 Time Specific
  - SL1 Non-Time Specific
  - SL2 Time Specific
  - SL2 Non-Time Specific

  - SL2 IDLC

### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

- SL1 IDLC
- SL1 Non-Time Specific
- SL2 Time Specific
- SL2 IDLC



### P-7B: Coordinated Customer Conversions – Average Recovery Time

### **Definition**

Measures the time between notification and resolution by BellSouth of a service outage found that can be isolated to the BellSouth side of the network. The time between notification and resolution by BellSouth must be measured to ensure that CLEC customers do not experience unjustifiable lengthy service outages during a Coordinated Customer Conversion. This report measures outages associated with Coordinated Customer Conversions prior to service order completion.

### **Exclusions**

- · Cutovers where service outages are due to CLEC caused reasons when the CLEC agrees
- · Cutovers where service outages are due to end-user caused reasons when the CLEC agrees
- · Test Orders

### **Business Rules**

Measures the outage duration time related to Coordinated Customer Conversions from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The duration time is defined as the time from the initial trouble notification until the trouble has been restored and the CLEC has been notified. The interval is calculated on the total outage time for the circuits divided by the total number of outages restored during the report period to give the average outage duration.

### Calculation

**Recovery Time** = (a - b)

- a = Date and Time That Trouble is Closed by CLEC
- b = Date and Time Initial Trouble is Opened with BellSouth

### Average Recovery Time = (c / d)

- c = Sum of all the Recovery Times per circuit
- d = Number of Troubles per circuit Referred to BellSouth

### Report Structure

- · CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State
  - Region

### **Data Retained**

### Relating to CLEC Experience

- Report Month
- CLEC Company Name
- CLEC Order Number (so\_nbr)
- Committed Due Date (DD)
- Service Type (CLASS\_SVC\_DESC)
- CLEC Acceptance Conflict (CLEC\_CONFLICT)
- CLEC Conflict Resolved (CLEC\_CON\_RES)
- CLEC Conflict MFC (CLEC\_CONFLICT\_MFC)



• Total Conversion Orders

Note: Code in parentheses is the corresponding header found in the raw data file.

#### **Relating to BellSouth Performance**

• None

# **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### SQM Analog/Benchmark

- Unbundled Loops with INP....<= 5 Hours
- Unbundled Loops with LNP.....<= 5 Hours

#### **SEEM Measure**

SEEM	Tier I	Tier II
No		

# **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**



# P-7C: Hot Cut Conversions - % Provisioning Troubles Received within 7 Days of a Completed Service Order

#### **Definition**

The Percent Provisioning Troubles received within 7 days of a completed service order associated with a Hot Cut Conversion (CCC) measures the quality and accuracy of Coordinated Customer Conversion Activities.

#### **Exclusions**

- Any order cancelled by the CLEC
- · Troubles caused by Customer Provided Equipment
- Test Orders

#### **Business Rules**

Measures the quality and accuracy of completed service orders associated with Coordinated and Non-coordinated Customer Conversions. The first trouble report received on a circuit ID within 7 days following a service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed Coordinated Customer Conversion service orders and following 7 days after the completion of the service order for a trouble report issue date.

#### Calculation

% Provisioning Troubles within 7 days of service order completion = (a / b) X 100

- a = The sum of all CCC Circuits with a trouble within 7 days following service order(s) completion
- b = The total number of CCC service order circuits completed in the previous report calendar month

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
  - State
  - Region

#### **Data Retained**

#### Relating to CLEC Experience

- Report Month
- CLEC Order Number (so\_nbr)
- PON
- Order Submission Date (TICKET\_ID)
- Order Submission Time (TICKET\_ID)
- Status Type
- Status Notice Date
- · Standard Order Activity
- Geographic Scope
- Total Conversion Circuits

Note: Code in parentheses is the corresponding header found in the raw data file.



#### **Relating to BellSouth Performance**

• No BellSouth Analog exists

# **SQM Disaggregation - Analog/Benchmark**

#### 

# **SEEM Disaggregation - Analog/Benchmark**

#### 



# P-8: Cooperative Acceptance Testing - % of xDSL Loops Successfully Passing Cooperative Testing

#### **Definition**

A loop will be considered successfully cooperatively tested when both the CLEC and BellSouth representatives agree that the loop meets the technical specifications set forth in TR 73600.

#### **Exclusions**

- Testing failures due to CLEC (incorrect contact number, CLEC not ready, etc.)
- xDSL lines with no request for cooperative testing
- · Test Orders

#### **Business Rules**

When a BellSouth technician finishes delivering an order for an xDSL loop where the CLEC order calls for cooperative testing at the customer's premise, the BellSouth technician is to call a toll free number to the CLEC testing center. The BellSouth technician and the CLEC representative at the center then test the line. As an example of the type of testing performed, the testing center may ask the technician to put a short on the line so that the center can run a test to see if it can identify the short. CLEC caused failures will be captured in the raw data files.

#### Calculation

Cooperative Acceptance Testing - % of xDSL Loops Successfully Tested = (a / b) X 100

- a = Total number of successful xDSL cooperative tests for xDSL lines where cooperative testing was requested in the reporting period
- b = Total Number of xDSL line tests requested by the CLEC and scheduled in the reporting period

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- Type of Loop Tested
- · Geographic Scope
  - State
  - Region

#### **Data Retained**

#### **Relating to CLEC Experience**

- Report Month
- CLEC Company Name (OCN)
- CLEC Order Number (so\_nbr) and PON (PON)
- Committed Due Date (DD)
- Service Type (CLASS\_SVC\_DESC)
- Acceptance Testing Completed (ACCEPT\_TESTING)
- Acceptance Testing Declined (ACCEPT\_TESTING)
- Total xDSL Orders
- Missed Appointments Code (SO\_MISSED\_CMMT\_CD)

Note: Code in parentheses is the corresponding header found in the raw data file.



#### **Relating to BellSouth Performance**

• No BellSouth Analog Exists

# **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### SQM Analog/Benchmark

- UNE xDSL 95% of Lines Successfully Tested
  - ADSL
  - HDSL
  - UCL
  - OTHER

#### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

# **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

- UNE xDSL 95% of Lines Successfully Tested
  - ADSL
  - HDSL
  - UCL
  - Other



# P-9: % Provisioning Troubles within 30 Days of Service Order Completion

#### **Definition**

Percent Provisioning Troubles within 30 days of Service Order Completion measures the quality and accuracy of Service order activities.

#### **Exclusions**

- · Cancelled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) Test order types may be C, N, R, or T.
- D & F orders
- Trouble reports caused and closed out to Customer Provided Equipment (CPE)

#### **Business Rules**

Measures the quality and accuracy of completed orders. The first trouble report received after service order completion is counted in this measure. Subsequent trouble reports are measured in Repeat Report Rate. Reports are calculated searching in the prior report period for completed service orders and following 30 days after completion of the service order for a trouble report issue date.

D & F orders are excluded as there is no subsequent activity following a disconnect.

Note: Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

#### % Provisioning Troubles within 30 days of Service Order Activity = (a / b) X 100

- a = Trouble reports on all completed orders within 30 days following service order(s) completion
- b = All Service Orders completed in the previous report calendar month

#### **Report Structure**

- · CLEC Specific
- · CLEC Aggregate
- BellSouth Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits (except trunks)
- Dispatch /Non-Dispatch (except trunks)
- Geographic Scope
  - State
  - Region

# **Data Retained**

#### Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Order Submission Date (TICKET\_ID)
- Order Submission Time (TICKET\_ID)
- Status Type
- Status Notice Date



- Standard Order Activity
- Geographic Scope

Note: Code in parentheses is the corresponding header found in the raw data file.

#### **Relating to BellSouth Performance**

- Report Month
- BellSouth Order Number
- Order Submission Date
- Order Submission Time
- Status Type
- Status Notice Date
- Standard Order Activity
- Geographic Scope

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	
Resale ISDN	Retail ISDN
LNP (Standalone)	Retail Residence and Business (POTS)
INP (Standalone)	Retail Residence and Business (POTS)
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non-Design	Retail Residence and Business - (POTS Excluding
	Switch-Based Orders)
2W Analog Loop with LNP Design	Retail Residence and Business Dispatch
2W Analog Loop with LNP Non-Design	
	Switch-Based Orders)
2W Analog Loop with INP Design	Retail Residence and Business Dispatch
2W Analog Loop with INP Non-Design	Retail Residence and Business (POTS - Excluding
	Switch-Based Orders)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	Retail ISDN BRI
UNE Line Sharing	
UNE Loop + Port Combinations	Retail Residence and Business
- Dispatch In	
- Switch-Based	
UNE Switch Ports	
UNE Combo Other	
	(Including Dispatch Out and Dispatch In)
Local Transport (Unbundled Interoffice Transport)	
UNE Other Non-Design	
UNE Other Design	
Local Interconnection Trunks  INTERIOR OF TWEE	•
UNE Line Splitting	
• EELs	Retail DS1/DS3

# P-9: % Provisioning Troubles within 30 Days of Service Order Completion

# **SEEM Measure**

**SEEM** Tier I Tier II Yes ..... X ..... X

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
LNP (Standalone)	
INP (Standalone)	
2W Analog Loop Design	
2W Analog Loop Non-Design	
	Switch-Based Orders)
2W Analog Loop with LNP Design	
2W Analog Loop with LNP Non-Design	
	Switch-Based Orders)
2W Analog Loop with INP Design	
2W Analog Loop with INP Non-Design	
	Switch-Based Orders)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	
- Dispatch In	
- Switch-Based  • UNE Switch Ports	
UNE Combo Other	` ,
• UNE COMBO Other	(Including Dispatch Out and Dispatch In)
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN (Includes UDC)	
UNE Line Sharing	
Local Transport (Unbundled Interoffice Transport)	
Local Interconnection Trunks	Parity with Retail
UNE Line Splitting	
UNE Other Non-Design	
UNE Other Design	
• EELs	



P-10: Total Service Order Cycle Time (TSOCT) (Deleted)



# P-11: Service Order Accuracy

#### **Definition**

The "service order accuracy" measurement measures the accuracy and completeness of BellSouth service orders by comparing what was ordered and what was completed.

#### **Exclusions**

- Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.)
- D & F orders

#### **Business Rules**

A statistically valid sample of service orders, completed during a monthly reporting period, is compared to the original account profile and the order that the CLEC sent to BellSouth. An order is "completed without error" if all service attributes and account detail changes (as determined by comparing the original order) completely and accurately reflect the activity specified on the original order and any supplemental CLEC order. For both small and large sample sizes, when a Service Request cannot be matched with a corresponding Service Order, it will not be counted. For small sample sizes an effort will be made to replace the service request.

Service Order Accuracy Sampling Process: A list of all orders completed in the report month is generated. The orders are then listed by the disaggregations specified in the SQM. For each disaggregation, the quantity of completed orders and the error rate for each disaggregation from the previous month are entered into a "Stratified Random Sampling for Proportions" formula. This formula determines the number of orders that are to be reviewed for each disaggregation. Once the sample size for each disaggregation is determined, the specified quantity of orders for each disaggregation are pulled for review.

#### Calculation

Percent Service Order Accuracy = (a / b) X 100

- a = Orders Completed without Error
- b = Orders Completed in Reporting Period

#### **Report Structure**

- CLEC Aggregate
- Reported in categories of <10 line/circuits; >= 10 line/circuits
- · Dispatch/Non-Dispatch

#### **Data Retained**

#### Relating to CLEC Experience

- Report Month
- CLEC Order Number and PON
- Local Service Request (LSR)
- Order Submission Date
- Committed Due Date
- Service Type
- · Standard Order Activity



#### **Relating to BellSouth Performance**

• No BellSouth Analog Exist

# **SQM Disaggregation - Analog/Benchmark**

# **SQM** Level of Disaggregation

#### **SQM Analog/Benchmark**

- · Resale Business
- Resale Design (Specials)
- UNE Specials (Design)
- UNE (Non-Design)
- Local Interconnection Trunks

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes		X

# **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**

•	Resale	95%
•	UNE	95%
•	UNE-P	95%

**Note:** This measure to be replaced when P-11A is implemented.



<u>Note</u>: This measure becomes effective with September 2003 service orders. The Service Order Accuracy measure as defined in the previous SQM will be effective prior to that time.

# P-11A: Service Order Accuracy

#### **Definition**

The Service Order Accuracy measurement measures the accuracy and completeness of CLEC requests for service by comparing the CLEC Local Service Request (LSR) to the completed service order after provisioning has been completed. Only electronically submitted LSRs that require manual handling by a BellSouth service representative in the LCSC are measured.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, orders using test OCNs, which may be coded C, N, R or T etc.)
- Disconnect Orders
- CLEC LSRs submitted manually (FAX or Courier)
- CLEC LSRs submitted electronically that are not manually handled by BellSouth (Flow Through)

#### **Business Rules**

Only CLEC LSRs submitted electronically that fall out of the electronic system for manual processing (partially mechanized) by a BellSouth representative and the resulting service orders are selected for this measure. The CLEC requested services on the LSR are compared to the completed service order using the CLEC-Affecting Service Attributes shown below.

#### **Selected CLEC-Affecting Service Attributes**

The BellSouth Local Service Request (LSR) fields identified below will be used, as applicable, for this Service Order Accuracy review process.

#### **BellSouth LSR Fields**

The fields listed below would only be captured as a miss when they are service affecting. For the purpose of the Service Order Accuracy measure, if any of the fields listed below are populated on the LSR and do not match the corresponding field on the Service Order, but this mismatch does not affect the correct provisioning of the Service Order, the field is not considered to be service affecting and therefore will not be included as a miss in this measure. An example would be LCSC/System workarounds, which will be identified in a document posted on the Interconnection website. CLECs may discuss any of the posted LCSC/System Workarounds during the regular PMAP notification calls.

- Company Code
- PON
- Billed Telephone Number
- Telephone Number
- Ported Telephone Number
- Circuit ID
- PIC
- LPIC
- Directory Listing
  - Directory Delivery Address
  - Listing Activity
  - Alphanumeric Listing Identifier Code
  - Record Type



- Listing Type
- Listed Telephone Number
- Listed Name, Last Name
- Listed Name, First Name
- Address Indicator
- Listed Address House Number
- Listed Address House Number Suffix
- Listed Address Street Directional
- Listed Address Street Name
- Listed Address Thoroughfare
- Listed Address Street Suffix
- Listed Address Locality
- Yellow Pages Heading
- Features
  - Feature Activity
  - Feature Codes
  - Feature Detail\*
- Hunting
  - Hunt Group Activity
  - Hunt Group Identifier
  - Telephone Number Identifier
  - Hunt Type Code
  - Hunt Line Activity
  - Hunting Sequence
  - Number Type
  - Hunting Telephone Number
- E911 Listing
  - Service Address House Number
  - Service Address House Number Suffix
  - Service Address Street Directional
  - Service Address Street Name
  - Service Address Thoroughfare
  - Service Address Street Suffix
  - Service Address Descriptive Location
- EATN
- ATN
- APOT
- CFA
- NC
- NCI

### Calculation

#### Percent Service Order Accuracy = (a / b) X 100

- a = Applicable Orders Completed without Error
- b = Applicable Orders Completed in Reporting Period

#### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - Region

<sup>\*</sup> Feature Detail will only be checked for the following USOCs: GCE, GCJ, CREX4, GCJRC, GCZ, DRS, VMSAX, S98VM, S98AF, SMBBX, MBBRX. USOCs and FIDs for Feature Detail will be posted on the Interconnection Website. Any changes to the USOCs and FIDs required to continue checking the identical service will be updated on this Website.



#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- CLEC Order Number (PON)
- Local Service Request (LSR) Number
- BellSouth Service Order Number
- BellSouth Service Order Completion Date
- Service Type (Resale, UNE, UNE-P)
- Standard Order Activity

#### **Relating to BellSouth Performance**

• No BellSouth Analog Exists

# **SQM Disaggregation – Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### SQM Analog/Benchmark

•	Resale	95%	Accurate
•	UNE	95%	Accurate
•	UNE-P	95%	Accurate

#### **SEEM Measure**

SEEM	Tier I	Tier II	Tier III
Yes	X	X	

# **SEEM Disaggregation - Analog/Benchmark**

#### **SEEM Disaggregation**

#### **SEEM Analog/Benchmark**

•	Resale
•	UNE
•	UNE-P



# P-12: LNP-Average Disconnect Timeliness Interval & Disconnect Timeliness Interval Distribution

(Deleted)



# P-13B: LNP - Percent Out of Service < 60 Minutes

#### **Definition**

The Number of LNP related conversions where the time required to facilitate the activation of the port in BellSouth's network is less than 60 minutes, expressed as a percentage of total number of activations that took place.

#### **Exclusions**

- · CLEC-caused errors
- · NPAC caused errors unless caused by BellSouth
- Standalone LNP orders with more than 500 number activations

#### **Business Rules**

The Start time is the Receipt of the NPAC broadcast activation message in BellSouth's LSMS. The End time is when the Provisioning event is successfully completed in BellSouth's network as reflected in BellSouth's LSMS. Count the number of activations that took place in less than 60 minutes.

#### Calculation

#### **Percent Out of Service < 60 Minutes** = $(a/b) \times 100$

- a = Number of activations provisioned in less than 60 minutes
- b = Total LNP activations

#### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- · Geographic Scope
  - State
  - Region

# **Data Retained**

#### Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

#### **Relating to BellSouth Performance**

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

# **SQM Disaggregation – Analog/Benchmark**

#### **SQM** Level of Disaggregation

#### **SQM Analog/Benchmark**

P-13B: LNP - Percent Out of Service < 60 Minutes

**SEEM Measure** 

**SEEM** Tier II Tier III Tier I Yes ...... X ...... X ......

**SEEM Disaggregation - Analog/Benchmark** 

**SEEM Disaggregation SEEM Analog/Benchmark** 



# P-13C: LNP – Percentage of Time BellSouth Applies the 10-Digit Trigger Prior to the LNP Order Due Date

#### Definition

Percentage of time BellSouth applies 10-digit trigger for LNP TNs prior to the due date.

#### **Exclusions**

Excludes CLEC or Customer caused misses or delays.

#### **Business Rules**

Obtain number of LNP TNs where the 10-digit trigger was applicable prior to due date, and the total number of LNP TNs where the 10-digit trigger was applicable.

#### Calculation

#### **Percentage of 10-Digit Applications** = $(a/b) \times 100$

- a = Count of LNP TNs for which 10-digit trigger was applied prior to due date
- b = Total LNP TNs for which 10-digit triggers were applicable

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- Geographic Scope
  - State
  - Region

# **Data Retained**

#### Relating to CLEC Experience

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Date/Time of Recent Change Notice

#### Relating to BellSouth Performance

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

#### SQM Disaggregation - Analog/Benchmark

#### **SQM Level of Disaggregation**

#### SQM Analog/Benchmark

• LNP (Standalone) ...... Benchmark: 95%



**SEEM Measure** 

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

**SEEM Disaggregation** 

**SEEM Analog/Benchmark** 



# P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)

#### **Definition**

Disconnect Timeliness is defined as the interval between the time ESI Number Manager receives the valid 'Number Ported' message from NPAC (signifying the CLEC 'Activate') until the time the Disconnect is completed in the Central Office switch. This interval effectively measures BellSouth responsiveness by isolating it from impacts that are caused by CLEC related activities.

#### **Exclusions**

- · Canceled Service Orders
- Order Activities of BellSouth or the CLEC associated with internal or administrative use of local services (Record Orders, Listing Orders, Test Orders, etc.) where identifiable. Order types may be C, N, R, or T.
- CLEC-caused errors
- NPAC-caused errors, unless caused by BellSouth
- Incomplete Ports where only a subset of activate messages have been received compared with the LSR and create messages.
- Orders which are candidates for 10 digit triggers, except those that did not receive 10 digit triggers prior to the port out date.
- LSRs where the CLEC did not contact BST within 30 minutes after Activate Message.

#### **Business Rules**

The Disconnect Timeliness interval is determined for each telephone number ported associated with a disconnect service order processed on an LSR during the reporting period. The Disconnect Timeliness interval is the elapsed time from when BellSouth receives a valid 'Number Ported' message in ESI Number Manager (signifying the CLEC 'Activate') for each telephone number ported until each number on the service order is disconnected in the Central Office switch. Elapsed time for each ported number is accumulated for each reporting dimension. The accumulated time for each reporting dimension is then divided by the total number of selected telephone numbers disconnected in the reporting period. Non-Business hours will be excluded from the duration calculation for unscheduled after hours LNP ports. This will yield a benchmark equivalent to by 12:00 noon the next business day thus, keeping the benchmark at 4 hours.

#### Calculation

#### **Disconnect Timeliness Interval** = (a - b)

- a = Completion Date and Time in Central Office switch for each number on disconnect order
- b = Valid 'Number Ported' message received date and time

#### Average Disconnect Timeliness Interval = (c / d)

- c = Sum of all Disconnect Timeliness Intervals
- d = Total Number of disconnected numbers completed in reporting period

#### Report Structure

- CLEC Specific
- CLEC Aggregate
- · Geographic Scope
  - State
  - Region

P-13D: LNP - Average Disconnect Timeliness Interval (Non-Trigger)



**Tennessee Performance Metrics** 

#### **Data Retained**

#### **Relating to CLEC Experience**

- Order Number
- Telephone Number/Circuit Number
- Committed Due Date
- Receipt Date/Time (ESI Number Manager)
- Date/Time of Recent Change Notice

#### **Relating to BellSouth Performance**

- SOCS Completion Date and Time Stamp
- CLEC Activate Message

# **SQM Disaggregation – Analog/Benchmark**

#### **SQM Level of Disaggregation**

#### **SQM Analog/Benchmark**

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

# **SEEM Disaggregation - Analog/Benchmark**

- LNP (Normal Working Hours and Approved After Hours)........95% < = 4 Hours



# **Section 4: Maintenance & Repair**

# **M&R-1: Missed Repair Appointments**

#### **Definition**

The percent of customer trouble reports not cleared by the committed date and time.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request
- BellSouth trouble reports associated with internal or administrative service
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble

#### **Business Rules**

The negotiated commitment date and time is established when the repair report is received. The cleared time is the date and time that BellSouth personnel clear the trouble and closes the trouble report in his/her Computer Access Terminal (CAT) or workstation. If this is after the Commitment time, the report is flagged as a "Missed Commitment" or a missed repair appointment. When the data for this measure is collected for BellSouth and a CLEC, it can be used to compare the percentage of the time repair appointments are missed due to BellSouth reasons. (No access reports are not part of this measure because they are not a missed appointment.)

**Note**: Appointment intervals vary with force availability in the POTS environment. Specials and Trunk intervals are standard interval appointments of no greater than 24 hours. Standalone LNP historical data is not available in the maintenance systems (LMOS or WFA).

#### Calculation

**Percentage of Missed Repair Appointments** = (a / b) X 100

- a = Count of Customer Troubles Not Cleared by the Quoted Commitment Date and Time
- b = Total Customer Trouble reports closed in Reporting Period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State
  - Region



#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- CLEC Company Name
- Submission Date and Time (TICKET\_ID)
- Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- Disposition and Cause (CAUSE\_CD & CAUSE\_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

#### **Relating to BellSouth Performance**

- · Report Month
- BellSouth Company Code
- Submission Date and Time
- Completion Date
- · Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	
2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	
UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
UNE ISDN	Retail ISDN – BRI
UNE Line Sharing	ADSL provided to Retail
UNE Other Design	
UNE Other Non-Design	
Local Interconnection Trunks	
<ul> <li>Local Transport (Unbundled Interoffice Transport)</li> </ul>	Retail DS1/DS3 Interoffice

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X



# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence & Business
UNE Switch ports	
UNE Combo Other	
UNE xDSL (HDSL, ADSL and UCL)	
UNE ISDN	
UNE Line Sharing	ADSL Provided to Retail
UNE Other Design	
UNE Other Non-Design	Retail Residence and Business
Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
Local Interconnection Trunks	Parity with Retail



# **M&R-2: Customer Trouble Report Rate**

#### **Definition**

Initial and repeated customer direct or referred customer troubles reported within a calendar month per 100 lines/circuits in service.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

Customer Trouble Report Rate is computed by accumulating the number of maintenance initial and repeated trouble reports during the reporting period. The resulting number of trouble reports are divided by the total "number of service" lines, ports or combination that exist for the CLECs and BellSouth respectively at the end of the report month.

#### Calculation

**Customer Trouble Report Rate** = (a / b) X 100

- a = Count of Initial and Repeated Customer Trouble Reports closed in the Current Period
- b = Number of Service Access Lines in service at End of the Report Period

#### Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Dispatch/Non-Dispatch
- Geographic Scope
  - State
  - Region

# **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- CLEC Company Name
- Ticket Submission Date and Time (TICKET\_ID)
- Ticket Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- Disposition and Cause (CAUSE\_CD & CAUSE\_DESC)
- · # Service Access Lines in Service at the end of period

Note: Code in parentheses is the corresponding header found in the raw data file.



#### **Relating to BellSouth Performance**

- Report Month
- BellSouth Company Code
- Ticket Submission Date and Time
- Ticket Completion Date
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)
- # Service Access Lines in Service at the end of period

# **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation** SQM Analog/Benchmark Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design ....... Retail Design

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

#### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	
UNE Digital Loop > DS1	
UNE Loop + Port Combinations	
UNE Switch Ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch



•	UNE xDSL (HDSL, ADSL and UCL)	. ADSL Provided to Retail
•	UNE ISDN	. Retail ISDN – BRI
•	UNE Line Sharing	. ADSL Provided to Retail
•	UNE Other Design	. Retail Design
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	



# M&R-3: Maintenance Average Duration

#### **Definition**

The Average duration of Customer Trouble Reports from the receipt of the Customer Trouble Report to the time the trouble report is cleared.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

For Average Duration the clock starts on the date and time of the receipt of the correct report information, i.e. correct telephone number, correct circuit identification, trouble description, etc. for the repair request. The clock stops on the date and time the service is restored and the BellSouth or CLEC customer is notified (when the technician completes the trouble ticket on his/her CAT or work systems).

#### Calculation

#### **Maintenance Duration** = (a - b)

- a = Date and Time of Service Restoration
- b = Date and Time Customer Trouble Ticket was Opened

#### Average Maintenance Duration = (c / d)

- c = Total of all maintenance durations in the reporting period
- d = Total Closed Customer Troubles in the reporting period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State
  - Region

#### **Data Retained**

#### **Relating to CLEC Experience**

- · Report Month
- Total Tickets (LINE NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET\_ID)
- Ticket Completion Date (CMPLTN\_DT)
- Service Type (CLASS\_SVC\_DESC)
- Disposition and Cause (CAUSE\_CD & CAUSE\_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.



#### **Relating to BellSouth Performance**

- · Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total Duration Time
- · Service Type
- Disposition and Cause (Non-Design/Non-Special Only)
- Trouble Code (Design and Trunking Services)

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation** SQM Analog/Benchmark Resale PBX ...... Retail PBX Resale Centrex Retail Centrex Switch-based feature troubles) UNE Digital Loop >= DS1 ......Retail Digital Loop >= DS1 UNE Other Design Retail Design Local Interconnection Trunks......Parity with Retail

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	
2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1



•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
	UNE Loop + Port Combinations	
•	UNE Switch ports	Retail Residence and Business (POTS)
•	UNE Combo Other	Retail Residence, Business and Design Dispatch
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail



# M&R-4: Percent Repeat Troubles within 30 Days

#### **Definition**

Percent Customer Repeat Troubles within 30 Days measures the percent of customer troubles, during the current reporting period, that had at least one prior trouble ticket on the same line/circuit, anytime in the proceeding 30 calendar days from the receipt of the current trouble report.

#### **Exclusions**

- Trouble tickets canceled at the CLEC request.
- BellSouth trouble reports associated with internal or administrative service.
- Customer Provided Equipment (CPE) troubles or CLEC Equipment Trouble.

#### **Business Rules**

This measure includes Customer trouble reports on the same line/circuit, received within 30 days of an original Customer trouble report, using the 'cleared date' of the first trouble and the 'received date' of the next trouble.

#### Calculation

#### **Percent Repeat Customer Troubles within 30 Days** = (a / b) X 100

- a = Count of Customer Troubles using the 'received date' where more than one trouble report was logged for the same service line/circuit, within a continuous 30 days
- b = Count of Total Customer Trouble Reports using the 'cleared date', in the Reporting Period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State
  - Region

#### **Data Retained**

# **Relating to CLEC Experience**

- Report Month
- Total Tickets (LINE\_NBR)
- CLEC Company Name
- Ticket Submission Date and Time (TICKET\_ID)
- Ticket Completion Date (CMPLTN\_DT)
- Total and Percent Repeat Customer Trouble Reports within 30 Days (TOT\_REPEAT)
- Service Type
- Disposition and Cause (CAUSE\_CD & CAUSE\_DESC)

Note: Code in parentheses is the corresponding header found in the raw data file.

#### **Relating to BellSouth Performance**

· Report Month



- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- Ticket Submission Time
- Ticket Completion Date
- Ticket Completion Time
- Total and Percent Repeat Customer Trouble Reports within 30 Days
- Service Type
- Disposition and Cause (Non-Design /Non-Special Only)
- Trouble Code (Design and Trunking Services)

# **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation SQM Analog/Benchmark** Resale PBX Retail PBX Resale Centrex Retail Centrex Switch-based feature troubles) UNE Other Design Retail Design

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

#### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	Retail Residence and Business Dispatch
2W Analog Loop Non – Design	Retail Residence and Business (POTS) (Exclusion of
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1
• UNE Digital Loop >= DS1	
UNE Loop + Port Combinations	Retail Residence and Business
UNE Switch ports	Retail Residence and Business (POTS)
UNE Combo Other	Retail Residence, Business and Design Dispatch



•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	. Retail Design
	UNE Other Non-Design	
	Local Transport (Unbundled Interoffice Transport)	
	Local Interconnection Trunks	



# M&R-5: Out of Service (OOS) > 24 Hours

#### **Definition**

For Out of Service Customer Troubles (no dial tone, cannot be called or cannot call out) the percentage of Total OOS Customer Troubles cleared in excess of 24 hours. (All design services are considered to be out of service).

#### **Exclusions**

- · Trouble Reports canceled at the CLEC request
- BellSouth Trouble Reports associated with administrative service
- Customer Provided Equipment (CPE) Troubles or CLEC Equipment Troubles.

#### **Business Rules**

Customer Trouble reports that are out of service and cleared in excess of 24 hours. The clock begins when the customer trouble report is created in LMOS/WFA and the customer trouble is counted if the elapsed time exceeds 24 hours.

#### Calculation

Out of Service (OOS) > 24 hours =  $(a / b) \times 100$ 

- a = Total Cleared Customer Troubles OOS > 24 Hours
- b = Total OOS Customer Troubles in Reporting Period

#### **Report Structure**

- Dispatch/Non-Dispatch
- CLEC Specific
- BellSouth Aggregate
- CLEC Aggregate
- · Geographic Scope
  - State
  - Region

#### **Data Retained**

#### **Relating to CLEC Experience**

- Report Month
- Total Tickets
- CLEC Company Name
- Ticket Submission Date and Time (TICKET\_ID)
- Ticket Completion Date (CMPLTN\_DT
- Percentage of Customer Troubles out of Service > 24 Hours (OOS>24\_FLAG)
- Service type (CLASS\_SVC\_DESC)
- Disposition and Cause (CAUSE\_CD & CAUSE-DESC)

**Note:** Code in parentheses is the corresponding header found in the raw data file.



#### **Relating to BellSouth Performance**

- Report Month
- Total Tickets
- BellSouth Company Code
- Ticket Submission Date
- · Ticket Submission time
- Ticket Completion Date
- Ticket Completion Time
- Percent of Customer Troubles out of Service > 24 Hours
- Service Type
- Disposition and Cause (Non-Design/Non-Special only)
- Trouble Code (Design and Trunking Services)

#### **SQM Disaggregation - Analog/Benchmark**

#### **SQM Level of Disaggregation** SQM Analog/Benchmark Resale Residence Retail Residence Resale Design Retail Design Switch-based feature troubles) UNE Digital Loop >= DS1 ......Retail Digital Loop >= DS1 UNE Other Design Retail Design

#### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

#### SEEM Disaggregation - Analog/Benchmark

SEEM Disaggregation	SEEM Analog/Benchmark
Resale Residence	Retail Residence
Resale Business	Retail Business
Resale Design	Retail Design
Resale PBX	Retail PBX
Resale Centrex	Retail Centrex
Resale ISDN	Retail ISDN
2W Analog Loop Design	
• 2W Analog Loop Non – Design	
	Switch-based feature troubles)
UNE Digital Loop < DS1	Retail Digital Loop < DS1



•	UNE Digital Loop >= DS1	Retail Digital Loop >= DS1
•	UNE Loop + Port Combinations	Retail Residence and Business
•	UNE Switch Ports	Retail Residence and Business (POTS)
•	UNE Combo Other	Retail Residence, Business and Design Dispatch
•	UNE xDSL (HDSL, ADSL and UCL)	ADSL Provided to Retail
•	UNE ISDN	Retail ISDN – BRI
•	UNE Line Sharing	ADSL Provided to Retail
•	UNE Other Design	Retail Design
•	UNE Other Non-Design	Retail Residence and Business
•	Local Transport (Unbundled Interoffice Transport)	Retail DS1/DS3 Interoffice
•	Local Interconnection Trunks	Parity with Retail



### M&R-6: Average Answer Time – Repair Centers

### **Definition**

This report measures the average time a customer is in queue when calling a BellSouth Repair Center.

### **Exclusions**

· Abandoned Calls

### **Business Rules**

The clock starts when a CLEC Representative or BellSouth customer makes a choice on the Repair Center's menu and is put in queue for the next repair attendant. The clock stops when the repair attendant answers the call.

Note: The Total Column is a combined BellSouth Residence and Business number.

### Calculation

### **Answer Time for BellSouth Repair Centers** = (a - b)

- a = Time BellSouth Repair Attendant Answers Call
- b = Time of entry into queue after ACD Selection

### Average Answer Time for BellSouth Repair Centers = (c / d)

- c = Sum of all Answer Times
- d = Total number of calls by reporting period

### **Report Structure**

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

• CLEC Average Answer Time

### **Relating to BellSouth Performance**

• BellSouth Average Answer Time

### SQM Disaggregation - Analog/Benchmark

### **SQM Level of Disaggregation**

• Region. CLEC/BellSouth Service Centers and BellSouth Repair Centers are regional.

M&R-6: Average Answer Time – Repair Centers

### **@ BELLSOUTH®**

**Tennessee Performance Metrics** 

### **SQM Analog/Benchmark**

• For CLEC, Average Answer Times in UNE Center and BRMC are comparable to the Average Answer Times in the BellSouth Repair Centers.

### **SEEM Measure**

SEEM	Tier I	Tier II
No		

### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	Not Applicable



### M&R-7: Mean Time To Notify CLEC of Network Outages

### **Definition**

BellSouth will inform the CLEC and appropriate BellSouth personnel of any Network outages (customer impacting).

### **Exclusions**

None

### **Business Rules**

The time it takes for the Network Management Center (NMC) to notify the CLEC and appropriate BellSouth personnel of a customer impacting network incident in equipment that may be utilized by the CLEC. When BellSouth becomes aware of a network incident, the CLEC and appropriate BellSouth personnel will be notified electronically. The notification time for each outage will be measured in minutes and divided by the number of outages for the reporting period. The CLECs will be notified the same way and at the same time as BellSouth personnel. These are broadcast messages. It is up to those receiving the message to determine if they have customers affected by the incident.

### Calculation

Time to Notify = (a - b)

- a = Date and Time NMC Notified
- b = Date and Time NMC detected network incident

### **Mean Time to Notify** = (c / d)

- c = Sum of all Times to Notify
- d = Count of all Network Incidents

### **Report Structure**

- BellSouth Aggregate
- CLEC Aggregate
- CLEC Specific
- · Geographic Scope
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

### **Relating to BellSouth Performance**

- Report Month
- Major Network Events
- Date/Time of Incident
- Date/Time of Notification

# M&R-7: Mean Time To Notify CLEC Network Outages

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

### **SQM Analog/Benchmark**

•	BellSouth Aggregate	Parity with Retail
	CLEC Aggregate	•
	CLEC Specific.	

### **SEEM Measure**

SEEM	Tier I	Tier II
No		

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**



### **Section 5: Billing**

### **B-1: Invoice Accuracy**

### **Definition**

This measure provides the percentage of accuracy of the billing invoices rendered to CLECs during the current month.

### **Exclusions**

- Adjustments not related to billing errors (e.g., credits for service outage, special promotion credits, adjustments to satisfy the customer)
- Test Accounts

### **Business Rules**

The accuracy of billing invoices delivered by BellSouth to the CLEC must enable them to provide a degree of billing accuracy comparative to BellSouth bills rendered to retail customers of BellSouth. CLECs request adjustments on bills determined to be incorrect. The BellSouth Billing verification process includes manually analyzing a sample of local bills from each bill period. The bill verification process draws from a mix of different customer billing options and types of service. An end-to-end auditing process is performed for new products and services. Internal measurements and controls are maintained on all billing processes. The CLEC-specific raw data file (which is available on the PMAP web site) will contain the number of bills and adjustments for the reporting month. The number of bills and bill adjustments will be displayed by OCN and/or ACNA.

### Calculation

**Invoice Accuracy** =  $[(a - b) / a] \times 100$ 

- a = Absolute Value of Total Billed Revenues during current month
  - b = Absolute Value of Total Billing Related Adjustments during current month

### Measure of Adjustments = $[(c-d) / c] \times 100$

- c = Number of Bills in current month
- d = Number of Billing-related Adjustments in current month

### Report Structure

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State
  - Region
- Number of Adjustments

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- Invoice Type
  - UNE
  - Resale
  - Interconnection



- Total Billed Revenue
- Total Billing Related Adjustments
- · Number of Bills
- Number of Adjustments

### **Relating to BellSouth Performance**

- · Report Month
- Retail Type
  - CRIS
  - CABS
- Total Billed Revenue
- Total Billing Related Adjustments

### **SQM Disaggregation - Analog/Benchmark**

### **SQM Level of Disaggregation**

### SQM Analog/Benchmark

- - Resale
  - UNE
  - Interconnection

### **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

- UNE
- Interconnection



### **B-2: Mean Time to Deliver Invoices**

### **Definition**

This report measures the mean interval for timeliness of billing invoices sent to CLECs in an agreed upon format. CRIS-based invoices are measured in business days, and CABS-based invoices in calendar days.

### **Exclusions**

None

### **Business Rules**

Bill Distribution is calculated as follows: CRIS BILLS-The number of workdays is reported for CRIS bills. This is calculated by counting the Bill Period date as the first workday. Weekends and holidays are excluded when counting workdays. J/N Bills are counted in the CRIS work day category for the purposes of the measurement since their billing account number (Q account) is provided from the CRIS system.

CABS BILLS-The number of calendar days is reported for CABS bills. This is calculated by counting the day following the Bill Period date as the first calendar day. Weekends and holidays are included when counting the calendar days.

### Calculation

**Invoice Timeliness** = (a - b)

- a = Invoice Transmission Date
- b = Close Date of Scheduled Bill Cycle

### Mean Time To Deliver Invoices = (c / d)

- c = Sum of all Invoice Timeliness intervals
- d = Count of Invoices Transmitted in Reporting Period

### **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State
  - Region

**B-2: Mean Time to Deliver Invoices** 

### **Tennessee Performance Metrics**

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- Invoice Type
  - UNE
  - Resale
  - Interconnection
  - State
- Invoice Transmission Count
- Date of Scheduled Bill Close

### **Relating to BellSouth Performance**

- Report Month
- Invoice Type
  - CRIS
  - CABS
- Invoice Transmission Count
- Date of Scheduled Bill Close

### **SQM Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

Product/Invoice Type

- Resale
- UNE
- Interconnection
- State

### **SQM Analog/Benchmark**

· CLEC Average Delivery Intervals for both CRIS and CABS Invoices are comparable to BellSouth Average delivery for both

### **SEEM Measure**

SEEM	Tier I	Tier II
Yes	X	X

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

- - CRIS - CABS
- BST-State



### **B-3: Usage Data Delivery Accuracy**

### **Definition**

This measurement captures the percentage of recorded usage that is delivered error free and in an acceptable format to the appropriate Competitive Local Exchange Carrier (CLEC). These percentages will provide the necessary data for use as a comparative measurement for BellSouth performance. This measurement captures Data Delivery Accuracy rather than the accuracy of the individual usage recording.

### **Exclusions**

None

### **Business Rules**

The accuracy of the data delivery of usage records delivered by BellSouth to the CLEC must enable them to provide a degree of accuracy comparative to BellSouth bills rendered to their retail customers. If errors are detected in the delivery process, they are investigated, evaluated and documented. Errors are corrected and the data retransmitted to the CLEC.

### Calculation

Usage Data Delivery Accuracy (Packs) =  $(a - b) / a \times 100$  (This calculation not ordered by the FPSC)

- a = Total number of usage data packs sent during current month
- b = Total number of usage data packs requiring retransmission during current month

### Usage Data Delivery Accuracy (Records) = (c - d) / c X 100

- c = Total number of usage records sent during current month
- d = Total number of usage records requiring retransmission during current month

### **Report Structure**

- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - Region

### **Data Retained**

### Relating to CLEC Experience

- Report Month
- Record Type
  - BellSouth Recorded
  - Non-BellSouth Recorded
- · Number of Records
- Packs

### **Relating to BellSouth Performance**

- · Report Month
- · Record Type
- · Number of Records
- Packs





### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation SQM Analog/Benchmark

**SEEM Measure** 

 SEEM
 Tier I
 Tier II

 Yes
 X
 X

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark

- CLEC State (In Florida, SEEM is based on records).......Parity with Retail
- BellSouth Region



### **B-4: Usage Data Delivery Completeness**

### **Definition**

This measurement provides percentage of complete and accurately recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is processed and transmitted to the CLEC within thirty (30) days of the message recording date. A parity measure is also provided showing completeness of BellSouth messages processed and transmitted via CMDS. BellSouth delivers its own retail usage from recording location to billing location via CMDS as well as delivering billing data to other companies. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

### **Exclusions**

None

### **Business Rules**

The purpose of these measurements is to demonstrate the level of quality of usage data delivered to the appropriate CLEC. Method of delivery is at the option of the CLEC.

### Calculation

### Usage Data Delivery Completeness = (a / b) X 100

- a = Total number of Recorded usage records delivered during current month that are within thirty (30) days of the message recording date
- b = Total number of Recorded usage records delivered during the current month

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- Record Type
  - BellSouth Recorded
  - Non-BellSouth Recorded

### **Relating to BellSouth Performance**

None

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	>= 98% within 30 Calendar Days





**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



### **B-5: Usage Data Delivery Timeliness**

### **Definition**

This measurement provides a percentage of recorded usage data (usage recorded by BellSouth and usage recorded by other companies and sent to BellSouth for billing) that is delivered to the appropriate CLEC within six (6) calendar days from the receipt of the initial recording. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

### **Exclusions**

None

### **Business Rules**

The purpose of this measurement is to demonstrate the level of timeliness for processing and transmission of usage data delivered to the appropriate CLEC. The usage data will be mechanically transmitted or mailed to the CLEC data processing center once daily. The Timeliness interval of usage recorded by other companies is measured from the date BellSouth receives the records to the date BellSouth distributes to the CLEC. Method of delivery is at the option of the CLEC

### Calculation

### Usage Data Delivery Timeliness Current month = (a / b) X 100

- a = Total number of usage records sent within six (6) calendar days from initial recording/receipt
- ullet b = Total number of usage records sent

### **Report Structure**

- CLEC Aggregate
- CLEC Specific
- Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- Record Type
  - BellSouth Recorded
  - Non-BellSouth Recorded

### **Relating to BellSouth Performance**

None

### **SQM Level of Disaggregation - Analog/Benchmark**

### **SQM Level of Disaggregation**

### SQM Analog/Benchmark





**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable



### **B-6: Mean Time to Deliver Usage**

### **Definition**

This measurement provides the average time it takes to deliver Usage Records to a CLEC. A parity measure is also provided showing timeliness of BellSouth messages processed and transmitted via CMDS. Timeliness, Completeness and Mean Time to Deliver Usage measures are reported on the same report.

### **Exclusions**

None

### **Business Rules**

The purpose of this measure is to calculate the average number of days it takes BellSouth to deliver usage data to the appropriate CLEC. The calculation reflects the differences between the date the data is transmitted or mailed to the CLEC and the date the data is generated by Customer divided by the total record volume delivery.

Each delivery record is calculated as the time, in days, between when the customer generates the call and when BellSouth delivers the usage data to the CLEC. Each delivery record is categorized by the resulting number of days.

An estimated interval is calculated for each category by taking the total number of usage data records delivered for that period and multiplying it by the total number of days in that period. The mean (average) time to deliver the usage data is calculated by summing all estimated intervals and dividing by the total number of records delivered.

Note: Any usage record falling in the 30+ day interval will be added using an average figure of 31.5 days.

Usage data is mechanically transmitted or mailed to the CLEC data processing center once daily. Method of delivery is at the option of the CLEC.

### Calculation

### **Delivery Interval Record** = (a - b)

- a = Date BellSouth delivers the usage data
- b = Date usage data is generated by the customer

### **Estimated Interval** = (c X d)

- c = Number of records delivered in each category
- d = Number of days to deliver for the category

### **Mean Time to Deliver Usage** = (e / f)

- e = Sum of all estimated intervals
- f = Total number of records delivered

### **Report Structure**

- · CLEC Aggregate
- CLEC Specific
- Region



### **Data Retained**

### **Relating to CLEC Experience**

- · Report Month
- · Record Type
  - BellSouth Recorded
  - Non-BellSouth Recorded

### **Relating to BellSouth Performance**

• None

### **SQM Level of Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation • Region......<= 6 Days SEEM Measure SEEM Tier I Tier II No.....

### **SEEM Disaggregation - Analog/Benchmark**



### **B-7: Recurring Charge Completeness**

### **Definition**

This measure captures percentage of fractional recurring charges appearing on the correct bill.

### **Exclusions**

None

### **Business Rules**

The effective date of the recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of fractional recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total fractional recurring charges on the bill.

### Calculation

### **Recurring Charge Completeness** = (a / b) X 100

- a = Count of fractional recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of fractional recurring charges that are on the bill

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- Invoice Type
- Total Recurring Charges Billed
- Total Billed On Time

### **Relating to BellSouth Performance**

- · Report Month
- Retail Analog
- Total Recurring Charges Billed
- Total Billed On Time

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



### **SQM Level of Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

**SQM Analog/Benchmark** 

Product/Invoice Type

•	Resale	Parit	y		
•	UNE	Beno	hmar	k	90%
	The state of the s	-			000

### **SEEM Measure**

SEEM Tier I Tier II

### **SEEM Disaggregation - Analog/Benchmark**

### SEEM Disaggregation

**SEEM Analog/Benchmark** 

Not Applicable......Not Applicable



### **B-8: Non-Recurring Charge Completeness**

### **Definition**

This measure captures percentage of non-recurring charges appearing on the correct bill.

### **Exclusions**

None

### **Business Rules**

The effective date of the non-recurring charge must be within 30 days of the bill date for the charge to appear on the correct bill. The count of non-recurring charges in the calculation refers to a sum of absolute total dollar values either billed on the correct bill or absolute value of total non-recurring charges on the bill.

### Calculation

### Non-Recurring Charge Completeness = $(a / b) \times 100$

- a = Count of non-recurring charges that are on the correct bill<sup>1</sup>
- b = Total count of non-recurring charges that are on the bill

### **Report Structure**

- CLEC Specific
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - State

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
- Invoice Type
- Total Non-Recurring Charges Billed
- Total Billed On Time

### **Relating to BellSouth Performance**

- · Report Month
- Retail Analog
- Total Non-Recurring Charges Billed
- Total Billed On Time

<sup>&</sup>lt;sup>1</sup>Correct bill = next available bill



### **SQM Level of Disaggregation - Analog/Benchmark**

### **SQM** Level of Disaggregation

**SQM Analog/Benchmark** 

Product/Invoice Type

•	ResalePari	ty
---	------------	----

• UNE Benchmark 90%
• Interconnection Benchmark 90%

### **SEEM Measure**

SEEM Tier I Tier II

### **SEEM Disaggregation - Analog/Benchmark**

### SEEM Disaggregation SEEM Analog/Benchmark

Not Applicable......Not Applicable



### B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

### **Definition**

Measures the timely correction of Daily Usage Feed (DUF) errors in record information and Pack formats measured separately. Errors included (1) Pack Failure errors and (2) EMI content errors in records.

### **Exclusions**

- Usage that cannot be corrected and resent or usage that the CLEC doesn't want Retransmitted.
- CLEC Problem/Issue/File Retransmission forms disputed by BellSouth SMEs that do not result in an EMI error.
- CLEC notification received by BellSouth > 10 business days from transmission date of errored messages or packs.

### **Business Rules**

This measure will provide the % of errors corrected in "X" Business days.

Pack Failure errors are defined as a DUF header/trailer error containing one or more of the following conditions: Grand total records not equal to records in pack or sequence/invoice numbers for a from RAO is not sequential

EMI content errors are defined as those records with errors contained in the EMI detail records that cause a message to be unbillable by the CLEC

Only notification received via the CLEC Problem/Issue/File Retransmission form will be included in this measure. To locate the form, go to the PMAP web site (http://pmap.bellsouth.com/) and click the Documentation/Exhibits link, then select the "CLEC Problem/Issue/File Retransmission form."

When circumstances arise for multiple content errors it is not necessary for the form to be filled out in its entirety, the CLECs agree to provide sufficient information for content error research so that a thorough investigation and resolution can be completed.

For each type error condition, a new CLEC Problem/Issue/File Retransmission form should be submitted.

EMI content errors should be attached in a separate file from the CLEC Problem/Issue/File Retransmission form

Elapsed time is measured in business days.

The clock starts when BellSouth receives CLEC's Problem/Issue/File Retransmission form.

The clock stops when BellSouth provides the corrected usage to the CLEC using the predesignated DUF delivery method.

This measure applies only to CLECs that are ODUF and ADUF participants

### Calculation

Timeliness of Daily Usage EMI Content Errors Corrected =  $(a \, / \, b) \, X \, 100$ 

- a = Total number of Daily Usage Records with EMI Content Errors Corrected in the reporting month within 10 Business Days.
- b = Total number of Daily Usage Records with EMI Content Errors corrected in reporting month.

Timeliness of Daily Usage Pack Format Errors Corrected =  $(c / d) \times 100$ 

- c = Total number of Daily Usage Packs with Format Errors Corrected in the reporting month within 4 Business Days.
- d = Total number of Daily Usage Packs with Format Errors corrected in reporting month

# B-9: Percent Daily Usage Feed Errors Corrected in "X" Business Days

### **Tennessee Performance Metrics**

### **Report Structure**

- CLEC Specific
  - Total number of BST disputed Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of Daily Usage Records with EMI Content Errors received in reporting month.
  - Total number of BST disputed Daily Usage Packs with Format Errors received in reporting month
  - Total number of Daily Usage Packs with Format Errors received in reporting month
- CLEC Aggregate
- Geographic Scope
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- Report Month
  - BellSouth Recorded
  - Non-BellSouth Recorded

### **Relating to BellSouth Performance**

• None

### **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
Region	. Diagnostic
SEEM Tier I Tier II No	
SEEM Tier I Tier II	
No	
NoSEEM Disaggregation - Analog/Benchmark	
SEEM Disaggregation	SEEM Analog/Benchmark
Not Applicable	. Not Applicable



### B-10: Percent Billing Errors Corrected in "X" Business Days

### **Definition**

Measures timely carrier bill adjustments.

### **Exclusions**

Adjustments that are initiated by BellSouth

### **Business Rules**

This measure applies to CLEC wholesale bill adjustment requests. IXC Access billing adjustment requests are not reflected in this measure. Elapsed time is measured in business days. The clock starts when BellSouth receives the CLEC Billing Adjustment Request (BAR) form and the clock stops when BellSouth either makes an adjustment through BOCRIS or ACATS (generally next CLEC bill unless adjustment request after middle of the month) or BellSouth denies the request in BDATS or ACATS and BellSouth notifies the CLEC of the BAR resolution. BellSouth will report separately those adjustment requests that are disputed by BellSouth. (BAR form and instructions are found at <a href="https://www.interconnection.bellsouth.com/forms/html/billing&collections.html">www.interconnection.bellsouth.com/forms/html/billing&collections.html</a>).

### Calculation

### Percent Billing Errors Corrected in 45 Business Days = (a / b) X 100

- a = Number of BAR resolutions sent in 45 Business Days
- b = Total Number of BAR resolutions due in Reporting Period

### Report Structure

- · CLEC Specific
- · CLEC Aggregate
- Geographic Scope
  - State
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- · Number of BellSouth Adjustments in 45 Business Days
- · Total number of Billing Adjustment Requests in Reporting Period
- Number of Adjustments disputed by BellSouth (reported separately)

### **Relating to BellSouth Performance**

None

### SQM Disaggregation - Retail Analog/Benchmark

### **SQM Level of Disaggregation**

### SQM Analog/Benchmark



SE	FM	I IV	lea	SII	ır۵

SEEM	Tier I	Tier I
Yes	X	X

### **SEEM Disaggregation - Analog/Benchmark**

# SEEM Disaggregation SEEM Analog/Benchmark • State 90% Billing Disputes <= 45 Business Days</td>

**Note:** In order to set an appropriate penalty provision, staff recommends deferring implementation of the penalty until conclusion of the commission proceeding on the remedy structure of the SEEM Plan, or 120 days, whichever comes first.



### **Section 6: Operator Services and Directory Assistance**

### OS-1: Speed to Answer Performance/Average Speed to Answer - Toll

### **Definition**

Measurement of the average time in seconds calls wait before answered by a toll operator.

### **Exclusions**

None

### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

### Calculation

Speed to Answer Performance/Average Speed to Answer – Toll = a / b

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

### **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

### **SQM Disaggregation - Analog/Benchmark**





**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



## OS-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Toll

### **Definition**

Measurement of the percent of toll calls that are answered in less than ten seconds

### **Exclusions**

None

### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

### Calculation

The Percent Answered within "X" Seconds measurement for toll is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

### Report Structure

- Reported for the aggregate of BellSouth and CLECs
  - State

### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (Toll)
- Average Speed of Answer

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of D	isaggregatio	n: SQM Analog/Benchmark	
• None		Parity by Design	
SEEM Measu	ıre		
SEEM	Tier I	Tier II	
No			

OS-2: Speed to Answer Performance/Percent Answered within "X" Seconds - Toll



**Tennessee Performance Metrics** 

### **SEEM Disaggregation - Analog/Benchmark**

SEEM D	Disaggregation	SEEM Analog/Benchmark
•	Not Applicable	Not Applicable



# DA-1: Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA)

### **Definition**

Measurement of the average time in seconds calls wait before answered by a DA operator.

### **Exclusions**

None

### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

### Calculation

Speed to Answer Performance/Average Speed to Answer – Directory Assistance (DA) = a / b

- a = Total queue time
- b = Total calls answered

**Note**: Total queue time includes time that answered calls wait in queue as well as time abandoned calls wait in queue prior to abandonment.

### **Report Structure**

- Reported for the aggregate of BellSouth and CLECs
  - State

### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP
- Month
- Call Type (DA)
- Average Speed of Answer

### **SQM Level of Disaggregation - Analog/Benchmark**





**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# DA-2: Speed to Answer Performance/Percent Answered within "X" Seconds – Directory Assistance (DA)

### **Definition**

Measurement of the percent of DA calls that are answered in less than twelve seconds.

### **Exclusions**

None

### **Business Rules**

The clock starts when the customer enters the queue and the clock stops when a BellSouth representative answers the call or the customer abandons the call. The length of each call is determined by measuring, using a scanning technique, and accumulating the elapsed time from the entry of a customer call into the BellSouth call management system queue until the customer call is abandoned or transferred to BellSouth personnel assigned to handle calls for assistance. The system makes no distinction between CLEC customers and BellSouth customers.

### Calculation

The Percent Answered within "X" Seconds measurement for DA is derived by using the BellCore Statistical Answer Conversion Tables, to convert the Average Speed to Answer measure into a percent of calls answered within "X" seconds. The BellCore Conversion Tables are specific to the defined parameters of work time, number of operators, max queue size and call abandonment rates.

### Report Structure

- Reported for the aggregate of BellSouth and CLECs
  - State

### **Data Retained (on Aggregate Basis)**

- For the items below, BellSouth's Performance Measurement Analysis Platform (PMAP) receives a final computation; therefore, no raw data file is available in PMAP.
- Month
- Call Type (DA)
- Average Speed of Answer

### **SQM Disaggregation - Analog/Benchmark**

SQM Level of D	Disaggregatio	n	SQM Analog/Benchmark	
• None			Parity by Design	
SEEM Measu	ure			
SEEM	Tier I	Tier II		
No				



### **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark
---------------------	-----------------------



### **Section 7: Database Update Information**

### D-1: Average Database Update Interval

### **Definition**

This report measures the interval from receipt of the database change request to the completion of the update to the database for Line Information Database (LIDB), Directory Assistance and Directory Listings.

### **Exclusions**

- Updates Canceled by the CLEC
- Initial update when supplemented by CLEC
- BellSouth updates associated with internal or administrative use of local services.

### **Business Rules**

The interval for this measure begins with the date and time stamp when a service order is completed and the completion notice is released to all systems to be updated with the order information including Directory Assistance, Directory Listings, and Line Information Database (LIDB). The end time stamp is the date and time of completion of updates to the system. This metric includes updates from stand-alone directory listing orders.

### For BellSouth Results:

The BellSouth computation is identical to that for the CLEC with the clarifications noted below.

### Other Clarifications and Qualification:

- For LIDB, the elapsed time for a BellSouth update is measured from the point in time when the BellSouth file maintenance process
  makes the LIDB update information available until the date and time reported by BellSouth that database updates are completed.
- Results for the CLECs are captured and reported at the update level by Reporting Dimension (see below).
- The Completion Date is the date upon which BellSouth issues the Update Completion Notice to the CLEC.
- If the CLEC initiates a supplement to the originally submitted update and the supplement reflects changes in customer requirements (rather than responding to BellSouth initiated changes), then the update submission date and time will be the date and time of BellSouth receipt of a syntactically correct update supplement. Update activities responding to BellSouth initiated changes will not result in changes to the update submission date and time used for the purposes of computing the update completion interval.
- Elapsed time is measured in hours and hundredths of hours rounded to the nearest tenth of an hour.
- Because this should be a highly automated process, the accumulation of elapsed time continues through off-schedule, weekends and holidays; however, scheduled maintenance windows are excluded.

### Calculation

**Update Interval** = (a - b)

- a = Completion Date and Time of Database Update
- b = Submission Date and Time of Database Change

Average Update Interval = (c / d)

- c = Sum of all Update Intervals
- d = Total Number of Updates Completed During Reporting Period



### **Report Structure**

- CLEC Specific (Under development)
- CLEC Aggregate
- BellSouth Aggregate
- Geographic Scope
  - Region

### **Data Retained**

### **Relating to CLEC Experience**

- Database File Submission Time
- Database File Update Completion Time
- CLEC Number of Submissions
- Total Number of Updates

### **Relating to BellSouth Performance**

- Database File Submission Time
- Database File Update Completion Time
- BellSouth Number of Submissions
- Total Number of Updates

### **SQM Disaggregation - Analog/Benchmark**

### SQM Level of Disaggregation

### **SQM Analog/Benchmark**

- Database Type .......Parity by Design
- LIDB
- Directory Listings
- · Directory Assistance

### **SEEM Measure**

SEEM	Tier I	Tier II
No		

### **SEEM Disaggregation - Analog/Benchmark**

### **SEEM Disaggregation**

### **SEEM Analog/Benchmark**

Not Applicable......Not Applicable

(A) BELLSOUTH®

# D-2: Percent Database Update Accuracy

### **D-2: Percent Database Update Accuracy**

### **Definition**

This report measures the accuracy of database updates by BellSouth for Line Information Database (LIDB) Directory Assistance and Directory Listings using a statistically valid sample of completed CLEC Service Orders in a manual review. This manual review is not conducted on BellSouth Service Orders.

### **Exclusions**

- Updates canceled by the CLEC
- Initial update when supplemented by CLEC
- · CLEC orders that had CLEC errors
- · BellSouth updates associated with internal or administrative use of local services.

### **Business Rules**

For each update reviewed during the reporting period, the original update that the CLEC sent to BellSouth is compared to the database following completion of the update by BellSouth. An update is "completed without error" if the database completely and accurately reflects the activity specified on the original and supplemental update (e.g., orders) submitted by the CLEC. Each database (e.g., LIDB, Directory Assistance and Directory Listings) should be separately tracked and reported.

A statistically valid sample of completed CLEC Service Orders is pulled each month. This metric includes updates from stand-alone directory listing orders.

### Calculation

**Percent Update Accuracy** = (a / b) X 100

- a = Number of Updates Completed Without Error
- b = Number Updates Completed

### **Report Structure**

- · CLEC Aggregate
- CLEC Specific (not available in this report)
- BellSouth Aggregate (not available in this report)
- Geographic Scope
  - Region

### **Data Retained**

### Relating to CLEC Experience

- · Report Month
- CLEC Order Number (so\_nbr) and PON (PON)
- Local Service Request (LSR)
- · Order Submission Date
- · Number of Orders Reviewed

Note: Code in parentheses is the corresponding header found in the raw data file.



### **Relating to BellSouth Performance**

• Not Applicable

**SEEM** 

### **SQM Disaggregation - Analog/Benchmark**

### 

### **SEEM Disaggregation - Analog/Benchmark**

Tier II

Tier I

No.....

### SEEM Disaggregation SEEM Analog/Benchmark • Not Applicable Not Applicable



# D-3: Percent NXXs and LRNs Loaded by the LERG Effective Date

# **Definition**

Measurement of the percent of NXX(s) and Location Routing Numbers LRN(s) loaded and tested in new end office and/or tandem switches by the Local Exchange Routing Guide (LERG) effective date when facilities are in place. BellSouth has a single provisioning process for both NXX(s) and LRN(s). In this measure BellSouth will identify whether or not a particular NXX has been flagged as LNP capable (set triggers for dips) by the LERG effective date.

# **Exclusions**

- · Activation requests where the CLEC's interconnection arrangements and facilities are not in place by the LERG effective date.
- · Expedite requests

# **Business Rules**

Data for the initial NXX(s) and LRN(s) in a local calling area will be based on the LERG effective date or completion of the initial interconnection trunk group(s), whichever is longer. Data for additional NXX(s) in the local calling area will be based on the LERG effective date. The LERG effective date is loaded into the system at the request of the CLEC. It is contingent upon the CLEC to engineer, order, and install interconnection arrangements and facilities prior to that date.

The total Count of NXX(s) and LRN(s) that were scheduled to be loaded and those that were loaded by the LERG effective date in BellSouth switches will be captured in the Work Force Administration - Dispatch In database.

An LRN is assigned by the owner of the switch and is placed into the software translations for every switch to be used as an administrative pointer to route NXX(s) in LNP capable switches. The LRN is a result of Local Number Porting and is housed in a national database provided by the Number Portability Administration Center (NPAC). The switch owner is responsible for notifying NPAC and requesting the effective date that will be reflected in the LERG. The national database downloads routing tables into BellSouth's Service Control Point (SCP) regional databases, which are queried by switches when routing ported numbers.

The basic NXX routing process includes the addition of all NXX(s) in the response translations. This addition to response translations is what supports LRN routing. Routing instructions for all NXX(s), including LRN(s), are received from the Advance Routing & Trunking System (ARTS) and all routing, including response, is established based on the information contained in the Translation Work Instructions (TWINs) document.

# Calculation

Percent NXXs/LRNs Loaded and Tested Prior to the LERG Effective Date = (a / b) X 100

- a = Count of NXXs and LRNs loaded by the LERG effective date
- b = Total NXXs and LRNs to be scheduled and loaded by the LERG effective date

# **Report Structure**

- · CLEC Specific
- CLEC Aggregate
- BellSouth (Not Applicable)
- · Geographic Scope
  - Region



# **Data Retained**

# **Relating to CLEC Experience**

- Company Name
- Company Code
- NPA/NXX
- LERG Effective Date
- · Loaded Date

# **Relating to BellSouth Performance**

• Not Applicable

# **SQM Disaggregation - Analog/Benchmark**



# Section 8: E911

# **E-1: Timeliness**

# **Definition**

Measures the percent of batch orders for E911 database updates (to CLEC resale and BellSouth retail records) processed successfully within a 24-hour period.

# **Exclusions**

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

# **Business Rules**

The 24-hour processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing batch orders extracted from the BellSouth Service Order Control System (SOCS). Processing stops when SCC loads the individual records to the E911 database. The E911 database includes updates to the Automatic Location Identification (ALI) database. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Timeliness** = (a / b) X 100

- a = Number of batch orders processed within 24 hours
- b = Total number of batch orders submitted

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report Month
- · Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation		n	SQM Analog/Benchmark		
• None			Parity by Design		
SEEM Measu	ıre				
SEEM	Tier I	Tier II			
No					



**(a) BELLSOUTH**<sup>®</sup>

E-1: Timeliness

# **Tennessee Performance Metrics**

# **SEEM Disaggregation - Analog/Benchmark**

**SEEM Disaggregation SEEM Analog/Benchmark** 



# E-2: Accuracy

# **Definition**

Measures the percent of E911 telephone number (TN) record updates (to CLEC resale and BellSouth retail records) processed successfully for E911 (including the Automatic Location Identification (ALI) database).

# **Exclusions**

- · Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

# **Business Rules**

Accuracy is based on the number of records processed without error at the conclusion of the processing cycle. Mechanical processing starts when SCC (the BellSouth E911 vendor) receives E911 files containing telephone number (TN) records extracted from BellSouth's Service Order Control System (SOCS). The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Accuracy** = (a / b) X 100

- a = Number of record individual updates processed with no errors
- b = Total number of individual record updates

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- Region

# **Data Retained**

- · Report Month
- Aggregate Data

**SQM Level of Disaggregation** 

# **SQM Disaggregation - Analog/Benchmark**

• None		Parity by Design
SEEM Measure		
SEEM	Tier I	Tier II
No		
SEEM Disaggrega	ation -	Analog/Benchmark
SEEM Disaggregation	n	SEEM Analog/Benchmark

SQM Analog/Benchmark



# E-3: Mean Interval

# **Definition**

Measures the mean interval processing of E911 batch orders (to update CLEC resale and BellSouth retail records) including processing against the Automatic Location Identification (ALI) database.

# **Exclusions**

- Any resale order canceled by a CLEC
- · Facilities-based CLEC orders

# **Business Rules**

The processing period is calculated based on the date and time processing starts on the batch orders and the date and time processing stops on the batch orders. Data is posted is 4-hour increments up to and beyond 24 hours. The system makes no distinction between CLEC resale records and BellSouth retail records.

# Calculation

**E911 Interval** = (a - b)

- a = Date and time of batch order completion
- b = Date and time of batch order submission

# **E911 Mean Interval** = (c / d)

- c = Sum of all E911 Intervals
- d = Number of batch orders completed

# **Report Structure**

Reported for the aggregate of CLEC resale updates and BellSouth retail updates

- State
- · Region

# **Data Retained**

- Report Month
- Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation None Parity by Design SEEM Measure SEEM Tier I Tier II



# E-3: Mean Interval

**Tennessee Performance Metrics** 

# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation SEEM Analog/Benchmark



# **Section 9: Trunk Group Performance**

# **TGP-1: Trunk Group Performance-Aggregate**

# **Definition**

The Trunk Group Performance report displays, over a reporting cycle, aggregate, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

# **Exclusions**

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- Trunk Groups for which there was no valid data available for an entire study period
- Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing, not blocked

# **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

# Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

# Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- · Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

# **Trunk Categorization:**

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

# **CLEC Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch



Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

# **BellSouth Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

# Calculation

# Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

# Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- CLEC Aggregate
- BellSouth Aggregate
  - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

# **Data Retained**

# Relating to CLEC Experience

- · Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

# **Related to BellSouth Performance**

- Report Month
- Total Trunk Groups
- Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



**SQM Disaggregation - Analog/Benchmark** 

# SQM Level of Disaggregation

# **SQM Analog/Benchmark**

- BellSouth Aggregate

# **SEEM Measure**

SEEM	Tier I	Tier I
Yes		X

# **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation**

# **SEEM Analog/Benchmark**

- BellSouth Aggregate



# **TGP-2: Trunk Group Performance – CLEC Specific**

# **Definition**

The Trunk Group Performance report displays, over a reporting cycle, CLEC specific, average trunk group blocking data for each hour of each day of the reporting cycle, for both CLEC affecting and BellSouth affecting trunk groups.

# **Exclusions**

- Trunk Groups blocked due to unanticipated significant increase in CLEC traffic
- Orders that are delayed or refused by CLEC
- · Trunk Groups for which there was no valid data available for an entire study period
- · Duplicate trunk group information
- Trunk Groups blocked due to CLEC network/equipment failure
- Final Groups actually overflowing not blocked

# **Business Rules**

The purpose of the Trunk Group Performance Report is to provide trunk blocking measurements on CLEC and BellSouth trunk groups for comparison only. It is not the intent of the report that it be used for network management and/or engineering. BellSouth should notify the CLEC when such blocking meets this exclusion criteria (orders that are delayed or refused by the CLEC) and report the results, both with and without the exclusions. An unanticipated significant increase in traffic is indicated by a 20% increase for small trunk groups or 1800 CCS for large groups over the previous months traffic when the increase was not forecasted by the CLEC.

# Monthly Average Blocking:

- The reporting cycle includes both business and non-business days in a calendar month.
- Monthly average blocking values are calculated for each trunk group for each of the 24 time consistent hours across a reporting cycle.

# Aggregate Monthly Blocking:

- Used to compare aggregate blocking across trunk groups which terminate traffic at CLEC points of presence versus BellSouth switches.
- Aggregate monthly blocking data is calculated for each hour of the day across all trunk groups assigned to a category.

# **Trunk Categorization**:

• This report displays, over a reporting cycle, aggregate, average blocking data for each hour of a day. Therefore, for each reporting cycle, 24 blocking data points are generated for two aggregate groups of selected trunk groups. These groups are CLEC affecting and BellSouth affecting trunk groups. In order to assign trunk groups to each aggregate group, all trunk groups are first assigned to a category. A trunk group's end points and the type of traffic that is transmitted on it define a category. Selected categories of trunk groups are assigned to the aggregate groups so that trunk reports can be generated. The categories to which trunk groups have been assigned for this report are as follows.

# **CLEC Affecting Categories**:

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 3:	BellSouth End Office	CLEC Switch
Category 4:	BellSouth Local Tandem	CLEC Switch
Category 5:	BellSouth Access Tandem	CLEC Switch
Category 10:	BellSouth End Office	BellSouth Local Tandem



# **BellSouth Affecting Categories:**

	Point A	Point B
Category 1:	BellSouth End Office	BellSouth Access Tandem
Category 9:	BellSouth End Office	BellSouth End Office
Category 10:	BellSouth End Office	BellSouth Local Tandem
Category 16:	BellSouth Tandem	BellSouth Tandem

# Calculation

# Monthly Average Blocking:

- For each hour of the day, each day's raw data are summed across all valid measurements days in a report cycle for blocked and attempted calls.
- The sum of the blocked calls is divided by the total number of calls attempted in a reporting period.

# Aggregate Monthly Blocking:

- For each hour of the day, the monthly sums of the blocked and attempted calls from each trunk group are separately aggregated over all trunk groups within each assigned category.
- The total blocked calls is divided by the total call attempts within a group to calculate an aggregate monthly blocking for each assigned group.
- The result is an aggregate monthly average blocking value for each of the 24 hours by group.
- The difference between the CLEC and BellSouth affecting trunk groups are also calculated for each hour.

# **Report Structure**

- · CLEC Specific
  - State
- With and Without Exclusion for Orders Delayed or Refused by CLEC

# **Data Retained**

# **Relating to CLEC Experience**

- Report Month
- Total Trunk Groups
- Number of Trunk Groups by CLEC
- Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group

# **Relating to BellSouth Performance**

- Report Month
- Total Trunk Groups
- · Aggregate Hourly Blocking Per Trunk Group
- Hourly Usage Per Trunk Group
- Hourly Call Attempts Per Trunk Group



# **SQM Disaggregation - Analog/Benchmark**

# **SQM Level of Disaggregation**

# SQM Analog/Benchmark

Any 2 consecutive hour period in 24 hours where CLEC blockage exceeds BellSouth blockage by more than 0.5% using trunk groups 1, 3, 4, 5, 10, 16 for CLECs and 9 for BellSouth

# **SEEM Measure**

 SEEM
 Tier I
 Tier II

 Yes
 X
 Y

# **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation**

# **SEEM Analog/Benchmark**

• BellSouth Trunk Group



# **Section 10: Collocation**

# C-1: Collocation Average Response Time

# **Definition**

Measures the average time (counted in calendar days) from the receipt of a complete and accurate collocation application (including receipt of application fee if required) to the date BellSouth returns a response electronically or in writing. Within the number of calendar days as designated by the Collocation order after having received a bona fide application for physical collocation, BellSouth must respond with space availability and a price quote.

# **Exclusions**

Any application canceled by the CLEC

# **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate collocation application accompanied by the appropriate application fee if required. The clock stops on the date that BellSouth returns a response. The clock will restart upon receipt of changes to the original application request.

# Calculation

# **Response Time** = (a - b)

- a = Request Response Date
- b = Request Submission Date

# Average Response Time = (c / d)

- c = Sum of all Response Times
- d = Count of Responses Returned within Reporting Period

# **Report Structure**

- · Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- · Geographic Scope
  - State

# **Data Retained**

- Report period
- Aggregate data

# **SQM Disaggregation - Analog/Benchmark**

# **SQM Level of Disaggregation**

# SQM Analog/Benchmark

- Physical Caged-Initial
- Physical Caged-Augment
- Physical-Cageless-Initial
- Physical Cageless-Augment





**SEEM Measure** 

**SEEM** Tier I Tier II No.....

**SEEM Disaggregation - Analog/Benchmark** 

**SEEM Disaggregation SEEM Analog/Benchmark** 



# C-2: Collocation Average Arrangement Time

# **Definition**

Measures the average time (counted in calendar days) from receipt of a complete and accurate Bona Fide firm order (including receipt of appropriate fee if required) to the date BellSouth completes the collocation arrangement and notifies the CLEC.

# **Exclusions**

Any Bona Fide firm order canceled by the CLEC

# **Business Rules**

The clock starts on the date that BellSouth receives a complete and accurate Bone Fide firm order accompanied by the appropriate fee. The clock stops on the date that BellSouth completes the collocation arrangement and notifies the CLEC. The cable assignments associated with the specific collocation request will be provided prior to completion of the arrangement.

# Calculation

# **Arrangement Time** = (a - b)

- a = Date Collocation Arrangement is Complete
- b = Date Order for Collocation Arrangement Submitted

# Average Arrangement Time = (c / d)

- c = Sum of all Arrangement Times
- d = Total Number of Collocation Arrangements Completed during Reporting Period

# **Report Structure**

- Individual CLEC (alias) Aggregate
- Aggregate of all CLECs
- Geographic Scope
  - State

# **Data Retained**

- Report Period
- · Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation	SQM Analog/Benchmark
• State	Virtual - 60 Calendar Days
Virtual-Initial	Virtual-Augment - 60 Calendar Days (Without Space Increase)
Virtual-Augment	Virtual-Augment - 60 Calendar Days (With Space Increase)
Physical Caged-Initial	
Physical Caged-Augment	
	Increase)
Physical Cageless-Initial	
	Increase)
Physical Cageless-Augment	Physical Cageless - 90 Calendar Days
	Physical Cagedless-Augment - 45 Calendar Days (Without





**BELLSOUTH**<sup>®</sup>

Space Increase)

Physical Cagedless-Augment - 90 Calendar Days (With Space Increase)

**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# C-3: Collocation Percent of Due Dates Missed

# **Definition**

Measures the percent of missed due dates for both virtual and physical collocation arrangements

# **Exclusions**

Any Bona Fide firm order canceled by the CLEC

# **Business Rules**

Percent Due Dates Missed is the percent of total collocation arrangements which BellSouth is unable to complete by end of the BellSouth committed due date. The arrangement is considered a missed due date if it is not completed on or before the committed due date.

# Calculation

% of Due Dates Missed =  $(a / b) \times 100$ 

- a = Number of Completed Orders that were not completed by BellSouth Committed Due Date during Reporting Period
- b = Number of Orders Completed in Reporting Period

# **Report Structure**

- Individual CLEC (alias) aggregate
- Aggregate of all CLECs
- · Geographic Scope
  - State

# **Data Retained**

- · Report Period
- Aggregate Data

# **SQM Disaggregation - Analog/Benchmark**

# **SQM Level of Disaggregation**

# **SQM Analog/Benchmark**

- State.....>= 95% on time
- Virtual-Initial
- Virtual- Augment
- Physical Caged- Initial
- Physical Caged- Augment
- Physical Cageless- Initial
- Physical Cageless- Augment

# **SEEM Measure**

SEEM	Tier I	Tier II
Ves	Y	Y



**(a) BELLSOUTH**<sup>®</sup>

C-3: Collocation Percent of Due Dates Missed

# **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation**

**SEEM Analog/Benchmark** 

• All Collocation Arrangements ......>= 95% on time



# **Section 11: Change Management**

# **CM-1: Timeliness of Change Management Notices**

# **Definition**

Measures whether CLECs receive required software release notices on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

# **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system software vendor changes. For example: a patch
  to fix a software problem.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process (CCP)

# **Business Rules**

This metric is designed to measure the percent of change management notices sent to the CLECs according to notification standards and time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features.

# Calculation

Timeliness of Change Management Notices = (a / b) X 100

- a = Total number of Change Management Notifications Sent Within Required Time frames
- b = Total Number of Change Management Notifications Sent

# **Report Structure**

- BellSouth Aggregate
- · Geographic Scope
  - Region

# **Data Retained**

- · Report Period
- Notice Date
- Release Date

# SQM Disaggregation - Analog/Benchmark



# **SEEM Disaggregation - Analog/Benchmark**

SEEM Disaggregation	SEEM Analog/Benchmark



# CM-2: Change Management Notice Average Delay Days

# **Definition**

Measures the average delay days for change management system release notices sent outside the time frame set forth in the Change Control Process.

# **Exclusions**

- Changes to release dates for reasons outside BellSouth control, such as the system vendor
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process

# **Business Rules**

This metric is designed to compute the average delay days for change management notices sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the notification due date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. A revised notification would be required and the clock would restart. Based on release constraints for defects/expedites, notification may be less than the agreed upon interval in the CCP for new features

# Calculation

Change Management Notice Delay Days = (a - b)

- a = Date Notice Sent
- b = Date Notice Due

Change Management Notice Average Delay Days = (c / d)

- c = Sum of all Change Management Notice Delay Days
- d = Total Number of Notices Sent Late

# Report Structure

- BellSouth Aggregate
- Geographic Scope
  - Region

# **Data Retained**

- · Report Period
- Notice Date
- · Release Date

# **SQM Disaggregation - Analog/Benchmark**

# **SQM** Level of Disaggregation

SQM Analog/Benchmark

• Region.....<= 5 Days

CM-2: Change Management Notice Average Delay Days

-----

SE	F١	Λ	М	e۵	CI	ır۵
$\sim$		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Cu	-	ai G

SEEM Tier I Tier II

# **SEEM Disaggregation - Analog/Benchmark**



# CM-3: Timeliness of Documents Associated with Change

# **Definition**

Measures whether CLECs received requirements or business rule documentation on time to prepare for BellSouth interface/system changes so CLEC interfaces are not impaired by change.

# **Exclusions**

- Documentation for release dates that slip less than 30 days for a change mandated by regulatory or legal entities (Federal Communications Commission [FCC], a state commission/authority, or state and federal courts) or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

# **Business Rules**

This metric is designed to measure the percent of requirements or business rule documentation sent to the CLECs according to documentation standards and time frames set forth in the Change Control Process, a copy of which can be found at <a href="http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html">http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html</a>. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

# Calculation

Timeliness of Documents Associated with Change = (a / b) X 100

- a = Change Management Documentation Sent Within Required Time frames after Notices
- b = Total Number of Change Management Documentation Sent

# Report Structure

- BellSouth Aggregate
- Geographic Scope
  - Region

# **Data Retained**

- Report Period
- Notice Date
- Release Date

# **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation

**SQM Analog/Benchmark** 

**SEEM Measure** 

 SEEM
 Tier I
 Tier II

 Yes
 X

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# CM-4: Change Management Documentation Average Delay Days

# Definition

Measures the average delay days for requirements or business rule documentation sent outside the time frames set forth in the Change Control Process.

# **Exclusions**

- Documentation for release dates that slip less than 30 days for reasons outside BellSouth control, such as changes due to Regulatory
  mandate or CLEC request.
- Type 6 Change Requests (Defects/Expedites), as defined by the Change Control Process.

# **Business Rules**

This metric is designed to compute the average delay days for business rule documentation sent to the CLECs outside the time frames set forth in the Change Control Process. The CCP is used by BellSouth and the CLECs to manage requested changes to the BellSouth Local Interfaces.

The clock starts on the business rule documentation release date. The clock stops on the software release date. When project events occur (scope changes, analysis information, etc.), the software release date may change. Revisions to documentation could be required and the clock would restart.

# Calculation

# **Change Management Documentation Delay Days** = (a - b)

- a = Date Documentation Provided
- b = Date Documentation Due

# Change Management Documentation Average Delay Days = (c / d)

- c = Sum of all CM Documentation Delay Days
- d = Total Change Management Documents Sent

# **Report Structure**

- BellSouth Aggregate
- Geographic Scope
  - Region

# **Data Retained**

- Report Period
- Notice Date
- Release Date

# **SQM Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation

# SQM Analog/Benchmark

• Region....<= 5 Days

CM-4: Change Management Documentation Average Delay Days

**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# CM-5: Notification of CLEC Interface Outages

# **Definition**

Measures the time it takes BellSouth to notify the CLEC of an outage of an interface.

# **Exclusions**

None

# **Business Rules**

This metric measures the process of notifying CLECs of an interface outage as defined by the Change Control Process Documentation. BellSouth has 15 minutes to notify the CLECs via email, once the Help Desk has verified the existence of an outage. An outage is verified to exist when on or more of the following conditions occur:

- 1. BellSouth can duplicate a CLEC reported error.
- 2. BellSouth finds an error message within the system error log that identifiably matches a CLEC reported outage.
- 3. When 3 or more CLECs report the identical type of outage.
- 4. BellSouth detects a problem due to the loss of functionality for users of a system.

**Note:** The 15 minute clock begins once a CLEC reported or a BellSouth detected outage has lasted for 20 minutes and has been verified. If the outage is not verified within 20 minutes, the clock begins at the point of verification.

This metric will be expressed as a percentage.

# Calculation

# Notification of CLEC Interface Outages = (a / b) X 100

- a = Number of Interface Outages where CLECs are notified within 15 minutes
- b = Total Number of Interface Outages

# **Report Structure**

- CLEC Aggregate
- Geographic Scope
  - Region

# **Data Retained**

# **Relating to CLEC Experience**

- Number of Interface Outages
- Number of Notifications <= 15 minutes

# **Relating to BellSouth Performance**

Not Applicable



# CM-5: Notification of CLEC Interface Outages

# **SQM Disaggregation - Analog/Benchmark**

# **SQM** Level of Disaggregation

# **SQM Analog/Benchmark**

# **SEEM Measure**

SEEM Tier I Tier II

# **SEEM Disaggregation - Analog/Benchmark**

# **SEEM Disaggregation**

# **SEEM Analog/Benchmark**

Not Applicable......Not Applicable

TAFI......CLEC/BellSouth



# CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

# **Definition**

Measures the percent of all outstanding Software Errors due and overdue to be corrected by BellSouth in "X" (10, 30, 45) business days within the monthly report period.

# **Exclusions**

- Software Corrections having implementation intervals that are longer than those defined in this measure and agreed upon by the CLECs
- Rejected or reclassified software errors (BellSouth must report the number of rejected or reclassified software errors disputed by the CLECs)

# **Business Rules**

This metric is designed to measure BellSouth's performance each month in correcting identified Software Errors within the specified interval. The clock starts when a Software Error validated per the Change Control Process, a copy of which can be found at <a href="http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html">http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html</a>, and stops when the error is corrected and notice posted to the Change Control Website. The monthly report should include all defects due and overdue to be corrected within the report period. Software defects are defined as Type 6 Change Requests in the Change Control Process.

# Calculation

Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days = (a / b) X 100

- a = Total number of Software Errors Corrected where "X" = 10, 30, or 45 Business Days.
- b = Total number of Software Errors requiring correction where "X" = 10, 30, or 45 Business Days.

# **Report Structure**

- Severity 2 = 10 Business Days
- Severity 3 = 30 Business Days
- Severity 4 = 45 Business Days

# **Data Retained**

- · Report Period
- Total Completed
- Total Completed within "X" Business Days
- Disputed, Rejected or Reclassified Software Errors

# **SQM Level of Disaggregation - Analog/Benchmark**

# SQM Level of Disaggregation

**SQM Analog/Benchmark** 

CM-6: Percent of Software Errors Corrected in "X" (10, 30, 45) Business Days

**BELLSOUTH**<sup>®</sup>

**SEEM Measure** 

 SEEM
 Tier I
 Tier II

 Yes
 X

**SEEM Disaggregation - Analog/Benchmark** 

SEEM Disaggregation SEEM Analog/Benchmark



# CM-7: Percent of Change Requests Accepted or Rejected within 10 Days

# **Definition**

Measures the percent of Change Requests other than Type 1 or Type 6 Change Requests, submitted by CLECs that are Accepted or Rejected by BellSouth in 10 business days within the report period.

# **Exclusions**

Change Requests that are canceled or withdrawn before a response from BellSouth is due.

# **Business Rules**

The Acceptance/Rejection interval starts when the acknowledgement is due to the CLEC per the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html. The clock ends when BellSouth issues an acceptance or rejection notice to the CLEC. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the reporting period.

# Calculation

# Percent of Change Requests Accepted or Rejected within 10 Business Days = (a / b) X 100

- a = Total number of Change Requests accepted or rejected within 10 business days
- b = Total number of Change Requests submitted in the reporting period

# Report Structure

· BellSouth Aggregate

# **Data Retained**

- · Report Period
- · Requests Accepted or Rejected
- Total Requests

**SQM Level of Disaggregation** 

# **SQM** Level of Disaggregation - Analog/Benchmark

<ul> <li>Region.</li> </ul>			95% within interval
SEEM Measu	ıre		
SEEM	Tier I	Tier II	
Yes		X	
SEEM Disag	gregation -	Analog/Benchma	nrk
SEEM Disaggregation			SEEM Analog/Benchmark
Region			95% within interval

SQM Analog/Benchmark



# CM-8: Percent Change Requests Rejected

# **Definition**

Measures the percent of Change Requests (other than Type 1 or Type 6 Change Requests) submitted by CLECs that are rejected by reason within the report period.

# **Exclusions**

Change Requests that are canceled or withdrawn before a response from BellSouth is due.

# **Business Rules**

This metric includes any rejected change requests in the reporting period, regardless of whether received early or late. The metric will be disaggregated by major categories of rejections per the Change Control Process, a copy of which can be found at <a href="http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html">http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html</a>. These reasons are: Cost, Technical Feasibility, and Industry Direction. This metric includes all change requests not subject to the above exclusions, not just those received and accepted or rejected in the same reporting period.

# Calculation

# Percent Change Requests Rejected = (a / b) X 100

- a = Total number of Change Requests rejected
- b = Total number of Change Requests submitted within the report period

# **Report Structure**

- BellSouth Aggregate
- Cost
- · Technical Feasibility

# **Data Retained**

- · Report Period
- Requests Rejected
- · Total Requests

# **SQM Level of Disaggregation - Analog/Benchmark**

# **SQM Level of Disaggregation**

# **SQM Analog/Benchmark**

- Region ..... Diagnostic
- Reason Cost
- Reason Technical Feasibility
- Reason Industry Direction

# **SEEM Measure**

SEEM	Tier I	Tier II
No		



CM-8: Percent Change Requests Rejected

# **SEEM Disaggregation - Analog/Benchmark**



# CM-9: Number of Defects in Production Releases (Type 6 CR)

# Definition

Measures the number of defects in Production Releases. This measure will be presented as the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definition of Type 6 Change Requests (CR) and Severity 1, Severity 2, and Severity 3 defects can be found in the Change Control Process Document.

# **Exclusions**

None

# **Business Rules**

This metric measures the number of Type 6 Severity 1 defects, the number of Type 6 Severity 2 defects without a mechanized work around, and the number of Type 6 Severity 3 defects resulting within a three week period from a Production Release date. The definitions of Type 6 Change Requests (CR) and Severity 1, 2, and 3 defects can be found in the Change Control Process, which can be found at <a href="http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html">http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html</a>.

# Calculation

The number of Type 6 Severity 1 Defects, the number of Type 6 Severity 2 Defects without a mechanized work around, and the number of Type 6 Severity 3 defects.

# Report Structure

- Production Releases
- Number of Type 6 Severity 1 defects
- Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

# **Data Retained**

- Region
- Report Period
- Production Releases

**SQM Level of Disaggregation** 

- Number of Type 6 Severity 1 defects
- · Number of Type 6 Severity 2 defects without a mechanized work around
- Number of Type 6 Severity 3 defects

# **SQM Level of Disaggregation - Analog/Benchmark**

- Region—Number of Type 6 Severity 2 Defects...... 0 Defects without a mechanized work around

SQM Analog/Benchmark

CM-9: Number of Defects in Production Releases (Type 6 CR)

**SEEM Measure** 

**SEEM** Tier I Tier II No.....

**SEEM Disaggregation** 

**SEEM Analog/Benchmark** 



## CM-10: Software Validation

#### **Definition**

Measures software validation test results for Production Releases of BellSouth Local Interfaces.

#### **Exclusions**

None

#### **Business Rules**

BellSouth maintains a test deck of transactions that are used to validate that functionality in software Production Releases work as designed. Each transaction in the test deck is assigned a weight factor, which is based on the weights that have been assigned to the metrics. Within the software validation metric weight factors will be allocated among transaction types (e.g., Pre-Order, Order Resale, Order UNE, Order UNE-P) and then equally distributed across transactions within the specific type.

BellSouth will begin to execute the software validation test deck within one (1) business day following a Production Release. Test deck transactions will be executed using Production Release software in the CAVE environment. Within seven (7) business days following completion of the Production Release software validation test in CAVE, BellSouth will report the number of test deck transactions that failed. Each failed transaction will be multiplied by the transaction's weight factor.

A transaction is considered failed if the request cannot be submitted or processed, or results in incorrect or improperly formatted data.

The test deck scenario weight table can be found in the Change Control Process, a copy of which can be found at http://www.interconnection.bellsouth.com/markets/lec/ccp\_live/index.html.

#### Calculation

This software validation metric is defined as the ratio of the sum of the weights of failed transactions using Production Release software in CAVE to the sum of the weights of all transactions in the test deck.

- Numerator = Sum of weights of failed transactions
- Denominator = Sum of weights of all transactions in the test deck

### Report Structure

· BellSouth Aggregate

#### **Data Retained**

- · Report Period
- Production Release Number
- · Test Deck Weights
- % Test Deck Weight Failure

### SQM Level of Disaggregation - Analog/Benchmark

## SQM Level of Disaggregation SQM Analog/Benchmark • Region ......<= 5%



**SEEM Measure** 

SEEM Tier I Tier II

**SEEM Disaggregation** 

**SEEM Analog/Benchmark** 



## CM-11: Percent of Change Requests Implemented within 60 Weeks of Prioritization

#### **Definition**

Measures whether BellSouth provides CLECs timely implementation of prioritized change requests.

#### **Exclusions**

- Change requests that are implemented later than 60 weeks with the consent of the CLECs
- · Change requests for which BellSouth has regulatory authority to exceed the interval

#### **Business Rules**

This metric is designed to measure BellSouth's monthly performance in implementing prioritized change requests. The clock starts when a change request has first been prioritized as described in the Change Control Process. The clock stops when the change request has been implemented by BellSouth and made available to the CLECs. BellSouth will begin reporting this monthly measure with the next release for diagnostic purposes, and will be measured for SEEM purposes 60 weeks from first prioritization meeting following Commission approval of this measure.

#### Calculation

#### Percent of Type 5 CLEC initiated Change Requests implemented on time = (a / b) X 100

- a = Total number of prioritized Type 5 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of their first prioritization plus all other prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 5 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

### Percent of Type 4 BellSouth initiated Change Requests implemented on time = $(a / b) \times 100$

- a = Total number of prioritized Type 4 Change Requests implemented each month that are less than or equal to 60 weeks of age from the date of the release prioritization list plus all other Type 4 prioritized change requests existing at the end of the month that are less than or equal to 60 weeks of age from prioritization.
- b = All entries in "a" above plus all Type 4 Change Requests prioritized more than 60 weeks before the end of the monthly reporting period.

## **Report Structure**

- BellSouth Aggregate
- Type 4 requests implemented
- Type 5 requests implemented
- % implemented within 16, 32, 48, and 60 weeks

#### **Data Retained**

- Region
- Report Month
- Total implemented by type
- Total implemented within 60 weeks



## **SQM Level of Disaggregation - Analog/Benchmark**

SQM Level of Disaggregation				SQM Analog/Benchmark	
<ul> <li>Region</li> <li>Type 4 requests implemented</li> <li>Type 5 requests implemented</li> </ul>			ented		95% within interval
SEEM Measure					
SEEM Tier I Tier II Yes X					
1	es	••••••	A		
SEEM Disaggregation					SEEM Analog/Benchmark

## **Appendix A: Reporting Scope**

## A-1: Standard Service Groupings

See individual reports in the body of the SQM.

## A-2: Standard Service Order Activities

These are the generic BellSouth/CLEC service order activities which are included in the Pre-Ordering, Ordering, and Provisioning sections of this document. It is not meant to indicate specific reporting categories.

## **Service Order Activity Types**

- Service Migrations Without Changes
- Service Migrations With Changes
- Move and Change Activities
- Service Disconnects (Unless noted otherwise)
- New Service Installations

## **Pre-Ordering Query Types**

- Address
- Telephone Number
- · Appointment Scheduling
- Customer Service Record
- Feature Availability
- Service Inquiry

## **Maintenance Query Types**

TAFI - TAFI queries the systems below

- CRIS
- March
- Predictor
- LMOS
  - DLR
  - DLETH
  - LMOSupd
- LNP
- NIW
- OSPCM
- SOCS

### Report Levels

- CLEC RESH
- CLEC State
- · CLEC Region
- Aggregate CLEC State
- Aggregate CLEC Region
- BellSouth State
- · BellSouth Region



## **Appendix B: Glossary of Acronyms and Terms**

## Symbols used in calculations

A mathematical symbol representing the sum of a series of values following the symbol.

A mathematical operator representing subtraction.

HA mathematical operator representing addition.

A mathematical operator representing division.

A mathematical symbol that indicates the metric on the left of the symbol is less than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is less than or equal to the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than the metric on the right.

A mathematical symbol that indicates the metric on the left of the symbol is greater than or equal to the metric on the right.

## Α

#### **ACD**

Automatic Call Distributor - A service that provides status monitoring of agents in a call center and routes high volume incoming telephone calls to available agents while collecting management information on both callers and attendants.

Parentheses, used to group mathematical operations which are completed before operations outside the parentheses.

#### Aggregate

Sum total of all items in like category, e.g. CLEC aggregate equals the sum total of all CLECs' data for a given reporting level.

#### ALEC

Alternative Local Exchange Company = FL CLEC

#### ADSL

Asymmetrical Digital Subscriber Line

#### ASR

Access Service Request - A request for access service terminating delivery of carrier traffic into a Local Exchange Carrier's network.

#### **ATLAS**

## Appendix B: Glossary of Acronyms and Terms

Application for Telephone Number Load Administration System - The BellSouth Operations System used to administer the pool of available telephone numbers and to reserve selected numbers from the pool for use on pending service requests/service orders.

#### **ATLASTN**

ATLAS software contract for Telephone Number.

#### **Auto Clarification**

The number of LSRs that were electronically rejected from LESOG and electronically returned to the CLEC for correction.

#### В

#### **BFR**:

Bona Fied Request

#### BILLING

The process and functions by which billing data is collected and by which account information is processed in order to render accurate and timely billing.

#### **BOCRIS**

Business Office Customer Record Information System (Front-end to the CRIS database.)

#### BRI

Basic Rate ISDN

#### **BRC**

Business Repair Center - The BellSouth Business Systems trouble receipt center which serves large business and CLEC customers.

#### **BellSouth**

BellSouth Telecommunications, Inc.

#### C

### **CABS**

Carrier Access Billing System

#### CCC

Coordinated Customer Conversions

### CCP

Change Control Process

#### Centrex

A business telephone service, offered by local exchange carriers, which is similar to a Private Branch Exchange (PBX) but the switching equipment is located in the telephone company Central Office (CO).

#### **CKTID**

A unique identifier for elements combined in a service configuration

#### CLEC

Competitive Local Exchange Carrier

#### CLP

Competitive Local Provider = NC CLEC

### CM

Change Management

## Appendix B: Glossary of Acronyms and Terms

## **CMDS**

Centralized Message Distribution System - Telcordia administered national system used to transfer specially formatted messages among companies.

#### **COFFI**

Central Office Feature File Interface - Provides information about USOCs and class of service. COFFI is a part of DOE/SONGS. It indicates all services available to a customer.

#### **CRIS**

Customer Record Information System - This system is used to retain customer information and render bills for telecommunications service.

#### **CRSACCTS**

CRIS software contract for CSR information

#### **CRSG**

Complex Resale Support Group

#### C-SOTS

CLEC Service Order Tracking System

#### **CSR**

Customer Service Record

#### CTTG

Common Transport Trunk Group - Final trunk groups between BellSouth & Independent end offices and the BellSouth access tandems.

## D

### DA

Directory Assistance

#### **DESIGN**

Design Service is defined as any Special or Plain Old Telephone Service Order which requires BellSouth Design Engineering Activities.

## **DISPOSITION & CAUSE**

Types of trouble conditions, e.g. No Trouble Found, Central Office Equipment, Customer Premises Equipment, etc.

#### DLETH

Display Lengthy Trouble History - A history report that gives all activity on a line record for trouble reports in LMOS.

#### DLR

Detail Line Record - A report that gives detailed line record information on records maintained in LMOS

#### DS-0

The worldwide standard speed for one digital voice signal (64000 bps).

#### DS-1

24 DS-0s (1.544Mb/sec., i.e. carrier systems)

#### DOE

Direct Order Entry System - An internal BellSouth service order entry system used by BellSouth Service Representatives to input business service orders in BellSouth format.

## **@ BELLSOUTH**\*

**Tennessee Performance Metrics** 

#### **DSAP**

DOE (Direct Order Entry) Support Application - The BellSouth Operations System which assists a Service Representative or similar carrier agent in negotiating service provisioning commitments for non-designed services and Unbundled Network Elements.

#### **DSAPDDI**

DSAP software contract for schedule information.

#### DSI

Digital Subscriber Line

#### DIII

**Database Update Information** 

#### Ε

#### E911

Provides callers access to the applicable emergency services bureau by dialing a 3-digit universal telephone number.

#### EDI

Electronic Data Interchange - The computer-to-computer exchange of inter and/or intra-company business documents in a public standard format.

#### **ESSX**

BellSouth Centrex Service

#### F G

## **Fatal Reject**

The number of LSRs that were electronically rejected from LEO, which checks to see of the LSR has all the required fields correctly populated.

#### Flow-Through

In the context of this document, LSRs submitted electronically via the CLEC mechanized ordering process that flow through to the BellSouth OSS without manual or human intervention.

### **FOC**

Firm Order Confirmation - A notification returned to the CLEC confirming that the LSR has been received and accepted, including the specified commitment date.

#### FX

Foreign Exchange

#### Н

#### HAL

"Hands Off" Assignment Logic - Front end access and error resolution logic used in interfacing BellSouth Operations Systems such as ATLAS, BOCRIS, LMOS, PSIMS, RSAG and SOCS.

#### HALCRIS

HAL software contract for CSR information

#### **HDSL**

High Density Subscriber Loop/Line



## IJK

#### **ILEC**

Incumbent Local Exchange Company

#### **INP**

Interim Number Portability

#### **ISDN**

Integrated Services Digital Network

#### TPC

Interconnection Purchasing Center

## L

#### LAN

Local Area Network

#### **LAUTO**

The automatic processor in the LNP Gateway that validates LSRs and issues service orders.

#### LCSC

Local Carrier Service Center - The BellSouth center which is dedicated to handling CLEC LSRs, ASRs, and Preordering transactions along with associated expedite requests and escalations.

#### Legacy System

Term used to refer to BellSouth Operations Support Systems (see OSS)

## LENS

Local Exchange Negotiation System - The BellSouth LAN/web server/OS application developed to provide both preordering and ordering electronic interface functions for CLECs.

#### **LEO**

Local Exchange Ordering - A BellSouth system which accepts the output of EDI, applies edit and formatting checks, and reformats the Local Service Requests in BellSouth Service Order format.

#### LERG

Local Exchange Routing Guide

#### LESOG

Local Exchange Service Order Generator - A BellSouth system which accepts the service order output of LEO and enters the Service Order into the Service Order Control System using terminal emulation technology.

#### **LFACS**

Loop Facilities Assessment and Control System

#### LIDB

Line Information Database

## LMOS

Loop Maintenance Operations System - A system that provides a mechanized means of maintaining customer line records and for entering, processing, and tracking trouble reports.

#### LMOS HOST



LMOS host computer

#### **LMOSupd**

LMOS update allows trouble tickets on line records to be entered into LMOS.

#### **LMU**

Loop Make-up

#### **LMUS**

Loop Make-up Service Inquiry

#### LNP

Local Number Portability - In the context of this document, the capability for a subscriber to retain his current telephone number as he transfers to a different local service provider.

#### LNP Gateway

Local Number Portability (gateway)- A system that provides both internal and external communications with various interfaces and process including:

- (1). Linking BellSouth to the Number Portability Administration Center (NPAC).
- (2). Allowing for inter-company communications between BellSouth and the CLECs for electronic ordering.
- (3). Providing interface between NPAC and AIN SMS for LNP routing processes.

## LOOPS

Transmission paths from the central office to the customer premises.

#### LRN

Location Routing Number

#### LSR

Local Service Request – A request for local resale service or unbundled network elements from a CLEC.

#### M

#### Maintenance & Repair

The process and function by which trouble reports are passed to BellSouth and by which the related service problems are resolved.

#### MARCH

A memory administration system that translates line-related service order data into switch provisioning messages and automatically transmits the messages to targeted stored program control system switches.

#### Ν

#### **NBR**

New Business Request

#### NC

"No Circuits" - All circuits busy announcement.

#### NIW

Network Information Warehouse - A system that stores central office blockage data for use in processing trouble reports.



### Appendix B: Glossary of Acronyms and Terms

#### **NMLI**

Native Mode LAN Interconnection

#### **NPA**

Numbering Plan Area

#### NXX

The "exchange" portion of a telephone number.

## 0

#### OASIS

Obtain Availability Services Information System - A BellSouth front-end processor, which acts as an interface between COFFI and RNS. This system takes the USOCs in COFFI and translates them to English for display in RNS.

#### **OASISBSN**

OASIS software contract for feature/service

#### OASISNET

OASIS software contract for feature/service

#### OASISOCP

OASIS software contract for feature/service

#### **ORDERING**

The process and functions by which resale services or unbundled network elements are ordered from BellSouth as well as the process by which an LSR or ASR is placed with BellSouth.

#### **Order Types**

The following order types are used in this document:

- (1). T The "to" portion of a change of address. This Order Type is used to connect main service at a new address when a customer moves from one address to another in any of the nine states within the BellSouth region. A "T" Order Type is always pared with an "F" Order Type which will have the same telephone number following the "F" Order Type Code unless the orders are within different states.
- (2). N Orders establishing a new account. Also, this Order Type Code is occasionally used when changing from one type of system to another such as when changing from PBX to Centrex.
- (3). C Order Type used for the following conditions: changes or partial connections or disconnections of service or equipment; change of telephone number, grade or class of main line, additional lines, auxiliary lines, PBX trunks and stations; addition of trunks or lines to existing accounts; move of equipment (other than change of address); temporary suspension and restoration of service at customer's request.
- (4). R Order Type used for the following conditions: additions, removals or changes in directory listings; responsibility change orders, addition, removal or changes in directory and billing information; other record corrections where no "field work" is involved.

#### **OSPCM**

Outside Plant Contract Management System - A system that provides scheduling and completion information on outside plant construction activities.

#### OSS

Operations Support System - A support system or database which is used to mechanize the flow or performance of work. The term is used to refer to the overall system consisting of hardware complex, computer operating system(s), and

## Appendix B: Glossary of Acronyms and Terms

application which is used to provide the support functions.

#### **OUT OF SERVICE**

Customer has no dial tone and cannot call out.

#### P<sub>Q</sub>

#### **PMAP**

Performance Measurement Analysis Platform

#### **PON**

Purchase Order Number

#### POTS

Plain Old Telephone Service

#### **PREDICTOR**

A system which is used to administer proactive maintenance and rehabilitation activities on outside plant facilities, provide access to selected work groups to Mechanized Loop Testing and switching system I/O ports.

#### **Preordering**

The process and functions by which vital information is obtained, verified, or validated prior to placing a service request.

#### PRI

Primary Rate ISDN

#### **Provisioning**

The process and functions by which necessary work is performed to activate a service requested via an LSR or ASR and to initiate the proper billing and accounting functions.

### **PSIMS**

Product/Service Inventory Management System - A BellSouth database Operations System which contains availability information on switching system features and capabilities and on BellSouth service availability. This database is used to verify the availability of a feature or service in an NXX prior to making a commitment to the customer.

#### **PSIMSORB**

PSIMS software contract for feature/service.

#### R

### **RNS**

Regional Negotiation System - An internal BellSouth service order entry system used by BellSouth Consumer Services to input service orders in BellSouth format.

#### ROS

Regional Ordering System

### **RRC**

Residence Repair Center - The BellSouth Consumer Services trouble receipt center which serves residential customers.

#### RSAG

Regional Street Address Guide - The BellSouth database, which contains street addresses validated to be accurate with state and local governments.

## Appendix B: Glossary of Acronyms and Terms

#### RSAGADDR

RSAG software contract for address search.

#### **RSAGTN**

RSAG software contract for telephone number search.

#### S

#### SAC

Service Advocacy Center

#### SEEM

Self Effectuating Enforcement Mechanism

#### **SOCS**

Service Order Control System - A system which routes service order images among BellSouth drop points and BellSouth OSS during the service provisioning process.

#### SOIR

Service Order Interface Record - any change effecting activity to a customer account by service order that impacts 911/E911

#### SONGS

Service Order Negotiation and Generation System.

#### **Syntactically Incorrect Query**

A query that cannot be fulfilled due to insufficient or incorrect input data from the end user. For example, A CLEC would like to query the legacy system for the following address: 1234 Main ST. Entering "1234 Main ST" will be considered syntactically correct because valid characters were used in the address field. However, entering "AB34 Main ST" will be considered syntactically incorrect because invalid characters (i.e., alpha characters were entered in numeric slots) were used in the address field.

#### T

#### **TAFI**

Trouble Analysis Facilitation Interface - The BellSouth Operations System that supports trouble receipt center personnel in taking and handling customer trouble reports.

#### TAG

Telecommunications Access Gateway – TAG was designed to provide an electronic interface, or machine-to-machine interface for the bi-directional flow of information between BellSouth's OSSs and participating CLECs.

## TN

Telephone Number

#### **Total Manual Fallout**

The number of LSRs which are entered electronically but require manual entering into a service order generator.

## UV

#### UNE

Unbundled Network Element

#### UCL

Unbundled Copper Link



Appendix B: Glossary of Acronyms and Terms

**USOC** 

Universal Service Order Code

## WXYZ

WATS

Wide Area Telephone Service

WFA

Work Force Administration

WMC

Work Management Center

WTN

Working Telephone Number.



## **Appendix C: BellSouth Audit Policy**

## C-1: BellSouth's Internal Audit Policy

BellSouth's internal efforts to make certain that the reports produced by the PMAP platform are of the highest accuracy has been formalized into a Performance Measurements Quality Assurance Plan (PMQAP) that documents and augments existing quality assurance processes integral to the production and validation of Performance Measurements data.

The plan consists of three sections:

Change Control addresses the quality assurance steps involved in the introduction of new measurements and changes to existing
measurements.

**Appendix C: Audit Policy** 

- 2. Production addresses the quality assurance steps used to create monthly SQM reports.
- 3. Monthly Validation addresses the quality assurance steps used to ensure accurate posting of monthly results.

The BellSouth PMQAP will ensure that BellSouth effectively and consistently provides accurate performance measurements data for the activities included in the SQM. The BellSouth Internal Audit department will audit this plan and its quality assurance steps annually, beginning in 4Q01.

## C-2: BellSouth's External Audit Policy

BellSouth currently provides many CLECs with audit rights as a part of their individual interconnection agreements. BellSouth has developed a proposed Audit Plan for use by the parties to an audit. If requested by a Public Service Commission or by a CLEC exercising contractual audit rights, BellSouth will agree to undergo a comprehensive audit of the current year aggregate level reports for both BellSouth and the CLECs for each of the next five (5) years (2001 - 2005), to be conducted by an independent third party auditor jointly selected by BellSouth and the CLEC. The results of audits will be made available to all the parties subject to proper safeguards to protect proprietary information. Requested audits include the following specifications:

- 1. The cost shall be borne by BellSouth.
- 2. The independent third party auditor shall be selected with input from BellSouth, the PSC, if applicable, and the CLEC(s).
- 3. BellSouth, the PSC and the CLECs shall jointly determine the scope of the audit.

These comprehensive audits are intended to provide the basis for the PSCs and CLECs to determine that the SQM, PMAP and SEEM produce accurate data that reflects each States Order for performance measurements. Once this has been verified by an initial audit, the BellSouth PMQAP will provide the basis for future audits.



## **Appendix D: OSS Tables**

## OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

## **Table 1: Legacy System Access Times For RNS**

	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. Sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	x	X
RSAG	RSAG-ADDR	Address	X	X	X	x	x
ATLAS	ATLAS-TN	TN					
DSAP	DSAP-DDI	Schedule					
CRIS	CRSACCTS	CSR	x	xx	X	x	x
OASIS	OASISBIG	Feature/Service	x	xx	x	x	x

## Table 2: Legacy System Access Times For R0S

System	Contract	Data			<= 6.3 sec.	0	
RSAG	RSAG-TN	Address	X	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	x	X
ATLAS	ATLAS-TN	TN	X	X	X	x	X
DSAP	DSAP-DDI	Schedule	x	xx	X	x	x
CRIS	CRSOCSR	CSR	x	xx	X	x	x
OASIS		Feature/Service					

## **Table 3: Legacy System Access Times For LENS**

	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	x	X	X	X	X
RSAG	RSAG-ADDR	Address	X	X	X	x	X
ATLAS	ATLAS-TN	TN	x	X	X	x	X
DSAP	DSAP	Schedule	x	X	X	x	x
CRIS	CRSECSRL	CSR	x	X	X	x	x
COFFI	COFFI/USOCF	eature/Service	x	x	x	x	x
P/SIMS	PSIMS/ORB F	eature/Service	x	X	X	x	x

### **Table 4: Legacy System Access Times For TAG**

	Contract	Data	< 2.3 sec.	> 6 sec.	<= 6.3 sec.	Avg. sec.	# of Calls
RSAG	RSAG-TN	Address	X	X	X	x	X
RSAG	RSAG-ADDR	R Address	x	X	X	x	X
ATLAS	ATLAS-TN	TN	x	x	x	x	x
ATLAS	ATLAS-MLH	TN	x	xx	x	x	x
ATLAS	ATLAS-DID	TN	x	x	x	x	x
DSAP	DSAP-DDI	Schedule	x	xx	x	x	x
CRIS	TAG-CSR	CSR	x	X	X	x	x
P/SIMS	PSIM/ORB	Feature/Service	X	X	X	x	x



# OSS-1: Average Response Interval and Percent Within Interval (Pre-Ordering/Ordering)

## **SEEM OSS Legacy System**

System	BellSouth	CLEC
	Telephone Number/Address	
RSAG-ADDR	RNS, ROS	TAG, LENS
RSAG-TN	RNS, ROS	TAG, LENS
Atlas	RNS,ROS	TAG. LENS
	Appointment Scheduling	
DSAP	RNS, ROS	TAG, LENS
	CSR Data	
CRSACCTS	RNS	
CRSOCSR	ROS	
CRSECSRL		LENS
TAG-CSR		TAG
	Service/Feature Availability	
OASISBIG	RNS, ROS	
PSIMS/ORB, COFFI		LENS, TAG

## OSS-2: OSS Availability (Pre-Ordering/Ordering)

## **OSS Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	X
LESOG	CLEC	X
PSIMS	CLEC	X
TAG	CLEC	X
LNP Gateway	CLEC	X
COG	CLEC	X
SOG	CLEC	x



DOM	
DOE	CLEC/BellSouthx
CRIS	CLEC/BellSouthx
ATLAS/COFFI	CLEC/BellSouthx
BOCRIS	CLEC/BellSouthx
DSAP	CLEC/BellSouthx
RSAG	CLEC/BellSouthx
SOCS	CLEC/BellSouthx
SONGS	CLEC/BellSouthx
RNS	BellSouthx
ROS	BellSouthx

## OSS-2: OSS Availability (Pre-Ordering/Ordering)

## **SEEM OSS Availability**

OSS Interface	Applicable to	% Availability
EDI	CLEC	X
LENS	CLEC	X
LEO	CLEC	x
LESOG	CLEC	X
PSIMS	CLEC	x
TAG	CLEC	X
LNP Gateway	CLEC	x
COG	CLEC	x
SOG	CLEC	X
DOM	CLEC	X



## **OSS-3:** OSS Availability (Maintenance & Repair)

## **OSS Availability (M&R)**

os	S Interface	% Availability
	BellSouth TAFI	X
	CLEC TAFI	X
	CLEC ECTA	X
Ве	IlSouth & CLEC	
	CRIS	X
	LMOS HOST	X
	LNP Gateway	X
	MARCH	X
	OSPCM	X
	PREDICTOR	X
	SOCS	X

## **OSS-3:** OSS Availability (Maintenance & Repair)

## **SEEM OSS Availability (M&R)**

OSS Interface	% Availability
CLEC TAFI	. X
CLEC ECTA	. X

## **OSS-4:** Response Interval (Maintenance & Repair)

## **Legacy System Access Times for M&R**

System	<b>BellSouth</b>			Count		
•	& CLEC	<= <b>4</b>	> 4 <= 10	<= 10	> 10	> 30 Avg. Int.
CRIS	Х	x	X	X	X	x
DLETH	X	x	X	X	X	x
DLR	X	x	X	X	X	x
LMOS	Х	x	X	X	X	x
LMOSupd	X	x	X	X	X	x
LNP	X	x	X	X	X	x
MARCH	Х	x	X	X	X	x
OSPCM	Х	x	X	X	X	x
Predictor	Х	x	X	X	X	xx
SOCS	X	x	X	X	X	x
NIW	X	x	X	xx	xx	xx

Version 2.00 203 Issue Date: July 1, 2003



## **TAFI**

System	Open Trouble Ticket	Status Trouble Ticket	Mechanized Line Testing	Close Trouble Ticket
CRIS	X			
DLETH	X			
DLR	X			
LMOS	X	Х		X
LMOSSupd	X	X	X	X
LNP	X			
MARCH	X			
OSPCM	X	X		
Predictor	Χ	X		
SOCS	X	X		
NIW	X			

Note: Depending on the type of customer report multiple systems maybe touched in one transaction.



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T³	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>	COMMENTS
2 wire analog DID trunk port	U	F	N	No	UNE	Yes	NA	Ν	N	N	
2 wire analog port	U	F	N	No	UNE	No	Yes	Υ	Υ	Υ	
2 wire ISDN digital line	U	A	N,T	No	UNE	Yes	NA	Ν	N	N	
2 wire ISDN digital loop	U	A	N,C,D	Yes	UNE	Yes	No	Υ	Υ	N	
2 wire ISDN digital loop - LNP	U	В	V,P,Q	Yes	UNE	Yes	No	Υ	Υ	N	
3 Way Calling	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
3rd Party Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
4 wire analog voice grade loop	U	A	T	No	UNE	Yes	Yes	Υ	Υ	N	
4 wire analog voice grade loop	U	A	N	Yes	UNE	Yes	No	Υ	Υ	N	
4 wire DS1 & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	Ν	N	N	
4 wire DSO & PRI digital loop	U	A	N,T	No	UNE	Yes	NA	Ν	N	N	
4 wire ISDN DSI digital trunk ports	U	A	N,T	No	UNE	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT DS1	С	М	N,C,D,V	No	Yes	Yes	NA	N	N	N	
4-WIRE DS1 LOOP WITH CHANNELIZATION WITH PORT TRUNK SERVICE	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
900 Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Accupulse	С	E	N,C,T,V,W	No	Yes	Yes	NA	Ν	N	N	
ADSL	R,B,C	E	V,W,D	Yes	C/S	C/S	No	Y	Y	Y	NOTE THIS PRODUCT CAN BE ORDERED FOR RES/BUS AND CENTREX
Analog Data/Private Line	C	E E	N,C,T,V,W,D	No	Yes	Yes	NA NA	N	N	N	OLIVINEX
Area Plus	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Y	Y	Y	
ATM (ASYNCHRONOUS TRANFER MODE)	С	E,W	N,C,V,W,D	No	Yes	Yes	NA NA	N	N	N	
Basic Rate ISDN *Unbundled	U	A	T	No	Yes	Yes	Yes	Y	Y	N	
Basic Rate ISDN *Unbundled	U	A	N,V,D	Yes	UNE	Yes	No	Y	Y	Y	
Basic Rate ISDN *Unbundled	U	A	C,T	No	UNE	Yes	Yes	Y	Y	Y	
Basic Rate ISDN 2 Wire UNE P	C	M	N,C,D,V	No	Yes	Yes	NA NA	N	N	N	Manual
Basic Rate ISDN 2 Wire	C	E	N,C, D,T,V,P,Q	No	Yes	Yes	Yes	Υ	Υ	Υ	

Version 2.00 205 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T <sup>3</sup>	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>	COMMENTS
BELLSOUTH CHANNELIZED TRUNKS	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Call Block	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Forwarding	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Return	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Selector	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Tracing	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Waiting	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Call Waiting Deluxe	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Caller ID	R,B	E,M	N,C,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
BELLSOUTH CENTREX*	C	P	N,C,D,W,T,S,B,L,V,P	No	Yes	Yes	NA	Ν	N	N	
UNE P CENTREX	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Collect Call Block	R,B	E,M	N,C,V,W,D,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
DID	С	N	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	Υ	
2-WIRE DIRECT INWARD DIAL (DID) TRUNK PORT AND VOICE GRADE LOOP COMBINATION	C	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
Digital Data Transport	U	E	N,C,T,V,W	No	UNE	Yes	NA NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) DS1	С	M	N,C,D,V	No	Yes	Yes	NA	N	N	N	
DIGITAL DIRECT INTEGRATION TERMINATION SERVICES (DDITS) TRUNK SERVICE	G		NGDV		V	V	NA		N		
	C	M	N,C,D,V	No	Yes	Yes	NA V	N	N	N	
Directory Listing Indentions	B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	No	No	No	Yes	Y	Y	Y	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	N,C,R,V,W,P,Q	Yes	No	No	No	Y	Y	Y	
Directory Listings (simple)	R,B,U	B,C,E,F,J,M,N	T	No	No	No	Yes	Y	Y	N	
Directory Listings Captions	R,B,U	B,C,E,F,J,M,N	N,C,T,R,V,W,P,Q	No	No	Yes	Yes	Y	Y	Y	
DIFFERENT PREMISE ADDRESS (DPA)	C	E	N,C,D,V,W,T	No	Yes	Yes	NA Na	N	N	N	
DS1Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	Y	
DS3	U	A	N,C,V	No	UNE	Yes	NA Na	N	N	N Y	
DSO Loop	U	A	N,D,V	Yes	UNE	Yes	No	Y	Y	-	
DSO Loop	U	A	C,T	No	No	No	Yes	Y	Y	Y	
Enhanced Caller ID	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	

Version 2.00 206 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T <sup>3</sup>	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS <sup>4</sup>	COMMENTS
Enhanced Extended Links (EELS)	U	A	C,D,N,T,V	Yes	No	No	No	Υ	Υ	Υ	
ESSX	С	P	C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	Ν	N	N	
Flat Rate/Business	В	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Υ	Υ	Υ	
Flat Rate/Residence	R	E, M	C,D,N,V,W,T Y,B,L,S,D,T,P,Q	Yes	No	No	No	Υ	Υ	Υ	
FLEXSERV	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Frame Relay	C	Е	N,C,D,V,W	No	Yes	Yes	NA	N	N	N	
FX/FCO	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
UNE P FX/FCO (RES,BUS,PBX) (NOTE: THIS PRODUCT WILL NOT BE AVAILABLE UNTIL 0801-02	С	M	N,C,V,D,T,S,B,L,W,Y,P,Q	No	Yes	Yes	NA	N	N	N	
Ga. Community Calling	R,B	M	C,D,N,V,W,P,Q	No	No	No	NA	N	N	N	
Ga. Community Calling	R,B	Е	T	No	No	No	Yes	Υ	Υ	N	
HDSL	U	A	T	No	UNE	No	Yes	Υ	Υ	N	
HDSL	U	A	N,C,D,V	Yes	UNE	No	No	Υ	Υ	Υ	
Hunting MLH	R,B	E, M	C,D,N,T,V,W	No	C/S <sup>4</sup>	C/S	Yes	Υ	Υ	N	
Hunting Series Completion	R,B	E, M	C,D,N,V,W	Yes	C/S	C/S	No	Υ	Υ	Υ	
Hunting Series Completion	R,B	E, M	T	No	No	No	Yes	Υ	Υ	N	
INP to LNP Conversion	U	С	С	No	UNE	Yes	Yes	Υ	Υ	N	
LightGate	С	Е	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	N	N	N	
Line Sharing	U	Α	N,C,D,V,P,Q	Yes	UNE	No	No	Υ	Υ	Υ	
Line Splitting	U	Α	N,C,D	Yes	UNE	No	No	Υ	Υ	Υ	
LNP With Complex Listing	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP with Complex Services	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP with Partial Migration	U	С	P,V,Q	No	UNE	Yes	Yes	Υ	Υ	N	
LNP	U	С	P,V,Q	Yes	UNE	Yes	No	Υ	Υ	N	
Local Number Portability (INP to LNP)	U	С	С	No	UNE	No	Yes	Υ	Υ	N	
INP	U	B,C	D	No	UNE	No	Yes	Υ	Υ	N	
Loop+LNP	U	В	V,P,Q	Yes	UNE	No	No	Υ	Υ	N	
Measured Rate/Bus	R,B	E,M	C,D,N,V,W,P,Q,T Y,B,L,S,D	Yes	No	No	No	Υ	Y	Y	

Version 2.00 207 Issue Date: July 1, 2003



Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

							PLANNED FALLOUT				
Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T <sup>3</sup>	COMPLEX SERVICE	ORDER	FOR MANUAL HANDLING <sup>1</sup>	EDI	TAG <sup>2</sup>	LENS⁴	COMMENTS
			C,D,N,V,W,P,Q,T								
Measured Rate/Res	R,B	E,M	Y,B,L,S,D	Yes	No	No	No	Υ	Υ	Υ	
Megalink POINT TO POINT	С	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Megalink CHANNELIZED	С	E	N,V,W,T,D,C,P,Q	No	Yes	Yes	NA	N	N	N	
Memory Call	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Memory Call Ans. Svc.	R,B	E, M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Multiserv	С	Р	N,C,D,T,V,S,B,W,L,P,Q	No	Yes	Yes	NA	N	N	N	
Native Mode LAN Interconnection (NMLI)	С	E	N,C,D,V,W	No	Yes	Yes	NA	Ν	N	N	
Off-Prem Stations	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	Ν	N	N	
Optional Calling Plan	R,B	E, M	N,V,P,Q,W	Yes	No	No	No	Υ	Υ	Υ	
Package/Complete Choice and Area Plus	R,B	E, M	N,C,V,W,P,Q	Yes	No	No	No	Υ	Υ	Υ	
Package/Complete Choice and Area Plus	R,B	E, M	Т	No	No	No	Yes	Υ	Υ	N	
Pathlink/ Primary Rate ISDN	С	E	N,C,D,T,V,W,P,Q	No	Yes	Yes	NA	Ν	N	Z	
4-WIRE ISDN PRI UNE COMBO	С	M	N,C,D,V	No	Yes	Yes	NA	Ν	N	Z	
Pay Phone Provider	В	E,M	C,D,T,N,V,W,P,Q	Yes	No	No	No	Υ	Υ	Υ	
PBX Standalone Port	С	F	N,C,D	No	Yes	Yes	Yes	Υ	Υ	Ν	
PBX Trunks	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	Yes	Υ	Υ	Z	
PIC/LPIC Change	R,B,C	E,M	C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PIC/LPIC Freeze	R,B,C	E,M	N,C,V,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
PORT/LOOP COMBO 2-WIRE PBX	С	M	N,C,D,V	No	No	No	Yes	Υ	Υ	Ν	
Port/Loop Simple	U	М	N,C,D,V	Yes	No	No	No	Υ	Υ	Υ	
Preferred Call Forward	R,B,U	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
RCF Basic	R,B	E,M	N,D,W,V,P,Q,T	No	No	No	Yes	Υ	Υ	N	
Remote Access to CF	R,B	E,M	C,D,N,V,W,P,Q,T	No	No	No	NA	Υ	Υ	N	
Repeat Dialing	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Ringmaster	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Smartpath	R,B	Е	C,D,T,N,V,W	No	Yes	Yes	NA	N	N	N	
SmartRING	С	Е	N,D,C,V,W	No	Yes	Yes	NA	N	N	N	
Speed Calling	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Synchronet	С	E	N,D,C,V,W	No	Yes	Yes	Yes	Υ	Υ	N	
Three Way Call Block	R,B	E,M	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	N	

Version 2.00 208 Issue Date: July 1, 2003



## Appendix E: LSR Flow-Through Matrix (as of May 13, 2003)

Product	PRODUCT TYPE	REQTYPE	ACT TYPE	F/T <sup>3</sup>	COMPLEX SERVICE	COMPLEX ORDER	PLANNED FALLOUT FOR MANUAL HANDLING <sup>1</sup>		TAG <sup>2</sup>	LENS⁴	COMMENTS
Tie Lines	С	E	N,C,D,V,W,T,P,Q	No	Yes	Yes	NA	N	N	Ν	
TOLL FREE DIALING (TFD)	С	E	N,C,D,V,W	No	Yes	Yes	NA	N	N	Z	
Touchtone	R,B	E	C,D,N,V,W,P,Q,T	Yes	No	No	No	Υ	Υ	Υ	
Unbundled Loop-Analog 2W, SL1, SL2	U	A,B	D,N,V	Yes	UNE	No	No	Υ	Υ	Υ	
Unbundled Loop-Analog 2W, SL1,SL2	U	A,B	C **	Yes	UNE	No	Yes	Υ	Υ	Υ	
Unbundled Universal Digital Channel (UDC) Loop	U	Α	N,D	Yes	UNE	No	No	Υ	Υ	Υ	
WATS*	С	E	W,D,N,C,V	No	Yes	Yes	NA	N	N	Ν	
XDSL	U	A,B	N,C,V,D	Yes	UNE	No	No	Υ	Υ	Υ	
XDSL	U	A,B	T	No	No	No	Yes	Υ	Υ	Ν	

Product: U-UNE; C-Complex; B-Business; R-Residence

**Reqtype:** A-Loop; B-Loop with LNP/INP; C-LNP/INP; E-Resale; F-Port; J-Directory Listing and Directory Assistance; M-UNE-P; N-DID Resale; P-Centrex Resale, ACT: N-New installation-; C-Change an existing account; D-Disconnection; T-Outside move of end user location; R-Record activity is for ordering administrative changes; V-Conversion of service to new LSP as specified; W-Conversion of service to new LSP "as is"; S-Suspend; B-Restore; Y-Deny; L-Seasonal Suspend; P-Partial Migration (initial); Q-Partial Migration (subsequent)

Note 1: Planned Fallout for Manual Handling denotes those services that are electronically submitted and are not intended to flow-through due to the complexity of the service.

Note 2: The TAG column includes thse LSRs submitted via Robo TAG.

Note 3: For all services that indicate 'No' for flow-through, the following reasons, in addition to complex services or complex order, also prompt manual handling: Expedites from CLECs, special pricing plans, partial migrations (although conversions-as-is flow through for issue 9 unless migrating the main TN and a new TN must be assigned), class of service invalid in certain states with some TOS e.g. government, or cannot be changed when changing main TN on C activity, pnding order review required (Example: Any pending service order (PSO) not related to current PON, pending service order (PSO) with multiple service orders pending realted to current PON and SUP received), more than 25 business lines and more than 15 loops, CSR inaccuracies such as invalid or missing CSR data in CRIS, Directory listings with Indentions or Captions, , transfer of calls option for CLEC end user – new TN not yet posted to CRIS.

Note 4: Services with C/S in the Complex Service and/or the Complex Order columns can be either complex or simple.

**Note 5:** The following list of items will not FT:

LSRs with Project or RPON fields populated

\*\*SL1 REOTYP A, ACT C, LNA N, C, or D

\*\*SL2 REQTYP A, ACT C, LNA C

REQTYP B, C, ACT P when migrating main telephone number

REQTYP B, C ACT V with Complex

REQTYP E, M, N and P; ACT = V, LNA = V (LNP to Resale/UNE Switched Combinations)

## **Attachment 10**

## **BellSouth Disaster Recovery Plan**

CON	ITENT	<u>S</u>		PAGE
1.0	Purpo	NCA		2
2.0		e Point of	Contact	2
3.0	_	fying the		2
3.0	3.1			3
			nmental Concerns	4
4.0			y Control Center (ECC)	4
5.0		very Proc		5
		ČLEC (		5
	5.2	BellSou	uth Outage	5
			Loss of Central Office	6
		5.2.2	Loss of a Central Office with Serving Wire Center Functions	6
			Loss of a Central Office with Tandem Functions	6
		5.2.4	Loss of a Facility Hub	7
	5.3	Combin	ned Outage (CLEC and BellSouth Equipment)	7
6.0	T1 Id	entification	on Procedures	7
7.0	Acro	ıvms		8

#### 1.0 PURPOSE

In the unlikely event of a disaster occurring that affects BellSouth's long-term ability to deliver traffic to a Competitive Local Exchange Carrier (CLEC), general procedures have been developed by BellSouth to hasten the recovery process in accordance with the Telecommunications Service Priority (TSP) Program established by the Federal Communications Commission to identify and prioritize telecommunication services that support national security or emergency preparedness (NS/EP) missions. Since each location is different and could be affected by an assortment of potential problems, a detailed recovery plan is impractical. However, in the process of reviewing recovery activities for specific locations, some basic procedures emerge that appear to be common in most cases.

These general procedures should apply to any disaster that affects the delivery of traffic for an extended time period. Each CLEC will be given the same consideration during an outage, and service will be restored as quickly as possible.

This document will cover the basic recovery procedures that would apply to every CLEC.

## 2.0 SINGLE POINT OF CONTACT

When a problem is experienced, regardless of the severity, the BellSouth Network Management Center (NMC) will observe traffic anomalies and begin monitoring the situation. Controls will be appropriately applied to insure the sanity of BellSouth's network; and, in the event that a switch or facility node is lost, the NMC will attempt to circumvent the failure using available reroutes.

BellSouth's NMC will remain in control of the restoration efforts until the problem has been identified as being a long-term outage. At that time, the NMC will contact BellSouth's Emergency Control Center (ECC) and relinquish control of the recovery efforts. Even though the ECC may take charge of the situation, the NMC will continue to monitor the circumstances and restore traffic as soon as damaged network elements are revitalized.

The telephone number for the BellSouth Network Management Center in Atlanta, as published in Telcordia's National Network Management Directory, is 404-321-2516.

#### 3.0 IDENTIFYING THE PROBLEM

During the early stages of problem detection, the NMC will be able to tell which CLECs are affected by the catastrophe. Further analysis and/or first hand observation will determine if the disaster has affected CLEC equipment only, BellSouth equipment only or a combination. The initial restoration activity will be largely determined by the equipment that is affected.

Once the nature of the disaster is determined and after verifying the cause of the problem, the NMC will initiate reroutes and/or transfers that are jointly agreed upon by the affected CLECs' Network Management Center and the BellSouth NMC. The type and percentage of controls used will depend upon available network capacity. Controls necessary to stabilize the situation will be invoked and the NMC will attempt to re-establish as much traffic as possible.

For long-term outages, recovery efforts will be coordinated by the Emergency Control Center (ECC). Traffic controls will continue to be applied by the NMC until facilities are re-established. As equipment is made available for service, the ECC will instruct the NMC to begin removing the controls and allow traffic to resume.

## 3.1 SITE CONTROL

In the total loss of building use scenario, what likely exists will be a smoking pile of rubble. This rubble will contain many components that could be dangerous. It could also contain any personnel on the premises at the time of the disaster. For these reasons, the local fire marshal with the assistance of the police will control the site until the building is no longer a threat to surrounding properties and the companies have secured the site from the general public.

During this time, the majority owner of the building should be arranging for a demolition contractor to mobilize to the site with the primary objective of reaching the cable entrance facility for a damage assessment. The results of this assessment would then dictate immediate plans for restoration, both short term and permanent.

In a less catastrophic event, i.e., the building is still standing and the cable entrance facility is usable, the situation is more complex. The site will initially be controlled by local authorities until the threat to adjacent property has diminished. Once the site is returned to the control of the companies, the following events should occur.

An initial assessment of the main building infrastructure systems (mechanical, electrical, fire and life safety, elevators, and others) will establish building needs. Once these needs are determined, the majority owner should lead the building restoration efforts. There may be situations where the site will not be totally restored within the confines of the building. The companies must individually determine their needs and jointly assess the cost of permanent restoration to determine the overall plan of action.

Multiple restoration trailers from each company will result in the need for designated space and installation order. This layout and control is required to maximize the amount of restoration equipment that can be placed at the site, and the priority of placements.

Care must be taken in this planning to ensure other restoration efforts have logistical access to the building. Major components of telephone and building equipment will need to be removed and replaced. A priority for this equipment must also be jointly established to facilitate overall site restoration. (Example: If the AC switchgear has sustained damage, this would be of the highest priority in order to regain power, lighting, and HVAC throughout the building.)

If the site will not accommodate the required restoration equipment, the companies would then need to quickly arrange with local authorities for street closures, rights of way or other possible options available.

## 3.2 ENVIRONMENTAL CONCERNS

In the worse case scenario, many environmental concerns must be addressed. Along with the police and fire marshal, the state environmental protection department will be on site to monitor the situation.

Items to be concerned with in a large central office building could include:

- 1. Emergency engine fuel supply. Damage to the standby equipment and the fuel handling equipment could have created "spill" conditions that have to be handled within state and federal regulations.
- 2. Asbestos-containing materials that may be spread throughout the wreckage. Asbestos could be in many components of building, electrical, mechanical, outside plant distribution, and telephone systems.
- 3. Lead and acid. These materials could be present in potentially large quantities depending upon the extent of damage to the power room.
- 4. Mercury and other regulated compounds resident in telephone equipment.
- 5. Other compounds produced by the fire or heat.

Once a total loss event occurs at a large site, local authorities will control immediate clean up (water placed on the wreckage by the fire department) and site access.

At some point, the companies will become involved with local authorities in the overall planning associated with site clean up and restoration. Depending on the clean up approach taken, delays in the restoration of several hours to several days may occur.

In a less severe disaster, items listed above are more defined and can be addressed individually depending on the damage.

In each case, the majority owner should coordinate building and environmental restoration as well as maintain proper planning and site control.

## 4.0 THE EMERGENCY CONTROL CENTER (ECC)

The ECC is located in the Midtown 1 Building in Atlanta, Georgia. During an emergency, the ECC staff will convene a group of pre-selected experts to inventory the damage and initiate corrective actions. These experts have regional access to BellSouth's personnel and equipment and will assume control of the restoration activity anywhere in the nine-state area.

In the past, the ECC has been involved with restoration activities resulting from hurricanes, ice storms and floods. They have demonstrated their capabilities during these calamities as well as

during outages caused by human error or equipment failures. This group has an excellent record of restoring service as quickly as possible.

During a major disaster, the ECC may move emergency equipment to the affected location, direct recovery efforts of local personnel and coordinate service restoration activities with the CLECs. The ECC will attempt to restore service as quickly as possible using whatever means is available, leaving permanent solutions, such as the replacement of damaged buildings or equipment, for local personnel to administer.

Part of the ECC's responsibility, after temporary equipment is in place, is to support the NMC efforts to return service to the CLECs. Once service has been restored, the ECC will return control of the network to normal operational organizations. Any long-term changes required after service is restored will be made in an orderly fashion and will be conducted as normal activity.

## 5.0 RECOVERY PROCEDURES

The nature and severity of any disaster will influence the recovery procedures. One crucial factor in determining how BellSouth will proceed with restoration is whether or not BellSouth's equipment is incapacitated. Regardless of whose equipment is out of service, BellSouth will move as quickly as possible to aid with service recovery; however, the approach that will be taken may differ depending upon the location of the problem.

#### 5.1 CLEC OUTAGE

For a problem limited to one CLEC (or a building with multiple CLECs), BellSouth has several options available for restoring service quickly. For those CLECs that have agreements with other CLECs, BellSouth can immediately start directing traffic to a provisional CLEC for completion. This alternative is dependent upon BellSouth having concurrence from the affected CLECs.

Whether or not the affected CLECs have requested a traffic transfer to another CLEC will not impact BellSouth's resolve to re-establish traffic to the original destination as quickly as possible.

## **5.2 BELLSOUTH OUTAGE**

Because BellSouth's equipment has varying degrees of impact on the service provided to the CLECs, restoring service from damaged BellSouth equipment is different. The outage will probably impact a number of Carriers simultaneously. However, the ECC will be able to initiate immediate actions to correct the problem.

A disaster involving any of BellSouth's equipment locations could impact the CLECs, some more than others. A disaster at a Central Office (CO) would only impact the delivery of traffic to and from that one location, but the incident could affect many Carriers. If the Central Office is a Serving Wire Center (SWC), then traffic from the entire area to those Carriers served from that switch would also be impacted. If the switch functions as an Access Tandem, or there is a tandem in the building, traffic from every CO to every CLEC could be interrupted. A disaster that destroys a facility hub could disrupt various traffic flows, even though the switching equipment may be unaffected.

The NMC would be the first group to observe a problem involving BellSouth's equipment. Shortly after a disaster, the NMC will begin applying controls and finding re-routes for the

completion of as much traffic as possible. These reroutes may involve delivering traffic to alternate Carriers upon receiving approval from the CLECs involved. In some cases, changes in translations will be required. If the outage is caused by the destruction of equipment, then the ECC will assume control of the restoration.

#### 5.2.1 Loss of a Central Office

When BellSouth loses a Central Office, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency.

## 5.2.2 Loss of a Central Office with Serving Wire Center Functions

The loss of a Central Office that also serves as a Serving Wire Center (SWC) will be restored as described in Section 5.2.1.

### 5.2.3 Loss of a Central Office with Tandem Functions

When BellSouth loses a Central Office building that serves as an Access Tandem and as a SWC, the ECC will

- a) Place specialists and emergency equipment on notice;
- b) Inventory the damage to determine what equipment and/or functions are lost;
- c) Move containerized emergency equipment and facility equipment to the stricken area, if necessary;
- d) Begin reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency;
- e) Re-direct as much traffic as possible to the alternate access tandem (if available) for delivery to those CLECs utilizing a different location as a SWC;
- f) Begin aggregating traffic to a location near the damaged building. From this location, begin re-establishing trunk groups to the CLECs for the delivery of traffic normally found on the direct trunk groups. (This aggregation point may be the alternate access tandem location or another CO on a primary facility route.)

## 5.2.4 Loss of a Facility Hub

In the event that BellSouth loses a facility hub, the recovery process is much the same as above. Once the NMC has observed the problem and administered the appropriate controls, the ECC will assume authority for the repairs. The recovery effort will include

- a) Placing specialists and emergency equipment on notice;
- b) Inventorying the damage to determine what equipment and/or functions are lost;
- c) Moving containerized emergency equipment to the stricken area, if necessary;
- d) Reconnecting service on a parity basis for Hospitals, Police and other emergency agencies or End Users served by BellSouth or CLEC in accordance with the TSP priority restoration coding scheme entered in the BellSouth Maintenance database immediately prior to the emergency; and
- e) If necessary, BellSouth will aggregate the traffic at another location and build temporary facilities. This alternative would be viable for a location that is destroyed and building repairs are required.

## **5.3 COMBINED OUTAGE (CLEC AND BELLSOUTH EQUIPMENT)**

In some instances, a disaster may impact BellSouth's equipment as well as the CLECs'. This situation will be handled in much the same way as described in Section 5.2.3. Since BellSouth and the CLECs will be utilizing temporary equipment, close coordination will be required.

## 6.0 T1 IDENTIFICATION PROCEDURES

During the restoration of service after a disaster, BellSouth may be forced to aggregate traffic for delivery to a CLEC. During this process, T1 traffic may be consolidated onto DS3s and may become unidentifiable to the Carrier. Because resources will be limited, BellSouth may be forced to "package" this traffic entirely differently than normally received by the CLECs. Therefore, a method for identifying the T1 traffic on the DS3s and providing the information to the Carriers is required.

## 7.0 ACRONYMS

CLEC - Competitive Local Exchange Carrier

CO - Central Office (BellSouth)

DS3 - Facility that carries 28 T1s (672 circuits)

ECC - Emergency Control Center (BellSouth)

NMC - Network Management Center

SWC - Serving Wire Center (BellSouth switch)

T1 - Facility that carries 24 circuits

TSP - Telecommunications Service Priority

## **Hurricane Information**

During a hurricane, BellSouth will make every effort to keep CLECs updated on the status of our network. Information centers will be set up throughout BellSouth Telecommunications. These centers are not intended to be used for escalations, but rather to keep the CLEC informed of network related issues, area damages and dispatch conditions, etc.

Hurricane-related information can also be found on line at <a href="http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm">http://www.interconnection.bellsouth.com/network/disaster/dis\_resp.htm</a>. Information concerning Mechanized Disaster Reports can also be found at this website by clicking on CURRENT MDR REPORTS or by going directly to <a href="http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm">http://www.interconnection.bellsouth.com/network/disaster/mdrs.htm</a>.

## **BST Disaster Management Plan**

BellSouth maintenance centers have geographical and redundant communication capabilities. In the event of a disaster removing any maintenance center from service another geographical center would assume maintenance responsibilities. The contact numbers will not change and the transfer will be transparent to the CLEC.

## **Attachment 11**

**Bona Fide Request and New Business Request Process** 

Version 3Q03: 11/12/2003

## BONA FIDE REQUEST AND NEW BUSINESS REQUEST PROCESS

1.0 The Parties agree that CI2 is entitled to order any Unbundled Network Element, Interconnection option, service option or Resale Service required to be made available by FCC or Commission requirements pursuant to the Communications Act of 1934, as modified by the Telecommunications Act of 1996 (the "Act"). CI2 also shall be permitted to request the development of new or revised facilities or service options which are not required by the Act. Procedures applicable to requesting the addition of such facilities or service options are specified in this Attachment 11.

## 2.0 **BONA FIDE REQUEST**

- A Bona Fide Request (BFR) is to be used when CI2 makes a request of BellSouth to provide a new or modified Unbundled Network Element, Interconnection option, or other service option (Requested Services) pursuant to the Act that was not previously included in this Agreement.
- A BFR shall be submitted in writing by CI2 and shall specifically identify the requested service date, technical requirements, space requirements and/or such other specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. Such a request shall also include CI2's designation of the request as being pursuant to the Telecommunications Act of 1996 (i.e. a BFR). The request shall be sent to CI2's designated BellSouth Sales contact.
- 2.3 If BellSouth determines that the preliminary analysis of the requested BFR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the BFR, BellSouth shall notify CI2 within ten (10) business days of BellSouth's receipt of BFR that a fee will be required prior to the evaluation of the BFR. CI2 shall submit such fee within thirty (30) business days of BellSouth's notice that a fee is required. Within thirty (30) business days of BellSouth's receipt of the fee, BellSouth shall respond to CI2 by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested BFR is not of such complexity that it will cause

Version 3O03: 11/12/2003

BellSouth to expend inordinate resources to evaluate the BFR, within thirty (30) business days of its receipt of the BFR, BellSouth shall respond to CI2 by providing a preliminary analysis of such Requested Services that are the subject of the BFR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Services or confirm that BellSouth will not offer the Requested Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as a BFR for the Requested Services or is otherwise not required to be provided under the Act.

- 2.4 CI2 may cancel a BFR at any time. If CI2 cancels the request more than ten (10) business days after submitting the BFR request, CI2 shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the BFR up to the date of cancellation in addition to any fee submitted in accordance with Section 2.3 above.
- 2.5 CI2 will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the BFR as set forth in Section 2.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the BFR (Development Costs). Development costs are non-refundable. If CI2 fails to respond within this 30-day period, the BFR will be deemed cancelled.
- 2.5.1 BellSouth shall propose a firm price quote and a detailed implementation plan within thirty (30) business days of receipt of CI2's acceptance of the preliminary analysis.
- 2.5.2 CI2 shall have thirty (30) business days from receipt of firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- Unless CI2 agrees otherwise, all prices shall be consistent with the pricing principles of the Act, FCC and/or the Commission.
- 2.7 If CI2 believes that BellSouth's firm price quote is not consistent with the requirements of the Act, or if either Party believes that the other is not acting in good faith in requesting, negotiating or processing the BFR, either Party may seek FCC or Commission arbitration, as appropriate, to resolve the dispute. Any such arbitration applicable to Unbundled

Network Elements and/or Interconnection shall be conducted in accordance with standards prescribed in Section 252 of the Act.

2.8 Upon agreement to the rates, terms and conditions of a BFR, an amendment to this Agreement may be required.

## 3.0 NEW BUSINESS REQUEST

- A New Business Request (NBR) is to be used by CI2 to make a request of BellSouth for a new or modified feature or capability of an existing product or service, a new product or service that is not deployed within the BellSouth network or operations and business support systems, or a new or modified service option that was not previously included in this Agreement (Requested Enhanced Services).
- An NBR shall be submitted in writing by CI2 and shall specifically identify the requested service date, technical requirements, space requirements and/or such specifications that clearly define the request such that BellSouth has sufficient information to analyze and prepare a response. The request shall be sent to CI2's designated BellSouth Sales contact.
- 3.3 If BellSouth determines that the preliminary analysis of the requested NBR is of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth shall notify CI2 that a fee will be required prior to the evaluation of the NBR. CI2 shall submit such fee within ten (10) business days of BellSouth's notice that a fee is required. BellSouth shall use reasonable efforts to respond to the NBR within (30) business days following BellSouth's receipt of the fee by providing a preliminary analysis of such Requested Enhanced Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act. If preliminary analysis of the requested NBR is not of such complexity that it will cause BellSouth to expend inordinate resources to evaluate the NBR, BellSouth will use reasonable efforts to respond to CI2 within thirty (30) business days of its receipt of an NBR by providing a preliminary analysis of such Requested Services that are the subject of the NBR. The preliminary analysis shall either confirm that BellSouth will offer access to the Requested Enhanced Services or confirm that BellSouth will not offer the Requested Enhanced Services. If the preliminary analysis states

that BellSouth will not offer the Requested Services, BellSouth will provide an explanation of why the request is not technically feasible, does not qualify as an NBR for the Requested Services or is otherwise not required to be provided under the Act.

- 3.4 CI2 may cancel an NBR at any time. If CI2 cancels the request more than ten (10) business days after submitting it, CI2 shall pay BellSouth's reasonable and demonstrable costs of processing and/or implementing the NBR up to the date of cancellation in addition to any fee submitted in accordance with Section 3.3 above.
- 3.5 CI2 will have thirty (30) business days from receipt of preliminary analysis to accept the preliminary analysis or cancel the NBR as set forth in section 3.4. Acceptance of the preliminary analysis must be in writing and accompanied by all nonrecurring charges quoted in the preliminary analysis. The nonrecurring charges as stated in the preliminary analysis cover the initial work required to develop the project plan, create the design parameters, and establish all activities and resources required to complete the NBR. If CI2 fails to respond within this 30-day period, the NBR will be deemed cancelled.
- 3.6 If CI2 accepts the preliminary analysis, BellSouth shall propose a firm price quote and a detailed implementation plan within sixty (60) business days of receipt of CI2's acceptance of the preliminary analysis and nonrecurring fees quoted in the preliminary analysis.
- 3.7 CI2 shall have thirty (30) business days from receipt of the firm price quote to accept or deny the firm price quote and submit any additional nonrecurring, non-refundable fees quoted in the firm price quote.
- Upon agreement to the terms of a NBR, an amendment to this Agreement, or a separate agreement, may be required.