



AT&T Kentucky  
601 W. Chestnut Street  
Room 407  
Louisville, KY 40203

T: 502.582.8219  
F: 502.582.1573  
mary.keyer@att.com

November 12, 2008

**RECEIVED**

**NOV 18 2008**

**PUBLIC SERVICE  
COMMISSION**

**VIA EMAIL AND FEDERAL EXPRESS**

Ms. Beth Bowersock  
In House Counsel  
SouthEast Telephone  
P.O. Box 1001  
Pikeville, KY 41502

Re: SouthEast Telephone, Inc., Complainant v. BellSouth  
Telecommunications, Inc., d/b/a/ AT&T Kentucky,  
Defendant, KPSC 2008-00279

Dear Beth:

This letter is in response to your October 28, 2008, letter requesting that AT&T Kentucky provide SouthEast Telephone Inc. an update as to when AT&T Kentucky expects to have in place an interim solution for ordering commingled elements.

On November 6, 2008, representatives from AT&T held a conference call with representatives from SouthEast, including Wally Justice, and explained in detail AT&T's interim solution for SouthEast to order unbundled copper loop-nondesign ("UCL-ND") with a port on a commingled basis beginning December 1, 2008. Wally and the other SouthEast representatives on the call appeared to be satisfied with the solution and did not raise any objections or concerns.

Should you have any additional questions, feel free to contact me.

Sincerely,

Mary K. Keyer  
General Counsel/Kentucky

cc: Kentucky Public Service Commission  
CompSouth

723924