OLIVER & OLIVER

LAW OFFICES

www.oliverlawoffices.com

Roger M. Oliver rmo@oliverlawoffices.com

December 5, 2008

RECEIVED
DEC - 8 2008
PUBLIC SERVICE
COMMISSION

Mr. Brent Kirtley, Manager Tariff Branch Public Service Commission P.O. Box 615 Frankfort, KY 40602-0615

> In RE: Purchased Water Adjustment Case No. 2008-00460

Dear Brent:

Please find enclosed a revised tariff sheet showing the rates approved by the Commission's order. I am sending this directly to you since we have been discussing this. I hope that is acceptable.

If anything else needs to be done, please get in touch with me immediately.

Cordially yours,

Roger M. Oliver

RMO:lpr Enclosure

	FOR: SOUTHERN MADISON COUNTY, Berea, Ky.
	P.S.C. KY. NO. <u>2008-00460</u>
SOUTHERN MADISON WATER DISTRICT	Fourth Revised SHEET NO. 2
	CANCELLING P.S.C. KY. NO. 94-150
	Third Revised SHEET NO. 2
SECTION I: RATES AND CHARGES	
APPLICABLE: AVAILABILITY OF SERVICE	Southern Madison County and Berea, Kentucky Domestic and Commercial
A. Monthly Rates for Water	
GALLONAGE BLOCK	RATES
First 2,000 gallons	\$11.926 Minimum Bill
Next 1,000 gallons	5.873 per 1,000 gallons
Next 3,000 gallons	5.463 per 1,000 gallons
Next 4,000 gallons	5.003 per 1,000 gallons
Next 15,000 gallons	4.123 per 1,000 gallons
Next 25,000 gallons	3.823 per 1,000 gallons
Over 50,000 gallons	3.273 per 1,000 gallons
Separate Line Item for the	
Kentucky River Authority Withdrawal Fee	: 0.0253 per 1,000 gallons
B. Where multiple service is rendered through one water meter, the minimum charge shall be multiplied by the number of apartments, residents, stores, offices, and/or establishments receiving watr from such meter. Each multiple service user shall be entitled to 2,000 gallons for a minimum charge. All excess over the minimum shall be billed at the appropriate rate.	
DATE OF ISSUE October 21, 2008	
DATE EFFECTIVE November 28, 2008	
ISSUED BY Jerry Combs	
TITLE Chairman	
BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION	
IN CASE NO. <u>2008-00460</u> DATED <u>November 25, 2008</u>	