

Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice-Chairman

John W. Clay
Commissioner

January 7, 2009

Billy Downs
Manager
Ledbetter Water District
P. O. Box 123
Ledbetter, KY 42058-0123

RE: Case No. 2008-00501
Ledbetter Sewer District

The Commission staff has reviewed your response and has determined that your application in the above case now meets the minimum filing requirements. Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,

A handwritten signature in cursive script that reads "Ryan Gatewood".

Ryan Gatewood, Director
Division of Filings

RG/tw
Enclosure

LEDBETTER WATER DISTRICT

1483 U. S. 60 West
P. O. Box 123
Ledbetter, Kentucky 42058

Phone: 270-898-3236
Fax: 270-898-3496
ledbetterwaterdi@bellsouth.net

FILED

DEC 22 2008

PUBLIC SERVICE
COMMISSION

November 17, 2008

Stephanie L. Stumbo
Executive Director
Kentucky Public Service Commission
211 Sower Boulevard
Frankfort, Kentucky 40601

RECEIVED

DEC - 4 2008

PUBLIC SERVICE
COMMISSION

RE: Application for a sewer rate increase.

Dear Ms. Stumbo:

Ledbetter Water District hereby applies for a rate increase for sewer service. Enclosed are an original and ten copies of this application and supporting documents. Excepted is the evidence of indebtedness and the CPA Audit for 2006. That collection of documents is voluminous, and one copy of each is enclosed. If you require additional copies from us, we will provide them upon request.

All customers were notified by direct mailing of the notice that is included in the application. The notice was mailed on November 26, 2008.

Sincerely,



Billy Downs
District Manager