



Steven L. Beshear
Governor

David L. Armstrong
Chairman

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

James Gardner
Vice-Chairman

John W. Clay
Commissioner

February 11, 2009

Honorable James S. Secrest
Secrest & Secrest
P. O. Box 35
Scottsville, KY 42164

RE: Case No 2009-00054
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:001:

807 KAR 5:001: Section 3 4. Twelve-month period upon which purchased water adjustment is based.

807 KAR 5:001: Section 3 5. Total gallons of water purchased from each supplier during a twelve-month period ending within 90 days of the effective date of rate adjustment.

807 KAR 5:001: Section 3 6. Total gallons sold for the same twelve months.

807 KAR 5:001: Section 3 7. Revised tariff sheets showing revised rates to be charged and the effective date of the new rates.

807 KAR 5:001: Section 3(1). Application must contain information analysis sufficient to determine the accurateness of the calculations of the PWA.

RG/ke

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 10 copies of this information within 15 days of date of this letter. If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,


Ryan Gatewood, Director
Division of Filings

RG/ke