



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P.O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James Gardner
Vice-Chairman

John W. Clay
Commissioner

March 3, 2009

Phillip Ward
Oldham County Water District
3707 Highway 146
P. O. Box 51
Buckner, KY 40010

RE: Case No 2009-00078
Filing Deficiencies

The Commission staff has reviewed your application in the above case. This filing is rejected for the reasons set forth below.

1. Filing deficiencies pursuant to 807 KAR 5:011:

807 KAR 5:011: Section 8 If copy of public notice is included, did it meet requirements? (For sewers, direct mailing is required. See KRS 278.185)

The statutory time period in which the Commission must process this case will not commence until the above-mentioned information is filed with the Commission. If your filing contains a proposed effective date, the rejection of your filing for reasons of deficiencies voids that proposed effective date. When you file the required information to correct the deficiencies, you may refile your proposed tariff with a new proposed effective date that is at least 30 days from the date you file the required information. You are requested to file 10 copies of this information within 15 days of date of this letter. If you need further assistance, please contact my staff at 502/564-3940.

Sincerely,


Ryan Gatewood, Director
Division of Filings

RG/tw