Steven L. Beshear Governor

Leonard K. Peters Secretary Energy and Environment Cabinet



Commonwealth of Kentucky **Public Service Commission** 211 Sower Blvd. P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

July 20, 2011

David L. Armstrong Chairman

James W. Gardner Vice Chairman

Charles R. Borders Commissioner

Ian F. Koffler, Esq. Peck, Shaffer & Williams, LLP 50 East River Center Boulevard Suite 1150 Covington, Kentucky 41011

Re: Case No. 2011-00180 Boone County Water District

Dear Mr. Koffler:

The enclosed electronic mail messages have been filed in the record of the above-referenced case.

Sincerely,

Jeff Derouen Executive Director

Enclosure

KentuckyUnbridledSpirit.com



Wuetcher, Jerry (PSC)

From: lan F. Koffler [IKoffler@peckshaffer.com]

Sent: Friday, July 15, 2011 17:27

To: Wuetcher, Jerry (PSC); Frost, Mark C (PSC)

Subject: RE: PSC Case No. 2011-00180: Boone County Water District

Due to the fact that the Bonds must be issued at an advertised competitive sale, financial advisors traditionally request around a 10% variance in the par amount of the bonds in order to ensure that the refunding can be completed at the lowest possible cost to the District. Underwriters will frequently pay for bonds at a premium or discount (paying an arbitrarily high price for lower yielding bonds or vice versa) which can drive up or down the par amount of the issue.

The request is that PSC approve bonds in an amount not to exceed \$1,900,000 in order to accommodate the potential variance. It is the expectation that the actual size of the bond issue would match what's in RSA's schedules, the \$1,720,000.

I would be happy to provide any additional information you may need.

Thank you, Ian

From: Wuetcher, Jerry (PSC) [mailto:JWuetcher@ky.gov]
Sent: Friday, July 15, 2011 10:46 AM
To: Ian F. Koffler
Cc: Frost, Mark C (PSC)
Subject: PSC Case No. 2011-00180: Boone County Water District

Mr. Koffler:

In its review of Boone County Water District's application in the above-referenced case, Commission Staff has found a discrepancy that requires some clarification. In Paragraph 5 of its Application, Boone County Water District states that it "proposes to issue the Bonds in an amount not to exceed \$1,900,000." Exhibit A, Page 2 indicates that the bond proceeds will be only \$1,720,000. In fact, RSA's refunding analysis appears to be premised on the total bond issuance being only \$1,720,000. A copy of Exhibit A is attached for your reference.

What is the amount of the bond issuance? If the actual amount is higher than \$1,720,000, Commission Staff requires a revised refunding analysis that uses the actual amount.

As the Commission must issue an order in this matter NLT 7/25/2011, your prompt attention to this matter is appreciated. You may respond by e-mail. Commission Staff will ensure that your response if then filed in the record of Case No. 2011-00180.

Sincerely,

Gerald E. Wuetcher Executive Advisor Public Service Commission of Kentucky (502) 564-3940, Extension 259 (502) 229-6500 (cell) gerald.wuetcher@ky.gov

<<20110525130001.pdf>>

7/20/11



To ensure compliance with certain requirements promulgated by the Internal Revenue Service under 31 CFR Part 10, Section 10.35, we inform you that, unless specifically indicated otherwise, any tax advice contained in this communication (including any attachments) was not intended or written to be used, and cannot be used, for the purpose of (i) avoiding tax-related penalties under the Internal Revenue Code, or (ii) promoting, marketing, or recommending to another party any tax-related matter addressed herein.

The information contained in this electronic mail transmission is intended by Peck, Shaffer & Williams LLP for the use of the named individual or entity to which it is directed and may contain information that is privileged, confidential and exempt from disclosure under applicable law. It is not intended for transmission to, or receipt by, anyone other than the named addressee (or a person authorized to deliver it to the named addressee). It should not be copied or forwarded to any unauthorized persons. If you have received this electronic mail transmission in error, please delete it from your system without reading, copying or forwarding it, and notify the sender of the error by reply email or by calling Peck, Shaffer & Williams at 800 927-2663, so that our address record can be corrected.