



Steven L. Beshear
Governor

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission
211 Sower Blvd.
P. O. Box 615
Frankfort, Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

David L. Armstrong
Chairman

James W. Gardner
Vice Chairman

Charles R. Borders
Commissioner

December 20, 2011

PARTIES OF RECORD

Re: Case No. 2011-00213
Request of Indiana Utilities Corporation For Deviation from 807 KAR 5:022,
Section 13(17)(G)(4)

Attached is a copy of the memorandum which is being filed in the record of the above-referenced case. If you have any comments you would like to make regarding the contents of the informal conference memorandum, please do so within five days of receipt of this letter. If you have any questions, please contact Virginia Gregg, Staff Attorney, at 502-564-3940, Extension 407.

Sincerely,

A handwritten signature in black ink, appearing to read "Jeff Berouen".

Jeff Berouen
Executive Director

VG/kar

Attachments

INTRA-AGENCY MEMORANDUM
KENTUCKY PUBLIC SERVICE COMMISSION

TO: David L. Armstrong
Chairman

James Gardner
Vice Chairman

FROM: Virginia Gregg, Staff Attorney

DATE: December 7, 2011

RE: Informal Conference
Case No. 2011-00213
Request of Indiana Utilities Corporation For Deviation
from 807 KAR 5:022, Section 13(17)(G)(4)

On December 6, 2011, Commission Staff held a teleconference to obtain clarification regarding several issues in the above matter. In attendance for Indiana Utilities Corporation ("Indiana Utilities") were Kevin Kinney and Corey Thatcher via phone and Gary Glover, Leah Faulkner, Ron Handziak and Virginia Gregg for the Commission.

Although Indiana Utilities does not serve end-use customers in Kentucky, its distribution system runs through several heavily concentrated areas in Kentucky where people live, work, and attend school. Because of this, Staff voiced concern with Indiana Utility's request to test odorant levels on a monthly rather than weekly basis. Staff stated that since the odorant is added in Kentucky and its effectiveness decreases as it moves into Indiana and away from the delivery point, Indiana Utilities could do the testing in Indiana. Indiana Utilities responded that if odorant testing could be done in Indiana, weekly testing would be acceptable. Staff noted that if this is done, the deviation sought would not be necessary. The teleconference was then adjourned.