



Steve L. Beshear
Governor

David L. Armstrong
Chairman

Leonard K. Peters
Secretary
Energy and Environment Cabinet

Commonwealth of Kentucky
Public Service Commission

James Gardner
Vice Chairman

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Linda Breathitt
Commissioner

March 19, 2013

Billy Downs, Manager
Ledbetter Sewer District
P. O. Box 123
Ledbetter, KY 42058

RE: Case No. **2013-00108**

Ledbetter Water District
(Purchased Water Adjustment)

This letter is to acknowledge receipt of initial filing in the above case. The filing was date-stamped received March 19, 2013 and has been assigned Case No. 2013-00108. In all future correspondence or filings in connection with this case, please reference the above case number. Public comments and responses to public comments regarding this case may be viewed on the Commission's web site at <http://www.psc.ky.gov>.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration as required by 807 KAR 5:001 (21). Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Linda Faulkner in the Division of Filings at (502)564-3940.

Sincerely,

Jeff Derouen
Executive Director

JD/ke