

Fred

October 22, 2013

TO: Public Service Commission
211 Sower Boulevard
P.O. Box 615
Frankford, KY 40602

FROM: Dr. and Mrs. Fred Van Tatenhove
250 Bluffwood Dr.
Danville, KY 40422

RE: Case No. 2013-00332

RECEIVED

OCT 24 2013

PUBLIC SERVICE
COMMISSION

TO WHOM IT MAY CONCERN

In a letter dated September 19, 2013 AmeriGas informed home owners in Old Bridge Community, Danville, KY that they were requesting a major change in how they wanted to deliver propane to our homes. The present method is via an underground pipeline system.

They stated that they have made an application to PSC to discontinue the use of those pipes and place surface or underground tanks on our properties. This would be **totally unacceptable** for us.

First, we moved to this subdivision with the assurance that propane would be delivered through underground services. There are deed restrictions to assure this delivery.

Second, the above ground tanks will detract from the character of this community and could reduce resale interests.


Third, underground tanks will require significant costs to find a satisfactory location that is not obstructed by rock layers.

Fourth, in some situations there would be significant disruption and/or damage to landscaping plans; that have been in existence for many years.

Fifth, we request from AmeriGas a clear and accurate cost analysis of their service to Old Bridge homes.

Finally, we recognize AneriGas has the right to cover the costs to deliver gas to our home and to make a **FAIR** adjustment to the present rate in order to continue the present pipe line delivery system.

Respectfully yours,


Fred Van Tatenhove


Connie Van Tatenhove