Matthew G. Bevin Governor

Charles G. Snavely Secretary Energy and Environment Cabinet



Public Service Commission

211 Sower Blvd. P.O. Box 615 Frankfort Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

August 27, 2019

Michael J. Schmitt Chairman

> Robert Cicero Vice Chairman

Talina R. Mathews Commissioner

PARTIES OF RECORD

RE: Case No. 2019-00300

Letcher County Water and Sewer District (Other) Motion for Extension of Time to File Overdue 2018 Annual Report

This letter is to acknowledge receipt of notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped received August 26, 2019, and has been assigned Case No. 2019-00300. In all future correspondence or filings in connection with this case, please reference the above case number.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Renee Smith in the Filings Branch at 502-564-3940.

Sincerely,

Gwen R. Pinson Executive Director

wen R. Punsor

*Gerald E Wuetcher Attorney at Law STOLL KEENON OGDEN PLLC 300 West Vine Street Suite 2100 Lexington, KENTUCKY 40507-1801

*Letcher County Water and Sewer District 3443 US 119 North Mayking, KY 41837

*Mark Lewis General Manager Letcher County Water and Sewer District 3443 US 119 North Mayking, KY 41837