# COMMONWEALTH OF KENTUCKY

### BEFORE THE KENTUCKY STATE BOARD ON ELECTRIC GENERATION AND TRANSMISSION SITING

In the Matter of:

ELECTRONIC APPLICATION OF HORUS KENTUCKY 1 LLC FOR A CERTIFICATE OF CONSTRUCTION FOR AN APPROXIMATELY 69.3 MEGAWATT MERCHANT ELECTRIC SOLAR GENERATING FACILITY IN SIMPSON COUNTY, KENTUCKY PURSUANT TO KRS 278.700 AND 807 KAR 5:110

CASE NO. 2020-00417

# NOTICE OF FILING

Notice is given to all parties that the following materials have been filed into the

record of this proceeding:

- The digital video recording of the evidentiary hearing conducted on November 15, 2021 in this proceeding;

- Certification of the accuracy and correctness of the digital video recording;

- A written log listing, inter alia, the date and time of where each witness' testimony begins and ends on the digital video recording of the evidentiary hearing conducted on November 15, 2021.

A copy of this Notice, the certification of the digital video record, and hearing log

have been served upon all persons listed at the end of this Notice. Parties desiring to

view the digital video recording of the hearing may do so at https://youtu.be/el8xJB-Vnlq.

Parties wishing an annotated digital video recording may submit a written request

by electronic mail to <u>pscfilings@ky.gov</u>. A minimal fee will be assessed for a copy of this recording.

Done at Frankfort, Kentucky, this 23<sup>rd</sup> day of November 2021.

- C. Andwell

Linda C. Bridwell Executive Director Public Service Commission of Kentucky

#### COMMONWEALTH OF KENTUCKY

#### BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ELECTRONIC APPLICATION OF HORUS KENTUCKY 1 LLC FOR A CERTIFICATE OF CONSTRUCTION FOR AN APPROXIMATELY 69.3 MEGAWATT MERCHANT ELECTRIC SOLAR GENERATING FACILITY IN SIMPSON COUNTY, KENTUCKY PURSUANT TO KRS 278.700 AND 807 KAR 5:110

CASE NO. 2020-00417

#### **CERTIFICATION**

I, Candace H. Sacre, hereby certify that:

1. The attached flash drive contains a digital recording of the Formal Hearing conducted in the above-styled proceeding on November 15, 2021. The Formal Hearing Log is included with the recording on November 15, 2021;

2. I am responsible for the preparation of the digital recording;

3. The digital recording accurately and correctly depicts the Formal Hearing of

November 15, 2021; and

4. The Formal Hearing Log attached to this Certificate accurately and correctly states the events that occurred at the Formal Hearing of November 15, 2021, and the time at which each occurred.

Signed this 19th day of November, 2021.

Candace H. Sacre Administrative Specialist III

Stephahie Schweighardt Notary Public State at Large ID#: 614400 Commission Expires: January 14, 2023



2020-00417 15Nov2021

# Horus Kentucky 1, LLC (Horus Kentucky 1)

Date:	Туре:	Location:	Department:
11/15/2021	Public Hearing\Public Comments	Hearing Room 1	Hearing Room 1 (HR 1)

Witness: Steven Baldwin; Braden Houston; Sadra Javadi; William Kaufell; Jorge Medina; John Pitt; Woo Smith Judge: Marianne Butler; Kent Chandler; Amy Cubbage; John Lyons; James Mooneyhan; Charlie Rowland; Debbie Thornton

Clerk: Candace Sacre

Event Time	Log Event	
1:34:12 PM	Session Started	
1:34:12 PM	Camera Lock Deactivated	
1:34:23 PM	Chairman Chandler	
	Note: Sacre, Candace	We are on the record Case No. 2020-00417, Electronic Application of Horus Kentucky 1 LLC for a Certificate of Construction for an Approximately 69.3 Megawatt Merchant Electric Solar Generating Facility in Simpson County, Kentucky Pursuant to KRS 278.700 and 807 KAR 5:110.
1:34:45 PM	Chairman Chandler	
	Note: Sacre, Candace	My name is Kent Chandler. I am Chairman of the Kentucky Public Service Commission and also serve as Chairman for the Kentucky State Board on Electric Generation and Transmission Siting. I will be presiding over the hearing today.
1:34:57 PM	Chairman Chandler	
1:35:34 PM	Note: Sacre, Candace Chairman Chandler Note: Sacre, Candace Chairman Chandler	Joining me by videoconferencing are other Siting Board members. The Siting Board members in this matter, in addition to myself, are Amy Cubbage, Vice Chairman of the Public Service Commission; Marianne Butler, Commissioner of the Public Service Commission; John Lyons, Deputy Secretary of the Energy and Environment Cabinet, serving as proxy for Secretary Rebecca Goodman; Charlie Rowland, Executive Advisor with the Cabinet for Economic Development, serving for Interim Secretary Larry Hayes; Debbie Thornton, Simpson County Planning and Zoning Chair, first ad hoc appointee; and James Mooneyhan, second ad hoc appointee. COVID and videoconferencing recommendations. (Click on link for further comments.)
1:36:38 PM	Note: Sacre, Candace	The hearing today is for the purpose of taking evidence on Horus Kentucky 1 LLC's application requesting a Certificate of Construction for a 69.3 megawatt merchant electric generating solar facility to be located in Simpson County, Kentucky.
1:36:54 PM	Chairman Chandler	. , ,
	Note: Sacre, Candace	Entry of appearance of counsel. (Click on link for further comments.)
1:37:13 PM	Atty Saunders Horus Kentucky 1 Note: Sacre, Candace	Randy Saunders, also have with me Braden Houston, Jorge Medina, Woo Smith, Charlie Hill, Bill Kaufell, and Sadra Javadi.
1:37:35 PM	Atty Broderick Intervenors Note: Sacre, Candace	David Broderick, partner Brady Murley, witnesses today, also intervening parties, Steve Baldwin and John Pitt.

1:37:53 PM	Staff Atty Gosnell PSC	
	Note: Sacre, Candace	Linda Gosnell.
1:37:55 PM	Gen Counsel Nancy Vinsel PSC	
	Note: Sacre, Candace	And Nancy Vinsel.
1:37:58 PM	Chairman Chandler	
	Note: Sacre, Candace	Public notice. (Click on link for further comments.)
1:38:10 PM	Chairman Chandler	
	Note: Sacre, Candace	Two outstanding motions for confidentiality. (Click on link for
		further comments.)
1:38:31 PM	Chairman Chandler	
	Note: Sacre, Candace	Aware number of filings made, motion to limit cross examination, response to motion, filed on Friday?
1:38:52 PM	Chairman Chandler	
	Note: Sacre, Candace	Reply to that response since your motion. (Click on link for further comments.)
1:41:35 PM	Chairman Chandler	
	Note: Sacre, Candace	Deny motion from bench, will explain why. (Click on link for further comments.)
1:44:08 PM	Chairman Chandler	,
	Note: Sacre, Candace	Questions?
1:44:16 PM	Chairman Chandler	
	Note: Sacre, Candace	Anything else take under advisement?
1:44:34 PM	Chairman Chandler	
	Note: Sacre, Candace	Call first witness.
1:44:41 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Braden Houston.
1:45:06 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness is sworn.
1:45:19 PM	Chairman Chandler - witness Hou	
	Note: Sacre, Candace	Examination. Name and address?
1:45:38 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Direct Examination. Job title?
1:45:51 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Involved with preparation of application?
1:46:10 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Involved with response to data requests and supplemental information?
1:46:21 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Corrections or clarifications?
1:47:05 PM	Atty Saunders Horus Kentucky 1	
4 47 52 514	Note: Sacre, Candace	Describe your role in project?
1:47:52 PM	Atty Saunders Horus Kentucky 1	
1.40.20 DM	Note: Sacre, Candace	What materials on hand in front of you?
1:48:29 PM	Atty Saunders Horus Kentucky 1	
1:48:38 PM	Note: Sacre, Candace Atty Saunders Horus Kentucky 1	Available original application?
1.40.30 FM	Note: Sacre, Candace	Responses available?
1:48:58 PM	Chairman Chandler	הכשטושבי מימוומטוב:
1110.00 FM	Note: Sacre, Candace	Questions?
1:49:13 PM	Staff Atty Gosnell PSC	
1119119119	Note: Sacre, Candace	Witnesses to ask questions. (Click on link for further comments.)

1:51:32 PM	Staff Atty Gosnell PSC - witness H	louston
	Note: Sacre, Candace	Cross Examination. Setback requirements, mentioned new site plan filed, addresses four properties closer than ordinance permit, issued resolved so plan within zoning requirements?
1:52:28 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Mention consultant report sparsity of vegetation, stated buffers, location and type of vegetation?
1:53:29 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Simpson County Planning and Zoning working with you on that?
1:53:51 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Application Appendix E, page 3, tax implications and treatment by State and Simpson County, update on status determination of tax treatment by State and Simpson County?
1:55:07 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Tax results presented in table, explain how results provided?
1:56:35 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Response to consultant report, provided updated site plan, indicated continuing work on development plan with planning and zoning, status previously-granted conditional use permits?
1:57:21 PM	Chairman Chandler	
	Note: Sacre, Candace	Keep things clean, person to appear as witness, post-hearing data request seeking information on that, be able to file response under oath/affirmation identify witness support document and response.
1:58:09 PM	Staff Atty Gosnell PSC - witness H	louston
	Note: Sacre, Candace	Apply to decommissioning plan, still working on decommissioning plan and development plan as well, include in request?
1:58:10 PM	POST-HEARING DATA REQUEST	
	Note: Sacre, Candace	STAFF ATTY GOSNELL PSC - WITNESS HOUSTON
	Note: Sacre, Candace	STATUS OF PREVIOUSLY-GRANTED CONDITIONAL USE PERMITS AND DECOMMISSIONING PLAN
1:59:11 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Decommissioning issue, aware of recent decisions of siting boards calculations bond requirements to be done by third parties as opposed to individuals negotiated lease?
2:00:12 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Response, Second Request for Information, reach negotiations with landowners, did provide leases, have all participating landowner leases in record?
2:00:49 PM	Staff Atty Gosnell PSC - witness H	louston
	Note: Sacre, Candace	Aware normally Siting Board want surety in place at time project commences, is that issue?
2:01:25 PM	Staff Atty Gosnell PSC - witness H	louston
	Note: Sacre, Candace	Application in front of you now?
2:01:41 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Tax results presented in tables and answers derived, basis of determination, county not accepted yet?
2:02:51 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Chart, page 3, economic impact analysis, graph and two charts for IMPLAN economic indicators Simpson County?
2:03:17 PM	Staff Atty Gosnell PSC - witness H	
2 04 22 51	Note: Sacre, Candace	Tax treatment and economic impact, how arrive at economic impact tax standpoint and specifics of labor income?
2:04:32 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	\$29.7 million construction labor income?

2:04:54 PM	Staff Atty Gosnell PSC - witness H	louston
	Note: Sacre, Candace	Asked how number generated and charts, numbers currently redacted in record, significant difference in responses to data requests, what happened with \$29.7 million?
2:06:21 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	What different inputs or assumptions made to arrive at large difference?
2:07:25 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Not sure understands question, difference overall numbers utilized, if could ask question.
2:07:43 PM	Staff Atty Gosnell PSC	
	Note: Sacre, Candace	Substantial difference \$29.7 million and number given, that much of a change, think what explaining, what changes made to inputs or assumptions, what is correct incomes, data request or answer, confidential session?
2:09:05 PM	Chairman Chandler	
	Note: Sacre, Candace	Post-hearing data request, line by line, reason for distinction. (Click on link for further comments.)
2:09:32 PM	Staff Atty Gosnell PSC	
2:09:33 PM	Note: Sacre, Candace POST-HEARING DATA REQUEST	Post-hearing data request explain lines of chart?
	Note: Sacre, Candace	STAFF ATTY GOSNELL PSC - WITNESS KELLER
	Note: Sacre, Candace	EXPLAIN LINES OF CHART APPLICATION APPENDIX E PAGE 3
2:10:41 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
2:11:00 PM	Siting Board Member Lyons - witr	
	Note: Sacre, Candace	Examination. Recent site plan, address karst avoidance areas?
2:11:56 PM	Siting Board Member Lyons - witr	
	Note: Sacre, Candace	Final assessment report karst section may be issues with pile driving, plan?
2:13:58 PM	Siting Board Member Lyons - witr	
	Note: Sacre, Candace	Abandoned oil wells, no visual observation, application appendix referenced forms obtained freedom of information request, where wells located to Division of Oil and Gas, what forms referencing?
2:15:09 PM	Siting Board Member Lyons - witr	ness Houston
	Note: Sacre, Candace	Mineral rights owned by landowners?
2:15:23 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
2:15:32 PM	Board Member Rowland - witness	s Houston
	Note: Sacre, Candace	Examination. Economic impact analysis, Appendix E, 100 construction jobs and ongoing tech jobs during lifetime of project, idea on number of jobs remain lifetime?
2:18:42 PM	Board Member Rowland - witness	s Houston
	Note: Sacre, Candace	Any average on scheduled and unscheduled maintenance?
2:20:02 PM	Board Member Rowland - witness	s Houston
	Note: Sacre, Candace	Last page Appendix E, different number increase in labor income impacts, time frame for model?
2:21:25 PM	Board Member Rowland - witness	s Houston
	Note: Sacre, Candace	Plan use IRP for project, status update?
2:21:55 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
2:22:03 PM	Vice Chairman Cubbage - witness	Houston
	Note: Sacre, Candace	Examination. OPDEnergy expect maintain ownership of Horus Kentucky 1 during operations phase?

Note: Sacre, Candace         Karst, OPDEnergy construction experience in karst terrain?           2:24:19 PM         Vice Chairman Cubbage - witness Houston Note: Sacre, Candace         Expect maintain same geotechnical consultant for construction phase?           2:25:03 PM         Vice Chairman Cubbage - witness Houston Note: Sacre, Candace         Cemeteries, two within less than mile and one inside fence?           2:26:08 PM         Vice Chairman Cubbage - witness Houston Note: Sacre, Candace         Other two cemeteries, being used for burials?           2:27:27 PM         Vice Chairman Cubbage - witness Houston Note: Sacre, Candace         If ther church cemetery or Bryant cemetery, two outside cemetories?           2:27:40 PM         Vice Chairman Cubbage - witness Houston Note: Sacre, Candace         If are, suggest information with church or other cemetery so coordination?           2:28:40 PM         Chairman Chandler         Note: Sacre, Candace         Questions?           2:28:47 PM         Commissioner Butter - witness Houston Note: Sacre, Candace         Relatively quickly?           2:29:33 PM         Commissioner Butter - witness Houston Note: Sacre, Candace         Relatively quickly?           2:30:09 PM         Commissioner Butter - witness Houston Note: Sacre, Candace         Attached to local person, genealogy people, ancestries guides call number for access?           2:31:47 PM         Chairman Chandler - witness Houston Note: Sacre, Candace         Sacre Notene deceptors to substation, inverters, and panels?	2:23:24 PM	Vice Chairman Cubbage - witness	Houston
Note: Sacre, Candace         Expect maintain same geotechnical consultant for construction phase?           2:25:03 PM         Vice Chairman Cubbage - witness Houston         Cerneteries, two within less than mile and one inside fence?           2:26:08 PM         Vice Chairman Cubbage - witness Houston         Cerneteries, two within less than mile and one inside fence?           2:27:27 PM         Vice Chairman Cubbage - witness Houston         Cerneteries, being used for burials?           2:27:40 PM         Vice Chairman Cubbage - witness Houston         In either church cemetery or Bryant cemetery, two outside cemeteries?           2:28:40 PM         Vice Chairman Cubbage - witness Houston         In either church cemetery or Bryant cemetery, two outside cemeteries?           2:28:40 PM         Vice Chairman Cubbage - witness Houston         Coordination?           2:28:47 PM         Chairman Chandler         Note: Sacre, Candace         Questions?           2:28:47 PM         Commissioner Butler - witness Houston         Scare, Candace         Reamination. Cemetery within fence, posted for people to call or small access road to cemetery?           2:29:33 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Reamination. Mentioned recently changed site layout?           2:30:09 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Examination. Mentioned recently changed site layout?           2:31:47 PM <t< td=""><td></td><td>Note: Sacre, Candace</td><td>Karst, OPDEnergy construction experience in karst terrain?</td></t<>		Note: Sacre, Candace	Karst, OPDEnergy construction experience in karst terrain?
2:25:03 PM       Vice Chairman Cubbage - witness Houston Note: Sacre, Candace       Cemeteries, two within less than mile and one inside fence?         2:26:08 PM       Vice Chairman Cubbage - witness Houston Note: Sacre, Candace       Provisions with landowner to allow visitation?         2:27:27 PM       Vice Chairman Cubbage - witness Houston Note: Sacre, Candace       Other two cemeteries, being used for burials?         2:27:40 PM       Vice Chairman Cubbage - witness Houston Note: Sacre, Candace       In either church cemetery or Bryant cemetery, two outside cemeteries?         2:28:00 PM       Vice Chairman Cubbage - witness Houston Note: Sacre, Candace       If are, suggest information with church or other cemetery so coordination?         2:28:44 PM       Chairman Chandler Note: Sacre, Candace       Questions?         2:28:47 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:29:33 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Provided in response to consultant report?         2:31:47 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Provided in response to consultant report?         2:32:203 PM       <	2:24:19 PM	-	
<ul> <li>2:25:03 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Cemeteries, two within less than mile and one inside fence?</li> <li>2:26:08 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Provisions with landowner to allow visitation?</li> <li>2:27:27 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Other two cemeteries, being used for burials?</li> <li>2:27:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace II neither church cemetery or Bryant cemetery, two outside cemeteries?</li> <li>2:28:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Questions?</li> <li>2:28:44 PM Chairman Chandler Note: Sacre, Candace Questions?</li> <li>2:28:47 PM Commissioner Butler - witness Houston Note: Sacre, Candace Questions?</li> <li>2:29:33 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Provided in response to consultant report?</li> <li>2:31:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Provided in response to consultant report?</li> <li>2:32:52 PM Chairman Chandler - witness Houston Note: Sacre, Candace As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM Chairman Chandler - witness Houston Note: Sacre, Candace Ager aft a request provide new distances from all 65 nois</li></ul>		Note: Sacre, Candace	
Note:         Sacre, Candace         Cemeteries, two within less than mile and one inside fence?           2:26:08 PM         Vice Chairman Cubbage - witness Houston         Note::           2:27:27 PM         Vice Chairman Cubbage - witness Houston         Note::           2:27:40 PM         Vice Chairman Cubbage - witness Houston         Note::           Note::         Sacre, Candace         Other two cemeteries, being used for burials?           2:27:40 PM         Vice Chairman Cubbage - witness Houston         Note::           Note::         Sacre, Candace         If are, suggest information with church or other cemetery so coordination?           2:28:44 PM         Chairman Chandler         Note::           Note::         Sacre, Candace         Questions?           2:28:47 PM         Commissioner Butler - witness Houston         Note::           Note::         Sacre, Candace         Reamination.         Cemeteries?           2:29:33 PM         Commissioner Butler - witness Houston         Note::         Sacre, Candace           Note::         Sacre, Candace         Relatively quickly?           2:30:09 PM         Commissioner Butler - witness Houston         Note::           Note::         Sacre, Candace         Examination.         Metioned recently changed site layout?           2:32:03 PM         C			•
<ul> <li>2:26:08 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Provisions with landowner to allow visitation?</li> <li>2:27:27 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Other two cemeteries, being used for burials?</li> <li>2:27:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace In either church cemetery or Bryant cemetery, two outside cemeteries?</li> <li>2:28:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Questions?</li> <li>2:28:47 PM Chairman Chandler Note: Sacre, Candace Questions?</li> <li>2:28:47 PM Commissioner Butler - witness Houston Note: Sacre, Candace Examination. Cemetery within fence, posted for people to call or small access road to cemetery?</li> <li>2:29:33 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Examination. Cemetery within fence, posted for people to call or small access road to cemetery?</li> <li>2:31:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Examination. Mentioned recently changed site layout?</li> <li>2:32:03 PM Chairman Chandler - witness Houston Note: Sacre, Candace Examination, Mentioned recently changed site layout?</li> <li>2:32:18 PM Chairman Chandler - witness Houston Note: Sacre, Candace Examination, Mentioned recently changed site layout?</li> <li>2:32:26 PM Chairman Chandler - witness Houston Note: Sacre, Candace As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:25 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:26 PM Chairman Chandler - witness Houston Note: Sacre, Candace D</li></ul>	2:25:03 PM	-	
Note:         Sacre, Candace         Provisions with landowner to allow visitation?           2:27:27 PM         Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace         Other two cemeteries, being used for burials?           2:27:40 PM         Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace         In reither church cemetery or Bryant cemetery, two outside cemeteries?           2:28:00 PM         Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace         If are, suggest information with church or other cemetery so coordination?           2:28:44 PM         Chairman Chandler         Note: Sacre, Candace         Examination. Cemetery within fence, posted for people to call or small access road to cemetery?           2:28:47 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Examination. Cemetery within fence, posted for people to call or small access road to cemetery?           2:29:33 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Relatively quickly?           2:30:09 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Examination. Mentioned recently changed site layout?           2:30:09 PM         Chairman Chandler - witness Houston         Note: Sacre, Candace         Provided in response to consultant report?           2:31:47 PM         Chairman Chandler - witness Houston         Note: Sacre, Candace         As part of application, no	2 26 00 DM	•	
<ul> <li>2:27:27 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace Other two cemeteries, being used for burials?</li> <li>2:27:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace In either church cemetery or Bryant cemetery, two outside cemeteries?</li> <li>2:28:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace If are, suggest information with church or other cemetery so coordination?</li> <li>2:28:44 PM Chairman Chandler Note: Sacre, Candace Questions?</li> <li>2:28:47 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:29:33 PM Commissioner Butler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Examination. Cemetery within fence, posted for people to call or small access road to cemetery?</li> <li>2:31:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Examination. Mentioned recently changed site layout?</li> <li>2:31:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Examination. Mentioned recently changed site layout?</li> <li>2:32:18 PM Chairman Chandler - witness Houston Note: Sacre, Candace As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:25 PM Chairman Chandler - witness Houston Note: Sacre, Candace Dist-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:25 PM Chairman Chandler - witness Houston Note: Sacre, Candace Dist-AncE FROM EACH NOISE RECEPTOR IN NEAREST PANEL, INVERTE</li></ul>	2:26:08 PM	-	
Note: Sacre, Candace Other two cemeteries, being used for burials? 2:27:40 PM Vice Chairman Cubbage - witness Houston Note: Sacre, Candace If are, suggest information with church or other cemetery so coordination? 2:28:40 PM Chairman Chandler Note: Sacre, Candace Questions? 2:28:47 PM Commissioner Butter - witness Houston Note: Sacre, Candace Examination. Cemetery within fence, posted for people to call or small access road to cemetery? 2:29:33 PM Commissioner Butter - witness Houston Note: Sacre, Candace Relatively quickly? 2:30:09 PM Commissioner Butter - witness Houston Note: Sacre, Candace Relatively quickly? 2:30:09 PM Commissioner Butter - witness Houston Note: Sacre, Candace Relatively quickly? 2:30:09 PM Commissioner Butter - witness Houston Note: Sacre, Candace Relatively quickly? 2:30:09 PM Commissioner Butter - witness Houston Note: Sacre, Candace Provided in response to consultant report? 2:32:147 PM Chairman Chandler - witness Houston Note: Sacre, Candace Aspan of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels? 2:32:18 PM Chairman Chandler - witness Houston Note: Sacre, Candace Aspan of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels? 2:32:25 PM Chairman Chandler - witness Houston Note: Sacre, Candace Agree given site layout update distances to noise receptors necessarily different than when filed? 2:33:26 PM Chairman Chandler - witness Houston Note: Sacre, Candace Magree given site layout update distances from all 65 noise receptors and nearest panel, inverter, substation, Note: Sacre, Candace Map indicates each noise receptor and panels? 2:33:27 PM POST-HEARING DATA REQUEST Note: Sacre, Candace Map indicates each noise receptor in relation to site layout. 2:34:16 PM Chairman Chandler - witness Houston Note: Sacre, Candace Map indicates each noise receptor in relation to site layout. 2:34:16 PM Chairman Chandler - witness	2.27.27 DM		
<ul> <li>2:27:40 PM Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace         In either church cemetery or Bryant cemetery, two outside         cemeteries?     </li> <li>2:28:00 PM Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace         If are, suggest information with church or other cemetery so         coordination?     </li> <li>2:28:47 PM         Chairman Chandler         Note: Sacre, Candace         Questions?     </li> <li>2:28:47 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Examination. Cemetery within fence, posted for people to call or         small access road to cemetery?     </li> <li>2:29:33 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Relatively quickly?     </li> <li>2:30:09 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Relatively quickly?     </li> <li>2:30:09 PM         Commissioner Butler - witness Houston         Note: Sacre, Candace         Relatively quickly?     </li> <li>2:30:09 PM         Chairman Chandler - witness Houston         Note: Sacre, Candace         Revination. Mentioned recently changed site layout?     </li> <li>2:31:47 PM         Chairman Chandler - witness Houston         Note: Sacre, Candace         S</li></ul>	2:27:27 PM	-	
Note: Sacre, Candace     In either church cemetery or Bryant cemetery, two outside cemeteries?       2:28:00 PM     Vice Chairman Cubbage - witness Houston       Note: Sacre, Candace     If are, suggest information with church or other cemetery so coordination?       2:28:44 PM     Chairman Chandler     Questions?       2:28:47 PM     Chairman Chandler     Questions?       2:28:47 PM     Commissioner Butler - witness Houston     Examination. Cemetery within fence, posted for people to call or small access road to cemetery?       2:29:33 PM     Commissioner Butler - witness Houston     Note: Sacre, Candace     Relatively quickly?       2:30:09 PM     Commissioner Butler - witness Houston     Note: Sacre, Candace     Relatively quickly?       2:30:09 PM     Chairman Chandler - witness Houston     Note: Sacre, Candace     Relatively quickly?       2:31:47 PM     Chairman Chandler - witness Houston     Note: Sacre, Candace     Examination. Mentioned recently changed site layout?       2:32:03 PM     Chairman Chandler - witness Houston     Note: Sacre, Candace     As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?       2:32:52 PM     Chairman Chandler - witness Houston     Note: Sacre, Candace     Agree given site layout update distances to noise receptors necessarily different than when filed?       2:33:25 PM     Chairman Chandler - witness Houston     Note: Sacre, Candace     Post-hearing data	2,27,40 DM	•	
2:28:00 PM       Vice Chairman Cubbage - witness Houston         Note: Sacre, Candace       If are, suggest information with church or other cemetery so coordination?         2:28:44 PM       Chairman Chandler         Note: Sacre, Candace       Questions?         2:28:47 PM       Commissioner Butler - witness Houston         Note: Sacre, Candace       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:29:33 PM       Commissioner Butler - witness Houston         Note: Sacre, Candace       Ratinetly quickly?         2:30:09 PM       Commissioner Butler - witness Houston         Note: Sacre, Candace       Attached to local person, genealogy people, ancestries guides call number for access?         2:31:47 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Agree given site layout update distances from all 65 noise receptors to substation, inverters, and panels?         2:33:26 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace	2.27.40 PM	-	
<ul> <li>2:28:00 PM Vice Chairman Cubbage - witness Houston</li> <li>Note: Sacre, Candace If are, suggest information with church or other cemetery so coordination?</li> <li>2:28:44 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace Questions?</li> <li>2:28:47 PM Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace Relatively quickly?</li> <li>2:30:09 PM Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace Attached to local person, genealogy people, ancestries guides call number for access?</li> <li>2:31:47 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace Examination. Mentioned recently changed site layout?</li> <li>2:32:18 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace Agree given site layout update distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>Note: Sacre, Candace Map indicates ach noise receptor AND NEAREST PANEL, INVERTER, OR SUBSTATION</li> <li>Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:16 PM Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:17 PM POST-HEARING DATA REQUEST</li> <li>Note: Sacre, Candace Map indicates each nois</li></ul>		Note. Sacre, Candace	
Note:       Sacre, Candace       If are, suggest information with church or other cemetery so coordination?         2:28:44 PM       Chairman Chandler       Note:: Sacre, Candace       Questions?         2:28:47 PM       Commissioner Butler - witness Houston       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:29:33 PM       Commissioner Butler - witness Houston       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:30:09 PM       Commissioner Butler - witness Houston       Note: Sacre, Candace       Relatively quickly?         2:31:47 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Provided in response to consultant report?         2:32:147 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:132 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Agree given site layout update distances from all 65 noise receptors an eccessarily different than when filed?         2:33:25 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       DistANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION	2.28.00 PM	Vice Chairman Cubhage - witness	
<ul> <li>coordination?</li> <li>2:28:44 PM</li> <li>Chairman Chandler</li> <li>Note: Sacre, Candace</li> <li>Questions?</li> <li>2:28:47 PM</li> <li>Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Examination. Cemetery within fence, posted for people to call or small access road to cemetery?</li> <li>2:29:33 PM</li> <li>Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Relatively quickly?</li> <li>2:30:09 PM</li> <li>Commissioner Butler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Attached to local person, genealogy people, ancestries guides call number for access?</li> <li>2:31:47 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Examination. Mentioned recently changed site layout?</li> <li>2:32:03 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Provided in response to consultant report?</li> <li>2:32:18 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>A provided in response to consultant report?</li> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>A provided in response to substation, inverters, and panels?</li> <li>2:31:25 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>A precipien site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Post-Hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST</li> <li>Note: Sacre, Candace</li> <li>Map indicates each noise receptor an relation to site layout.</li> <li>POST-HEARING DA</li></ul>	2.20.00111	-	
Note: Sacre, Candace     Questions?       2:28:47 PM     Commissioner Butler - witness Houston       Note: Sacre, Candace     Examination. Cemetery within fence, posted for people to call or small access road to cemetery?       2:29:33 PM     Commissioner Butler - witness Houston       Note: Sacre, Candace     Relatively quickly?       2:30:09 PM     Commissioner Butler - witness Houston       Note: Sacre, Candace     Relatively quickly?       2:31:47 PM     Chairman Chandler - witness Houston       Note: Sacre, Candace     Examination. Mentioned recently changed site layout?       2:32:03 PM     Chairman Chandler - witness Houston       Note: Sacre, Candace     Provided in response to consultant report?       2:32:18 PM     Chairman Chandler - witness Houston       Note: Sacre, Candace     As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?       2:32:25 PM     Chairman Chandler - witness Houston       Note: Sacre, Candace     Agree given site layout update distances to noise receptors necessarily different than when filed?       2:33:26 PM     Chairman Chandler - witness Houston       Note: Sacre, Candace     Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.       2:33:27 PM     POST-HEARING DATA REQUEST       Note: Sacre, Candace     DistANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERT			
2:28:47 PM       Commissioner Butler - witness Houston       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:29:33 PM       Commissioner Butler - witness Houston       Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston       Note: Sacre, Candace       Relatively quickly?         2:31:47 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Apart of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:26 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       PO	2:28:44 PM	Chairman Chandler	
2:28:47 PM       Commissioner Butler - witness Houston       Examination. Cemetery within fence, posted for people to call or small access road to cemetery?         2:29:33 PM       Commissioner Butler - witness Houston       Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston       Note: Sacre, Candace       Relatively quickly?         2:31:47 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Apart of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:26 PM       Chairman Chandler - witness Houston       Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       PO		Note: Sacre, Candace	Questions?
2:29:33 PM       Commissioner Butler - witness Houston         Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston         Note: Sacre, Candace       Attached to local person, genealogy people, ancestries guides call number for access?         2:31:47 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       As part of application, noise study completed indicated distance from Note: Sacre, Candace         2:32:52 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST         Note: Sacre, Candace       Obst-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:34:47 PM       Chairman Chandler - witness Houston	2:28:47 PM	Commissioner Butler - witness Ho	uston
2:29:33 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Attached to local person, genealogy people, ancestries guides call number for access?         2:31:47 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace         2:34:16 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.		Note: Sacre, Candace	Examination. Cemetery within fence, posted for people to call or
Note: Sacre, Candace       Relatively quickly?         2:30:09 PM       Commissioner Butler - witness Houston Note: Sacre, Candace       Attached to local person, genealogy people, ancestries guides call number for access?         2:31:47 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace         2:34:16 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:16 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:16 PM       Chairman			small access road to cemetery?
<ul> <li>2:30:09 PM Commissioner Butler - witness Houston Note: Sacre, Candace Attached to local person, genealogy people, ancestries guides call number for access?</li> <li>2:31:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Examination. Mentioned recently changed site layout?</li> <li>2:32:03 PM Chairman Chandler - witness Houston Note: Sacre, Candace Provided in response to consultant report?</li> <li>2:32:18 PM Chairman Chandler - witness Houston Note: Sacre, Candace As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM Chairman Chandler - witness Houston Note: Sacre, Candace Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM POST-HEARING DATA REQUEST Note: Sacre, Candace CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION</li> <li>2:34:16 PM Chairman Chandler - witness Houston Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM POST-HEARING DATA REQUEST Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM POST-HEARING DATA REQUEST Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM Chairman Chandler - witness Houston Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:35:07 PM Chairman Chandler - witness Houston Note: Sacre, Candace MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT</li> <li>2:35:08 PM POST-HEARING DATA REQUEST</li> </ul>	2:29:33 PM	Commissioner Butler - witness Ho	uston
Note:Sacre, CandaceAttached to local person, genealogy people, ancestries guides call number for access?2:31:47 PMChairman Chandler - witness Houston Note: Sacre, CandaceExamination. Mentioned recently changed site layout?2:32:03 PMChairman Chandler - witness Houston Note: Sacre, CandaceProvided in response to consultant report?2:32:18 PMChairman Chandler - witness Houston Note: Sacre, CandaceAs part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?2:32:52 PMChairman Chandler - witness Houston Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:26 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.2:33:27 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON INVERTER, OR SUBSTATION2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:17 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MATHER HOUSTON Note: Sacre, Candace2:35:07 PMChairman Chandler - witness Houston Note: Sacre,		•	
2:31:47 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Examination. Mentioned recently changed site layout?         2:32:03 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Provided in response to consultant report?         2:32:18 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?         2:32:52 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Agree given site layout update distances to noise receptors necessarily different than when filed?         2:33:26 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace         2:34:16 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout. <t< td=""><td>2:30:09 PM</td><td></td><td></td></t<>	2:30:09 PM		
<ul> <li>2:31:47 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Examination. Mentioned recently changed site layout?</li> <li>2:32:03 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Provided in response to consultant report?</li> <li>2:32:18 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Main indicates each noise receptor in relation to site layout.</li> <li>2:34:16 PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT</li> <li>2:35:07 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST</li> <li>Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each no</li></ul>		Note: Sacre, Candace	
Note: Sacre, CandaceExamination. Mentioned recently changed site layout?2:32:03 PMChairman Chandler - witness Houston Note: Sacre, CandaceProvided in response to consultant report?2:32:18 PMChairman Chandler - witness Houston Note: Sacre, CandaceAs part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?2:32:52 PMChairman Chandler - witness Houston Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:26 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.2:33:27 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMChairman Chandler - witness Houston Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:35:07 PMC	2 24 47 514		
<ul> <li>2:32:03 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Provided in response to consultant report?</li> <li>2:32:18 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION</li> <li>2:34:16 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT</li> <li>2:35:07 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST</li> <li>Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST</li> <li>Site LAYOUT</li> <li>2:35:07 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST</li> <li>Site LAYOUT</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>	2:31:47 PM		
Note: Sacre, CandaceProvided in response to consultant report?2:32:18 PMChairman Chandler - witness HoustonAs part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?2:32:52 PMChairman Chandler - witness Houston Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:26 PMChairman Chandler - witness Houston Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:27 PMPOST-HEARING DATA REQUEST Note: Sacre, CandacePost-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceDISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace2:34:17 PMPOST-HEARING DATA REQUESTMap indicates each noise receptor in relation to site layout.2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandaceMAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witnessPost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	2.22.02 DM	-	
<ul> <li>2:32:18 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>As part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST</li> <li>Sito PM</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> <li>Sitos PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>	2:32:03 PM		
Note: Sacre, CandaceAs part of application, noise study completed indicated distance from 65, 63 noise receptors to substation, inverters, and panels?2:32:52 PMChairman Chandler - witness Houston Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:26 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.2:33:27 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandaceMAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	10 DM	-	
<ul> <li>65, 63 noise receptors to substation, inverters, and panels?</li> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Chairman Chandler - witness Houston</li> <li>Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>	2.32.10 PM		
<ul> <li>2:32:52 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Agree given site layout update distances to noise receptors necessarily different than when filed?</li> <li>2:33:26 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.</li> <li>2:33:27 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>		Note. Sacre, Candace	
Note: Sacre, CandaceAgree given site layout update distances to noise receptors necessarily different than when filed?2:33:26 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.2:33:27 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	2:32:52 PM	Chairman Chandler - witness Hou	• • • • •
2:33:26 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace         2:34:16 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:35:07 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace         2:35:07 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request indication as how characterize each noise receptor.         2:35:08 PM       POST-HEARING DATA REQUEST       Post-hearing data request indication as how characterize each noise	2132132111		
2:33:26 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Post-hearing data request provide new distances from all 65 noise receptors and nearest panel, inverter, substation.         2:33:27 PM       POST-HEARING DATA REQUEST         Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON         Note: Sacre, Candace       DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION         2:34:16 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:34:47 PM       POST-HEARING DATA REQUEST         Note: Sacre, Candace       Map indicates each noise receptor in relation to site layout.         2:35:07 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT         2:35:07 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Post-hearing data request indication as how characterize each noise receptor.         2:35:08 PM       POST-HEARING DATA REQUEST			
<ul> <li>2:33:27 PM POST-HEARING DATA REQUEST Note: Sacre, Candace CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION</li> <li>2:34:16 PM Chairman Chandler - witness Houston Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM POST-HEARING DATA REQUEST Note: Sacre, Candace CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:35:07 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM POST-HEARING DATA REQUEST</li> </ul>	2:33:26 PM	Chairman Chandler - witness Hou	
<ul> <li>2:33:27 PM POST-HEARING DATA REQUEST Note: Sacre, Candace CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace DISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION</li> <li>2:34:16 PM Chairman Chandler - witness Houston Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:34:47 PM POST-HEARING DATA REQUEST Note: Sacre, Candace CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace Map indicates each noise receptor in relation to site layout.</li> <li>2:35:07 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM POST-HEARING DATA REQUEST</li> </ul>		Note: Sacre, Candace	Post-hearing data request provide new distances from all 65 noise
Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST			receptors and nearest panel, inverter, substation.
Note: Sacre, CandaceDISTANCE FROM EACH NOISE RECEPTOR AND NEAREST PANEL, INVERTER, OR SUBSTATION2:34:16 PMChairman Chandler - witness Houston Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	2:33:27 PM	POST-HEARING DATA REQUEST	
<ul> <li>INVERTER, OR SUBSTATION</li> <li>2:34:16 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>		-	
<ul> <li>2:34:16 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>2:34:47 PM</li> <li>POST-HEARING DATA REQUEST Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON Note: Sacre, Candace</li> <li>CHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT</li> <li>2:35:07 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> </ul>		Note: Sacre, Candace	
Note: Sacre, Candace POST-HEARING DATA REQUEST Note: Sacre, Candace Note: Sacre, CandaceMap indicates each noise receptor in relation to site layout.2:34:47 PMPOST-HEARING DATA REQUEST Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST			
2:34:47 PM       POST-HEARING DATA REQUEST         Note: Sacre, Candace       CHAIRMAN CHANDLER - WITNESS HOUSTON         Note: Sacre, Candace       MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO         SITE LAYOUT       SITE LAYOUT         2:35:07 PM       Chairman Chandler - witness Houston         Note: Sacre, Candace       Post-hearing data request indication as how characterize each noise receptor.         2:35:08 PM       POST-HEARING DATA REQUEST	2:34:16 PM		
Note: Sacre, CandaceCHAIRMAN CHANDLER - WITNESS HOUSTON MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT2:35:07 PMChairman Chandler - witness Houston Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	2 24 47 54	-	Map indicates each noise receptor in relation to site layout.
Note: Sacre, Candace       MAP THAT INDICATES EACH NOISE RECEPTOR IN RELATION TO SITE LAYOUT         2:35:07 PM       Chairman Chandler - witness Houston Note: Sacre, Candace       Post-hearing data request indication as how characterize each noise receptor.         2:35:08 PM       POST-HEARING DATA REQUEST       Vertical and the second sec	2:34:47 PM	_	
<ul> <li>2:35:07 PM</li> <li>2:35:07 PM</li> <li>Chairman Chandler - witness Houston Note: Sacre, Candace</li> <li>2:35:08 PM</li> <li>POST-HEARING DATA REQUEST</li> <li>SITE LAYOUT</li> <li>Post-hearing data request indication as how characterize each noise receptor.</li> </ul>		-	
<ul> <li>2:35:07 PM Chairman Chandler - witness Houston Note: Sacre, Candace Post-hearing data request indication as how characterize each noise receptor.</li> <li>2:35:08 PM POST-HEARING DATA REQUEST</li> </ul>		Note: Sacre, Candace	
Note: Sacre, CandacePost-hearing data request indication as how characterize each noise receptor.2:35:08 PMPOST-HEARING DATA REQUEST	2.35.07 DM	Chairman Chandlor - witnoss Hou	
receptor. 2:35:08 PM POST-HEARING DATA REQUEST	2.33.07 111		
2:35:08 PM POST-HEARING DATA REQUEST			
	2:35:08 PM	POST-HEARING DATA REOUEST	·
		-	CHAIRMAN CHANDLER - WITNESS HOUSTON

	Note: Sacre, Candace	PROVIDE HOW CHARACTERIZE EACH NOISE RECEPTOR
2:35:26 PM	Chairman Chandler - witness Hou	iston
	Note: Sacre, Candace	250 foot setback churches, nursing homes, not say residences, from residential zoned properties, distinction application makes in discussing 250-foot setback, term planning and zoning uses?
2:36:37 PM	Chairman Chandler - witness Hou	iston
	Note: Sacre, Candace	Clarification, when said had to update ensure complied with planning and zoning, understand what measurements are, 250 feet from between substation, inverter, battery, or panel and home, or 250 feet from property line of home, or 250 feet from receptor or property line of area zoned residential?
2:38:04 PM	Chairman Chandler Note: Sacre, Candace	Redirect?
2:38:11 PM	Chairman Chandler Note: Sacre, Candace	Witness remain, may come back to you.
2:38:26 PM	Atty Broderick Intervenors	
2.00120111	Note: Sacre, Candace	Based on questions asked, do have questions to clarify. (Click on link for further comments.)
2:38:45 PM	Atty Broderick Intervenors - with	ess Houston
	Note: Sacre, Candace	Cross Examination. In application Exhibit F, include everything filed with planning and zoning and board of adjustments?
2:39:41 PM	Chairman Chandler	
	Note: Sacre, Candace	Leave that up to me, relevant question. (Click on link for further comments.)
2:40:32 PM	Chairman Chandler Note: Sacre, Candace	Ask question again, cite portion of application.
2:40:46 PM	Atty Broderick Intervenors - with	
	Note: Sacre, Candace	Cross Examination (cont'd). Responses, First Request to Horus Kentucky 1 LLC, Exhibit F, affiant in that, does Exhibit F constitute everything filed with planning and zoning and board of adjustments in Franklin and Simpson County?
2:41:27 PM	Atty Saunders Horus Kentucky 1	
	Note: Sacre, Candace	Timing of what produced and when, getting into issues what was produced to planning and zoning at different time opposed to what produced with application to PSC.
2:41:50 PM	Chairman Chandler	
	Note: Sacre, Candace	Not making objection, all asking for what is in response, relevant question documents provided in response to that.
2:43:27 PM	Chairman Chandler	
	Note: Sacre, Candace	Additional questions on this line?
2:43:32 PM	Atty Broderick Intervenors - withe	
	Note: Sacre, Candace	Cross Examination (cont'd). File development plan as part of Exhibit F?
2:44:07 PM	Atty Broderick Intervenors - withe	
	Note: Sacre, Candace	With exception of development plan, complied with everything that you had to do with board of adjustments and planning and zoning?
2:44:33 PM	Chairman Chandler	
	Note: Sacre, Candace	Redirect?
2:44:42 PM	Chairman Chandler Note: Sacre, Candace	Please stand by in case additional questions.
2:44:50 PM	Chairman Chandler	
2:45:21 PM	Note: Sacre, Candace Atty Saunders Horus Kentucky 1	Additional witness? (Click on link for further comments.)
	Note: Sacre, Candace	Woo Smith.

2:45:27 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness is sworn.
2:45:38 PM	Chairman Chandler - witness Si	
	Note: Sacre, Candace	Examination. Name and address?
2:45:54 PM	Atty Horus Kentucky 1 - witnes	
	Note: Sacre, Candace	Direct Examination. Job title?
2:46:20 PM	Atty Horus Kentucky 1 - witnes	
2:46:34 PM	Note: Sacre, Candace	Been involved with project for some time?
2:40:34 PM	Atty Horus Kentucky 1 - witnes	
2:46:44 PM	Note: Sacre, Candace Atty Horus Kentucky 1 - witnes	Involved as have responded to data requests?
2.40.44 FM	Note: Sacre, Candace	Describe your role in project?
2:47:27 PM	Atty Horus Kentucky 1 - witnes	
2.7/.2/ FM	Note: Sacre, Candace	Several documents in front of you, what available to you?
2:48:03 PM	Chairman Chandler	Several documents in none of you, what available to you?
2110103111	Note: Sacre, Candace	Questions?
2:48:30 PM	Staff Atty Gosnell PSC - witness	
	Note: Sacre, Candace	Cross Examination. Answer questions on traffic?
2:48:55 PM	Staff Atty Gosnell PSC - witness	
	Note: Sacre, Candace	What stage discussions with Simpson County authorities damage to roadways, complete or ongoing?
2:49:16 PM	Staff Atty Gosnell PSC - witness	s Smith
	Note: Sacre, Candace	Any plan available to Siting Board?
2:49:42 PM	Staff Atty Gosnell PSC - witness	s Smith
	Note: Sacre, Candace	Included potential bonds with county?
2:49:50 PM	Staff Atty Gosnell PSC - witness	
	Note: Sacre, Candace	Committed to restoring impact roadways to preconstruction conditions?
2:50:25 PM	Staff Atty Gosnell PSC - witness	
	Note: Sacre, Candace	IMPLAN information, workers during construction, over 30 percent labor income Simpson County, rest of labor outside Simpson County but in Kentucky or outside?
2:51:21 PM	Staff Atty Gosnell PSC - witness	
	Note: Sacre, Candace	Analysis relates to Simpson County impact, analysis using State of Kentucky as region?
2:51:52 PM	Staff Atty Gosnell PSC - witness	s Smith
	Note: Sacre, Candace	Feasible to provide in post-hearing data request?
2:52:06 PM	POST-HEARING DATA REQUES	Т
	Note: Sacre, Candace	STAFF ATTY GOSNELL PSC - WITNESS SMITH
	Note: Sacre, Candace	REWORK ECONOMIC IMPACT ANALYSIS USING STATE OF KENTUCKY AS REGION
2:52:10 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
2:52:19 PM	Board Member Lyons - witness	Smith
	Note: Sacre, Candace	Examination. Freed of Information requests, Terracon, oil wells obtained forms, what forms were those?
2:53:15 PM	Board Member Lyons - witness	Smith
	Note: Sacre, Candace	What years are those forms?
2:53:33 PM	Board Member Lyons - witness	
	Note: Sacre, Candace	Division of Water oil and gas registration form, program no longer in effect.
2:53:51 PM	Board Member Lyons - witness	
	Note: Sacre, Candace	Confirm, streams and wetlands delineation, intent avoid all those areas?

2:55:08 PM	Board Member Lyons - witness Sn	nith
	Note: Sacre, Candace	No vegetation disturbed?
2:55:18 PM	Chairman Chandler	Ū.
	Note: Sacre, Candace	Questions?
2:55:55 PM	Chairman Chandler	
	Note: Sacre, Candace	Redirect?
2:56:19 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness excused.
2:56:24 PM	Chairman Chandler	
	Note: Sacre, Candace	Next witness?
2:56:28 PM	Atty Saunders Horus Kentucky 1	
	, Note: Sacre, Candace	Sadra Javadi.
2:56:32 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness is sworn.
2:56:46 PM	Chairman Chandler - witness Java	
	Note: Sacre, Candace	Examination. Name and address?
2:57:06 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Direct Examination. Job title?
2:57:27 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Expertise?
2:58:11 PM	Atty Saunders Horus Kentucky 1 -	•
	Note: Sacre, Candace	Questions regarding karst, able to answer?
2:58:22 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Materials with you?
2:58:29 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Identify?
2:58:44 PM	Atty Saunders Horus Kentucky 1 -	
	, Note: Sacre, Candace	Latest site plan produced to this body following report by Harvey?
2:59:01 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
2:59:15 PM	Staff Atty Gosnell PSC - witness Ja	
	Note: Sacre, Candace	Cross Examination. Explain plan for setbacks open sinkholes within
	·	boundaries of site?
3:00:45 PM	Staff Atty Gosnell PSC - witness Ja	avadi
	Note: Sacre, Candace	Say when new site plan created changes made to setbacks where
		moved panels?
3:01:25 PM	Staff Atty Gosnell PSC - witness Ja	avadi
	Note: Sacre, Candace	Areas identified as potential further risk, what steps take to guard
		from future risk?
3:02:06 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
3:02:22 PM	Vice Chairman Cubbage - witness	Javadi
	Note: Sacre, Candace	Examination. In geotechnical investigation, talk to landowners
		about voids?
3:02:47 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	Any discussion with current landowners?
3:03:45 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	Borings, rain events around time took borings?
3:04:34 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
3:04:45 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness excused.
3:04:55 PM	Chairman Chandler	
	Note: Sacre, Candace	Recess until 3:15.

3:05:05 PM	Session Paused	
3:17:25 PM	Session Resumed	
3:17:26 PM	Chairman Chandler	
	Note: Sacre, Candace	Back on record in Case No. 2020-00417.
3:17:29 PM	Camera Lock Deactivated	
3:17:40 PM	Chairman Chandler	
	Note: Sacre, Candace	If not done by 4:15, take break. (Click on link for further
	,	comments.)
3:19:03 PM	Chairman Chandler	
	Note: Sacre, Candace	Additional witnesses?
3:19:07 PM	Atty Saunders Horus Kentucky 1	
	, Note: Sacre, Candace	Jorge Medina.
3:19:28 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness is sworn.
3:19:40 PM	Chairman Chandler - witness Med	
	Note: Sacre, Candace	Examination. Name and address?
3:19:55 PM	Atty Saunders Horus Kentucky - v	
0120100111	Note: Sacre, Candace	Direct Examination. Current job title?
3:20:02 PM	Atty Saunders Horus Kentucky - v	-
5120102111	Note: Sacre, Candace	Job responsibilities?
3:20:25 PM	Atty Saunders Horus Kentucky - v	•
5120125111	Note: Sacre, Candace	Involved with project some time?
3:20:37 PM	Atty Saunders Horus Kentucky - v	
5.20.57 114	Note: Sacre, Candace	Assisted preparation application and reports?
3:20:48 PM	Atty Saunders Horus Kentucky - v	
J.20.40 FM	Note: Sacre, Candace	Documents in front of you?
3:21:30 PM	Chairman Chandler	Documents in nonc of you:
5.21.30 PM		Questions?
2,22,01 DM	Note: Sacre, Candace Chairman Chandler - witness Med	Questions?
3:22:01 PM		
	Note: Sacre, Candace	Examination. From application, term is 250 feet from residential zoned property, setback in application, what is 250 feet from
		residential zoned property mean, beginning at, ending at?
3:22:47 PM	Chairman Chandler - witness Med	
J.22.77 FM		Electrical facility, this question, includes panel, inverter, string
	Note: Sacre, Candace	inverter, battery, or substation, commit to 250 foot setback any of
		those facilities and property line zoned residential or has residence
		on it?
3:23:32 PM	Chairman Chandler - witness Med	lina
	Note: Sacre, Candace	Not necessarily 250 feet home, 250 feet property line?
3:23:48 PM	Chairman Chandler	······································
	Note: Sacre, Candace	Redirect?
3:23:53 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness excused.
3:24:07 PM	Chairman Chandler	
012 1107 111	Note: Sacre, Candace	Additional witnesses?
3:24:18 PM	Atty Saunders Horus Kentucky 1	
512 1110 111	Note: Sacre, Candace	William Kaufell.
3:24:24 PM	Chairman Chandler	
512 112 1 1 1 1	Note: Sacre, Candace	Witness is sworn.
3:24:36 PM	Atty Saunders Horus Kentucky 1 ·	
2.2.1.00111	Note: Sacre, Candace	Examination. Name and address?
3:24:47 PM	Atty Saunders Horus Kentucky 1 ·	
	Note: Sacre, Candace	Direct Examination. Current employer and description of job
		responsibilities?

Note: Sacre, CandaceInvolved with project, tell us what reviewed and expertise to project?3:25:44 PMAtty Saunders Horus Kentucky 1 - witness Kaufell Note: Sacre, CandaceDocuments in front of you?3:25:58 PMAtty Saunders Horus Kentucky 1 - witness Kaufell Note: Sacre, CandaceLooked at not only noise but potential noise mitigation?3:26:21 PMChairman Chandler Note: Sacre, CandaceQuestions?3:26:25 PMStaff Atty Gosnell PSC - witness Kaufell	
Note: Sacre, Candace       Documents in front of you?         3:25:58 PM       Atty Saunders Horus Kentucky 1 - witness Kaufell Note: Sacre, Candace       Looked at not only noise but potential noise mitigation?         3:26:21 PM       Chairman Chandler Note: Sacre, Candace       Questions?	n
3:25:58 PM       Atty Saunders Horus Kentucky 1 - witness Kaufell         Note: Sacre, Candace       Looked at not only noise but potential noise mitigation?         3:26:21 PM       Chairman Chandler         Note: Sacre, Candace       Questions?	n
Note: Sacre, CandaceLooked at not only noise but potential noise mitigation?3:26:21 PMChairman Chandler Note: Sacre, CandaceQuestions?	n
3:26:21 PM Chairman Chandler Note: Sacre, Candace Questions?	n
Note: Sacre, Candace Questions?	n
· •	n
3:26:25 PM Staff Atty Gosnell PSC - witness Kaufell	n
	n
Note: Sacre, Candace Cross Examination. Indicated not consider noise mitigatio measures, explain what analysis was?	
3:27:30 PM Staff Atty Gosnell PSC - witness Kaufell	
Note: Sacre, Candace Not consider sound blankets on fencing or trucking measu noise measures at all?	res, no
3:28:09 PM Staff Atty Gosnell PSC - witness Kaufell	
Note: Sacre, Candace Think feasible and advisable use that type mitigation?	
3:28:57 PM Staff Atty Gosnell PSC - witness Kaufell	
Note: Sacre, Candace What distance recommend be feasible from residences/bu	sinesses?
3:29:50 PM Staff Atty Gosnell PSC - witness Kaufell	
Note: Sacre, CandaceClarify issues with Responses, initially, First Data Request, 23, would follow Simpson County building requirements 7 pm Mon - Fri, however peak activity Sat and Sun; Second No. 4, limit construction 7 am to 8 pm, Mon - Sat, discrepant	am to 7 Request, ancy,
explain what proposal is when construction activity occurs	?
3:30:45 PM Atty Saunders Horus Kentucky 1 Note: Sacre, Candace Question better for Houston. (Click on link for further com	nments.)
3:31:16 PM Chairman Chandler - witness Kaufell	
Note: Sacre, Candace Examination. Unable to answer?	
3:31:27 PM Chairman Chandler - witness Kaufell	
Note: Sacre, Candace Let me clarify what asking, have first-hand knowledge whe to answer question?	ere unable
3:32:05 PM Chairman Chandler	
Note: Sacre, Candace Questions?	
3:32:23 PM Chairman Chandler - witness Kaufell	
Note: Sacre, Candace Examination. Aware before today applicant updated site la this matter?	ayout in
3:32:36 PM Chairman Chandler - witness Kaufell	
Note: Sacre, Candace Asked review site layout determine provides meaningful di in noise for 60-plus noise receptors studied?	fferences
3:33:16 PM Chairman Chandler	
Note: Sacre, Candace Redirect?	
3:33:32 PM Chairman Chandler	
Note: Sacre, Candace Witness excused.	
3:33:44 PM Chairman Chandler	
Note: Sacre, Candace Additional witnesses?	
3:33:57 PM Chairman Chandler	
Note: Sacre, Candace Additional questions Houston, correct?	
3:34:01 PM Chairman Chandler	
Note: Sacre, Candace Remain under oath. 3:34:08 PM Chairman Chandler	
Note: Sacre, Candace Direct?	

3:34:22 PM	Atty Saunders Horus Kentucky 1 -	witness Houston
	Note: Sacre, Candace	Redirect Examination. Heard testimony mitigation of noise, construction phase, discussions with Carter Munday, noise
		techniques utilized before or be appropriate utilization this project?
3:35:59 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Evolution time schedule for working, originally broader time schedule, explain how occurred and current plan for construction?
3:38:39 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
3:38:53 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Cross Examination. Put in as part of conditional use permit?
3:39:12 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	In agreement no construction on Sundays?
3:39:21 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Holidays?
3:39:33 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Aware rulings various siting boards direct work 8 am to 6 pm?
3:40:19 PM	Staff Atty Gosnell PSC - witness H	
	Note: Sacre, Candace	Not reason require have variation on schedule?
3:40:33 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
3:41:09 PM	Chairman Chandler	
	Note: Sacre, Candace	Redirect?
3:41:18 PM	Chairman Chandler	<b>T</b>
0.44.00 DM	Note: Sacre, Candace	That is case today?
3:41:29 PM	Chairman Chandler	
0.44.07.014	Note: Sacre, Candace	Call first witness?
3:41:37 PM	Chairman Chandler	
2 44 40 DM	Note: Sacre, Candace	Steve Baldwin.
3:41:40 PM	Chairman Chandler	14 <i>0</i> 1
2.41.50 DM	Note: Sacre, Candace	Witness is sworn.
3:41:50 PM	Chairman Chandler - witness Bald	
2.42.07 DM	Note: Sacre, Candace	Examination. Name and address?
3:42:07 PM	Atty Murley Intervenors - witness	
3:42:13 PM	Note: Sacre, Candace Atty Murley Intervenors - witness	Direct Examination. Resident Simpson County?
5.42.15 PM	Note: Sacre, Candace	Owner of property close proximity site?
3:42:21 PM	Atty Murley Intervenors - witness	
J.42.21 PM	Note: Sacre, Candace	Where property located?
3:42:45 PM	Atty Murley Intervenors - witness	
5.72.75 FM	Note: Sacre, Candace	How many acres own?
3:42:52 PM	Atty Murley Intervenors - witness	
J.72.J2 FM	Note: Sacre, Candace	What is use of property currently?
3:43:00 PM	Atty Murley Intervenors - witness	
J.J.00 FM	Note: Sacre, Candace	Cattle and hay?
3:43:02 PM	Atty Murley Intervenors - witness	
J. J. 02 FM	Note: Sacre, Candace	How long used in that fashion?
3:43:10 PM	Atty Murley Intervenors - witness	-
	Note: Sacre, Candace	Voiced objections to solar farms placed where proposing?
3:43:21 PM	Atty Murley Intervenors - witness	
5. 15.21 111	Note: Sacre, Candace	Objections voiced, generally tell Board what issues are?
3:44:56 PM	Atty Murley Intervenors - witness	
ST HOUT PI	Note: Sacre, Candace	Believe decrease value?

3:45:01 PM	Atty Murley Intervenors - witnes	s Baldwin
	Note: Sacre, Candace	Concerned visual impact result solar panels?
3:45:13 PM	Atty Murley Intervenors - witness	s Baldwin
	Note: Sacre, Candace	Appealed conditional use permit?
3:45:19 PM	Atty Murley Intervenors - witness	s Baldwin
	Note: Sacre, Candace	Party to that litigation?
3:45:21 PM	Atty Murley Intervenors - witness	s Baldwin
	Note: Sacre, Candace	Appeals still pending?
3:45:30 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?
3:45:56 PM	Chairman Chandler - witness Bal	dwin
	Note: Sacre, Candace	Examination. Statements made, basis for it, current land is worth \$10,000 acre?
3:46:22 PM	Chairman Chandler - witness Bal	dwin
	Note: Sacre, Candace	Based off recent sales?
3:46:48 PM	Chairman Chandler - witness Bal	dwin
	Note: Sacre, Candace	What is nature of property with value of \$10,000 acres, agricultural, row crop, hay, subdividing, after purchase land of that value?
3:48:24 PM	Chairman Chandler - witness Bal	-
	Note: Sacre, Candace	Land you bought keeping agricultural?
3:48:44 PM	Chairman Chandler - witness Bal	
	Note: Sacre, Candace	Adjoining landowner?
3:48:56 PM	Chairman Chandler - witness Bal	
	Note: Sacre, Candace	How much fence line in connection with property?
3:49:54 PM	Chairman Chandler - witness Bal	
	Note: Sacre, Candace	Applicant met with you discuss vegetation screening/other screening between property and proposed project?
3:50:12 PM	Chairman Chandler	
	Note: Sacre, Candace	Redirect?
3:50:21 PM	Chairman Chandler	
	Note: Sacre, Candace	Additional witness?
3:50:26 PM	Atty Murley Intervenors	
	Note: Sacre, Candace	John Pitt.
3:50:32 PM	Chairman Chandler	
	Note: Sacre, Candace	Witness is sworn.
3:50:39 PM	Chairman Chandler - witness Pitt	
	Note: Sacre, Candace	Examination. Name and address?
3:50:51 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Direct Examination. Resident of Simpson County?
3:50:56 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	What is association/interest in property just described?
3:52:17 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Hendricks Road property, farm this land?
3:52:29 PM	Atty Murley Intervenors - witness	
0 F0 00 DM	Note: Sacre, Candace	Live close?
3:52:32 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	How far your house from where site will be?
3:52:47 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	As the crow flies, how far?
3:52:53 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Visual impact, same concern?
3:55:02 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Talked about visual impact and water runoff?

3:55:07 PM	Atty Murley Intervenors - witness	Pitt
	Note: Sacre, Candace	Also in-close proximity property owner?
3:55:14 PM	Atty Murley Intervenors - witness	Pitt
	Note: Sacre, Candace	Concerned effect on property value?
3:55:46 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Think have a detrimental value?
3:56:07 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Living as close as do, have concerns increased traffic and noise?
3:56:30 PM	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	How about construction?
3:56:57 PM	Atty Murley Intervenors - witness	
3:57:03 PM	Note: Sacre, Candace	Anybody associated with project addressed concerns?
	Atty Murley Intervenors - witness	
	Note: Sacre, Candace	Also party to litigation Simpson Circuit and Court of Appeals?
3:57:11 PM	Atty Murley Intervenors - witness	
2.F7.14 DM	Note: Sacre, Candace	Still pending?
3:57:14 PM	Chairman Chandler	Questions?
3:57:22 PM	Note: Sacre, Candace Atty Saunders Horus Kentucky 1 -	Questions?
J.J/.22 FM	Note: Sacre, Candace	Cross Examination. Nobody involved with project sat down with
	Note: Sacre, Candace	you, remember attempts have discussions, told folks from Horus to
		talk to lawyer?
3:57:40 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Actually did try, you told them talk to lawyer, correct?
3:57:55 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Currently involved in litigation, communications would go through
		counsel?
3:58:04 PM	Atty Saunders Horus Kentucky 1 -	- witness Pitt
	Note: Sacre, Candace	Understand correctly you previously owned land solar development
		be on?
3:58:20 PM	Atty Saunders Horus Kentucky 1 -	
2 50 20 514	Note: Sacre, Candace	Previously own portion of land solar development planned be on?
3:58:30 PM	Atty Saunders Horus Kentucky 1 -	
	Note: Sacre, Candace	Did not?
3:58:32 PM	Atty Saunders Horus Kentucky 1 -	
3:58:40 PM	Note: Sacre, Candace Chairman Chandler	Not property deeded to your wife?
3.30.40 PM	Note: Sacre, Candace	Questions?
3:59:02 PM	Vice Chairman Cubbage - witness	-
5.55.02114	Note: Sacre, Candace	Examination. Property values, average per acre value,
	Note: Sucre, canadee	characterizing right?
3:59:22 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	For current uses?
3:59:36 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	Livestock?
3:59:43 PM	Vice Chairman Cubbage - witness	Pitt
	Note: Sacre, Candace	Mentioned possibility selling off smaller parts residential
		development \$30,000 acre?
3:59:58 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	Happening in this area?
4:00:11 PM	Vice Chairman Cubbage - witness	
	Note: Sacre, Candace	Current plans to subdivide?
4:00:27 PM	Chairman Chandler	
	Note: Sacre, Candace	Questions?

4:00:33 PM	Chairman Chandler	
	Note: Sacre, Candace	Redirect?
4:00:38 PM	Chairman Chandler	
	Note: Sacre, Candace	Additional witnesses?
4:00:44 PM	Chairman Chandler	
	Note: Sacre, Candace	807 KAR 5:110 allow file brief. (Click on link for further comments.)
4:02:12 PM	Chairman Chandler	
	Note: Sacre, Candace	Post-hearing data requests. (Click on link for further comments.)
4:04:22 PM	Chairman Chandler	
	Note: Sacre, Candace	Anything else?
4:04:45 PM	Chairman Chandler	
	Note: Sacre, Candace	Hearing adjourned.
4:04:53 PM	Session Ended	

\*Brandon T. Murley Broderick & Davenport, PLLC 921 College Street - Phoenix Place PO Box 3100 Bowling Green, KENTUCKY 42102

\*David F Broderick Broderick & Davenport, PLLC 921 College Street - Phoenix Place PO Box 3100 Bowling Green, KENTUCKY 42102

\*D. Moran Broderick & Davenport, PLLC 921 College Street - Phoenix Place PO Box 3100 Bowling Green, KENTUCKY 42102

\*Debbie Thornton Planning and Zoning Chair P.O. Box 2868 Franklin, KENTUCKY 42135

\*Holly Irwin Broderick & Davenport, PLLC 921 College Street - Phoenix Place PO Box 3100 Bowling Green, KENTUCKY 42102

\*James H Mooneyhan Resident Representative 207 Spence Lane Franklin, KENTUCKY 42135

\*Randy Saunders Nelson Mullins 949 Third Avenue Suite 200 Huntington, WEST VIRGINIA 25701