

Andy Beshear
Governor

Rebecca W. Goodman
Secretary
Energy and Environment Cabinet



Commonwealth of Kentucky
Public Service Commission

211 Sower Blvd.
P.O. Box 615
Frankfort Kentucky 40602-0615
Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Michael J. Schmitt
Chairman

Kent A. Chandler
Vice Chairman

Talina R. Mathews
Commissioner

March 04, 2021

PARTIES OF RECORD

RE: Case No. **2021-00094**

The Commission staff has reviewed the application in the above case and finds that it meets the minimum filing requirements and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell
Executive Director

LCB/AH

GARRISON, QUINCY, KY-O-HEIGHTS WATER DISTRICT

284 MURPHY'S LANE

P.O. BOX 279

GARRISON, KY 41141

OFFICE: (606) 757-4898

FAX: (606) 757-9508

Equal Opportunity Employer and Provider

March 2, 2021

Ms. Linda Bridwell
Executive Director
Public Service Commission
211 Sower Blvd
Frankfort, KY 40601

RE: Case No. 2021-00094
Garrison-Quincy-Ky-O-Heights Water District
Alternative Rate Filing Adjustment – Water and Sewer

FILED

MAR 02 2021

PUBLIC SERVICE
COMMISSION

Dear Ms. Bridwell:

Enclosed for filing in the referenced case is Garrison-Quincy's ARF Application for an adjustment to its water and sewer rates. This ARF Application is being filed pursuant to 807 KAR 5:076 and uses calendar year 2019 as the test year with appropriate adjustments to normalize revenues and expenses.

The District is requesting an 18.5 percent increase in its retail water rates. The application does not include a change in the wholesale rate. By contract the District's wholesale rate is established relative to its cost of purchased water. Since the purchase price is not changing, it is not appropriate to increase the wholesale rate.

Garrison-Quincy is also requesting a 35 percent increase in its sewer rates. Although the information included in the application indicates a much larger increase could be approved, the District views such a huge increase as placing an unnecessary burden on its customers. All operating expenses and debt service is covered with the 35 percent increase, plus over \$41,000 per year is available for the depreciation fund. The sewer system is relatively new, so this contribution to the depreciation fund is adequate for the next several years.

I certify that the District's electronic filing of this Application is a true and accurate copy of the same documents that will be delivered to the PSC in paper medium within 30 days following the end of the current state of emergency.

The Attorney General's Office of Rate Intervention has also been provided a copy of this application by electronic mail. My electronic mail address is teunderwood@windstream.net.

Sincerely,



Trent Underwood, Manager

Enclosures

*Alan Vilines
Kentucky Rural Water Association
Post Office Box 1424
1151 Old Porter Pike
Bowling Green, KENTUCKY 42102-1424

*Garrison-Quincy-Ky-O-Heights Water District
279 Robins Lane
P. O. Box 279
Garrison, KY 41141

*Trent Underwood
Garrison-Quincy-Ky-O-Heights Water District
279 Robins Lane
P. O. Box 279
Garrison, KY 41141