Andy Beshear Governor

Rebecca W. Goodman Secretary Energy and Environment Cabinet



Commonwealth of Kentucky **Public Service Commission**211 Sower Blvd.
P.O. Box 615

Frankfort, Kentucky 40602-0615

Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov Kent A. Chandler Chairman

Mary Pat Regan Commissioner

December 13, 2022

#### PARTIES OF RECORD

Re: Case No. 2021-00419

Notice is given to all parties that the attached memorandum has been filed into the record of this proceeding.

If you have any comments you would like to make regarding the contents of the memorandum, please do so within five days of receipt of this letter. If you have any questions, please contact Jennifer Fell, at Jennifer.Fell@ky.gov.

Sincerely,

Mary Vusel for For Linda C. Bridwell, PE

**Executive Director** 

Attachment: Memorandum



# COMMONWEALTH OF KENTUCKY

## BEFORE THE PUBLIC SERVICE COMMISSION

## In the Matter of:

ELECTRONIC GARRISON-QUINCY-KY-O-	)	
HEIGHTS WATER DISTRICT'S	)	CASE NO.
UNACCOUNTED-FOR WATER LOSS	)	2021-00419
REDUCTION PLAN, SURCHARGE AND	)	
MONITORING	)	

December 8, 2022

## Please sign in:

NAME	REPRESENTING
Jennifer Fell	PSC – Office of General Counsel
Ariel Miller	PSC – Financial Analysis
Mark Frost	PSC – Financial Analysis
<u>Liz Stefanski</u>	PSC – Financial Analysis
Ben Rogness	PSC – Financial Analysis
Trent Underwood	Garrison-Quincy-Ky-O-Heights Water District
B.J. Higgins	Garrison-Quincy-Ky-O-Heights Water District

#### **INTRA-AGENCY MEMORANDUM**

#### KENTUCKY PUBLIC SERVICE COMMISSION

**TO:** Case File No. 2021-00419

FROM: Jennifer Fell, Staff Attorney III

**DATE:** December 13, 2022

**RE:** Informal Conference of December 8, 2022

Pursuant to a Staff Notice issued on November 30, 2022, an informal conference (IC) was conducted on December 8, 2022. Attached is a copy of the attendance roster.

The purpose of the IC was to discuss the monthly and annual filing requirements of Garrison-Quincy-Ky-O-Heights Water District (Garrison District) for its monthly water loss surcharge. Commission Staff informed Garrison District of errors in the calculations that were identified during Commission Staff's review of the monthly water loss reports filed to date and requested that Garrison District file amended water loss reports to correct these mistakes.

There being no further discussion, the IC was then adjourned.

cc: Parties of Record

\*Alan Vilines Kentucky Rural Water Association Post Office Box 1424 1151 Old Porter Pike Bowling Green, KENTUCKY 42102-1424

\*Garrison-Quincy-Ky-O-Heights Water District 279 Robins Lane P. O. Box 279 Garrison, KY 41141

\*Trent Underwood Garrison-Quincy-Ky-O-Heights Water District 279 Robins Lane P. O. Box 279 Garrison, KY 41141