

From: [PSC Public Comment](#)
To: [PSC Consumer Inquiry](#)
Subject: RE: Case 2022-00053
Date: Thursday, June 30, 2022 10:58:00 AM

Case No. 2022-00053

Thank you for your comments on the application of Jessamine-South Elkhorn Water District. Your comments in the above-referenced matter have been received and will be placed into the case file for the Commission's consideration. Please cite the case number in this matter, 2022-00053, in any further correspondence. The documents in this case are available at [View Case Filings for: 2022-00053 \(ky.gov\)](#).

Thank you for your interest in this matter.

From: PSC Consumer Inquiry <PSC.Consumer.Inquiry@ky.gov>
Sent: Monday, June 27, 2022 2:21 PM
To: PSC Public Comment <PSC.Comment@ky.gov>
Subject: FW: Case 2022-00053

From: Amy Spivey [REDACTED]
Sent: Monday, June 27, 2022 2:03 PM
To: PSC Consumer Inquiry <PSC.Consumer.Inquiry@ky.gov>
Subject: Case 2022-00053

Amy Spivey
606 Old Coach Rd
Nicholasville, KY 40356

RE: Case 2022-00053

I submitted an objection on April 25, 2022 to the proposed rate increase for two cases: Case 2022-00050 (water) and Case 2022-00053 (sewer), both for Jessamine-South Elkhorn Water District. I was surprised to find my objection not listed in the official public comments for Case 2022-00053, as the two cases are separate issues. Also, I noticed Case 2022-00050 contains several objections that mention both cases, but the objections are only listed in the public comments section for Case 2022-00050. This seems to indicate that residents are without objection to the 28% proposed sewer increase, given only two public comments are listed for Case 2022-00053. This is certainly not the case.]

So, I am voicing my objection through email for Case 2022-00053 and will be checking to ensure my comments are added to the public comments for this case filing.

Every single year, there is a rate increase for water and sewer - although the current proposed increase is the highest in the 4 years I have lived here. The quality of water and sewer continually declines, while residents of Clays Crossing pay a significantly higher rate than our neighbors less than half a mile away.

As development continues in this area, it seems the existing customers are footing the bill, instead of developers/builders being charged appropriately increased hookup rates. It also seems the pension costs are extraordinarily high in relation to salaries/wages and simply does not support the 28% sewer and 7% water increase. It is not the public's responsibility to ensure employees of Jessamine South Elkhorn Water District are able to adequately retire.

I sincerely hope the objections of the people that actually pay the bills will be considered by the Public Service Commission regarding this outrageous rate increase.

Amy C. Spivey



606 Old Coach Rd
Nicholasville, KY

*Robert K. Miller
Straightline Kentucky LLC
113 North Birchwood Ave.
Louisville, KENTUCKY 40206

*Kim Miller
Jessamine-South Elkhorn Water District
802 S Main Street
P. O. Box 731
Nicholasville, KY 40356

*Jessamine-South Elkhorn Water District
802 S Main Street
P. O. Box 731
Nicholasville, KY 40356