

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

CHAU HOME IMPROVMENT)	
)	
_____)	CASE NO.
)	2022-00260
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	
CHAU HOME IMPROVMENT)	
)	
_____)	CASE NO.
)	2022-00261
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	


ORDER

This matter was originally established by an Order of the Commission, dated August 22-23, 2022. Due to an insufficient evidentiary foundation, the Commission finds good cause that above-styled case should be dismissed with prejudice.


IT IS THEREFORE ORDERED that:


1. The hearing scheduled for September 30, 2022 is canceled.
2. The Commission's investigation of Damage Incidents 53697 and 53698 are hereby dismissed with prejudice.
3. These cases are closed and are removed from the Commission's docket.

PUBLIC SERVICE COMMISSION


Chairman

Vice Chairman


Commissioner



ATTEST:


Executive Director

Case No. 2022-00260
2022-00261

*Chau Home Improvement c/o Allan Chau
306 Anza Lane
Nicholasville, KENTUCKY 40356