



Andy Beshear  
Governor

Kent A. Chandler  
Chairman

Rebecca W. Goodman  
Secretary  
Energy and Environment Cabinet

Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
P.O. Box 615  
Frankfort, Kentucky 40602-0615  
Telephone: (502) 564-3940  
Fax: (502) 564-3460  
psc.ky.gov

June 8, 2022

M. Todd Osterloh  
Sturgill, Turner, Barker, & Moloney, PLLC  
333 West Vine Street  
Suite 1500  
Lexington, KY 40507

RE: Water Service Corporation of Kentucky  
Case No. 2022-00147 - Filing Deficiency

The Commission Staff has reviewed the application in the above case. This filing is rejected for the reason set forth below.

Filing deficiency pursuant to:

1. Section 17(4) Notice Section (4): The amount of the average usage and the effect upon the average bill for each customer classification to which the proposed rates will apply, except for local exchange companies, which shall include the effect upon the average bill for each customer classification for the proposed rate change in basic local service; a 2" meter is listed for the Public authority but the monthly bill impact for an average customer is based upon the cost of a 5/8" meter.

You are requested to submit the information necessary to cure the deficiencies within 10 days of the date of this letter. If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Linda C. Bridwell  
Executive Director

\*Water Service Corporation of Kentucky  
c/o Water Service Corp  
500 West Monroe Street, Suite 3600  
Chicago, IL 60661-3779

\*James W Gardner  
Sturgill, Turner, Barker & Moloney, PLLC  
333 West Vine Street  
Suite 1400  
Lexington, KENTUCKY 40507

\*Rebecca C. Price  
Sturgill, Turner, Barker & Moloney  
155 East Main Street  
Lexington, KENTUCKY 40507

\*M. Todd Osterloh  
Sturgill, Turner, Barker & Moloney, PLLC  
333 West Vine Street  
Suite 1400  
Lexington, KENTUCKY 40507