Andy Beshear Governor

Rebecca W. Goodman Secretary Energy and Environment Cabinet



Commonwealth of Kentucky **Public Service Commission**211 Sower Blvd.
P.O. Box 615

Frankfort, Kentucky 40602-0615

Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov Kent A. Chandler Chairman

Mary Pat Regan Commissioner

September 6, 2022

PARTIES OF RECORD

Re: Case No. 2022-00260

Chau Home Improvement

Notice is given to all parties that the attached memorandum has been filed into the record of this proceeding.

If you have any comments you would like to make regarding the contents of the memorandum, please do so within five days of receipt of this letter. If you have any questions, please contact Jessica Norris-Canfield, Staff Attorney, at JNorrisCanfield@ky.gov or (502) 782-8508.

Sincerely,

Linda C. Bridwell, PE Executive Director

Attachment: Memorandum



Andy Beshear Governor

Rebecca W. Goodman Secretary Energy and Environment Cabinet



Commonwealth of Kentucky

Public Service Commission
211 Sower Blvd.
P.O. Box 615

Frankfort, Kentucky 40602-0615

Telephone: (502) 564-3940
Fax: (502) 564-3460
psc.ky.gov

Kent A. Chandler Chairman

Mary Pat Regan Commissioner

September 6, 2022

Subject: September 30, 2022 Damage Prevention Hearing Virtual Link Change

To All Affected Parties:

You have previously been notified by mail that you have been named a responsible party to an administrative proceeding scheduled for September 30, 2022 for your alleged violation of the Kentucky Underground Facilities Damage Prevention Act.

The link provided in the previously referenced order to virtually attend the hearing has changed. Please find the updated link and instructions for the September 30, 2022 Damage Prevention hearing attached.

If you have any questions, please contact Ashley Rhodes at AshleyB.Rhodes@ky.gov or (502) 782-2578.

Sincerely,

Linda C. Bridwell, P.E. Executive Director

Attachment



Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Ashley Rhodes, Commission Division of Inspections. AshleyB.Rhodes@ky.gov or 502-782-2578.

To download the GoToMeeting app go to:

https://global.gotomeeting.com/install/258846301

On the day of your hearing using your computer, tablet, or video enabled smartphone. Access the proceeding at:

https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0

GoToMeeting - How to Join a Meeting https://www.youtube.com/embed/Ojl1q sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)

Linux/Ubunto (Web App only)

Google Chrome OS (Web App only)

iOS 11 – iOS 13

Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer

Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)

Mobile device and Chromebook: 3G or better (WiFi recommended for VolP)

Software:

GoToMeeting desktop app (JavaScript enabled)

GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)

Webcam device*

Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer

iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

*Chau Home Improvement c/o Allan Chau 306 Anza Lane Nicholasville, KENTUCKY 40356