Rebecca W. Goodman Secretary Energy and Environment Cabinet

Commonwealth of Kentucky **Public Service Commission** 211 Sower Blvd. P.O. Box 615 Frankfort Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov

December 06, 2022

Kent A. Chandler Chairman

Mary Pat Regan Commissioner

PARTIES OF RECORD

RE: Case No. 2022-00419

Union County Water District (Purchased Water Adjustment)

This letter is to acknowledge receipt of notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped received December 06, 2022, and has been assigned Case No. 2022-00419. In all future correspondence or filings in connection with this case, please reference the above case number.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to insure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Brandon Bruner in the Filings Branch at 502-564-3940.

Sincerely,

Budwell

Linda C. Bridwell Executive Director



*Robert Baird CPA Kemper CPA Group, LLP 101 East Main Street Morganfield, KENTUCKY 42437

*Gary Sheffer Manager Union County Water District 409 North Court Street P. O. Box 146 Morganfield, KY 42437

*Union County Water District 409 North Court Street P. O. Box 146 Morganfield, KY 42437

*Kara Bickett Union County Water District 409 North Court Street P. O. Box 146 Morganfield, KY 42437