

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

OVERHOLT HOMES CONSTRUCTION)	
)	
_____)	CASE NO.
)	2023-00035
ALLEGED VIOLATION OF UNDERGROUND)	
FACILITY DAMAGE PREVENTION ACT)	

INITIATING ORDER FOR ALLEGED 811 VIOLATION OF THE KENTUCKY
UNDERGROUND FACILITY DAMAGE PREVENTION ACT

(Se proporciona la traducción al español de este documento como anexo/apéndice.)

Overholt Homes Construction has been named as a party to an investigation before the Kentucky Public Service Commission (Commission) for allegedly violating the Kentucky Underground Facility Damage Prevention Act (Act).¹ A hearing in this case shall take place on April 28, 2023.

Pursuant to KRS 278.495(2), the Commission has jurisdiction to regulate the safety of natural gas facilities in Kentucky and to enforce minimum federal pipeline safety standards. Under the Act, the Commission has authority to investigate and assess civil penalties for any violation of the Act that results in excavation damage to an underground facility used to transport natural gas or hazardous liquid subject to federal pipeline safety laws, 49 U.S.C. § 60101, *et seq.* Any person who violates any provision of the Act is subject to assessment of a civil penalty in the amount of \$250 for the first offense, no more than \$1,000 for the second offense within one year, and no more than \$3,000 for

¹ KRS 367.4901 through KRS 367.4917.

the third and any subsequent offense. Additionally, any person whose violation of the Act results in damage to an underground facility containing any flammable, toxic, corrosive, or hazardous material or results in the release of any flammable, toxic, corrosive, or hazardous material is subject to an additional penalty of up to \$1,000.

Following receipt of a report of excavation damage to its underground gas pipeline from an operator, Commission Staff (Staff) conducted an investigation and prepared an Incident Report, a copy of which is attached to this Order as Appendix A. In its Incident Report, Staff cites Overholt Homes Construction for violation of the following provisions of the Act:

KRS 367.4911(1)(b) – An excavator may commence work before the two (2) Full working days provided for in paragraph (a) of this subsection have elapsed if all affected operators have notified the person that the location of all the affected operators' facilities have been marked or that they have no facilities in the area of the proposed excavation, demolition, or timber harvesting.

KRS 367.4911(9)(c) – If the underground facility damage results in the escape of any flammable, toxic, or corrosive gas or liquid, the excavator shall cease excavation or demolition activities and immediately report the appropriate authorities by calling the 911 emergency telephone number.

Based on its review of the Incident Report and being otherwise sufficiently advised, the Commission finds prima facie evidence that Overholt Homes Construction violated the Underground Facility Damage Prevention Act. The Commission further finds that a formal investigation into the excavation damage incident shall be conducted.

IT IS THEREFORE ORDERED that:

1. Overholt Homes Construction shall submit to the Commission, via email sent to PSCED@ky.gov with the case number of this proceeding in the subject line of the

message, a written response to the allegations contained in the Staff Incident Report within 20 days of receipt of this Order.

2. Overholt Homes Construction shall appear on April 28, 2023, at 9 a.m. Eastern Daylight Time, in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky, for the purpose of presenting evidence concerning the alleged violation of the Underground Facility Damage Prevention Act.

3. The April 28, 2023 hearing shall be conducted via video conferencing.

4. Overholt Homes Construction shall attend the hearing by using the following link: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; information and instructions are attached to this Order as Appendix B.

5. Overholt Homes Construction shall notify the Commission at least ten days prior to the hearing if Overholt Homes Construction is unable to appear by video conferencing and will therefore appear in person.

6. **Any partnership, corporation, or business entity (including a limited liability company) must be represented by an attorney licensed to practice law in Kentucky, and such representation includes the filing of papers with and appearances at hearings before the Commission.**

7. An individual may submit a response to the allegations contained in the Staff Incident Report without the representation of an attorney.


8. The Staff Incident Report 53830, attached to this Order as Appendix A, is made a part of the record in this case.

9. The April 28, 2023 hearing shall be recorded by video only.


10. **Please note parties who fail to appear after service will be subject to entry of a default judgment against them.**

[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK]

PUBLIC SERVICE COMMISSION


Chairman

Vice Chairman


Commissioner



ATTEST:


Executive Director

APPENDIX A

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00035 DATED FEB 10 2023

NINE PAGES TO FOLLOW

PIPELINE DAMAGE INVESTIGATION REPORT

Investigation Information

Investigator Eric Tout **Incident ID** 53830 **Investigation** 9048
Incident Date 7/29/2021 1:10:00 PM **Report Submitted** 8/28/2021

Operator Information

Operator Atmos Energy Corporation **Reported By** Jonathon Bledsoe
Phone 270-925-6312 **Email** jonathon.bledsoe@atmosenergy.com

Incident Location 2945 Smallhouse Rd Apt 714 **Locate Ticket Number** 2107272082
 Bowling Green KY 42104
 2945 Smallhouse Rd Unit 714,
 Bowling Green
County Warren

Excavator Information

Excavator Arland Overholt **Organization ID**
 Overholt Homes Construction
Phone 270-772-1307 **Email** overholtHome
 Construction@gmail.com
Address 1449 Bucksville Rd **Locate Ticket Number** 2107272082
 Auburn KY 42206

Damage Report (DR) Summary

Excavation Within 18" (Tolerance Zone)	Gas Or Hazardous Liquids		Type Of Equipment Used	Cost of Damage	Amount Billed
	Contained	Released			
No call - KY Contact Center (811)	Yes	Yes	Mechanized/Unknown	\$541.00	\$541.00

The Operator reports that the Excavator damaged a ½-inch gas service, the locator was on site for Locate Ticket (LT) 2107272082, found the service bent over and duct tapped together. The Operator's Damage Prevention Specialist Anthony Stallins spoke with Arland Overholt of Overholt Home Construction and Mr. Overholt advised his crew was there earlier in the week and Overholt Home Construction probably cut the line. Atmos Crews were unsure of what type of mechanized equipment was utilized.

The DR is included as Attachment 1.

LT Summary

Ticket #	Valid	Initial Date	Expiration Date (21 calendar days from initial date)	Incident Date	# of Days Expired	Within Scope of Excavation
2107272082	Yes	07/27/21 18:19	N/A / No two-day wait period observed	7/29/2021 13:10	N/A / Began 5hrs. 9mins. early	Yes

A review of the LT...2082 revealed the Excavator obtained it on 07/27/21 at 18:19, the two-day wait period ended on 07/29/21 at 18:19 and the incident occurred on 07/29/21 at 13:10 indicating the Excavator began excavating 5hrs. 9mins. before the two-day wait period ended.

The LT is included as Attachment 2.

INVESTIGATION

On 09/22/22, an attempt to contact the Excavator at 270-772-1307 resulted in a message stating no mailbox is set up. Jonathan Overholt (270-202-6113) of Overholt Builders stated that Arland Overholt of Overholt Homes Construction is relation, a cousin, and the two companies are separate and Mr. J. Overholt provided the above noted telephone number as a contact number for Mr. A. Overholt.

PIPELINE DAMAGE INVESTIGATION REPORT

On 09/26/22, Mr. A. Overholt stated that no call was made to 811 prior to the gas service being damaged. Mr. A. Overholt was receptive to attending the Damage Prevention Course and paying the reduced penalty of \$250.00.

VIOLATIONS¹

KRS 367.4911(1)(b) An excavator may commence work before the two (2) full working days provided for in paragraph (a) of this subsection have elapsed if all affected operators have notified the person that the location of all the affected operators' facilities have been marked or that they have no facilities in the area of the proposed excavation, demolition, or timber harvesting.

(9)(c) If the underground facility damage results in the escape of any flammable, toxic, or corrosive gas or liquid, the excavator shall cease excavation or demolition activities and immediately report to the appropriate authorities by calling the 911 emergency telephone number.

of Offences Within 365 Days

(Including this incident)

Excavator	Last Offence Incident #	Last Offence Incident Date	Revert to 1st Offence Date (Last Offence Date +366 Days)
1 st	53830	07/29/21	07/30/22

¹ A revision of the Underground Facility Damage Prevention Act took effect on January 1, 2022. All incidents of damage dated prior to January 1, 2022 will be reviewed under the former version of the Act

Attachment 1

Gas Excavation Damage Report

Atmos Energy Corporation

Submitted 8/28/2021 Incident ID: 53830

[Set back to Edit](#)

[Staff Edit](#)

[Print \(PDFForm.aspx?Rpt=GasInvestigation&IG=53830\)](#)

Reported By:

Name: Jonathon Bledsoe
Phone: 270-925-6312
Email: jonathon.bledsoe@atmosenergy.com

Gas Line Incident Occured:

Date: 7/29/2021
Time: 1:10 PM

Details:

Reported Date: 7/29/2021 3:00 PM

Incident Location Address:

Location: 2945 Smallhouse Rd Unit 714, Bowling Green
Address: 2945 Smallhouse Rd Apt 714
City: Bowling Green
State: KY
County: Warren
Zip: 42104
Confirm Code: Y

Number of Customers out: 0

Was gas or hazardous liquids contained in the underground facility?

* 3/2020

Was gas or hazardous liquids released into the atmosphere?

Locate Request Ticket No.: 2107272082

Excavator: Contractor

Excavator Address:

First Name: Arland
Last Name: Overholt
Organization ID: N/A
Company: Overholt Builders
Phone: 270-772-1307
Email: overholthomes@gmail.com
Address: 1449 Bucksville Rd
City: Auburn
State: KY
Zip: 42206
Confirm Code: Y

Excavation Damage: One Call notification practices not sufficient

Description of Incident Overholt Builders damaged a 1/2" PE Service with no locate. Locate 2107272082 was not due. No injuries.

Summary Information

8/28/2021

Full details such as the cause

An Atmos contract locator arrived onsite to mark ticket 2107272082. The locator found a 1/2 PE Gas Service bent over and duct tapped together. No workers could be found onsite. Damage Prevention Specialist Anthony Stallins called Overholt Homes and spoke with Arland Overholt. Mr. Overholt advised his crew was there earlier in the week and the line was probably cut then. Atmos Crews are unsure of what type of mechanized equipment had been excavating.

Extent of the damage 1/2 PE service repaired. 1 customer out.

Cost of the damage	\$541.00
Steps taken to prevent re-occurrence	Mr. Overholt was advised of State and Federal Law to call 911 when a gas line is broken. Mr. Overholt was also educated on Kentucky 811 laws. Overholt Builders was billed for repairs.
Amount billed to excavator	\$541.00

Attachment 2

NORMAL NOTICE

Ticket : 2107272082 Date: 07/27/2021 Time: 18:19 Oper: KENTUCKY811 Chan:000

State: KY Cnty: WARREN City: BOWLING GREEN
Subdivision: MASEY SPRINGS

Address : 2949

Street : SMALLHOUSE RD

Cross 1 : CAVE MILL RD

Location: SITE IS BOWLING GREEN SENIOR LIVING - AT THE REAR OF THE FACILITY
THERE IS NEW CONSTRUCTION OF 6 APARTMENT BUILDINGS - LOCATE THE FRONT OF EACH
BUILDING

:

Boundary: n 36.944851 s 36.942354 w -86.456848 e -86.451765

Work type : INSTALLING GAS, ELECTRIC, SEWER AND WATER LINES

Done for : BOWLING GREEN SENIOR LIVING

Start date: 07/30/2021 Time: 07:00 Hours notice: 61/48 Priority: NORM

Ug/Oh/Both: U Blasting: NO Emergency: N

Duration : N/A Depth: 3 FT

Company : OVERHOLT HOMES Type: CONT

Co addr : 1449 BUCKSVILLE RD

City : AUBURN State: KY Zip: 42206

Caller : ARLAND OVERHOLT Phone: (270)772-1307

Contact : ARLAND OVERHOLT - CELL Phone:

Mobile : (270)772-1307

Email : OVERHOLTHOMES@GMAIL.COM

Submitted date: 07/27/2021 Time: 18:19

Members: 0115 0125 0136 0139 0423

* Responses are current as of 08/30/2022 01:24 PM

<u>Service Area</u>	<u>Utility Type(s)</u>	<u>Customer Service Contact</u>	<u>Positive Response</u>
BOWLING GREEN MUNICIPAL UTILITIES 0115	ELECTRIC, FIBER OPTIC, SEWER, WATER		
INSIGHT COMMUNICATIONS 0125	COMMUNICATIONS	INSIGHT COMMUNICATIONS CUSTOMER SERVICE (502) 357-4400	Clear - No conflict 2021/07/29 18:09 WILL TRY TO GET BY EOD 7\30. 2021/07/29 18:09 RESCHEDULE APPROVED BY: ARLAND OVERHOLT - CELL
ATMOS ENERGY 0136	PIPELINE	ATMOS ENERGY CUSTOMER SERVICE (888) 954-4321	
AT&T DISTRIBUTION 0139	COMMUNICATIONS	AT&T DISTRIBUTION CUSTOMER SERVICE (888) 757-6500	
WARREN RURAL ELECTRIC COOPERATIVE CORPORATION 0423	ELECTRIC, FIBER OPTIC, NATURAL GAS		

APPENDIX B

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00035 DATED FEB 10 2023

TWO PAGES TO FOLLOW

Information and Instructions for Hearing

You are required to attend a formal hearing with the Kentucky Public Service Commission. Please note the hearing is scheduled in the **Eastern Time Zone**, and the hearing date and time are on the Order that accompanied these instructions.

You are **strongly encouraged** to download the GoToMeeting app now and be ready for your hearing. If you cannot appear via video using this app, at least ten days prior to your scheduled hearing you must call the Commission's offices at the number provided below. You will receive instructions on appearing in person in the Richard Raff Hearing Room of the Commission's offices at 211 Sower Boulevard in Frankfort, Kentucky at the time and date of your scheduled hearing.

Please direct any questions to Andrea Wise, Commission Division of Inspections: Andrea.Wise@ky.gov or 502-782-2656.

To download the GoToMeeting app go to:

<https://global.gotomeeting.com/install/258846301>

On the day of your hearing using your computer, tablet, or video enabled smartphone. **Access the proceeding at:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

More information about using GoToMeeting can be found at:

GoToMeeting - Attendee Quick Start

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - How to Join a Meeting

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Technical Requirements for Using GoToMeeting

Operating System:

Windows 7 – Windows 10
Mac OS X 10.9 (Mavericks) – mac OS Big Sur (11)
Linux/Ubuntu (Web App only)
Google Chrome OS (Web App only)
iOS 11 – iOS 13
Android OS 5 (Lollipop) – Android 10

Web Browser: (Applies to Web App only)

Google Chrome v72 or newer
Microsoft Edge v77 or newer

Internet Connection:

Computer: 1 Mbps or better (broadband recommended)
Mobile device and Chromebook: 3G or better (WiFi recommended for VoIP)

Software:

GoToMeeting desktop app (JavaScript enabled)
GoToMeeting app from the Apple Store, Google Play Store, or Windows Store

Hardware:

2GB of RAM (minimum), 4GB or more of RAM (recommended)
Webcam device*
Microphone and speakers** (USB headset recommended)

Mobile Device:

iPhone 5 or newer
iPad 3rd gen or newer

Note: * You MUST have a camera on your device or connected to your device to appear at the hearing.

** Most devices have built-in speakers, but you will get better audio quality while connected via VoIP if you use a headset

APPENDIX C

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE
COMMISSION IN CASE NO. 2023-00035 DATED FEB 10 2023

TEN PAGES TO FOLLOW

ESTADO DE KENTUCKY
ANTE LA COMISIÓN DE SERVICIOS PÚBLICOS

Concerniente:

OVERHOLT HOMES CONSTRUCTION ALLEGED)
VIOLATION OF UNDERGROUND FACILITY)
DAMAGE PREVENTION ACT)
_____)

PRESUNTA INFRACCIÓN DE LA LEY DE)
PREVENCIÓN DE DAÑOS EN INSTALACIONES)
SUBTERRÁNEAS)

CASO NO.
2023-00035

ORDEN DE INICIACIÓN POR LA PRESUNTA INFRACCIÓN DE TIPO 811 DE LA LEY
DE PREVENCIÓN DE DAÑOS EN INSTALACIONES SUBTERRÁNEAS DE
KENTUCKY

Overholt Homes Construction Alleged Violation of Underground Facility Damage Prevention Act (Overholt Homes Construction) ha sido implicado como parte de una investigación ante la Comisión de Servicios Públicos de Kentucky (Comisión) por la presunta infracción de la Ley de Prevención de Daños a Instalaciones Subterráneas de Kentucky (la Ley).¹ Una audiencia sobre este caso tendrá lugar el April 28, 2023.

Conforme a la norma KRS 278.495(2), la Comisión tiene jurisdicción para regular la seguridad de las instalaciones de gas natural en Kentucky y para hacer cumplir las normas federales mínimas de seguridad de las tuberías. En virtud de la Ley, la Comisión tiene autoridad para investigar y evaluar las sanciones civiles por cualquier infracción de la Ley que resulte en daños de excavación a una instalación subterránea utilizada para transportar gas natural o líquidos peligrosos sujetos a las leyes federales de seguridad

¹ KRS 367.4901 a KRS 367.4917.

de tuberías, 49 U.S.C. §. 60101 *et seq.* Toda persona que infrinja cualquier disposición de la Ley está sujeta a la imposición de una sanción civil por un importe de 250 dólares por la primera infracción, no más de 1.000 dólares por la segunda infracción en el plazo de un año, y no más de 3.000 dólares por la tercera infracción y las siguientes. Además, cualquier persona cuya infracción de la ley provoque daños en una instalación subterránea que contenga cualquier material inflamable, tóxico, corrosivo o peligroso, o que provoque la liberación de cualquier material inflamable, tóxico, corrosivo o peligroso, está sujeta a una sanción adicional de hasta 1.000 dólares.

Tras recibir un informe de daños por excavación en su gasoducto subterráneo por parte de un operador, el personal de la Comisión (el Personal) llevó a cabo una investigación y preparó un Informe de Incidentes, cuya copia se adjunta a esta Orden como Apéndice A. En su Informe de Incidentes, el Personal cita a Overholt Homes Construction por la infracción de la siguiente disposición de la Ley:

367.4911(b) - Excavador o persona responsable de la excavación para notificar al centro de notificación del operador el calendario laboral - Deberes de las entidades responsables de la excavación y la demolición. (Vigente el 1 de enero de 2022) subterránea. Que hayan transcurrido los dos (2) días hábiles completos previstos en el apartado a) de esta subsección si todos los operadores afectados lo han notificado.

367.4911(9)(b) - Excavador o persona responsable de la excavación para notificar al centro de notificación del operador el calendario laboral - Deberes de las entidades responsables de la excavación y la demolición. (Vigente el 1 de enero de 2022). Cualquier persona o entidad que, de otro modo, esté exenta de los requisitos de KRS 367.4901 a 367.4917 en virtud de KRS 367.4915, que realice o sea responsable de cualquier excavación o demolición que produzca daños en las instalaciones subterráneas de una instalación o sistema subterráneo utilizado para producir, almacenar, transportar, transmitir o distribuir gas, petróleo, productos derivados del petróleo o líquidos peligrosos, deberá cesar las actividades de excavación o demolición y notificar a todos los operadores afectados la ubicación y la naturaleza de los daños en las instalaciones subterráneas inmediatamente después de descubrir el daño.

Basándose en su revisión del Informe de Incidentes y estando suficientemente informada, la Comisión encuentra pruebas prima facie de que Overholt Homes Construction violó la Ley de Prevención de Daños a Instalaciones Subterráneas. La Comisión considera, además, que debe llevarse a cabo una investigación formal sobre el incidente de los daños causados por la excavación.

POR LO TANTO SE ORDENA que:

1. Overholt Homes Construction deberá presentar a la Comisión una respuesta por escrito a las alegaciones contenidas en el Informe de Incidencia del Personal en un plazo de 20 días a partir de la recepción de esta Orden a través de un correo electrónico enviado a PSCED@ky.gov con el número de caso de este procedimiento en el asunto del mensaje

2. Overholt Homes Construction comparecerá el April 28, 2023, a las 9 a.m. Eastern Standard Time, en la sala de audiencias Richard Raff de las oficinas de la Comisión en 211 Sower Boulevard en Frankfort, Kentucky, con el fin de presentar pruebas relativas a la supuesta violación de la Ley de Prevención de Daños a Instalaciones Subterráneas.

3. La audiencia April 28, 2023 se llevará a cabo por videoconferencia.

4. Overholt Homes Construction deberá asistir a la audiencia utilizando el siguiente enlace: <https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>; la información y las instrucciones se adjuntan a esta Orden como Apéndice B.

5. Overholt Homes Construction notificará a la Comisión, al menos diez días antes de la audiencia, si Overholt Homes Construction no puede comparecer por videoconferencia y, por lo tanto, comparecerá en persona.

6. **Cualquier sociedad, corporación o entidad comercial (incluyendo una sociedad de responsabilidad limitada) debe ser representada por un abogado con licencia para ejercer la abogacía en Kentucky y dicha representación incluye la presentación de documentos y las comparecencias en las audiencias ante la Comisión.**

7. Un individuo puede presentar una respuesta a las alegaciones contenidas en el Informe de Incidentes del Personal sin la representación de un abogado.

8. El Informe de Incidentes del Personal 53830, que se adjunta a esta Orden como Apéndice A, forma parte del expediente de este caso.

9. La audiencia April 28, 2023 se grabará únicamente por vídeo.

10. **Tenga en cuenta que las partes que no comparezcan después de la notificación estarán sujetas a que se asiente una sentencia en rebeldía contra ellos.**

COMISIÓN DE SERVICIOS PÚBLICOS

Presidente

Vicepresidente

Comisionado/a

HACE CONSTAR:

Director/a Ejecutivo/a

APÉNDICE A

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS
PÚBLICOS DE KENTUCKY EN EL CASO No. 2023-00035 FECHADO

NUEVE PÁGINAS A SEGUIR

APÉNDICE B

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS PÚBLICOS DE
KENTUCKY EN EL CASO No. 2023-00035 FECHADO

DOS PÁGINAS PARA SEGUIR

Información e instrucciones para la audiencia

Se le obliga a asistir a una audiencia formal con la Comisión de Servicios Públicos de Kentucky. Tenga en cuenta que la audiencia está programada en la **huso horario del este**, y que la fecha y la hora de la audiencia figuran en la Orden que acompaña a estas instrucciones.

Se le recomienda encarecidamente que descargue la aplicación GoToMeeting ahora y esté preparado para su audiencia. Si no puede comparecer por vídeo utilizando esta aplicación, debe llamar a las oficinas de la Comisión al número que se indica a continuación al menos diez días antes de la audiencia programada. Recibirá instrucciones para presentarse en persona en la sala de audiencias Richard Raff de las oficinas de la Comisión en el 211 Sower Boulevard en Frankfort, Kentucky, a la hora y fecha de su audiencia programada.

Sírvase dirigir cualquier pregunta a Andrea Wise, División de Inspecciones de la Comisión: Andrea.Wise@ky.gov o 502-782-2656.

Para descargar la aplicación GoToMeeting vaya a:

<https://global.gotomeeting.com/install/258846301>

El día de su audiencia utilizando su computadora, tableta o teléfono inteligente con capacidad de vídeo. **Acceda al procedimiento en:**

<https://meet.goto.com/pscformalhearing/psc-damage-prevention-hearing>

Puede encontrar más información sobre el uso de GoToMeeting en
GoToMeeting - Inicio rápido del asistente

<https://www.youtube.com/embed/8VaHHVP0FCU?autoplay=1&showinfo=0&controls=0&rel=0>

GoToMeeting - Cómo unirse a una reunión

https://www.youtube.com/embed/Ojl1q_sPrP0?autoplay=1&showinfo=0&controls=0&rel=0

Requisitos técnicos para utilizar GoToMeeting

Sistema operativo:

Windows 7 – Windows 10
Mac OS X 10.9 (Mavericks) – Mac OS Big Sur (11)
Linux/Ubuntu (sólo aplicación web)
Google Chrome OS (sólo aplicación web)
iOS 11 - iOS 13
Android OS 5 (Lollipop) - Android 10

Navegador web: (Sólo se aplica a la aplicación web)

Google Chrome v72 o más reciente
Microsoft Edge v77 o más reciente

Conexión a Internet:

Computadora: 1 Mbps o superior (se recomienda la banda ancha)
Dispositivo móvil y Chromebook: 3G o superior (se recomienda WiFi para VoIP)

Software:

Aplicación de escritorio de GoToMeeting (con JavaScript activado)
La aplicación GoToMeeting de Apple Store, Google Play Store o Windows Store

Hardware:

2 GB de RAM (mínimo), 4 GB o más de RAM (recomendado)
Dispositivo de cámara web*
Micrófono y altavoces** (se recomiendan auriculares USB)

Dispositivo móvil:

iPhone 5 o más reciente
iPad de 3ª generación o más reciente

Nota: * Para comparecer en la audiencia, ES PRECISO tener una cámara en su dispositivo o conectada a él.

** La mayoría de los dispositivos tienen altavoces incorporados, pero obtendrás una mejor calidad de audio mientras estés conectado por VoIP si utilizas unos auriculares.

APÉNDICE C

APÉNDICE DE UNA ORDEN DE LA COMISIÓN DE SERVICIOS PÚBLICOS DE
KENTUCKY EN EL CASO No. 2023-00035 FECHADO

DIEZ PÁGINAS PARA SEGUIR

Arland Overholt
Overholt Homes Construction
1449 Bucksville Road
Auburn, KENTUCKY 42206