

COMMONWEALTH OF KENTUCKY
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

ELECTRONIC SOUTHERN MADISON WATER)	
DISTRICT UNACCOUNTED-FOR WATER LOSS)	CASE NO.
REDUCTION PLAN, SURCHARGE AND)	2023-00070
MONITORING)	

COMMISSION STAFF'S SECOND REQUEST FOR INFORMATION
TO SOUTHERN MADISON WATER DISTRICT

Southern Madison Water District (Southern Madison District), pursuant to 807 KAR 5:001, shall file with the Commission an electronic version of the following information. The information requested is due on June 7, 2024. The Commission directs Southern Madison District to the Commission's July 22, 2021 Order in Case No. 2020-00085¹ regarding filings with the Commission. Electronic documents shall be in portable document format (PDF), shall be searchable, and shall be appropriately bookmarked.

Each response shall include the question to which the response is made and shall include the name of the witness responsible for responding to the questions related to the information provided. Each response shall be answered under oath or, for representatives of a public or private corporation or a partnership or association or a governmental agency, be accompanied by a signed certification of the preparer or the person supervising the preparation of the response on behalf of the entity that the

¹ Case No. 2020-00085, *Electronic Emergency Docket Related to the Novel Coronavirus COVID-19* (Ky. PSC July 22, 2021), Order (in which the Commission ordered that for case filings made on and after March 16, 2020, filers are NOT required to file the original physical copies of the filings required by 807 KAR 5:001, Section 8).

response is true and accurate to the best of that person's knowledge, information, and belief formed after a reasonable inquiry.

Southern Madison District shall make timely amendment to any prior response if Southern Madison District obtains information that indicates the response was incorrect or incomplete when made or, though correct or complete when made, is now incorrect or incomplete in any material respect.

For any request to which Southern Madison District fails or refuses to furnish all or part of the requested information, Southern Madison District shall provide a written explanation of the specific grounds for its failure to completely and precisely respond.

Careful attention shall be given to copied and scanned material to ensure that it is legible. When the requested information has been previously provided in this proceeding in the requested format, reference may be made to the specific location of that information in responding to this request. When applicable, the requested information shall be separately provided for total company operations and jurisdictional operations. When filing a paper containing personal information, Southern Madison District shall, in accordance with 807 KAR 5:001, Section 4(10), encrypt or redact the paper so that personal information cannot be read.

1. Refer to Response of Southern Madison District to Commission Staff's Request for a Qualified Infrastructure Improvement Plan (QIIP) filed September 26, 2023. Provide an update as to whether any of the proposed projects or items, including Equipment, Contractors, Master Meters, Truck, and Creek Crossing Updates have occurred to date, or when Southern Madison District expects those proposed projects to occur, as well as any updated estimates for the cost of those projects.

2. Refer to QIIP, Leak Detection & Repair Needed Funding, Truck.
 - a. Provide a list of current vehicles owned by Southern Madison District.
 - b. Provide an explanation why additional vehicle(s) are needed by Southern Madison District in relation to water loss reduction.
 - c. Provide details, including any estimate obtained by Southern Madison District, on the utility truck it has proposed to purchase with water loss surcharge funds for \$70,000.
 - d. Provide the activities the proposed vehicle would be used for and whether they are directly related to water loss reduction.
3. Refer to QIIP, Leak Detection & Repair Needed Funding, Creek Crossing Updates.
 - a. Provide a list of any areas at Creek Crossings that Southern Madison District has identified as experiencing high water loss or where leaks have occurred.
 - b. Provide a breakdown of the estimate of \$279,000 to repair Creek Crossings.



Linda C. Bridwell, PE
Executive Director
Public Service Commission
P.O. Box 615
Frankfort, KY 40602

DATED MAY 22 2024

cc: Parties of Record

*Southern Madison Water District
207 North Dogwood Drive
P. O. Box 220
Berea, KY 40403

*Robert K. Miller
Straightline Kentucky LLC
113 North Birchwood Ave.
Louisville, KENTUCKY 40206

*Tracy Blevins
Blevins Law, PLLC
400 Richmond Road North, Suite C
Berea, KENTUCKY 40403

*Wayne Robinson
Southern Madison Water District
207 North Dogwood Drive
P. O. Box 220
Berea, KY 40403