Rebecca W. Goodman Secretary Energy and Environment Cabinet

Commonwealth of Kentucky **Public Service Commission** 211 Sower Blvd. P.O. Box 615 Frankfort Kentucky 40602-0615 Telephone: (502) 564-3940 psc.ky.gov

October 24, 2023

Kent A. Chandler Chairman

> Angie Hatton Vice Chairman

Mary Pat Regan Commissioner

PARTIES OF RECORD

RE: Case No. 2023-00350

Columbia Gas of Kentucky, Inc. (Purchased Gas Adjustment)

This letter is to acknowledge receipt of notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped received October 24, 2023, and has been assigned Case No. 2023-00350. In all future correspondence or filings in connection with this case, please reference the above case number.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001 (13).

Materials submitted to the Commission which do not comply with the rules of procedure, or that do not have an approved deviation, are subject to rejection by Commission pursuant to 807 KAR 5:001 (3). In order to ensure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Brandon Bruner in the Filings Branch at 502-564-3940.

Sincerely,

Budwell

Linda C. Bridwell Executive Director



*Judy M Cooper Director, Regulatory Services Columbia Gas of Kentucky, Inc. 2001 Mercer Road P. O. Box 14241 Lexington, KY 40512-4241

*John R. Ryan Columbia Gas of Kentucky, Inc. 2001 Mercer Road P. O. Box 14241 Lexington, KY 40512-4241

*Joesph Clark NiSource 290 W. Nationwide Blvd Columbus, OHIO 43215

*Columbia Gas of Kentucky, Inc. 290 W Nationwide Blvd Columbus, OH 43215