

Robert Peck  
15856 Teal Rd  
Verona, KY 41092  
[REDACTED]

RECEIVED

AUG 28 2025

PUBLIC SERVICE  
COMMISSION

Kentucky Public Service Commission  
211 Sower Boulevard  
P.O. Box 615  
Frankfort, KY. 40602-0615

Attention:

RE: Case No. 2025-00259 - Investigation into the potential expansion or replacement of the Bullock Pen Water District Water Treatment Plant

Dear Public Service Commission:

I am writing as a concerned property holder on Bullock Pen Lake. I have several concerns about the proposed replacement water treatment plant on Bullock Pen Lake.


**1. Property values of homes on the lake.** Average lower water levels on Bullock Pen Lake will lead to more difficult access by home owners. The lake itself will become less desirable. This will lead to lakeside property devaluation.

**2. Impact on recreational use of the lake.** This public use waterway is used by boaters and fishermen everyday 10 months out of the year. Average lower water levels will have an impact to the public in regards to accessibility and usability.

**3. Wildlife impact.** Lower lake levels will have an impact of plant and wildlife on and around the lake. This will reduce value to all parties, public and private, that interact with the lake.

Thank you for your consideration of these concerns and your continued service to Kentucky's residents

Respectfully

A handwritten signature in black ink, appearing to read 'Robert Peck', written in a cursive style.

Robert Peck