

RECEIVED

AUG 29 2025

Elizabeth Peck
15856 Teal Rd
Verona, KY 41092
[REDACTED]

PUBLIC SERVICE
COMMISSION

August 27, 2025

Kentucky Public Service Commission
211 Sower Boulevard
P.O. Box 615
Frankfort, KY. 40602-0615

Attention:

RE: Case No. 2025-00259 - Investigation into the potential expansion or replacement of the Bullock Pen Water District Water Treatment Plant

Dear Public Service Commission:

I am writing as a concerned property holder on Bullock Pen Lake. I have several concerns about the proposed replacement of the water treatment plant on Bullock Pen Lake.

1. **Property values of homes on the lake.** Average lower water levels on Bullock Pen Lake will lead to more difficult access by home owners. Some of the homers docks will no longer be in the water. The lake itself will become less desirable. This will lead to lakeside property devaluation.
2. **Impact on recreational use of the lake.** This public use waterway is used by boaters and fisherman everyday almost year around. Average lower water levels will have an impact to the public in regards to accessibility and usability.
3. **Wildlife impact.** Lower water levels will have a impact on plant and wildlife around the lake.

Thank you for your consideration off these concerns and your continued service to Kentucky's residents

Respectfully


Elizabeth Peck