

COMMONWEALTH OF KENTUCKY  
BEFORE THE PUBLIC SERVICE COMMISSION

In the Matter of:

KELLEY JEANS	)	
	)	
COMPLAINANT	)	
	)	CASE NO.
V.	)	2026-00148
	)	
MEADE COUNTY WATER DISTRICT	)	
	)	
DEFENDANT	)	

ORDER

Meade County Water District (Meade District) is hereby notified that it has been named as a Defendant in a formal complaint filed on May 27, 2026, a copy of which is attached as an Appendix to this Order and incorporated herein.

The Commission finds, insofar as the allegations pertain to the rates and services of the water district, that pursuant to 807 KAR 5:001, Section 20, Meade District should satisfy the matters complained of or file a written answer to the complaint within ten days from the date of service of this Order. The Commission directs Meade District to the Commission's July 22, 2021 Order in Case No. 2020-00085<sup>1</sup> regarding filings with the Commission.

Meade District should consider the first two pages of Ms. Jeans's filing as her complaint and the remainder as exhibits. The exhibits include reference to property

---

<sup>1</sup> Case No. 2020-00085, *Electronic Emergency Docket Related to the Novel Coronavirus COVID-19* (Ky. PSC July 22, 2021), Order (in which the Commission mandated the use of the electronic filing procedures found in 807 KAR 5:001, Section 8, except for *pro se* formal complaints filed against utilities).

damage claims that are not within the Commission's jurisdiction over complaints regarding rates and service under KRS 278.260(1). Therefore, Meade District is not required to respond to those allegations.

IT IS THEREFORE ORDERED that:


1. Insofar as the allegations pertain to the rates and services of the water district, Meade District shall satisfy the matters complained of or file a written answer to the complaint, via attorney licensed in Kentucky, within ten days from the date of service of this Order.

2. A copy of this Order shall be served by U.S. Postal Service First-Class Mail on Kelley Jeans at 165 Diana Lane, Vine Grove, Kentucky 40175.


[REMAINDER OF PAGE INTENTIONALLY LEFT BLANK]

Entered on this 16th day of June, 2026.

PUBLIC SERVICE COMMISSION

  
\_\_\_\_\_  
Angie Hatton  
Chair

  
\_\_\_\_\_  
Mary Pat Regan  
Commissioner

  
\_\_\_\_\_  
Andrew W. Wood  
Commissioner

  
\_\_\_\_\_  
Barry L. Mayfield  
Commissioner

ATTEST:

   
\_\_\_\_\_  
Linda C. Bridwell, PE  
Executive Director

APPENDIX

APPENDIX TO AN ORDER OF THE KENTUCKY PUBLIC SERVICE  
COMMISSION IN CASE NO. 2026-00148 DATED JUN 16 2026

SIXTY-FOUR PAGES TO FOLLOW

RECEIVED

May 22, 2026

MAY 27 2026

Kentucky Public Service Commission  
Consumer Services Division  
211 Sower Blvd  
Frankfort KY 40601

PUBLIC SERVICE  
COMMISSION

RE: Request for Escalation and Immediate Review of Utility Billing Dispute

Complaint Number: Unknown  
Complaint Date: 4/8/2026  
Utility: Meade County Water District  
Account Number: [REDACTED]

To Whom It May Concern:

I am requesting immediate review and escalation of my complaint regarding disputed water charges assessed by Meade County Water District.

This dispute began after I received a water bill reflecting abnormally high usage that was entirely inconsistent with the historical consumption at my property. In response, I retained a licensed plumber to inspect the property for leaks or other customer-side causes. The plumber found no leaks or plumbing defects and advised the issue appeared to originate from the utility meter itself.

The utility subsequently acknowledged that the meter was inaccurate and/or faulty. Despite this acknowledgement, the utility has refused to make an appropriate adjustment to the disputed charges and continues to demand payment for alleged excess usage generated by the inaccurate meter.

I filed a complaint with the Commission seeking review of this matter. However, I have received no formal dismissal order, findings, decision, or other communication from the PSC regarding the status of my complaint.

Despite this, the utility's attorney recently sent correspondence stating that that PSC complaint had been dismissed. Because I have not received any notification directly from the Commission confirming that statement, I am requesting immediate clarification regarding:

- The current status of my complaint;
- Whether any dismissal or closure has occurred;
- Whether the utility accurately represented the status of the matter; and
- Whether the utility may pursue disconnection during an unresolved billing dispute involving an acknowledge inaccurate meter.

Additionally, the utility has threatened disconnection of my water service if I do not pay the disputed charges. I believe this action is improper while the dispute remains unresolved and while questions regarding meter accuracy remain outstanding.

I respectfully request that the Commission:

1. Review and reopen or escalate this complaint if necessary;
2. Investigate the utility's handling of the disputed charges;
3. Determine whether the utility improperly represented the status of the PSC complaint;
4. Require preservation and production of meter testing and billing records;
5. Prevent disconnection of service pending resolution of the dispute.

I am attaching supporting documentation including:

- The disputed bills;
- Plumber findings/report;
- Correspondence from the utility and/or its attorney
- My prior dispute communications

Thank you in advance for your attention to this matter. I respectfully request written confirmation of the complaint status and any next steps required by the Commission.

Sincerely,



Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175

Account Number	██████████
CID Number	██████
Customer Name	Kelley Jeans
Service Address	165 Diana Lane
Service From	02/01/2026 - 03/03/2026
Number of Days	30
Due Date	04/10/2026

NO FURTHER NOTICE WILL BE MAILED.  
This bill is now due and payable.

Meade County Water District  
1003 Armory Place, Brandenburg, KY 40108  
Phone: 270-422-5006 Website:  
www.meadecountywater.com

SERVICE	PRESENT READING	PREVIOUS READING	AMOUNT USED	AMOUNT DUE
Meter Reading Dates	03/03/2026	02/01/2026		
Meter Number 67869352				
Water	920650	850590	70060	727.85
Local Tax				21.84

Bills not paid by the due date of each month are subject to disconnect without further notice. Failure to receive a bill does not relieve a customer of payment of penalty or disconnect. A reconnect fee will be charged on all disconnects.

For your convenience this bill may be paid at our office, drive thru window, after hours drop box, mail, bank draft, online, and by phone. A convenience fee will be added to debit and credit card payments.

Please update your telephone number and email address with our office.

**IMPORTANT MESSAGES**

MCWD Board Meeting every 4th Tuesday of the Month at 12 PM.


If payment is not received by the due date, a late fee will be added.

Previous Balance	Payments	Past Due Balance	Current Charges	Amount Due
	-25.47	0.00	749.69	749.69

If your bill reflects a previous balance, payment of previous balance is due immediately. Failure to pay previous balance may result in an interruption of service. Due date applies to Current Bill.

Compare Your Water Usage

Period	Days	Total Usage	Daily Avg. Usage
03/20/2026	30	70060	2335
02/20/2026	30	1910	64
01/20/2026	30	1600	53
12/19/2025	30	1300	43
11/20/2025	33	1890	57
10/20/2025	29	1890	65
09/19/2025	32	1780	56



WHEN PAYING IN PERSON, PLEASE BRING ENTIRE BILL

PLEASE DETACH AND RETURN LOWER PORTION WHEN PAYING BY MAIL

Meade County Water District

1003 Armory Place  
Brandenburg, KY 40108

Address Service Requested

Account Number	██████████
CID Number	██████
Total Due	749.69
Due Date	04/10/2026
Total Due After Due Date	822.48
Payment Enclosed	

██  
Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175



Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

Account Number	[REDACTED]
CID Number	[REDACTED]
Customer Name	Kelley Jeans
Service Address	165 Diana Lane
Service From	03/03/2026 - 04/01/2026
Number of Days	29
Due Date	05/10/2026

**NO FURTHER NOTICE WILL BE MAILED**  
**This bill is now due and payable**

**Meade County Water District**  
1003 Armory Place, Brandenburg, KY 40108  
Phone: 270-422-5006 Website:  
www.meadecountywater.com

SERVICE	PRESENT READING	PREVIOUS READING	AMOUNT USED	AMOUNT DUE
Meter Reading Dates	04/01/2026	03/18/2026		
Meter Number 25355998	03/18/2026	03/03/2026		
Water 67869352	6950	0	6950	349.35
Local Tax	941640	920650	20990	10.48

Bills not paid by the due date of each month are subject to disconnect without further notice. Failure to receive a bill does not relieve a customer of payment of penalty or disconnect. A reconnect fee will be charged on all disconnects.

For your convenience this bill may be paid at our office, drive thru window, after hours drop box, mail, bank draft, online, and by phone. A convenience fee will be added to debit and credit card payments.

Please update your telephone number and email address with our office.

**IMPORTANT MESSAGES**

MCWD Board Meeting every 4th Tuesday of the Month at 12 PM.


**If payment is not received by the due date, a late fee will be added.**

Previous Balance	Payments	Past Due Balance	Current Charges	Amount Due
	-25.47	749.69	359.83	1,109.52

**If your bill reflects a previous balance, payment of previous balance is due immediately. Failure to pay previous balance may result in an interruption of service. Due date applies to Current Bill.**

**Compare Your Water Usage**

Period	Days	Total Usage	Daily Avg. Usage
04/20/2026	29	27940	963
03/20/2026	30	70060	2335
02/20/2026	30	1910	64
01/20/2026	30	1600	53
12/19/2025	30	1300	43
11/20/2025	33	1890	57
10/20/2025	29	1890	65



WHEN PAYING IN PERSON, PLEASE BRING ENTIRE BILL  
PLEASE DETACH AND RETURN LOWER PORTION WHEN PAYING BY MAIL

**Meade County Water District**  
1003 Armory Place  
Brandenburg, KY 40108

Address Service Requested

Account Number	[REDACTED]
CID Number	[REDACTED]
Total Due	1,109.52
Due Date	05/10/2026
Total Due After Due Date	1,144.46
Payment Enclosed	



  
Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175

Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108



**Knight's Mechanical**  
 4250 Leitchfield Rd  
 Cecilia, KY 42724  
 (270) 765-4141  
 knightsmechanical.com

**BILL TO**

Remax Advantage Plus  
 1498 North Dixie Boulevard #2  
 Radcliff, KY 40160 USA

<b>INVOICE</b> [REDACTED]	<b>INVOICE DATE</b> 3/12/2026
------------------------------	----------------------------------

**JOB ADDRESS**

Remax Advantage Plus  
 165 Diana Lane  
 Vine Grove, KY 40175 USA

**Completed Date** 3/12/2026  
**Payment Term** Due Upon Receipt  
**Due Date** 3/12/2026  
**Technicians** Jace C.  
 Paul S.  
**Customer PO #** 4890-1

**DESCRIPTION OF WORK**

Turned main water off in the basement and checked the meter. The meter is standing still and not spinning at all. Also checked crawlspace hatch to see if there's any leaks and cannot find anything leaking. Tenant had to run to an appointment in E-town - going to pause job for now. She said we can return anytime tomorrow so we can test toilets to make sure they're not leaking through.

3/12 - Came back and put dyes in toilet and walked through the house for signs of leaks. Found nothing wrong on her side for water. Took picture of meter when I got here and had customer not run any water. Looked at meter after a while and found that it didn't move. Nothing is wrong on customer's side. Water district need to come out and take a look. Spoke to neighbor and she said she went through the same thing a little bit ago and water district ended up changing meter to fix the problem.

TASK	DESCRIPTION	QTY	PRICE	TOTAL
HR-COMM-REG	Commercial Hourly Labor	1.00	\$140.00	\$140.00
HR-COMM-REG	Commercial Hourly Labor	1.50	\$140.00	\$210.00
			<b>SUB-TOTAL</b>	\$350.00
			<b>TAX</b>	\$0.00
			<b>TOTAL DUE</b>	\$350.00

**PAYMENT** \$0.00

**BALANCE DUE** \$350.00

Parts Warranty: All parts as recorded are warranted as per manufacturer specifications.

Labor Warranty: The labor charge as recorded here relative to the equipment serviced as noted, is guaranteed for a period of 30 days. We do not warranty parts other than those we supply. If repairs become necessary due to other defective parts, they will be charged SEPARATELY.

**CUSTOMER AUTHORIZATION**

This invoice is agreed and acknowledged. Payment is due upon receipt. A service fee will be charged for any returned checks, and a financing charge of 2% per month shall be applied for overdue amounts. Should it be necessary to place this invoice with an attorney for collection, suit, or other legal action, the undersigned hereby agrees to pay all costs of such collection, including reasonable attorney fees.

Sign here

Date 3/12/2026

**CUSTOMER ACKNOWLEDGEMENT**

I find and agree that all work performed by Knight's Mechanical, LLC has been completed in a satisfactory and workmanlike manner. I have been given the opportunity to address concerns and/or discrepancies in the work provided, and I either have no such concerns or have found no discrepancies or they have been addressed to my satisfaction. My signature here signifies my full and final acceptance of all work performed by the contractor.

Sign here

Date 3/12/2026

Donald E. Skeeters (Retired)  
R. Terry Bennett  
David T. Wilson II  
Dustin C. Humphrey  
Ambrose "Abe" O'Bryan  
Richard B. Shufelt



**SKEETERS, BENNETT  
WILSON & HUMPHREY**  
— ATTORNEYS AT LAW —

550 W Lincoln Trail Blvd  
Radcliff, KY 40160

May 15, 2026

Brett Pyles, General Manager  
Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

**Re: Guidance Regarding Service Discontinuance Following PSC Complaint Closure –  
Complaint No. 2026-00662**

Brett:


This letter is offered in guidance on the District's next steps regarding nonpayment by the above-referenced customer following closure of the Kentucky Public Service Commission (PSC) complaint.

The PSC Consumer Inquiry System record reflects Complaint No. 2026-00662 was entered on April 13, 2026 regarding "Billing (High bill/consumption)" for customer Kelley Jeans at 165 Diana Lane, Vine Grove, KY 40175. MCWD filed a response to the complaint, describing its investigation, meter testing and replacement, and conclusion that the prior meter was under-registering rather than over-registering. As you know, the PSC's standard protection during a pending billing complaint is that "the utility will not discontinue service while a billing complaint is pending so long as the customer pays the undisputed amount and continues to pay regular monthly bills." Because the PSC matter identified above is no longer pending, that temporary protection no longer applies.

Subject to applicable notice requirements and the District's tariff and policies, MCWD may proceed with its ordinary collection and service-discontinuance procedures for nonpayment on this account. MCWD determined that the previously installed meter was under-registering, replaced the meter, and confirmed the new meter operates within applicable accuracy standards. Because the prior meter was under-registering, no billing adjustment is warranted under 807 KAR 5:066 § 15, which applies to meters found to be *over-registering* beyond allowable accuracy thresholds. MCWD's investigation concluded that any elevated usage occurred downstream of the meter within the customer's plumbing or service line and outside the District's control. Accordingly, the amounts billed remain the customer's responsibility.

As we discussed, high bills that are not attributed to an underground leak are often result from on-premise conditions such as leaking fixtures (especially constant running toilets), irrigation system leaks, filling swimming pools, and seasonal usage changes.

MCWD's tariff provides a leak-adjustment mechanism only for an underground leak and only if specific conditions are met, including: (a) the customer must inform MCWD and a District employee must inspect the underground leak prior to repair; (b) adjustments are limited to no more than three in ten years; (c) one billing period only; (d) leak usage must be at least three times normal usage; and (e) prior to granting an adjustment, the customer must submit a request form, provide a list of materials used to make the required repair, a statement from the plumber who made the repairs, and identify the exact location of the leak. Based on the current record, the customer has not identified an underground leak specified by Section U. On this record, the customer does not qualify for a leak adjustment under the tariff. If the customer later documents an underground leak and satisfies all Section U requirements, MCWD can evaluate eligibility for a one-period adjustment at that time.



---

**Richard B. Shufelt, Esq.,**  
**Skeeters, Bennett, Wilson & Humphrey**  
**550 W. Lincoln Trail Blvd.**  
**Radcliff, KY 40160**  
**(270) 351-4404**

## KY PSC Utility Inquiry

---

From: KY Public Service Commission (pscfilings@ky.gov)

To: [REDACTED]

Date: Monday, March 23, 2026 at 10:31 AM EDT

---

Below is the result of your feedback form. It was submitted by [REDACTED] on Monday, March 23, 2026 at 10:31 AM

-----  
Name: Kelley Jeans

Address: 165 Diana Lane

City: Vine Grove

State: KY

Zip Code: 40175

Phone number where you can be reached: [REDACTED]

Home phone:

Utility Name: Meade County Water District

State the nature of your concern: On March 11, I received an automated call from Meade Co Water District saying I had higher than normal usage and then the call disconnected with no further information. I reached out to someone there who stated the meter reading showed I used 70,000 gallons over the course of the month when the meter was read on March 3. I typically use around 1500 gallons per month and end up only being billed the minimum charge that MCWD charges since I moved here January 2022. Two plumbers and the owner of Knights Mechanical in Elizabethtown came to my house over the course of two days and checked everything that could possibly leak - all four toilets, sinks, faucets, tubs, water heater - they found no issues at all on my side of the meter. When they pulled the meter cover to check if the leak indicator was spinning (it was not), they had to pull the wires for the antenna out of the dirt and grass where they had been intertwined with the growth. When we called MCWD back, their immediate response was the issue was on my side without looking at anything at all. After MUCH prodding, they finally came out to pull a usage report. The usage report showed the high usage stopped almost to the second when the plumbers took the lid off the meter and pulled the wires out of the dirt/grass. MCWD continued to insist the issue is on my side of the meter. After much prodding AGAIN, MCWD came out on or about March 16th to replace the original meter that was here when the house was built in the late 90s/early 2000s. They took that meter back to the shop and tested it. They told us that the meter is NOT working correctly, but that it is running slow and that I had higher usage and that I should be paying more money. Even though the plumber certified no issues, even though the usage stopped when the meter lid was taken off, even though MCWD admits the meter is faulty and they cannot give an accurate reading of what was actually used, they will not discount the \$750 bill or whatever will be charged for usage between the March 3 reading and March 11th when the usage mysteriously went down. When asked to come back to read the new meter again this week to ensure its not still running crazy, they refused and said they would come back to read it again for the April reading. This water department routinely tells us to conserve water during summer months due to lack of supply from Hardin County but they seem completely uninterested in conserving water themselves. Additionally, summer of 2024, the fire hydrant in my yard leaked the better part of the summer. They refused to fix that as well until I didnt pay my standard \$25/mo bill and they came out to turn my water off and saw the amount of water in my yard. Im not sure what policies MCWD operates by, but it is not done in the interest of the community or their customers.

Have you contacted the utility about the problem: Yes

----- This is a Copy of the email sent to KY Public Service Commission  
Consumer Services Division. This email is automatically generated please do not reply to this email address.

April 8, 2026

Mr. Brett Pyles  
Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

RE: Account Number: [REDACTED]  
Customer Name: Kelley Jeans  
Service Address: 165 Diana Lane, Vine Grove

Mr. Pyles,

I am writing to formally dispute my recent water bill with a due date of 4/10/26, associated with the above referenced account.

I have been informed by MCWD that the water meter at my property has been identified as faulty. Given this acknowledgement, as well as the fact the high usage stopped at the same time the plumber took the cover off the meter to check the usage and had to dig the wires out of the ground, I do not believe the charges reflected on the bill accurately represent my actual water usage. The amount billed is significantly higher than my typical usage, further supporting the conclusion that the meter malfunction has resulted in an incorrect reading.

In light of this, I respectfully request the following:

- An immediate review and adjustment of the disputed bills (February and March overages)
- Recalculation of my water usage based on historical averages or other appropriate methods
- Confirmation that the faulty meter has been repaired or replaced to prevent future inaccuracies.

Additionally, I need to formally report property damage resulting from related equipment failure/improper actions by MCWD employees. As a direct result of this issue, my property sustained the following damage:

When mowing my yard for the first time this season on April 5, 2026, I discovered MCWD employees had not re-secured the cover for the meter when they replaced it. It was neither bolted, nor even set flush in the ground. My mower blade hit it, breaking the blade and denting the mower deck. I have since bolted the cover back on correctly but had to replace parts on my mower.

Given that MCWD has acknowledged the meter was faulty and replaced it, I believe the resulting damage is directly connected to this failure. I am requesting that your company take responsibility for these damages and initiate a claims process for repair and reimbursement.

Please advise on the next steps for filing a formal property damage claim, including any required forms or timelines.

Please be advised that, due to the seriousness of this matter and the lack of timely resolution, I have filed a formal complaint with the Public Service Commission regarding the faulty meter, the resulting inaccurate billing, and the associated property damage.

While I would prefer to resolve this matter directly with MCWD, I am prepared to pursue all available remedies to ensure a fair and timely resolution. I request a written response within ten days confirming the actions being taken to correct my bill and address the property damage claim.

I also request confirmation that my account will not be subject to penalties, late fees, or service interruption while this dispute is under review. The Public Service Commission has advised me to make only the standard payment and nothing toward the disputed amount. That payment is enclosed.

Thank you for your prompt attention to this matter. I look forward to your response.



Kelley Jean  
165 Diana Lane  
Vine Grove KY 40175



Account Number	
CID Number	
Customer Name	Kelley Jeans
Service Address	165 Diana Lane
Service From	02/01/2026 - 03/03/2026
Number of Days	30
Due Date	04/10/2026

NO FURTHER NOTICE WILL BE MAILED.  
This bill is now due and payable.

Meade County Water District  
1003 Armory Place, Brandenburg, KY 40108  
Phone 270-422-5005 Website  
www.meadecountywater.com

SERVICE	PRESENT READING	PREVIOUS READING	AMOUNT USED	AMOUNT DUE
Meter Reading Dates	03/03/2026	02/01/2026		
Meter Number 67869352				
Water	920650	850590	70060	727.85
Local Tax				21.84

Bills not paid by the due date of each month are subject to disconnect without further notice. Failure to receive a bill does not relieve a customer of payment of penalty or disconnect. A reconnect fee will be charged on all disconnects.

For your convenience this bill may be paid at our office, drive thru window, after hours drop box, mail, bank draft, online, and by phone. A convenience fee will be added to debit and credit card payments.

Please update your telephone number and email address with our office.

**IMPORTANT MESSAGES**

MCWD Board Meeting every 4th Tuesday of the Month at 12 PM.

If payment is not received by the due date, a late fee will be added.

Previous Balance	Payments	Past Due Balance	Current Charges	Amount Due
	-25.47	0.00	749.69	749.69

If your bill reflects a previous balance, payment of previous balance is due immediately. Failure to pay previous balance may result in an interruption of service. Due date applies to Current Bill.

Compare Your Water Usage			
Period	Days	Total Usage	Daily Avg. Usage
03/03/2026	30	70060	2335
02/20/2026	30	1810	64
01/20/2026	30	1600	53
12/19/2025	30	1300	43
11/20/2025	30	1890	63
10/20/2025	29	1890	65
09/19/2025	32	1750	55

WHEN PAYING IN PERSON, PLEASE BRING ENTIRE BILL.  
PLEASE DETACH AND RETURN LOWER PORTION WHEN PAYING BY MAIL.

Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

Address Service Requested

Account Number	
CID Number	
Total Due	749.69
Due Date	04/10/2026
Total Due After Due Date	822.48
Payment Enclosed	



Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175

Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

## KY PSC Utility Inquiry

From: KY Public Service Commission (pscfilings@ky.gov)

To: [REDACTED]

Date: Monday, March 23, 2026 at 10:31 AM EDT

Below is the result of your feedback form. It was submitted by [REDACTED] on Monday, March 23, 2026 at 10:31 AM

Name: Kelley Jeans

Address: 165 Diana Lane

City: Vine Grove

State: KY

Zip Code: 40175

Phone number where you can be reached [REDACTED]

Home phone:

Utility Name: Meade County Water District

State the nature of your concern: On March 11, I received an automated call from Meade Co Water District saying I had higher than normal usage and then the call disconnected with no further information. I reached out to someone there who stated the meter reading showed I used 70,000 gallons over the course of the month when the meter was read on March 3. I typically use around 1500 gallons per month and end up only being billed the minimum charge that MCWD charges since I moved here January 2022. Two plumbers and the owner of Knights Mechanical in Elizabethtown came to my house over the course of two days and checked everything that could possibly leak - all four toilets, sinks, faucets, tubs, water heater - they found no issues at all on my side of the meter. When they pulled the meter cover to check if the leak indicator was spinning (it was not), they had to pull the wires for the antenna out of the dirt and grass where they had been intertwined with the growth. When we called MCWD back, their immediate response was the issue was on my side without looking at anything at all. After MUCH prodding, they finally came out to pull a usage report. The usage report showed the high usage stopped almost to the second when the plumbers took the lid off the meter and pulled the wires out of the dirt/grass. MCWD continued to insist the issue is on my side of the meter. After much prodding AGAIN, MCWD came out on or about March 16th to replace the original meter that was here when the house was built in the late 90s/early 2000s. They took that meter back to the shop and tested it. They told us that the meter is NOT working correctly, but that it is running slow and that I had higher usage and that I should be paying more money. Even though the plumber certified no issues, even though the usage stopped when the meter lid was taken off, even though MCWD admits the meter is faulty and they cannot give an accurate reading of what was actually used, they will not discount the \$750 bill or whatever will be charged for usage between the March 3 reading and March 11th when the usage mysteriously went down. When asked to come back to read the new meter again this week to ensure its not still running crazy, they refused and said they would come back to read it again for the April reading. This water department routinely tells us to conserve water during summer months due to lack of supply from Hardin County but they seem completely uninterested in conserving water themselves. Additionally, summer of 2024, the fire hydrant in my yard leaked the better part of the summer. They refused to fix that as well until I didnt pay my standard \$25/mo bill and they came out to turn my water off and saw the amount of water in my yard. Im not sure what policies MCWD operates by, but it is not done in the interest of the community or their customers.

Have you contacted the utility about the problem: Yes

----- This is a Copy of the email sent to KY Public Service Commission Consumer Services Division. This email is automatically generated please do not reply to this email address.

### KY PSC Utility Inquiry

From: KY Public Service Commission (pscfilings@ky.gov)

To: [REDACTED]

Date: Wednesday, April 8, 2026 at 11:45 AM EDT

Below is the result of your feedback form. It was submitted by [REDACTED] on Wednesday, April 8, 2026 at 11:45 AM

-----  
Name: Kelley Jeans  
Address: 165 Diana Lane  
City: Vine Grove  
State: KY  
Zip Code: 40175  
Phone number where you can be reached: [REDACTED]  
Home phone: [REDACTED]  
Utility Name: Meade County Water District

State the nature of your concern: I previously filed a complaint against Meade Co Water Department on 3/23/26 regarding substantial usage billed to my account. Today, I received a call from MCWD that I again have high usage for the March billing period. This is a continuing concern because after MCWD put in a new meter and verified that the old meter was not working correctly, they refused to come back out and check the new meter to make sure it was not running out of control. They advised they would read the meter again on our about April 3 and I would have to wait until then. Additionally, when mowing my yard for the first time this season over this past weekend, I discovered MCWD had not properly replaced the cover to the meter and had not only left the bolt unfastened, but also left the lid at an angle so that when I mowed, the blade hit the cover, broke it, and also dented my \$4000.00 zero turn mower. I dont know if this was intentional but it is certainly on par with the very sloppy work this water department performs on a regular basis. To sum up events to date: March 11 - MCWD calls with auto message that February usage was high March 11 - Knights Mechanical (ETown) came out to check for leaks; nothing was found; high water usage stopped (according to hourly usage reports) when the plumber took the cover off the meter and pulled the wires out of the ground where they had grown in -March 18 - MCWD pulls hourly report from old meter (not sure of date as they said they came out four days prior and talked to me (I never saw anyone) but later said they came out on a later date ~March 20 - MCWD changes out meter; confirms it is not running correctly but says its slow and that I should be glad theyre not charging me more even though they cannot verify how many gallons were used - or NOT used. -March 24 - Requested meter be checked again to make sure its not running high; MCWD refuses; says to wait until they read meter again in early April -April 8 - Receive another automated call from MCWD that usage for March is high  
Have you contacted the utility about the problem: Yes

----- This is a Copy of the email sent to KY Public Service Commission Consumer Services Division. This email is automatically generated please do not reply to this email address.

## KY PSC Utility Inquiry

---

From: KY Public Service Commission (pscfilings@ky.gov)

To: [REDACTED]

Date: Wednesday, April 8, 2026 at 11:45 AM EDT

---

Below is the result of your feedback form. It was submitted by [REDACTED] on Wednesday, April 8, 2026 at 11:45 AM

-----  
Name: Kelley Jeans

Address: 165 Diana Lane

City: Vine Grove

State: KY

Zip Code: 40175

Phone number where you can be reached: [REDACTED]

Home phone: [REDACTED]

Utility Name: Meade County Water District

State the nature of your concern: I previously filed a complaint against Meade Co Water Department on 3/23/26 regarding substantial usage billed to my account. Today, I received a call from MCWD that I again have high usage for the March billing period. This is a continuing concern because after MCWD put in a new meter and verified that the old meter was not working correctly, they refused to come back out and check the new meter to make sure it was not running out of control. They advised they would read the meter again on our about April 3 and I would have to wait until then. Additionally, when mowing my yard for the first time this season over this past weekend, I discovered MCWD had not properly replaced the cover to the meter and had not only left the bolt unfastened, but also left the lid at an angle so that when I mowed, the blade hit the cover, broke it, and also dented my \$4000.00 zero turn mower. I dont know if this was intentional but it is certainly on par with the very sloppy work this water department performs on a regular basis. To sum up events to date: March 11 - MCWD calls with auto message that February usage was high March 11 - Knights Mechanical (ETown) came out to check for leaks; nothing was found; high water usage stopped (according to hourly usage reports) when the plumber took the cover off the meter and pulled the wires out of the ground where they had grown in ~March 18 - MCWD pulls hourly report from old meter (not sure of date as they said they came out four days prior and talked to me (I never saw anyone) but later said they came out on a later date ~March 20 - MCWD changes out meter; confirms it is not running correctly but says its slow and that I should be glad theyre not charging me more even though they cannot verify how many gallons were used - or NOT used. -March 24 - Requested meter be checked again to make sure its not running high; MCWD refuses; says to wait until they read meter again in early April -April 8 - Receive another automated call from MCWD that usage for March is high  
Have you contacted the utility about the problem: Yes

----- This is a Copy of the email sent to KY Public Service Commission Consumer Services Division. This email is automatically generated please do not reply to this email address.

May 5, 2026

Mr. Brett Pyles  
Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

RE:           Account Number: [REDACTED]  
              Customer Name:   Kelley Jeans  
              Service Address:  165 Diana Lane, Vine Grove

Mr. Pyles,

I have received no response either from your office or the Public Service Commission in response to my complaint about charges on my account from a faulty meter or the damages to my mower from an improperly installed meter cover.

Based on PSC's directive to refrain from paying any portion of the disputed amount of my bill which includes meter usage from 02/03/26 – 03/11/26, I am submitting payment for my standard water usage average of \$28.00.

Thank you,

Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175

[REDACTED]

## Re: Kelley Jeans - 165 Diana Lane Billing Dispute

---

From: Kelley Jeans [REDACTED]  
To: bpyles@meadewaterky.gov  
Cc: richard.shufelt@sbwhlaw.com; jnevitt@meadewaterky.gov; lwathen@meadewaterky.gov  
Date: Tuesday, May 19, 2026 at 09:47 AM EDT

---

Thank you, Mr. Pyles.

I did contact the PSC. They say they have not made a determination yet and are not sure who you spoke with in their office because they had not even spoken with me yet.

In addition to forwarding them the latest traffic from your office, I will also forward the entire packet to the Division of Water and the AG's office as well.

Kelley Jeans  
907-371-4190 (Cell)

---

On Monday, May 18, 2026 at 08:54:21 AM EDT, Brett Pyles <bpyles@meadewaterky.gov> wrote:

Ms. Jeans,

I suggest you contact the KY Public Service Commission.

Best Regards

Brett



\*\*\*Please note that my email address has changed\*\*\*

---

**From:** Kelley Jeans <[REDACTED]>  
**Sent:** Monday, May 18, 2026 8:47 AM  
**To:** Brett Pyles <BPyles@meadewaterky.gov>  
**Cc:** Richard Shufelt <richard.shufelt@sbwhlaw.com>; Jessica Nevitt <JNevitt@meadewaterky.gov>; Lorraine Wathen <LWathen@meadewaterky.gov>  
**Subject:** Re: Kelley Jeans - 165 Diana Lane Billing Dispute

I'm curious how we go from you telling me Thursday that I haven't filed an official complaint to it not only being filed but closed on Friday.

Sent from my iPhone

On May 18, 2026, at 7:27 AM, Brett Pyles <[BPyles@meadewaterky.gov](mailto:BPyles@meadewaterky.gov)> wrote:

Ms. Jeans,

The KY Public Service Commission has closed the complaint you filed. If you think this is in error, I suggest contacting them.

Best Regards

Brett

<image001.png>

\*\*\*Please note that my email address has changed\*\*\*

---

**From:** Kelley Jeans [REDACTED]  
**Sent:** Monday, May 18, 2026 8:25 AM  
**To:** Brett Pyles <[BPyles@meadewaterky.gov](mailto:BPyles@meadewaterky.gov)>  
**Cc:** Richard Shufelt <[richard.shufelt@sbwhlaw.com](mailto:richard.shufelt@sbwhlaw.com)>; Jessica Nevitt <[JNevitt@meadewaterky.gov](mailto:JNevitt@meadewaterky.gov)>; Lorraine Wathen <[LWathen@meadewaterky.gov](mailto:LWathen@meadewaterky.gov)>  
**Subject:** Re: Kelley Jeans - 165 Diana Lane Billing Dispute

Mr. Pyles -

Please explain to me how the matter is no longer pending and what was PSC's resolution when they have not reached out to me at all.

Kelley Jeans  
[REDACTED]

On Monday, May 18, 2026 at 07:06:28 AM EDT, Brett Pyles <[bpyles@meadewaterky.gov](mailto:bpyles@meadewaterky.gov)> wrote:

Ms. Jeans,

Please find attached a letter from our legal counsel concerning 165 Diana Lane high usage.

Best Regards

Brett

<image001.png>

\*\*\*Please note that my email address has changed\*\*\*

---

**From:** Kelley Jeans <[REDACTED]>  
**Sent:** Thursday, May 14, 2026 10:21 AM  
**To:** Brett Pyles <[BPyles@meadewaterky.gov](mailto:BPyles@meadewaterky.gov)>  
**Subject:** Kelley Jeans - 165 Diana Lane Billing Dispute

Good morning, Mr. Pyles.

I have received your phone messages yesterday and today. I requested a response in writing for two reasons: first, to protect you and me in this dispute. Second, I am hearing impaired and want to make sure I understand any conversation completely.

Your message seemed to indicate, though my name is Jeans, not James, that I have not filed a formal complaint with the PSC. The copies of the two complaints I sent to you were the courtesy copies the PSC emailed to me after I filed the complaint through their "Online Complaint Form." They appear to be very clear in how to file a formal complaint on their website. Please see this link:

[Utility Service Complaint Instructions](#)

**Utility Service Complaint Instructions**

KY PSC

Additionally, please note their guidance to customers filing complaints with utility service companies:

**THE UTILITY WILL NOT DISCONTINUE YOUR SERVICE** if you have a billing complaint pending before the Commission as long as you pay the undisputed amount of your bill and continue to pay your regular monthly bills.

Since the PSC still has not responded, I will send all documentation by certified mail to their office in Frankfort. I would like to get this resolved as soon as possible and still, quite frankly, am confused as to why this is a dispute at all. I've never had excessive usage. Actual licensed plumbers came out on March 11 and found no sign of leakage anywhere - faucets, toilets, underground, yet the usage went back to normal at the exact same time they pulled the cover off the meter. This was indicated very clearly by your own hourly usage report. Your own office stated the old meter wasn't running correctly and you yourself told my property manager that the meter was years past time when it should have been replaced. Given that there was no excessive usage before and none since the meter cover was taken off and the meter was subsequently replaced, this seems to be a clear issue with the meter.

I will forward you a copy of the hard copy complaint I'm filing with the PSC along with my next water bill payment.

Kelley Jeans  
[REDACTED]

May 21, 2026

Mr. Brett Pyles  
Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

RE:           Account Number: [REDACTED]  
              Customer Name:   Kelley Jeans  
              Service Address:  165 Diana Lane, Vine Grove

Mr. Pyles,

Pursuant to the Kentucky Open Records Act, KRS 61.870–61.884, I am requesting copies of records related to 165 Diana Ln, Vine Grove, KY 40175, including but not limited to:

- Water usage history
- Meter testing and replacement records
- Service calls and maintenance records
- Leak investigations
- Disconnect notices or delinquency records
- Customer complaints
- Internal correspondence related to the account
- Inspection records
- Pressure or infrastructure complaints affecting the area

Please provide these records electronically if available.

Thank you,

Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175  
[REDACTED]

**Fw: Meade County Water Division**

**From:** Kelley Jeans [REDACTED]  
**To:** psc.consumer.inquiry@ky.gov  
**Bcc:** corinnebaer@outlook.com  
**Date:** Thursday, May 21, 2026 at 03:43 PM EDT

Kelley Jeans  
907-371-4190 (Cell)

----- Forwarded Message -----


**From:** Kelley Jeans <[REDACTED]>  
**To:** EECPCIT@ky.gov <eecpscit@ky.gov>  
**Sent:** Thursday, May 21, 2026 at 03:26:20 PM EDT  
**Subject:** Meade County Water Division

Good afternoon -

I have submitted two complaints regarding Meade Co Water District and have received no response. I'm attaching further information - the hourly read for the old meter - note the decreased usage on 3/11 at noon when the plumbers from Knights Mechanical showed up and took the cover off the meter. They had to dig all the wires out of the dirt and grass to even be able to take the cover off the meter. I'm also attaching the invoice from Knights Mechanical with the report of their findings. Additionally, I'm including a letter sent to me by Brett Pyles at Meade Co Water one day after telling me I had not filed a formal complaint with the PSC.

I received a call today that MCWD will turn off my water tomorrow for non-payment ahead of the long weekend for the holiday. I would really appreciate a reply so that I know which direction to go since they should not be able to turn off my water while you're investigating the dispute. I would hope you would have communicated with me, the person who filed the complaint, about the status of the complaint instead of the organization against whom I filed a complaint.

Kelley Jeans  
[REDACTED]

 Hourly Reading for 165 Diana Lane.csv  
46.3 kB

 PSC\_Complaint\_165\_Diana.pdf

650.3 kB



Diana\_Knights.pdf

102.2 kB

May 22, 2026

Mr. Brett Pyles  
Meade County Water District  
1003 Armory Place  
Brandenburg, KY 40108

Via Certified Mail and Email

RE: Formal Billing Dispute, Preservation of Evidence Demand, and Notice  
Regarding Threatened Disconnection

Account Number: [REDACTED]  
Customer Name: Kelley Jeans  
Service Address: 165 Diana Lane, Vine Grove

Mr. Pyles,

I am formally disputing the excessive water charges associated with the above-referenced account.

After receiving a bill reflecting unusually high water usage inconsistent with my historical consumption, I retained a licensed plumber to inspect the property for leaks or other internal causes. The plumber found no leaks or plumbing defects within the property and identified the water meter as the likely source of the inaccurate readings.

Your department has acknowledged that the meter was inaccurate and/or faulty. Despite this acknowledgement, the utility has refused to make an appropriate adjustment to the disputed charges and continues to demand payment for usage that cannot be verified as accurate.

I have filed a complaint with the Kentucky Public Service Commission regarding this matter. To date, I have not received any formal notice, dismissal order, or other communication from the Commission indicating that my complaint has been dismissed or resolved. However, your attorney has represented in writing that the Commission dismissed the complaint. If that representation is inaccurate, I consider it extremely serious and request immediate clarification.

Additionally, your department has threatened disconnection of my water service over the disputed amount. I dispute both the validity and enforceability of the excess charges and object to any attempt to disconnect service while this billing dispute remains unresolved.

Accordingly, you are hereby placed on notice to preserve all evidence related to this matter, including but not limited to:

1. The original water meter removed from service.
2. Any testing, calibration, inspection, or accuracy reports relating to the meter.
3. Meter replacement records.

4. Historical usage data for my account.
5. Internal notes, emails, and communications regarding this dispute.
6. Communications with legal counsel regarding my PSC complaint.
7. Any records concerning the decision to threaten disconnection or collection activity.

Destruction, alteration, disposal, or failure to preserve relevant evidence after receipt of this notice may constitute spoliation of evidence.

I also formally request copies of:

1. All meter testing documentation
2. The date of the meter's last calibration or inspection
3. Any reports supporting the claimed usage
4. Any written policy relied upon in refusing to adjust the disputed charges
5. Any documentation indicating the PSC complaint was dismissed.

Nothing in this correspondence shall be construed as an admission of responsibility for the disputed charges.

I request written confirmation within ten (10) business days that:

1. The account will not be disconnected while the dispute remains pending; and
2. All relevant evidence has been preserved.

Please direct all future communications regarding this matter to me in writing.

Thank you,

Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175



May 22, 2026

Richard B. Shufelt, Esq  
Skeeters, Bennett, Wilson & Humphrey  
550 W. Lincoln Trail Blvd.  
Radcliff, KY 40160

RE: Formal Dispute of Water Charges/Preservation of Evidence

Dear Mr. Shufelt,

I am writing in response to your correspondence regarding the disputed water charges associated with my MCWD account at 165 Diana Lane, Vine Grove.

As you are aware, I disputed these charges after receiving an abnormally high bill reflecting excessive water usage inconsistent with the property's historical consumption. I retained a licensed plumber to inspect the property, and no leaks or customer-side defects were identified. The plumber advised that the issue appeared to originate from the meter itself. The utility has since acknowledged that the meter was inaccurate.

Despite this acknowledgement, the utility continues to demand payment for disputed excess charges and has threatened disconnection of service.

I also filed a complaint with the Kentucky Public Service Commission regarding this matter. Your letter states that the PSC complaint has been dismissed; however, I have received no dismissal order, communication, findings, or other notification directly from the PSC confirming that assertion. Until verified directly through the Commission, I dispute the accuracy of that representation.

Please consider this correspondence formal notice that:

1. I dispute the excess charges associated with the inaccurate meter;
2. I dispute any attempt to characterize the matter as resolved absent written confirmation from the PSC;
3. I object to any attempt to disconnect water service while this billing dispute remains unresolved; and
4. I demand preservation of all evidence related to this matter.

Accordingly, the utility and its agents are directed to preserve all documents, electronically stored information, physical evidence, and communications related to:

1. The disputed meter;
2. Meter testing, calibration, inspection, and replacement records
3. Historical use data;
4. Billing calculations;
5. Internal communications;

6. Internal communications regarding my account;
7. Communications with the PSC;
8. Photographs, field notes, and technician reports; and
9. Any communications concerning collection activity or disconnection of service.

If the meter has been removed, altered, discarded, or destroyed, please provide the date of removal and the identity of all persons involved in its handling and testing.

Any attempt to disconnect service while the disputed charges remain under review may constitute wrongful termination of essential utility service and may result in additional legal and regulatory action.

I remain willing to resolve this matter reasonably and in good faith. However, I expect the utility to suspend collection and disconnection efforts pending proper review of the disputed charges and the meter irregularities already identified.

Please direct all future communications regarding this matter to me in writing.

Sincerely,

Kelley Jeans  
165 Diana Lane  
Vine Grove KY 40175

12:22

92



+

Unknown - May 12, 2026 at 12:06 PM

00:00



-00:51



Add Contact



Report Spa...

Transcript

Ms. James, this is Brett Piles, Mid County Water District. Uh, received your uh, your letter and the check and uh, nothing has changed from our original position. You still owe the bill. Um, and, uh, if you uh, if you still want to dispute these charges, uh, you can call the public service commission and file a formal complaint. Uh, what you sent before was an informal complaint, but uh, uh, you can call that number. Uh it's 800-772-4636. Uh if you'd



Favorites



15

Recents



Contacts



Keypad



4

Voicemail

changed time on 10/10/00

12:22

92



+

Unknown - May 14, 2026 at 9:39 AM

00:00



-00:14



Add Contact

Report Spa...

Transcript (low confidence)

Ms. James, this is Brett Piles, May County Water District. You get an opportunity. Give me a call back on my cell phone, [REDACTED] Thank you



Favorites



15

Recents



Contacts



Keypad



4

Voicemail

12:22

92



+ [Redacted] )

Unknown - May 21, 2026 at 1:43PM

00:00



-00:33



Add Contact

Report Spa...

Transcript

Hello, this is Mead Count Water District. This is your 1st and final reminder due to a holiday weekend. We are calling to inform you of a past due balance on your account that could result in an interruption of services if not paid by the close of business on Tuesday, May 26, 2026. If you have made a payment as of today, Thursday, May 21, 2026, please disregard this message. Thank you and have a great day.



Favorites



15

Recents



Contacts



Keypad



3

Voicemail

Hourly Reading for 165 Diana Lane

Date	Encoder Read	Consumption
01/29/2026 12:00 AM US/Eastern	850080	0
01/29/2026 01:00 AM US/Eastern	850080	0
01/29/2026 02:00 AM US/Eastern	850080	0
01/29/2026 03:00 AM US/Eastern	850090	10
01/29/2026 04:00 AM US/Eastern	850090	0
01/29/2026 05:00 AM US/Eastern	850090	0
01/29/2026 06:00 AM US/Eastern	850090	0
01/29/2026 07:00 AM US/Eastern	850090	0
01/29/2026 08:00 AM US/Eastern	850090	0
01/29/2026 09:00 AM US/Eastern	850090	0
01/29/2026 10:00 AM US/Eastern	850090	0
01/29/2026 11:00 AM US/Eastern	850090	0
01/29/2026 12:00 PM US/Eastern	850100	0
01/29/2026 01:00 PM US/Eastern	850100	0
01/29/2026 02:00 PM US/Eastern	850100	0
01/29/2026 03:00 PM US/Eastern	850100	0
01/29/2026 04:00 PM US/Eastern	850100	0
01/29/2026 05:00 PM US/Eastern	850100	0
01/29/2026 06:00 PM US/Eastern	850100	0
01/29/2026 07:00 PM US/Eastern	850100	0
01/29/2026 08:00 PM US/Eastern	850110	10
01/29/2026 09:00 PM US/Eastern	850110	0
01/29/2026 10:00 PM US/Eastern	850110	0
01/29/2026 11:00 PM US/Eastern	850110	0
01/30/2026 12:00 AM US/Eastern	850110	0
01/30/2026 01:00 AM US/Eastern	850110	0
01/30/2026 02:00 AM US/Eastern	850110	0
01/30/2026 03:00 AM US/Eastern	850120	10
01/30/2026 04:00 AM US/Eastern	850120	0

Note: Excessive use abruptly stopped between 1100-1200 on 3/11/26. - the same time the plumber took the top off the meter and had to pull the antenna wires out of the dirt/grass where they had grown in.

01/30/2026 05:00 AM US/Eastern	850120	0
01/30/2026 06:00 AM US/Eastern	850120	0
01/30/2026 07:00 AM US/Eastern	850120	0
01/30/2026 08:00 AM US/Eastern	850120	0
01/30/2026 09:00 AM US/Eastern	850120	0
01/30/2026 10:00 AM US/Eastern	850130	10
01/30/2026 11:00 AM US/Eastern	850140	10
01/30/2026 12:00 PM US/Eastern	850140	0
01/30/2026 01:00 PM US/Eastern	850140	0
01/30/2026 02:00 PM US/Eastern	850140	0
01/30/2026 03:00 PM US/Eastern	850140	0
01/30/2026 04:00 PM US/Eastern	850140	0
01/30/2026 05:00 PM US/Eastern	850150	10
01/30/2026 06:00 PM US/Eastern	850150	0
01/30/2026 07:00 PM US/Eastern	850160	10
01/30/2026 08:00 PM US/Eastern	850160	0
01/30/2026 09:00 PM US/Eastern	850160	0
01/30/2026 10:00 PM US/Eastern	850160	0
01/30/2026 11:00 PM US/Eastern	850160	0
01/31/2026 12:00 AM US/Eastern	850160	0
01/31/2026 01:00 AM US/Eastern	850160	0
01/31/2026 02:00 AM US/Eastern	850160	0
01/31/2026 03:00 AM US/Eastern	850160	0
01/31/2026 04:00 AM US/Eastern	850160	0
01/31/2026 05:00 AM US/Eastern	850160	0
01/31/2026 06:00 AM US/Eastern	850160	0
01/31/2026 07:00 AM US/Eastern	850160	0
01/31/2026 08:00 AM US/Eastern	850160	0
01/31/2026 09:00 AM US/Eastern	850160	0
01/31/2026 10:00 AM US/Eastern	850160	0
01/31/2026 11:00 AM US/Eastern	850170	10
01/31/2026 12:00 PM US/Eastern	850170	0

01/31/2026 01:00 PM US/Eastern	850170	0
01/31/2026 02:00 PM US/Eastern	850170	0
01/31/2026 03:00 PM US/Eastern	850170	0
01/31/2026 04:00 PM US/Eastern	850170	0
01/31/2026 05:00 PM US/Eastern	850170	0
01/31/2026 06:00 PM US/Eastern	850170	0
01/31/2026 07:00 PM US/Eastern	850170	0
01/31/2026 08:00 PM US/Eastern	850170	0
01/31/2026 09:00 PM US/Eastern	850170	0
01/31/2026 10:00 PM US/Eastern	850180	10
01/31/2026 11:00 PM US/Eastern	850210	30
02/01/2026 12:00 AM US/Eastern	850240	30
02/01/2026 01:00 AM US/Eastern	850270	30
02/01/2026 02:00 AM US/Eastern	850290	20
02/01/2026 03:00 AM US/Eastern	850320	30
02/01/2026 04:00 AM US/Eastern	850350	30
02/01/2026 05:00 AM US/Eastern	850370	20
02/01/2026 06:00 AM US/Eastern	850400	30
02/01/2026 07:00 AM US/Eastern	850430	30
02/01/2026 08:00 AM US/Eastern	850470	40
02/01/2026 09:00 AM US/Eastern	850500	30
02/01/2026 10:00 AM US/Eastern	850530	30
02/01/2026 11:00 AM US/Eastern	850560	30
02/01/2026 12:00 PM US/Eastern	850590	30
02/01/2026 01:00 PM US/Eastern	850620	30
02/01/2026 02:00 PM US/Eastern	850650	30
02/01/2026 03:00 PM US/Eastern	850680	30
02/01/2026 04:00 PM US/Eastern	850720	40
02/01/2026 05:00 PM US/Eastern	850750	30
02/01/2026 06:00 PM US/Eastern	850800	50
02/01/2026 07:00 PM US/Eastern	850840	40
02/01/2026 08:00 PM US/Eastern	850880	40

02/01/2026 09:00 PM US/Eastern	850940	60
02/01/2026 10:00 PM US/Eastern	850980	40
02/01/2026 11:00 PM US/Eastern	851010	30
02/02/2026 12:00 AM US/Eastern	851050	40
02/02/2026 01:00 AM US/Eastern	851080	30
02/02/2026 02:00 AM US/Eastern	851120	40
02/02/2026 03:00 AM US/Eastern	851150	30
02/02/2026 04:00 AM US/Eastern	851190	40
02/02/2026 05:00 AM US/Eastern	851220	30
02/02/2026 06:00 AM US/Eastern	851260	40
02/02/2026 07:00 AM US/Eastern	851300	40
02/02/2026 08:00 AM US/Eastern	851330	30
02/02/2026 09:00 AM US/Eastern	851370	40
02/02/2026 10:00 AM US/Eastern	851400	30
02/02/2026 11:00 AM US/Eastern	851440	40
02/02/2026 12:00 PM US/Eastern	851470	30
02/02/2026 01:00 PM US/Eastern	851510	40
02/02/2026 02:00 PM US/Eastern	851550	40
02/02/2026 03:00 PM US/Eastern	851580	30
02/02/2026 04:00 PM US/Eastern	851620	40
02/02/2026 05:00 PM US/Eastern	851650	30
02/02/2026 06:00 PM US/Eastern	851690	40
02/02/2026 07:00 PM US/Eastern	851720	30
02/02/2026 08:00 PM US/Eastern	851770	50
02/02/2026 09:00 PM US/Eastern	851820	50
02/02/2026 10:00 PM US/Eastern	851860	40
02/02/2026 11:00 PM US/Eastern	851890	30
02/03/2026 12:00 AM US/Eastern	851930	40
02/03/2026 01:00 AM US/Eastern	851970	40
02/03/2026 02:00 AM US/Eastern	852010	40
02/03/2026 03:00 AM US/Eastern	852040	30
02/03/2026 04:00 AM US/Eastern	852080	40

02/03/2026 05:00 AM US/Eastern	852120	40
02/03/2026 06:00 AM US/Eastern	852160	40
02/03/2026 07:00 AM US/Eastern	852190	30
02/03/2026 08:00 AM US/Eastern	852230	40
02/03/2026 09:00 AM US/Eastern	852270	40
02/03/2026 10:00 AM US/Eastern	852310	40
02/03/2026 11:00 AM US/Eastern	852350	40
02/03/2026 12:00 PM US/Eastern	852380	30
02/03/2026 01:00 PM US/Eastern	852420	40
02/03/2026 02:00 PM US/Eastern	852460	40
02/03/2026 03:00 PM US/Eastern	852500	40
02/03/2026 04:00 PM US/Eastern	852540	40
02/03/2026 05:00 PM US/Eastern	852580	40
02/03/2026 06:00 PM US/Eastern	852620	40
02/03/2026 07:00 PM US/Eastern	852660	40
02/03/2026 08:00 PM US/Eastern	852740	80
02/03/2026 09:00 PM US/Eastern	852780	40
02/03/2026 10:00 PM US/Eastern	852820	40
02/03/2026 11:00 PM US/Eastern	852870	50
02/04/2026 12:00 AM US/Eastern	852910	40
02/04/2026 01:00 AM US/Eastern	852950	40
02/04/2026 02:00 AM US/Eastern	853000	50
02/04/2026 03:00 AM US/Eastern	853050	50
02/04/2026 04:00 AM US/Eastern	853090	40
02/04/2026 05:00 AM US/Eastern	853150	60
02/04/2026 06:00 AM US/Eastern	853210	60
02/04/2026 07:00 AM US/Eastern	853290	80
02/04/2026 08:00 AM US/Eastern	853380	90
02/04/2026 09:00 AM US/Eastern	853470	90
02/04/2026 10:00 AM US/Eastern	853560	90
02/04/2026 11:00 AM US/Eastern	853650	90
02/04/2026 12:00 PM US/Eastern	853740	90

02/04/2026 01:00 PM US/Eastern	853830	90
02/04/2026 02:00 PM US/Eastern	853920	90
02/04/2026 03:00 PM US/Eastern	854010	90
02/04/2026 04:00 PM US/Eastern	854100	90
02/04/2026 05:00 PM US/Eastern	854190	90
02/04/2026 06:00 PM US/Eastern	854280	90
02/04/2026 07:00 PM US/Eastern	854380	100
02/04/2026 08:00 PM US/Eastern	854470	90
02/04/2026 09:00 PM US/Eastern	854560	90
02/04/2026 10:00 PM US/Eastern	854650	90
02/04/2026 11:00 PM US/Eastern	854750	100
02/05/2026 12:00 AM US/Eastern	854840	90
02/05/2026 01:00 AM US/Eastern	854930	90
02/05/2026 02:00 AM US/Eastern	855020	90
02/05/2026 03:00 AM US/Eastern	855120	100
02/05/2026 04:00 AM US/Eastern	855210	90
02/05/2026 05:00 AM US/Eastern	855310	100
02/05/2026 06:00 AM US/Eastern	855400	90
02/05/2026 07:00 AM US/Eastern	855490	90
02/05/2026 08:00 AM US/Eastern	855590	100
02/05/2026 09:00 AM US/Eastern	855680	90
02/05/2026 10:00 AM US/Eastern	855780	100
02/05/2026 11:00 AM US/Eastern	855870	90
02/05/2026 12:00 PM US/Eastern	855970	100
02/05/2026 01:00 PM US/Eastern	856060	90
02/05/2026 02:00 PM US/Eastern	856160	100
02/05/2026 03:00 PM US/Eastern	856250	90
02/05/2026 04:00 PM US/Eastern	856350	100
02/05/2026 05:00 PM US/Eastern	856440	90
02/05/2026 06:00 PM US/Eastern	856540	100
02/05/2026 07:00 PM US/Eastern	856640	100
02/05/2026 08:00 PM US/Eastern	856740	100

02/05/2026 09:00 PM US/Eastern	856830	90
02/05/2026 10:00 PM US/Eastern	856930	100
02/05/2026 11:00 PM US/Eastern	857030	100
02/06/2026 12:00 AM US/Eastern	857120	90
02/06/2026 01:00 AM US/Eastern	857220	100
02/06/2026 02:00 AM US/Eastern	857310	90
02/06/2026 03:00 AM US/Eastern	857410	100
02/06/2026 04:00 AM US/Eastern	857510	100
02/06/2026 05:00 AM US/Eastern	857600	90
02/06/2026 06:00 AM US/Eastern	857700	100
02/06/2026 07:00 AM US/Eastern	857810	110
02/06/2026 08:00 AM US/Eastern	857910	100
02/06/2026 09:00 AM US/Eastern	858010	100
02/06/2026 10:00 AM US/Eastern	858110	100
02/06/2026 11:00 AM US/Eastern	858200	90
02/06/2026 12:00 PM US/Eastern	858300	100
02/06/2026 01:00 PM US/Eastern	858400	100
02/06/2026 02:00 PM US/Eastern	858490	90
02/06/2026 03:00 PM US/Eastern	858590	100
02/06/2026 04:00 PM US/Eastern	858690	100
02/06/2026 05:00 PM US/Eastern	858790	100
02/06/2026 06:00 PM US/Eastern	858900	110
02/06/2026 07:00 PM US/Eastern	859020	120
02/06/2026 08:00 PM US/Eastern	859120	100
02/06/2026 09:00 PM US/Eastern	859210	90
02/06/2026 10:00 PM US/Eastern	859310	100
02/06/2026 11:00 PM US/Eastern	859410	100
02/07/2026 12:00 AM US/Eastern	859510	100
02/07/2026 01:00 AM US/Eastern	859610	100
02/07/2026 02:00 AM US/Eastern	859710	100
02/07/2026 03:00 AM US/Eastern	859810	100
02/07/2026 04:00 AM US/Eastern	859910	100

<b>02/07/2026 05:00 AM US/Eastern</b>	860010	100
<b>02/07/2026 06:00 AM US/Eastern</b>	860110	100
<b>02/07/2026 07:00 AM US/Eastern</b>	860220	110
<b>02/07/2026 08:00 AM US/Eastern</b>	860320	100
<b>02/07/2026 09:00 AM US/Eastern</b>	860420	100
<b>02/07/2026 10:00 AM US/Eastern</b>	860520	100
<b>02/07/2026 11:00 AM US/Eastern</b>	860620	100
<b>02/07/2026 12:00 PM US/Eastern</b>	860710	90
<b>02/07/2026 01:00 PM US/Eastern</b>	860810	100
<b>02/07/2026 02:00 PM US/Eastern</b>	860910	100
<b>02/07/2026 03:00 PM US/Eastern</b>	861010	100
<b>02/07/2026 04:00 PM US/Eastern</b>	861110	100
<b>02/07/2026 05:00 PM US/Eastern</b>	861210	100
<b>02/07/2026 06:00 PM US/Eastern</b>	861340	130
<b>02/07/2026 07:00 PM US/Eastern</b>	861440	100
<b>02/07/2026 08:00 PM US/Eastern</b>	861540	100
<b>02/07/2026 09:00 PM US/Eastern</b>	861640	100
<b>02/07/2026 10:00 PM US/Eastern</b>	861740	100
<b>02/07/2026 11:00 PM US/Eastern</b>	861840	100
<b>02/08/2026 12:00 AM US/Eastern</b>	861940	100
<b>02/08/2026 01:00 AM US/Eastern</b>	862040	100
<b>02/08/2026 02:00 AM US/Eastern</b>	862140	100
<b>02/08/2026 03:00 AM US/Eastern</b>	862250	110
<b>02/08/2026 04:00 AM US/Eastern</b>	862350	100
<b>02/08/2026 05:00 AM US/Eastern</b>	862450	100
<b>02/08/2026 06:00 AM US/Eastern</b>	862550	100
<b>02/08/2026 07:00 AM US/Eastern</b>	862650	100
<b>02/08/2026 08:00 AM US/Eastern</b>	862750	100
<b>02/08/2026 09:00 AM US/Eastern</b>	862850	100
<b>02/08/2026 10:00 AM US/Eastern</b>	862950	100
<b>02/08/2026 11:00 AM US/Eastern</b>	863050	100
<b>02/08/2026 12:00 PM US/Eastern</b>	863150	100

02/08/2026 01:00 PM US/Eastern	863250	100
02/08/2026 02:00 PM US/Eastern	863350	100
02/08/2026 03:00 PM US/Eastern	863450	100
02/08/2026 04:00 PM US/Eastern	863550	100
02/08/2026 05:00 PM US/Eastern	863650	100
02/08/2026 06:00 PM US/Eastern	863750	100
02/08/2026 07:00 PM US/Eastern	863850	100
02/08/2026 08:00 PM US/Eastern	863950	100
02/08/2026 09:00 PM US/Eastern	864070	120
02/08/2026 10:00 PM US/Eastern	864170	100
02/08/2026 11:00 PM US/Eastern	864270	100
02/09/2026 12:00 AM US/Eastern	864370	100
02/09/2026 01:00 AM US/Eastern	864470	100
02/09/2026 02:00 AM US/Eastern	864570	100
02/09/2026 03:00 AM US/Eastern	864670	100
02/09/2026 04:00 AM US/Eastern	864770	100
02/09/2026 05:00 AM US/Eastern	864870	100
02/09/2026 06:00 AM US/Eastern	864970	100
02/09/2026 07:00 AM US/Eastern	865070	100
02/09/2026 08:00 AM US/Eastern	865170	100
02/09/2026 09:00 AM US/Eastern	865280	110
02/09/2026 10:00 AM US/Eastern	865380	100
02/09/2026 11:00 AM US/Eastern	865480	100
02/09/2026 12:00 PM US/Eastern	865580	100
02/09/2026 01:00 PM US/Eastern	865690	110
02/09/2026 02:00 PM US/Eastern	865790	100
02/09/2026 03:00 PM US/Eastern	865890	100
02/09/2026 04:00 PM US/Eastern	865990	100
02/09/2026 05:00 PM US/Eastern	866090	100
02/09/2026 06:00 PM US/Eastern	866200	110
02/09/2026 07:00 PM US/Eastern	866310	110
02/09/2026 08:00 PM US/Eastern	866410	100

02/09/2026 09:00 PM US/Eastern	866550	140
02/09/2026 10:00 PM US/Eastern	866650	100
02/09/2026 11:00 PM US/Eastern	866750	100
02/10/2026 12:00 AM US/Eastern	866860	110
02/10/2026 01:00 AM US/Eastern	866960	100
02/10/2026 02:00 AM US/Eastern	867060	100
02/10/2026 03:00 AM US/Eastern	867170	110
02/10/2026 04:00 AM US/Eastern	867270	100
02/10/2026 05:00 AM US/Eastern	867370	100
02/10/2026 06:00 AM US/Eastern	867480	110
02/10/2026 07:00 AM US/Eastern	867580	100
02/10/2026 08:00 AM US/Eastern	867680	100
02/10/2026 09:00 AM US/Eastern	867790	110
02/10/2026 10:00 AM US/Eastern	867890	100
02/10/2026 11:00 AM US/Eastern	867990	100
02/10/2026 12:00 PM US/Eastern	868100	110
02/10/2026 01:00 PM US/Eastern	868200	100
02/10/2026 02:00 PM US/Eastern	868300	100
02/10/2026 03:00 PM US/Eastern	868410	110
02/10/2026 04:00 PM US/Eastern	868510	100
02/10/2026 05:00 PM US/Eastern	868620	110
02/10/2026 06:00 PM US/Eastern	868720	100
02/10/2026 07:00 PM US/Eastern	868840	120
02/10/2026 08:00 PM US/Eastern	868940	100
02/10/2026 09:00 PM US/Eastern	869040	100
02/10/2026 10:00 PM US/Eastern	869150	110
02/10/2026 11:00 PM US/Eastern	869250	100
02/11/2026 12:00 AM US/Eastern	869350	100
02/11/2026 01:00 AM US/Eastern	869460	110
02/11/2026 02:00 AM US/Eastern	869560	100
02/11/2026 03:00 AM US/Eastern	869670	110
02/11/2026 04:00 AM US/Eastern	869770	100

02/11/2026 05:00 AM US/Eastern	869870	100
02/11/2026 06:00 AM US/Eastern	869970	100
02/11/2026 07:00 AM US/Eastern	870080	110
02/11/2026 08:00 AM US/Eastern	870190	110
02/11/2026 09:00 AM US/Eastern	870290	100
02/11/2026 10:00 AM US/Eastern	870390	100
02/11/2026 11:00 AM US/Eastern	870500	110
02/11/2026 12:00 PM US/Eastern	870600	100
02/11/2026 01:00 PM US/Eastern	870710	110
02/11/2026 02:00 PM US/Eastern	870820	110
02/11/2026 03:00 PM US/Eastern	870920	100
02/11/2026 04:00 PM US/Eastern	871030	110
02/11/2026 05:00 PM US/Eastern	871130	100
02/11/2026 06:00 PM US/Eastern	871240	110
02/11/2026 07:00 PM US/Eastern	871340	100
02/11/2026 08:00 PM US/Eastern	871440	100
02/11/2026 09:00 PM US/Eastern	871590	150
02/11/2026 10:00 PM US/Eastern	871690	100
02/11/2026 11:00 PM US/Eastern	871790	100
02/12/2026 12:00 AM US/Eastern	871900	110
02/12/2026 01:00 AM US/Eastern	872000	100
02/12/2026 02:00 AM US/Eastern	872110	110
02/12/2026 03:00 AM US/Eastern	872220	110
02/12/2026 04:00 AM US/Eastern	872320	100
02/12/2026 05:00 AM US/Eastern	872420	100
02/12/2026 06:00 AM US/Eastern	872530	110
02/12/2026 07:00 AM US/Eastern	872630	100
02/12/2026 08:00 AM US/Eastern	872740	110
02/12/2026 09:00 AM US/Eastern	872840	100
02/12/2026 10:00 AM US/Eastern	872950	110
02/12/2026 11:00 AM US/Eastern	873060	110
02/12/2026 12:00 PM US/Eastern	873170	110

<b>02/12/2026 01:00 PM US/Eastern</b>	873280	110
<b>02/12/2026 02:00 PM US/Eastern</b>	873390	110
<b>02/12/2026 03:00 PM US/Eastern</b>	873490	100
<b>02/12/2026 04:00 PM US/Eastern</b>	873600	110
<b>02/12/2026 05:00 PM US/Eastern</b>	873700	100
<b>02/12/2026 06:00 PM US/Eastern</b>	873800	100
<b>02/12/2026 07:00 PM US/Eastern</b>	873910	110
<b>02/12/2026 08:00 PM US/Eastern</b>	874010	100
<b>02/12/2026 09:00 PM US/Eastern</b>	874120	110
<b>02/12/2026 10:00 PM US/Eastern</b>	874230	110
<b>02/12/2026 11:00 PM US/Eastern</b>	874330	100
<b>02/13/2026 12:00 AM US/Eastern</b>	874430	100
<b>02/13/2026 01:00 AM US/Eastern</b>	874540	110
<b>02/13/2026 02:00 AM US/Eastern</b>	874640	100
<b>02/13/2026 03:00 AM US/Eastern</b>	874740	100
<b>02/13/2026 04:00 AM US/Eastern</b>	874850	110
<b>02/13/2026 05:00 AM US/Eastern</b>	874950	100
<b>02/13/2026 06:00 AM US/Eastern</b>	875060	110
<b>02/13/2026 07:00 AM US/Eastern</b>	875160	100
<b>02/13/2026 08:00 AM US/Eastern</b>	875260	100
<b>02/13/2026 09:00 AM US/Eastern</b>	875370	110
<b>02/13/2026 10:00 AM US/Eastern</b>	875470	100
<b>02/13/2026 11:00 AM US/Eastern</b>	875570	100
<b>02/13/2026 12:00 PM US/Eastern</b>	875680	110
<b>02/13/2026 01:00 PM US/Eastern</b>	875780	100
<b>02/13/2026 02:00 PM US/Eastern</b>	875880	100
<b>02/13/2026 03:00 PM US/Eastern</b>	875990	110
<b>02/13/2026 04:00 PM US/Eastern</b>	876090	100
<b>02/13/2026 05:00 PM US/Eastern</b>	876190	100
<b>02/13/2026 06:00 PM US/Eastern</b>	876290	100
<b>02/13/2026 07:00 PM US/Eastern</b>	876400	110
<b>02/13/2026 08:00 PM US/Eastern</b>	876500	100

02/13/2026 09:00 PM US/Eastern	876600	100
02/13/2026 10:00 PM US/Eastern	876700	100
02/13/2026 11:00 PM US/Eastern	876810	110
02/14/2026 12:00 AM US/Eastern	876910	100
02/14/2026 01:00 AM US/Eastern	877010	100
02/14/2026 02:00 AM US/Eastern	877120	110
02/14/2026 03:00 AM US/Eastern	877220	100
02/14/2026 04:00 AM US/Eastern	877320	100
02/14/2026 05:00 AM US/Eastern	877430	110
02/14/2026 06:00 AM US/Eastern	877530	100
02/14/2026 07:00 AM US/Eastern	877630	100
02/14/2026 08:00 AM US/Eastern	877740	110
02/14/2026 09:00 AM US/Eastern	877840	100
02/14/2026 10:00 AM US/Eastern	877940	100
02/14/2026 11:00 AM US/Eastern	878040	100
02/14/2026 12:00 PM US/Eastern	878150	110
02/14/2026 01:00 PM US/Eastern	878250	100
02/14/2026 02:00 PM US/Eastern	878350	100
02/14/2026 03:00 PM US/Eastern	878460	110
02/14/2026 04:00 PM US/Eastern	878560	100
02/14/2026 05:00 PM US/Eastern	878660	100
02/14/2026 06:00 PM US/Eastern	878760	100
02/14/2026 07:00 PM US/Eastern	878870	110
02/14/2026 08:00 PM US/Eastern	878970	100
02/14/2026 09:00 PM US/Eastern	879070	100
02/14/2026 10:00 PM US/Eastern	879180	110
02/14/2026 11:00 PM US/Eastern	879280	100
02/15/2026 12:00 AM US/Eastern	879380	100
02/15/2026 01:00 AM US/Eastern	879490	110
02/15/2026 02:00 AM US/Eastern	879590	100
02/15/2026 03:00 AM US/Eastern	879690	100
02/15/2026 04:00 AM US/Eastern	879800	110

<b>02/15/2026 05:00 AM US/Eastern</b>	879900	100
<b>02/15/2026 06:00 AM US/Eastern</b>	880000	100
<b>02/15/2026 07:00 AM US/Eastern</b>	880110	110
<b>02/15/2026 08:00 AM US/Eastern</b>	880210	100
<b>02/15/2026 09:00 AM US/Eastern</b>	880310	100
<b>02/15/2026 10:00 AM US/Eastern</b>	880420	110
<b>02/15/2026 11:00 AM US/Eastern</b>	880520	100
<b>02/15/2026 12:00 PM US/Eastern</b>	880620	100
<b>02/15/2026 01:00 PM US/Eastern</b>	880730	110
<b>02/15/2026 02:00 PM US/Eastern</b>	880830	100
<b>02/15/2026 03:00 PM US/Eastern</b>	880930	100
<b>02/15/2026 04:00 PM US/Eastern</b>	881040	110
<b>02/15/2026 05:00 PM US/Eastern</b>	881140	100
<b>02/15/2026 06:00 PM US/Eastern</b>	881240	100
<b>02/15/2026 07:00 PM US/Eastern</b>	881350	110
<b>02/15/2026 08:00 PM US/Eastern</b>	881450	100
<b>02/15/2026 09:00 PM US/Eastern</b>	881550	100
<b>02/15/2026 10:00 PM US/Eastern</b>	881650	100
<b>02/15/2026 11:00 PM US/Eastern</b>	881760	110
<b>02/16/2026 12:00 AM US/Eastern</b>	881860	100
<b>02/16/2026 01:00 AM US/Eastern</b>	881960	100
<b>02/16/2026 02:00 AM US/Eastern</b>	882070	110
<b>02/16/2026 03:00 AM US/Eastern</b>	882170	100
<b>02/16/2026 04:00 AM US/Eastern</b>	882270	100
<b>02/16/2026 05:00 AM US/Eastern</b>	882380	110
<b>02/16/2026 06:00 AM US/Eastern</b>	882480	100
<b>02/16/2026 07:00 AM US/Eastern</b>	882580	100
<b>02/16/2026 08:00 AM US/Eastern</b>	882690	110
<b>02/16/2026 09:00 AM US/Eastern</b>	882790	100
<b>02/16/2026 10:00 AM US/Eastern</b>	882890	100
<b>02/16/2026 11:00 AM US/Eastern</b>	882990	100
<b>02/16/2026 12:00 PM US/Eastern</b>	883100	110

02/16/2026 01:00 PM US/Eastern	883200	100
02/16/2026 02:00 PM US/Eastern	883300	100
02/16/2026 03:00 PM US/Eastern	883400	100
02/16/2026 04:00 PM US/Eastern	883500	100
02/16/2026 05:00 PM US/Eastern	883610	110
02/16/2026 06:00 PM US/Eastern	883710	100
02/16/2026 07:00 PM US/Eastern	883810	100
02/16/2026 08:00 PM US/Eastern	883950	140
02/16/2026 09:00 PM US/Eastern	884050	100
02/16/2026 10:00 PM US/Eastern	884160	110
02/16/2026 11:00 PM US/Eastern	884260	100
02/17/2026 12:00 AM US/Eastern	884370	110
02/17/2026 01:00 AM US/Eastern	884470	100
02/17/2026 02:00 AM US/Eastern	884580	110
02/17/2026 03:00 AM US/Eastern	884680	100
02/17/2026 04:00 AM US/Eastern	884790	110
02/17/2026 05:00 AM US/Eastern	884890	100
02/17/2026 06:00 AM US/Eastern	885000	110
02/17/2026 07:00 AM US/Eastern	885100	100
02/17/2026 08:00 AM US/Eastern	885220	120
02/17/2026 09:00 AM US/Eastern	885320	100
02/17/2026 10:00 AM US/Eastern	885430	110
02/17/2026 11:00 AM US/Eastern	885530	100
02/17/2026 12:00 PM US/Eastern	885630	100
02/17/2026 01:00 PM US/Eastern	885740	110
02/17/2026 02:00 PM US/Eastern	885840	100
02/17/2026 03:00 PM US/Eastern	885950	110
02/17/2026 04:00 PM US/Eastern	886050	100
02/17/2026 05:00 PM US/Eastern	886160	110
02/17/2026 06:00 PM US/Eastern	886260	100
02/17/2026 07:00 PM US/Eastern	886380	120
02/17/2026 08:00 PM US/Eastern	886480	100

02/17/2026 09:00 PM US/Eastern	886590	110
02/17/2026 10:00 PM US/Eastern	886690	100
02/17/2026 11:00 PM US/Eastern	886800	110
02/18/2026 12:00 AM US/Eastern	886900	100
02/18/2026 01:00 AM US/Eastern	887000	100
02/18/2026 02:00 AM US/Eastern	887110	110
02/18/2026 03:00 AM US/Eastern	887220	110
02/18/2026 04:00 AM US/Eastern	887320	100
02/18/2026 05:00 AM US/Eastern	887420	100
02/18/2026 06:00 AM US/Eastern	887530	110
02/18/2026 07:00 AM US/Eastern	887630	100
02/18/2026 08:00 AM US/Eastern	887740	110
02/18/2026 09:00 AM US/Eastern	887840	100
02/18/2026 10:00 AM US/Eastern	887950	110
02/18/2026 11:00 AM US/Eastern	888050	100
02/18/2026 12:00 PM US/Eastern	888160	110
02/18/2026 01:00 PM US/Eastern	888260	100
02/18/2026 02:00 PM US/Eastern	888370	110
02/18/2026 03:00 PM US/Eastern	888470	100
02/18/2026 04:00 PM US/Eastern	888580	110
02/18/2026 05:00 PM US/Eastern	888680	100
02/18/2026 06:00 PM US/Eastern	888780	100
02/18/2026 07:00 PM US/Eastern	888890	110
02/18/2026 08:00 PM US/Eastern	889000	110
02/18/2026 09:00 PM US/Eastern	889110	110
02/18/2026 10:00 PM US/Eastern	889210	100
02/18/2026 11:00 PM US/Eastern	889310	100
02/19/2026 12:00 AM US/Eastern	889420	110
02/19/2026 01:00 AM US/Eastern	889520	100
02/19/2026 02:00 AM US/Eastern	889630	110
02/19/2026 03:00 AM US/Eastern	889730	100
02/19/2026 04:00 AM US/Eastern	889840	110

<b>02/19/2026 05:00 AM US/Eastern</b>	889940	100
<b>02/19/2026 06:00 AM US/Eastern</b>	890050	110
<b>02/19/2026 07:00 AM US/Eastern</b>	890150	100
<b>02/19/2026 08:00 AM US/Eastern</b>	890250	100
<b>02/19/2026 09:00 AM US/Eastern</b>	890360	110
<b>02/19/2026 10:00 AM US/Eastern</b>	890470	110
<b>02/19/2026 11:00 AM US/Eastern</b>	890570	100
<b>02/19/2026 12:00 PM US/Eastern</b>	890680	110
<b>02/19/2026 01:00 PM US/Eastern</b>	890780	100
<b>02/19/2026 02:00 PM US/Eastern</b>	890890	110
<b>02/19/2026 03:00 PM US/Eastern</b>	890990	100
<b>02/19/2026 04:00 PM US/Eastern</b>	891100	110
<b>02/19/2026 05:00 PM US/Eastern</b>	891200	100
<b>02/19/2026 06:00 PM US/Eastern</b>	891300	100
<b>02/19/2026 07:00 PM US/Eastern</b>	891410	110
<b>02/19/2026 08:00 PM US/Eastern</b>	891530	120
<b>02/19/2026 09:00 PM US/Eastern</b>	891630	100
<b>02/19/2026 10:00 PM US/Eastern</b>	891740	110
<b>02/19/2026 11:00 PM US/Eastern</b>	891840	100
<b>02/20/2026 12:00 AM US/Eastern</b>	891940	100
<b>02/20/2026 01:00 AM US/Eastern</b>	892050	110
<b>02/20/2026 02:00 AM US/Eastern</b>	892150	100
<b>02/20/2026 03:00 AM US/Eastern</b>	892250	100
<b>02/20/2026 04:00 AM US/Eastern</b>	892360	110
<b>02/20/2026 05:00 AM US/Eastern</b>	892460	100
<b>02/20/2026 06:00 AM US/Eastern</b>	892560	100
<b>02/20/2026 07:00 AM US/Eastern</b>	892670	110
<b>02/20/2026 08:00 AM US/Eastern</b>	892770	100
<b>02/20/2026 09:00 AM US/Eastern</b>	892870	100
<b>02/20/2026 10:00 AM US/Eastern</b>	892970	100
<b>02/20/2026 11:00 AM US/Eastern</b>	893080	110
<b>02/20/2026 12:00 PM US/Eastern</b>	893180	100

<b>02/20/2026 01:00 PM US/Eastern</b>	893280	100
<b>02/20/2026 02:00 PM US/Eastern</b>	893390	110
<b>02/20/2026 03:00 PM US/Eastern</b>	893490	100
<b>02/20/2026 04:00 PM US/Eastern</b>	893590	100
<b>02/20/2026 05:00 PM US/Eastern</b>	893690	100
<b>02/20/2026 06:00 PM US/Eastern</b>	893790	100
<b>02/20/2026 07:00 PM US/Eastern</b>	893900	110
<b>02/20/2026 08:00 PM US/Eastern</b>	894040	140
<b>02/20/2026 09:00 PM US/Eastern</b>	894140	100
<b>02/20/2026 10:00 PM US/Eastern</b>	894250	110
<b>02/20/2026 11:00 PM US/Eastern</b>	894350	100
<b>02/21/2026 12:00 AM US/Eastern</b>	894460	110
<b>02/21/2026 01:00 AM US/Eastern</b>	894560	100
<b>02/21/2026 02:00 AM US/Eastern</b>	894670	110
<b>02/21/2026 03:00 AM US/Eastern</b>	894770	100
<b>02/21/2026 04:00 AM US/Eastern</b>	894870	100
<b>02/21/2026 05:00 AM US/Eastern</b>	894980	110
<b>02/21/2026 06:00 AM US/Eastern</b>	895080	100
<b>02/21/2026 07:00 AM US/Eastern</b>	895190	110
<b>02/21/2026 08:00 AM US/Eastern</b>	895290	100
<b>02/21/2026 09:00 AM US/Eastern</b>	895400	110
<b>02/21/2026 10:00 AM US/Eastern</b>	895500	100
<b>02/21/2026 11:00 AM US/Eastern</b>	895610	110
<b>02/21/2026 12:00 PM US/Eastern</b>	895710	100
<b>02/21/2026 01:00 PM US/Eastern</b>	895820	110
<b>02/21/2026 02:00 PM US/Eastern</b>	895920	100
<b>02/21/2026 03:00 PM US/Eastern</b>	896030	110
<b>02/21/2026 04:00 PM US/Eastern</b>	896130	100
<b>02/21/2026 05:00 PM US/Eastern</b>	896240	110
<b>02/21/2026 06:00 PM US/Eastern</b>	896340	100
<b>02/21/2026 07:00 PM US/Eastern</b>	896440	100
<b>02/21/2026 08:00 PM US/Eastern</b>	896550	110

<b>02/21/2026 09:00 PM US/Eastern</b>	896670	120
<b>02/21/2026 10:00 PM US/Eastern</b>	896770	100
<b>02/21/2026 11:00 PM US/Eastern</b>	896870	100
<b>02/22/2026 12:00 AM US/Eastern</b>	896980	110
<b>02/22/2026 01:00 AM US/Eastern</b>	897080	100
<b>02/22/2026 02:00 AM US/Eastern</b>	897180	100
<b>02/22/2026 03:00 AM US/Eastern</b>	897290	110
<b>02/22/2026 04:00 AM US/Eastern</b>	897390	100
<b>02/22/2026 05:00 AM US/Eastern</b>	897500	110
<b>02/22/2026 06:00 AM US/Eastern</b>	897600	100
<b>02/22/2026 07:00 AM US/Eastern</b>	897710	110
<b>02/22/2026 08:00 AM US/Eastern</b>	897810	100
<b>02/22/2026 09:00 AM US/Eastern</b>	897920	110
<b>02/22/2026 10:00 AM US/Eastern</b>	898020	100
<b>02/22/2026 11:00 AM US/Eastern</b>	898120	100
<b>02/22/2026 12:00 PM US/Eastern</b>	898230	110
<b>02/22/2026 01:00 PM US/Eastern</b>	898330	100
<b>02/22/2026 02:00 PM US/Eastern</b>	898440	110
<b>02/22/2026 03:00 PM US/Eastern</b>	898540	100
<b>02/22/2026 04:00 PM US/Eastern</b>	898640	100
<b>02/22/2026 05:00 PM US/Eastern</b>	898750	110
<b>02/22/2026 06:00 PM US/Eastern</b>	898870	120
<b>02/22/2026 07:00 PM US/Eastern</b>	898970	100
<b>02/22/2026 08:00 PM US/Eastern</b>	899120	150
<b>02/22/2026 09:00 PM US/Eastern</b>	899220	100
<b>02/22/2026 10:00 PM US/Eastern</b>	899320	100
<b>02/22/2026 11:00 PM US/Eastern</b>	899430	110
<b>02/23/2026 12:00 AM US/Eastern</b>	899530	100
<b>02/23/2026 01:00 AM US/Eastern</b>	899640	110
<b>02/23/2026 02:00 AM US/Eastern</b>	899740	100
<b>02/23/2026 03:00 AM US/Eastern</b>	899840	100
<b>02/23/2026 04:00 AM US/Eastern</b>	899950	110

<b>02/23/2026 05:00 AM US/Eastern</b>	900050	100
<b>02/23/2026 06:00 AM US/Eastern</b>	900160	110
<b>02/23/2026 07:00 AM US/Eastern</b>	900260	100
<b>02/23/2026 08:00 AM US/Eastern</b>	900370	110
<b>02/23/2026 09:00 AM US/Eastern</b>	900470	100
<b>02/23/2026 10:00 AM US/Eastern</b>	900580	110
<b>02/23/2026 11:00 AM US/Eastern</b>	900680	100
<b>02/23/2026 12:00 PM US/Eastern</b>	900780	100
<b>02/23/2026 01:00 PM US/Eastern</b>	900890	110
<b>02/23/2026 02:00 PM US/Eastern</b>	900990	100
<b>02/23/2026 03:00 PM US/Eastern</b>	901100	110
<b>02/23/2026 04:00 PM US/Eastern</b>	901200	100
<b>02/23/2026 05:00 PM US/Eastern</b>	901310	110
<b>02/23/2026 06:00 PM US/Eastern</b>	901410	100
<b>02/23/2026 07:00 PM US/Eastern</b>	901510	100
<b>02/23/2026 08:00 PM US/Eastern</b>	901630	120
<b>02/23/2026 09:00 PM US/Eastern</b>	901740	110
<b>02/23/2026 10:00 PM US/Eastern</b>	901840	100
<b>02/23/2026 11:00 PM US/Eastern</b>	901940	100
<b>02/24/2026 12:00 AM US/Eastern</b>	902050	110
<b>02/24/2026 01:00 AM US/Eastern</b>	902150	100
<b>02/24/2026 02:00 AM US/Eastern</b>	902250	100
<b>02/24/2026 03:00 AM US/Eastern</b>	902360	110
<b>02/24/2026 04:00 AM US/Eastern</b>	902460	100
<b>02/24/2026 05:00 AM US/Eastern</b>	902570	110
<b>02/24/2026 06:00 AM US/Eastern</b>	902670	100
<b>02/24/2026 07:00 AM US/Eastern</b>	902780	110
<b>02/24/2026 08:00 AM US/Eastern</b>	902880	100
<b>02/24/2026 09:00 AM US/Eastern</b>	902980	100
<b>02/24/2026 10:00 AM US/Eastern</b>	903090	110
<b>02/24/2026 11:00 AM US/Eastern</b>	903190	100
<b>02/24/2026 12:00 PM US/Eastern</b>	903300	110

02/24/2026 01:00 PM US/Eastern	903400	100
02/24/2026 02:00 PM US/Eastern	903500	100
02/24/2026 03:00 PM US/Eastern	903610	110
02/24/2026 04:00 PM US/Eastern	903710	100
02/24/2026 05:00 PM US/Eastern	903820	110
02/24/2026 06:00 PM US/Eastern	903920	100
02/24/2026 07:00 PM US/Eastern	904020	100
02/24/2026 08:00 PM US/Eastern	904140	120
02/24/2026 09:00 PM US/Eastern	904250	110
02/24/2026 10:00 PM US/Eastern	904360	110
02/24/2026 11:00 PM US/Eastern	904460	100
02/25/2026 12:00 AM US/Eastern	904560	100
02/25/2026 01:00 AM US/Eastern	904670	110
02/25/2026 02:00 AM US/Eastern	904770	100
02/25/2026 03:00 AM US/Eastern	904880	110
02/25/2026 04:00 AM US/Eastern	904980	100
02/25/2026 05:00 AM US/Eastern	905090	110
02/25/2026 06:00 AM US/Eastern	905190	100
02/25/2026 07:00 AM US/Eastern	905300	110
02/25/2026 08:00 AM US/Eastern	905400	100
02/25/2026 09:00 AM US/Eastern	905510	110
02/25/2026 10:00 AM US/Eastern	905610	100
02/25/2026 11:00 AM US/Eastern	905720	110
02/25/2026 12:00 PM US/Eastern	905820	100
02/25/2026 01:00 PM US/Eastern	905930	110
02/25/2026 02:00 PM US/Eastern	906030	100
02/25/2026 03:00 PM US/Eastern	906140	110
02/25/2026 04:00 PM US/Eastern	906250	110
02/25/2026 05:00 PM US/Eastern	906350	100
02/25/2026 06:00 PM US/Eastern	906460	110
02/25/2026 07:00 PM US/Eastern	906560	100
02/25/2026 08:00 PM US/Eastern	906660	100

02/25/2026 09:00 PM US/Eastern	906780	120
02/25/2026 10:00 PM US/Eastern	906890	110
02/25/2026 11:00 PM US/Eastern	906990	100
02/26/2026 12:00 AM US/Eastern	907100	110
02/26/2026 01:00 AM US/Eastern	907200	100
02/26/2026 02:00 AM US/Eastern	907310	110
02/26/2026 03:00 AM US/Eastern	907410	100
02/26/2026 04:00 AM US/Eastern	907520	110
02/26/2026 05:00 AM US/Eastern	907620	100
02/26/2026 06:00 AM US/Eastern	907730	110
02/26/2026 07:00 AM US/Eastern	907830	100
02/26/2026 08:00 AM US/Eastern	907940	110
02/26/2026 09:00 AM US/Eastern	908040	100
02/26/2026 10:00 AM US/Eastern	908150	110
02/26/2026 11:00 AM US/Eastern	908250	100
02/26/2026 12:00 PM US/Eastern	908360	110
02/26/2026 01:00 PM US/Eastern	908460	100
02/26/2026 02:00 PM US/Eastern	908570	110
02/26/2026 03:00 PM US/Eastern	908670	100
02/26/2026 04:00 PM US/Eastern	908770	100
02/26/2026 05:00 PM US/Eastern	908880	110
02/26/2026 06:00 PM US/Eastern	908980	100
02/26/2026 07:00 PM US/Eastern	909090	110
02/26/2026 08:00 PM US/Eastern	909230	140
02/26/2026 09:00 PM US/Eastern	909340	110
02/26/2026 10:00 PM US/Eastern	909440	100
02/26/2026 11:00 PM US/Eastern	909550	110
02/27/2026 12:00 AM US/Eastern	909660	110
02/27/2026 01:00 AM US/Eastern	909760	100
02/27/2026 02:00 AM US/Eastern	909870	110
02/27/2026 03:00 AM US/Eastern	909970	100
02/27/2026 04:00 AM US/Eastern	910080	110

<b>02/27/2026 05:00 AM US/Eastern</b>	910190	110
<b>02/27/2026 06:00 AM US/Eastern</b>	910290	100
<b>02/27/2026 07:00 AM US/Eastern</b>	910400	110
<b>02/27/2026 08:00 AM US/Eastern</b>	910520	120
<b>02/27/2026 09:00 AM US/Eastern</b>	910620	100
<b>02/27/2026 10:00 AM US/Eastern</b>	910730	110
<b>02/27/2026 11:00 AM US/Eastern</b>	910830	100
<b>02/27/2026 12:00 PM US/Eastern</b>	910930	100
<b>02/27/2026 01:00 PM US/Eastern</b>	911040	110
<b>02/27/2026 02:00 PM US/Eastern</b>	911140	100
<b>02/27/2026 03:00 PM US/Eastern</b>	911250	110
<b>02/27/2026 04:00 PM US/Eastern</b>	911350	100
<b>02/27/2026 05:00 PM US/Eastern</b>	911460	110
<b>02/27/2026 06:00 PM US/Eastern</b>	911560	100
<b>02/27/2026 07:00 PM US/Eastern</b>	911680	120
<b>02/27/2026 08:00 PM US/Eastern</b>	911780	100
<b>02/27/2026 09:00 PM US/Eastern</b>	911890	110
<b>02/27/2026 10:00 PM US/Eastern</b>	911990	100
<b>02/27/2026 11:00 PM US/Eastern</b>	912090	100
<b>02/28/2026 12:00 AM US/Eastern</b>	912200	110
<b>02/28/2026 01:00 AM US/Eastern</b>	912300	100
<b>02/28/2026 02:00 AM US/Eastern</b>	912410	110
<b>02/28/2026 03:00 AM US/Eastern</b>	912510	100
<b>02/28/2026 04:00 AM US/Eastern</b>	912620	110
<b>02/28/2026 05:00 AM US/Eastern</b>	912720	100
<b>02/28/2026 06:00 AM US/Eastern</b>	912830	110
<b>02/28/2026 07:00 AM US/Eastern</b>	912930	100
<b>02/28/2026 08:00 AM US/Eastern</b>	913040	110
<b>02/28/2026 09:00 AM US/Eastern</b>	913140	100
<b>02/28/2026 10:00 AM US/Eastern</b>	913250	110
<b>02/28/2026 11:00 AM US/Eastern</b>	913350	100
<b>02/28/2026 12:00 PM US/Eastern</b>	913450	100

02/28/2026 01:00 PM US/Eastern	913560	110
02/28/2026 02:00 PM US/Eastern	913660	100
02/28/2026 03:00 PM US/Eastern	913770	110
02/28/2026 04:00 PM US/Eastern	913870	100
02/28/2026 05:00 PM US/Eastern	913980	110
02/28/2026 06:00 PM US/Eastern	914090	110
02/28/2026 07:00 PM US/Eastern	914190	100
02/28/2026 08:00 PM US/Eastern	914300	110
02/28/2026 09:00 PM US/Eastern	914450	150
02/28/2026 10:00 PM US/Eastern	914550	100
02/28/2026 11:00 PM US/Eastern	914660	110
03/01/2026 12:00 AM US/Eastern	914770	110
03/01/2026 01:00 AM US/Eastern	914870	100
03/01/2026 02:00 AM US/Eastern	914980	110
03/01/2026 03:00 AM US/Eastern	915090	110
03/01/2026 04:00 AM US/Eastern	915190	100
03/01/2026 05:00 AM US/Eastern	915300	110
03/01/2026 06:00 AM US/Eastern	915410	110
03/01/2026 07:00 AM US/Eastern	915520	110
03/01/2026 08:00 AM US/Eastern	915620	100
03/01/2026 09:00 AM US/Eastern	915730	110
03/01/2026 10:00 AM US/Eastern	915830	100
03/01/2026 11:00 AM US/Eastern	915940	110
03/01/2026 12:00 PM US/Eastern	916040	100
03/01/2026 01:00 PM US/Eastern	916150	110
03/01/2026 02:00 PM US/Eastern	916250	100
03/01/2026 03:00 PM US/Eastern	916360	110
03/01/2026 04:00 PM US/Eastern	916460	100
03/01/2026 05:00 PM US/Eastern	916580	120
03/01/2026 06:00 PM US/Eastern	916690	110
03/01/2026 07:00 PM US/Eastern	916800	110
03/01/2026 08:00 PM US/Eastern	916900	100

<b>03/01/2026 09:00 PM US/Eastern</b>	917010	110
<b>03/01/2026 10:00 PM US/Eastern</b>	917110	100
<b>03/01/2026 11:00 PM US/Eastern</b>	917220	110
<b>03/02/2026 12:00 AM US/Eastern</b>	917320	100
<b>03/02/2026 01:00 AM US/Eastern</b>	917430	110
<b>03/02/2026 02:00 AM US/Eastern</b>	917540	110
<b>03/02/2026 03:00 AM US/Eastern</b>	917640	100
<b>03/02/2026 04:00 AM US/Eastern</b>	917750	110
<b>03/02/2026 05:00 AM US/Eastern</b>	917860	110
<b>03/02/2026 06:00 AM US/Eastern</b>	917960	100
<b>03/02/2026 07:00 AM US/Eastern</b>	918070	110
<b>03/02/2026 08:00 AM US/Eastern</b>	918180	110
<b>03/02/2026 09:00 AM US/Eastern</b>	918280	100
<b>03/02/2026 10:00 AM US/Eastern</b>	918390	110
<b>03/02/2026 11:00 AM US/Eastern</b>	918490	100
<b>03/02/2026 12:00 PM US/Eastern</b>	918600	110
<b>03/02/2026 01:00 PM US/Eastern</b>	918700	100
<b>03/02/2026 02:00 PM US/Eastern</b>	918810	110
<b>03/02/2026 03:00 PM US/Eastern</b>	918910	100
<b>03/02/2026 04:00 PM US/Eastern</b>	919020	110
<b>03/02/2026 05:00 PM US/Eastern</b>	919120	100
<b>03/02/2026 06:00 PM US/Eastern</b>	919230	110
<b>03/02/2026 07:00 PM US/Eastern</b>	919330	100
<b>03/02/2026 08:00 PM US/Eastern</b>	919480	150
<b>03/02/2026 09:00 PM US/Eastern</b>	919590	110
<b>03/02/2026 10:00 PM US/Eastern</b>	919690	100
<b>03/02/2026 11:00 PM US/Eastern</b>	919800	110
<b>03/03/2026 12:00 AM US/Eastern</b>	919910	110
<b>03/03/2026 01:00 AM US/Eastern</b>	920010	100
<b>03/03/2026 02:00 AM US/Eastern</b>	920120	110
<b>03/03/2026 03:00 AM US/Eastern</b>	920230	110
<b>03/03/2026 04:00 AM US/Eastern</b>	920330	100

03/03/2026 05:00 AM US/Eastern	920440	110
03/03/2026 06:00 AM US/Eastern	920550	110
03/03/2026 07:00 AM US/Eastern	920650	100
03/03/2026 08:00 AM US/Eastern	920760	110
03/03/2026 09:00 AM US/Eastern	920860	100
03/03/2026 10:00 AM US/Eastern	920970	110
03/03/2026 11:00 AM US/Eastern	921070	100
03/03/2026 12:00 PM US/Eastern	921180	110
03/03/2026 01:00 PM US/Eastern	921290	110
03/03/2026 02:00 PM US/Eastern	921390	100
03/03/2026 03:00 PM US/Eastern	921500	110
03/03/2026 04:00 PM US/Eastern	921600	100
03/03/2026 05:00 PM US/Eastern	921710	110
03/03/2026 06:00 PM US/Eastern	921810	100
03/03/2026 07:00 PM US/Eastern	921920	110
03/03/2026 08:00 PM US/Eastern	922030	110
03/03/2026 09:00 PM US/Eastern	922150	120
03/03/2026 10:00 PM US/Eastern	922260	110
03/03/2026 11:00 PM US/Eastern	922370	110
03/04/2026 12:00 AM US/Eastern	922470	100
03/04/2026 01:00 AM US/Eastern	922580	110
03/04/2026 02:00 AM US/Eastern	922690	110
03/04/2026 03:00 AM US/Eastern	922790	100
03/04/2026 04:00 AM US/Eastern	922900	110
03/04/2026 05:00 AM US/Eastern	923000	100
03/04/2026 06:00 AM US/Eastern	923110	110
03/04/2026 07:00 AM US/Eastern	923220	110
03/04/2026 08:00 AM US/Eastern	923330	110
03/04/2026 09:00 AM US/Eastern	923440	110
03/04/2026 10:00 AM US/Eastern	923550	110
03/04/2026 11:00 AM US/Eastern	923660	110
03/04/2026 12:00 PM US/Eastern	923760	100

<b>03/04/2026 01:00 PM US/Eastern</b>	923870	110
<b>03/04/2026 02:00 PM US/Eastern</b>	923970	100
<b>03/04/2026 03:00 PM US/Eastern</b>	924080	110
<b>03/04/2026 04:00 PM US/Eastern</b>	924190	110
<b>03/04/2026 05:00 PM US/Eastern</b>	924290	100
<b>03/04/2026 06:00 PM US/Eastern</b>	924400	110
<b>03/04/2026 07:00 PM US/Eastern</b>	924500	100
<b>03/04/2026 08:00 PM US/Eastern</b>	924610	110
<b>03/04/2026 09:00 PM US/Eastern</b>	924720	110
<b>03/04/2026 10:00 PM US/Eastern</b>	924820	100
<b>03/04/2026 11:00 PM US/Eastern</b>	924930	110
<b>03/05/2026 12:00 AM US/Eastern</b>	925030	100
<b>03/05/2026 01:00 AM US/Eastern</b>	925140	110
<b>03/05/2026 02:00 AM US/Eastern</b>	925250	110
<b>03/05/2026 03:00 AM US/Eastern</b>	925360	110
<b>03/05/2026 04:00 AM US/Eastern</b>	925470	110
<b>03/05/2026 05:00 AM US/Eastern</b>	925570	100
<b>03/05/2026 06:00 AM US/Eastern</b>	925680	110
<b>03/05/2026 07:00 AM US/Eastern</b>	925780	100
<b>03/05/2026 08:00 AM US/Eastern</b>	925890	110
<b>03/05/2026 09:00 AM US/Eastern</b>	925990	100
<b>03/05/2026 10:00 AM US/Eastern</b>	926100	110
<b>03/05/2026 11:00 AM US/Eastern</b>	926210	110
<b>03/05/2026 12:00 PM US/Eastern</b>	926310	100
<b>03/05/2026 01:00 PM US/Eastern</b>	926420	110
<b>03/05/2026 02:00 PM US/Eastern</b>	926530	110
<b>03/05/2026 03:00 PM US/Eastern</b>	926630	100
<b>03/05/2026 04:00 PM US/Eastern</b>	926740	110
<b>03/05/2026 05:00 PM US/Eastern</b>	926840	100
<b>03/05/2026 06:00 PM US/Eastern</b>	926950	110
<b>03/05/2026 07:00 PM US/Eastern</b>	927060	110
<b>03/05/2026 08:00 PM US/Eastern</b>	927160	100

03/05/2026 09:00 PM US/Eastern	927270	110
03/05/2026 10:00 PM US/Eastern	927370	100
03/05/2026 11:00 PM US/Eastern	927480	110
03/06/2026 12:00 AM US/Eastern	927580	100
03/06/2026 01:00 AM US/Eastern	927690	110
03/06/2026 02:00 AM US/Eastern	927790	100
03/06/2026 03:00 AM US/Eastern	927910	120
03/06/2026 04:00 AM US/Eastern	928010	100
03/06/2026 05:00 AM US/Eastern	928120	110
03/06/2026 06:00 AM US/Eastern	928220	100
03/06/2026 07:00 AM US/Eastern	928330	110
03/06/2026 08:00 AM US/Eastern	928430	100
03/06/2026 09:00 AM US/Eastern	928540	110
03/06/2026 10:00 AM US/Eastern	928640	100
03/06/2026 11:00 AM US/Eastern	928750	110
03/06/2026 12:00 PM US/Eastern	928860	110
03/06/2026 01:00 PM US/Eastern	928960	100
03/06/2026 02:00 PM US/Eastern	929070	110
03/06/2026 03:00 PM US/Eastern	929200	130
03/06/2026 04:00 PM US/Eastern	929310	110
03/06/2026 05:00 PM US/Eastern	929430	120
03/06/2026 06:00 PM US/Eastern	929540	110
03/06/2026 07:00 PM US/Eastern	929660	120
03/06/2026 08:00 PM US/Eastern	929780	120
03/06/2026 09:00 PM US/Eastern	929880	100
03/06/2026 10:00 PM US/Eastern	929990	110
03/06/2026 11:00 PM US/Eastern	930110	120
03/07/2026 12:00 AM US/Eastern	930210	100
03/07/2026 01:00 AM US/Eastern	930320	110
03/07/2026 02:00 AM US/Eastern	930420	100
03/07/2026 03:00 AM US/Eastern	930530	110
03/07/2026 04:00 AM US/Eastern	930630	100

03/07/2026 05:00 AM US/Eastern	930740	110
03/07/2026 06:00 AM US/Eastern	930860	120
03/07/2026 07:00 AM US/Eastern	930970	110
03/07/2026 08:00 AM US/Eastern	931070	100
03/07/2026 09:00 AM US/Eastern	931170	100
03/07/2026 10:00 AM US/Eastern	931280	110
03/07/2026 11:00 AM US/Eastern	931410	130
03/07/2026 12:00 PM US/Eastern	931510	100
03/07/2026 01:00 PM US/Eastern	931610	100
03/07/2026 02:00 PM US/Eastern	931720	110
03/07/2026 03:00 PM US/Eastern	931820	100
03/07/2026 04:00 PM US/Eastern	931920	100
03/07/2026 05:00 PM US/Eastern	932030	110
03/07/2026 06:00 PM US/Eastern	932130	100
03/07/2026 07:00 PM US/Eastern	932230	100
03/07/2026 08:00 PM US/Eastern	932340	110
03/07/2026 09:00 PM US/Eastern	932440	100
03/07/2026 10:00 PM US/Eastern	932540	100
03/07/2026 11:00 PM US/Eastern	932650	110
03/08/2026 12:00 AM US/Eastern	932750	100
03/08/2026 01:00 AM US/Eastern	932850	100
03/08/2026 03:00 AM US/Eastern	932960	110
03/08/2026 04:00 AM US/Eastern	933060	100
03/08/2026 05:00 AM US/Eastern	933170	110
03/08/2026 06:00 AM US/Eastern	933270	100
03/08/2026 07:00 AM US/Eastern	933380	110
03/08/2026 08:00 AM US/Eastern	933480	100
03/08/2026 09:00 AM US/Eastern	933610	130
03/08/2026 10:00 AM US/Eastern	933720	110
03/08/2026 11:00 AM US/Eastern	933820	100
03/08/2026 12:00 PM US/Eastern	933920	100
03/08/2026 01:00 PM US/Eastern	934020	100

03/08/2026 02:00 PM US/Eastern	934130	110
03/08/2026 03:00 PM US/Eastern	934230	100
03/08/2026 04:00 PM US/Eastern	934330	100
03/08/2026 05:00 PM US/Eastern	934440	110
03/08/2026 06:00 PM US/Eastern	934540	100
03/08/2026 07:00 PM US/Eastern	934640	100
03/08/2026 08:00 PM US/Eastern	934760	120
03/08/2026 09:00 PM US/Eastern	934860	100
03/08/2026 10:00 PM US/Eastern	934970	110
03/08/2026 11:00 PM US/Eastern	935070	100
03/09/2026 12:00 AM US/Eastern	935170	100
03/09/2026 01:00 AM US/Eastern	935280	110
03/09/2026 02:00 AM US/Eastern	935380	100
03/09/2026 03:00 AM US/Eastern	935480	100
03/09/2026 04:00 AM US/Eastern	935590	110
03/09/2026 05:00 AM US/Eastern	935690	100
03/09/2026 06:00 AM US/Eastern	935790	100
03/09/2026 07:00 AM US/Eastern	935890	100
03/09/2026 08:00 AM US/Eastern	936000	110
03/09/2026 09:00 AM US/Eastern	936100	100
03/09/2026 10:00 AM US/Eastern	936210	110
03/09/2026 11:00 AM US/Eastern	936310	100
03/09/2026 12:00 PM US/Eastern	936410	100
03/09/2026 01:00 PM US/Eastern	936510	100
03/09/2026 02:00 PM US/Eastern	936620	110
03/09/2026 03:00 PM US/Eastern	936720	100
03/09/2026 04:00 PM US/Eastern	936830	110
03/09/2026 05:00 PM US/Eastern	936930	100
03/09/2026 06:00 PM US/Eastern	937060	130
03/09/2026 07:00 PM US/Eastern	937180	120
03/09/2026 08:00 PM US/Eastern	937280	100
03/09/2026 09:00 PM US/Eastern	937380	100

03/09/2026 10:00 PM US/Eastern	937490	110
03/09/2026 11:00 PM US/Eastern	937590	100
03/10/2026 12:00 AM US/Eastern	937690	100
03/10/2026 01:00 AM US/Eastern	937800	110
03/10/2026 02:00 AM US/Eastern	937900	100
03/10/2026 03:00 AM US/Eastern	938010	110
03/10/2026 04:00 AM US/Eastern	938110	100
03/10/2026 05:00 AM US/Eastern	938220	110
03/10/2026 06:00 AM US/Eastern	938320	100
03/10/2026 07:00 AM US/Eastern	938430	110
03/10/2026 08:00 AM US/Eastern	938540	110
03/10/2026 09:00 AM US/Eastern	938650	110
03/10/2026 10:00 AM US/Eastern	938750	100
03/10/2026 11:00 AM US/Eastern	938860	110
03/10/2026 12:00 PM US/Eastern	938960	100
03/10/2026 01:00 PM US/Eastern	939060	100
03/10/2026 02:00 PM US/Eastern	939170	110
03/10/2026 03:00 PM US/Eastern	939270	100
03/10/2026 04:00 PM US/Eastern	939380	110
03/10/2026 05:00 PM US/Eastern	939480	100
03/10/2026 06:00 PM US/Eastern	939590	110
03/10/2026 07:00 PM US/Eastern	939690	100
03/10/2026 08:00 PM US/Eastern	939790	100
03/10/2026 09:00 PM US/Eastern	939900	110
03/10/2026 10:00 PM US/Eastern	940000	100
03/10/2026 11:00 PM US/Eastern	940110	110
03/11/2026 12:00 AM US/Eastern	940210	100
03/11/2026 01:00 AM US/Eastern	940310	100
03/11/2026 02:00 AM US/Eastern	940420	110
03/11/2026 03:00 AM US/Eastern	940530	110
03/11/2026 04:00 AM US/Eastern	940640	110
03/11/2026 05:00 AM US/Eastern	940740	100

03/11/2026 06:00 AM US/Eastern	940850	110
03/11/2026 07:00 AM US/Eastern	940960	110
03/11/2026 08:00 AM US/Eastern	941060	100
03/11/2026 09:00 AM US/Eastern	941160	100
03/11/2026 10:00 AM US/Eastern	941270	110
03/11/2026 11:00 AM US/Eastern	941360	90
03/11/2026 12:00 PM US/Eastern	941370	10
03/11/2026 01:00 PM US/Eastern	941370	0
03/11/2026 02:00 PM US/Eastern	941370	0
03/11/2026 03:00 PM US/Eastern	941370	0
03/11/2026 04:00 PM US/Eastern	941380	10
03/11/2026 05:00 PM US/Eastern	941380	0
03/11/2026 06:00 PM US/Eastern	941380	0
03/11/2026 07:00 PM US/Eastern	941390	10
03/11/2026 08:00 PM US/Eastern	941410	20
03/11/2026 09:00 PM US/Eastern	941410	0
03/11/2026 10:00 PM US/Eastern	941410	0
03/11/2026 11:00 PM US/Eastern	941410	0
03/12/2026 12:00 AM US/Eastern	941410	0
03/12/2026 01:00 AM US/Eastern	941410	0
03/12/2026 02:00 AM US/Eastern	941410	0
03/12/2026 03:00 AM US/Eastern	941410	0
03/12/2026 04:00 AM US/Eastern	941410	0
03/12/2026 05:00 AM US/Eastern	941410	0
03/12/2026 06:00 AM US/Eastern	941410	0
03/12/2026 07:00 AM US/Eastern	941420	10
03/12/2026 08:00 AM US/Eastern	941420	0
03/12/2026 09:00 AM US/Eastern	941420	0
03/12/2026 10:00 AM US/Eastern	941420	0
03/12/2026 11:00 AM US/Eastern	941420	0
03/12/2026 12:00 PM US/Eastern	941420	0
03/12/2026 01:00 PM US/Eastern	941420	0

\* This is when the plumb arrived and took the to off the meter.



03/12/2026 02:00 PM US/Eastern	941420	0
03/12/2026 03:00 PM US/Eastern	941420	0
03/12/2026 04:00 PM US/Eastern	941420	0
03/12/2026 05:00 PM US/Eastern	941430	10
03/12/2026 06:00 PM US/Eastern	941430	0
03/12/2026 07:00 PM US/Eastern	941430	0
03/12/2026 08:00 PM US/Eastern	941440	10
03/12/2026 09:00 PM US/Eastern	941470	30
03/12/2026 10:00 PM US/Eastern	941470	0
03/12/2026 11:00 PM US/Eastern	941470	0
03/13/2026 12:00 AM US/Eastern	941470	0
03/13/2026 01:00 AM US/Eastern	941470	0
03/13/2026 02:00 AM US/Eastern	941470	0
03/13/2026 03:00 AM US/Eastern	941470	0
03/13/2026 04:00 AM US/Eastern	941470	0
03/13/2026 05:00 AM US/Eastern	941470	0
03/13/2026 06:00 AM US/Eastern	941470	0
03/13/2026 07:00 AM US/Eastern	941470	0
03/13/2026 08:00 AM US/Eastern	941470	0
03/13/2026 09:00 AM US/Eastern	941480	10
03/13/2026 10:00 AM US/Eastern	941480	0
03/13/2026 11:00 AM US/Eastern	941480	0
03/13/2026 12:00 PM US/Eastern	941480	0
03/13/2026 01:00 PM US/Eastern	941480	0
03/13/2026 02:00 PM US/Eastern	941480	0
03/13/2026 03:00 PM US/Eastern	941480	0
03/13/2026 04:00 PM US/Eastern	941480	0
03/13/2026 05:00 PM US/Eastern	941480	0
03/13/2026 06:00 PM US/Eastern	941480	0
03/13/2026 07:00 PM US/Eastern	941480	0
03/13/2026 08:00 PM US/Eastern	941490	10
03/13/2026 09:00 PM US/Eastern	941490	0

03/13/2026 10:00 PM US/Eastern	941490	0
03/13/2026 11:00 PM US/Eastern	941490	0
03/14/2026 12:00 AM US/Eastern	941490	0
03/14/2026 01:00 AM US/Eastern	941490	0
03/14/2026 02:00 AM US/Eastern	941490	0
03/14/2026 03:00 AM US/Eastern	941490	0
03/14/2026 04:00 AM US/Eastern	941490	0
03/14/2026 05:00 AM US/Eastern	941490	0
03/14/2026 06:00 AM US/Eastern	941490	0
03/14/2026 07:00 AM US/Eastern	941490	0
03/14/2026 08:00 AM US/Eastern	941490	0
03/14/2026 09:00 AM US/Eastern	941490	0
03/14/2026 10:00 AM US/Eastern	941490	0
03/14/2026 11:00 AM US/Eastern	941490	0
03/14/2026 12:00 PM US/Eastern	941490	0
03/14/2026 01:00 PM US/Eastern	941500	10
03/14/2026 02:00 PM US/Eastern	941500	0
03/14/2026 03:00 PM US/Eastern	941500	0
03/14/2026 04:00 PM US/Eastern	941500	0
03/14/2026 05:00 PM US/Eastern	941500	0
03/14/2026 06:00 PM US/Eastern	941500	0
03/14/2026 07:00 PM US/Eastern	941500	0
03/14/2026 08:00 PM US/Eastern	941510	10
03/14/2026 09:00 PM US/Eastern	941520	10
03/14/2026 10:00 PM US/Eastern	941520	0
03/14/2026 11:00 PM US/Eastern	941520	0
03/15/2026 12:00 AM US/Eastern	941520	0
03/15/2026 01:00 AM US/Eastern	941520	0
03/15/2026 02:00 AM US/Eastern	941520	0
03/15/2026 03:00 AM US/Eastern	941520	0
03/15/2026 04:00 AM US/Eastern	941520	0
03/15/2026 05:00 AM US/Eastern	941520	0

03/15/2026 06:00 AM US/Eastern	941520	0
03/15/2026 07:00 AM US/Eastern	941530	10
03/15/2026 08:00 AM US/Eastern	941530	0
03/15/2026 09:00 AM US/Eastern	941530	0
03/15/2026 10:00 AM US/Eastern	941530	0
03/15/2026 11:00 AM US/Eastern	941530	0
03/15/2026 12:00 PM US/Eastern	941530	0
03/15/2026 01:00 PM US/Eastern	941530	0
03/15/2026 02:00 PM US/Eastern	941530	0
03/15/2026 03:00 PM US/Eastern	941540	10
03/15/2026 04:00 PM US/Eastern	941540	0
03/15/2026 05:00 PM US/Eastern	941540	0
03/15/2026 06:00 PM US/Eastern	941540	0
03/15/2026 07:00 PM US/Eastern	941550	10
03/15/2026 08:00 PM US/Eastern	941580	30
03/15/2026 09:00 PM US/Eastern	941580	0
03/15/2026 10:00 PM US/Eastern	941580	0
03/15/2026 11:00 PM US/Eastern	941580	0
03/16/2026 12:00 AM US/Eastern	941580	0
03/16/2026 01:00 AM US/Eastern	941580	0
03/16/2026 02:00 AM US/Eastern	941580	0
03/16/2026 03:00 AM US/Eastern	941580	0
03/16/2026 04:00 AM US/Eastern	941580	0
03/16/2026 05:00 AM US/Eastern	941580	0
03/16/2026 06:00 AM US/Eastern	941580	0
03/16/2026 07:00 AM US/Eastern	941580	0
03/16/2026 08:00 AM US/Eastern	941580	0

## Service List for 2026-00148

\* Meade County Water District  
1003 Armory Place  
P. O. Box 367  
Brandenburg, KY 40108

\* Kelley Jeans  
165 Diana Lane  
Vine Grove, KY 40175