

Andy Beshear  
Governor

Rebecca W. Goodman  
Secretary  
Energy and Environment Cabinet



Commonwealth of Kentucky  
**Public Service Commission**  
211 Sower Blvd.  
Frankfort, Kentucky 40601-8294  
Telephone: (502) 564-3940  
psc.ky.gov

Angie Hatton  
Chair

Mary Pat Regan  
Commissioner

Andrew W. Wood  
Commissioner

March 2, 2026

## PARTIES OF RECORD

RE: Case No. 2026-00059  
Beech Grove Water System, Inc.  
(Purchased Water Adjustment)

This letter is to acknowledge receipt of the notice of election of use of electronic filing procedures to file an application in the above case. The notice was date-stamped as received March 2, 2026, and has been assigned Case No. 2026-00059. Please reference this case number in all future correspondence or filings in connection with this case.

All documents submitted to the Commission in this proceeding must comply with the rules of procedure adopted by the Commission found in 807 KAR 5:001. Any deviation from these rules must be submitted in writing to the Commission for consideration. Additionally, confidential treatment of any material submitted must follow the requirements found in 807 KAR 5:001, Section 13.

Materials submitted to the Commission that do not comply with the rules of procedure or do not have an approved deviation are subject to rejection by the Commission pursuant to 807 KAR 5:001, Section 3. In order to ensure cases are processed in a timely manner and accurate reliable records are created, please make sure that the rules of procedure are followed. Should you have any questions, please contact Brian Thomas at 502-564-3940.

Sincerely,

A handwritten signature in blue ink that reads "Linda C. Bridwell".

Linda C. Bridwell, PE  
Executive Director

\*Beech Grove Water System, Inc.  
445 State Route 56 North  
Calhoun, KY 42327

\*Sheila Murphy  
Beech Grove Water System, Inc.  
445 State Route 56 North  
Calhoun, KY 42327

\*Jason Pennell  
Kentucky Rural Water Association  
Post Office Box 1424  
1151 Old Porter Pike  
Bowling Green, KY 42102-1424