

Linda, I'm putting this in an email, but mailing it to you.

2-21-13

We have had some progress in the installation of the AMR system. We have had a loss of field worker's and with that loss other's have had to take on day to day responsibilities of maintaining the company.

1

RECEIVED

FEB 25 2013

PUBLIC SERVICE  
COMMISSION

An update to the number of radio read meters in the ground:

Since September 2012 (which I believe is the last update we had) we've installed 114 meters, inclusive through January 2013.

We've also determined that any 2" radio read meter we put in the ground is not picking up the signal. All those, although not many, have to be manually read.

We're hopeful this project will get back on track ASAP.

COMMISSION

Sorry this took so long.

Are we off the 'spam' list yet?

If you need anything else, please let me know.

Jeanne Michaels

From: Faulkner, Linda (PSC) [mailto:Linda.Faulkner@ky.gov]  
Sent: Thursday, February 07, 2013 11:57 AM  
To: 'Jeanne Michaels (Madison County Utilities)'  
Subject: PSC Case No. 2009-00272



Hi Jeanne! Can you give me an update on the progress being made on the installation of the AMR system? This is a reminder that the final order states the following:

Madison District shall furnish documentation of the total costs of this project, including the cost of construction and all other capitalized costs (engineering, legal, administrative, etc.) within 60 days of the date that construction is substantially completed.

-

I remember that we have discussed this before and you explained the delays.

Please advise,

Thanks!

Linda Faulkner  
Filings Director  
Kentucky Public Service Commission  
502-564-3940

-----\_NextPart\_000\_001E\_01CE1040.5C05ABF0  
Content-Type: text/html;  
charset="us-ascii"  
Content-Transfer-Encoding: quoted-printable

```
<html xmlns:v=3D"urn:schemas-microsoft-com:vml" = xmlns:o=3D"urn:schemas-microsoft-
com:office:office" = xmlns:w=3D"urn:schemas-microsoft-com:office:word" =
xmlns:m=3D"http://schemas.microsoft.com/office/2004/12/omml" =
xmlns=3D"http://www.w3.org/TR/REC-html40"><head><meta = http-equiv=3DContent-Type
content=3D"text/html; = charset=3Dus-ascii"><meta name=3DGenerator content=3D"Microsoft Word
12 = (filtered medium)"><style><!--
/* Font Definitions */
@font-face
    {font-family:"Cambria Math";
    panose-1:2 4 5 3 5 4 6 3 2 4;}
@font-face
    {font-family:Calibri;
    panose-1:2 15 5 2 2 2 4 3 2 4;}
@font-face
    {font-family:Tahoma;
    panose-1:2 11 6 4 3 5 4 4 2 4;}
@font-face
    {font-family:"Script MT Bold";
    panose-1:3 4 6 2 4 6 7 8 9 4;}
/* Style Definitions */
p.MsoNormal, li.MsoNormal, div.MsoNormal
    {margin:0in;
    margin-bottom:.0001pt;
    font-size:11.0pt;
    font-family:"Calibri","sans-serif";}
a:link, span.MsoHyperlink
    {mso-style-priority:99;
    color:blue;
    text-decoration:underline;}
a:visited, span.MsoHyperlinkFollowed
    {mso-style-priority:99;
    color:purple;
```