## CANNONSBURG WATER DISTRICT

1606 CANNONSBURG ROAD ASHLAND, KY 41102 606-928-9808 FAX# 606-928-4788 www.cannonsburgwater.com

**RECEIVED** 

JAN 16 2014

PUBLIC SERVICE COMMISSION

January 10, 2014

Mr. Jeff Derouen
Executive Director
Public Service Commission
PO Box 615
Frankfort, KY 40602

Re: Case No. 2011-00217

Water Loss Report

Dear Mr. Derouen:

Please find enclosed copy of our water loss for October, 2013.

If you have any further questions, please let me know.

mg RObulator

Danny R. Clarkson

Manager

**Enclosures** 

An Equal Opportunity Employer M/F/D

## Water Use Report

Water Utility:		Cannonsburg Water District			PWSID:	KY0100064		
For the M	onth of:	October	<del></del>		Year:	2013	RECE	EIVE
i oi die m	onai oi.	October			rear.	2013		
1	PRODUC	TION COST P	ER THOUSAND			\$0.00	JAN 1	6 2014
2	PURCHASE COST PER THOUSAND					\$0.00	PUBLICS	SECVINE
						GALLONS	COMMI	
	WATER P	RODUCED	PURCHASED					
3	Water Pro			\$0.00		0	0%	
4	Water Pur	chased		\$0.00		31,783,900	100%	
5			<b>TOTAL PRODU</b>	CED AND PU	RCHASED			
6			TOTAL COST	\$0.00				
_	WATER S						I	
7	Residentia					13,181,100		
8	Commerci	ial				3,802,400		
9	Industrial	! 01-!!				6,268,700		
10		ing Stations				100		
11 12	Wholesale		Motor Loop	@20/ asses D	00	C42.750		
12	Other Sale	es (explain) _	Meter Loss	@2% asper P	<u> </u>	643,758		
13				TOTAL WAT	TER SOLD	23,896,058	75.18%	
14			TO	TAL WATER N			24.82%	
		··—·		···	· · .		<u>_</u>	
		OWN OF WAT	ER USAGE					
15		atment Plant				25,000		
16		er Treatment F	Plant			0		
17	System Fi	_				1,359,000		
18		rtment Usage				8,000		
19	Other Usa	ge (explain) _				0	l	
20				TOTA	L USAGE	1,392,000		
21	WATER LOSS PERCENTAGE FO							
	BREAKD	OWN OF WA						
22	Tank Over					0		
23	Excavation					0		
24		Line Breaks				404,000		
25	Unknown I	Loss				6,091,842	19.17%	
26			TOTAL WATE			•		
27			COST OF WATE	K NOT SOLD	UK USEL	\$0.00		
1	PILINKNOW	MALL OSS" EL	OW RATE AND C	OST:		···············		
28		MILOSS FE	OH MAIL MID O		nown Loss'	6,091,842		
29	ł			_	nown Loss'			
30			A	Number of Day				
31			"Unknown Loss" p					
32				Loss" per Mir		•		
33				own Loss" Cos				
70			S.11110					