P.S.C. ELECTRIC NO. 9

	(DEMA		'F D.S.M.C. T ADJUSTMENT CLAUSE)	(Cont'd.)
RATE	. (Cont'd.)			
5.	The DSM adjust along with all the		o justify the amount of the adjust	e it is scheduled to go into effect, stments, which shall include data, a
6.	Copies of all documents required to be filed with the Commission under this regulation shall be open and made available for public inspection at the office of the Public Service Commission pursuant to the provisions of KRS 61.870 to 61.884.			
7.	The resulting rang Management Pla		er KWH during the three-year H	Experimental Demand-Side
			CUSTOMER SECTOR	
		RESIDENTIAL (\$ Per KWH)	COMMERCIAL (\$ Per KWH)	INDUSTRIAL*
	Floor Factor Ceiling Factor		0.000258 0.001392	- 0 - - 0 -
. 8.	The DSM Adjust Item 7 above is a		WH) for each customer sector w	hich fall within the range defined
		<u>_</u>	USTOMER SECTOR	
		RESIDENTIAL	COMMERCIAL	INDUSTRIAL*
	<u>DSM (c)</u> S (c)	2,248,535 1,048,268,000	573,785 695,497,200	- 0 - - 0 -
	Adjustment F	actor \$ 0.002145	\$ 0.000825	- 0
* The Indus	trial Sector has been	discontinued pursuant to the	Commission's Order dated Sep	otember 28, 1999 CANCEL
PROGR	RAM DESCRIPTIC	<u>DNS</u> .		JUL 2 4 2
The D.	S.M.C. program ava	ilability, program, rate, and	equipment descriptions follow:	KENTUCKY PL SERVICE COMM
			PUBL	KENTUCKY
		(Cont'd on Sheet No.	22-3)	JEFF R. DEROUEN EXECUTIVE DIRECTOR
				TARIFF BRANCH
		FFFECTIVE	ATE Service rendered on and	a Runt Kinkley
E OF ISSUE	June 28, 2013			Many Income