

Louisville Gas and Electric Company

P.S.C. Electric No. 13, Second Revision of Original Sheet No. 36
 Canceling P.S.C. Electric No. 13, First Revision of Original Sheet No. 36

Standard Rate

RLS
Restricted Lighting Service

APPLICABLE

In all territory served.

AVAILABILITY

Availability is restricted to those lighting fixtures/poles in service as of July 1, 2021. Spot replacements will not be available for High Pressure Sodium, Metal Halide, Mercury Vapor and Incandescent rate codes.

In the event restricted fixtures/poles fail, Customer will be given the choice of having Company remove the failed fixture/pole or having Company replace the failed fixture/pole with comparable LED fixture/pole.

Units marked with an asterisk (*) are not available for use in residential neighborhoods except by municipal authorities.

OVERHEAD SERVICE

Based on Customer's lighting choice, Company has furnished, installed, and maintained the lighting unit complete with lamp, fixture, photoelectric control, mast arm, and, if needed, up to 150 feet of conductor per fixture on existing wood poles (fixture only).

RATE	Type of Fixture	Approximate Lumens	kW Per Light	Monthly Charge		
				Fixture Only	Fixture & Wood Pole	Fixture & Orn. Pole
Mercury Vapor						
252	Cobra/Open Bottom	8,000	0.210	\$11.61		
203	Cobra Head	13,000	0.298	13.14		
204	Cobra Head	25,000	0.462	16.05		
209	Cobra Head	60,000*	1.180	32.37		
207	Directional	25,000	0.462	\$18.28		
210	Directional	60,000*	1.180	33.67		
201	Open Bottom	4,000	0.100	\$10.10		
Metal Halide						
470/471	Directional	12,000	0.150	\$15.95	\$18.83	
474/475	Directional	32,000*	0.350		24.44	\$32.45
476/477	Directional	107,800*	1.080	45.85	49.28	
473	Directional	32,000*	0.350	21.98		

CANCELLED
 June 1, 2024
KENTUCKY PUBLIC SERVICE COMMISSION

DATE OF ISSUE: December 17, 2021
DATE EFFECTIVE: With Service Rendered
 On and After December 6, 2021
ISSUED BY: /s/ Robert M. Conroy, Vice President
 State Regulation and Rates
 Louisville, Kentucky

KENTUCKY PUBLIC SERVICE COMMISSION
Linda C. Bridwell
 Executive Director

EFFECTIVE 12/6/2021
PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Issued by Authority of an Order of the Public Service Commission in Case No. 2020-00350 dated December 6, 2021 and amended on December 8, 2021

Louisville Gas and Electric Company

P.S.C. Electric No. 13, Second Revision of Original Sheet No. 36.1
 Canceling P.S.C. Electric No. 13, First Revision of Original Sheet No. 36.1

Standard Rate

RLS Restricted Lighting Service

RATE (continued) Rate Code	Type of Fixture	Approximate Lumens	kW Per Light	Monthly Charge		
				Fixture Only	Fixture & Wood Pole	Fixture & Orn. Pole
High Pressure Sodium						
452	Cobra Head	16,000	0.181	\$15.43		
453	Cobra Head	28,500	0.294	17.95		
454	Cobra Head	50,000*	0.471	20.41		
455	Directional	16,000	0.181	\$16.46		
456	Directional	50,000*	0.471	21.30		
457	Open Bottom	9,500	0.117	\$13.72		

CANCELLED

June 1, 2024

KENTUCKY PUBLIC SERVICE COMMISSION

UNDERGROUND SERVICE

Based on Customer's lighting choice, Company has furnished, installed, and maintained the lighting unit complete with lamp, fixture, photoelectric control, mast arm, and, if needed, up to 200 feet of conductor per fixture on appropriate poles.

RATE Rate Code	Type of Fixture	Approximate Lumens	kW Per Light	Monthly Charge		
				Fixture Only	Decorative Smooth	Fluted Pole
High Pressure Sodium						
275	Cobra/Contemporary	16,000	0.181		\$29.58	
266	Cobra/Contemporary	28,500	0.294		32.43	
267	Cobra Contemporary	50,000*	0.471		36.95	
276	Coach/Acorn	5,800	0.083		17.98	
274	Coach/Acorn	9,500	0.117		21.36	
277	Coach/Acorn	16,000	0.181		26.06	
279/278	Contemporary	120,000*	1.000	\$50.41	83.76	I/I
417	Acorn, Bronze	9,500	0.117		28.82	
419	Acorn, Bronze	16,000	0.180		30.09	
280	Victorian	5,800	0.083	\$24.41		
281	Victorian	9,500	0.117	24.87		
282	London	5,800	0.083	23.99		
283	London	9,500	0.117	25.41		
426/427	London	5,800	0.083		\$38.62	\$40.77 I/I
428/429	London	9,500	0.117		39.55	40.73 I/I
430/431	Victorian	5,800	0.083		37.57	38.31 I/I
432/433	Victorian	9,500	0.117		39.82	42.98 I/I

DATE OF ISSUE: December 17, 2021

DATE EFFECTIVE: With Service Rendered
On and After December 6, 2021

ISSUED BY: /s/ Robert M. Conroy, Vice President
State Regulation and Rates
Louisville, Kentucky

Issued by Authority of an Order of the
Public Service Commission in Case No.
2020-00350 dated December 6, 2021 and amended on December 8, 2021

KENTUCKY PUBLIC SERVICE COMMISSION

Linda C. Bridwell
Executive Director



EFFECTIVE
12/6/2021
PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Louisville Gas and Electric Company

P.S.C. Electric No. 13, Second Revision of Original Sheet No. 36.2
 Canceling P.S.C. Electric No. 13, First Revision of Original Sheet No. 36.2


Standard Rate

RLS Restricted Lighting Service

UNDERGROUND SERVICE (continued)

RATE	Type of Fixture	Approximate Lumens	kW Per Light	Monthly Charge		
				Fixture Only	Decorative Smooth	
High Pressure Sodium (continued)						
412	Colonial, 4-Sided	5,800	0.083		\$23.86	
413	Colonial, 4-Sided	9,500	0.117		24.60	
444	Colonial, 4-Sided	16,000	0.181		24.48	
415	Acorn	5,800	0.083		24.29	
416	Acorn	9,500	0.117		26.88	
445	Acorn	16,000	0.181		26.62	
400	Dark Sky	4,000	0.060		28.37	
401	Dark Sky	9,500	0.117		28.76	
423	Cobra Head	16,000	0.181		31.22	
424	Cobra Head	28,500	0.294		33.67	
425	Cobra Head	50,000*	0.471		39.88	
439/420	Contemporary	16,000	0.181	\$19.33	35.18	
440/421	Contemporary	28,500*	0.294	21.39	37.92	/
441/422	Contemporary	50,000*	0.471	25.70	43.96	/
Mercury Vapor						
318	Cobra Head	8,000	0.210		\$20.21	
314	Cobra Head	13,000	0.298		22.74	
315	Cobra Head	25,000	0.462		26.43	
206	Coach	4,000	0.100		14.85	
208	Coach	8,000	0.210		16.72	
Metal Halide						
479/480	Contemporary	12,000	0.150	\$17.69	\$28.95	
483/484	Contemporary	107,800*	1.080	49.05	60.93	/
481/482	Contemporary	32,000*	0.350	23.90	35.81	/
Incandescent						
349	Continental Jr.	1,500	0.102		\$10.61	
348	Continental Jr.	6,000	0.447		15.04	
Victorian/London Bases						
950	Old Town				\$ 3.88	
951	Chesapeake				4.10	
956	Victorian/London (Westchester/Norfolk)				3.97	
Poles						
901	10' Smooth Pole				\$11.59	
902	10' Fluted Pole				13.84	

Where Customer's location required the installation of additional facilities, Company may have furnished the requested facilities at an additional charge as determined under the Excess Facilities Rider.



DATE OF ISSUE: December 17, 2021
DATE EFFECTIVE: With Service Rendered
 On and After December 6, 2021
ISSUED BY: /s/ Robert M. Conroy, Vice President
 State Regulation and Rates
 Louisville, Kentucky

**KENTUCKY
 PUBLIC SERVICE COMMISSION**

Linda C. Bridwell
 Executive Director

**EFFECTIVE
 12/6/2021**

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

**Issued by Authority of an Order of the
 Public Service Commission in Case No.
 2020-00350 dated December 6, 2021 and amended on December 8, 2021**