

SHELBY RURAL ELECTRIC COOPERATIVE CORPORATION

Shelbyville, Kentucky

DATE: February 25, 1988

AVERAGE UNDERGROUND COST DIFFERENTIAL

(Filed in compliance with Appendix to the Order to the Public Service Commission in Administrative Case Number 146, Dated February 2, 1973.

Average Cost differential of **UNDERGROUND PRIMARY** per foot** \$4.92

Average cost differential of **UNDERGROUND RESIDENTIAL SERVICE** per foot: \$3.27.

NOTE: (1) Above prices do not include rock removal or other procedures which may be taken to assure proper burial depth. If rock is encountered or other procedures are taken to insure proper depth, the actual additional cost shall apply.

(2) Underground service price applies to services with a maximum length of 150 feet. Longer service, if encountered, will be calculated on an individual basis.

JAN 1 1988

**Same as 1987 differential.

PURSUANT TO 307 KAR 5:011,
SECTION 9(1)

By: *[Signature]*
PUBLIC SERVICE COMMISSION MANAGER

No underground primary extensions were encountered in 1987 that were representative for calculating an average differential.

C 3-89

SHELBY RURAL ELECTRIC COOPERATIVE CORPORATION
Shelbyville, Kentucky

UNDERGROUND COST DIFFERENTIAL

Average Underground Service Extension Cost per Foot:	\$8.56
Average Overhead Service Extension Cost per Foot:	-5.29
	<hr/>
	\$3.27

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 1 1989

PURSUANT TO 307 KAR 5:011,
SECTION 9(1)

BY: Gene Miller
PUBLIC SERVICE COMMISSION MANAGER

C 3-89