

Form for Filing Rate Schedules

FOR: Area Formerly Served by the Monticello Electric Plant Board

SOUTH KENTUCKY R.E.C.C.  
SOMERSET, KY 42501

P.S.C. KY NO.  
Original Sheet NO

7  
T - 26

CLASSIFICATION OF SERVICE

Lighting Service

Schedule MEPB-Lighting

APPLICABLE: In Territory formerly served by the Monticello Electric Plant Board ("MEPB")

AVAILABILITY: Available only to the former customers of the Monticello Electric Plant Board served under the MEPB Outdoor Lighting Rate Schedule. This rate applies only to electric service used for outdoor lighting, street and park lighting systems, traffic signal systems, athletic field lighting installations.

TYPE OF SERVICE: Alternating current, single-phase, 60 hertz at available secondary voltage in the vicinity or agreed to by Distributor.

**PART A - Charges for Street and Park Lighting Systems, Traffic Signal Systems, and Athletic Field Lighting Installations**

C  
4/11/2008

I. Energy Charge per kWh \$ 0.04865

**II. Facility Charge** The annual facility charge shall be 4 percent of the installed cost to Distributor's electric system of the facilities devoted to street and park lighting service specified in this Part A. Such installed cost shall be recomputed on July of each year, or more often if substantial changes in the facilities are made. Each month, one-twelfth of the then total annual facility charge shall be billed to the customer. If any part of the facilities has not been provided at the electric system's expense or if the installed cost of any portion thereof is reflected on the books of another organization, the annual facility charge shall be adjusted to reflect properly the remaining costs to be borne by the electric system.

Traffic signal systems and athletic field lighting installations shall be provided, owned and maintained by and at the expense of the customer, except as Distributor may agree otherwise in accordance with the provisions of the paragraph next following in this section. The facilities necessary to provide service to such systems and installations shall be provided by and at the expense of Distributor's electric system, and the annual facility charge provided for first above I this shall apply to the installed cost of such facilities.

Date of Issue: January 9, 2008

Date Effective: January 1, 2008

Issued By: Allen Anderson  
Issued by authority of an order of the Public Service Commission of Kentucky  
No. 2007-00374 dated December 18, 2007

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
President & CEO  
1/1/2008  
PURSUANT TO 807 KAR 5:011  
SECTION 9 (1)  
By [Signature]  
Executive Director

Form for Filing Rate Schedules

FOR: Area Formerly Served by the Monticello Electric Plant Board

SOUTH KENTUCKY R.E.C.C.  
SOMERSET, KY 42501

P.S.C. KY NO.  
Original Sheet NO

7  
T - 26.1

CLASSIFICATION OF SERVICE

Lighting Service

Schedule MEPB-Lighting

When so authorized by policy adopted by Distributor's governing board, traffic signal systems and athletic field lighting installations may be provided, owned and maintained by Distributor's electric system for the customer's benefit. In such cases Distributor may required reimbursement from the customer for a portion of the initial installed cost of any such system or installation and shall require payment by the customer or a facility charge sufficient to cover all of Distributor's costs (except reimbursed costs), including appropriate overheads, or providing, owning, and maintaining such system or installation; provided that, for athletic field lighting installations, such facility chare shall in no chase be less than 12 percent per year of such costs. Said facility chare shall be in addition to the annual facility chare on the facilities necessary to provide service to such system or installation as provided for in the preceding paragraph. Replacement of lamps and related glassware for traffic signal systems and athletic field lighting installations provided under this paragraph shall be paid for under the provisions of paragraph A in Section in Section IV.

III. Customer Charge - Traffic Signal Systems and Athletic Field Lighting Installations

Distributor shall apply a uniform monthly customer chare of \$0 for service to each traffic signal system or athletic field lighting installation.

4/11/2008

IV. Replacement of Lamps and Related Glassware - Street and Park Lighting

Customer shall be billed and shall pay for replacements as provided in paragraph B below which shall be applied to all service for street and park lighting.

- A Distributor shall bill the customer monthly for such replacements during each month at Distributor's cost of materials, including appropriate storeroom expense.
- B Distributor shall be bill the customer monthly for one-twelfth of the amount by which Distributor's cost of materials, including appropriate storeroom expense, exceeds the product of 3 mills multiplied by the number of kilowatt-hours used for street and park lighting during the fiscal year immediately preceding the fiscal year in which such month occurs.

Date of Issue: January 9, 2008

Date Effective: January 1, 2008

Issued By:

Allen Anderson

Issued by authority of an order of the Public Service Commission of Kentucky in Case No. 2007-00374 dated December 18, 2007

PUBLIC SERVICE COMMISSION OF KENTUCKY President & CEO

EFFECTIVE 1/1/2008

PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

By

[Signature]

Executive Director

CLASSIFICATION OF SERVICE						
Lighting Service						Schedule MEPB-Lighting
<b><u>Metering</u></b>						
<p>For any billing month or part of a month in which the energy is not metered or for which a meter reading is found to be in error or a meter is found to have failed, the energy for billing purposes for that billing month or part of such month shall be computed from the rated capacity of the lamps (including ballast) plus 5 percent of such capacity to reflect secondary circuit losses, multiplied by the number of hours of use.</p>						
<b><u>PART B - Charges for Outdoor Lighting for Individual Customers</u></b>						
<u>Charges per Fixture per Month</u>						
	<u>Lamp Size</u>		<u>Rated</u>	<u>Facility</u>	<u>Energy</u>	<u>Monthly</u>
	<u>Watt</u>	<u>Lumen</u>	<u>kWh</u>	<u>Charge</u>	<u>Charge</u>	<u>Charge</u>
Mercury Vapor	175	7,650	70	\$ 1.85	\$ 3.41	\$ 5.26
Mercury Vapor	250	10,400	98	\$ 2.30	\$ 4.77	\$ 7.07
Mercury Vapor	400	19,100	155	\$ 3.07	\$ 7.54	\$ 10.61
High Pressure Sodium	100	8,550	42	\$ 3.22	\$ 2.04	\$ 5.26
High Pressure Sodium	150	14,400	63	\$ 3.34	\$ 3.06	\$ 6.40
High Pressure Sodium	200	18,900	82	\$ 3.71	\$ 3.99	\$ 7.70
High Pressure Sodium	250	24,750	105	\$ 3.87	\$ 5.11	\$ 8.98
<b>FLOOD LIGHTS</b>						
Mercury Vapor Flood	250	12,000	98	\$ 6.19	\$ 4.77	\$ 10.96
Mercury Vapor Flood	400	21,000	155	\$ 6.22	\$ 7.54	\$ 13.76
Mercury Vapor Flood	250	28,500	105	\$ 6.29	\$ 5.11	\$ 11.40

C  
4/11/2008

Date of Issue: January 9, 2008      Date Effective: January 1, 2008

Issued By: Allen Anderson  
 Issued by authority of an order of the Public Service Commission of Kentucky in Case  
 No. 2007-00374 dated December 18, 2007

President & CEO  
 PUBLIC SERVICE COMMISSION  
 OF KENTUCKY  
 EFFECTIVE  
 1/1/2008  
 PURSUANT TO 807 KAR 5:011  
 SECTION 9 (1)

By [Signature]  
 Executive Director