

Duke Energy Kentucky, Inc.  
4580 Olympic Blvd.  
Erlanger, Kentucky 41018

CANCELLED  
MAR 29 2019  
KENTUCKY PUBLIC  
SERVICE COMMISSION

KY.P.S.C. Gas No. 2  
First Revised Sheet No. 84  
Cancelling and Superseding  
Original Sheet No. 84  
Page 1 of 1

**RATE MPS  
METER PULSE SERVICE**

**APPLICABILITY**

Applicable to customers that request the Company to install gas meter pulse equipment, which is a meter related service not otherwise provided by the Company.

**DESCRIPTION OF SERVICE AND SPECIFICATIONS**

The service provided is an electronic pulse output, representing a pre-determined natural gas volume. The volume will vary at different meter installations, and will thus be communicated to the customer at the time of installation. Pressure and temperature correcting factors may need to be applied by the customer.

The pulse supplied does not represent rate of flow, only total volume and should not be used for control purposes. The end-use customer is responsible for providing power and communication links to the meter pulse equipment per the Company's specifications.

Customer must provide either a regulated 24 volts DC, or 120 volts AC, an area 2' x 2', 20' away from any gas pipeline flanges or gas pressure relief devices. The Company will supply a dry contact to their energy Management software.

A failure of the pulse initiator will not be detected by Company on any routine meter reading or during other operations. Therefore, customer will be required to recognize and report any problems with the pulse system, and Company shall not be responsible for incorrect data, or subsequent customer actions based upon the data.

**TYPE OF CHARGES**

Installation of Meter Pulse Equipment: \$500.00

If replacement of Meter Index is necessary, additional charge of: \$155.00

If replacement of the Gas Meter is necessary, charges will be determined based on then current prices for purchase and installation of applicable replacement meter.

If the Company is required to make additional visits to the meter site due to the inability to gain access to the meter location or the necessary Communication Link has not been installed, or the Communication Link is not working properly, the Company may charge the customer for any additional trip to the meter site at the per visit rate of: \$60.00

In addition, the Company shall charge for the cost of any incremental equipment necessary to complete the pulser installation.

**SERVICE REGULATIONS**

The supplying and billing for service and all conditions applying thereto, are subject to the jurisdiction of the Kentucky Public Service Commission, and to the Company's Service Regulations currently in effect, as filed with the Kentucky Public Service Commission.

Issued by authority of an Order of the Kentucky Public Service Commission dated 9/30/2010 in Case No. 2009-00202.

Issued: September 29, 2010

*Julie S. Janson*  
Issued by Julie Janson, President

KENTUCKY PUBLIC SERVICE COMMISSION
JEFF R. DEROUEN EXECUTIVE DIRECTOR
TARIFF BRANCH
<i>Brent Kirtley</i> EFFECTIVE
9/30/2010
PURSUANT TO 807 KAR 6:01 SECTION 9 (1) Effective: September 30, 2010