

WATER SHORTAGE RESPONSE PLAN
FOR
RATTLESNAKE RIDGE WATER DISTRICT

Section 1. Purpose. The purpose of this plan is to provide for the declaration of official phases of water supply shortages and the implementation of voluntary and mandatory water conservation measures throughout the Rattlesnake Ridge Water District in the event a shortage is declared.

Section 2. Definitions. These terms are applicable only for this plan unless specifically noted.

(a) "Customer" shall mean any person or entity using water for any purpose from the Rattlesnake Ridge Water District water distribution system and for which either a regular charge is made or, in the case of bulk sales, a cash charge is made at the site of delivery.

(b) "Raw Water Supplies" shall mean all water potentially available to persons in the Rattlesnake Ridge Water District.

(c) "Treated Water" shall mean water that has been introduced by the Rattlesnake Ridge Water District into it's water distribution system, including water offered for sale. Uses of treated water are classified as follows:

Essential Water Uses (Class 1):

The following uses of water, listed by site or user type are essential.

domestic:

- water necessary to sustain human life and the lives of domestic pets, and to maintain minimum standards of hygiene and sanitation.

Health Care Facilities:

- patient care and rehabilitation, including related filling and operation of swimming pools.

Water Hauling:

- sales of domestic use where not reasonably available elsewhere.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Public Use:

- firefighting,
- health and public protection purposes, if specifically approved by health officials.

Socially or Economically Important Uses (Class 2):

The following uses of water, listed by site or user type, are socially or economically important.

Domestic:

- personal, in-house water use including kitchen, bathroom, and laundry.

Water Hauling:

- non-domestic, when other sources are not reasonably available elsewhere.

Commercial and Civic Use:

- commercial car and truck washes,
- laundromats
- restaurants, clubs and eating places.
- schools, churches, motels/hotels and similar establishments.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 25 1996

PURSUANT TO 807 KAR 5.011.
SECTION 9 (1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Outdoor Non-Commercial Watering:

- minimal watering of vegetable gardens,
- minimal watering of tree where necessary to preserve them.

Outdoor Commercial or Public Watering (using conservation methods and when other sources of water are not available or feasible to use):

- agricultural irrigation for the production of food and fiber or the maintenance of livestock,
- watering by arboretums and public gardens of national, state, regional or community significance where necessary to preserve specimens,
- watering by commercial nurseries at a minimum level necessary to maintain stock,

- watering at a minimum rate necessary to establish or maintain revegetation or landscape plantings required pursuant to law or regulation,
- watering of woody plants where necessary to preserve them,
- minimal watering of golf course greens.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)

Recreational:

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

- operation of municipal swimming pools and residential pools that serve more than 25 dwelling units.

Air Conditioning:

- refilling for startup at the beginning of the cooling season,
- makeup of water during the cooling season,
- refilling specifically approved by health officials where the system has been drained for health protection or repair services.

Non-Essential Uses (Class 3):

Any waste of water, as defined herein, is non-essential. The following uses of water, listed by site or user type, are non-essential.

Public Use:

- use of fire hydrants (excluding Class 1 and Class 2 uses), including use of sprinkler caps, testing fire apparatus and fire department drills,
- flushing of sewers and hydrants except as needed to ensure public health and safety as approved by health officials.

Commercial and Civic Use:

- serving water in restaurants, clubs, or eating places, except by customer request,
- failure to repair a controllable leak,
- increasing water levels in scenic and recreational ponds and lakes, except for the minimum amount required to support fish and wildlife.

JAN 05 1996

Ornamental purposes:

- fountains, reflecting pools and artificial waterfalls.

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Outdoor Non-Commercial Watering:

- use of water for dirt control or compaction,
- watering of annual or non-woody plants, lawns, parks, golf course fairways, playing fields and other recreational areas,
- washing sidewalks, walkways, driveways, parking lots, tennis courts or other hard surface areas,
- washing down buildings or structures for purposes other than immediate fire protection,
- flushing gutters or permitting water to run or accumulate in any gutter or street.

Recreational uses other than those specified in Class 2.

Non-Commercial washing of motor and other vehicles.

Air conditioning (see also class 2 purposes):

- refilling cooling towers after draining.

(d) "Base Entitlement" shall mean the monthly usage for a customer during the same month of the preceding calendar year or the average per customer usage for each class of service during the same month of the preceding year.

(e) "Curtailed Entitlement" shall mean the monthly usage for a customer after any curtailment percentage has been applied.

(f) "Curtailment" shall mean the reduction in entitlement by some percentage to meet anticipated water shortages.

(g) Water Shortage Response Phases:

"Advisory" shall mean that conditions exist which indicate the potential for serious raw or treated water supply shortages.

JAN 25 1996

"Alert" shall mean the raw or treated water supplies are consistently below seasonal averages, and if they continue to decline, may not be adequate to meet normal need. PURSUANT TO 807 KAR 5.011, SECTION 9(1) BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

"Emergency" shall mean that raw or treated water supplies are below the level necessary to meet normal needs and that serious shortages exist in the area.

"Rationing" shall mean that procedures must be established to provide for the equitable distribution of critically limited raw or treated water supplies, in order to balance demand and limited available to preserve public health and safety.

Section 3. Applicability. The provisions of this plan shall apply to all retail and wholesale customers of the Rattlesnake Ridge Water District. When implemented, this plan becomes the Rattlesnake Ridge Water District Water Shortage Response Regulation.

Section 4. Entitlements. Entitlements shall be established for each customer by adjusting the base entitlement to reflect any known change in usage pattern.

Section 5. Determination of Water Shortage. Water supply and usage shall be monitored on a continuous basis. Unrestricted demand shall be projected from past records and adjusted for changes such as new developments and weather conditions on a regular basis. Water shortages generally occur for two reasons, a reduction in available supplies or a system failure. Each of these has a distinct influence on the nature and duration of the conservation program implemented. Official declaration of a water shortage stage and implementation of the measures necessary to curtail water use shall be approved by the Board of Commissioners.

Section 6. Term of Water Shortage Declaration. Any water shortage declaration shall remain in effect until water supplies of service conditions have returned to normal. A final determination as to terminating a water shortage declaration shall be made by the Board of Commissioners of Rattlesnake Ridge Water District.

Section 7. Water Shortage Stage, Criteria, Conservation and Curtailment Measures.

A. Advisory Stage:

(1) Criteria: A water advisory shall be

JAN 05 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)

declared when the amount of treated water or raw water available for treatment is projected to be up to 10% below demand, or there are periods of low water pressure in or more area of the distribution system due to system failure or inadequacies or the State Division of Water issues a Water Shortage Watch which includes the area from which the Rattlesnake Ridge Water District draws water. (Note: Additional conditions may be added based on local conditions.)

By Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

(2) Conservation and Curtailment Measures:

- (a) Declare a Water Shortage Advisory
- (b) Provide proper notice to all customers and to all local news media.
- (c) Eliminate all water leaks.
- (d) Request voluntary conservation of all non-essential (Class 3) water use.
- (e) Request wholesale customers also issue request for voluntary conservation by their customers of all non-essential (Class 3) water use.

B. Alert Stage:

(1) Criteria: A water alert shall be declared when the amount of treated water available is projected to be up to 15% below demand, or raw water supplies are consistently below seasonal averages and if they continue to decline, may not be adequate to meet normal needs. (Note: Additional conditions may be added based on local conditions.)

(2) Conservation and Curtailment Measures:

- (a) Declare Water Shortage Alert.
- (b) Provide proper notice to all customers and to all local news media.
- (c) Eliminate all water leaks.
- (d) Prohibit all non-essential (class 3) water uses.
- (e) Curtail Entitlements to all customers by the same percentage as the projected shortage.

- (f) Begin billing all customer water usage in excess of curtailed entitlement at the normal rate plus an excess usage charge of \$10.00 per 1,000 gallons.

C. Emergency Stage:

(1) Criteria: A Water Emergency shall be declared when the amount of treated water available is projected to be up to 25% below demand, or there are periods of no water in one or more areas of the distribution system due to lower water supply or raw water supplies below the level necessary to meet normal needs. (Note: Additional conditions may be added based on local conditions)

(2) Conservation and Curtailment Measures:

- (a) Declare Water Shortage Emergency
- (b) Provide proper notice to all customers and to all local news media.
- (c) Eliminate all water leaks
- (d) Prohibit all class 3 uses of water.
- (e) Prohibit all class 2 uses of water except domestic uses for kitchens, bathrooms and laundries.
- (f) Curtail all commercial and industrial entitlements (except health care facilities) by 100%.
- (g) Curtail residential entitlements by the same percentage as the projected shortage.
- (h) Curtail entitlements to all wholesale customers by the same percentage as the projected shortage.
- (i) Begin billing all customer water usage in excess of curtailed entitlement at the normal rate plus an excess usage charge of \$15.00 per 1,000 gallons.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 05 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

D. Rationing Stage:

(1) Criteria: Treated water available is greater than 35% below demand or raw water supplies are below the level necessary to meet essential needs, and in the opinion of Rattlesnake Ridge Water District, mandatory rationing is required to insure adequate water is available to maintain public health and safety.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

(2) Conservation and Curtailment Measures:

- (a) Declare Water Shortage Rationing.
- (b) Provide proper notice to all customers and to all local news media.
- (c) Eliminate all water leaks.
- (d) Prohibit all class 3 and class 2 uses of water.
- (e) Curtail all commercial and industrial entitlement (except health care facilities) by 100%.
- (f) Curtail all residential and wholesale entitlements by the same percentage as the projected shortage.
- (g) Begin Billing customer water usage in excess of curtailment entitlement at the normal rate plus an excess usage charge of \$20.00 per 1,000 gallons.

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)
BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Section 8. Enforcement of Water Restriction. Any person who violates the provisions of this plan, who fails to carry out the duties and responsibilities imposed by this plan or who impedes or interferes with any action undertaken or ordered pursuant to this plan shall be subject to the following:

- (a) If the utility official charged with implementation and enforcement of this plan learns of any violation of any water use restriction imposed, a written notice of the violation shall be affixed to the property where the violation occurred and mailed to the customer of record. Said notice shall describe the violation and order that it be corrected, cured, or abated immediately or within 48 hours.

- (b) The notice will inform the customer of his or her right to appeal by requesting a hearing before the utility's designee. If a hearing is requested by the customer, he or she shall be given full opportunity to be heard before termination. The governing body shall make findings of fact and decide whether service continue or terminate.
- (c) Any customer whose water service is terminated for violating provisions of this water curtailment plan shall be subject to the approved reconnection fee prior to reconnection of water service.
- (d) The excess usage charge billing provisions of this plan shall not be put in effect if a county or city ordinance containing penalty provisions is in effect to assist enforcement of this plan.

Section 9. Request for Exception.

- (a) Exception to water use restrictions: If compliance with any curtailment measure authorized herein would cause a customer to bear extraordinary hardship, that individual or entity may apply to the Rattlesnake Ridge Water District for an exception. For these purposes, "extraordinary hardship" shall be defined as a condition which may threaten health and safety, or cause property or economic losses, each of which must be shown to be substantially more severe than the sacrifices borne by other users. If extraordinary hardship is found to exist, then an exception shall be granted and a written waiver issued to the customer. If and appeal is made, water service shall be continued until a decision is announced. Any person aggrieved by the decision may file a complaint with the Public Service Commission.
- (b) Exception to curtailment surcharge: Exceptions to excess use charges shall not be considered or granted.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 05 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9(1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Section 10. Severability. If any provision of this plan is declared invalid by the courts, the remainder of the plan and its applicability to other persons and circumstances shall not be affected by that declaration.

Section 11. Effective Date. This plan shall take effect immediately upon approval by the Public Service Commission.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Jordan C. Neel
FOR THE PUBLIC SERVICE COMMISSION

SAMPLE PRESS RELEASE

CONTACT: _____

TELEPHONE: _____

(Community Name), Kentucky -- Due to the recent abnormally dry weather condition and little indication of significant rainfall in the foreseeable future, residents of _____ (community name) should begin conserving water, according to _____ (appropriate local official). For the month(s) of _____, Kentucky received only _____ percent of normal rainfall for the comparable period. The 30-day outlook from the National Weather Service calls for more abnormally dry weather (modify to reflect actual situation).

At this time, there is an immediate need to begin voluntary conservation measures by all those affected. According to officials at the state's Division of Water, consumers can cut water use by as much as 15 percent with very little difficulty or discomfort by using the following voluntary water conservation practices:

Toilets

- If you hear running water in your toilet tank, adjust the leaky float valve or replace the faulty hardware.
- Flush only when necessary.
- Don't use your toilet as a trash can.
- Install a water filled plastic jug in your toilet tank to reduce the water used per flush, without disturbing the flushing mechanism.
- Check for leaks by dropping a small amount of food coloring in the upper tank. If color appears in the bowl, you have a leak.

JAN 25 1996

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

Showers

- Take fewer and shorter showers.
- Take a "Navy-style" shower: 1) wet down, 2) turn water off, 3) lather, 4) rinse.
- Install flow restrictors, or water saving showerheads.

Sinks

- Eliminate leaks by replacing old gaskets. A dripping faucet can waste 3,600 gallons a year.
- Install faucet aerators and shut-off valves.
- Don't leave the water running while rinsing, shaving, or brushing teeth.
- For food preparation, fill sink and don't let water run.
- Don't let water run until it gets cold; instead keep a refrigerated supply for drinking.
- Don't use a garbage disposal.

Laundry and Dishwashers

- Use the "water-saver" setting or make sure your machine is set for the most efficient use.
- Only wash with full loads.

Gardening

- Hold your garden hose close to the roots of plants so that there's little waste and evaporative waste.
- Water slowly so that the soil soaks up all the water you use.
- Use bath water to water plants.
- Avoid watering during peak hours of evaporation and use (12 noon to 8 p.m.).
- Avoid watering on windy days.

Also Remember

- Don't let children play with the hose or sprinkler.
- Limit car washing. Use a bucket and a hose with a spray attachment for rinsing.

If everyone cooperates, the water usage in _____ (community name) can be cut significantly. If you have any questions or suggestions, please contact Rattlesnake Ridge Water District at (606) 474-7570.

c:\WPUB\SHORTAGE

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JAN 25 1996

PURSUANT TO 807 KAR 5011,
SECTION 9(1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION