

P.S.C. Ky. No.....

Cancels P.S.C. Ky. No.....

THE SOUTH SHORE WATER WORKS COMPANY

OF

SOUTH SHORE, KENTUCKY

Rates, Rules and Regulations for Furnishing  
Water Service

AT

South Shore and Service Area

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JAN 13 1986

PURSUANT TO 80 KAR 5:011,  
SECTION 9 (1)

BY: J. Deoghegan

Filed with PUBLIC SERVICE COMMISSION OF  
KENTUCKY

ISSUED.....January 13....., 19 86

EFFECTIVE.....January 13....., 19 86

ISSUED BY South Shore Water Works Co.  
(Name of Utility)

BY George J. Hannah  
President

C2-90

FORM FOR FILING RATE SCHEDULE

For South Shore and Area

P. S. C. No. \_\_\_\_\_

\_\_\_\_\_ Sheet NO. \_\_\_\_\_

SOUTH SHORE WATER WORKS COMPANY  
Name of Issuing Corporation

RATES: Monthly

First 1,000 Gallons	\$4.11	Minimum Bill
Next 9,000 Gallons	2.03	per 1,000 Gallons
Next 20,000 Gallons	1.70	per 1,000 Gallons
Next 20,000 Gallons	1.50	per 1,000 Gallons
Over 50,000 Gallons	1.11	per 1,000 Gallons
Hydrant Charge	5.50	

Surcharge: A surcharge of \$1.22 per customer per month shall remain in effect for a period of 18 months or until a total of \$42,498.00 has been collected.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY

JAN 27 1989

PURSUANT TO KRS 5:011,  
SECTION 9(1)

BY: Sharon A. Miller  
PUBLIC SERVICE COMMISSION MANAGER

Date of Issue: January 27, 1989

Date Effective: January 27, 1989

Issued by: [Signature]  
Name of Officer

Title: President

Issued by authority of an Order of the Public Service Commission of Kentucky  
In Case No. 10334 dated January 27, 1989

*28-90*

Form for filing Rate Schedule

For SOUTH SHORE and AREA

P. S. C. NO. \_\_\_\_\_

\_\_\_\_\_ SHEET NO. \_\_\_\_\_

SOUTH SHORE WATER WORKS COMPANY  
Name of Issuing Corporation

CANCELLING P.S.C. NO. \_\_\_\_\_

\_\_\_\_\_ SHEET NO. \_\_\_\_\_

CLASSIFICATION OF SERVICE

RATES: Monthly

<del>First</del>	<del>1,000 Gallons</del>	<del>\$4.03 Minimum Bill</del>
<del>Next</del>	<del>9,000 Gallons</del>	<del>1.99 Per 1,000 Gallons</del>
<del>Next</del>	<del>20,000 Gallons</del>	<del>1.67 Per 1,000 Gallons</del>
<del>Next</del>	<del>20,000 Gallons</del>	<del>1.47 Per 1,000 Gallons</del>
<del>Over</del>	<del>50,000 Gallons</del>	<del>1.10 Per 1,000 Gallons</del>

*C 2-89*

Fire Hydrant  
Maintenance Charge 5.50

Surcharge: A surcharge of \$1.22 per customer per month shall remain in effect for a period of 18 months or until a total of \$42,498 has been collected.

10% Late Penalty if paid after 16th of Month

Nonrecurring Charges

Return Check Fee	\$ 6.00
Reconnect Fee	10.00
New Account Charges	3.00
Meter Test Fee	11.50
Meter Transfer Charge	10.00
Service Call	7.50
Late Penalty	10% of amount

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUL 7 1988

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)

BY: George L. Miller  
PUBLIC SERVICE COMMISSION MANAGER

Date of Issue July 7, 1988 Date Effective July 7, 1988

Issued By: [Signature] President  
Name of Officer Title

Issued by authority of an Order of the Public Service

Commission of Kentucky in Case No. 10166 dated July 7, 1988.

*C 8-90*

Eng

South Shore Water Company

RULES & REGULATIONS

The following rules and regulations shall be applicable to use of public or private fire hydrants:

- (a) All public fire hydrants shall be furnished, installed and maintained by the company. Private fire hydrants shall be furnished, installed and maintained by the person desiring same.
- (b) Any expenses for repairs caused by the employees of the municipality or fire district will be paid for by the municipality or fire district.
- (c) The use of fire hydrants by persons other than employees of the company will be restricted to the taking of water for the extinguishing of fires or other emergency purposes only. Persons, other than employees of the company shall not, under any circumstances, take water from fire hydrants for any other purposes.
- (d) Inspection, test or flushing of fire hydrants will be performed periodically by employees of the company only. The municipality or fire district may request inspection, test or flushing of fire hydrants, after reasonable notice to the company, and such test, inspection or flushing shall be conducted by the company, in the presence of employees of the municipality or fire district, if so requested.
- (e) Whenever a change in location, size or type of a fire hydrant is ordered by the municipality or fire district, such change will be made by the company at the expense of the municipality or fire district.

**CHECKED**  
 FEB 4 1960  
 BY *hm*

Date of Issue: Jan. 26, 1960 Effective Date: Feb. 22, 1960

Issued By  
*James E. Hannah Pres*  
 James E. Hannah President  
 Name Title

FILED

FEB 2 1960  
 PUBLIC SERVICE COMMISSION  
 C-8-90

FOR South Shore, Fullerton, So. Portsmouth,  
Ky.

P.S.C. Ky. No. 1

Original Sheet No. 2b

Cancelling P.S.C. Ky. No. \_\_\_\_\_

Sheet No. \_\_\_\_\_

The South Shore Water Works Company

## RULES AND REGULATIONS

### DEFINITIONS

#### DEFINITIONS APPLICABLE TO RULES AND REGULATIONS:

- (a) "Customer" shall mean any person, firm, corporation or municipality supplied by water service pursuant to these Rules and Regulations.
- (b) "Bona fide prospective customer" shall mean any owner or lessee who is to be the occupant of an existing developed premises having a curb line abutting on that part of a street or public highway in which there is, or is to be, located a distribution main of the Company, who shall file a signed application for a new street service connection and for water service to such premises to be occupied.
- (c) "Company" shall mean the South Shore Water Works Company acting through its officers, managers, or other duly authorized employees or agents.
- (d) "Street service Connections" shall mean a pipe with appurtenances used to conduct water from a distribution main of the Company to the curb line of the premises.
- (e) "Premises" shall mean and include:
  - (1) a building under one roof and occupied as one business or residence and served through one street service connection; or
  - (2) a combination of buildings in common ownership in one common enclosure or on a single tract of land not crossed by public streets, roads, or ways and occupied by one family or business and served through one street connection or through more than one such connection if in the exclusive discretion of the Company, multiple connections are advisable in providing service; or
  - (3) one side of a double house having a solid vertical partition wall or each unit of a series of what are commonly known as row houses, each unit being occupied by one family or business and each served through one street service connection; or

**CHECKED**  
PUBLIC SERVICE COMMISSION

JUN 28 1966

by   
ENGINEERING DIVISION  
DATE EFFECTIVE

DATE OF ISSUE    May    20,    1966  
                          Month    Day    Year

James E. Hannah

June 30,    1966  
                          Month    Day    Year

ISSUED BY

Name of Officer

President

Title

South Shore, Kentucky

Address

8-90

FOR South Shore, Fullerton, So. Portsmouth,  
Ky.

P.S.C. Ky. No. 1

Original Sheet No. 2c

Cancelling P.S.C. Ky. No. \_\_\_\_\_

Sheet No. \_\_\_\_\_


The South Shore Water Works Company

**RULES AND REGULATIONS**

DEFINITIONS Cont'd

- (4) a building having a number of apartments or offices and using halls and means of entrance in common, and served through one street service connection; or
- (5) a building previously erected as a single family residence served through one street service connection and subsequently converted into apartments or offices or a combination of such, with two or more separate halls and means of entrance not used in common, and where separate water supply plumbing would not be practicable; or
- (6) each residential or business single occupancy unit, served through one street service connection, in a building which is not a premises otherwise defined in these Rules.
- (7) Rates are based on single family residences or multi-family units and are not applicable to other single family residences or multi-family units. Where two or more residences or multi-family units are served through one street connection the Company may allow service to be taken through one meter if the segregation of plumbing on customer's premises would involve undue expense to the customer, but in this event the unit blocks and minimum bills of rate would be multiplied by such number of residences or units.

PROVIDED: They are located on lots having a curb line abutting on that part of a street or public highway in which there is, or is to be, located a distribution main of the Company extending for at least one-half of the frontage of the lot on said street or highway.



DATE OF ISSUE May 20, 1966  
Month Day Year

DATE EFFECTIVE June 30, 1966  
Month Day Year

ISSUED BY James E. Hannah President  
Name of Officer Title

South Shore, Kentucky  
Address

*C-8-90*

FOR South Shore Water Works Co.

P.S.C. KY. NO. 10239

1 SHEET NO. 1

SOUTH SHORE WATER WORKS CO.

CANCELLING P.S.C. KY. NO. \_\_\_\_\_

\_\_\_\_\_ SHEET NO. \_\_\_\_\_

**RULES AND REGULATIONS**

**CUSTOMER SHUT OFF VALVES**

1. EACH CUSTOMER SHALL HAVE AND MAINTAIN ITS OWN SHUT OFF VALVE.
2. WHEN SERVICE IS TURNED ON BY THE UTILITY AT THE METER BOX, THE CUSTOMER SHALL HAVE ITS SHUT OFF VALVE CLOSED TO DETERMINE IF ANY LEAKS ARE PRESENT IN THE SERVICE LINE.
3. IF WATER SERVICE IS TURNED OFF BY THE UTILITY FOR ANY REASON, SERVICE WILL NOT BE RESTORED IF NO SHUT OFF VALVE IS PRESENT OR NOT IN A WORKABLE CONDITION.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUN 17 1988

PURSUANT TO 207 KAR 5:011,  
SECTION 9 (1)

BY: George J. Hamby  
PUBLIC SERVICE COMMISSION MANAGER

DATE OF ISSUE 6 17 88  
Month Day Year

DATE EFFECTIVE 6 17 88  
Month Day Year

ISSUED BY George J. Hamby President P.O. Box 485, South Shore, KY  
Name of Officer Btc Title Address  
41175

*C-8-90*

FOR South Shore Water Works Co.

P.S.C. KY. NO. 10239

1 SHEET NO. 2

SOUTH SHORE WATER WORKS CO.

CANCELLING P.S.C. KY. NO. \_\_\_\_\_

\_\_\_\_\_ SHEET NO. \_\_\_\_\_

**RULES AND REGULATIONS**

**WATER TAP-SERVICE CONNECTION**

1. THE APPLICANT SHALL OBTAIN A PLUMBING PERMIT FROM THE BOARD OF HEALTH.
2. THE APPLICANT SHALL FURNISH AND INSTALL THE NECESSARY PIPE FROM THE LOCATION OR PROPOSED LOCATION OF THE UTILITY METER BOX TO THE APPLICANT'S PLACE OF CONSUMPTION, INCLUDING A SHUT-OFF VALVE.
3. THE SERVICE LINE SHALL EXTEND TO THE POINT EASIEST OF ACCESS TO THE UTILITY FROM ITS DISTRIBUTION SYSTEM. WHEN A REASONABLE DOUBT EXISTS AS TO PROPER LOCATION, THE UTILITY SHALL BE CONSULTED AND ITS APPROVAL OF LOCATION SECURED.
4. THE SIZE OF THE SERVICE LINE SHALL NOT BE LESS THAN 3/4" WITH APPROVED MATERIALS SUCH AS GALVANIZED STEEL, POLYETHENE TUBING (PE), POLYVINYL CHLORIDE (PVC) WITH A MINIMUM OF 160 PSI RATING, IF COPPER IS USED, NO LEAD SOLDERED JOINTS WILL BE PERMITTED.
5. THE SERVICE LINE SHALL HAVE A MINIMUM OF 28" DEPTH TO PREVENT FREEZING.
6. THE APPLICANT SHALL LEAVE THE TRENCH OPEN AND PIPE UNCOVERED UNTIL IT IS INSPECTED BY THE UTILITY AND/OR STATE PLUMBING INSPECTOR AND SHOWN TO BE FREE FROM ANY TEE, BRANCH, CROSS CONNECTION, IRREGULARITY OR DEFECT.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE

JUN 17 1988

PURSUANT TO 807 KAR 5:011,  
SECTION 9 (1)

DATE OF ISSUE \_\_\_\_\_  
Month Day Year

DATE EFFECTIVE \_\_\_\_\_  
Month Day Year

BY: George J. Hervey  
PUBLIC SERVICE COMMISSION MANAGER

ISSUED BY George J. Hervey President P.O. Box 485, South Shore, KY  
 Name of Officer Bsc Title Address 41175

C8-90