

**Terms and Conditions  
Energy Curtailment and Service Restoration Procedures**

**PURPOSE**

To provide procedures for reducing the consumption of electric energy on Company system in the event of a capacity shortage and to restore service following an outage. Notwithstanding any provisions of these Energy Curtailment and Service Restoration Procedures, Company shall have the right to take whatever steps, with or without notice and without liability on Company's part, that Company believes necessary, in whatever order consistent with good utility practices and not on an unduly discriminatory basis, to preserve system integrity and to prevent the collapse of Company's electric system or interconnected electric network or to restore service following an outage. Such actions will be taken giving priority to maintaining service to Company's retail and full requirements Customers relative to other sales whenever feasible and as allowed by law.

**ENERGY CURTAILMENT PROCEDURE**

**PRIORITY LEVELS**

For the purpose of these procedures, the following Priority Levels have been established:

- I. Essential Health and Safety Uses -- to be given special consideration in these procedures shall, insofar as the situation permits, include the following types of use
  - A. "Hospitals", which shall be limited to institutions providing medical care to patients.
  - B. "Life Support Equipment", which shall be limited to kidney machines, respirators, and similar equipment used to sustain the life of a person.
  - C. "Police Stations and Government Detention Institutions", which shall be limited to essential uses required for police activities and the operation of facilities used for the detention of persons.
  - D. "Fire Stations", which shall be limited to facilities housing mobile fire-fighting apparatus.
  - E. "Communication Services", which shall be limited to essential uses required for telephone, telegraph, television, radio and newspaper operations, and operation of state and local emergency services.
  - F. "Water and Sewage Services", which shall be limited to essential uses required for the supply of water to a community, flood pumping and sewage disposal.

**CANCELLED**  
  
July 1, 2021  
  
**KENTUCKY PUBLIC  
SERVICE COMMISSION**

**DATE OF ISSUE:** May 14, 2019  
**DATE EFFECTIVE:** With Service Rendered  
On and After January 4, 2013  
**ISSUED BY:** /s/ Robert M. Conroy, Vice President  
State Regulation and Rates  
Lexington, Kentucky

**Issued by Authority of an Order of the  
Public Service Commission in Case No.  
2009-00548 dated July 30, 2010**

**KENTUCKY  
PUBLIC SERVICE COMMISSION**  
  
**Gwen R. Pinson**  
Executive Director  
  
  
**EFFECTIVE  
5/1/2019**  
PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

**Terms and Conditions  
Energy Curtailment and Service Restoration Procedures**

**PRIORITY LEVELS** (continued)

G. "Transportation and Defense-related Services", which shall be limited to essential uses required for the operation, guidance control and navigation of air, rail and mass transit systems, including those uses essential to the national defense and operation of state and local emergency services. These uses shall include essential street, highway and signal-lighting services.

Although, when practical, these types of uses will be given special consideration when implementing the manual load-shedding provisions of this program, any Customer may be affected by rotating or unplanned outages and should install emergency generation equipment if continuity of service is essential. Where the emergency is system-wide in nature, consideration will be given to the use of rotating outages as operationally practicable. In case of Customers supplied from two utility sources, only one source will be given special consideration. Also, any other Customers who, in their opinion, have critical equipment should install emergency generation equipment.

Company maintains lists of Customers with life support equipment and other critical needs for the purpose of curtailments and service restorations. Company, lacking knowledge of changes that may occur at any time in Customer's equipment, operation, and backup resources, does not assume the responsibility of identifying Customers with priority needs. It shall, therefore, be the Customer's responsibility to notify Company if Customer has critical needs.

- II. Critical Commercial and Industrial Uses -- Except as described in Section III below, these uses shall include commercial or industrial operations requiring regimented shutdowns to prevent conditions hazardous to the general population, and to energy utilities and their support facilities critical to the production, transportation, and distribution of service to the general population. Company shall maintain a list of such Customers for the purpose of curtailments and service restoration.
- III. Residential Use -- The priority of residential use during certain weather conditions (for example severe winter weather) will receive precedence over critical commercial and industrial uses. The availability of Company service personnel and the circumstances associated with the outage will also be considered in the restoration of service.
- IV. Non-critical commercial and industrial uses.
- V. Nonessential Uses -- The following and similar types of uses of electric energy shall be considered nonessential for all Customers:

**CANCELLED**  
July 1, 2021  
**KENTUCKY PUBLIC  
SERVICE COMMISSION**

**DATE OF ISSUE:** May 14, 2019  
**DATE EFFECTIVE:** With Service Rendered  
On and After January 4, 2013  
**ISSUED BY:** /s/ Robert M. Conroy, Vice President  
State Regulation and Rates  
Lexington, Kentucky

**Issued by Authority of an Order of the  
Public Service Commission in Case No.  
2009-00548 dated July 30, 2010**

**KENTUCKY  
PUBLIC SERVICE COMMISSION**  
**Gwen R. Pinson**  
Executive Director  
*Gwen R. Pinson*  
**EFFECTIVE**  
**5/1/2019**  
PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

**Terms and Conditions  
Energy Curtailment and Service Restoration Procedures**

**PRIORITY LEVELS** (continued)

- A. Outdoor flood and advertising lighting, except for the minimum level to protect life and property, and a single illuminated sign identifying commercial facilities when operating after dark.
- B. General interior lighting levels greater than minimum functional levels.
- C. Show-window and display lighting.
- D. Parking-lot lighting above minimum functional levels.
- E. Energy use to lower the temperature below 78 degrees during operation of cooling equipment and above 65 degrees during operation of heating equipment.
- F. Elevator and escalator use in excess of the minimum necessary for non-peak hours of use.
- G. Energy use greater than that which is the minimum required for lighting, heating, or cooling of commercial or industrial facilities for maintenance cleaning or business-related activities during non-business hours.

Non-jurisdictional Customers will be treated in a manner consistent with the curtailment procedures contained in the service agreement between the parties or the applicable tariff.

**CURTAILMENT PROCEDURES**


In the event Company's load exceeds internal generation, transmission, or distribution capacity, or other system disturbances exist, and internal efforts have failed to alleviate the problem, including emergency energy purchases, the following steps may be taken, individually or in combination, in the order necessary as time permits:

- 1. Customers having their own internal generation capacity will be curtailed, and Customers on curtailable contracts will be curtailed for the maximum hours and load allowable under their contract. Nothing in this procedure shall limit Company's rights under the Curtailable Service Rider tariff.
- 2. Power output will be maximized at Company's generating units.
- 3. Company use of energy at its generating stations will be reduced to a minimum.



**DATE OF ISSUE:** May 14, 2019  
**DATE EFFECTIVE:** With Service Rendered  
On and After January 4, 2013  
**ISSUED BY:** /s/ Robert M. Conroy, Vice President  
State Regulation and Rates  
Lexington, Kentucky

**Issued by Authority of an Order of the  
Public Service Commission in Case No.  
2009-00548 dated July 30, 2010**



**Terms and Conditions  
Energy Curtailment and Service Restoration Procedures**

**CURTAILMENT PROCEDURES** (continued)

4. Company's use of electric energy in the operation of its offices and other facilities will be reduced to a minimum.
5. The Kentucky Public Service Commission will be advised of the situation.
6. An appeal will be made to Customers through the news media and/or personal contact to voluntarily curtail as much load as possible. The appeal will emphasize the defined priority levels as set forth above.
7. Customers will be advised through the use of the news media and personal contact that load interruption is imminent.
8. Implement procedures for interruption of selected distribution circuits.

**SERVICE RESTORATION PROCEDURES**

Where practical, priority uses will be considered in restoring service and service will be restored in the order I through IV as defined under PRIORITY LEVELS. However, because of the varieties of unpredictable circumstances which may exist or precipitate outages, it may be necessary to balance specific individual needs with infrastructure needs that affect a larger population. When practical, Company will attempt to provide estimates of repair times to aid Customers in assessing the need for alternative power sources and temporary relocations.



**DATE OF ISSUE:** May 14, 2019  
**DATE EFFECTIVE:** With Service Rendered  
On and After January 4, 2013  
**ISSUED BY:** /s/ Robert M. Conroy, Vice President  
State Regulation and Rates  
Lexington, Kentucky

**Issued by Authority of an Order of the  
Public Service Commission in Case No.  
2009-00548 dated July 30, 2010**

