Kentucky Utilities Company

P.S.C. No. 14, First Revision of Original Sheet No. 36 Canceling P.S.C. No. 14, Original Sheet No. 36

Standard Rate

P.O. LT.

Private Outdoor Lighting

APPLICABLE

In all territory served.

AVAILABILITY OF SERVICE

Service under this schedule is offered, under the conditions set out hereinafter, for lighting applications on private property such as, but not limited to, residential, commercial and industrial plant site or parking lot, other commercial area lighting, etc. to Customers now receiving electric service from the Company at the same location. Service will be provided under written contract signed by Customer prior to service commencing, when facilities are required other than fixture(s).

RATE

STANDARD (SERVED OVERHEAD)

TYPE LIGHT	APPROX. LUMENS	kW RATING	MONTHLY CHARGE
Open Bottom Mercury Vapor	7,000**	.207	\$ 8.79
Cobra Mercury Vapor	20,000**	.453	\$11.28
Open Bottom High Pressure Sodium	5,800	.083	\$ 4.87
Open Bottom High Pressure Sodium	9,500	.117	\$ 5.63
Cobra High Pressure Sodium	22,000	.242	. \$10.40
Cobra High Pressure Sodium	50,000	.485	\$17.18

DIRECTIONAL (SERVED OVERHEAD)

C1/28/10

TYPE LIGHT	APPROX. LUMENS	kW RATING	MONTHLY CHARGE	
Directional High Pressure Sodium	9,500	.117	\$ 6.70	
Directional High Pressure Sodium	22,000	.242	\$ 9.83	
Directional High Pressure Sodium	50,000	.485	\$15.46	

The Company will furnish a complete standard or directional fixture with appropriate mast arm on existing poles with available secondary voltage of 120/240.

> PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Date of Issue: June 10, 2009

Date Effective: With Bills Rendered On and After June 29, 2009

Issued By: Lonnie E. Bellar, Vice President, State Regulation and

By Executiv

Hucky

ecutive Director

Issued By Authority of an Order of the KPSC in Case No. 2008-00520 dated June 3, 2009

P.S.C. No. 14, First Revision of Original Sheet No. 36.1 Canceling P.S.C. No. 14, Original Sheet No. 36.1

Standard Rate

P.O. LT.

Private Outdoor Lighting

All facilities required by Company will be standard stocked material. When underground facilities are requested and the Company agrees to underground service, the Customer will be responsible for ditching and back-filling and seeding and/or repaving as necessary, and provide, own and maintain all conduit.

METAL HALIDE COMMERCIAL AND INDUSTRIAL LIGHTING

TYPE POLE AND FIXTURE	APPROX. LUMENS	kW RATING	MONTHLY CHARGE	
Directional Fixture Only	12,000	0.207	\$10.05	
Directional Fixture With Wood Pole	12,000	0.207	\$12.08	
Directional Fixture With Direct Burial Metal Pole	12,000	0.207	\$18.72	
Directional Fixture Only	32,000	0.450	\$14.63	
Directional Fixture With Wood Pole	32,000	0.450	\$16.67	
Directional Fixture With Metal Pole	32,000	0.450	\$23.30	
Directional Fixture Only	107,800	1.080	\$30.89	
Directional Fixture With Wood Pole	107,800	1.080	\$33.72	
Directional Fixture With Metal Pole	107,800	1.080	\$39.56	
Contemporary Fixture Only	12,000	0.207	\$11.18	
Contemporary Fixture With Direct Burial Metal Pole	12,000	0.207	\$19.87	
Contemporary Fixture Only	32,000	0.450	\$16.22	
Contemporary Fixture With Metal Pole	32,000	0.450	\$24.89	المما
Contemporary Fivture Only	107,800	1.080	\$33.52	178/1
Contemporary Fixture Only	107,800	1.080	\$42.20	
Contemporary Fixture With Metal Pole	107,000	1.000	Φ42.20	

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

6/29/2009

. PURSUANT TO 807 KAR 5:011

SECTION 9 (1)

Date of Issue: June 10, 2009

Date Effective: With Bills Rendered On and After June 29, 200\$

Issued By: Lonnie E. Bellar, Vice President, State Regulation and I

Executive D

Issued By Authority of an Order of the KPSC in Case No. 2008-00520 dated June 3, 2009

P.S.C. No. 14, First Revision of Original Sheet no. 36.2 Canceling P.S.C. No. 14, Original Sheet No. 36.2

Standard Rate

P.O. LT.

Private Outdoor Lighting

Company, where secondary voltage of 120/240 is available, will furnish, own, and maintain poles, fixtures and any necessary circuitry up to 100 feet. All poles and fixtures furnished by Company will be standard stocked materials. Where Customer's location would require the installation of additional facilities, Company may furnish, own, and maintain the requested facilities at an additional charge per month to be determined by Company. Such charges are subject to change by Company upon 30 days prior written notice.

Customer is to pay the monthly rate plus any additional charge determined above plus provide all ditching, back-filling, and repaving/seeding/sodding as necessary and provide, own, and maintain all conduit. Company may, at Customer's request, provide all ditching, back-filling, and repaving/seeding/sodding as necessary for payment, in advance, of Company's cost to provide those services. Upon termination of service, the Company shall not be required to remove underground facilities.

Where Customer has need for non-stocked styles of poles or fixtures, Company may agree to provide the requested styles for payment, in advance, by Customer of the cost difference between the requested styles and the stock materials. Customer accepts that Company's maintenance of non-stock materials is dependent on outside vendors and that maintenance of non-stock styles may be delayed or materials unavailable.

DECORATIVE HPS (SERVED UNDERGROUND)

TYPE POLE AND FIXTURE	APPROX. LUMENS	kW RATING	MONTHLY CHARGE	
Acom Decorative	4,000	0.060	\$11.04	1
Acorn Historic	4,000	0.060	\$17.16	
Acom Decorative	5,800	0.083	\$11.71	
Acorn Historic	5,800	0.083	\$17.73	
Acorn Decorative	9,500	0.117	\$12.56	
Acom Historic	9,500	0.117	\$18.67	
Colonial	4,000	0.060	\$ 7.36	
Colonial	5,800	0.083	\$ 7.94	
Colonial	9,500	0.117	\$ 8.69	
Coach	5,800	0.083	\$26.43	
Coach	9,500	0.117	\$27.17	
Contemporary	5,800	0.083	\$13.43	
. Contemporary	9,500	0.117	\$16.06	
Contemporary	22.000 *	0.242	\$19.09	
Contemporary	50,000 *		ERVISE GOMMIS	SION
Gran Ville	16,000	0.150	OF KENTUCKY FFFECTIVE	1
		Į.	6/29/2009	
		PURSU	JANT TO 807 KAR 5:0	11
e of Issue: June 10, 2009			SECTION 9 (1)	

Date of Issue: June 10, 2009

Date Effective: With Bills Rendered On and After June 29, 2004

Issued By: Lonnie E. Bellar, Vice President, State Regulation and I

Issued By Authority of an Order of the KPSC in Case No. 2008-90529 dated June 3, 2009