

STANDARD RATE SCHEDULE

LC-TOD

Large Commercial Time-of-Day Rate

APPLICABLE

In all territory served.

AVAILABILITY

This schedule is available for alternating current service to customers whose monthly demand is equal to or greater than 150 kilowatts and whose entire lighting and power requirements are purchased under this schedule at a single service location.

RATE

Customer Charge: \$19.13 per delivery point per month

Demand Charge:

Basic Demand Charge

Secondary Distribution \$3.54 per Kw per month

Primary Distribution \$1.91 per Kw per month

Applicable to the highest average load in kilowatts recorded during any 15-minute interval in the monthly billing period, but not less than 50% of the maximum demand similarly determined for any of the four billing periods of June through September within the 11 preceding months.

Peak Period Demand Charge

Summer Peak Period \$6.40 per Kw per month

Winter Peak Period \$3.41 per Kw per month

Applicable to the highest average load in kilowatts recorded during any 15-minute interval of the peak period, as defined herein, in the monthly billing period, but not less than 50% of the maximum demand similarly determined for any of the four billing periods of June through September within the 11 preceding months.

Energy Charge 2.705¢ per Kwh

SUMMER PEAK PERIOD is defined as weekdays, except holidays as recognized by Company, from 9 A.M. to 11 P.M. local time, during the 4 monthly billing periods of June through September.

WINTER PEAK PERIOD is defined as weekdays, except holidays as recognized by Company, from 6 A.M. to 10 P.M. local time, during the 8 monthly billing periods of October through May.

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

MAR 01 2000

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Stephan D. Brey
SECRETARY OF THE COMMISSION

Date of Issue: February 21, 2000

Issued By

Date Effective: March 1, 2000

R. M. Hewett
R. M. Hewett, Group Executive
Louisville, Kentucky

Issued Pursuant to K.P.S.C. Order of 1/7/00 in Case No. 98-426

66/00