

Louisville Gas and Electric Company

Second Revision of Original Sheet No. 19

P. S. C. of Ky. Electric No. 5

STANDARD RATE SCHEDULE

PSL

Public Street Lighting Service

APPLICABLE

In all territory served.

AVAILABILITY

Available to municipal, county, state and Federal governments, including divisions thereof, and other bodies politic which have the authority to levy and collect general taxes, for the lighting of public streets and roads, public parks and other outdoor locations open to and reserved for general public use.

CHARACTER OF SERVICE

This rate schedule covers electric lighting service to Company-owned and maintained street lighting equipment as hereinafter described. Service under this rate schedule will be available on an automatically controlled dusk-to-dawn every-night schedule of approximately 4,000 hours per year, and only to the types of lighting units specified herein.

RATES

Type of Unit	Rate Per Month Per Unit	
	Installed Prior to Jan. 1, 1991	Installed After Dec. 31, 1990
<u>Overhead Service</u>		
<u>Mercury Vapor</u>		
100 Watt	\$ 5.92	\$ -0-
175 Watt	6.90	8.58
250 Watt	7.82	9.60
400 Watt	9.31	11.49
400 Watt (underground pole)	13.54	-0-
1000 Watt	17.18	20.69
<u>High Pressure Sodium Vapor</u>		
100 Watt	\$ 7.08	\$ 7.08
150 Watt	8.46	8.46
250 Watt	10.10	10.10
400 Watt	10.44	10.44
1000 Watt	-0-	23.74
<u>Underground Service</u>		
<u>Mercury Vapor</u>		
100 Watt - Top Mounted	\$ 9.70	\$11.98
175 Watt - Top Mounted	10.58	12.97
175 Watt	14.39	20.49
250 Watt	15.35	21.51
400 Watt	18.01	23.40
400 Watt on State of Ky. Pole	10.56	-0-
<u>High Pressure Sodium Vapor</u>		
70 Watt - Top Mounted	\$10.28	\$10.28
100 Watt - Top Mounted	10.66	10.66
150 Watt - Top Mounted	-0-	15.76
150 Watt	18.47	18.47
250 Watt	19.54	19.54
250 Watt on State of Ky. Pole	9.92	-0-
400 Watt	20.86	20.86
1000 Watt	-0-	48.55
<u>Incandescent</u>		
1500 Lumen	\$ 7.91	\$ -0-
6000 Lumen	10.34	-0-

PUBLIC SERVICE COMMISSION
KENTUCKY
EFFECTIVE

ANCELLED MAY 01 2003

JAN 2004

PURSUANT TO 807 KAR 5.011
SECTION 9 (1)

Date of Issue: May 13, 2003
Canceling First Revision of
Original Sheet No. 19
Issued November 11, 2002

Issued By

Michael S. Beer

Michael S. Beer, Vice President
Louisville, Kentucky

BY *Charles L. Dyer* Date Effective May 1, 2003
EXECUTIVE DIRECTOR

Issued Pursuant to K.P.S.C. Order of 4/23/03 in Case No. 2003-00434

Louisville Gas and Electric Company

Third Revision of Original Sheet No. 20
P. S. C. of Ky. Electric No. 5

STANDARD RATE SCHEDULE		PSL
Public Street Lighting Service (Continued)		
Decorative Lighting Service		Rate Per Month Per Unit
<u>Fixtures</u>		
<u>Acorn with Decorative Basket</u>		
70 Watt High Pressure Sodium		\$14.19
100 Watt High Pressure Sodium		14.76
<u>8-Sided Coach</u>		
70 Watt High Pressure Sodium		14.38
100 Watt High Pressure Sodium		14.93
<u>Poles</u>		
10' Smooth		8.50
10' Fluted		10.15
<u>Bases</u>		
Old Town/Manchester		2.73
Chesapeake/Franklin		2.92
Jefferson/Westchester		2.92
Norfolk/Essex		3.11

FUEL CLAUSE AND ENVIRONMENTAL COST RECOVERY SURCHARGE

The rates specified herein are subject to the Fuel Clause set forth on Sheet No. 24 of this Tariff. Said Fuel Clause shall be applied to the kilowatt-hours consumed by each lighting unit within the billing period, determined in accordance with the table contained in the Standard Rider "Kilowatt-hours Consumed by Street Lighting Units" set forth on Sheet No. 23-A of this Tariff. The rates specified herein are also subject to the Environmental Cost Recovery Surcharge set forth on sheet No. 23-K of this Tariff.

SPECIAL TERMS AND CONDITIONS

- Overhead Service. The above rates contemplate installation on an existing pole in Company's system. If the location of an existing pole is not suitable for the installation of a lighting unit, the Company will extend its secondary conductor one span and install an additional pole for the support of such unit. If still further poles or conductors are required to extend service to the lighting unit, the customer will be required to make a non-refundable cash advance equal to the installed cost of such further facilities.
- Underground Service. In all areas other than the downtown section of the City of Louisville designated by City ordinance as an underground district, the Company will provide a normal installation consisting of a direct buried cable connection of not more than 200 feet per unit. If additional facilities or expenditures are required, including any additional cost to break pavement or remove rock, the customer shall make a non-refundable cash advance equivalent to the excess costs. Company may decline to install equipment and provide service at other locations deemed by Company unsuitable for underground installation.

CANCELLED
MAY 01 2003
JAN
PURSUANT TO 807 KAR 5.011
SECTION 9 (1)
EXECUTIVE DIRECTOR

Date of Issue: May 13, 2003
Canceling Second Revision of
Original Sheet No. 20
Issued November 11, 2002

Issued By

Michael S. Beer
Michael S. Beer, Vice President
Louisville, Kentucky

BY *[Signature]* Date Effective: May 1, 2003