FEB 0.5 2616

RATES SCHEDULE NM—NET METERING

AVAILABILITY OF NET METERING SERVICE

Net Metering is available to eligible member-generators in Shelby Energy Cooperative's service territory, upon request, and on a first-come, first-served basis up to a cumulative capacity of one percent (1%) of the Shelby Energy Cooperative's single hour peak load during the previous year. If the cumulative generating capacity of net metering systems reaches 1% of a supplier's single hour peak load during the previous year, upon Commission approval, Shelby Energy Cooperative's obligation to offer net metering to a new member-generator may be limited. An eligible member-generator shall mean a member retail electric member of Shelby Energy Cooperative with a generating facility that:

- Generates electricity using solar energy, wind energy, biomass or biogas energy, or hydro energy;
- 2) Has a rated capacity of not greater than thirty (30) kilowatts;
- 3) Is located on the member's premises;
- 4) Is owned and operated by the member;
- Is connected in parallel with Shelby Energy Cooperative's electric distribution system; and
- 6) Has the primary purpose of supplying all or part of the member's own electricity requirements.

At its sole discretion, Shelby Energy Cooperative may provide Net Metering to other membergenerators not meeting all the conditions listed above on a case-by-case basis.

METERING

Shelby Energy Cooperative shall provide net metering services, without any cost to the Member COMMISSION for metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. This provision does not relieve Member of his or her responsibility to pay metering costs embedded in the Shelby Energy Cooperative's Commission-

	PUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009 DATE EFFEC	TVE: April 8, 2009 FECTIVE
ISSUED BY	A/8/2009 at & Chief Excentive Office AR 5:011 Kentucky in SECTION 9 (1) By Executive Director

approved base rates. Net metered electricity shall be measured in accordance with standard metering practices established by Shelby Energy Cooperative using metering equipment capable of measuring and recording energy flows, on a kWh basis, from Shelby Energy Cooperative o the member-generator and from the member-generator to Shelby Energy Cooperative, with each directional energy flow recorded independently. If time-of-day or time-of-use metering is used, the electricity fed back to the electric grid by the member-generator shall be metered and accounted for at the specific time it is fed back to the electric grid in accordance with the time-of-day and time-of-use billing agreement currently in place.

Any additional meter, meters, or distribution upgrades needed to monitor the flow in each direction shall be installed at the Member's expense.

BILLING AND PAYMENT

For charges collected on the basis of metered registration, Shelby Energy Cooperative shall, for each monthly billing period, determine the net meter registration of the member-generator by comparing the directional energy flow in each direction. If the net meter registration shows that the deliveries of energy in kWh from the member-generator to Shelby Energy Cooperative exceed the deliveries of energy in kWh from Shelby Energy Cooperative to the member-generator, the net meter registration in kWh will be carried forward to the next monthly billing period as a Net Metering Credit, expressed in kWh. If the member-generators carried over a Net Metering Credit from one of more prior months, the net meter registration from the current month shall be added to the Net Metering Credit that exists from prior months.

If the net metering registration shows that deliveries of energy in kWh from the Cooperative to the member-generator exceed the deliveries of energy in kWh from the member-generator to the Cooperative, the member-generator shall pay the Cooperative for the net amount of energy ANCELLED delivered by the Cooperative after application of any Net Metering Credit carried forward from previous months at the current rate applicable to its type or class of electric service.

The member shall be responsible for payment of any applicable member charge or other applicable charges.

At no time shall Shelby Energy Cooperative be required to convert the Net Billing Credit to cash. If a member-generator closes his account, no cash refund for residual Net Metering Credits shall be paid.

Net Metering Credits are not transferable between	een members or locations. PUBLIC SERVICE COMMISSION OF KENTUCKY
DATE OF ISSUE April 6, 2009	DATE EFFECTIVE: April 8, 2009 FFECTIVE
	4/8/2009
ISSUED BY Julia Martin	TITLE President & Chief Executive Officer 5:011
Issued by authority of an Order of the Public Service	ce Commission of Kertucky in SECTION 9 (1)
Case No. 2008-00169 Dated January 8, 2009	By Dew Executive Director

APPLICATION AND APPROVAL PROCESS

The Member shall submit an Application for Interconnection and Net Metering ("Application") and receive approval from Shelby Energy Cooperative prior to connecting the generator facility to Shelby Energy Cooperative's system.

Applications will be submitted by the Member and reviewed and processed by Shelby Energy Cooperative according to either Level 1 or Level 2 processes defined in this tariff.

Shelby Energy Cooperative may reject an Application for violations of any code, standard, or regulation related to reliability or safety; however, Shelby Energy Cooperative will work with the Member to resolve those issues to the extent practicable.

Members may contact Shelby Energy Cooperative to check on status of an Application or with questions prior to submitting an Application. Contact information is provided on the Application form and is listed on Shelby Energy Cooperative's website.

LEVEL 1 AND LEVEL 2 DEFINITIONS

LEVEL 1

A Level 1 Application shall be used if the generating facility is inverter-based and is certified by a nationally recognized testing laboratory to meet the requirements of Underwriters Laboratories Standard 1741 "Inverters, Converters, Controllers and Interconnection System Equipment for Use With Distributed Energy Resources" (UL 1741).

Shelby Energy Cooperative will approve the Level 1 Application if the generating facility also meets all of the following conditions:

1) For interconnection to a radial distribution circuit, the aggregated generation on the of 2016 circuit, including the proposed generating facility, will not exceed 15% of the Line Section's most recent annual one hour peak load. A line section is the smallest part COMMISSION of the primary distribution system the generating facility could remain connected to after operation of any sectionalizing devices.

<u>X</u> =		
		PUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFECT	VE: April 8 2005 KENTUCKY
ISSUED BY Dellie Martin	TITLE Presider	4/8/2009 t & Chiof Executive Officer KAR 5:011
Issued by authority of an Order of the Public Serv	ice Commission of	Kentucky in SECTION 9 (1)
Case No. 2008-00169 Dated <u>January 8, 2009</u>		By Il Macion
		# IA Executive Director

- 2) If the proposed generating facility is to be interconnected on a single-phase shared secondary, the aggregate generation capacity, including the proposed generating facility, will not exceed the smaller of 20 kVA or the nameplate rating of the transformer.
- 3) If the proposed generating facility is single-phase and is to be interconnected on a center tap neutral of a 240 volt service, its addition shall not create an imbalance between the two sides of the 240 volt service of more than 20% of the nameplate rating of the service transformer.
- 4) If the generating facility is to be connected to three-phase, three wire primary Shelby Energy Cooperative distribution lines, the generator shall appear as a phase-to-phase connection at the primary Shelby Energy Cooperative distribution line.
- 5) If the generating facility is to be connected to three-phase, four wire primary Shelby Energy Cooperative distribution lines, the generator shall appear to the primary Shelby Energy Cooperative distribution line as an effectively grounded source.
- 6) The interconnection will not be on an area or spot network.
- 7) Shelby Energy Cooperative does not identify any violations of any applicable provisions of IEEE 1547, "Standard for Interconnecting Distributed Resources with Electric Power Systems."
- 8) No construction of facilities by Shelby Energy Cooperative on its own system will be required to accommodate the generating facility.

If the generating facility does not meet all of the above listed criteria, Shelby Energy

Cooperative, in its sole discretion, may either: 1) approve the generating facility under the Level 5 20.6

1 Application if Shelby Energy Cooperative determines that the generating facility can be safely and reliably connected to Shelby Energy Cooperative's system; or 2) deny the Application as Commission submitted under the Level 1 Application.

Shelby Energy Cooperative shall notify the member within 20 business days whether the Application is approved or denied, based on the criteria provided in this section.

_		DUDI 10 OFFICE COMMUNICION
DATE OF ISSUE April 6, 2009	DATE EFFECTI	KENTUCKY
ISSUED BY Dellui Martin	TITLE Presider	EFFECTIVE t & Chief Executive, Officer
Issued by authority of an Order of the Public Servi Case No. 2008-00169 Dated January 8, 2009	ce Commission of	Kentuckvirsuant to 807 KAR 5:011 SECTION 9 (1)
		AU OA
		By W Maeur

If the Application lacks complete information, Shelby Energy Cooperative shall notify the Member that additional information is required, including a list of such additional information. The time between notification and receipt of required additional information will add to the time to process the Application.

When approved, Shelby Energy Cooperative will indicate by signing the approval line on the Level 1 Application Form and returning it to the Member. The approval will be subject to successful completion of an initial installation inspection and witness test if required by Shelby Energy Cooperative. Shelby Energy Cooperative's approval section of the Application will indicate if an inspection and witness test are required. If so, the Member shall notify Shelby Energy Cooperative within 3 business days of completion of the generating facility installation and schedule an inspection and witness test with Shelby Energy Cooperative to occur within 10 business days of completion of the generator facility installation or as otherwise agreed to by Shelby Energy Cooperative and the Member. The Member may not operate the generating facility until successful completion of such inspection and witness test, unless Shelby Energy Cooperative expressly permits operational testing not to exceed two hours. If the installation fails the inspection or witness test due to non-compliance with any provision in the Application and Shelby Energy Cooperative approval, the Member shall not operate the generating facility until any and all non-compliance issues are corrected and re-inspected by Shelby Energy Cooperative.

If the Application is denied, Shelby Energy Cooperative will supply the Member with reasons for denial. The Member may resubmit under Level 2 if appropriate.

LEVEL 2

A Level 2 Application is required under any of the following:

- The generating facility is not inverter based;
- 2) The generating facility uses equipment that is not certified by a nationally ANCE recognized testing laboratory to meet the requirements of UL 1741; or

 The generating facility does not meet one or more of the additional conditions under NTUCKY PUBLIC Level 1.

*	PUBLIC SERVICE COMMISSION	NC
DATE OF ISSUE April 6, 2009	DATE EFFECTIVE: April 8, 2002 ECTIVE	
ISSUED BY Julie Martin	4/8/2009 TITLE President & Chief Executive Officer 5:011	
Issued by authority of an Order of the Public Service	ce Commission of Kentucky in SECTION 9 (1)	
Case No. 2008-00169 Dated January 8, 2009	N/ O/	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

Executive Director

Shelby Energy Cooperative will approve the Level 2 Application if the generating facility meets Shelby Energy Cooperative's technical interconnection requirements, which are based on IEEE 1547.

Shelby Energy Cooperative will process the Level 2 Application within 30 business days of receipt of a complete Application. Within that time Shelby Energy Cooperative will respond in one of the following ways:

- 1) The Application is approved and Shelby Energy Cooperative will provide the Member with an Interconnection Agreement to sign.
- 2) If construction or other changes to Shelby Energy Cooperative's distribution system are required, the cost will be the responsibility of the Member. Shelby Energy Cooperative will give notice to the Member and offer to meet to discuss estimated costs and construction timeframe. Should the Member agree to pay for costs and proceed, Shelby Energy Cooperative will provide the Member with an Interconnection Agreement to sign within a reasonable time.
- 3) The Application is denied. Shelby Energy Cooperative will supply the Member with reasons for denial and offer to meet to discuss possible changes that would result in Shelby Energy Cooperative approval. Member may resubmit Application with changes.

If the Application lacks complete information, Shelby Energy Cooperative shall notify the Member that additional information is required, including a list of such additional information. The time between notification and receipt of required additional information will add to the 30-business-day target to process the Application.

The Interconnection Agreement will contain all the terms and conditions for interconnection 5 20.6 consistent with those specified in this tariff, inspection and witness test requirements, NTUCKY PUBL description of and cost of construction or other changes to Shelby Energy Cooperative's distribution system required to accommodate the generating facility, and detailed documentation of the generating facilities which may include single line diagrams, relay settings, and a description of operation.

DATE OF ISSUE April 6, 2009	DATE EFFECT	TVE: ADIT SERVICE COMMISSION OF KENTUCKY
ISSUED BY Dellie Martin	TITLE Preside	EFFECTIVE nt & Chief Executive Officer
Issued by authority of an Order of the Public Servi Case No. 2008-00169 Dated January 8, 2009	ce Commission of	
Case 140. 2008-00109 Dated January 8, 2009		SECTION 9 (1)
		By Il Wager

The Member may not operate the generating facility until an Interconnection Agreement is signed by the Member and Shelby Energy Cooperative and all necessary conditions stipulated in the agreement are met.

APPLICATION, INSPECTION AND PROCESSING FEES

No application fees or other review, study, or inspection or witness test fees may be charged by Shelby Energy Cooperative for Level 1 Applications.

Shelby Energy Cooperative requires each Member to submit with each Level 2 Application a non-refundable application, inspection and processing fee of \$100 for Level 2 Applications. In the event Shelby Energy Cooperative determines an impact study is necessary with respect to a Level 2 Application, the Member shall be responsible for any reasonable costs up to \$1,000 for the initial impact study. Shelby Energy Cooperative shall provide documentation of the actual cost of the impact study. Any other studies requested by the Member shall be at the Member's sole expense.

TERMS AND CONDITIONS FOR INTERCONNECTION

To interconnect to Shelby Energy Cooperative's distribution system, the Member's generating facility shall comply with the following terms and conditions:

- Shelby Energy Cooperative shall provide the Member net metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Member requests any additional meter or meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Member's expense.
- 2) The Member shall install, operate, and maintain, at Member's sole cost and expense, NCELED any control, protective, or other equipment on the Member's system required by Shelby Energy Cooperative's technical interconnection requirements based on 3 0 5 20% IEEE 1547, the NEC, accredited testing laboratories such as Underwriters TUCKY PUBLIC Laboratories, and the manufacturer's suggested practices for safe, efficient and of COMMISSION reliable operation

	PUBLIC SERVICE C	OMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFECT VE: April 8, 2000 FECTIV	E
ISSUED BY	TITLE President & Chief Executive 9: ce Commission of Kentucky in SECTION 9	
	III Frecutive Dire	otor

of the generating facility in parallel with Shelby Energy Cooperative's electric system. Member shall bear full responsibility for the installation, maintenance and safe operation of the generating facility. Upon reasonable request from Shelby Energy Cooperative, the Member shall demonstrate generating facility compliance.

- 3) The generating facility shall comply with, and the Member shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by IEEE and accredited testing laboratories such as Underwriters Laboratories; (b) the NEC as may be revised from time to time; (c) Shelby Energy Cooperative's rules, regulations, and Service Regulations as contained in Shelby Energy Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Member shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- Any changes or additions to Shelby Energy Cooperative's system required to accommodate the generating facility shall be considered excess facilities. Member shall agree to pay Shelby Energy Cooperative for actual costs incurred for all such excess facilities prior to construction.
- Member shall operate the generating facility in such a manner as not to cause undue 5) fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Shelby Energy Cooperative's electric system. At all times when the generating facility is being operated in parallel with Shelby Energy Cooperative's ANG electric system, Member shall operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Shelby Energy Cooperative to any of its other members or to any electric system interconnected with Shelby Energy Cooperative's electric system. Member shall agree that the interconnection and operation of the generating facility is secondary to, and shall not interfere with, Shelby Energy Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its members.

DATE OF ISSUE April 6, 2009

Issued by authority of an Order of the Public Service Commission of Kentuskyrinuant TO 807 KAR 5:011

TITLE President & Chief Exe

SECTION 9 (1)

Case No. 2008-00169 Dated January 8, 2009

- The Member shall be responsible for protecting, at Member's sole cost and expense, the generating facility from any condition or disturbance on Shelby Energy Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that Shelby Energy Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of Shelby Energy Cooperative.
- After initial installation, Shelby Energy Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to the Member, Shelby Energy Cooperative shall have access at reasonable times to the generating facility to perform reasonable on-site inspections to verify that the installation, maintenance, and operation of the generating facility comply with the requirements of this tariff.
- 8) For Level 1 and 2 generating facilities, an eligible Member shall furnish and install on the Member's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Member's energy generating equipment from Shelby Energy Cooperative's electric service under the full rated conditions of the Member's generating facility. The external disconnect switch (EDS) shall be located adjacent to Shelby Energy Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter, and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the Member shall be responsible for ensuring that the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Shelby Energy Cooperative personnel at all times. Shelby Energy Cooperative may waive the requirement for an EDS for a generating facility at its sole discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under Shelby Energy Cooperative's safety and operating protocols.
- 9) Shelby Energy Cooperative shall have the right and authority at Shelby Energy Cooperative's sole discretion to isolate the generating facility or require the Member to discontinue operation of the generating facility if Shelby Energy

CANCELLED
FEB 0 5 20%
KENTUCKY PUBLIC SERVICE COMMISSION

PLIBLIC	SERVICE	COMMISSION
IODLIO	OFICATOR	COMMUNICATION
	OF KENT	UCKY
	FEEECT	

DATE OF ISSUE April 6, 2009

DATE EFFECTIVE: April 8, 2009

4/8/2009

PURSUANT TO 807 KAR 5:011

ItTLE President & Chief Executive Off Fee TION 9 (1)

Issued by authority of an Order of the Public Service Commission of Kentucky is

Case No. 2008-00169 Dated January 8, 2009

By M | LIDEUV

SERVICE COMMISSION

Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Shelby Energy Cooperative's electric system may create or contribute to a system emergency on either Shelby Energy Cooperative's or the Member's electric system; (b) the generating facility is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability, or power quality of Shelby Energy Cooperative's electric system; or (c) the generating facility interferes with the operation of Shelby Energy Cooperative's electric system. In non-emergency situations, Shelby Energy Cooperative shall give the Member notice of noncompliance including a description of the specific noncompliance condition and allow the Member a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when Shelby Energy Cooperative is unable to immediately isolate or cause the Member to isolate only the generating facility, Shelby Energy Cooperative may isolate the Member's entire facility.

- 10) The Member shall agree that, without the prior written permission from Shelby Energy Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components with like components that meet UL 1741 certification requirements for Level 1 facilities and not resulting in increases in generating facility capacity is allowed without approval.
- 11) To the extent permitted by law, the Member shall protect, indemnify, and hold harmless Shelby Energy Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Member or the Member's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Member's generating facility or any related equipment or any facilities owned by Shelby Energy Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of Shelby Energy 15 Cooperative or its employees, agents, representatives, or contractors.

DATE OF ISSUE April 6, 2009

DATE EFFECTIVE: April 8, 2009 EFFECTIVE

ISSUED BY

ISSUED

FEB 0.5 2018

The liability of Shelby Energy Cooperative to the Member for injury to person and property shall be governed by the tariff(s) for the class of service under which the Member is taking service.

- 12) The Member shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for both Level 1 and Level 2 generating facilities. The Member shall, upon request, provide Shelby Energy Cooperative with proof of such insurance at the time that application is made for net metering.
- 13) By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Shelby Energy Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14) A Member's generating facility is transferable to other persons or service locations only after notification to Shelby Energy Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, member, or location, Shelby Energy Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the member(s) within 20 business days. If the installation is no longer in compliance with this tariff, Shelby Energy Cooperative will notify the Member in writing and list what must be done to place the facility in compliance.

15) The Member shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

EFFECTIVE TERM AND TERMINATION RIGHTS

This Agreement becomes effective when executed by both parties and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) Member may terminate this Agreement at any time by giving Shelby Energy Cooperative at least sixty (60) days' written notice; (b) Shelby Energy Cooperative may terminate upon failure by the Member to continue ongoing operation of the generating facility; (c) either party may terminate by giving the other party at

party at		
	PUBL	IC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFECT VE: Apr	1 8, 2009FFECTIVE
ISSUED BY While Martin	TITLE President & Chit	4/8/2009 ABLEAUTIVE OFFICE KAR 5:011
Issued by authority of an Order of the Public Service	Commission of Kentuck	y in SECTION 9 (1)
Case No. 2008-00169 Dated January 8, 2009	ву	Deux Executive Director

least thirty (30) days prior written notice that the other party is in default of any of the terms and conditions of the Agreement or the Rules or any rate schedule, tariff, regulation, contract, or policy of Shelby Energy Cooperative, so long as the notice specifies the basis for termination and there is opportunity to cure the default; (d) Shelby Energy Cooperative may terminate by giving the Member at least thirty (30) days notice in the event that there is a material change in an applicable law, regulation or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.



	1,177	BUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFECT	TVE: APHI SERVICE COMMISSION
ISSUED BY Deletie Martin	TITLE Presiden	EFFECTIVE t & Chief Executive/Officer
Issued by authority of an Order of the Public Serv Case No. 2008-00169 Dated January 8, 2009	ice Commission o	Kentuplorisuant TO 807 KAR 5:011 SECTION 9 (1)
		Bull Dane

LEVEL 1

Application for Interconnection and Net Metering

Use this application form only for a generating facility that is inverter based and certified by a nationally recognized testing laboratory to meet the requirements of UL1741.

Submit this Application to:

Shelby Energy Cooperative, Inc 620 Old Finchville Rd Shelbyville, KY 40065

If you have questions regarding this Application or its status, contact the Cooperative at:

(502) 633-4420

Member Name:	Account Number:	
Member Address:	*	
Member PhoneNo.:	Member E-Mail Address:	
Project Contact Person:		480 A
Phone No.:	E-mail Address (Optional):	
Provide names and contact information involved in the design and installate	mation for other contractors, installers, or ention of the generating facilities:	ngineering firms
Energy Source: Solar	Wind Hydro Biogas Bio	
Inverter Manufacturer and Model #	k	CANCELLED
Inverter Power Rating:	Inverter Voltage Rating:	FE3 0 5 2016
Power Rating of Energy Source (i.e	e., solar panels, wind turbine):	KENTUCKY PUBLIC SERVICE COMMISSION
The second secon	Yes If Yes, Battery Power Rating: PUBLIC SER	
DATE OF ISSUE April 6, 2009 ISSUED BY	DATE EFFECTIVE: April 19 President BURBIEARY	3 <u>F2003</u> VE 4/8/2009 e EQ1398/DEBS e5:011
Issued by authority of an Order of to Case No. 2008-00169 Dated Janu	the Public Service Commission of Kentuck∳in	OTION 9 (1) Utive Director

For All Counties Served P.S.C. <u>5</u> Original Sheet No.109

Shelby Energy Cooperative, Inc.

Attach documentation showing that inverter is certified by a nationally recognized testing laboratory to meet the requirements of UL 1741.

Attach site drawing or sketch showing location of Cooperative's meter, energy source, Cooperative accessible disconnect switch and inverter.

Attach single line drawing showing all electrical equipment from the Cooperative's metering location to the energy source including switches, fuses, breakers, panels, transformers, inverters, energy source, wire size, equipment ratings, and transformer connections.

Expected	Start-up	Date:		
	DIGIT-UD			



F.	
DATE OF ISSUE April 6, 2009	PUBLIC SERVICE COMMISSION DATE EFFECTIVE: April & 2009 ICKY
ISSUED BY Selder Waster	EFFECTIVE TITLE President & Chief Exempton Officer
Issued by authority of an Order of the Public Serv	rice Commission of Kentucky in TO 807 KAR 5:011
Case No. 2008-00169 Dated January 8, 2009	SECTION 9 (1)
	By III () Wages
	Will Executive Director

ECD OF SOM

Executive Director

TERMS AND CONDITIONS:

- 1) Shelby Energy Cooperative shall provide the Member net metering services, without charge for standard metering equipment, through a standard kilowatt-hour metering system capable of measuring the flow of electricity in two (2) directions. If the Member requests any additional meter or meters or distribution upgrades are needed to monitor the flow in each direction, such installations shall be at the Member's expense.
- 2) The Member shall install, operate, and maintain, at Member's sole cost and expense, any control, protective, or other equipment on the Member's system required by Shelby Energy Cooperative's technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient and reliable operation of the generating facility in parallel with Shelby Energy Cooperative's electric system. The Member shall bear full responsibility for the installation, maintenance and safe operation of the generating facility. Upon reasonable request from Shelby Energy Cooperative, the Member shall demonstrate generating facility compliance.
- 3) The generating facility shall comply with, and the Member shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by IEEE and accredited testing laboratories such as Underwriters Laboratories; (b) the NEC as may be revised from time to time; (c) Shelby Energy Cooperative's rules, regulations, and Service Regulations as contained in Shelby Energy Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, Member shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- 4) Any changes or additions to Shelby Energy Cooperative's system required to accommodate the generating facility shall be considered excess facilities. Member shall agree to pay Shelby Energy Cooperative for actual costs incurred for all-such excess facilities prior to construction.

	FLD 0 3 2010
	KENTUCKY FUBLIC
DATE OF INGLE A 11 C 2000	PUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFECTIVE: April 2000 TUCKY
	EFFECTIVE
ISSUED BY Joleline Thantes	TITLE President & Chief Executive Officer
Issued by authority of an Order of the Public Serv	vice Commission of Kennicks in ANT TO 807 KAR 5:011
Case No. 2008-00169 Dated January 8, 2009	SECTION 9 (1)
	1100
	By W Mayer

- 5) The Member shall operate the generating facility in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Shelby Energy Cooperative's electric system. At all times when the generating facility is being operated in parallel with Shelby Energy Cooperative's electric system, the Member shall operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Shelby Energy Cooperative to any of its other members or to any electric system interconnected with Shelby Energy Cooperative's electric system. The Member shall agree that the interconnection and operation of the generating facility is secondary to, and shall not interfere with, Shelby Energy Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its members.
- 6) The Member shall be responsible for protecting, at Member's sole cost and expense, the generating facility from any condition or disturbance on Shelby Energy Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that Shelby Energy Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of Shelby Energy Cooperative.
- 7) After initial installation, Shelby Energy Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to the Member, Shelby Energy Cooperative shall have access at reasonable times to the generating facility to perform reasonable on-site inspections to verify that the installation, maintenance, and operation of the generating facility comply with the requirements of this tariff.
- 8) For Level 1 and 2 generating facilities, an eligible Member shall furnish and install on the Member's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Member's energy generating equipment from Shelby Energy Cooperative's electric service under the full rated conditions of the Member's generating facility. The external disconnect switch (EDS) shall be located adjacent to Shelby Energy Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter, and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the

	OF KENTUCKY
DATE OF ISSUE April 6, 2009 DATE EF	FECTIVE: April 8, 2009 CTIVE
	4/8/2009
ISSUED BY Colling Martin TITLE Pr	resident & Chiro BANGILING OFFICAR 5:011
Issued by authority of an Order of the Public Service Commiss	ion of Kentucky in SECTION 9 (1)
Case No. 2008-00169 Dated January 8, 2009	11100

FE3 05 256

Member shall be responsible for ensuring that the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Shelby Energy Cooperative personnel at all times. Shelby Energy Cooperative may waive the requirement for an EDS for a generating facility at its sole discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under Shelby Energy Cooperative's safety and operating protocols.

- 9) Shelby Energy Cooperative shall have the right and authority at Shelby Energy Cooperative's sole discretion to isolate the generating facility or require the Member to discontinue operation of the generating facility if Shelby Energy Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Shelby Energy Cooperative's electric system may create or contribute to a system emergency on either Shelby Energy Cooperative's or the Member's electric system; (b) the generating facility is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability, or power quality of Shelby Energy Cooperative's electric system; or (c) the generating facility interferes with the operation of Shelby Energy Cooperative's electric system. In non-emergency situations, Shelby Energy Cooperative shall give the Member notice of noncompliance including a description of the specific noncompliance condition and allow the Member a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when the Shelby Energy Cooperative is unable to immediately isolate or cause the Member to isolate only the generating facility, Shelby Energy Cooperative may isolate the Member's entire facility.
- 10) The Member shall agree that, without the prior written permission from Shelby Energy Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components with like components that meet UL 1741 certification requirements for Level 1 facilities and not resulting in increases in generating facility capacity is allowed without approval.

PUBLIC SERVICE COMMISSION

DATE OF ISSUE April 6, 2009

DATE EFFICTIVE: April 8, 2009 CTIVE

4/8/2009

ISSUED BY

TITLE President & Chief Executive Officer R 5:011

Issued by authority of an Order of the Public Service Commission of Kentucky in SECTION 9 (1)

Case No. 2008-00169 Dated January 8, 2009

11) To the extent permitted by law, the Member shall protect, indemnify, and hold harmless Shelby Energy Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Member or the Member's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Member's generating facility or any related equipment or any facilities owned by Shelby Energy Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of Shelby Energy Cooperative or its employees, agents, representatives, or contractors.

The liability of Shelby Energy Cooperative to the Member for injury to person and property shall be governed by the tariff(s) for the class of service under which the Member is taking service.

- 12) The Member shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for both Level 1 and Level 2 generating facilities. The Member shall, upon request, provide Shelby Energy Cooperative with proof of such insurance at the time that application is made for net metering.
- 13) By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Shelby Energy Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14) A Member's generating facility is transferable to other persons or service locations only after notification to Shelby Energy Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, member, or location, Shelby Energy Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the member(s) within 20 business days. If the installation is no longer in compliance with this tariff, Shelby Energy Cooperative will notify the Member in writing and list what must be done to place the facility in compliance.

DATE OF ISSUE April 6, 2009

DATE EFFECTIVE: April 6, 2009

TITLE President & Chief Executive Officer

Issued by authority of an Order of the Public Service Commission of Kenaucks (DANT TO 807 KAR 5:011

Case No. 2008-00169 Dated January 8, 2009

SECTION 9 (1)

15) The Member shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

EFFECTIVE TERM AND TERMINATION RIGHTS

This Agreement becomes effective when executed by both parties and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) The Member may terminate this Agreement at any time by giving Shelby Energy Cooperative at least sixty (60) days' written notice; (b) Shelby Energy Cooperative may terminate upon failure by the Member to continue ongoing operation of the generating facility; (c) either party may terminate by giving the other party at least thirty (30) days prior written notice that the other party is in default of any of the terms and conditions of the Agreement or the Rules or any rate schedule, tariff, regulation, contract, or policy of Shelby Energy Cooperative, so long as the notice specifies the basis for termination and there is opportunity to cure the default; (d) Shelby Energy Cooperative may terminate by giving the Member at least thirty (30) days notice in the event that there is a material change in an applicable law, regulation or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.

CANCELLED
FEB 0 5 23:6

KENTUCKY PUBLIC SERVICE COMMISSION

Executive Director

	DATE FEED TIPUBLICISERVICE COMMIS	eetin.
DATE OF ISSUE April 6, 2009	DATE EFFECTIVE BASHI SCHOOLE COMMISS	33101
ISSUED BY Deleting Martin	TITLE President & Chief Executive Officer	\$
issued by authority of an Order of the Public Service	ce Commission of Kentucks UANT TO 807 KAR 5:0	011
Case No. 2008-00169 Dated January 8, 2009	SECTION 9 (1)	
	11/08	
	By WI I /N Delay	

For All Counties Served

	P.S.C. <u>5</u>
Shelby Energy Cooperative, Inc	Original Sheet No.115
I hereby certify that, to the best of my knowledge, all true, and I agree to abide by all the Terms and Conditio and Net Metering and Shelby Energy Cooperative's Ne	ns included in this Application for Interconnection
Member Signature	Date
Title	
COOPERATIVE APPI	DOVAL SECTION
COOPERATIVE AFFI	XOVAL SECTION
When signed below by a Cooperative representative, Apapproved subject to the provisions contained in this Ap	
Cooperative inspection and witness test: Requi	red Waived
business days of completion of the generating witness test with the Cooperative to occur generating facility installation or as otherwise Unless indicated below, the Member may not and witness test is successfully completed. generating facility until all other terms and con Callto schedule	e an inspection and witness test.
Pre-Inspection operational testing not to exceed two	hours: Allowed Not Allowed
If inspection and witness test is waived, operatinstallation is complete, and all other terms and	
Additions, Changes, or Clarifications to Application In	formation:
None As speci	fied here:
	CANCELLED
	FEB 0 5 28/6
Approved by: Date: _	KENTUCKY PUBLIC SERVICE COMMISSIO
Printed Name: Title:	
	PUBLIC SERVICE COMMISSION OF KENTUCKY
DATE OF ISSUE April 6, 2009 DA	ATE EFFECTIVE: April 8, 2009 _{8/2009}
ISSUED BY Deleting Marting TI	PURSUANT TO 807 KAR 5:011 TTLE President & Chief Executive Officer
Issued by authority of an Order of the Public Service Co	ommission of I
Case No. 2008-00169 Dated January 8, 2009	By Ill Maeion
	// Id Executive Director

LEVEL 2

Application For Interconnection And Net Metering

Use this Application form when generating facility is not inverter-based or is not certified by a nationally recognized testing laboratory to meet the requirements of UL 1741 or does not meet any of the additional conditions under Level 1.

Submit this Application along with an application fee of \$100 to:

Shelby Energy Cooperative, Inc 620 Old Finchville Road Shelbyville, KY 40065

If you have questions regarding this Application or its status, contact the Cooperative at:

(502) 633-4420

Member Name: Account Na	umber:	
Member Address:	,	
Project Contact Person:		
Phone No.: Email Address (Optional	al):	_
Provide names and contact information for other contractors, instainvolved in the design and installation of the generating facilities:		
		- NOELLE
Total Generating Capacity of Generating Facility:		CANCELLE
Type of Generator: Inverter-Based Synchronous Power Source: Solar Wind Hydro	s Induction Biogas Biomass	FEB 05 28% KENTUCKY PUB SERVICE COMMIS
Adequate documentation and information must be submittee considered complete. Typically this should include the following:		
ISSUED BY ISSUED BY	By Il Marion	VE

Shelby Energy Cooperative, Inc.

- Single-line diagram of the member's system showing all electrical equipment from the generator
 to the point of interconnection with the Cooperative's distribution system, including generators,
 transformers, switchgear, switches, breakers, fuses, voltage transformers, current transformers,
 wire sizes, equipment ratings, and transformer connections.
- 2. Control drawings for relays and breakers.
- 3. Site Plans showing the physical location of major equipment.
- Relevant ratings of equipment. Transformer information should include capacity ratings, voltage ratings, winding arrangements, and impedance.
- If protective relays are used, settings applicable to the interconnection protection. If programmable relays are used, a description of how the relay is programmed to operate as applicable to interconnection protection.
- 6. A description of how the generator system will be operated including all modes of operation.
- For inverters, the manufacturer name, model number, and AC power rating. For certified inverters, attach documentation showing that inverter is certified by a nationally recognized testing laboratory to meet the requirements of UL1741.
- 8. For synchronous generators, manufacturer and model number, nameplate ratings, and impedance data (Xd, X'd, & X"d).
- 9. For induction generators, manufacturer and model number, nameplate ratings, and locked rotor current.

Member Signature:	Date:	
46	CANGTLLE	D
	FEB 05 200	3
	KENTUCKY FUB SERVICE COMMIS	LIC

DATE OF ISSUE April 6, 2009	DATE EFFECTIVE BALLINGEROUSE COMMISSION
	OF KENTUCKY
ISSUED BY / Sulling Martin	TITLE President & Chief Executive Officer
Issued by authority of an Order of the Public Service	ce Commission of Kentucky in A70/2009
Case No. 2008-00169 Dated January 8, 2009	SECTION 9 (1)
	1100

LEVEL 2 INTERCONNECTION AGREEMENT

THIS INTERCONNECTION AGREEMENT (Agreement) is made and of this day of, 20, by and between (Cooperative), and (Member). Cooperative and Member and	Member are
neternation sometimes referred to individually as "Party" of confectively as "Parties".	
WITNESSETH:	
WHEREAS, Member is installing, or has installed, generating equipment, c protective relays and equipment (Generating Facility) used to interconnect and opera with Cooperative's electric system, which Generating Facility is more fully describe A, attached hereto and incorporated herein by this Agreement, and as follows:	ite in parallel
Location:	
Generator Size and Type:	
NOW, THEREFORE, in consideration thereof, Member and Cooperative agree as	follows:
Cooperative agrees to allow the Member to interconnect and operate the Generatin parallel with the Cooperative's electric system and the Member agrees to abide by C Net Metering Tariff and all the Terms and Conditions listed in this Agreement in additional conditions listed in Exhibit A.	Cooperative's
TERMS AND CONDITIONS:	FEB 05 20%
1) Shelby Energy Cooperative shall provide the Member net metering service charge for standard metering equipment, through a standard kilowatt-hosystem capable of measuring the flow of electricity in two (2) directions. If requests any additional meter or meters or distribution upgrades are needed the flow in each direction, such installations shall be at the Member's expense.	our metering the Member d to monitor
DATE OF ISSUE April 6, 2009 DATE EFFECTIVE BANGES DOUGLE OF KENTU	JCKY
ISSUED BY / // / TITLE President & Chief Executive O	9
Issued by authority of an Order of the Public Service Commission of Kentucky in SECTION SEC	7 KAR 5:011 9 (1)

- 2) The Member shall install, operate, and maintain, at the Member's sole cost and expense, any control, protective, or other equipment on the Member's system required by Shelby Energy Cooperative's technical interconnection requirements based on IEEE 1547, the NEC, accredited testing laboratories such as Underwriters Laboratories, and the manufacturer's suggested practices for safe, efficient and reliable operation of the generating facility in parallel with Shelby Energy Cooperative's electric system. The Member shall bear full responsibility for the installation, maintenance and safe operation of the generating facility. Upon reasonable request from Shelby Energy Cooperative, the Member shall demonstrate generating facility compliance.
- 3) The generating facility shall comply with, and the Member shall represent and warrant its compliance with: (a) any applicable safety and power quality standards established by IEEE and accredited testing laboratories such as Underwriters Laboratories; (b) the NEC as may be revised from time to time; (c) Shelby Energy Cooperative's rules, regulations, and Service Regulations as contained in Shelby Energy Cooperative's Retail Electric Tariff as may be revised from time to time with the approval of the Kentucky Public Service Commission (Commission); (d) the rules and regulations of the Commission, as such rules and regulations may be revised from time to time by the Commission; and (e) all other applicable local, state, and federal codes and laws, as the same may be in effect from time to time. Where required by law, the Member shall pass an electrical inspection of the generating facility by a local authority having jurisdiction over the installation.
- 4) Any changes or additions to Shelby Energy Cooperative's system required to accommodate the generating facility shall be considered excess facilities. The Member shall agree to pay Shelby Energy Cooperative for actual costs incurred for all such excess facilities prior to construction.
- 5) The Member shall operate the generating facility in such a manner as not to cause undue fluctuations in voltage, intermittent load characteristics or otherwise interfere with the operation of Shelby Energy Cooperative's electric system. At all times when the generating facility is being operated in parallel with Shelby Energy Cooperative's electric system, the Member shall operate the generating facility in such a manner that no adverse impacts will be produced thereby to the service quality rendered by Shelby Energy KENTUCKY PUBLIC SERVICE COMMISSION Cooperative to any

PUBLIC SERVICE COMMISSION

DATE OF ISSUE April 6, 2009

DATE EFFECTIVE: April 8, 2009ECTIVE

TITLE President & PCD RESULTATION TO THE President & PCD RESULTATION TO THE PRESIDENT STATE OF THE PRESIDENT STATE

Issued by authority of an Order of the Public Service Commission of Kentucky in SECTION 9 (1)

Case No. 2008-00169 Dated January 8, 2009

of its other members or to any electric system interconnected with Shelby Energy Cooperative's electric system. The Member shall agree that the interconnection and operation of the generating facility is secondary to, and shall not interfere with, Shelby Energy Cooperative's ability to meet its primary responsibility of furnishing reasonably adequate service to its members.

- 6) The Member shall be responsible for protecting, at the Member's sole cost and expense, the generating facility from any condition or disturbance on Shelby Energy Cooperative's electric system, including, but not limited to, voltage sags or swells, system faults, outages, loss of a single phase of supply, equipment failures, and lightning or switching surges, except that Shelby Energy Cooperative shall be responsible for repair of damage caused to the generating facility resulting solely from the negligence or willful misconduct on the part of Shelby Energy Cooperative.
- 7) After initial installation, Shelby Energy Cooperative shall have the right to inspect and/or witness commissioning tests, as specified in the Level 1 or Level 2 Application and approval process. Following the initial testing and inspection of the generating facility and upon reasonable advance notice to the Member, Shelby Energy Cooperative shall have access at reasonable times to the generating facility to perform reasonable on-site inspections to verify that the installation, maintenance, and operation of the generating LED facility comply with the requirements of this tariff.
- 8) For Level 1 and 2 generating facilities, an eligible Member shall furnish and install on the PUBLIC Member's side of the point of common coupling a safety disconnect switch which shall be capable of fully disconnecting the Member's energy generating equipment from Shelby Energy Cooperative's electric service under the full rated conditions of the Member's generating facility. The external disconnect switch (EDS) shall be located adjacent to Shelby Energy Cooperative's meters or the location of the EDS shall be noted by placing a sticker on the meter, and shall be of the visible break type in a metal enclosure which can be secured by a padlock. If the EDS is not located directly adjacent to the meter, the Member shall be responsible for ensuring that the location of the EDS is properly and legibly identified for so long as the generating facility is operational. The disconnect switch shall be accessible to Shelby Energy Cooperative personnel at all times. Shelby Energy Cooperative may waive the requirement for an EDS for a generating facility at its sole

		The state of the s
		PUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFE	CTIVE: April 8, 2005 CTIVE
ISSUED BY State Issued by authority of an Order of the Public Servi	TITLE Pres	4/8/2009 dent & Chief From the Afficent 5:011
Case No. 2008-00169 Dated January 8, 2009	oo commission	By W Maeur
		Fracutive Director

discretion, and on a case-by-case basis, upon review of the generating facility operating parameters and if permitted under Shelby Energy Cooperative's safety and operating protocols.

- 9) Shelby Energy Cooperative shall have the right and authority at Shelby Energy Cooperative's sole discretion to isolate the generating facility or require the Member to discontinue operation of the generating facility if Shelby Energy Cooperative believes that: (a) continued interconnection and parallel operation of the generating facility with Shelby Energy Cooperative's electric system may create or contribute to a system emergency on either Shelby Energy Cooperative's or the Member's electric system; (b) the generating facility is not in compliance with the requirements of this tariff, and the noncompliance adversely affects the safety, reliability, or power quality of Shelby Energy Cooperative's electric system; or (c) the generating facility interferes with the operation of Shelby Energy Cooperative's electric system. In non-emergency situations, Shelby Energy Cooperative shall give the Member notice of noncompliance including a description of the specific noncompliance condition and allow the Member a reasonable time to cure the noncompliance prior to isolating the generating facilities. In emergency situations, when Shelby Energy Cooperative is unable to immediately isolate or cause the Member to isolate only the generating facility, Shelby Energy Cooperative may isolate the Member's entire facility.
- 10) The Member shall agree that, without the prior written permission from Shelby Energy Cooperative, no changes shall be made to the generating facility as initially approved. Increases in generating facility capacity will require a new "Application for Interconnection and Net Metering" which will be evaluated on the same basis as any other new application. Repair and replacement of existing generating facility components with like components that meet UL 1741 certification requirements for Level 1-facilities and not resulting in increases in generating facility capacity is allowed without approval.
- 11) To the extent permitted by law, the Member shall protect, indemnify, and hold harmless Shelby Energy Cooperative and its directors, officers, employees, agents, representatives and contractors against and from all loss, claims, actions or suits, including costs and attorneys fees, for or on account of any injury or death of persons or damage to property caused by the Member or the Member's employees, agents, representatives and contractors in tampering with, repairing, maintaining, or operating the Member's generating facility or any related equipment or any facilities owned by Shelby Energy

		PUBLIC SERVICE COMMISSION
DATE OF ISSUE April 6, 2009	DATE EFFE	TIVE: April 8, 2000 ECTIVE
		4/8/2009
ISSUED BY Dellui Martin	TITLE Presi	dent & PUBRE BASETIFI OF SOUTH KAR 5:011
Issued by authority of an Order of the Public Se	ervice Commission	of Kentucky inSECTION 9 (1)
Case No. 2008-00169 Dated January 8, 2009		MOR

Cooperative except where such injury, death or damage was caused or contributed to by the fault or negligence of the Shelby Energy Cooperative or its employees, agents, representatives, or contractors.

The liability of Shelby Energy Cooperative to the Member for injury to person and property shall be governed by the tariff(s) for the class of service under which the Member is taking service.

- 12) The Member shall maintain general liability insurance coverage (through a standard homeowner's, commercial, or other policy) for both Level 1 and Level 2 generating facilities. The Member shall, upon request, provide Shelby Energy Cooperative with proof of such insurance at the time that application is made for net metering.
- 13) By entering into an Interconnection Agreement, or by inspection, if any, or by non-rejection, or by approval, or in any other way, Shelby Energy Cooperative does not give any warranty, express or implied, as to the adequacy, safety, compliance with applicable codes or requirements, or as to any other characteristics, of the generating facility equipment, controls, and protective relays and equipment.
- 14) A Member's generating facility is transferable to other persons or service locations only after notification to the Shelby Energy Cooperative has been made and verification that the installation is in compliance with this tariff. Upon written notification that an approved generating facility is being transferred to another person, member, or location, Shelby Energy Cooperative will verify that the installation is in compliance with this tariff and provide written notification to the member(s) within 20 business days. If the installation is no longer in compliance with this tariff, Shelby Energy Cooperative will notify the Member in writing and list what must be done to place the facility in compliance.

15) The Member shall retain any and all Renewable Energy Credits (RECs) that may be generated by their generating facility.

FEB 05 2016

KENTUCITY FUELIC SERVICE COMMISSION

	PUBLIC SERVICE COMMISS	3101
DATE OF ISSUE April 6, 2009	DATE EFFECTIVE: April 8,200 ENTUCKY	_
ISSUED BY Delling Most	TITLE President & Chief Executive Officer R 5:01	1
Issued by authority of an Order of the Public S Case No. 2008-00169 Dated January 8, 2009	Service Commission of Kentucky in SECTION 9 (1)	
Date 140. 2000 60105 Based Supplier 7 0, 200.	B. Il Dragge	

COOPERATIVE NAME

EFFECTIVE TERM AND TERMINATION RIGHTS

This Agreement becomes effective when executed by both parties and shall continue in effect until terminated. This Agreement may be terminated as follows: (a) The Member may terminate this Agreement at any time by giving Shelby Energy Cooperative at least sixty (60) days' written notice; (b) Shelby Energy Cooperative may terminate upon failure by the Member to continue ongoing operation of the generating facility; (c) either party may terminate by giving the other party at least thirty (30) days prior written notice that the other party is in default of any of the terms and conditions of the Agreement or the Rules or any rate schedule, tariff, regulation, contract, or policy of Shelby Energy Cooperative, so long as the notice specifies the basis for termination and there is opportunity to cure the default; (d) Shelby Energy Cooperative may terminate by giving the Member at least thirty (30) days notice in the event that there is a material change in an applicable law, regulation or statute affecting this Agreement or which renders the system out of compliance with the new law or statute.

IN WITNESS WHEREOF, the Parties have executed this Agreement, effective as of the date first above written.

MEMBER

Ву:	By:	
Printed Name	Printed Name	
Title:	Title:	
		CANCELLED
*		FEB 0.5 2018
ATE OF ISSUE April 6, 2009	DATE EF TECTIVAL AD THE VOO	E COMMISSION
SUED BY John January 8, 20		TUCKY CTIVE Ve Officer 009 807 KAR 5:011 N 9 (1) Director

Exhibit A (To be developed by each member system)

Exhibit A will contain additional detailed information about the Generating Facility such as a single line diagram, relay settings, and a description of operation.

When construction of Utility facilities is required, Exhibit A will also contain a description and associated cost.

Exhibit A will also specify requirements for a Utility inspection and witness test and when limited operation for testing or full operation may begin.

CANCELLED
FEB 05 20%
KENTUCKY PUBLIC SERVICE COMMISSION

DATE OF ISSUE April 6, 2009	DATE EFFEC	TVEU BLANCES EURO	ICE COMMISSION
			ENTUCKY
ISSUED BY Dellie Martine	TITLE Presid	ent & Chief Executiv	E GTH/Er
Issued by authority of an Order of the Public Service	ce Commission	of Kentucky in 4/	8/2009
Case No. 2008-00169 Dated January 8, 2009			
		SECT	TION 9 (1)
		1100	
		0 1/ /, 1/2	