

**RATE NSP**

**PRIVATE OUTDOOR LIGHTING FOR NON-STANDARD UNITS**

**APPLICABILITY**

Applicable to service for outdoor lighting on private property with Company-owned lighting fixtures in the Company's entire territory where secondary distribution lines are adjacent to the premise to be served. Not applicable to service for lighting of dedicated or undedicated public thoroughfares.

Mercury Vapor lighting fixtures will not be installed by the Company after June 1, 2003. As currently installed Mercury Vapor fixtures are retired and/or replaced, they may be replaced with either Metal Halide or Sodium Vapor fixtures as the customer chooses.

This rate schedule is no longer available after December 31, 2006. Potential lighting customers wanting a lighting system installed and maintained by Company can do so via the Outdoor Lighting Equipment agreement (OLE). Potential customers should contact a Company account representative for further information concerning OLE options. This rate schedule terminates December 31, 2016. Customers currently being provided service under this rate schedule can continue being provided service under this rate schedule for the remaining useful life of the facilities or this rate schedule terminates, whichever occurs first.

**TYPE OF SERVICE**

All equipment will be installed, owned and maintained by the Company on rights-of-way provided by the customer. The Company will perform maintenance only during regularly scheduled working hours and will endeavor to replace burned-out lamps within 48 hours after notification by the customer. The Company does not guarantee continuous lighting and shall not be liable to the customer or anyone else for damage, loss or injury resulting from any interruption in such lighting due to any cause. All lamps will burn from dusk to dawn, approximately 4,160 hours per annum.

**NET MONTHLY BILL**

- 1. Base Rate
  - A. Private outdoor lighting units:

The following monthly charge will be assessed for existing facilities, but this unit will not be available to any new customers after May 15, 1973:

	Lamp Watt	kW/Unit	Annual kWh	Rate/Unit	
2,500 lumen Mercury, Open Refractor.....	100	0.115	478	\$ 8.01	(I)
2,500 lumen Mercury, Enclosed Refractor.....	100	0.115	478	\$10.88	(I)

CANCELLED  
 AUG 30 2017  
 KENTUCKY PUBLIC SERVICE COMMISSION

Issued by authority of an Order of the Kentucky Public Service Commission dated August 11, 2015 in Case No. 2014-00454.

Issued: August 14, 2015  
 Effective: August 31, 2015  
 Issued by James P. Henning, President

<b>KENTUCKY PUBLIC SERVICE COMMISSION</b>	
<b>JEFF R. DEROUEN EXECUTIVE DIRECTOR</b>	
TARIFF BRANCH	
(T)	<i>Brent Kirtley</i>
(T)	EFFECTIVE
(T)	<b>8/31/2015</b>
(T)	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Duke Energy Kentucky, Inc.  
 4580 Olympic Blvd.  
 Erlanger, KY 41018

KY.P.S.C. Electric No. 2  
 Sixth Revised Sheet No. 67  
 Cancels and Supersedes  
 Fifth Revised Sheet No. 67  
 Page 2 of 3

**NET MONTHLY BILL (Contd.)**

**B. Outdoor lighting units served in underground residential distribution areas:**

The following monthly charge will be assessed for existing fixtures which include lamp and luminaire, controlled automatically, with an underground service wire not to exceed 35 feet from the service point, but these units will not be available to new customers after May 5, 1992:

	Lamp Watt	kW/Unit	Annual kWh	Rate/Unit	
7,000 lumens Mercury, Mounted on a 17-foot Fiberglass Pole . . . . .	175	0.205	853	\$14.92	(I)
7,000 lumen Mercury, Mounted on a 17-foot Wood Laminated Pole (a) . . . . .	175	0.205	853	\$14.92	(I)
7,000 lumen Mercury, Mounted on a 30-foot Wood Pole . . . . .	175	0.205	853	\$13.82	(I)
9,500 lumen Sodium Vapor, TC 100 R. . . . .	100	0.117	487	\$11.43	(I)

(a) Note: New or replacement poles are not available.

**C. Flood lighting units served in overhead distribution areas:**

The following monthly charge will be assessed for each existing fixture, which includes lamp and luminaire, controlled automatically, mounted on a utility pole, as specified by the Company, with a span of wire not to exceed 120 feet, but these units will not be available after May 5, 1992:


	Lamp Watt	kW/Fixture	Annual kWh	Rate/Unit	
52,000 lumen Mercury (35-foot Wood Pole) . .	1,000	1.102	4,584	\$30.57	(I)
52,000 lumen Mercury (50-foot Wood Pole) . .	1,000	1.102	4,584	\$34.18	(I)
50,000 lumen Sodium Vapor. . . . .	400	0.471	1,959	\$20.65	(I)

**2. Base Fuel Cost**

The rates per unit shown above include \$0.029117 per kilowatt-hour reflecting the base cost of fuel. (I)

**3. Applicable Riders**

The following riders are applicable to the specific terms contained within each rider:  
 Sheet No. 80, Rider FAC, Fuel Adjustment Clause  
 Sheet No. 81, Rider MSR-E, Merger Savings Credit Rider – Electric  
 Sheet No. 82, Rider PSM, Profit Sharing Mechanism



**LATE PAYMENT CHARGE**

Payment of the Net Monthly Bill must be received in the Company's office within twenty-one (21) days from the date the bill is mailed by the Company. When not so paid, the Gross Monthly Bill, which is the Net Monthly Bill plus 5%, is due and payable.

**TERM OF SERVICE**

Three (3) years, terminable thereafter on ten (10) days written notice by either customer or Company.

Issued by authority of an Order of the Kentucky Public Service Commission dated August 11, 2015 in Case No. 2014-00454.

Issued: August 14, 2015  
 Effective: August 31, 2015  
 Issued by James P. Henning, President

KENTUCKY PUBLIC SERVICE COMMISSION	
JEFF R. DEROUEN EXECUTIVE DIRECTOR	
TARIFF BRANCH	
(T)	<i>Brent Kintley</i>
(T)	EFFECTIVE
(T)	<b>8/31/2015</b>
(T)	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Duke Energy Kentucky, Inc.  
4580 Olympic Blvd.  
Erlanger, KY 41018


KY.P.S.C. Electric No. 2  
Sixth Revised Sheet No. 67  
Cancels and Supersedes  
Fifth Revised Sheet No. 67  
Page 3 of 3

### GENERAL CONDITIONS

1. In cases of repeated vandalism, the Company at its option will repair or remove its damaged equipment and the customer shall pay for repairs on a time and material basis, plus overhead charges. If the equipment is removed the customer will be billed for the unexpired term of the contract.
2. If any Company owned lighting unit is required to be relocated, removed or replaced with another unit of the same or lower lamp wattage, the customer ordering this shall pay the Company the sacrifice value of the unit, plus labor and overhead charges, unless in the judgment of the Company no charges should be made. An estimate of the cost will be submitted for customer approval before work is carried out.
3. When a lighting unit reaches end of life or becomes obsolete and parts cannot be reasonably obtained, the Company can remove the unit at no expense to the customer after notifying the customer. The customer shall be given the opportunity to arrange for another type lighting unit provided by the Company.

### SERVICE REGULATIONS

The supplying of, and billing for, service and all conditions applying thereto, are subject to the jurisdiction of the Kentucky Public Service Commission, and to Company's Service Regulations currently in effect, as filed with the Kentucky Public Service Commission, as provided by law.



Issued by authority of an Order of the Kentucky Public Service Commission dated August 11, 2015 in Case No. 2014-00454.

Issued: August 14, 2015  
Effective: August 31, 2015  
Issued by James P. Henning, President

<b>KENTUCKY PUBLIC SERVICE COMMISSION</b>	
<b>JEFF R. DEROUEN EXECUTIVE DIRECTOR</b>	
TARIFF BRANCH	
(T)	<i>Brent Kirtley</i>
EFFECTIVE	
(T)	<b>8/31/2015</b>
(T)	PURSUANT TO 807 KAR 5:011 SECTION 9 (1)