

**STANDARD RATE SCHEDULE**

**PSL**

**Public Street Lighting Service**

**APPLICABLE**

In all territory served.

**AVAILABILITY**

Available to municipal, county, state and Federal governments, including divisions thereof, and other bodies politic which have the authority to levy and collect general taxes, for the lighting of public streets and roads, public parks and other outdoor locations open to and reserved for general public use.

**CHARACTER OF SERVICE**

This rate schedule covers electric lighting service to Company-owned and maintained street lighting equipment as hereinafter described. Service under this rate schedule will be available on an automatically controlled dusk-to-dawn every-night schedule of approximately 4,000 hours per year, and only to the types of lighting units specified herein.

**RATES**

Type of Unit	Rate Per Month Per Unit	
	Installed Prior to Jan. 1, 1991	Installed After Dec. 31, 1990
<u>Overhead Service</u>		
<u>Mercury Vapor</u>		
100 Watt	\$ 5.85	\$ -0-
175 Watt	6.79	8.47
250 Watt	7.66	9.44
400 Watt	9.06	11.24
400 Watt (underground pole)	13.29	-0-
1000 Watt	16.58	20.09
<u>High Pressure Sodium Vapor</u>		
100 Watt	\$ 7.00	\$ 7.00
150 Watt	8.35	8.35
250 Watt	9.93	9.93
400 Watt	10.17	10.17
1000 Watt	-0-	23.14
<u>Underground Service</u>		
<u>Mercury Vapor</u>		
100 Watt - Top Mounted	\$ 9.63	\$11.91
175 Watt - Top Mounted	10.47	12.86
175 Watt	14.28	20.38
250 Watt	15.19	21.35
400 Watt	17.76	23.15
400 Watt on State of Ky. Pole	10.31	-0-
<u>High Pressure Sodium Vapor</u>		
70 Watt - Top Mounted	\$10.21	\$10.21
100 Watt - Top Mounted	10.58	10.58
150 Watt - Top Mounted	-0-	15.65
150 Watt	18.36	18.36
250 Watt	19.37	19.37
250 Watt on State of Ky. Pole	9.75	-0-
400 Watt	20.59	20.59
1000 Watt	-0-	47.95
<u>Incandescent</u>		
1500 Lumen	\$ 7.86	\$ -0-
6000 Lumen	10.18	-0-

CANCELLED  
 JUN 2003  
 NOV 2002  
 PURSUANT TO ORDER OF THE P.S.C. OF KY.

Date of Issue: November 11, 2002  
 Canceling Original Sheet No. 19  
 Issued February 21, 2000

Issued By



Date Effective: With Service Rendered  
 On and After  
 November 1, 2002

Michael S. Beer, Vice President  
 Louisville, Kentucky

Issued Pursuant to K.P.S.C. Order of 10/22/02 in Case No. 2002-00193

**STANDARD RATE SCHEDULE PSL  
Public Street Lighting Service (Continued)**


<u>Decorative Lighting Service</u>	<u>Rate Per Month Per Unit</u>
<u>Fixtures</u>	
<u>Acorn with Decorative Basket</u>	
70 Watt High Pressure Sodium	\$14.14
100 Watt High Pressure Sodium	14.68
<u>8-Sided Coach</u>	
70 Watt High Pressure Sodium	14.33
100 Watt High Pressure Sodium	14.85
<u>Poles</u>	
10' Smooth	8.50
10' Fluted	10.15
<u>Bases</u>	
Old Town/Manchester	2.73
Chesapeake/Franklin	2.92
Jefferson/Westchester	2.92
Norfolk/Essex	3.11

**FUEL CLAUSE AND ENVIRONMENTAL COST RECOVERY SURCHARGE**

The rates specified herein are subject to the Fuel Clause set forth on Sheet No. 24 of this Tariff. Said Fuel Clause shall be applied to the kilowatt-hours consumed by each lighting unit within the billing period, determined in accordance with the table contained in the Standard Rider "Kilowatt-hours Consumed by Street Lighting Units" set forth on Sheet No. 23-A of this Tariff. The rates specified herein are also subject to the Environmental Cost Recovery Surcharge set forth on sheet No. 23-K of this Tariff.

**SPECIAL TERMS AND CONDITIONS**

- Overhead Service. The above rates contemplate installation on an existing pole in Company's system. If the location of an existing pole is not suitable for the installation of a lighting unit, the Company will extend its secondary conductor one span and install an additional pole for the support of such unit. If still further poles or conductors are required to extend service to the lighting unit, the customer will be required to make a non-refundable cash advance equal to the installed cost of such further facilities.
- Underground Service. In all areas other than the downtown section of the City of Louisville designated by City ordinance as an underground district, the Company will provide a normal installation consisting of a direct buried cable connection of not more than 200 feet per unit. If additional facilities or expenditures are required, including any additional cost to break pavement or remove rock, the customer shall make a non-refundable cash advance equivalent to the excess costs. Company may decline to install equipment and provide service thereto in locations deemed by Company unsuitable for underground installation.



Date of Issue: November 11, 2002  
Canceling First Revision of  
Original Sheet No. 20  
Issued June 16, 2000

Issued By

Date Effective: With Service Rendered  
On and After  
November 1, 2002

Michael S. Beer, Vice President  
Louisville, Kentucky

Issued Pursuant to K.P.S.C. Order of 10/22/02 in Case No. 2002-00193