

**ELECTRIC RATE SCHEDULE PSL**  
**Public Street Lighting Service**

**APPLICABLE**

In all territory served.

**AVAILABILITY OF SERVICE - RESTRICTED**

Available to municipal, county, state and Federal governments, including divisions thereof, and other bodies politic which have the authority to levy and collect general taxes, for the lighting of public streets and roads, public parks and other outdoor locations open to and reserved for general public use. This rate schedule will continue to be available only to customers that were being served hereunder on July 1, 2004, and will not be available for the addition of new customers.

**CHARACTER OF SERVICE**

This rate schedule covers electric lighting service to Company-owned and maintained street lighting equipment as hereinafter described. Service under this rate schedule will be available on an automatically controlled dusk-to-dawn every-night schedule of approximately 4,000 hours per year, and only to the types of lighting units specified herein.

**RATES**

Type of Unit	Rate Per Month Per Unit	
	Installed Prior to Jan. 1, 1991	Installed After Dec. 31, 1990
<u>Overhead Service</u>		
<u>Mercury Vapor</u>		
100 Watt	\$ 6.63	N/A
175 Watt	7.74	\$ 9.62
250 Watt	8.80	10.78
400 Watt	10.48	12.91
400 Watt (metal pole)	15.23	N/A
1000 Watt	19.42	23.33
<u>High Pressure Sodium Vapor</u>		
100 Watt	\$ 7.93	\$ 7.93
150 Watt	9.49	9.49
250 Watt	11.33	11.33
400 Watt	11.75	11.75
1000 Watt	N/A	26.73
<u>Underground Service</u>		
<u>Mercury Vapor</u>		
100 Watt - Top Mounted	\$10.84	\$13.39
175 Watt - Top Mounted	11.85	14.51
175 Watt	16.09	22.89
250 Watt	17.19	24.05
400 Watt	20.19	26.19
400 Watt on State of Ky. Pole	20.29	26.19
<u>High Pressure Sodium Vapor</u>		
70 Watt - Top Mounted	\$ N/A	\$11.49
100 Watt - Top Mounted	11.91	11.91
150 Watt - Top Mounted	N/A	17.62
150 Watt	20.63	20.63
250 Watt	21.85	21.85
250 Watt on State of Ky. Pole	21.85	21.85
400 Watt	23.38	23.38
400 Watt on State of Ky. Pole	23.38	23.38
1000 Watt	N/A	32.69


C  
12/31/2007

I  
I  
I  
I

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE  
3/5/2007  
PURSUANT TO 807 KAR 5:011  
SECTION 8.1(1)

Date of Issue: February 20, 2007  
Canceling First Revision of  
Original Sheet No. 36  
Issued June 8, 2005

Issued By



John R. McCall, Executive Vice President,  
General Counsel, and Corporate Secretary  
Louisville, Kentucky

Date Effective: With Bills Rendered  
On and After  
March 5, 2007



Executive Director

# Louisville Gas and Electric Company

Second Revision of Original Sheet No. 36.1  
P.S.C. of Ky. Electric No. 6

## ELECTRIC RATE SCHEDULE PSL Public Street Lighting Service

<u>Decorative Lighting Service</u>	<u>Rate Per Month Per Unit</u>
<u>Fixtures</u>	
<u>Acorn with Decorative Basket</u>	
70 Watt High Pressure Sodium	\$15.83
100 Watt High Pressure Sodium	16.48
<u>8-Sided Coach</u>	
70 Watt High Pressure Sodium	16.04
100 Watt High Pressure Sodium	17.04
<u>Poles</u>	
10' Smooth	9.36
10' Fluted	11.17
<u>Bases</u>	
Old Town/Manchester	3.00
Chesapeake/Franklin	3.22
Jefferson/Westchester	3.25
Norfolk/Essex	3.42

*C*  
*12/31/2007*

NA - Not Available

### ADJUSTMENT CLAUSES

The bill amount computed at the charges specified above shall be increased or decreased in accordance with the following:

Fuel Adjustment Clause	Sheet No. 70
Environmental Cost Recovery Surcharge	Sheet No. 72
Merger Surcredit Rider	Sheet No. 73
Value Delivery Surcredit Rider	Sheet No. 75
Franchise Fee Rider	Sheet No. 76
School Tax	Sheet No. 77

### SPECIAL TERMS AND CONDITIONS

- Overhead Service. The above rates contemplate installation on an existing pole in Company's system. If the location of an existing pole is not suitable for the installation of a lighting unit, the Company will extend its secondary conductor one span and install an additional pole for the support of such unit. If still further poles or conductors are required to extend service to the lighting unit, the customer will be required to make a non-refundable cash advance equal to the installed cost of such further facilities.
- Underground Service. In all areas other than the downtown section of the City of Louisville designated by City ordinance as an underground district, the Company will provide a normal installation consisting of a direct buried cable connection of not more than 200 feet per unit. If additional facilities or expenditures are required, including any additional cost to break pavement or remove rock, the customer shall make a non-refundable cash advance equivalent to the excess costs. Company may decline to install equipment and provide service thereto in locations deemed by Company unsuitable for underground installation.

PUBLIC SERVICE COMMISSION  
OF KENTUCKY  
EFFECTIVE  
3/5/2007  
PURSUANT TO 807 KAR 5:011

Date of Issue: February 20, 2007  
Canceling First Revision of  
Original Sheet No. 36.1  
Issued June 8, 2005

Issued By

*John R. McCall*

John R. McCall, Executive Vice President  
General Counsel, and Corporate Secretary  
Louisville, Kentucky

Date Effective: With Bills Rendered  
On and After  
3/5, 2007

Executive Director

Issued by Authority of an Order of the KPSC in Case No. 2006-00130 dated January 31, 2007