

STANDARD RIDER

Supplemental or Standby Service

APPLICABLE

To Large Commercial Rate LC, Rate LC-TOD, Industrial Power Rate LP, and Rate LP-TOD.

AVAILABILITY OF SERVICE

Available to customers whose premises or equipment are regularly supplied with electric energy from generating facilities other than those of Company and who desire to contract with Company for reserve, breakdown, supplemental or standby service.

RATE

Electric service actually used each month will be charged for in accordance with the provisions of the applicable rate schedule; provided, however, that the bill shall in no case be less than an amount calculated at the rate of \$6.25 per kilowatt applied to the Contract demand.

CONTRACT DEMAND

Contract Demand is defined as the number of kilowatts mutually agreed upon as representing customer's maximum service requirements and contracted for by customer, provided, however, if such number of kilowatts is exceeded by a recorded demand, such recorded demand shall become the new contract demand commencing with the month in which recorded and continuing for the remaining term of the contract or until superseded by a higher recorded demand.

SPECIAL TERMS AND CONDITIONS

- a. In order to protect its equipment from overload damage, Company may required customer to install at his own expense an approved shunt trip type breaker for secondary voltages and an approved automatic pole-mounted disconnect for primary service. Such circuit breakers shall be under the sole control of the Company and will be set by the Company to break the connection with its service in the event customer's demand materially exceeds that contracted for.
- b. Company will provide meter enclosures and furnish, place and maintain necessary suitable meters for measurement of service rendered hereunder. Customer will be responsible for installing and wiring the respective meter enclosures.
- c. Customer will be required at all times to maintain a power factor of not less than 80% lagging.
- d. In the event customer's use of service is intermittent or subject to violent fluctuations, the Company will require customer to install and maintain at his own expense suitable equipment to satisfactorily limit such intermittence or fluctuations.
- e. Customer's generating equipment shall not be operated in parallel with Company's service until the manner of such operation has been approved by Company and is in compliance with Company's operating standards for system reliability and safety.
- f. The minimum contract period shall be one year, but Company may require that a contract be executed for a longer initial term when deemed necessary by the size of load or special conditions.
- g. Such of the Company's general rules and regulations as are not in conflict or inconsistent with the special provisions herein prescribed shall likewise apply to supplemental or standby service.

CANCELLED
FEB 06 2009
PUBLIC SERVICE COMMISSION

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE
7/17/2004
PURSUANT TO 807 KAR 5:011
SECTION 9 (1)

Date of Issue: July 20, 2004

Issued By

Michael S. Beer, Vice President
Louisville, Kentucky

Date Effective: With Service Rendered

and After
July 1, 2004

Executive Director