Louisville Gas and Electric Company

P.S.C. Electric No. 13, First Revision of Original Sheet No. 36 Canceling P.S.C. Electric No. 13, Original Sheet No. 36

Standard Rate

December 6, 2021

APPLICABLE

In all territory served.

AVAILABILITY

Availability is restricted to those lighting fixtures/poles in service as of July 1, 2021. Spot replacements will not be available for High Pressure Sodium, Metal Halide, Mercury Vapor and Incandescent rate codes.

RLS

Restricted Lighting Service

In the event restricted fixtures/poles fail, Customer will be given the choice of having Company remove the failed fixture/pole or having Company replace the failed fixture/pole with comparable LED fixture/pole.

Units marked with an asterisk (*) are not available for use in residential neighborhoods except by municipal authorities.

OVERHEAD SERVICE

Based on Customer's lighting choice, Company has furnished, installed, and maintained the lighting unit complete with lamp, fixture, photoelectric control, mast arm, and, if needed, up to 150 feet of conductor per fixture on existing wood poles (fixture only).

RATE				Ν	Monthly Charge			
Rate Code	Type of Fixture	Approximate Lumens	kW Per Light	Fixture Only	Fixture & Wood Pole	Fixture & Orn. Pole		
Mercury	Vapor							
252	Cobra/Open Botto	m 8,000	0.210	\$11.61			R	
203	Cobra Head	13,000	0.298	13.13			R	
204 209	Cobra Head Cobra Head	25,000 60,000*	0.462 1.180	16.05 32.35			R R	
		,						
207 210	Directional Directional	25,000 60,000*	0.462 1.180	\$18.27 33.66			R R	
210	Directional	00,000	1.100	33.00			Γ	
201	Open Bottom	4,000	0.100	\$10.10			R	
Metal Halide								
470/471	Directional	12,000	0.150	\$15.95	\$18.82		R/R	
474/475	Directional	32,000*	0.350	45.00	24.43	\$32.43	R/R R/R	
476/477 473	Directional Directional	107,800* 32,000*	1.080 0.350	45.83 21.97	49.26		R	
4/5	Difectional	52,000	0.000	21.97				

DATE OF ISSUE:	August 17, 2021	KENTUCKY PUBLIC SERVICE COMMISSION
DATE EFFECTIVE	With Service Rendered On and After August 1, 2021	Linda C. Bridwell Executive Director
ISSUED BY:	/s/ Robert M. Conroy, Vice President State Regulation and Rates Louisville, Kentucky	Inde G. Andwell
	ty of an Order of the mmission in Case No. August 2, 2021	EFFECTIVE 8/1/2021 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

KENTUCKY PUBLIC SERVICE COMMISSION

NCEL

Louisville Gas and Electric Company P.S.C. Electric No. 13, First Revision of Original Sheet No. 36.1 Canceling P.S.C. Electric No. 13, Original Sheet No. 36.1

RLS

		Restricted Lig	phting Serv	vice			
RATE (co	ontinued)				Monthly Charg	e	
Rate Code	Type of Fixture	Approximate Lumens	kW Per Light	Fixture Only	Fixture & Wood Pole	Fixture & Orn. Pole	
High Pr	essure Sodium						
452	Cobra Head	16,000	0.181	\$15.43			R
453	Cobra Head	28,500	0.294	17.94			R
454	Cobra Head	50,000*	0.471	20.40			R
455	Directional	16,000	0.181	\$16.46			R
456	Directional	50,000*	0.471	21.29			R
457	Open Bottom	9,500	0.117	\$13.71			R

UNDERGROUND SERVICE

Standard Rate

Based on Customer's lighting choice, Company has furnished, installed, and maintained the lighting unit complete with lamp, fixture, photoelectric control, mast arm, and, if needed, up to 200 feet of conductor per fixture on appropriate poles.

RATE Rate Code	Type of Fixture	Approximate Lumens	kW Per Light	<u>Mon</u> Fixture Only	<u>thly Charg</u> Decorativ Smooth	
High Pres	sure Sodium					
275	Cobra/Contemporary	16,000	0.181		\$29.57	R
266	Cobra/Contemporary	28,500	0.294		32.41	R
267	Cobra Contemporary	50,000*	0.471		36.93	R
276	Coach/Acorn	5,800	0.083		17.97	R
274	Coach/Acorn	9,500	0.117		21.35	R
277	Coach/Acorn	16,000	0.181		26.05	R
279/278	Contemporary	120,000*	1.000	\$50.38	83.72	R/R
417	Acorn, Bronze	9,500	0.117		28.81	R
419	Acorn, Bronze	16,000	0.180		30.08	R
280	Victorian	5,800	0.083	\$24.40		R
281	Victorian	9,500	0.117	24.86		R
282	London	5,800	0.083	23.98		R
283	London	9,500	0.117	25.40		R
426/427	London	5,800	0.083		\$38.60	\$40.75 R
428/429		9,500	0.117		39.53	40.71 R
430/431	Victorian	5,800	0.083		37.55	38.29 R
432/433	Victorian	9,500	0.117		39.80	42.94 R
		NCELLE	D			
DATE OF ISSUE: August 17, 2021				KENTUCKY PUBLIC SERVICE COMMISSION		
DATE EFFECTIVE: With Service Rendered On and After Service Commission			-	Linda C. Bridwell Executive Director		
ISSUED BY:	/s/ Robert M. Conroy State Regulation and Louisville, Kentucky	, Vice President	(Lide	G. Au	dwell

Issued by Authority of an Order of the Public Service Commission in Case No. 2021-00056 dated August 2, 2021 and amended August 12, 2021 EFFECTIVE **8/1/2021** PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Canceling P.S.C. Electric No. 13, Original Sheet No. 36.2 Standard Rate RLS December 6, 2021 Restricted Lighting Service Restricted Lighting Service	
UNDERGROUND SERVICE (continued) RATE Rate Type of Approximate kW Per Fixture SERVICE (continued)	
Code Fixture Lumens Light Only Smooth	
High Pressure Sodium (continued) 412 Colonial, 4-Sided 5,800 0.083 \$23.85 R 413 Colonial, 4-Sided 9,500 0.117 24.59 R 444 Colonial, 4-Sided 16,000 0.181 24.47 R 415 Acorn 5,800 0.083 24.28 R 416 Acorn 9,500 0.117 26.86 R 445 Acorn 16,000 0.181 26.60 R 400 Dark Sky 4,000 0.060 28.36 R 423 Cobra Head 16,000 0.181 31.20 R 424 Cobra Head 28,500 0.294 33.65 R 425 Cobra Head 50,000* 0.471 39.87 R 439/420 Contemporary 16,000 0.181 \$19.33 35.17 R/R 440/421 Contemporary 28,500* 0.294 21.38 37.90 R/R 440/421 Contemporary 28,500* 0.294 21.38 37.90 <t< td=""><td></td></t<>	
Mercury Vapor 318 Cobra Head 8,000 0.210 \$20.20 R 314 Cobra Head 13,000 0.298 22.73 R 315 Cobra Head 25,000 0.462 26.41 R 206 Coach 4,000 0.100 14.84 R 208 Coach 8,000 0.210 16.71 R Metal Halide Ketal Halide	
479/480Contemporary12,0000.150\$17.69\$28.94R/R483/484Contemporary107,800*1.08049.0360.90R/R481/482Contemporary32,000*0.35023.8935.80R/R	
Incandescent 349 Continental Jr. 1,500 0.102 \$10.61 R 348 Continental Jr. 6,000 0.447 15.03 R	
Victorian/London Bases950Old Town\$ 3.88951Chesapeake4.10956Victorian/London (Westchester/Norfolk)3.97	
Poles90110' Smooth Pole\$11.5990210' Fluted Pole13.83Where Customer's location required the installation of additional facilities, Company may have	

Where Customer's location required the installation of additional facilities, Company may have furnished the requested facilities at an additional charge per month to be determined under the Excess Facilities Rider.

DATE OF ISSUE:	August 17, 2021		
DATE EFFECTIVE:	With Service Rendered On and After August 1, 2021		
ISSUED BY:	/s/ Robert M. Conroy, Vice President State Regulation and Rates Louisville, Kentucky		
Issued by Authority of an Order of the			

Public Service Commission in Case No. 2021-00056 dated August 2, 2021

