6. <u>Switched Access Service</u>

6.1 <u>General</u>

Switched Access Service, which is available to customers for their use in furnishing their services to end users, provides a two-point electrical communications path between a customer's premises and an end user's premises. It provides for the use of common terminating, switching and trunking facilities and common subscriber plant of the Telephone Company. Switched Access Service provides for the ability to originate calls from an end user's premises to a customer's premises, and to terminate calls from a customer's premises to an end user's premises in the LATA where it is provided. Specific references to material describing the elements of Switched Access Service are provided in 6.1.1 and 6.1.3 following.

Rates and charges for Switched Access Service depend generally on its use by the customer, i.e., for MTS or WATS services, MTS-WATS equivalent services, or other services (e.g., foreign exchange service). Rates and charges for Switched Access Service are set forth in 6.8 following. The application of rates for Switched Access Service is described in 6.7 following. Rates and charges for services other than Switched Access Service, e.g., a customer's interLATA toll message service, may also be applicable when Switched Access Service is used in conjunction with these other services. Descriptions of such applicability are provided in 6.2.1(A)(7), 6.2.1(B)(4), 6.2.2(A)(5), 6.2.4(A)(4), 6.7.10 and 6.7.12following. Finally, a credit is applied against line side Switched Access Service charges as described in 6.7.11 following.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5.011. SECTION 9 (1)

BY: Grand Salle Effeoticservice ManabeloB 41/9.912

Issued: February 7, 1992

ova e.

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

for

1 st Original Page 157 Cancels Original Page 157

- 6. Switched Access Service (Cont'd)
 - 6.1 General (Cont'd)

6.1.1 Switched Access Service Arrangements and Manner of Provision

Switched Access Services are differentiated by their technical characteristics, e.g., line side vs. trunk side connection at the Telephone Company entry switch, and the manner in which an end user accesses them in originating calling, e.g., with or without an access code. Following is a brief description of each type of service arrangement.

(A) Feature Group A (FGA)

FGA Access, which is available to all customers, provides line side access to Telephone Company end office switches with an associated seven digit local telephone number for the customer's use in originating and terminating communications to an Interexchange Carrier's interstate service or a customer-provided interstate communications capability. The customer must specify the Interexchange Carrier to which the FGA service is connected or, in the alternative, specify the means which the FGA access communications is transported to another state. A more detailed description of FGA Access is provided in 6.2.1 following.

(B) Feature Group B (FGB)

FGB Access, which is available to all customers, provides trunk side access to Telephone Company end office switches with an associated uniform 950-XXXX access code for the customer's use (T) in originating and terminating communications to an Interexchange Carrier's interstate service or a customer-provided interstate communications capability. The customer must specify the Interexchange Carrier to which the FGB service is connected or, in the alternative, specify the means by which the FGB access communications is transported to another state. A more detailed description of FGB Access is provided in 6.2.2 following.

Issued: February 23. 1999

Effective: January 25. 1999

President, Cincinnati, Ohio

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

2nd Revised Page 158 Cancels 1st Revised Page 158

- Switched Access Service (Cont'd) 6.
 - 6.1 General (Cont'd)
 - Switched Access Service Arrangements and Manner of Provision (Cont'd) 6.1.1
 - (C) Feature Group D (FGD)

FGD Access, which is available to all customers, provides trunk side access to Telephone Company end office switches with an associated uniform 10XXX access code for the customer's use in originating and terminating communications. A more detailed description of FGD Access is provided in 6.2.4 following.

800 Access Service (D)

> 800 Access Service, which is available to all customers. is an originating offering utilizing FGD Switched Access Service. The service provides a customer identification function based on the dialed 800 number. The 800 Series includes 800. 888,877.866. (T)855. 844. 833. 822. This customer identification function could include additional call handling and destination features. such as; alternate carrier(s)and/or alternate destinations), time-ofday, day-of-week, specific dates, originating NPA-NXX-XXX, percent allocation, routing to a single carrier and destination from an area of service which is smaller than an area defined by an NPA-NXX. percent allocation, routing to a single carrier and destination from an area of service which is smaller than an area defined by (C) an NPA-NNX.

> When a 1 + 800 Series + NXX + XXXX call is originated by an end (T)user. the Telephone Company will perform the customer identification function based on the dialed 1 + 800 Series + NXX + XXXX (ten digit screening) to determine the customer location to which the call is to be routed. Where 800 Series prefixes are not (T)part of ten digit screening, the customer identification function will be performed based on the 800 Series + NXX digits (T)only (e.g., Canada). If an 800 Series call originates from an (T)end office not equipped to provide the SSP Data Base Query function, the call will be routed to an office at which the function is available. The SSP Data Base Ouery function will be available at the tandem, and select end offices only. Once customer identification has been established, the call will be routed to the customer.

President, Cincinnati, Ohio

(T)

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

1st Revised Page 159 Cancels Original Page 159

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.1 Switched Access Service Arrangements and Manner of Provision (Cont'd)
 - (D) <u>800 Access Service</u> (Cont'd)

(D)



PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY I 1993

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: ________

PUBLIC SERVICE COMMISSION MANAGER

Effective: May 1, 1993

Issued: March 25, 1993

Robert E. K for iquion

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

1st Revised Page **160** Cancels Original Page **160**

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.1 <u>Switched Access Service Arrangements and Manner of Provision</u> (Cont'd)
 - (D) <u>800 Access Service</u> (Cont'd)

Additionally, 800 Access Service usage measurements shall be in (C) accordance with the regulations set forth in 6.7.8 following for Feature Group D and 6.7.17 for Data Base Queries. Access (C) minutes shall be measured in the same manner in which Feature Group D access minutes are measured.

Unless prohibited by technical limitations (e.g., different dialing plans), the customer's 800 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's non-800 Access Service traffic. When required by technical limitations, or at the request of the customer, a separate trunk group will be established for 800 Access Service.

When 800 Access Service traffic is combined in the same trunk group arrangement with other traffic, usage for the 800 Access Service traffic may be aggregated with or shown separately from the other traffic for billing purposes. When separate trunk groups are provided for 800 Access Service, usage will be billed separately.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAY 1 1993

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: PUBLIC SERVICE COMMISSION MANAGER Effective: May 1, 1993

Issued: March 25, 1993

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

Robert E. Digmon for

1st Revised Page 161 Cancels Original Page 161

(T)

6. <u>Switched Access</u> Service (Cont'd)

6.1 General (Cont'd)

6.1.1 Switched Access Service Arrangements and Manner of Provision (Cont'd)

(E) <u>900 Access Service</u>

Originating 900 Access Service is an offering utilizing trunk side Switched Access Service. The service provides a customer identification function based on the dialed 900 number.

When a 1 + 900 + NXX + XXXX or 0 + 900 + NXX + XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the 900 + NXX digits dialed to determine the customer location to which the call is to be routed.

900 Access Service may be provisioned With 1+900+NXX-XXXX dialing capability or expanded to include 0+900+NXX-XXXX dialing capability. The expanded 900 option is not offered without 1+900 Access Service within a LATA.

Calls originating to 900 Access Service NXX Codes which the customer has not ordered opened in the LATA will be blocked. Only customers who order **0+900** dialing capability will be able to receive **0+900** calls to NXX codes assigned to them. In addition, calls originating in a LATA for which 900 Access Service has been established will be blocked utilizing the blocking specifications as follows:

If 1+900 dialing capability is ordered, calls from coin (T) telephone, Inmate Service, Hotel/Motel Service, and calls made using 0+ (unless 0+900 dialing capability is ordered), 0- and 10XXX wi11 be blocked. (T)

If 0+900 dialing capability is ordered, calls from Inmate (\top) Service, and calls made using 0-. will be blocked.

900 Access Service will be provisioned in accordance with the technical characteristics available with Feature Group D., i.e. technical specifications, Telephone Company switching system and customer premises interfaces, design blocking criteria and address signaling, etc.

Effective: January 25. 1999

1st Revised Page 162 Cancels Original Page 162

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.1 <u>Switched Access Service Arrannements and Manner of Provision</u> (Cont'd)
 - (E) <u>900 Access Service</u> (Cont'd)

Usage measurements on 900 Access Service shall be in accordance with the regulations set forth in 6.7.8 following for Feature Group D. Access minutes shall be measured in the same manner as Feature Group D access minutes are measured.

Unless prohibited by technical limitations, e.g., different dialing plans, the customer's 900 Access Service traffic may, at the option of the customer, be combined in the same trunk group arrangement with the customer's other Access Service traffic (non-900). When required by technical limitations or at the request of the customer, a separate trunk group will be established for 900 Access Service.

When 900 Access Service traffic is combined in the same trunk group arrangement with other traffic, usage for the 900 Access Service traffic may be aggregated with or shown separately from the other traffic for billing purposes. When separate trunk groups are provided for 900 Access Service, usage will be billed separately.

The Telephone Company may, at its option, implement network management controls, e.g., call gaping and code blocking, to protect the network from traffic surges due to peaked 900 Access Service. Customer notification of its peaked service is required in accordance with paragraph 6.6.1(E). OF KENTUCKY

The nonrecurring charges for 900 Access Service are EFFECTIVE described in 6.7.1(C) (3). (T)

MAY 23 1995

PURSUANT TO 807 KAR 5011. SECTION 9(1) Jordan C. neel BY: FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

brach Cic Fresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

1st Revised Page 163 Cancels Original Page 163

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.1 <u>Switched Access Service Arrangements and Manner of Provision</u> (Cont'd)
 - (P) Manner of Provision

Switched Access is furnished in either quantities of(C)lines or trunks. FGA is furnished on a per-line basis.|FGB Access and FGD Access are furnished on a per trunk|basis.(C)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE Trunks are differentiated by type and directionality of (C) traffic carried over a Switched Access Service for the Telephone Company to properly design Switched Access Service to meet the traffic carrying capacity requirement of the customer.

MAY 23 1995 There are **four** major traffic types. These are: (C) PURSUANT TO 807 KAR 5:01 Originating, Terminating, 64 Clear Channel Capability (N) (64CCC) and Directory Assistance. Originating (N) SECTION 9(1) traffic type represents access capacity within a Jordan C. neel BY∙ LATA for carrying traffic from the end user to the FOR THE PUBLIC SERVICE COMMISSION customer. Terminating traffic type represents access capacity within a LATA for carrying traffic from the customer to the end user; 64CCC traffic type represents (C) access capacity within a LATA for carrying digital traffic at speeds up to 64Kbps between the customer and the end user; and, Directory Assistance traffic (C) type represents access capacity within a LATA for carrying Directory Assistance traffic from the customer to a Directory Assistance location. Directory Assistance traffic type is used for ordering Directory Assistance Access Service as set forth in 9. following. If customers wish to further segregate their originating FGD, 800 Access Service or 900 Access Service traffic into separate trunk groups, the originating traffic type must be specified. Originating traffic type is categorized into Domestic, 800, 900, Operator and IDDD. Domestic traffic type represents access capacity for carrying only domestic traffic other than 800, 900 and Operator traffic; IDDD traffic type represents access capacity for carrying only international traffic; and, 800, 900 and operator traffic type represents access capacity for carrying, respectively, only 800, 900 or Operator traffic.

Issued: June

Vice President President, Cincinnati, Ohio Integrated Corporate Planning for

(N)

(N)

6. Switched Access Service (Cont'd)

6.1 General (Cont'd)

6. 1.1 Switched Access Service Arranoements and Manner of Provision (Cont'd)

(G) 500 Access Service

Originating 500 Access Service is an offering utilizing trunk side Switched Access Service. The service provides a customer identification function based on the dialed 500 number.

When a 1+500+NXX+XXX or 0+500+NXX+XXXX call is originated by an end user, the Telephone Company will perform the customer identification function based on the 500 + NXX digits dialed to determine the customer location to which the call is to be routed.

500 Access Service may be provisioned with 1+500+NXX-XXXX dialing capability and 0+500+NXX-XXXX dialing capability. However, 0+500 is not offered without 1+500 Access Service within a LATA.

Calls originating to 500 Access Service NXX Codes which the customer has not ordered opened in the LATA will be blocked. Only customers who order 0+500 dialing capability will be able to receive 0+500 calls to NXX codes assigned to them. In addition, calls originating in a LATA for which 500 Access Service has been established will be blocked utilizing the blocking specifications as follows:

- If 1+500 dialing capability is ordered, calls from Inmate Service, Hotel/Hotel Service, 0+ (unless 0+ dialing capability is ordered), 0-, 10XXX and 10XXXX will be blocked.
- If 0 + 500 dialing capability is ordered and calls made using 0- will be blocked.

500 Access Service will be provisioned in accordance with the technical characteristics available with Feature Group D.. i.e.. technical specifications, Telephone Company switching system and customer premises interfaces, design blocking criteria and address signaling.etc.

- 6. Switched Access Service (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.1 <u>Switched Access Service Arrangements and Manner of Provision</u> (Cont'd)
 - (G) 500 Access Service (Cont'd)

(N)

Usage measurements on 500 Access Service shall be in accordance with the regulations set forth in 6.7.8 following for Feature Group D.

Unless prohibited by technical limitations, e.g.. different dialing plans, the customer's 500 Access Service traffic may. at the option of the customer, be combined in the same trunk group arrangement with the customer's other Access Service traffic (non-500). When required by technical limitations or at the request of the customer, a separate trunk group will be established for 500 Access Service.

When 500 Access Service traffic is combined in the same trunk group arrangement with other traffic, usage for the 500 Access Service traffic may be aggregated with or shown separately from the other traffic for billing purposes. When separate trunk g roups are provided for 500 Access Service. usage will be billed separately.

The Telephone Company may. at its option, implement network management controls, e.g., call gapping and code blocking, to protect the network from traffic surges due to peaked 500 Access Service. Customer notification of its peaked service is required in accordance with paragraph 6.6.1(E).

The nonrecurring charges for 500 Access Service are described in

1st Revised Page 164 Cancels Original Page 164

6. <u>Switched Access Service</u> (Cont'd)

6.1 <u>General</u> (Cont'd)

6.1.2 WATS Access Line Service

WATS Access Line Service is a type of Special Access Service that is provided for use with Feature Group A, B and D Switched Access Service. WATS Access Line Service connects an end user premises with a WATS serving office. This Service is described in 7.2.3 following.

6.1.3 <u>Rate Categories</u>

There are three rate categories which apply to Switched Access Service:

- Switched Transport (described in 6.1.3(B) following) (C)
- Local Switching (described in 6.1.3(C) following)
- Common Line (described in Section 3. preceding)

In addition to the three rate categories, there is an Equal Access Recovery Charge that applies to FGD Switched Access Service and an Information Surcharge that applies to all Switched Access Services. The description and application of these charges are set forth in 6.7.15 and 6.7.16 following for the Equal Access Recovery Charge and the Information Surcharge, respectively.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE .

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995 President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for


PUBLIC SERVICE COMMISSION 1st Revised ENBER Cancels Originel Freedore 165

- 6. Switched Access Service (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 Rate Categories (Cont'd)


PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: Jordan C. neel

MAY 23 1995

The following diagram depicts a generic view of the components SSION of Switched Access Service and the manner in which the components are combined to provide a complete Access Service.




Vice President Integrated Corporate Planning for



Vice Presideat Integrated-Corporate Planning for

- 6. Switched Access Service (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)



EFFECTIVE

MAY 2 3 1995

PURSUANT TO 807 KAR 5011. SECTION 9(1)

Jordan C. neel BY: FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

President, Cincinnati, Ohio Deborah Misch

Vice President Integrated Corporate Planning for

2nd Revised Page 166 Cancels 1st Revised Page 166

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 Rate Categories (Cont'd)
 - (A)
 - Switched Transport **(B)**

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 2 3 1995

PURSUANT TO 807 KAR 5:011, SECTION 9(1) Jordan C. nes BY:

FOR THE PUBLIC SERVICE COMMISSION charges related to-the transmission and tandem facilities between the customer's premises and the end office switch(es) which may be a Remote Switching Module, where the customer's traffic is svitched to originate or terminate the customer's communications. Mileage measurement rules are set forth in 6.7.13.

Switched Transport is a two-way voice frequency transmission path composed of facilities determined by the Telephone Company. The two-vay voice frequency transmission permits the transport of calls in the originating direction (from the end user's end office switch to the customer's premises) and in the terminating direction (from the customer's premises to the end office switch), but not simultaneously. The voice frequency transmission path may be comprised of any form or configuration of plant capable of and typically used in the telecommunication industry for the transmission of voice and associated telephone signals within the frequency bandwidth of approximately 300 to 3000 Hz.

The customer must specify when ordering (1) whether the service is to be directly routed to an end office switch or through an access tandem switch, (2) the type of Direct-Trunked Transport and whether it rill overflow to Tandem-Switched Transport when service is directly routed to an end office, (3) the type of Entrance Facility, (4) the directionality of the service, and (5) when multiplexing is required, the hub(s) at which the multiplexing will be provided.

Additionally, when service is to be routed through an access tandem switch, the customer must specify whether the facility between the serving wire center and the tandem is to be provided as Direct-Trunked Transport or Tandem-Switched Transport.

Issued: June 13, 1995

Président, Cincinnati, Ohio 6 In all

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

(C)

Original Page 166.1 PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 Rate Catenories (Cont'd)
 - **(B)** Svitched Transport (Cont'd)

PURSUANT TO 807 KAR 5:011 SECTION 9(1) BY: Jordan C. neel (C) FOR THE PUBLIC SERVICE COMMISSION

MAY 23 1995

Svitched Transport is provided at the rates and charges set forth in 6.8.2 following. The application of these rates with respect to the different types of service is set forth in 6.7.1(D) following.

- (1) Switched Transport Facilities
 - (a) Entrance Facility

An Entrance Facility provides the communication path between a customer's premises and the Telephone Company's serving wire center for that premises. The Entrance Facility is provided to a single customer and is available for use with all line side and trunk side Switched Access services. An Entrance Facility is provided even if the customer's premises and the serving wire center are located in the same building.

(b) <u>Direct-Trunked Transport Facility</u>

A Direct-Trunked Transport facility provides the communications path between the serving wire center of a customer's premises and an end office, between the serving wire center of a customer's premises and the Telephone Company's Access tandem. Direct-Trunked Transport facilities are provided to a single customer. Direct-Trunked Transport facilities are available for use with all line side and trunk side Svitched Access services.

Direct-Trunked Transport facilities are not available to end offices without recording and measuring capabilities, such as a remote end office. Direct-Trunked Transport facilities are also not available for 800 Access Service when the required SSP function is located at the access tandem.

June 13. [ssued: President, Cincinnati, Ohio

Integrated Corporate Planning for

Vice President

(N)

(N)

1st revised Page 166.2 Cancels Original Page 166.2

(C)

(C)

- 6. Switched Access Service (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 Rate Categories (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (1) Switched Transport Facilities (Cont'd)
 - (c) Tandem-Switched Transport Facility

The Tandem-Switched Transport facility provides the communications path between the customer's serving wire center and the end office or between the tandem and the end office on circuits that are switched at an access tandem. Tandem-Switched Transport facilities are available for use with all trunk side Switched Access Services.

Tandem-Switched Transport charges consist of a Tandem-Switched Transmission charge (fixed and per mile minute Of use charges) and a Tandem-Switching charge (per Minute charge) where elements may apply independently of One another as described herein. For originating minutes, these charges apply to non-8YY minutes only. For originating 8YY minutes, the single Tandem Transmission and Switching rate applies.

(d) Host/Remote Arrangements

When Direct-Trunked Transport is provided to a Host/Remote arrangement, Direct-Trunked Transport rates apply between the customers serving wire center and the Host office serving the Remote office. When Tandem-Switched Transport is provided, Tandem-Switched Transmission charges and Tandem-Switching charges apply from the customer's serving wire center to the Host office. In both cases, Tandem-Switched Transmission charges apply from the Host office to the Remote office.

(2) Switched Transport Connections

Switched Transport is comprised of specific Control of specific control of specific control of the spectrum and the spect



Issued: June 1, 2021

President, Cincinnati,

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (2) <u>Switched Transport Connections</u> (Cont'd)

Vith one exception, the customer may choose the Switched Transport connection comprising the Switched Transport facility. For the tandem to end office portion of Tandem-Switched Transport, the Telephone Company rill determine the type of connection used. For all other requests, the customer may specify the connection by specifying an interface group, as set forth in 6.1.3(B)(5).

Each type of connection is **composed** of specific channels rhich are provided for **use with** a Switched Access service. Each channel in a Switched Transport connection equates to a transmission path. The following types of connections are available for all Switched Transport facilities.

(a) <u>Voice Grade Service</u>

A Voice Grade channel is a channel rhich provides voice frequency transmission capability in the normal frequency range of 300 to 3000Hz and may be terminated tworire or four-wire. When a single Voice Grade channel is ordered to be terminated at a customer's premises where the premises is all digital and requires a minimum digital interface level of 1.544 Mpbs (DS1), the Telephone Company rill provide the required interface where facilities are available.

Technical Specifications for Voice Grade may be found in the following Technical Reference Publications:

TR-TSY-000335 PUB 41004, Table 4 TR-INS-000342

Issued: June 13, 1995

Effective: May 23, 1995

President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for MAY 23 1995

PUBLIC SERVICE COMMISSION Original Page KENUCKY

EFFECTIVE

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Ordan C. Ker

FOR THE PUBLIC SERVICE COMMISSION

(N)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Catenories</u> (Cont'd)
 - **(B)** Switched Transport (Cont'd)

Original Page 166.4 PUBLIC SERVICE COMMISSION: OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:010 SECTION 9(1)

- (2) Switched Transport Connections (Control) (Jordan C. Neel (N) FOR THE PUBLIC SERVICE COMMISSION
 - (b) MercNET 1.544 (DS1)

A MercNET 1.544 (DS1) provides 24 channels for the transmission of nominal 64.0 kbps or 1.544 Mbps isochronous serial data. The actual bit rate and framing format is a function of the channel interface selected by the customer.

Technical specifications for MercNET 1.5 (DS1) may be found in the following Technical Reference Publications:

PUB-62411 TR-INS-000342

(c) MercNET 45 (DS3)

MercNET 45 (DS3) provides 28 MercNET 1.544s (DS1) or 672 DSO channels and provides for transmission of nominal 44.736 Mbps isochronous serial data. The actual bit rate and **framing** format is a function of the channel interface selected by the customer. Vith MercNET 45 (DS3), customers may request to have an electrical interface installed at their customer premises. For DS3 connections utilizing an electrical interface, the customer will receive an electrical signal with a transmission speed of 44.736 Mbps per channel.

Technical specifications for DS3 may be found in the following Technical Reference Publications:

TR-INS-000342

(N)

Issued: June 13, 1995

lebrahalisch, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Original Page 166.5

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (3) <u>Multiplexing</u>

Multiplexing provides the capability of converting the capacity or bandwidth of a Svitched Transport facility from a higher level to a lower level or from a lover level to a higher level. Multiplexing is required when the customer requests to interconnect Entrance facilities or Direct-Trunked Transport facilities of different capacities or bandwidths, i.e., DS1 to Voice Grade or DS3 to DS1.

When customers request to interconnect DS3 facilities with Telephone Company switches, DS3 to DS1 multiplexing is required at appropriately equipped end offices. Locations where multiplexing is available are specified in the NECA Tariff F.C.C. No. 4.

Rates and charges for multiplexing are set forth in 6.8.2.

(N)

(C)

(1)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9(1) BY: Orden C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

han · President, Cincinnati, Ohio 0 horas

Vice President Integrated Corporate Planning for

6.1

6. Switched Access Service (Cont'd)

General (Cont'd)

6.1.3 <u>Rate Categories</u> (Cont'd)

(B) Switched Transport (Cont'd)

(3) <u>Multiplexing</u> (Cont'd)

multiplexing.

facilities using DS1 connections. Provides an arrangement that converts a DS1 connection to or from 24 voice grade channels. Conversion is accomplished using digital time division multiplexing.

(4) Interconnection Charge

The Interconnection Charge recovers the costs associated with Switched Transport that are not recovered by Entrance Facilities, Direct-Trunked Transport, Tandem-Svitched Transport, Multiplexing, or CCSAC rates. The Interconnection Charge applies to all access minutes of use (i.e., both Tandem-Switched and Direct-Trunked)

Issued: June 13, 1995

Vice President **Integrated** Corporate Planning for

BELLISETVIPE DOMASSION OF KENTUCKY EFFECTIVE

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) (C) Jordan C. neel BY:

FOR THE PUBLIC SERVICE COMMISSION(N)

For each of the multiplexing options listed below, the multiplexer is associated with the Switched Transport facility with the higher capacity or bandwidth (e.g., a DS3 to DS1 multiplexer is associated with the facility DS3 connection).

MercNET 45 (DS3) to MercNET 1.544 (DS1) (a)

> Available with all Sritched Transport facilities using DS3 connections. Provides an arrangement that **converts** a DS3 signal to or from 28 DS1 channels. Conversion is accomplished using digital time division

(b) MercNET 1.544 (DS1) to Voice Grade

Available with all Switched Transport

MAY 23 1995

Charahan President, Cincinnati, Ohio

(N)

1st Revised Page 167 Cancels Original Page 167

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) Switched Transport (Cont'd) (C)
 - (5) Interface Groups.

Four Interface Groups are provided for terminating (C) an Entrance Facility at the customer's premises. Interface groups define the transmission characteristics associated with the Entrance Facility and all transport facilities with which it is interconnected. (C)

As a result of the customer's access order and the type of Telephone Company transport facilities serving the customer's premises, the need for signaling conversions or two-wire to four-wire conversions, or the need to terminate digital or high frequency facilities in channel bank equipment may require that Telephone Company equipment be placed at the customer's premises. For example, if a voice frequency interface is ordered by the customer and the Telephone Company facilities serving the customer's premises are digital, then Telephone Company channel bank equipment must be placed at the customer's premises in order to provide the voice frequency interface ordered by the customer.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

(T)

MAY 23 1995

PURSUANT TO 807 KAR 5011, SECTION 9 (1) BY: Ordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Lebrah A. President, Cincinnati, Ohio

Vice **President** Integrated Corporate Planning for

1st Revised Page 168 Cancels Original Page 168

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) Switched Transport (Cont'd) (C)
 - (5) <u>Interface Groups</u> (Cont'd)

All Interface Groups are provided vith transmission (C) specifications and data transmission parameters. Specific technical parameters are set forth in Technical Reference TR-NWT-000334. (C)

Only certain premises interfaces are available at the customer's premises. The premises interfaces associated with the Interface Groups may vary among different types of service. The various premises interfaces which are available with the Interface Groups, and the Feature Groups with which they may be used, are set forth in (5)(k) following. (T)

(a) <u>Interface Group 1</u> (USOC TPP1X)

Interface Group 1, except as set forth in the following, provides two-wire voice frequency transmission at the point of termination at the customer's premises.

(D) |

(T)

(D)

Interface Group 1 is not provided in association with FGD when the first point of switching is an access tandem. In addition, Interface Group 1 is not provided in association with FGB or FGD when the first point of switching provides only four-workENTUCKY terminations.

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Ordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

President, Cincinnati, Ohio eboral Dia

Vice President Integrated Corporate Planning for

ACCESS SERVICE TARIFF PSCK No. 2

	CINCINNATI BELL TELEPHONE COMPANY				1st Revised Page 169 Cancels Original Page 169			
	6.	<u>Swit</u>	ched Acc	ess Se	rvice (C	Cont'd)		
		6.1 <u>General</u> (Cont'd)						
			6.1.3	<u>Rate</u>	Categor	<u>íes</u> (Cont'd)		
				(B)	<u>Switche</u>	<u>d Transport</u> (Cont'd)		(C)
					(5) <u>Int</u>	cerface Groups (Cont'd)		(T)
								(D)
								(D)
					(b)	<u>Interface Group 2</u> (USOC TTP2X)	
					()		rovides four-wire voice	
						frequency transmiss	ion at the point of	
						termination at the	customer's premises.	(B)
							PUBLIC SERVICE COMMIS	SSIOn.
							OF KENTUCKY EFFECTIVE' .	
							MAY 23 1995	
							PURSUANT TO 807 KAR 5:01	1,
							SECTION 9 (1) BY: Jordan C. Neel	(D)
							FOR THE PUBLIC SERVICE COMMISSI	ON
	Is	sued:	June 1	3, 199	5		Effective: May 23,	1995
1						nt, Cincinnati, Ohio	C,	_,,,

Vice President Integrated Corporate Planning for ----

ACCESS SERVICE TARIFF PSCK No. 2

1st Revised Page 170 Cancels Original Page 170

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) <u>Interface Groups</u> (Cont'd) (T)

(D)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE MAY 2 3 1995

PURSUANT TO 807 KAR 5.011, SECTION 9(1) BY: Orden C. Neel FOR THE PUBLIC SERVICE COMMISSION (D)

Issued: June 13, 1995

Deborah Quisch President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

1st Revised Page 171 Cancels Original Page 171

6. Switched Access Service (Cont'd)

CINCINNATI BELL TELEPHONE COMPANY

- 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) Interface Groups (Cont'd) (T)

(D)



MAY 23 1995

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: Orden C. Hell FOR THE PUBLIC SERVICE COMMISSION

(D)

(f) Interface Group 6 (USOC TPP6X)

Interface Group 6 provides **DS1** level digital transmission at the point of termination at the customer's premises. The interface is capable of transmitting electrical signals at a nominal 1.544

Issued: June 13, 1995

Deboraha Discherident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

1st Revised Page 172 Cancels Original Page 172

(D)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Catenories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) <u>Interface Groups</u> (Cont'd) (T)
 - (f) Interface Group 6 (USOC TPP6X) (Cont'd)

Mbps, with the capability to channelize up to 24 voice frequency transmission paths.

PUBLIC SERVICE COMMISSION **OF KENTUCKY** EFFECTIVE MAY 23 1995 PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Jurden C. neel FOR THE PUBLIC SERVICE COMMISSION (D)


Issued: June 13, 1995

President, Cincinnati, Ohio eborah apli

Vice President Integrated Corporate Planning for

1st Revised Page 173 Cancels Original Page 173

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 <u>Rate Catenories</u> (Cont'd)
 - (C) (B) <u>Switched Transport</u> (Cont'd)
 - (5) Interface Groups (Cont'd)



(T)

Issued: June 13, 1995

Effective: May 23, 1995

Deborah Quice Fresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for -----

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY 2nd Revised Page 174 Cancels 1st Revised Page 174

6. <u>Switched Access Service</u> (Cont'd)

- 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) <u>Interface Groups</u> (Cont'd) (T)

(D)



MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: <u>Gordan C. Heel</u> FOR THE PUBLIC SERVICE COMMISSION

(D)

(k) Available Premises Interface Codes

Following is a matrix showing, for each Interface Group, which premises interface codes are available as a function of the Telephone Company switch supervisory signaling and Feature Group. The explanations of these codes are set forth in Technical Reference TR-NPL-000334.

Issued: June 13, 1995 2.12. President, Cincinnati, Ohio

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

2nd Revised Page 175 Cancels 1st Revised Page 175

(T)

6. <u>Switched Access Service</u> (Cont'd)

- 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Catenories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) Interface Groups (Cont'd)
 - (k) <u>Available Premises Interface Codes</u> (Cont'd)

Interface <u>Group</u>	Telephone Company <u>Switch Supervisory Signaling</u>	Premises <u>Interface Code</u>	Fea <u>A</u>		e Grou D	Þ
1	LO	2LS2	x			
-	LO	2LS3	x			
	GO	2GS2	x			
	GO	2GS3	х			
	LO, GO	2DX3	х			
	LO, GO	4EA3-E	х			
	LO, GO	4EA3-M	х			
	LO, GO	6EB3-E	х			
	LO, GO	6EB3-M	х			
	RV, EA, EB, EC	2DX3		х	х	
	RV, EA, EB, EC	4EA3-E		х	х	
	RV, EA, EB, EC	4EA3-M		х	х	
	RV, EA, EB, EC	6EB3-E		х	х	
	RV, EA, EB, EC	6EB3-M		х	х	
	EA, EB, EC	6EC3			х	
	RV	2RV3-0		х	х	
	RV	2RV3-T		х	х	
	CCS	2N02			х	(N)
2	LO, GO	4SF2	х			
	LO, GO	4SF3	Х			
	LO	4LS2	х		PUE	BLIC SERVICE COMMISSION
	LO	4LS3	Х			OF KENTUCKY
	LO	6LS2	х			EFFECTIVE
	GO	4GS2	х			
	GO	4GS3	х			
	GO	6GS2	Х		Ν	MAY 23 1995
	LO, GO	4DX2	x			-
	LO, GO	4DX3 -	X		PURSU	ANT TO 807 KAR 5:011,
	LO, GO	6EA2-E	X			SEC 11(1)(1)(0/4)
	LO, GO	6EA2-M	X		BY:	Jordan C. neel
	LO, GO	8EB2-E 8EB2-M	X		FOR THE P	UBLIC SERVICE COMMISSION
	LO, GO	6EX2-B	X			00000000000000000000000000000000000000
	LO, GO	OLAZ - D	x			

Issued: June 13, 1995

Effective: May 23, 1995

Deborah QuickPresident, Cincinnati, Ohio Vice President Integrated Corporate Planning for

5

2nd Revised Page 176 Cancels 1st Revised Page 176


(C)

(T)

(D)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Catenories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (5) <u>Interface Groups</u> (Cont'd)
 - (k) Available Premises Interface Codes (Cont'd)

Interface <u>Group</u>	Telephone Company <u>Switch Supervisory Signaling</u>	Premises <u>Interface Code</u>	Feature Group <u>A B D</u>
2 (Cont'd)	RV, EA , EB, EC	4SF2	x x
	RV, EA, EB, EC	4SF3	Х
	RV, EA, EB, EC	4DX2	хх
	RV, EA, EB, EC	4DX3	Х
	RV, EA, EB, EC	6DX2	
	RV, EA, EB, EC	6EA2-E	х х
	RV, EA, EB, EC	6EA2-M	х х
	RV, EA, EB, EC	8EB2-E	х х
	RV, EA, EB, EC	8EB2-M	х х
	EA, EB, EC	8EC2-M	Х
	RV	4RV2-0	х х
	RV	4RV2-T	х х
	RV	4RV3-0	Х
	RV	4RV3-T	Х
	CCS	4N02	X



FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Deborah Quich President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

ACCESS SERVICE TARIFF PSCK No. 2

MAY 23 i995

PURSUANT TO 807 KAR 5011, SECTION 9 (1) Jordan C. neel BY:____ FOR THE PUBLIC SERVICE COMMISSION

President, Cincinnati, Ohio

June 13, 1995

Vice President Integrated Corporate Planning for

Issued:

1st Revised Page 177.1 Cancels Original Page 177.1

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 Rate Categories (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (5) <u>Interface Groups</u> (Cont'd) (T)
 - (1) <u>CCSAC Signaling Connection Premises Interface</u> <u>Codes</u>

The CCSAC optional feature is provided only with Feature Group D. Feature Group D trunks are provided using Interface Groups 2,6 and 9. CCSAC Signaling connections are provided using (C) Interface Groups 2 and 6. Following is a matrix for Interface Groups 2, 6 and 9 showing which premises interface codes are available (C) for signaling connections as a function of the CCSAC level of digital transmission.

	Level of	Premises	
<u>Interface Groups</u>	<u>Transmission</u>	<u>Interface Code</u>	
2	DSO	4N02 C	N)
6	DS1	4DS9-15, 15S (B)
		()	D)
		()	D)
9	DS3	4DS6-44	
		(D)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5.01 1, SECTION 9 (1) BY: Jordan C. Neel

FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Deborahanisch President, Cincinnati, Ohio

Vice President Integrated Corporate Flanning for

ACCESS SERVICE TARIFF PSCK No, 2

CINCINNATI BELL TELEPHONE COMPANY

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Catenaries</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd) (C)
 - (6) Nonchargeable Optional Features (T)

Where transmission facilities permit, the Telephone Company will, at the option of the customer, provide the following nonchargeable optional features in association with Svitched Transport. The optional (C) features are provided as set forth in 6.8.2(G) (T) following.

(a) <u>Supervisory Signaling</u>

Where the transmission parameters permit, and where signaling conversion is required by the customer to meet its signaling capability, the customer may order an optional supervisory signaling arrangement for each transmission path provided as follows:

- For Interface Groups 1 and 2

DX Supervisory Signaling, E&M Type I Supervisory Signaling E&M Type II Supervisory Signaling, or E&M Type III Supervisory Signaling

- For Interface Group 2

SF Supervisory Signaling, or Tandem Supervisory Signaling

> PUBLIC SERVICE COMMISSIO: . OF KENTUCKY EFFECTIVE

> > MAY 23 1995

PURSUANT TO 807 KAR 5011, SECTION 9 (1) BY: <u>Jordan C. Meel</u> FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Leborahanican President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

CINCINNATI BELL	ELEPHONE COMPANY 2nd Revised Page 17 Cancels 1st Revised Page 17	
6. switched Acce	PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE	
6.1 <u>Genera</u>	(Cont'd)	
6.1.3	Rate Catenories (Cont'd) MAY 23 1995	
	(B) <u>Switched Transport</u> (Cont'd) PURSUANT TO 807 KAR 5:011, SECTION 9 (1)	(C)
	(6) Nonchargeable Optional Features (Contrar C. Nul	(T)
	(a) <u>Supervisory Signaling</u> (Cont'd)	
	- For Interface Groups 6 and 9	(C)
	These Interface Groups may, at the option of the customer, be provided with individual transmission path SF supervisory signaling where such signaling is available in Telephone Company central offices. Generally such signaling is available only where the entry switch provides an analog, i.e., non digital digital, interface to the transport termination and a portion of the facility between the analog entry switch and the customer's premises is analog.	
	These optional supervisory signaling arrangements are not available in combina- tion with the CCSAC option as specified in 6.1.3(B)(7)(a) following.	(T)
	(b) <u>Customer Specified Entry Switch Receive Level</u>	
	This feature allows the customer to specify the receive transmission level at the first point of switching. The range of transmission levels which may be specified is described in Technical Reference TR-NPL-000334. This	

Issued: June 13, 1995

Deborahanice President, Cincinnati, Ohio

Effective: May 23, 1995

(C)

(C)

feature is available with Interface Groups 2,

6 and 9 for Feature Groups A and B.

Vice President Integrated Corporate Planning for

2nd Revised Page 180 Cancels 1st Revised Page 180

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u>

(C)

(T)

(N)

(N)

- (6) <u>Nonchargeable Optional Features</u> (Cont'd)
 - (c) <u>Customer Specification of Local Transport</u> <u>Termination</u>

This option allows the customer to specify, for Feature Group B routed directly to an end office or access tandem, a four-wire termination of the Local Transport at the entry switch in lieu of a Telephone Company selected twowire termination. This option is available only when the Feature Group B arrangement is provided with Type B Transmission Specifications.

(d) <u>64 Clear Channel Capability (64CCC)</u>

This option allows the customer to specify 64CCC, for Feature Group D trunks equipped with Signaling System 7 (SS7) Signaling. The 64CCC option allow customers to use the Full 64 Kilobits bandwidth of a Switched digital trunk channel. This option is available where facilities are available as set forth in the Rational Exchange Carrier Association, Inc. Tariff F.C.C. No. 4.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 2 3 1995

PURSUANT TO 807 KAR 5:011, SECTION 9(1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Certain regulations previously found on this page now appear on Page 180.1.

Issued: June 13, 1995

leborah Alizali, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

CINCINNATI BELL TELEPHONE COMPANY 2nd Revised Page 180.1 Cancels 1st Revised Page 180.1 6. Switched Access Service (Cont'd) 6.1 General (Cont'd) Rate Catenories (Cont'd) 6.1.3 (T) (B) Switched Transport (Cont'd) (7) Charneable Optional Features (T) Common Channel Signaling Access Capability (M)(T) (a) (CCSAC) This option allows the customer to receive signals for call set-up out of band. This option is only available with Feature Group D. (M) This option requires the establishment of (M) signaling connections between the customer's signaling point of interconnection and the PUBLIC SERVICE COMMISSION Company's designated Signaling Transfer Points (STPs). The STP locations OF KENTUCKY are set forth in the National Exchange FFFFCT.NF Carrier Association, Inc. Tariff P.C.C. No. 4. (M) MAY 23 1995 The Telephone Company will provide the CCSAC (C) PURSUANT TO 807 KAR 5011 option in accordance with the technical **SECTION 9** (1) specifications set forth in Technical ander C. neel Reference TR-TSV-000905 from properly RY FOR THE PUBLIC SERVICE COMMISSION equipped signaling elements in the Telephone Company CCS network. This option requires the establishment of the required number of CCSAC signaling links between the customer's signaling point of interconnection and each of the Telephone Company's designated Signaling Transfer Points (STPs) and STP Port Terminations. The STP locations are set forth in the National Exchange Carrier Association, Inc. Tariff F.C.C. No. 4. The customer will have the option of ordering a Signaling Link provisioned over a dedicated MercNet 1.544 (DS1) Facility or over a 56 Kbps DDS channel. (C)

Certain regulations previously found on this page now appear on Page 180.2. Certain regulations found on this page previously appeared on Page 180.

Issued: **June** 13, 1995

Deborahaliset Diesident, Cincinnati, Ohio

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

bZCK ио' Z VCCEZZ ZEKNICE IVBIEL

1.1.081 9pe9 [enigin0

CINCINNATI 8511 TELEPHONE COMPANY

.9

(b'frod) spirvas Service (Cont'd)

is obligated to provide the Telephone terminating usage, the IXC's TSP of choice If the IXC is the customer of record, for .AOJ ns ynsqmod enodgefet edt ebiv TSP access tandem switch, the IXC must pro-Telephone Company access tandem switch to a an IXC to move the IXC traffic from the contacts the Telephone Company on behalf of Ietter of authorization (LOA). If a TSP provide the Telephone Company with a written a TSP's access tandem switch, the TSP must If an IXC wishes to move their traffic to . Thinst sint ni noitoes seess fariff. be purchased from the Telephone Company's kem noitsoof (909) sonesend to third DXI ne between the TSP's access tandem switch and will be assessed to the TSP. Any link charge, described in Section 6.7.1(C)(4), tion charge. The signaling nonrecurring -sennosserion surcharge and the interconneci.e., carrier common line, local switching, customer for the remaining FGD usage charges its access tandem provider, may be the Either the TSP or the IXC using the TSP as be billed as direct-trunks to the TSP. tandem switch. These one-way trunks will Company end offices and the TSP's access direct-trunks between the desired Telephone the TSP will be required to order one-way When tandem switching is provided by a TSP, .puilenpil [anned] provided with Multifrequency or Common The customer may choose to have this option (N) (b'ing for Tandem Switching (Cont'd) (q) Chargeable Optional Features (L)(b'JnoJ) <u>JroqenerT behojiw</u>2 (B) (b'troj) <u>seiropeta</u> (Cont'd) E.I.3 (b'tno)) [sneng] I.ð

Company with all billing detail needed to accurately count and bill usage. The requirements for providing this billing data are described in the following para-

(N)

. sydene

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

Original Page 180.1.2

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (7) Chargeable Optional Features

(b)	Signaling for Tandem Switching (Cont'd)	(N)
	Terminating Bi 11 Detai 1 Requirements	
	The TSP will be obligated to provide billing data to the Telephone Company so that minutes of use may be billed accurately and in a timely manner. Certain requirements must be met for the Telephone Company to appropriately handle and bill the TSP's usage.	
	- All billing information must be provided in standard Exchange Message Interface (EMI) format.	
	- Current call detail transmissions must be provided from the TSP to the Telephone Company on a daily basis, (excluding week- ends and holidays).	
	- No summary billing detail will be accepted.	
	- Customers may transmit billing detail via Network Data Mover (NDPP) electronic data transmission or , if NDMsm is unavailable, magnetic tapes will be accepted.	
	- TSPs will be required to provide test data via NDM sm or magnetic tape prior to the implementation of the service.	
	If billing information does not meet the above requirements, the Telephone Company reserves the right to bill the total terminating switched access charges to the TSP.	(N)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 <u>Rate Categories</u> (Cont'd)
 - (B) <u>Switched Transport</u> (Cont'd)
 - (7) Chargeable Optional Features
 - (b) Signaling for Tandem Switching (Cont'd) (N)

Terminating Bill Detail Requirements

Resolutions of this nature could result in additional charges to the TSP. in the event extensive investigation and/or validation system development is required to reconcile discrepancies. If usage discrepancies are resolved in favor of the Telephone Company, the TSP will be responsible for payment of unbilled usage.

Signaling for tandem switching will not be available with Feature Group B; Feature Group D with 950 Access; and, 800 traffic. (N) ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

1st Revised Page 180.2 Cancels Original Page 180.2

- 6. Switched Access Service (Cont'd)
 - 6.1 General (Cont'd)
 - 6.1.3 Rate Categories (Cont'd)
 - (C) Local Switching

This rate category provides for (1) local end office switching, i.e., the common switching functions associated with the various Switched Access Service arrangements, (2) the termination of Switched transport at end offices, (3) the termination of common lines and WATS Access Lines at end offices, (4) intercept functions, i.e., the termination of certain calls at a Telephone Company intercept operator or recording and (5) 800 Data Base Queries. This category includes usage sensitive rates and both chargeable and non-chargeable optional features.

- (1) Usage Sensitive Rates The usage sensitive rates are applied as follows:
 - (a) (D)

(D)

(T)

(T)

(T)

- (b) Local Switching applies on a per minute of use basis, providing local switching functions for FGA. FGB. FGD. 500. 800, and 900 Access Service. Where end offices are appropriately equipped, international dialing may also by provided as a capability of local switching, i.e.. the capability of switching international calls with service prefix and address codes having more digits than can be switched through a standard FGD end office.
- (c) 800 Access Service Data Base Query Charge and Routing Options Capability apply on a per query basis and are originating offerings utilizing FGD. These services provide customer identification and additional call handling and destination features (i.e., time of day, day of week, etc.).

The application of these rates is set forth in 6.7.1(D) following.

(2) optional Features - Various Common Switching. Transport Termination and WATS Access Line Termination optional features are available and are described in 6.3 following.

Issued: February 23. 1999

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.4 Special Facilities Routing

Any customer may request that the facilities used to prwide Switched Access Service be specially routed. The regulations, rates and charges for Special Facilities Routing (i.e., Avoidance, Diversity and Cable-Only) are set forth in 11. following.

6.1.5 Design Lavout Report

At the request of the customer, the Telephone Company will provide to the customer the makeup of the facilities and services provided from the customer's premises to the first point of switching. This information will be provided in the form of a Design Layout Report. The Design Layout Report will be provided to the customer at no charge, and will be reissued or updated whenever these facilities are materially changed.

6.1.6 Acceptance Testing

At no additional charge, the Telephone **Company** rill, at the time of installation of **Feature Group** D **with** the **64CCC** Switched Transport **option trunks**, perform the Digital Trunk Acceptance Tests described in TR-TSV-000905. (N) | (N)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Orden C. neel FOR THE PUBLIC SERVICE COMMISSION

Issued: Juae 13, 1995

Deboraha Disch^{resident}, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

2nd Revised Page 182 Cancels 1st Revised Page 182

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.1 <u>General</u> (Cont'd)
 - 6.1.7 Ordering Options and Conditions

Switched Access Service is ordered under the Access Order provisions set forth in Section 5 (Ordering options For Switched and Special Access). For Switched Transport, ordering provisions as set forth in 2.4.8 (Billing of Access Service Provided by Multiple Companies) will apply when more than one Exchange Telephone Company is involved in the provision of a Switched Transport Facility. Rate elements for Switched Access Services are defined in 6.8. (C)

6.1.8 <u>CCSAC Testing Requirements</u>

When Feature Group D with CCSAC option is ordered, network compatibility and other operational tests will be performed cooperatively by the Telephone Company and the customer. These tests are as specified in Technical Reference TR-TSV-000905.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:01 1, SECTION 9(1) BY: Ordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995 leboraha discheresident, Cincinnati, Ohio

Vice Bresident Integrated Corporate Planning for

6. <u>Switched Access Service</u> (Cont'd)

6.2 <u>Provision and Description of Switched Access Service Feature Groups</u>

Switched Access Service is provided in three different Feature Group arrangements. The provision of each Feature Group requires switched (C) transport facilities and the appropriate end office functions. There are various optional features available with the Feature Groups. The Switched Transport, Common Switching and Transport Termination (C) optional features are available at all Telephone Company end office switches, unless stated otherwise. In addition, WATS Access Line Service as described in 7.2.3 following may, at the option of the customer, be provided for use with Feature Groups A, B and D. WATS Access Line Termination optional features are available in end offices designated as WATS Serving Offices.

There are three specific transmission specifications (i.e., Types A, B and C) that have been identified for the provision of Feature Groups. The specifications provided are dependent on the Interface Group and the routing of the service, i.e., whether the service is routed directly to the end office or via an access tandem. The parameters for the transmission specifications are set forth in 6.4.1 following.

Feature Groups are arranged for either originating, terminating or two-way calling, based on the customer end office switching capacity ordered. Originating calling permits the delivery of calls from Telephone Exchange Service locations to the customer's premises. Terminating calling permits the delivery of calls from the customer's premises to Telephone Exchange Service locations. Two-way calling permits the delivery of calls in both directions, but not simultaneously. The Telephone Company will determine the type of calling to be provided unless the customer requests that a different type of directional calling is to be provided. In such cases, the Telephone Company will work cooperatively with the customer to determine the directionality.

Following are detailed descriptions of each of the available Feature Commission Groups. Each Feature Group is described in terms of its specific physical characteristics and calling patterns, the transmission EFFECTIVE specifications with which it is provided, the optional features available for use with it and the standard testing capabilities MAY 2 3 1995

> PURSUANT TO 807 KAR 5.011, SECTION 9 (1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Charahan President, Cincinnati, Ohio

Vice Presiden: Integrated Corporate Planning for

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.1 Feature Group A (FGA)
 - (A) <u>Description</u>
 - FGA is provided in connection with Telephone Company electronic and electromechanical end offices. At the option of the customer, FGA is provided on a single or multiple line group basis and is arranged for originating calling only, terminating calling only, or two-way calling.
 - (2) FGA provides a line side termination at the first point of switching. The line side termination will be provided with either ground start supervisory signaling or loop start supervisory signaling. The type of signaling is at the option of the customer.
 - (3) The Telephone Company shall select the first point of switching, within the selected LATA, at which the line side termination is to be provided unless the customer requests a different first point of switching and Telephone Company facilities and measurement capabilities, are available to accommodate such a request.

PUBLIC SERVICE COMMISSION OFKENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: Choque Salle Effecture SERVMarch 1992

Issued: February 7, 1992

Revent E. Agunon for President, Cincinnati, Ohio

Vice President - Booslatory Affairs

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)

6.2.1 Feature Group A (FGA)

- (A) <u>Description</u> (Cont'd)
 - (4) A seven digit local telephone number assigned by the Telephone Company is provided for access to FGA switching in the originating direction. The seven digit local telephone number will be associated with the selected end office switch and is of the form NXX-XXXX.

If the customer requests a specific seven digit telephone number that is not currently assigned, and the Telephone Company can, with reasonable effort, comply with that request, the requested number will be assigned to the customer.

PUBLIC SERVICE COMMISSION OF KENTUCKY CFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9(1) BY: PUBLIC SERVICE COMMISSION MANAGER

Effective: March 3, 1992

Issued: February 7, 1992 Robert E. Aigunn for

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

6. Swtched Access Service (Cont'd)

PUBLIC SERVICE COMMISSION

OF KENTUCKY

EFFECTIVE

MAY 23 1995

SECTION 9(1)

FOR THE PUBLIC SERVICE COMMISSION

BY:

- 6.2 Provision and Descrivtion of Switched Access Service Feature Groups (Cont^rd)
 - 6.2.1 Feature Group A (FGA) (Cont'd)
 - (A) Descrivtion (Cont'd)
 - (5) FGA switching, when used in the terminating direction, is arranged with dial tone start-dial signaling. When used in the terminating direction FGA switching may, at the option of the customer, be arranged for dial pulse or dual tone multifrequency address signaling, subject to availability of equipment at the first point of switching. When FGA switching is provided in a hunt group or uniform call distribution arrangement, all FGA switching will be arranged for the same type of address signaling.
- (6) No address signaling is provided by the Telephone Company when FGA Switching is used in the originating direction. Address signaling in such cases, if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will PURSUANT TO 807 KAR 5:011. not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities Jordan C. Meel of the Svitched Transport provided. (C)
 - (7) FGA switching, when used in the terminating direction, may be used to access valid NXXs in the LATA, local operator service (0- and 0+), Directory Assistance (555-1212), emergency reporting service (911 where available), exchange telephone repair (611 where available), time or weather announcement services of the Telephone Company, community information services of an information service provider, and other customers' services (by dialing the appropriate digits). Effective June 30, 1988, FGA service will be equipped on new installations with the Common Switching Optional Feature of Call Denial. If Call Denial is not desired, the customer must so specify at the time service is requested. Charges for FGA terminating calls requiring operator assistance or calls to 611 or 911 will only apply where sufficient call details are available. Additional non-access charges will also be billed on a separate account for (1) an operator surcharge, as set forth in the local exchange tariffs, for local operator assistance (0- and 0+) calls, (2)calls to certain
- 1995 Issue . unuch

President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.1 <u>Feature Group A (FGA)</u> (Cont'd)
 - (A) <u>Description</u> (Cont'd)
 - (7) (Cont'd)

community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network services, and (3) calls from a FGA line to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. For FGA calls to Directory Assistance (555-1212), Switched Access Service usage rates will not apply. Instead, FGA calls to this service are subject to Directory Assistance Service per call rates as set forth in 9.6(A) and (B) following.

- (8) When a FGA switching arrangement for an individual customer (a single line or entire hunt group) is discontinued at an end office, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been disconnected and, if desired, reference to another number.
- (B) <u>Outional Features</u>
 - (1) Common Switching Optional Features
 - (a) Hunt Group Arrangement
 - (b) Uniform Call Distribution Arrangement
 - (c) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement
 - (d) Call Denial
 - (e) Service Code Denial

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011,

Issued: February 7, 1992

Robert E. Sigmon

for President, Cincinnati, Ohio

Effective: March 3, 1992 BY: ________

Vice President - Regulatory Affairs

6. Switched Access Service (Cont'd)

- 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.1 Feature Group A (FGA) (Cont'd)
 - (B) Optional Features (Cont'd)
 - (1) Common Switching Optional Features (Cont'd)
 - (f) Band Advance Arrangement for Use with WAIS Access Line Service
 - (g) Hunt Group Arrangement for Use with WATS Access Line Service
 - (h) Uniform Call Distribution Arrangement for Use with WAIS Access Line Service
 - (i) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for use with WAIS Access Line Service
 - (j) 900/700/976 Call Blocking

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAH 5:011. SECTION 9 (1)

George Salle

Effectiveserviciarchisson M1992

BY:

Issued: February 7, 1992

mon

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

for

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.1 Feature Group A (FGA) (Cont'd)
 - (B) Optional Feature (Cont'd)
 - (2) <u>Transport Termination Optional Features</u>
 - Two-way operation with dial pulse address (a) signaling and loop start supervisory signaling **(b)** Two-way operation with dial pulse address signaling and ground start supervisory signaling COMMISSIONE) Two-way operation with dual tone multi-CKY frequency address signaling and loop start supervisory signaling (d) Two-way operation with dual tone multi-MAMA2321395995 frequency address signaling and ground start supervisory signaling Terminating operation with dial pulse address (e) KAR 5:011. signaling and loop start supervisory signaling CTION 9(1) (f) Terminating operation with dial pulse address eden C. neel signaling and ground start supervisory PUBLIC SERVICE COMMISSION signaling (g) Terminating operation with dual tone multifrequency address signaling and loop start supervisory signaling (h) Terminating operation with dual tone multifrequency address signaling and ground start supervisory signaling (i) Originating operation with loop start supervisory signaling Originating operation with ground start (j) supervisory signaling (3) Switched Transport Operational Features Supervisory Signaling (as set forth in (a) 6.1.3(B)(6)(a) preceding) Customer Specified Entry Switch Receive Level (b)

Issued: **June** 13, 1995

Coral Alisale, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

(C)

(T)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.1 Feature Group A (FGA) (Cont'd)
 - (B) Optional Feature (Cont'd)
 - (4) Certain other features which may be available in connection with Feature Group A, such as Custom Calling Features and IntraLATA extensions, are provided under the Telephone Company's Local and/or general exchange service tariffs.
 - (C) <u>Transmission Specifications</u>

FGA is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the first point of switching. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2, 6 and 9. Type DB Data Transmission Parameters (C) are provided with FGA to the first point of switching.

(D) <u>Testing Capabilities</u>

FGA is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line and **milliwatt** (102 type) test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing and Nonscheduled Testing are available for FGA as set forth in 13.3.5 following.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Orden C. Heck FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Deborahanient, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

2nd Revised Page 191 Cancels 1st Revised Page 191

- 6. Switched Access Service (Cont'd)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)
 - 6.2.2 Feature Group B (FGB)
 - (A) <u>Description</u>
 - (1) FGB. when directly routed to an end office (i.e., provided without the use of an access tandem switch), is provided at appropriately equipped Telephone Company electronic end office switches. When provided via Telephone Company designated electronic access tandem switches, FGB switching is provided at all Telephone Company end office switches.
 - (2) FGB is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment is provided with wink start start-pulsing signals and answer and disconnect supervisory signaling.
 - (3) FGB switching is provided with multifrequency address signaling in both the originating and terminating directions. Except for FGB switching provided with the automatic number identification (ANI) or rotary dial station signaling arrangements as set forth in 6.3 following, any other address signaling in the originating direction. if required by the customer, must be provided by the customer's end user using inband tone signaling techniques. Such inband tone address signals will not be regenerated by the Telephone Company and will be subject to the ordinary transmission capabilities of the Local Transport provided.
 - (4) The access code for FGB switching is a uniform access code. The form of the uniform access code is 950-1XXX. These uniform access codes will be the assigned access numbers of all FGB Switched Access Service provided to the customer by the Telephone Company.

 (\top)

2nd Revised Page 192 Cancels 1st Revised Page 192

- 6. Switched Access Service (Cont'd)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)
 - 6.2.2 Feature Group B (FGB) (Cont'd)
 - (A) Description (Cont'd)
 - (5) FGB switching, when used in the terminating direction, may be used to access Telephone Company specified NXXs in the LATA. time or weather announcement services of the Telephone Company, community information services of an information service provider and other customers' services (by dialing the appropriate digits). When directly routed to an end office, only those valid NXX codes served by that end office may be accessed. When routed through an access tandem, only those valid NXX codes served by end offices subtending the access tandem may be accessed. The customer will also be billed additional non-access charges for calls to certain community information services for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGB trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access codes, local operator assistance (0- and 0+). Directory Assistance (555-1212), service codes 611 and 911. 10XXX, or 101-XXXX access codes. Calls will be completed to (C) Directory Assistance (NPA-5551212 or 555-1212) when FGB switching is combined with Directory Assistance switching. The combination of FGB Switched Access Service with DA service is provided as set forth in 9. following. FGB may not be switched, in the terminating direction. to Switched Access Service Feature Groups B or D.

1st Revised Page 193 Cancels **Original** Page 193

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.2 Feature Group B (FGB) (Cont'd)

Telephone Svitching Office (**MTSO**) interconnected to a Telephone Company access tandem, the customer will be assessed charges only from the customer's point of presence to the access tandem. Entrance Facility Charges, Tandem-Switched Transmission charges, Tandem Switching Charges and an Interconnection

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011. SECTION 9(1) BY: Orden C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Debaraha Vice Bresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

6. <u>Switched Access Service</u> (Cont'd)

PUBLIC SERVICE COMMISSION

OF KENTUCKY

EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011,

SECTION 9(1)

FOR THE PUBLIC SERVICE COMMISSION

BY:

Jordan C. neel

- 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.2 Feature Group B (FGB) (Cont'd)
 - (A) <u>Description</u> (Cont'd)
 - (7) When all FGB switching arrangements are discontinued at an end office and/or in a LATA, an intercept announcement is provided. This arrangement provides, for a limited period of time, an announcement that the service associated with the number dialed has been discontinued.
 - (B) Optional Features
 - (1) <u>Common Switching Optional Features</u>
 - (a) Automatic Number Identification (ANI)
 - (b) Up to 7 Digit Outpulsing of Access Digits to Customer
 - (c) Alternate Traffic Routing
 - (d) Band Advance Arrangement for Use with WATS Access Line Service
 - (e) Hunt Group Arrangement for Use with WATS Access Line Service
 - (f) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
 - (g) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
 - (2) Transport Termination Optional Features
 - (a) Rotary Dial Station Signaling
 - (3) <u>Switched Transport Optional Features</u>
 - (a) Customer Specification of Switched Transport (C) Termination
 - (b) Supervisory Signaling (as set forth in 6.1.3(B)(6)(a) preceding)
 - (c) Customer Specified Entry Switch Receive Level

Issued: June 13, 1995

Deborah Quickresident, Cincinnati, Ohio

Effective: May 23, 1995

(C)

(T)

1st Revised Page 195 Cancels **Original** Page 195

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.2 Feature Group B (FGB) (Cont'd)
 - (C) <u>Transmission Specifications</u>

FGB is provided with either Type B or Type C Transmission Specifications. The specifications for the associated parameters are guaranteed to the end office when routed directly or to the first point of switching when routed via an access tandem. Type C Transmission Specifications are provided with Interface Group 1 and Type B is provided with Interface Groups 2, 6 and 9. Type DB Data Transmission Parameters are provided with FGB to the first point of switching.

(D) <u>Testing Capabilities</u>

FGB is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing and Nonscheduled Testing are available as set forth in 13.3.5 following.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

(C)

6.2.3 Reserved

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995 Deborah Discheresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.4 Feature Group D (FGD)
 - (A) <u>Descriution</u>
 - (1) FGD is provided at Telephone Company designated electronic end office switches whether routed directly or via Telephone Company designated electronic access tandem switches.

For Feature Group D with CCSAC, the CCSAC option is provided through Telephone Company-designated STPs.

- (2) FGD is provided as trunk side switching through the use of end office or access tandem switch trunk equipment. The switch trunk equipment may be provided with wink start start-pulsing signals and answer and disconnect supervisory signaling, or, without signaling when the CCSAC optional feature is specified.
- FGD switching is provided with multifrequency MISSION(3) PUBLICS address signaling or common channel signaling. Up to 12 digits of the called party number dialed by FFFECTIVE the customer's end user using dual tone multifrequency or dial pulse address or common channel (out-of-band) signals will be provided by Telephone MAY 23 1995 Company equipment to the customer's premises where PURSUANT TO 807 KAR 5:011. the Switched Access Service terminates. Such address SECTION 9(1) signals will be subject to the ordinary transmission BY: Queden C. neel (C) capabilities of the Switched Transport provided. FOR THE PUBLIC SERVICE COMMISSION

(4) FGD switching, when used in the terminating direction, may be used to access valid NXXs in the LATA, time or weather announcement services of the Telephone Company, community

Issued: June 13, 1995

Ppesident, Cincinnati, Ohio charall

Vice President Integrated Corporate Planning for

- 6. Switched Access Service (Cont'd)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)
 - 6.2.4 Feature Group D (FGD) (Cont'd)
 - (A) <u>Description</u> (Cont'd)
 - (4) (Cont'd)

information services of an information service provider, and other customers' services (by dialing the appropriate codes) when such services can be reached using valid NXX codes. When directly routed to an end office, only those valid NXX codes served by that office may be accessed. When routed through an access tandem. only those valid NXX codes served by end offices subtending the access tandem may be accessed. The customer will also be billed additional non-access charges for calls to certain community information services, for which rates are applicable under Telephone Company exchange service tariffs, e.g., 976 (DIAL-IT) Network Service. Additionally, non-access charges will also be billed for calls from a FGD trunk to another customer's service in accordance with that customer's applicable service rates when the Telephone Company performs the billing function for that customer. Calls in the terminating direction will not be completed to 950-XXXX access codes, local operator assistance (0- and 0+). Directory Assistance (411 and 555-1212). service codes 611 and 911, 10XXX, and 101-XXXX access codes. Calls will be completed to Directory Assistance (NPA-555-1212 or 555-1212) when FGD switching is combined with Directory Assistance switching. The combination of FGD Switched Access Service with DA Service is provided as set forth in 9. following. FGD may not be switched, in the terminating direction, to Switched Access Service Feature Groups B or D.

(5) The Telephone Company will establish a trunk group or groups for the customer at end office switches or access tandem switches where FGD switching is provided. When required by technical 1imitations, a separate trunk group will be established for each type of FGD switching arrangement provided. Different types of FGD or other switching arrangements may be combined in a single trunk group at the option of the Telephone Company.

(C)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.2 Provision and Description of Switched Access Service Feature Groups (Cont'd)
 - 6.2.4 Feature Group D (FGD) (Cont'd)
 - (A) Description (Cont'd)
 - (6) The access code for FGD switching is a uniform access code of the form 10XXX or 101-XXXX. These uniform access codes will be (C) the assigned access numbers of all FGD access provided to the customer by the Telephone Company. In addition, when the customer elects the FGD with 950 Access optional feature described in 6.3.1(X) following, FGD calls may also be originated using the customer's 950-XXXX access code. No access code is required for calls to a customer over FGD Switched Access Service if the end user's telephone exchange service is arranged for presubscription to that customer, as set forth in 13. following.

Where no access code is required, the number dialed by the customer's end user shall be a seven or ten digit number for calls in the North American Numbering Plan (NANP). For international calls outside the NANP. a seven to twelve digit number may be dialed. The form of the numbers dialed by the customer's end user is 0 or 1 + NXX-XXXX, 0 or 1 + NPA + NXX-XXXX, and, when the end office is equipped for International Direct Distance Dialing (IDDD), 01+ CC + NN or 011 + CC + NN.

When the 10XXX or 101-XXXX access code is used, FGD switching also provides access to a variety of services available through the customer's system or at the customer's option, the end-of-dialing digit (#) for cut-through access to the customer's premises.

(7) FGD switching will be arranged to accept calls from telephone exchange service locations without the need for dialing the 10XXX or 101-XXXX uniform access code.
(C) Each telephone exchange service line may be marked with a presubscription code to identify which 10XXX or 101-XXXX (C) code its calls will be directed to for (C) interLATA service. Presubscription codes are applied as set forth in 13. following.

(C)

1st Revised Page 199 Cancels Original Page 199

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.4 Feature Group D (FGD) (Cont'd)
 - (A) <u>Description</u> (Cont'd)
 - (8) When a customer has had FGB access in an end office and subsequently replaces the FGB access with FGD access, the Telephone Company will, for a period of up to 90 days, direct calls dialed by the customer's end users using the customer's previous FGB access code to the customer's FGD access service. The customer must be prepared to handle normally dialed FGD calls as well as calls dialed with the FGB access code which require the customer to receive additional address signaling from the end user. Such calls will be rated as FGD.

of presence to the access tandem. Entrance Facility charges, Tandem-Switched Transmission charges,

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9(1) BY: Jundan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Effective: **May 23**, 1995

P sident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.4 <u>Feature Group D (FGD)</u> (Cont'd)
 - (B) **Optional** Features

(0)

- (1) Common Switching Optional Features
 - (a) Automatic Number Identification (ANI) and Flexible Automatic Number Identification (FLEX ANI)
 - (b) Service Class Routing
 - (c) Alternate Traffic Routing
 - (d) Call Gaping Arrangement
 - (e) Trunk Access Limitation
 - (f) International Carrier Option
 - (g) End Office End User Line Service Screening for Use with WATS Access Line Service
 - (h) Hunt Group Arrangement for Use with WATS Access Line Service
 - (i) Uniform Call Distribution Arrangement for Use with WATS Access Line Service
 - (j) Nonhunting Number for Use vith Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service
 - (k) Band Advance Arrangement for Use wipbBWeSERVICE COMMISSION Access Line Service OF KENTUCKY
 - (1) Cut-Through EFFECTIVE
 - (m) Feature Group D with 950 Access
 - (n) Calling Party Number (CPN)
 - Charge Number (CN) MAY 23 1995
 - (p) Carrier Selection Parameter (CSP)

PURSUANT TO 807 KAR 5:011,

- (2) Transport Termination Optional Features SECTION 9 (1)
 - (a) Operator Trunk, Full Feature Arrangenest Commission
 - cansport Optional Features (C)
- (3) Switched Transport Optional Features
 - (a) Supervisory Signaling (as set forth in
 6.1.3(B)(6)(a) preceding) (T)
 - (b) Common Channel Signaling Access Capability (CCSAC) as set forth in 6.1.3(B)(7)(a) preceding.
 - (c) 64CCC as set forth in 6.1.3(B)(6)(d) preceding. (19)

June 12, 1995 Issued:

Effective: May 23, 1995

President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

6. <u>Switched Access Service</u> (Cont'd)

- 6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)
 - 6.2.4 Feature Group D (FGD) (Cont'd)
 - (C) <u>Transmission Specifications</u>

FGD is provided with either Type A, Type B or Type C Transmission Specifications as follows:

- When routed directly to the end office either Type B or C is provided.
- When routed to an access tandem only Type A is provided.
- Type A is provided on the transmission path from the access tandem to the end office.

Type C Transmission Specifications are provided with Interface Group 1. Type A and Type B Transmission Specifications are provided with Interface Groups 2, 6 and 9.

(C)

Type DA Data Transmission Parameters are provided for the transmission path between the customer's premises and the access tandem and between the access tandem and the end office. Type DB Data Transmission Parameters are provided with FGD for the transmission path between the customer's premises and the end office when directly routed to the end office.

> PUBLIC SERVICE COMMISSION OF KENTÜCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5011. SECTION 9(1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: **June** 13, 1995

leborahaliet, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

6. <u>Switched Access Service</u> (Cont'd)

6.2 <u>Provision and Description of Switched Access Service Feature Groups</u> (Cont'd)

- 6.2.4 <u>Feature Group D (FGD)</u> (Cont'd)
 - (D) <u>Testing Capabilities</u>

FGD is provided, in the terminating direction where equipment is available, with seven digit access to balance (100 type) test line, milliwatt (102 type) test line, nonsynchronous or synchronous test line, automatic transmission measuring (105 type) test line, data transmission (107 type) test line, loop around test line, short circuit test line and open circuit test line. In addition to the tests described in 6.1.6 preceding which are included with the installation of service, additional Cooperative Acceptance Testing, Automatic Scheduled Testing, Cooperative Scheduled Testing, Manual Scheduled Testing, and Nonscheduled Testing, are available for FGD as set forth in 13.3.5 following.

6.3 Local Switching Optional Features

Following are descriptions of the various optional features that are available in lieu of, or in addition to, the standard features provided with the Feature Groups.

- 6.3.1 <u>Common Switching</u>
 - (A) <u>Call Denial on Line or Hunt Group</u>

This option allows for the screening of terminating calls within the LATA, and for the completion only of calls to 611, 911, 800, 555-1212, and a Telephone Company specified set of NXXs within the Telephone Company local exchange calling area of the dial tone office in which the arrangement is provided. All other "toll" calls are routed to a reorder tone or recorded announcement. This feature is provided in all Telephone Company electronic end offices **aug** (company called in all Telephone Company electronic end offices **aug** (company) feature Group A. Call Denial, Service Code Denial and 9004700/976 Call Blocking are mutually exclusive.

MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Issued: February 7, 1992 Round 2. Bigmon for

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

Original Page 203

6. <u>Switched Access Service</u> (Cont'd)

6.3 Local Switching Optional Features (Cont'd)

- 6.3.1 <u>Common Switching</u> (Cont'd)
 - (B) <u>Service Code Denial on Line or Hunt Group</u>

This option allows for the screening of terminating calls within the LATA, and for disallowing completion of calls to 0and N11 (e.g., 611, and 911). This feature is provided where available in all Telephone Company electronic end offices and electromechanical end offices. It is available with Feature Group A. Service Code Denial, Call Denial and 900/700/976 Call Blocking are mutually exclusive.

(C) Hunt Group Arrangement

This option provides the ability to sequentially access one of two or more line side connections in the originating direction, when the access code of the line group is dialed. This feature is provided in all Telephone Company end offices. It is available with Feature Group A. FGA services with different methods of providing off-hook supervisory signaling (i.e., provided by customer's equipment vs forwarded by customers equipment when the called party answers) cannot be mixed in the same group arrangement.

(D) <u>Uniform Call Distribution Arrangement</u>

This option provides a type of multiline hunting arrangement which provides for an even distribution of calls among the available lines in a hunt group. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9(1) ive SERVICE COMMISSION MARAZ

Issued: February 7, 1992 Kowa Z Bymon for

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

6. <u>Switched Access Service</u> (Cont'd)

- 6.3 Local Switchinn Optional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (E) Nonhunting Number for Use with Hunt Group or Uniform Call Distribution Arrangement

This option provides an arrangement for an individual line within a multiline hunt or uniform call distribution group that provides access to that line within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is provided in Telephone Company electronic end offices only. It is available with Feature Group A.

(F) Automatic Number Identification (ANI) and Flexible Automatic Number Identification (Flex ANI)

This option provides the automatic transmission of a seven or ten digit number and information digits to the customer's premises for calls originating in the LATA, PUBLIC SERVICE COMMISSION to identify the calling station. The ANI feature is an end office software function which is associated on a call-by-call basis with (1) all individual transmission paths in a trunk group routed directly between an end office and a customer's premises or, where technically feasible, with (2) all individual transmission paths in a trunk group between an end office and an access tandem, and a trunk group between an access tandem and a customer's premises.

FOR THE PUBLIC SERVICE COMMISSION The seven digit ANI telephone number is available with Feature Group B. With this Feature Group, technical limitations may exist in Telephone Company switching facilities which require ANI to be provided only on a Direct-Trunked Transport basis. ANI will be transmitted on all calls except those originating from coin stations and coinless pay telephones using Feature Group B, or when an ANI failure has occurred.

Issued: June 13, 1995

OF KENTUCKY

EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011.

SECTION 9(1)

BY:

Jorden C. neel

Alarah Rich President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

(C)

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

6. Switched Access Service (Cont'd)

6.3 Local <u>Switching Optional Features</u> (Cont'd)

6.3.1 <u>Common Switching</u> (Cont'd)

(F) <u>Automatic Number Identification (ANI) and Flexible Automatic</u> Number Identification (Flex ANI) (Cont'd)

The ten digit ANI telephone number is only available with Feature Group D with multifrequency address signaling. When the CCSAC optional feature is specified, the customer may obtain an ANI equivalent by ordering the charge number (CN) optional feature as specific in 6.3.1 (K) following. The ten digit ANI telephone number consists of the Numbering Plan Area (NPA) plus the seven digit ANI telephone number. The ten digit ANI telephone number will be transmitted on all calls except those identified as ANI failure, in which case only the NPA will be transmitted (in addition to the information digits described below). Also, ANI information digits or Flexible ANI information digits will be provided to the customer along with the ten digit ANI telephone number.

(1) The ANI Information Indicator (ANI II) digits identi-(C) fy: (1) telephone number is the station billing number no special treatment required, (2) ANI failure has occurred in the end office switch which prevents identification of calling telephone number - must be obtained by operator or in some other manner, (3) hotel/motel originated call which requires nom number identification, (4) coinless station, hospital inmate. etc., call which requires special screening or handling by the customer, and (5) Local Exchange Company coin. New ANI (II) digits are either 00, 01, 02. 06. (C) 07. 20. or 27. (()) Customers who subscribe to ANI may also elect to obtain (N)

expanded ANI digits, 52 for WATS was previously provided in this tariff under the name Flexible ANI. (N)

1st Original Page 206 Cancels Original Page 206

(C)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (F) Automatic Number Identification (ANI) (Cont'd)
 - (2) Flexible Automatic Identification (Flex-ANI) (C)

The Flex-AN1 feature is an Optional Switching Feature and enhancement to ANI. The feature is available on inband signalling or in the Originating Line Information (IAM) Delivery Optional feature for SS7 Signalling. Flex-AN1 provides additional values for the Information Indicator (ii) digits that are associated with various classes of services not available with the standard ANI digits. The customer must have ANI in order to have Flex ANI or many other features simultaneously.

The following Flex-AN1 are currently available

29 confinement/detention facility 70 private pay station

All ii codes will be delivered to the customer when Flex-AN1 is ordered.

Flex AN1 information digits must be ordered per Carrier Identification Code (CIC). per End Office and must be provisioned in conjunction with the ANI optional feature.

(G) (Up) to 7 Digit Outpulsing of Access Digits to Customer

This option provides for the end office capability of providing up to 7 digits of the uniform access code (950-0XXX or 950-1XXX) to the customer's premises. The customer can request that only some of the digits in the access code be forwarded. The access code digits would be provided to the customer's premises using multifrequency signaling, and transmission of the digits would precede the forwarding of ANI if that feature were provided. It is available with Feature Group B.

1st Revised Page 207 Cancels Original Page 207

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (H) Cut-Through

This option allows end users of the customer to reach the customer's premises by using the end of dialing digit This option provides for connection of the call to the premises of the customer indicated by the 10XXX or 10XXXX (C) code upon receipt of the end of dialing digit (#). The Telephone Com any will not record any other dialed digits for these calms. This option is available with Feature Group D.

(I) <u>900/700/976 Call Blocking</u>

This option, where available, allows for the screening of terminating calls within the LATA for the purpose of blocking 900/976 or "dial-it" type calls only. 900/976 calls are routed to a reorder tone or to a recorded announcement. This option is available with Feature Group A. 900/976 Call Blocking, Call Denial and Service Code Denial are mutually exclusive.

900/976 Call Blocking blocks 1+900, and 976 dialed calls

(C)

(C)

Original Page 207.1

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Stitching ODtional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (J) <u>Callinn Party Number (CPN)</u>

This option provides for the automatic transmission of the calling party's ten digit telephone number to the customer's premises for calls originating in the LATA. The ten digit telephone number consists of the NPA plus the seven digit telephone number, which may or may not be the same number as the calling station's charge number. The specific protocol for CPN is contained in Technical Reference TR-TSV-000905. This feature is available only with Feature Group D when the CCSAC option is specified.

(K) Charge Number (CN)

This option provides for the automatic transmission of the ten digit billing number of the calling station number and originating line information. The specific protocol for CN is contained in Technical Reference TR-TSV-000905. This feature is available only with Feature Group D when CCSAC is specified.

(L) <u>Carrier Selection Parameter (CSP)</u>

This option provides for the automatic transmission of a signaling indicator which signifies to the customer whether the call being processed originated from a presubscribed end user of that customer. The specific protocol for CSP is contained in Technical Reference TR-TSV-000905. This feature is available only with Feature Group D when CCSAC is specified.

(N)

:011.

(N)



OCT 2 6 1992

Issued: September 24, 1992

it's Cymen

President, Cincinnati, Ohio

BY: <u>CLOSERVICE COMMISSION MANAGER</u>

Effective: 0

Vice President - Regulatory Affairs

3rd Revised Page 208 Cancels 2nd Revised Page 208

- 6. Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (M) Service Class Routing

This option provides the capability of directing originating traffic from an end office to a trunk group to a customer designated premises, based on the line class of service (e.g., coin or hotel/motel), service prefix indicator (e.g., 0-, 0+, 0]+ or 0]]+) or service access code (e.g., 500, 800 or 900). (C) It is provided in suitably equipped end office or access switches and is available with Feature Group D.

(N) <u>Alternate Traffic Routing</u>

(1) Multiple Customer Premises Alternate Routing

This option provides the capability of directing originating traffic from an end office (or appropriately equipped access tandem) to a trunk group (the "high usage" group) to a customer designated ' premises until that group is fully loaded, and then delivering additional originating traffic (the "overflowing" traffic) from the same end office or access tandem to a different trunk group (the "final" group) to a second customer designated premises. It is provided in suitably equipped end office or access tandem switches and is available with Feature Groups B and D.

(2) End Office Alternate Routing

This option provides an alternate routing arrangement for customers who have access for a particular Feature Group to an end office via two routes: one route via an access tandem and one direct route. The feature allows the customers originating traffic from the end office to be offered first to the direct trunk group and then overflow to the access tandem group. It is provided in suitably equipped end offices and is available with Feature Groups B and D.

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 Common Switching (Cont'd)
 - (0) International Carrier Option

This option allows for Feature Group D end offices or access tandem switches equipped for International Direct Distance Dialing to be arranged to forward the international calls of one or more international carriers to the customer (i.e., the Telephone Company is able to route originating international calls to a customer other than the one designated by the end (C) user either through presubscription or 10XXX or 101-XXXX dialing). This arrangement requires provision of written verification to the Telephone Company that the customer is authorized to forward such calls. The written verification must be in the form of a letter of agency authorizing the customer to order the option on behalf of the international carrier. This option is only provided at Telephone Company end offices or access tandems equipped for International Direct Distance Dialing. It is available with Feature Group D.

1st Revised Page 210 Cancels Original Page 210

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 <u>Common Switching</u> (Cont'd)
 - (P) Band Advance Arrangement for Use with WATS Access Line Service (T)

This option, which is provided in association with two or more WATS Access Line Service groups, provides for the automatic overflow of terminating calls to a WATS Access Line Service group, when that group has exceeded its call capacity, to another WATS Access Line Service group with a band designation equal to or greater than that of the overflowing WATS Access Line Service group. This arrangement does not provide for call overflow from a group with a higher band designation to one with a lower one. This option is available with Features Groups A, B and D.

(Q) <u>End Office End User Line Service Screening for Use with WATS</u> (T) Access Line Service

This option provides the ability to verify that an end user has dialed a called party address (by screening the called NPA and/or NXX on the basis of geographical bands selected by the Telephone Company) which is in accordance with that end user's service agreement with the customer, e.g., WATS. This option is provided in all Telephone Company electronic end offices and, where available, in electromechanical end offices in which WATS or Special Access Line Service is provided. It is available with Feature Group D.

(R) <u>Hunt Group Arrannement for Use with WATS Access Line Service</u> (T)

This option provides the ability to sequentially access one of two or more WATS Access Line Services (e.g., 800 Service access lines) in the terminating direction, when the hunting number of the WATS Access Line Service group is forwarded from the customer to the Telephone Company. This feature is provided in all Telephone Company end offices in which WATS Access Line Service is provided. It is available with Feature Groups A, B and D. PUBLIC SERVICE COMMISSION OF XENTUCKY

EFFECTIVE

OCT 2 6 1992

Issued: September 24, 1992



President, Cincinnati, Ohio

Vice President - Regulatory Affairs

PURSUANT TO 807 KAR 5:011,



Original Page 211

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.1 <u>Common Switching</u> (Cont'd)
 - (P) Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides a type of multiline hunting arrangement which provides for an even distribution of terminating calls among the available WATS Access Line Services in the hunt group. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups A, B and D.

(Q) Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WATS Access Line Service

This option provides an arrangement for an individual WATS Access Line Service within a multiline hunt or uniform call distribution group that provides access to that WATS Access Line Service within the hunt or uniform call distribution group when it is idle or provides busy tone when it is busy, when the nonhunting number is dialed. Where available, this feature is only provided in Telephone Company electronic end offices in which WATS Access Line Service is provided. It is available with Feature Groups A, B and D.

(R) Feature Group D with 950 Access

This option provides for the routing of originating calls dialed using a customer's 950-XXXX access code to the customer over Feature Group D trunks, using Feature Group D signaling protocols and technical specifications. The customer's switch must be prepared to differentiate between standard Feature Group D calls and 950-dialed calls delivered over the same trunk group, and must also differentiate between Non-Public Stations and Coin or Hotel/Motel Stations. Where technically feasible, this feature is available with Feature Group D. PUBLIC SERVICE COMMISSION

OF KENTUCKY EFFECTIVE

MAR 3 1992

Issued: February 7, 1992 Robert E. Digmon for President, Cincinnati, Ohio

EPHRESHANE TO MOT MAPS 5:0199.2 SECTION 9 (1) George Salle BY: PUBLIC SERVICE COMMISSION MANAGER

1st Revised Page 212 Cancels Original Page 212

6. <u>Switched Access Service</u> (Cont'd)

- 6.3 Local Switchinn Optional Features (Cont'd)
 - 6.3.2 <u>Transport Termination</u>
 - (A) Rotary Dial Station Signaling

This option provides for the transmission of called party address signaling from rotary dial stations to the customer's premises for originating calls. This option is provided in the form of a specific type of Transport Termination. It is available with Feature Group B, only on a Direct-Trunked Transport basis. (C)

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5011, SECTION 9(1) BY: Orden C. Neel

FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995 har

Vice President Integrated Corporate Planning for

- 6. Switched Access Service (Cont'd)
 - 6.3 Local Switching Optional Features (Cont'd)
 - 6.3.2 Transport Termination (Cont'd)
 - (B) Operator Trunk - Full Feature

This option provides the operator functions available in the end office to the customer's operator. These functions are (1) Operator Released, (2) Operator Attached, (3) Coin Collect, (4) Coin Return, and (5) Ringback. It is available with Feature Group D and is provided as a trunk type for **Switched** Transport (C) Termination. This option is not available in combination with the CCSAC option.

6.3.3 WATS Access Line Termination

The WATS Access Line or Voice Grade Special Access Service Terminations are differentiated by line side vs. trunk side terminations. The standard WATS Access Line or Voice Grade Special Access arrangement is available with a line side termination. There are various types of originating and terminating line side terminations depending on the type of signaling associated with the WATS Access Line or Voice Grade Special Access Service (i.e., loop start or ground start). Line side terminations are available with either dial pulse or dual tone multifrequency address signaling.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 2 3 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Jordan C. neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Reproduction Bresident, Cincinnati, Ohio

Vice President **Integrated** Corporate Planning for

1st Revised Page 214 Cancels Original Page 214

6. <u>Switched Access Service</u> (Cont'd)

6.4 Transmission Specifications

Each Switched Access Service transmission path is provided with standard transmission specifications. There are three different standard specifications (Types A, B and C). The standard for a particular transmission path is dependent on the Feature Group, the Interface Group and whether the service is directly routed or via an access tandem. The available transmission specifications are set forth in 6.4.1 following. Data Transmission Parameters are also provided with each Switched Access Service transmission path. The Telephone Company will, upon notification by the customer that the data parameters set forth in 6.4.2(B) are not being met, conduct tests independently or in cooperation with the customer, and take any necessary action to insure that the data parameters are met.

The Telephone Company will maintain existing transmission specifications on functioning service configurations installed prior to the effective date of this tariff except that service configurations having performance specifications exceeding the standards listed in this provision will be maintained at performance levels specified in this tariff.

The transmission specifications contained in this Section are immediate action limits. Acceptance limits are set forth in Technical Reference TR-NPL-000334. This Technical Reference also provides the basis for determining Switched Access Service maintenance limits. Transmission specifications for CCSAC signaling connections are set forth in Technical Reference TR-TSV-000905.

PUBLIC SERVICE COMMISSION OF XENTUCKY EFFECTIVE (C)

(c)

OCT 2 6 1992

PURSUANT TO 807 KAR 5.011. SECTION 9 (1)

Grow fally PUBLIC SERVICE COMMISSION MANAGER BY:

Issued: September 24, 1992

Robert E. Gigmon

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

for

Effective: October 26, 1992

Original Page 215

6. <u>Switched Access Service</u> (Cont'd)

6.4 <u>Transmission Specifications</u> (Cont'd)

6.4.1 Standard Transmission Specifications

Following are descriptions of the three Standard Transmission Specifications available with Switched Access Service Feature Groups. The specific applications in terms of the Feature Groups and Interface Groups with which the Feature Group Standard Transmission Specifications are provided are set forth in 6.2.1(0), 6.2.2(0) and 6.2.4(0) preceding.

(A) <u>Type A Transmission</u>—Specifications

Type A Transmission Specifications is provided with the following parameters:

(1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is $\pm~2.0$ dB

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

Effective: March 36(1992 PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992 Kolost 2. Oguan for

President, Cincinnati, Ohio

Original Page 216

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.4 Transmission Specifications (Cont'd)
 - 6.4.1 Standard Transmission Specifications (Cont'd)
 - (A) <u>Type A Transmission Specifications</u> (Cont'd)
 - (2) Attenuation Distortion

The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to the loss at 1004 Hz is -1.0 dB to +3.0 dB.

(3) <u>C-Message Noise</u>

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

<u>Route Miles</u>	<u>C-Message Noise</u>
less than 50	32 dBrnCO
51 to 100	34 dBrnCO
101 to 200	37 dBrnCO
201 to 4 00	40 dBrnCO
<i>401</i> to 1000	42 dBrnCO

(4) <u>C-Notch Noise</u>

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone, is less than or equal to 45 dBrnCO.

(5) Echo Control

Echo Control, identified as Equal Level Echo Path Loss, and expressed **as** Echo Return Loss and Singing Return Loss, is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. It is equal to or greater than the following:

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) Effectives / March 3, 1992 BY: PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992 Room for

President, Cincinnati, Ohio

Original Page 217

6. <u>Switched Access Service</u> (Cont'd)

6.4 <u>Transmission Specifications</u> (Cont'd)

- 6.4.1 <u>Standard Transmission Specifications</u> (Cont'd)
 - (A) Type A Transmission Specifications (Cont'd)
 - (5) <u>Echo Control</u> (Cont'd)

	<u>Echo Return Loss</u>	<u>Singing Return Loss</u>
POT to Access Tandem POT to End Office	21 dB	14 dB
- Direct - Via Access Tandem	N /A 16 dB	N/A 11 dB

(B) <u>Type B Transmission Specifications</u>

Type B Transmission Specifications is provided with the following parameters:

(1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is + 2.5 dB.

(2) Attenuation Distortion

The maximum Attenuation Distortion in the 404 to 2804 \mbox{Hz} frequency band relative to loss at 1004 12 SERVICE COMMISSION +4.0 dB. OF KENTUCKY EFFECTIVE

> 3 1992 MAR

PURSUANT TO 807 KAR 5:011 SECTION 9 (1) Effective March 3 1992 PUBLIC SERVICE COMMISSION MANAGER

February 7, 1992 Issued: for min

President, Cincinnati, Ohio

Original Page 218

6. <u>Switched Access Service</u> (Cont'd)

6.4 <u>Transmission</u> Specifications (Cont'd)

- 6.4.1 Standard Transmission Specifications (Cont'd)
 - (B) <u>Tvve B Transmission Specifications</u> (Cont'd)
 - (3) <u>C-Message Noise</u>

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

	<u> C-Message Noise* </u>	
Route Miles		Tvve B2
less than 50 51 to 100 101 to 200 201 to 400 401 to 1000	32 dBrnCO 33 dBrnCO 35 dBrnCO 37 dBrnCO 39 dBrnCO	35 dBrnCO 37 dBrnCO 40 dBrnCO 43 dBrnCO 45 dBrnCO

(4) <u>C-Notch Noise</u>

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.

(5) Echo Control

Echo Control, identified as Impedance Balance for FGA and FGB and Equal Level Echo Path Loss for FGD, and expressed as Echo Return Loss (ERL) and Singing Return Loss (SRL), is dependent on the routing, i.e., whether the service is routed directly from the customer's point of termination (POT) to the end office or via an access tandem. The ERL and SRL also differ by Feature Group, type of termination, and type of transmission path. They are greater than or equal to the following:

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

For Feature Group D only Type B2 will be provided. For Feature Groups A and B, Type B1 and B2 will be provided as set forth in Technical Article Coekar 5:011. TR-NPL-000334.

- Issued: .February 7, 1992

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

Effectione Service Commission Manager

6. <u>Switched Access Service</u> (Cont'd)

6.4 Transmission Specifications (Cont'd)

6.4.1 <u>Standard Transmission Specifications</u> (Cont'd)

(B) Type B Transmission Specifications (Cont'd)

(5) <u>Echo Control</u> (Cont'd)

<u>Echo Return Loss</u>	<u>Singing Return Loss</u>
01 J	14 dB
ZI (ID	
16 dB	11 dB
16 AB	11 dB
8 dB	4 dB
	21 dB 16 dB 16 dB

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> 3 1992 MAR

PURSUANT TO 807 KAR 5:011 SECTION 9(1)

Issued: February 7, 1992

President, Cincinnati, Ohio

Nice President - Regulatory Affairs

Ef Bective Marche 3401992

Original Page 220

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.4 <u>Transmission Specifications</u> (Cont'd)
 - 6.4.1 <u>Standard Transmission Specifications</u> (Cont'd)
 - (C) <u>Type C Transmission Specifications</u>

Type C Transmission Specifications is provided with the following parameters:

(1) Loss Deviation

The maximum Loss Deviation of the 1004 Hz loss relative to the Expected Measured Loss (EML) is \pm 3.0 dB.

(2) Attenuation Distortion

The maximum Attenuation Distortion in the 404 to 2804 Hz frequency band relative to loss at 1004 Hz is -2.0 dB to +5.5 dB.

(3) <u>C-Message Noise</u>

The maximum C-Message Noise for the transmission path at the route miles listed is less than or equal to:

	<u> </u>		
<u>Route Miles</u>	Type Cl	Type C2	
less than 50	32 dBrnCO	38 dBrnCO	
51 to 100	33 dBrnCO	39 dBrnCO	
101 to 200	35 dBrnCO	41 dBrnCO	
201 to 4 00	37 dBrnCO	43 dBrnCO	
401 to 1000	39 dBrnCO	45 dBrnCO	

(4) <u>C-Notch Noise</u>

The maximum C-Notch Noise, utilizing a -16 dBmO holding tone is less than or equal to 47 dBrnCO.

PUBLIC SERVICE COMMISSION

* For Feature Group D only Type C2 will be provided. For Feature Republic A and B, Type Cl or C2 will be provided as set forth in Technicate Republic TR-NPL-000-334.

MAR 3 1992

PURSUANT TO 807 KAR 5:01-1

PUBLIC SERVICE COMMISSION MANACEB

BY:

EffecteronMarph 3, 1992

Issued: February 7, 1992

President, Cincinnati, Ohio

Original Page 221

- 6. Switched Access Service (Cont'd)
 - 6.4 Transmission Specifications (Cont'd)
 - 6.4.1 <u>Standard Transmission Specifications</u> (Cont'd)
 - (C) <u>Type C Transmission Specifications</u> (Cont'd)
 - (5) <u>Echo Control</u>

Echo Control, identified **as** Return Loss and expressed as Echo Return Loss and Singing Return Loss is equal to or greater than the following:

Echo Return Loss Singing Return Loss

POT to End Office		
- Direct	13 dB	6 dB

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

BY: George Selles Effective SERVICE CHMBSION 992 CER

Issued: February 7, 1992 Robert E. Digmon for

President, Cincinnati, Ohio

Original Page 222

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.4 <u>Transmission Specifications</u> (Cont'd)
 - 6.4.2 Data Transmission Parameters

Two types of Data Transmission Parameters, i.e., Type DA and Type DB, are provided for the Feature Group arrangements. The specific applications in terms of the Feature Groups with which they are provided are set forth in 6.2.1(C), 6.2.2(C) and 6.2.4(C) preceding. Following are descriptions of each.

- (A) Data Transmission Parameters Type DA
 - (1) Signal to C-Notched Noise Ratio

The Signal to C-Notched Noise Ratio is equal to or greater than $33\ \mbox{dB.}$

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAH 5:011

SECTION 9 (1)

Effective March 362992 PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992 Robert E. Sigmon for

for President, Cincinnati, Ohio

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.4 Transmission Specifications (Cont'd)
 - 6.4.2 Data Transmission Parameters (Cont'd)
 - (A) <u>Data Transmission Parameters Tpue DA</u> (Cont'd)
 - (2) Envelope Delay Distortion

The maximum Envelope Delay Distortion for the frequency bands and route miles specified is:

604 to 2804 Hz

less than 50 route miles	500 microseconds
equal to or greater than 50 route miles	900 microseconds

1<u>004 to 2404 Hz</u>

less than 50 route miles200 microsecondsequal to or greater than 50 route miles400 microseconds

(3) Impulse Noise Counts

The Impulse Noise Counts exceeding a 65 dBrnCO threshold in 15 minutes is no more than 15 counts.

(4) Intermodulation Distortion

The Second Order (R2) and Third Order (R3) Intermodulation Distortion products are equal to or greater than:

Second Order	(R2)	33	dB
Third Order	(R3)	37	dB

(5) Phase Jitter

The Phase Jitter over the 4-300 Hz frequency band is less than or equal to 5' peak-to-peak.

(6) Freauencp Shift

The maximum Frequency Shift does not excelleLH2SEEWIGE COMMISSION Of KENIUCKY EFFECTIVE

MAR 3 1992

Issued: February 7, 1992 Robert E. Digmon for

President, Cincinnati, Ohio

Effectures IAN March 803 KAR 5211. SECTION 9 (1) BY: <u>Jacque Selle</u> PUBLIC SERVICE COMMISSION MANAGER

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.4 Transmission Specifications (Cont'd)
 - 6.4.2 Data Transmission Parameters (Cont'd)
 - (B) <u>Data Transmission Parameters</u> Tvve DB
 - (1) Signal to C-Notched Noise Ratio

The signal to C-Notched Noise Ratio is equal to or greater than 30 dB.

(2) Envelope Delay Distortion

The maximum Envelope Delay Distortion for the frequency bands and route miles specified is:

<u>604 to 2804 Hz</u>	
less than 50 route miles	800 microseconds
equal to or greater than 50 route miles	1000 microseconds

1004 to 2404 Hzless than 50 route miles320 microsecondsequal to or greater than 50 route miles500 microseconds

(3) Impulse Noise Counts

The Impulse Noise Counts exceeding a 67 dBrnCO threshold in 15 minutes is no more than 15 counts.

(4) Intermodulation Distortion

The Second Order (R2) and Third Order (R3) Intermodulation Distortion products are equal to or greater than:

Second Order (R2) 31 dB Third Order (R3) 34 dB

(5) Phase Jitter

PUBLIC SERVICE COMMISSIONThe Phase Jitter over the 4–300 Hz frequency bard(ht Ubasthan or equal to 7' peak-to-peak.EFFECTIVE

(6) Frequency Shift

MAR 3 1992

The maximum Frequency Shift does not exceed -2 to +2 Hz. PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Issued: February 7, 1992

President, Cincinnati, Ohio

Effective: March 3, 1992

PUBLIC SERVICE COMMISSION MANACER

6. <u>Switched Access Service</u> (Cont'd)

6.5 <u>Obligations of the Telephone Company</u>

In addition to the obligations of the Telephone Company set forth in 2. preceding, the Telephone Company has certain other obligations pertaining only to the provision of Switched Access Service. These obligations are as follows:

6.5.1 <u>Network Management</u>

The Telephone Company will administer its network to insure the provision of acceptable service levels to all telecommunications users of the Telephone Company's network services. Generally, service levels are considered acceptable only when both end users and customers are able to establish connections with little or no delay encountered within the Telephone Company network. The Telephone Company maintains the right to apply protective controls, i.e., those actions, such as call gapping, which selectively cancel the completion of traffic, over any traffic carried over its network, including that associated with a customer's Switched Access Service. Generally, such protective measures would only be taken as a result of occurrences such as failure or overload of Telephone Company or customer facilities, natural disasters, mass calling or national security demands. The customer will notify the Telephone Company of anticipated peaked services per paragraph 6.6.1(E). Based on the information provided, the Telephone Company will work cooperatively with the customer to determine the appropriate level of control. In the event that the protective controls applied by the Telephone Company result in the complete loss of service by the customer, the customer will be granted a Credit Allowance for Service Interruption as set forth in 2.4.4(B)(3) preceding except where voided by paragraph 6.6.1(E) following.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011,

Issued: February 7, 1992 Relet E. Signon for

for President, Cincinnati, Ohio

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.5 <u>Oblinations of the Telephone Company</u> (Cont'd)
 - 6.5.2 Design and Traffic Routing of Switched Access Service

For Svitched Access Service, ordered on a per line or per (C) trunk basis. the customer desired line or trunk directionality and/or traffic routing of the Switched Access Service between the customer's premises and the entry svitch are specified on the customer's order for service. Also, the customer must specify on the Svitched Transport facilities to be used (i.e., Entrance Facility. Direct-Trunked Transport facility, and Tandem-Switched Transport facility). When specifying the Switched Transport facilities to be used, the customer must indicate if the facilities are existing or new.

Except for Feature Group B the Telephone Company rill be responsible for selection of facilities from the interface to any switching point and to the end offices where capacity is ordered. For Feature Group B the customer may order the optional feature Customer Specification of Svitched Transport Termination.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

(C)

MAY 23 1995

PURSUANT TO 807 KAR **5.01**1, SECTION 9 (1)

BY: Gorden C. neel FOR THE PUBLIC SERVICE COMMISSION


Issued: June 13. 1995

Chorah Quischeresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

2nd Revised Page 227 Cancels 1st Revised Page 227

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.5 <u>Obligations of the Telephone Company</u> (Cont'd)
 - 6.5.2 Design and Traffic Routing of Switched Access Service



Subject to availability, end-to-end service performance data available to the Telephone Company through its own service evaluation routines, may also be made available to the customer based on previously arranged intervals and format. These data provide information on overall end-to-end call completion and noncompletion performance, e.g., customer equipment blockage, failure results and transmission performance. These data do not include service performance data which are provided under other tariff sections, e.g, testing service results. If data are to be provided in other than paper format, the charges for such exchange will be determined on an individual case basis.

6.5.4 Trunk Group Measurement Reports

Subject to availability, the Telephone Company will make available trunk group data in the form of usage in hundred calls seconds, peg count and overflow, to the customer based on previously agreed to intervals.

June /13, 1995 Issued; President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

2nd Revised Page 228 Cancels 1st Revised Page 228

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.5 Obligations of the Telephone Company (Cont'd)
 - 6.5.5 Determination of Number of Transmission Paths

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE MAY 23 1390 PURSUANT TO 807 KAR 5:011, SECTION 9(1) Jordan C. neel BY: (D) FOR THE PUBLIC SERVICE COMMISSION 6.5.6 Determination of Number of End Office Transport Terminations

For analog entry switches, a termination will be provided for each **feature group** line or trunk requested. For digital entry (C) switches, an equivalent termination will be provided for each feature **group** line or **trunk** requested. (C)

June 13, 1995 Issued: Nebora 10, salaresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

6. <u>Switched Access Service</u> (Cont'd)

6.5 Oblinations of the Telephone Company (Cont'd)

6.5.7 Design Blocking Probability

The Telephone Company will design and monitor the facilities used in the provision of Switched Access Service to meet the blocking probability criteria as set forth in (A) through (D) following.

- (A) For Feature Groups A and B no design blocking criteria apply.
- (B) For Feature Group D, the design blocking objective for the final group will be no greater than one percent (.01) between the point of termination at the customer's premises and the end office switch, whether the traffic is directly routed without an alternate route or routed via an access tandem. Standard traffic engineering methods as set forth in reference document Special Report SR-TAP-000191 Issue No. 2, <u>Trunk Traffic Engineering Concepts and Applications</u> will be used by the Telephone Company to determine the number of transmission paths required to achieve this level of blocking.
- (C) For 900 Access Service, the design blocking criteria is dependent on the status of the end office from which the service is provided. The design blocking criteria for 900 Access Service provided from an end office not equipped with equal access capabilities will be equivalent to that set forth preceding for Feature Group C. The design blocking criteria for 900 Access Service provided from an end office equipped with equal access capabilities will be equivalent to that set forth preceding for Feature Group D.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

(C)

MAY 23 1995

PURSUANT 70 807 KAR 5:011. SECTION 9(1) FOR THE DUBLIC SERVICE THE SION

Issued: June 13, 1995 Alich President, Cincinnati, Ohio

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

1st Revised Page 230 Cancels Original Page 230

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.5 Obligations of the Telephone Company (Cont'd)
 - 6.5.7 Design Blocking Probability (Cont'd)
 - (D) The Telephone Company will perform routine measurement functions for the capacity ordered to assure that an adequate number of transmission paths are in service. The Telephone Company will recommend that additional capacity be ordered by the customer when additional paths (C) are required to reduce the measured blocking level. Where design blocking criteria apply, the design blocking objective is assumed to have been met if the routine measurements show that the measured blocking does not exceed the thresholds listed in the following tables.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: Jordan C. Neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995 all, elora President, Cincinnati, Ohio 1

Vice President Integrated Corporate Planning for

Original Page 231

6. <u>Switched Access Service</u> (Cont'd)

- 6.5 <u>Obligations of the Telephone Company</u> (Cont'd)
 - 6.5.7 Design Blocking Probability (Cont'd)
 - (D) (Cont'd)
 - (1) For transmission paths carrying only first routed traffic directly between an end office and customer's premises without an alternate route, and for paths carrying only overflow traffic, the measured blocking thresholds are as follows:

	Measured Blocking Thresholds			
Number of	in the Time Consistent Busy Hour			
Transmission Paths	for the Number of Measurements			
Per Trunk Group	Per Trunk Group			
<u> </u>	15-20	11-14	7-10	3–6
	Measurements	Measurements	Measurements	Measurements
2	.070	.080	.090	.140
3	.050	.060	.070	.090
4	.050	.060	.070	.080
5–6	.040	.050	.060	.070
7 or more	.030	.035	.040	.060

(2) For transmission paths carrying first routed traffic between an end office and customer's premises via an access tandem, the measured blocking thresholds are as follows:

Number of Transmi ss ion Path s Per Trunk Group	Measured Blocking Thresholds in the Time Consistent Busy Hour for the Number of Measurements Per Trunk Group			Hour
	15-20	11-14	7-10	3-6
	Measurements	Measurements	Measurement	s Measurements
2 3	.045 .035	.055 .040	.060 .045	.095 .060
4 5-6 7 or more	.035 .025 .020	.040 .035 .025	•045 .040 .030	PUBLIC SERVEE COMMISSION OF HEADUCKY

MAR 3 1992

PURSUANT TO 807 KAR 5:011,

Issued: February 7, 1992 Robert E. Aigmon for

President, Cincinnati, Ohio

SECTION 9 (1) Effective: March 3, 1992

PUBLIC SERVICE COMMISSION MANACER

1st Revised Page 232 Cancels Original Page 232

6. <u>Switched Access Service</u> (Cont'd)

6.6 Obligations of the Customer

In addition to the obligations of the customer set forth in 2. preceding, the customer has certain specific obligations pertaining to the use of Switched Access Service. These obligations are as follows:

6.6.1 <u>Report Requirements</u>

Customers are responsible for providing the following reports to the Telephone Company, when applicable.

(A) Jurisdictional Reports

When a customer orders Switched Access Service for both interstate and intrastate use, the customer is responsible for providing reports as set forth in 2.3.14 preceding. Charges will be apportioned in accordance with those reports. The method to be used for determining the interstate charges is set forth in 2.3.15 preceding.

(B) Code Screening Reports

When a customer orders service class routing, it must report the number of trunks and/or the appropriate codes to be instituted in each end office or access tandem switch.

(C)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 1 1993

May 1, 1993

(D)

(D)

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: George &

PUBLIC SERVICE COMMISSION MANAGER

Effective:

Issued: March 25, 1993

Robert E. Digmon For

President, Cincinnati, Ohio

Original Page 233

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.6 Obligations of the Customer (Cont'd)
 - 6.6.1 <u>Report Requirements</u> (Cont'd)
 - (D) 900 Access Service NXX Code Reports

When ordering 900 Access Service, the customer must report the appropriate NXX code(s) to be instituted in each Telephone Company office at which the customer identification function is performed. The report must be updated by the customer each time a change is scheduled to occur, i.e., when a new code is to be added or an existing code is to be deleted. Such updated reports shall be provided at least 30 calendar days prior to the effective date of the change in order to allow the Telephone Company sufficient time to implement the change.

(E) Substantial Call Volume 900 Services

When a customer offers services for which a substantial call volume is expected during a short period of time (e,g,, media stimulated events), the customer must notify the Telephone Company at least 24 hours in advance of each peak period. For events scheduled during weekends or holidays, the Telephone Company must be notified no later than 5:00 p.m. local time the second prior business day. Notification should include the nature, time, duration, and frequency of the event, an estimated call volume, and the 900 NXX line number(s) to be used.

On the basis of the information provided, the Telephone Company may invoke network management controls if required to reduce the probability of excessive network congestion. The Telephone Company will work cooperatively with the customer to determine the appropriate level of such control.

Failure to provide prescribed notification may result in customer caused network congestion, which could result in discontinuation of service under paragraph 2.2.2 and/or damages under paragraph 2.3.1.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Effective: March 3, 1992

PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992

Robert E. Aigmon for

President, Cincinnati, Ohio

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

1st Revised Page 234 Cancels Original Page 234

6. Switched Access Service (Cont'd)

6.6 Obligations of the Customer (Cont'd)

6.6.2 <u>Supervisory</u> Signaling

The customer's facilities shall provide the necessary on-hook, off-hook, answer and disconnect supervision.

6.6.3 Trunk Group Measurement Reports

With the agreement of the customer, trunk group data in the form of usage in hundred call seconds, peg count and overflow for (T)its end of all access trunk groups, where technologically feasible, will be made available to the Telephone Company. These data will be used to monitor trunk group utilization and service performance and will be based on previously arranged intervals and format.

6.6.4 Design of Switched Access Services

When a customer orders Switched Access Service on a per line or per trunk basis, it is the customer's responsibility to assure that sufficient access services have been ordered to handle its traffic.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > OCT 2 6 1992

PURSUANT TO 807 KAH 5:011. Effec SECTION October 26, 1992

Issued: September 24, 1992

Robert E. Signon for President, Cincinnati, Ohiopublic SERVICE COMMISSION MANAGER

4th Revised Page 235 Cancels 3rd Revised Page 235

6. Switched Access Service (Cont'd)

6.7 Rate Regulations

This section contains the specific regulations governing the rates and charges that apply for Switched Access Service.

6.7.1 Description and Application of Rates and Charges

There are four types of rates and charges that apply to switched Access (T) Service. These are monthly recurring rates, usage rates, nonrecurring charges and payment plans for MercNET 1.544 (DS1) service. These rates (C) and charges are applied differently to the various rate elements as set forth in (D) following.

(A) Monthly Rates

Monthly rates are flat recurring rates that apply each month or fraction thereof that a specific rate element is provided. For billing purposes, each month is considered to have 30 days.

(B) Usage Rates

Usage rates are rates that apply only when a specific rate element is used. These are applied on a per occurrence (e.g., query access minute fixed and per mile) basis. Usage rate charges are accumulated over a monthly period.

(C) Nonrecurring harges

Nonrecurring charges are one-time charges that apply for a specific work activity (i.e., installation or change to an existing service). The types of nonrecurring charges that apply for Switched Access Service are: installation of service, service rearrangements, and 500 and 900 Access Service charges. (C)

(1) Installation of Service

Nonrecurring charges apply to each Switched Access Service installed as follows:

- . Per line or per trunk
- . Per entrance facility (Voice Grade, DS1, or DS3)
- . Per multiplexer ordered

6. <u>Switched Access</u> Service (Cont'd)

6.7.1 Description and Application of Rates and Charges (Cont'd)

(D) Payment Plans for MercNET 1.544 (DS1) Service

The Optional Payment Plan (OPP) is a provision that allows a customer to pay a fixed rate for specific MercNEr 1.544 (DS1) Service over a 36 or 60 month payment period. During the effective term. monthly rates for services installed under this arrangement will not be subject to Telephone Company initiated rate changes.

MercNET 1.544 (DS1) rates and charges for which the OPP is available are listed in 6.8.2 following.

During a customer's OPP term, the customer shall pay current rates provided they do not exceed the original rate contracted for by the customer, and conversion may be made to a new OPP term of the same or different length. If the expiration date for the new service or OPP term is beyond the end of the original OPP term, the remaining OPP charges for the original term will not apply.

At the expiration of the OPP term and if the customer wishes to continue MercNET 1.544 (DS1) Service the customer may elect:

- Prevailing month-to-month tariff rates
- A new OPP at the prevailing OPP rate, if available

The customer continues to receive the OPP rate on a month-tomonth basis for a period of up to six months following the completion of the term. After the six months, the rates will automatically revert to the month-to-month rates.

(N)

(N)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.7.1 Description and Application of Rates and Charges (Cont'd)
 - (D) Payvment Plan for MercNET 1.544 (DS1) Service (Cont'd)

During an OPP term, a customer may move one Entrance Facility service to another location while keeping the OPP in force, provided the customer and customer's end user remain the same and no lapse in service occurs.

The Minimum Period for service provided under an OPP is the same as the OPP term selected by the customer (i.e. 36 or 60 month payment period). The Minimum Period for service provided under the month-to-month payment arrangement is 1 month for MercNET 1.544 (DS1).

Customers requesting termination of service prior to the expiration date of the Minimum Period will be liable for payment of a Minimum Period Charge. The Minimum Period Charge for all OPP terms will be calculated as follows:

- The service that is in place less than 12 months the customer would pay the monthly rate for the service.
- The dollar difference between (a) the current OPP rate for the OPP term that could have been completed during the time the service was actually in service, and (b) the customer's current OPP rate for each month the service was provided.

For example, a customer subscribed to a 60 month OPP term and disconnected service during the 39th month. This customer's minimum period charge would be:

[36 month OPP rate - 60 month OPP rate] X 39 = Minimum Period Charge.

The 36 month OPP term could have been completed during the months the service was actually in service.

All minimum period charges will be based on the OPP rates in effect at the time of termination.

(N)

1st Revised Page 236 Cancels Original Page 236

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.1 Description and Application of Rates and Charges Lice COMMISSION
 - (C) <u>Nonrecurring Charges</u> (Cont'd)

OF KENTUCKY EFFECTIVE

(1) Installation of Service (Cont'd)

MAY 23 1995 (D) PURSUANT TO 807 KAR 5:011, SECTION 9(1) bedan. C. Heel (D) FOR THE PUBLIC SERVICE COMMISSION

(2) <u>Service Rearrangements</u>

Service rearrangements are changes to existing services installed which do not result in either a change in the minimum period requirements as set forth in 5.2.5 preceding or a change in the physical location of the point of termination at a customer's premises or a customer's end user's premises. Changes which result in the establishment of new minimum period obligations are treated as disconnects and starts. Changes in the physical location of the point of termination are treated as moves and are described and charged for as set forth in 6.7.7 following.

The charge to the customer for the service rearrangement is dependent on whether the change is administrative only in nature or involves an actual physical change to the service.

Administrative changes will be made without charge(s) to the customer. Such changes require the continued provision and billing of the Access Service to the same entity (i.e., customer remains'responsible for all outstanding indebtedness for the Access Service). Administrative changes are as follows:

- Change of customer name (i.e., the customer of record does not change but rather the customer of record changes its name--e.g., AT&T-Long Lines to AT&T-Communications)

Issued: June 13, 1995

Actoral Quischeresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.1 <u>Description and Application of Rates and Charges</u> (Cont'd)
 - (C) <u>Nonrecurring Charges</u> (Cont'd)
 - (2) <u>Service Rearrangements</u> (Cont'd)
 - Change of customer or customer's end user premises address when the change of address is not a result of a physical relocation of equipment,
 - Change in billing data (name, address, or contact name or telephone number),
 - Change of customer circuit identification,
 - Change of billing account number,
 - Change of customer test line number,
 - Change of customer or customer's end user contact name or telephone number, and
 - Change of jurisdiction.

All other service rearrangements will be charged for as follows:

- If, due to technical limitations of the Telephone Company a customer could not combine its 500, 800 (C) Access Service traffic and/or 900 Access Service traffic with its other trunk side Switched Access Service, no charge will apply to combine these trunk groups when it becomes technically possible.
- If the change involves the conversion of existing Feature Group D service with multifrequency address signaling to Feature Group D with the CCSAC option. a service rearrangement charge, as set forth in 6.8.2, will apply for the first trunk converted in a trunk group, and an additional trunk rearrangement charge, as set forth in 6.8.2. will apply for each additional trunk in the same trunk group.

ACCESS SERVICE TARIFF PSCK No. 2

CINCINNATI BELL TELEPHONE COMPANY

3rd Revised Page 238 Cancels 2nd Revised Page 238

(T)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)

6.7.1 <u>Description and Application of Rates and Charges</u> (Cont'd)

- (C) <u>Nonrecurring Charges</u> (Cont'd)
 - (2) <u>Service Rearrangements</u> (Cont'd)
 - For all other changes, including the addition of, or modifications to, optional features a charge equal to the Switched Transport nonrecurring (C) (i.e., installation) charge will apply. When an optional feature is not required on each transmission path, but rather for an entire transmission path group, an end office or an access tandem switch, only one such charge will apply (i.e., it will not apply per transmission path). When the (C) CCSAC option is elected, the customer may add Calling Party Number (CPN), Charge Number (CN), and Carrier Selection Parameter (CSP) at no additional charge if these features are specified at the time the CCSAC option is ordered for (C) existing svitched access trunks.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 3 (1) BY: <u>Jordan C. Keel</u> FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Deborah Quisch President, Cincinnati, Ohio

Vice President Integraied Corporate Planning for

6. <u>Switched Access</u> Service (Cont'd)

- 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.1 Description and Application of Rates and Charges (Cont'd)
 - (C) Nonrecurring Charges (Cont'd)
 - (3) 900 Access Service Charges

A nonrecurring charge as specified in 6.8.2(E) following applies to each change involving the additions or deletions of 900 NXX codes to be routed to a customer in the operating territory of the Telephone Company. For each Telephone Company End Office Switch or Access Tandem in which translation changes are required to route 900 NXX calls to the customer, a one-time charge applies. Additional charges apply for the initial loading of each 900 NXX calls to the customer, a one-time charge applies. Additional charges apply for the initial loading of each 900 NXX code required to establish service and to any subsequent changes to these codes. This includes changing from or to 0+900, as specified in 6.8.10. If the changed 900 NXX codes are used for both interstate and intrastate 900 Access Service, a charge based on the regulations set forth in 2.3.15 preceding applies.

(4) 500 Access Service Charges

For each Telephone Company End Office Switch or Access Tandem in which translation changes are required to route 500 N)O(calls to the customer, a one-time charge applies. Additional charges apply for the initial loading of each 500 NXX code required to establish service and to any subsequent changes to these codes. This includes changing from or to 0+500, as specified in 6.8.11.

(5) Signaling for Tandem Switching

A nonrecurring charge as specified in 6.8.2(H) following applies when a TSP request signaling information for the provision of tandem switching. The nonrecurring signaling charge applies per CIC routed over a TSP's trunk group, by Telephone Company end office.

(D) Application of Rates

Customers are assessed Switched Transport, Local Switching and Information Surcharge Access rates.

Issued: February 23. 1999

Effective: January 25. 1999

President, Cincinnati, Ohio

(N)

1st Revised Page 240 Cancels Original Page 240

6. <u>Switched Access Service</u> (Cont'd)

6.7 Rate Regulations (Cont'd)

6.7.2 <u>Minimum Periods</u>

Switched Access Service is provided for a minimum period of one month for Feature Groups A, B and D. (C)

6.7.3 <u>Reserved</u>

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: Outlan C. Meel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

leborahalisel President, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

2nd Revised Page 241 Cancels 1st Revised Page 241

6. <u>Switched Access</u> Service (Cont'd)

6.7 <u>Rate Regulations</u> (Cont'd)

6.7.4 Minimum Monthly Charge

Switched Access Service is subject to a minimum monthly charge. The minimum charge applies for the total capacity provided. The minimum monthly charge consists of the following elements:

The minimum monthly charge for the Tandem Switched Transmission, Tandem-Switching. Interconnection charge, Local Switching and the Information Surcharge is the sum of the charges set forth in 6.8.2, 6.8.3, and 6.8.8 following for the measured usage for the month.

The minimum monthly charge for Entrance facilities and Direct Trunked Transport rate elements is the sum of the charges set forth in 6.8.2 following.



President, Cincinnati, Ohio

2nd Revised Page 242 Cancels 1st Revised Page 242

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)

OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011. SECTION 9(1) BY: Jordan C. neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

Deboraha Discheresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

PUBLIC SERVICE COMMISSION

(D)

(N)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.5 Rates Zones

Rate zones are applicable to Switched Transport services described in this section. Each Telephone Company Wire Center has been assigned to a rate zone as described in Section 18, following. Entrance Facility rates are dependent upon the zone assignment of the Serving Wire Center. Direct Transport Channel Mileage Fixed and Per Mile rates are dependent upon the zone assignment of the Serving Wire Center or the Telephone Company access tandem or the end office. Tandem Switched Transmission and Tandem Switching rates are dependent upon the zone assignment of

and Tandem Switching rates are dependent upon the zone assignment of the Telephone Company access tandem and the end office. Direct Transport and Tandem Switched Transmission mileage that is computed between wire centers in different rate zones will be assigned the rates in the higher rate zone. Multiplexing rates will be determined by the location of the multiplexing arrangement. Tandem Switching rates will be determined by

1st Revised Page 244 Cancels Original Page 244

- 6. Switched Access Service (Cont'd)
 - Rate Regulations (Cont'd) 6.7
 - 6.7.6 Channe of Feature Group Type

Changes from one type of Feature Group to another will be treated as a discontinuance of one type of service and a start of another. Nonrecurring charges will apply, with two exceptions:

- (A) When a customer upgrades a Feature Group A or B service to a Feature Group D service, the nonrecurring charge will not apply if the following conditions are met:
 - (1) The same customer premises is maintained, and
 - (2) The orders for the disconnect of the FGA or FGB service and the start of FGD service are placed with the Telephone Company at the same time, and
 - (3) The customer requests the FGA or FGB service be disconnected no more than 90 days after the start of the FGD service.
- At the time a customer upgrades a service from Feature (B) Group A, B, or C to Feature Group D, the customer may also change the facility's connection type (e.g., Voice Grade to DS1) or facility type (e.g., Direct-Trunked Transport to Tandem-Switched Transport) or both, at no additional charge. (N)

PUBLIC SERVICE COMMISSION *CF* KENTUCKY EFFECTIVE

(N)

MAY 23 1995

PURSUANT TO 807 KAR 5:011. SECTION 9(1) BY: Ordan C. neel FOR THE PUBLIC SERVICE COMMISSION

Issued: June 13, 1995

leborahallischeresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Original Page 245

6. <u>Switched Access Service</u> (Cont'd)

6.7 <u>Rate Regulations</u> (Cont'd)

6.7.6 Change of Feature Group Type (Cont'd)

When the effective dates for the disconnect and start of service are the same, minimum period obligations will not change, (i.e., the time elapsed in the existing minimum period obligations will be credited to the minimum period obligations for FGD). When the effective dates for the disconnect and start of service are different, new minimum period obligations will be established for the FGD service. For all other changes from one type of Feature Group to another, new minimum period obligations will also be established.

6.7.7 <u>Moves</u>

A move involves a change in the physical location of one of the following:

- The point of termination at the customer's premises

- The customer's premises

The charges for the move are dependent on whether the move is to a new location within the same building or to a different building.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) Efflective: March 3, 1992 PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992 for

President, Cincinnati, Ohio

2nd Revised Page 246 Cancels 1st Revised Page 246

6. Switched Access Service (Cont'd)

6.7 Rate Regulations (Cont'd)

6.7.7 Moves (Cont'd)

All Moves will be treated as a discontinuance and start of service and all associated nonrecurring charges will apply. New minimum period requirements will be established for the new services. The customer will also remain responsible for satisfying all outstanding minimum period charges for the discontinued services.

6.7.8 Measuring Access Minutes

Customer traffic to end offices will be measured by the Telephone Company at end office switches or access tandem switches. Originating and terminating calls will be measured by the Telephone Company to determine the basis for computing chargeable access minutes.

For terminating calls over FGA. FGB to 500. 800 and/or 900, and FGD. (C) and for originating calls over FGA. where the off-hook supervisory signal is provided by the customer's equipment, FGB and FGD. the measured minutes are the chargeable access minutes.

For originating calls over 500, 800, and 900 Access Service, (C) and (C) over FGA where the off-hook supervisory signal is forwarded by the customer's equipment when the called party answers, chargeable originating access minutes are derived from recorded minutes in the following manner.

1st Revised Page 247 Cancels Original Page 247

(T)

(C)

- 6. Switched Access Service (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.8 <u>Measuring Access</u> Minutes (Cont'd)
 - Step 1: Obtain recorded originating minutes and messages (measured as set forth in (A) following for FGA where the offhook supervisory signal is forwarded by the customer's equipment when the called party answers) from the appropriate recording data.
 - Step 2: Obtain the total attempts by dividing the originating measured messages by the completion ratio Completion ratios (CR) are obtained separately for the major call categories such as DDD. operator, 500. 800, 900. directory assistance and international from a sample study which analyzes the ultimate completion status of the total attempts which receive acknowledgement from the customer. That is, Measured Messages divided by Completion Ratio equals Total Attempts.
 - Step 3: Obtain the total non-conversation time additive (NCTA) by multiplying the total attempts (obtained in Step 2) by the NCTA per attempt ratio. The NCTA per attempt ratio is obtained from the sample study identified in Step 2 by measuring the non-conversation time associated with both completed and incompleted attempts. The total NCTA is the time on a completed attempt from customer acknowledgment of receipt of call to called party answer (set up and ringing) plus the time on an incompleted attempt from customer acknowledgement of call until the access tandem or end office receives a disconnect signal (ring - no answer, busy or network blockage). That is, Total Attempts times NonConversation Time per Attempt Ratio equals Total NCTA.
 - Step 4: Obtain total chargeable originating access minutes by adding the total NCTA (obtained in Step 3) to the recorded originating measured minutes (obtained in Step 1). That is, Measured Minutes plus NCTA equals Chargeable Originating Access Minutes.

Issued: February 23. 1999

Effective: January 25. 1999

President, Cincinnati, Ohio

Original Page 248

- 6. Switched Access Service (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.8 <u>Measuring Access Minutes</u> (Cont'd)

Following is an example which illustrates how the chargeable originating access minutes are derived from the measured originating minutes using this formula.

Where:	Measured Minutes (M. Min,) Measured Messages (M. Mes.) Completion Ratio (CR) NCTA per Attempt	
(1)	Total Attempts = $\frac{1.000(M.M)}{.75}$ (C	
(2)	Total NCTA = $.4$ (NCTA per A	ttempt) x 1,333.33 = 533.33

(3) Total Chargeable Originating Access Minutes =
7,000(M, Min) + 533.33(NCTA) = 7,533.33

FGA, FGB and FGD access minutes or fractions thereof are accumulated over the billing period. The exact value of the fraction is a function of the switch technology where the measurement is made. FGA access minutes are accumulated for each line or hunt group and FGB and FGD access minutes are accumlated for each end office.

When determining chargeable access minutes the accumulated access minutes or fractions thereof are rounded up to the nearest access minute. For rate elements where the charge is based on 100 access minutes, e.g., Information Surcharge, fractional portions of 100 access minutes are considered to be 100 access minutes.

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

PUBLIC SERVICE COMMISSION MANAGER

EffeBtive: March 3, 4992

Issued: February 7, 1992

esté. Higmon

for President, Cincinnati, Ohio

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

Original Page 249

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.8 Measuring Access Minutes (Cont'd)
 - (A) Feature Group A Usage Measurement

For originating calls over FGA, usage measurement begins when the originating FGA entry switch receives an off-hook supervisory signal forwarded from the customer's point of termination. This off-hook signal is either provided by the customer's equipment or is forwarded by the customer's equipment when the called party answers.

The measurement of originating call usage over FGA ends when the originating FGA entry switch receives an on-hook supervisory signal from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For terminating calls over FGA, usage measurement begins when the terminating FGA entry switch receives an off-hook supervisory signal from the terminating end user's end office, indicating the terminating end user has answered. The measurement of terminating call usage over FGA ends when the terminating FGA entry switch receives an on-hook supervisory signal from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

(B) Feature Group B Usaae Measurement

For originating calls over FGB, usage measurement begins when the originating FGB entry switch receives answer supervision forwarded from the customer's point of termination, indicating the customer's equipment has answered.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

PUBLIC SERVICE COMMISSION MANACER

Effective: March 3, 1992

Issued: February 7, 1992

Robert &. Digmon for President, Cincinnati, Ohio

Original Page 250

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Reaulations</u> (Cont'd)
 - 6.7.8 <u>Measuring Access Minutes</u> (Cont'd)
 - (B) <u>Feature Group B Usage Measurement</u> (Cont'd)

The measurement of originating call usage over FGB ends when the originating FGB entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For terminating calls over FGB, usage measurement begins when the terminating FGB entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered.

The measurement of terminating call usage over FGB ends when the terminating FGB entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) Auren felle BY. PUBLIC SERVICE COMMISSION MANAGER

Effective: March 3, 1992

Issued: February 7, 1992

Robert 2. Signer for President, Cincinnati, Ohio

1st Revised Page 251 Cancels Original Page **251**

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.8 Measuring Access Minutes (Cont'd)
 - (C) Feature Group D Usage Measurement

For originating calls over FGD with multifrequency address (C) signaling, usage measurement begins when the originating FGD entry switch receives the first wink supervisory signal forwarded from the customer's point of termination. For (C) originating calls over FGD with CCSAC, usage measurement begins when the last point of switching sends the initial address message to the customer. (C)

The measurement of originating call usage over FGD ends when the originating FGD entry switch receives disconnect supervision from either the originating end user's end office, indicating the originating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

For terminating calls over FGD, the measurement of access minutes begins when the terminating FGD entry switch receives answer supervision from the terminating end user's end office, indicating the terminating end user has answered.

The measurement of terminating call usage over FGD ends when the terminating FGD entry switch receives disconnect supervision from either the terminating end user's end office, indicating the terminating end user has disconnected, or the customer's point of termination, whichever is recognized first by the entry switch.

> PUBLIC SERVICE COMMISSION OF XENTUCKY EFFECTIVE

> > OCT 2 6 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

26, 1992

Issued: September 24, 1992

Robert E. Sigmon

92 PUBLIC SERVICE COMMISSION MANAGER President, Cincinnati, Ohio

'dice President - Regulatory Affairs

for

(C)

6. <u>Switched Access Service</u> (Cont'd)

6.7 Rate Regulations (Cont'd)

6.7.9 Network Blocking Charge for Feature Group D

The customer will be notified by the Telephone Company to increase its capacity (quantities of trunks) when excessive trunk group blocking occurs on groups carrying Feature Group D traffic and the measured access minutes for that hour exceed the capacity purchased. Excessive trunk group blocking occurs when the blocking thresholds stated below are exceeded. They are predicated on time consistent, hourly measurements over a 30 day period excluding Saturdays, Sundays and national holidays. If the order for additional capacity has not been received by the Telephone Company within 15 days of the notification, the Telephone Company will bill the customer, at the rate set forth in 6.8.2(D) following, for each overflow in excess of the blocking threshold when (1) the average "30 day period" overflow exceeds the threshold level for any particular hour and (2) and "30 day period" measured average originating or two-way usage for the same clock hour exceeds the capacity purchased.

PUBLIC SERVICE COMMIC OF KENTUCK Y EFFECTIVE	Blocking Thresholds		
	Trunks in Service	1%	1/2%
MAY 23 1995	1-2	.070	.045
PURSUANT TO 807 KAR 5:011 SECTION 9 (1)	3-4	.050	.035
BY: Jordan C. neel FOR THE PUBLIC SERVICE COMMISSION	5-6	.040	,025
	7 or greater	.030	.020

The 1% blocking threshold is for transmission paths carrying traffic direct (without an alternate route) between an end office and a customer's premises. The 1/2% blocking threshold is for transmission paths carrying first routed traffic between an end office and a customer's premises via an access tandem.

Issued: June 13, 1995

Seborah Discheresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

Original Page 253

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.10 Application of Rates for Extension Service

Feature Group A Switched Access Service is available with extension(s), i.e., additional termination(s) of the service in different building(s) in the same or different LATA(s). Feature Group A extension(s) in the same LATA and same state are charged for under the Telephone Company's local and/or general exchange service tariffs. Feature Group A extension(s) in different LATA(s) or in a different state in the same LATA are charged for as Special Access Service. The rate elements which apply are: A Voice Grade Channel Termination, Channel Mileage, if applicable, and Signaling Capability, if applicable. All appropriate monthly rates and nonrecurring charges set forth in 7.5.3 following will apply. Such extensions are ordered as set forth in 5.2 preceding.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

Issued: February 7, 1992

for President, Cincinnati, Ohio

Effective: March 3, 1992

PUBLIC SERVICE COMMISSION MANAGER

Original Page 254

6. Switched Access Service (Cont'd)

6.7 <u>Rate Regulations</u> (Cont'd)

6.7.11 Message Unit Credit

Calls from end users to the seven digit local telephone numbers numbers associated with Feature Group A Switched Access Service may be subject to Telephone Company local and/or general exchange service tariff charges (including message unit and toll charges as applicable). The monthly bills rendered to customers for their Feature Group A Switched Access Service for which Carrier Common Line Charges apply will include a credit to reflect any message unit charges collected from their end users under the Telephone Company's local and/or general exchange service tariffs. The credit will apply for recorded originating usage for the FGA service provided. No credit will apply for any terminating FGA access minutes. The message unit credit for originating HGA access minutes is as set forth in 6.8.6 following.

6.7.12 Local Information Delivery Services

Calls over Switched Access in the terminating direction to certain community information services will be rated under the applicable rates for Switched Access Service as set forth in 6.8 following. In addition, the charges per call as specified under the Telephone Company's local and/or general exchange service tariffs, e.g., 976 (DIAL-IT) Network Services, will also apply.

> PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

> > MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

Effeçtervice Comparen 3

Issued: February 7, 1992

best E. Signon

for President, Cincinnati, Ohio

1st Revised Page 255 Cancels Original Page 255

(D)

(D)

(N)

6. <u>Switched Access Service</u> (Cont'd)

6.7 <u>Rate Regulations</u> (Cont'd)

6.7.13 Mileage Measurement

The mileage to be used to determine the monthly rate for the Svitched Transport rate element is calculated on the airline (C) distance between the end office switch where the call carried by Svitched Transport originates or terminates and the (C) customer's serving wire center, except as set forth in (A) through (F) following. The V&H coordinates method is used to determine mileage. This method is set forth in the NATIONAL PUBLIC SERVICE COMMINSERVICE CARRIER ASSOCIATION TARIFF F.C.C. NO. 4 for Wire Center Information (V&H coordinates).

MAY 23 1995

PURSUANT TO 807 KAR 5011,

SECTION 9 (1) BY:_____Orden C. Neel_

FOR THE PUBLIC SERVICE COMMISSION ceptions to the mileage measurement rules are as follows:

Acheresident, Cincinnati, Ohio

ties or bandwidths are interconnected by a multiplexer at a location other than the serving vire center, mileage is determined using the V&H coordinates method following:

- (1) When only one multiplexer is involved, mileage for Direct-Trunked Transport is measured separately from the serving vire center to the hub where multiplexing occurs and then measured from the hub to the end office where the call is switched to originate or terminate.
- (2) When more than one multiplexer is used, mileage for Direct-Trunked Transport is measured successively from the serving wire center to the first hub, from the first hub to the second hub and then from the second hub to the end office where the call is switched to originate or terminate.

Issued: June 13, 1995

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

chorah A.

2nd Revised Page 256 Cancels 1st Revised Page 256

(D)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.13 <u>Mileage Measurement</u> (Cont'd)

(B)

OF KENTUCKY EFFECTIVE MAY 2 3 1995 PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: <u>Genden C. Hull</u> FOR THE PUBLIC SERVICE COMMISSION (D) ort is provided to a Host/ (N)

PUBLIC SERVICE COMMISSION

(C) When Direct-Trunked Transport is provided to a Host/ Remote arrangement, Direct-Trunked Transport rates apply and mileage is calculated using the V & H coordinate method between the customer's serving wire center and the Host office serving the Remote Office. When Tandem-Svitched Transport is provided to a Host/Remote arrangement, Tandem-Switching Transmission rates and Tandem-Svitched rates apply. Tandem-Switched Transport mileage is calculated using the V & H coordinate method between the customer's serving wire center and the Host office for both Direct-Trunked Transport and Tandem-Switched Transmission rate will apply separately from the Host office to the Remote office. The Interconnection charge will apply to both Direct and Tandem access minutes of use. Remote end offices are set forth in the National Exchange Carrier Associatian Tariff F.C.C. No. 4. (N)

Certain regulation8 previously found an this page now appears on Page 257.

Issued: June 13, 1995

Deborah Quise Bresident, Cincinnati, Ohio

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

1st Revised Page 257 Cancels Original Page 257

> PUBLIC SERVICE COMMISSION OF KENTUCKY

> > EFFECTIVE

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rate Regulations</u> (Cont'd)
 - 6.7.13 <u>Mileage Measurement</u> (Cont'd)

(D)

MAY 23 i995

PURSUANT TO 807 KAR 5011, SECTION 9(1) BY: Jorden C. Neel

FOR THE PUBLIC SERVICE COMMISSION (D)

(D)

- (C) (E) The Alternate Traffic Routing optional feature is provided rith Feature Group B, C and D to provide service from an end office to different customer premises locations. For Feature Groups B and C and for FGD traffic routed via an access tandem, such apportionment be made using standard Telephone Company traffic engineering methodology and rill be based on the last trunk hundred call seconds desired for the high usage group, as described in 6.3.1(0) preceding, and the relative capacity ordered to the end office, when the feature is provided at an end office switch, or to the subtending end offices when the feature is provided at an (D) access tandem switch. This apportionment rill serve as (D) the basis for the Svitched Transport Tandem-Switching Transmission mileage calculation. The customer rill be (C) billed accordingly.
- When Direct-Trunked Transport is provided for line side (N) (P) Switched Access Service (i.e., Feature Group A), both Direct-Trunked Transport and Tandem-Switched Transmission rates apply. Direct-Trunked Transport applies to both originating and terminating usage and mileage is calculated using the V&H Coordinates method between the customer's serving wire center and the end office switch where the dial tone for the line side Switched Access Service is provided. Tandem-Sritched Transmission applies only to terminating usage and mileage is calculated using the V&H coordinate method between the dial tone office and the end office where the call is switched to terminate. (N)

Certain regulations previously found on this page **now** appear on Page 257.1. Certain regulations found on this page previously appeared on Page 256.

Issued: June 13, 1995 lara. Chresident, Cincinnati. Ohio

Vice President Integrated Corporate Planning for

Effective: May 23, 1995

Original Page 257.1

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 Rate Regulations (Cont'd)
 - 6.7.13 Mileage Measurement (Cont'd)
 - (G) The Switched Transport mileage for Feature Group B and D (C)(T) Switched Access Service provided to Mobile Telephone Serving Offices (MTSOs) interconnected to a Telephone Company access tandem office will be determined on an airline basis, using the V&H coordinate method. The mileage measured will be that between the Telephone Company access tandem office serving the Mobile Telephone Serving Office (MTSO) and the customer serving wire center.
 - (H) The Switched Transport mileage for FGA, FGB or FGD access (C)(T) minutes which originate from or terminate to a WATS Access Line Service will be calculated on an airline basis using the V&H coordinates method between the WATS Serving Office at which the WATS Access Line Service is provided and the customer premises serving wire center for the Switched Access Service provided.

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAY 23 1995

PURSUANT TO 807 KAR 5:011, SECTION 9 (1) BY: <u>Gerdan C. Mark</u> FOR THE PUBLIC SERVICE COMMISSION

Certain regulations found on this page previously appeared on Page 257.

Issued: June 13, 1995 leborah Quise Bresident, Cincinnati, Ohio

Effective: May 23, 1995

Vice President Integrated Corporate Planning for

1st Revised Page 258 Cancels Original Page 258

- 6. <u>Switched Access Service</u> (Cont'd)
 - Rate Regulations (Cont'd) 6.7
 - 6.7.14 Shared Use

Shared Use occurs when Switched Access Service and Special (C) Access Service, including CCSAC signaling connections, are provided over the same analog or digital high capacity facility through a common interface.

Shared Use facilities are ordered, provided and rated either as Switched Access or Special Access. Ordering, provisioning and rating of Special Access Shared Use facilities is set forth in 7.4.8 following. Ordering, provisioning and rating of Switched Access Shared Use facilities is as follors.

- (A) Svitched Access facilities are ordered, provided and rated as Switched Access only in cases where the facility is used for Sritched Access only. In the event that a Special Access circuit is added to a switched facility, the facility rill then be provisioned as a special access facility.
- (B) When ordered as Switched Access, the nonrecurring charges that apply when the Switched Access Shared Use facility is installed rill be the nonrecurring PUBLIC SERVICE COMMISSION charges associated with the Svitched Access Transport being ordered.
 - (C) The customer must place an order for each individual Switched or Special Access service using the Shared Use facility and **must** also specify the channel assignment for each service.

When shared use occurs and the facility becomes a Special Access facility, the monthly recurring rates for Special and Switched Access will be based upon the percentage of channels associated with each.

Certain regulations previously found on this page nor appears on Page 258.1.

Issued: June 13, 1995 Contresident, Cincinnati, Ohio

Effective: May 23, 1995

(C)

Vice President **Integrated** Corporate Planning for

MAY 23 1995 PURSUANT TO 807 KAR 5:011,

OF KENTUCKY

EFFECTIVE

SECTION 9(1) BY: Jordan C. Neel (D) FOR THE PUBLIC SERVICE COMMISSION

CINCINNATI BELL TELEPHONE COMPANY

3rd Revised Page 258.1 Cancels 2nd Revised Page 258.1

- б. Switched Access Service (Cont'd)
 - 6.7 Rate Regulations (Cont'd)

6.7.14 Shared Use

- (E) When shared use of a facility occurs in a Host/Remote situation, the facility must route to the Host end office. The Telephone Company will continue to provide shared use to any end office so long as capabilities exist.
- (F) Channels being used in conjunction with CCSAC may be included as Shared Use. However, CCSAC signaling connections nonrecurring charges will not apply to the individual channels of the shared use facility.

6.7.15 Reserved

(D)

	KENTUCKY PUBLIC SERVICE COMMISSION		
	JEFF R. DEROUEN EXECUTIVE DIRECTOR (D)		
	TARIFF BRANCH		
Issued: May 22, 2013 President, Cincinnat:	, Ohio Bunt Kirtley y 2, 2013		
	EFFECTIVE		
	7/2/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)		

CINCINNATI BELL TELEPHONE COMPANY

4th Revised Page 259 Cancels 3rd Revised Page 259

(D)

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rates Regulations</u> (Cont'd)
 - 6.7.15 Reserved

	(D)
	KENTUCKY PUBLIC SERVICE COMMISSION
	JEFF R. DEROUEN
155ueu: May 22, 2015	TARIFF BRANCH
President, Cincinnat	, Ohio Bunt Kirtley
	EFFECTIVE
	7/2/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

CINCINNATI BELL TELEPHONE COMPANY

1st Revised Page 259.1 Cancels Original Page 259.1

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.7 <u>Rates Regulations</u> (Cont'd)

6.7.15 Reserved

(D)

			KENTUCKY PUBLIC SERVICE COMMISSION
			JEFF R. DEROUEN
Issued:	May 22, 2013	President, Cincinnat:	Effective: TABEFBR2NC2013 , Ohio Bunt Kirtley
			EFFECTIVE 7/2/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

Original Page 259.2

6. Switched Access Service (Cont'd)

6.7 Rates Regulations (Cont'd)

6.7.16 Information Surcharge

The Information Surcharge is a charge to recover costs that have been assigned to the interstate Information category through Parts 67 and 69 of the Federal Communications Commission's Rules. These costs are other than those incurred in the provision of interstate Directory Assistance Service as set forth in 9. following.

The Information Surcharge is assessed to the customer based on the total number of access minutes. The rates are set forth in 6.8.8 following. The application of these rates is as set forth in 6.7.1(D) preceding.

6.7.17 Data Base Query

A Data Base Query charge as set forth in 6.8.3(A)(2) applies for each data base query that returns a valid carrier identification code that provides the appropriate routing information even if the call is not completed. When additional routing options (i.e., alternate carrier(s) and/or alternate destination(s) identified based on criteria such as; time of day, day-of-week, specific dates, originating NPA-NXX, percent allocation, routing to a single carrier and destination from an area of service smaller than an area defined by an NPA-NXX) are performed, a Routing Options Capability charge as set forth in 6.8.3(A)(2) will also apply per query. (M)

Regulations found on this Page were formerly found on Page 259

Issued:	December 21, 2011			Effective: January 20 2012
100000		President,	Cincinnati	KENTUCKY , OhiPUBLIC SERVICE COMMISSION
			JEFF R. DEROUEN EXECUTIVE DIRECTOR	
				TARIFF BRANCH
				Bunt Kirtley
				EFFECTIVE
				1/20/2012 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

(M)

CINCINNATI BELL TELEPHONE COMPANY

6th Revised Page 260 Cancels 5th Revised Page 260

6. <u>Switched Access Service</u> (Cont'd) 6.8 Rates and Charges

6.8.1 Interconnection Charge Rate Per Access Minute Terminating Originating Originating transport-provided access Premium Note 1 Note 1 Transitional Note 1 Note 1 Terminating transport-provided access Premium Note 1 Note 1 Transitional Note 1 Note 1 Originating non-transport provided access Premium \$.0000000(R) Note 1 Transitional \$.0000000(R) Note 1 Terminating non-transport provided access Premium Note 1 Note 1 Transitional Note 1 Note 1 Monthly Nonrecurring 6.8.2 Switched Transport USOC Rates Charges (A) Entrance Facilities (1)Voice Grade - per point of Termination - Two-Wire EF2A2 Note 1 - Four-Wire EF2A4 Note 1 MercNET 1.544 (DS1) (2)Monthly Zone - 1 Note 1 EFYB1 Zone - 2 EFYB2 Note 1 Zone - 3 EFYB3 Note 1 36 Monthly Zone - 1 EFYB1 Note 1 Zone - 2 EFYB2 Note 1 Zone - 3 efyb3 Note 1 60 Monthly Zone - 1 EFYB1 Note 1 Zone - 2 EFYB2 Note 1 Zone - 3 Note 1 efyb3 (3) MercNET 45 (DS3) Zone 1 EFYC1 Note 1 Zone 2 EFYC2 Note 1 Zone 3 EFYC3 Note 1 **KENTUCK** (B) Direct-Trunked Transport PUBLIC MESSION USOC Linda C. Bridwei (1)Voice Grade Executive Director - Two-Wire 1YTXS \$ - Four-Wire 1YTXS \$ Note 1: In response to the Federal Communications Commission's (FC Order of Proposed Rulemaking (USF/ICC Order), FCC No. 11-161 Relea Lustion concurs in Tariff FCC No. 35, Section 6, which can be accessed via the follow http://svartifoss2.fcc.gov/cgi-bin/ws.exe/prod/ccb/etfs/webpublic/selectlec.ht 1/2021 Effecti RURSUANTITO 807, KARG2011 SECTION 9 (1) Issued: June 1 2021 President, Cincinnati, Ohi

CINCINNATI BELL TELEPHONE COMPANY

6. <u>Switched Access</u> Service (Cont'd)

6.8 Rates and Charges

6.8.2 Switched Transport (Cont'd)

(2) MercNET 1.5 (DS1)

]	Monthly, Payment Mileage	Plan	al	USOC	Monthly Rates Fixed Per Mile	
	(a)	Zone - 1	Mileag	e_Bands 0			
			Over	0 to 4	1YTX1	Note 1	(T)
			Over	4 to 8	1YTX1	Note 1	(T)
			Over	8 to 25	1YTX1	Note 1	(T)
			Over	25	1YTX1	Note 1	(T)
	(b)	Zone – 2	Mileag				
			0	0	1	Noto 1	()
			Over Over	0 to 4 4 to 8	1YTX1 1YTX1	Note 1 Note 1	(T) (T)
			Over	4 to 8 to 25	1YTX1	Note 1	(T)
			Over	25	1YTX1	Note 1	(T)
	(c)	Zone - 3	Mileaq	e Bands			
	(-)				0		
			Over	0 to 4	1YTX1	Note 1	(T)
			Over	4 to 8	1YTX1	Note 1	(T)
			Over	8 to 25	1YTX1	Note 1	(T)
			Over	25	1YTX1	Note 1	(T)
(3)	Merc	NET 45 (1	DS3)				
		Zone	- 1		1YTX1	Note 1	(T)
		Zone	- 2		1YTX2	Note 1	(T)
		Zone	- 3		1YTX3	Note 1	(T)

Note 1: In response to the Federal Communications Commission's (FCC's) Report and Order and Further Order of Proposed Rulemaking (USF/ICC Order), FCC No. 11-161 Released November 18, 2011 this section concurs in Tariff FCC No. 35, Section 6, which can be accessed via the following hypertext link.

http://svartifoss2.fcc.gov/cgi-bin/ws.exe/prod/ccb/etfs/we	
	JEFF R. DEROUEN EXECUTIVE DIRECTOR
	TARIFF BRANCH
Issued: May 22, 2013 President, Cincinnati, Ohi	Effective Bunt Kullug ³ EFFECTIVE 7/2/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

> 4th Revised Page 260.2 Cancels 3rd Revised Page 260.2

6. Switched Access Service (Cont'd)

6.8 Rates and Charges

CINCINNATI BELL TELEPHONE COMPANY

6.8.2 <u>Switched Transport</u> (Cont'd)

(C) Tandem-Switched Transport

(C)	Tander	n-Switched Transport Non- 8YY Ra		
			Monthly Ra	tes
			Originating	Terminating
	(1)	Tandem-Switched Transmission	Pe	r Mou
		Zone - 1		lote 1
		Zone - 2		lote 1
		Zone - 3	Ν	lote 1
				Per Mile
		Zone – 1	\$0.000102	Note 1
		Zone - 2	\$0.000102	Note 1
		Zone - 3	\$0.000102	Note 1
	(2)	Tandem-Switching		
		Zone - 1	\$0.002001(R)	Note 1
		Zone – 2	\$0.002001(R)	Note 1
		Zone - 3	\$0.002001(R)	Note 1
			Monthly	Rate
	(3)	Access Tandem Trunk PT8UX	Note 1	
		Port Charge, per trunk		
		8YY Rate	es	
			Monthly Ra	tes
			<u>Originating</u>	Terminating
	(1)	Tandem-Switched Transmission	Pe	r Mou
		Zone – 1		lote 1
		Zone - 2		lote 1
		Zone - 3	Ν	lote 1
			Per Mou,	Per Mile
		Zone - 1	\$0.000000	Note 1
		Zone - 2	\$0.000000	Note 1
		Zone - 3	\$0.000000	Note 1
	(2)	Tandem-Switching		
		Zone - 1	\$0.000000	Note 1
		Zone - 2	\$0.00000	Note 1
		Zone - 3	\$0.000000	Note 1
		-	Origina	ting
		Tandem Transmission		CE COMMISSION
	and	Switching		. Bridwell ve Director
Certain Regulations for	merly fo	ound on this page now appear on par	ge 260 2 1	

Note 1: In response to the Federal Communications Commission's (FC Order of Proposed Rulemaking (USF/ICC Order), FCC No. 11-161 Relea concurs in Tariff FCC No. 35, Section 6, which can be accessed via the the second via the second

Issued: June 1, 2021

President, Cincinnati, Ohio PURSUANT TO 807 KAR 5:011 SECTION 9(1)

(N)

(N)

her

tion

Eff 7 (1/2021) 1, 2021

Original Page 260.2.1

CINCINNATI BELL TELEPHONE COMPANY

6. Switched Access Service (Cont'd)

6.8 Rates and Charges

6.8.2 Switched Transport (Cont'd)

(D) Multiple	-			(M)
(1)	MerNET 1.544 (DS1) to Voice Grade			
		USOC		
	- Per Arrangement			
	Zone - 1	MKWll	Note 1	
	Zone - 2	MKW12	Note 1	
	Zone - 3	MKW13	Note 1	
	MercNET 45 (DS3) to MercNET 1.5 (DSI)			
	- Per Arrangement			
	Zone - 1	MKS31	Note 1	
	Zone - 2	MKW32	Note 1	
	Zone - 3	MKW33	Note 1	
		Rate Per Access		
		Originating	Terminating	
(3)	Tandem Multiplexing			I
	(EO Side of Access Tande	m)	Note 1	(M)

Certain Regulations found on this page formerly appeared on page 260.2

Note 1: In response to the Federal Communications Commission's (FCC's) Report and Order and Further Order of Proposed Rulemaking (USF/ICC Order), FCC No. 11-161 Released November 18, 2011 this section concurs in Tariff FCC No. 35, Section 6, which can be accessed via the followien the followien

Issued: June 1, 2021 President, Cincinnati, Ohi

	Linda C. Bridwell Executive Director
Ŀ,	Ohi Thide G. Andwell 21
	EFFECTIVE

7/1/2021 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

CINCINNATI BELL TELEPHONE COM	2nd Re Cancels 1st Re	vised Page vised Page		
6. <u>Switched Access Service</u> (0	Cont'd)			
6.8 <u>Rates and Charges</u> (C	Cont'd)			
6.8.2 <u>Switched Tra</u>	<u>nsport</u> (Cont'd)	Nonrec Cha	urring rge	(C)
	lation ine or Trunk lling Connection	NON	E(R)	(T)
		<u>Rate Per C</u>	all Blocked	
(P) Network	Blocking Charge +	\$0.	0034(I)	(T)
(G) <u>Nonchar</u>	geable Optional Features			(T)
(1) <u>Sur</u>	pervisory Signaling		FID	
arı	Supervisory Signaling rangement Per Transmission Path*	NCI	++DX+	
PUBLIC SERVICE COMMISSION ari	Supervisory Signaling rangement Per Transmission Path**	NCI	++SF+	
E&1 510	¶ Type 1 Supervisory gnaling arrangement Per Transmission Path*	NCI	++EA+	
BV Sig	1 Type II Supervisory gnaling arrangement Per Transmission Path*	NCI	++EB+	
E&N Sig	¶ Type III Supervisory gnaling Per Transmission Path***	NCI	++EC+	
Sig	ndem, Supervisory gnaling Per Transmission Path ——	NCI	++ <u>EX</u> +	
<pre></pre>	Groups 2, 6 and 9. Groups 1 and 2 for FGD.		May 23, 1	(C)

Issued: June 13, 1995 Arall Ausel President, Cincinnati, Ohio Vice President

Effective: May 23, 1995

Integrated Corporate Planning for

CINCINNATI BELL TELEPHONE			nd Revised Page st Revised Page	
6. Switched Access Service	e (Cont'd)			
6.8 <u>Rates and Charge</u>	s (Cont'd)			
6.8.2 <u>Switched</u>	<u>Transport</u> (Cont'd)			(C)
(C) <u>Nonc</u>	chargeable Optional Features	(Cont'd)	FID	(T)
(2)	Customer specification of the transmission level at the fit of switching within a range to the Telephone Company - Per Transmission Path*	irst point		
(3)	Customer specification of Sw Transport Termination Four-wire termination in lie two-wire termination - Per Transmission Path**		NC S+T+	(C)
			NC 5+1+	(D) (D)
(H) <u>Serv</u>	<u>ice Rearrangement Charge</u>	11505	Nonrecurring	(T)
(1) PUBLIC SERVICE COMMISSION OF KENTUCKY	CCSAC Trunk Conversion - per first trunk converted per trunk group.	<u>usoc</u> nrboa	<u>Charge</u> NONE	
MAY 23 1995	 per additional trunk conve which is part of the same trunk group. 	erted NRBOB	NONE	

PURSUANT TO 807 KAR 5:011. SECTION 9(1) BY: Ordan C. Neel

FOR THE PUBLIC SERVICE COMMISSION

- * Available with Interface Groups 2, 6 and 10 for FGA and FGB. The range of (C) transmission levels which may be specified is described in Technical Reference TR-NPL-000334.
- ****** Available with Feature Group B with type B Transmission Performance. ******* Available with Interface Groups 6 and 9 for Feature Group D.

Issued: June 13, 1995

Effective: May 23, 1995

(C)

Deborah QuickPresident, Cincinnati, Ohio

Vice President Integrated Corporate Planning for

CINCINNATI BELL TELEPHONE COMPANY

1st Revised Page 262.1 Cancels Original Page 262.1

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.8 Rates and Charges

6.8.2 <u>Switched Transport</u> (Cont'd)

(I) CCSAC Signaling Link and STP Port Termination Charges

		USOC	Monthly Rate	Nonrecur <u>Charge</u>	-
					(M) (M)
1)	CCSAC Signaling Link				(T)
	a) Channel Termination* – per DS1 link – per 56 Kbps link	TNTFX	135.79 70.00(R)	NONE NONE	
			<u> Eixed</u> <u>Per</u>		recurring harge
	b) Channel Mi 1eage** - per DS1 link <u>Mileage Band</u>				
	Over 0	4	NONE N \$113.37(R) \$3	ONE 12.50(R)	NONE NONE
	– per 56 Kbps link <u>Mileage Band</u> 0 Over 0	1J5FS 1J5FS	NONE N 61.00(I) 1	IONE .04(I)	NONE NONE

*One Channel Termination applies per CCSAC Signaling Link. **Channel Mileage applies between Serving Wire Center and STP, but does not apply when mileage is zero.

Filed in accordance with Case No. 98-292, Order issued July 26. 1999. Certain regulations previously appearing on this page now appear on page 263.

(T)

Issued: September 22, 1999

Effective: January 25. 1999

President, Cincinnati, Ohio

CINCINNATI BELL TELEPHONE COMPANY

9th Revised Page 263 Cancels 8th Revised Page 263

6. <u>Switched Access Service</u> (Cont'd)

6.8 <u>Rates and Charges</u> (Cont'd)

6.8.3 Local Switching

(A) <u>Usage Sensitive Rates</u> Non-8YY

		Rate	
(1)	Premium Rates	<u>Per Access</u>	Minute
		<u>Originating</u>	<u>Terminating</u>
	LS1	\$0.0038625	Note 1
	(A) Common Trunk Port Per Port	\$0.000968	Note 1

8YY

(1)	Premium Rates	Rate <u>Per Access Minute</u> <u>Originating Terminatin</u>		
	LS1	\$0.000000(R) Note 1		
	(A) Common Trunk Port Per Port	\$0.000000(R) Note 1		
		Monthly Rate		
	(B) Dedicated Trunk Port	PT8GX \$6.17		
(2)	800 Access Service	Rate <u>Per Query</u>		
	Data Base Query Charge per query	Note 1		
	Routing Options Capability per query	Note 1		

		Monthly	Nonrecurring
	USOC	<u>Rate</u> KENT	UCKY ^{Charge}
(2)	TTD Dort Tormination	PUBLIC SERVIC	E COMMISSION
(3) STP Port Termination per Port PT8S	\$889 Linda C. Executive	Bridwell Director	
Note 1: In response to the Federal Order of Proposed Rulemaking (USF/2 concurs in Tariff FCC No. 35, Sect: http://svartifoss2.fcc.gov/cgi-bin/	ICC Order), FCC No. 11-161 ion 6, which can be access	ed Chide 6.	Audwell section nk:
http://svartiioss2.icc.gov/cgi-bin,	/ws.exe/prod/ccb/etrs/webp	ublic/selectlec.hts EFFE	CTIVE
Issued: June 1, 2023			2023 1, 2023
			R 5:011 SECTION 9 (1)
	President, Cincinnati,	Ohio	

Switched Access Service (Cont'd) 6. 6.8 Rates and Charges (Cont'd) 6.8.3 Local Switching (Cont'd) (B) Common Switching Nonchargeable Optional Features FID Call Denial on Line or Hunt Group (available with FGA) - Per Transmission Path or Transmission Path CAD Group Service Code Denial on Line or Hunt Group (available with FGA) - Per Transmission Path or Transmission Path SCD Group 900/700/976 Call Blocking on Line or Hunt Group (available with FGA) - Per Transmission Path or Transmission Path CBK Group Hunt Group Arrangement (available with FGA) - Per Transmission Path HML/HTG Group Uniform Call Distribution Arrangement (available PUBLIC SERVICE COMMISSION with FGA) OF KENTUCKY - Per Transmission Path EFFECTWEUD Group Nonhunting Number for 3 1992 MAR Use with Hunt Group Arrangement or Uniform PURSUANT TO 807 KAR 5:011. Call Distribution SECTION 9(1) Arrangement (available George Selle with FGA) BY. - Per Transmission Path PUBLIC SERVICE CINHINGSION MANACER

Issued: February 7, 1992

CINCINNATI BELL TELEPHONE COMPANY

for President, Cincinnati, Ohio

Effective:

March 3, 1992

ramon

Vice President - Regulatory Affairs

Original Page 264

2nd Revised Page 265 Cancels 1st Revised Page 265

CINCINNATI BELL TELEPHONE COMPANY

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.8 Rates and <u>Charges</u> (Cont'd)
 - 6.8.3 Local Switching (Cont'd)

(B) <u>Common Switching Nonchargeable Optional Features</u> (Cont'd)

	FID	
Automatic Number Identifi- cation (available with FGB and FGD) Per Transmission Path Group	AN I	
Expanded ANI digits (52) for WATS. (Available with FGD in conjunction with Automatic Name Identification)	FAN I	(C) (C)
Up to 7 Digit Outpulsing of Access Digits to Customer (available with FGB) - Per Transmission Path Group	USDO	
Cut-Through (available with F GD) - Per End Office or Access Tandem	CTO <u>usoc</u>	
Calling Party Number - Per End Office per Trunk Group	NR4CP	
Charge Number - Per End Office per Trunk Group	NR4CN	

Filed in accordance with Case No. 98-292, Order issued July 26. 1999.

Issued: September 22, 1999

Effective: January 25, 1999

President, Cincinnati, Ohio

 CIN	CINNA	ATI BEL	L TEL	EPHONE	COMPANY				vised Page <i>266</i> ginal Page <i>266</i>
6.	<u>Swit</u>	ched A	ccess	Servic	e (Cont'd)				
	6.8	<u>Rates</u>	and	<u>Charges</u>	(Cont'd)				
		6.8.3	<u>Loca</u>	l Switc	<u>hing</u> (Cont	c'd)			
			(B)	<u>Cormon</u>	Switching	<u>Nonchargeab</u>	<u>le ODtio</u>	onal Features	(Cont'd)
								_	FID
				(avail	e Class Ro able with Transmissi	FGD			
				Grou	q				SCRT

Group	SCRT	
	USOC	(N)
Carrier Selection Parameter - Per End Office per		
Trunk Group	NR4CS	(N)

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIWE

OCT 2 6 1992

PURSUANT TO 807 KAR 5:011, SECTION 9 (1)

Issued: September 24, 1992

Robert E. Digmon ror

President, Cincinnati, Ohio

CINCINNA	ATI BELL TELEPHONE COMPANY	Original Page 2
6. <u>Swit</u>	ched Access Service (Cont'd)	
6.8	Rates and Charges (Cont'd)	
	6.8.3 Local Switching (Cont'd)	
	(B) <u>Common Switching Nonchargeable Option</u>	nal Features (Cont'd)
		FID
	 Alternate Traffic Routing Multiple Customer Premises Alternate Routing (available with FGB and FGD) Per Transmission Path or Transmission Path Group End Office Alternate Routing When Ordered in Trunks (available with FGB and FGD) Per Transmission Path or Transmission Path Group 	ARTG
	International Carrier Option (available with FGD) - Per End Office and Access Tandem Band Advance Arrangement	INCO
	for Use with WATS Access Line Service (available with FGA, FGB and FCD) - Per Arrangement	PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE
		MAR 3 1992
		PURSUANT TO 807 KAR 5:011 SECTION 9 (1)
		BY:
Tagued:	February 7 , 1992	Effective: March 3, 19

CINCINNATI BELL TELEPHONE COMPANY

Original Page 268

6. Switched Access Service (Cont'd)

6.8 <u>Rates and Charges</u> (Cont'd)

6.8.3 Local Switching (Cont'd)

(B) Common Switching Nonchargeable Optional Features (Cont'd)

	FID
End Office End User Line Service Screening for Use with WAIS Access Line Service (available with FGD) - Per Access Line	BAND
Hunt Group Arrangement for Use with WAIS Access Line Service (available with FGA, FGB and FGD) - Per Access Line Group	HML/ ITT G
Uniform Call Distribution Arrangement for Use with WAIS Access Line Service (available with FGA, FGB and FGD) - Per Access Line Group	HIY UD
Nonhunting Number for Use with Hunt Group Arrangement or Uniform Call Distribution Arrangement for Use with WAIS Access Line Service (available with FGA, FGB and FGD) - Per Access Line	PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE NHN MAR 3 1992
Feature Group D with 950 Access (available with FGD) - Per End Office	PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: <u>Harage Halle</u> PUBLIC SERVICE COMMISSION MANAGER

Issued: February 7, 1992

Robert 2. Sigmon

President, Cincinnati, Ohio

Vice President - Regulatory Affairs

for

Effective: March 3, 1992

- 6. Switched Access Service (Cont'd)
 - 6.8 Rates and Charges (Cont'd)
 - 6.8.3 Local Switching (Cont'd)

(C) <u>Transport Termination Nonchargeable Options</u> (Cont'd)

(1) Line Side Terminations (For FGA)

	FID
Two Way Operation - Dial Pulse with Loop Start - Dial Pulse with Ground Start - DTMF with Loop Start - DTMF with Ground Start	NC +++A NC +++E NC +++F NC +++G
Terminating Operation - Dial Pulse with Loop Start - Dial Pulse with Ground Start - DTMF with Loop Start - DTMF with Ground Start	NC +++N NC +++P NC +++R NC +++S
Originating Operation - Loop Start - Ground Start	NC +++U NC +++V

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011

SECTION 9 (1) George Salle BY: PUBLIC SERVICE COMMISSION MANACER

Issued: February 7, 1992

for mon

President, Cincinnati, Ohio

Wide President - Regulatory Affairs

Effective: March 3, 1992

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.8 Rates and Charges (Cont'd)
 - 6.8.3 Local Switching (Cont'd)
 - (C) <u>Transport Termination Nonchargeable Options</u> (Cont'd)
 - (2) Trunk Side Terminations (For FGB and FGD)

	FID
Standard Trunk for Originating, Terminating or Two- Way Operation (available with FGB and FGD)	TTC SO TTC ST TTC TY
Rotary Dial Station Signaling Trunk (available with FGB)	TTC RD
Operator Trunk, Full Feature Arrangement (available with FGD)	TTC FF

PUBUC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1) BY: <u>HEORETER ALLER</u> PUBLIC SERVICE COMMISSION MANACER BY:

Effective: March 3, 1992

- 7, 1992 wor for

President, Cincinnati, Ohio

Original Page 271

- 6. <u>Switched Access Service</u> (Cont'd)
 - 6.8 Rates and Charges (Cont'd)
 - 6.8.3 Local Switching (Cont'd)

(D) <u>WATS Access Line Term</u> — tion Optional Features

(1)	Line Side Connections	<u> </u>		
	Two-Wire Originating Only			
	- Loop Start/DP - Loop Start/DTMF - Ground Start/DP - Ground Start/DTMF	NC ++AN NC ++AR NC ++AP NC ++AS		
	Two-Wire Terminating Only			
	- Loop Start - Ground Start	NC ++AU NC ++AV		
	Two-Wire Two Way			
	 Loop Start/DP Loop Start/DTMF Ground Start/DP Ground Start/DTMF 	NC ++AA NC ++AF NC ++AE NC ++AG		

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR 3 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: <u>Hearter Seller</u> PUBLIC SERVICE DO AVISC ON MANAC

Issued: February 7, 1992

Robert E. Signon

for President, Cincinnati, Ohio

Vice President - Regulatory Affairs

Effective: March 3, 1992

CINCINNATI BELL TELEPHONE COMPANY				١Y	1st Revised Page 272 Cancels Original Page 272			
6.	<u>Swite</u>	ched Acces	<u>s</u> Service (C	Cont'd)			gillal Faye 21	2
	6.8	Rates a	and <u>Charges</u> ((Cont'd)				
		6.8.3	Local Swit	<u>ching</u> (Cor	nt'd)			
			(D)	WATS Ac	cess Line Termination Optional F	- eatures (Co	nt'd)	
				(1)	Line Side Connections (Cont'd)		FID	
					Four-Wire Originating Only - Loop Start/DP - Loop Start/DTMF - Ground Start/DP - Ground Start/DTMF		NC ++BN NC ++BR NC ++BP NC ++BS	
					Four-Wire Terminating Only – Loop Start – Ground Start		NC ++BU NC ++BV	
					Four-Wire Two Way - Loop Start/DP - Loop Start/DTMF - Ground Start/DP - Ground Start/DTMF		NC ++GA NC ++GF NC ++GE NC ++GG	
				(2)	<u>Trunk Side Connections</u> Two-Wire Terminating Only - DNIS (RV)		NC ++AT	
					Four-Wire Terminating Only - DNIS (RV) - DNIS (E&M)		NC ++BE NC ++BT	
			(E)	Commor	Switching Optional Features	USOC	Rate	(N)
				tion I (avail	ole Automatic Number Identifica- nformation Digits (FLEX-ANI) able with FGD in conjunction Automatic Number Identification)			
					Carrier Identification Code (CI End Office	C) CF3FC	\$916.59	 (N)
File	ed in a	6.8.4 6.8.5 accordance	<u>Reserved</u> <u>Reserved</u> with Case No	o. 98-292,	Order issued July 26. 1999			

CIN	CINNATI BELL TELEPHONE COMPANY	Original Page 273
6.	<u>Switched Access Service</u> (Cont'd)	
	6.8 <u>Rates and Charges</u> (Cont'd)	
	6.8.6 <u>Message Unit Credit</u>	
		Rate
	Message Unit Credit - Per Originating FGA	

Access Minute

\$0.0002

PUBLIC SERVICE COMMISSION OF KENTUCKY EFFECTIVE

MAR **3** 1992

PURSUANT TO 807 KAR 5:011. SECTION 9 (1)

BY: <u>Historice Sellee</u> PUBLIC SERVICE COMMISSION MANACER

Effective: March 3, 1992

Issued: February 7, 1992

Kobert 2.10

ignor

President, Cincinnati, Ohio

CINCINNATI BELL TELEPHONE COMPANY

6th Revised Page 274 Cancels 5th Revised Page 274

6. Switched Access Service (Cont'd)

6.8 <u>Rates and Charges</u> (Cont'd)

6.8.7 Reserved

6.8.8 Information Surcharge

					Rates			
					<u>Originati</u>	.ng	<u>Terminating</u>	
Premium,	Per	100	Access	Minutes		Note	1	(T)

6.8.9 Reserved

Note 1: In response to the Federal Communications Commission's (FCC's) Report and Order and Further Order of Proposed Rulemaking (USF/ICC Order), FCC No. 11-161 Released November 18, 2011 this section concurs in Tariff FCC No. 35, Section 6, which can be accessed via the following hypertext link:

http://svartifoss2.fcc.gov/cgi-bin/ws.exe/prod/ccb/etfs/webpublic/selectlec.hts

	KENTUCKY PUBLIC SERVICE COMMISSION
	JEFF R. DEROUEN EffectiîECUJIVE DREQIOR
President, Cincinnat	TARIFF BRANCH
	EFFECTIVE
	7/2/2013 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

- 6. <u>Switched Access</u> Service (Cont'd)
 - 6.8 Rates and <u>Charges</u> (Cont'd)

6.8.10 <u>900 Access Service</u>

	<u>usoc</u>	Nonrecurring <u>Charge</u>
Additions or deletions of 900 Access Service NXX codes routed to a customer		
 Per Telephone Company End Office Switch or Access Tandem in which translation changes are required 		
- Assembly of rate and route pattern (applies only on initial request for 900 Access Service in a LATA)	N9E	\$156.01(I)
 Activation or deactivation of first 900 Access Service NXX code contained in a request 	N9GIX	25.09(R)
 Activation or deactivation of each additional 900 Access Service NXX code contained in the same request 	N9GAX	10.04 (R)

Filed in accordance with Case No. 98-292, Order issued July 26, 1999

Issued: September 22, 1999

Effective: January 25. 1999

President. Cincinnati, Ohio

CINCINNATI BELL TELEPHONE COMPANY					Original Page 275.1		
6.	<u>Switcl</u>	ned Access					
	6.8	Rates and	d <u>Charges</u> (Cont'd)				
		6.8.11	500 Access Service			(N)	
				USOC	Nonrecurring Charge		
			Additions or deletions of 500 Access Service NXX codes routed to a customer				
			 Per Telephone Company End Office Switch or Access Tandem in which translation changes are required 				
			 Assembly of rate and route pattern in a LATA (applies for initial establishment of 500 service, or if 0+500 is added or deleted after initial service activation) 	NRB5B	\$156.01		
			 Activation or deactivation of first 500 Access Service NXX code contained in a request or activate or deactivate 0+500 dialing capability to existing 1+500 service 	NRB5C	25.09		
			 Activation or deactivation of each additional 500 Access Service NXX code contained in the same request or activate or deactivate 0+500 dialing capability to existing 1+500 service 	NRB5D	10.04	(N)	

Filed in accordance with Case No. 98-292, Order issued July 26. 1999.

Issued: September 22, 1999

Effective: January 25. 1999

President, Cincinnati, Ohio