

P. S. C. Ky. No. 9

Cancels P. S. C. Ky. No. 8

*C-3-80*

ELAM UTILITY COMPANY, INC.

OF

West Liberty, Kentucky

**Rates, Rules and Regulations for Furnishing**

Natural Gas


AT

West Liberty, Morgan County, Kentucky

**Filed with PUBLIC SERVICE COMMISSION OF  
KENTUCKY**

ISSUED January 12, 1976

EFFECTIVE December 15, 1975



ISSUED BY Elam Utility Company, Inc.  
(Name of Utility)

BY *[Signature]*  
B. C. Phillips  
President

For West Liberty, Kentucky  
Community, Town or City

E.R. C. No. 10

Second Revision SHEET NO. 6

ELAM UTILITY COMPANY, INC.  
Name of Issuing Corporation

CANCELLING E.R.C. NO. 9

First Revision SHEET NO. 6

CLASSIFICATION OF SERVICE	RATE PER UNIT
Residential, Commercial and Industrial gas rates for our entire service area.  <u>RATES: Monthly</u>  First 1,000 Cu. Ft. or Less Per Month \$7.3013 Next 10,000 Cu. Ft. 4.8963 per MCF Next 10,000 Cu. Ft. 4.8263 per MCF Next 19,000 Cu. Ft. 4.7663 per MCF Next 460,000 Cu. Ft. 4.6963 per MCF Over 500,000 Cu. Ft. 4.5563 per MCF	

DATE OF ISSUE March 18, 1980 DATE EFFECTIVE March 1, 1980

ISSUED BY *D. C. Phillips* TITLE President  
Name of Officer

Issued by authority of an Order of the Energy Regulatory Commission of Kentucky in Case No. 7601-B dated March 6, 1980.

*Cullen*

CHECKED  
Energy Regulatory Commission  
APR 1 1980  
by *B. Redmond*  
RATES AND TARIFFS

For West Liberty, Kentucky  
Community, Town or City

E. R. C. No. 10

First Revision SHEET NO. 6

CANCELLING P.S.C. NO. 9

Original SHEET NO. 6

ELAM UTILITY COMPANY, INC.  
Name of Issuing Corporation

CLASSIFICATION OF SERVICE	RATE PER UNIT																		
<p>Residential, Commercial and Industrial gas rates for our entire service area.</p> <p><u>RATES:</u> Monthly</p> <table><tr><td>First</td><td>1,000 Cu. Ft. or Less Per Month</td><td>\$7.2239</td></tr><tr><td>Next</td><td>10,000 Cu. Ft.</td><td>4.8189 per MCF</td></tr><tr><td>Next</td><td>10,000 Cu. Ft.</td><td>4.7489 per MCF</td></tr><tr><td>Next</td><td>19,000 Cu. Ft.</td><td>4.6889 per MCF</td></tr><tr><td>Next</td><td>460,000 Cu. Ft.</td><td>4.6189 per MCF</td></tr><tr><td>Over</td><td>500,000 Cu. Ft.</td><td>4.4789 per MCF</td></tr></table>	First	1,000 Cu. Ft. or Less Per Month	\$7.2239	Next	10,000 Cu. Ft.	4.8189 per MCF	Next	10,000 Cu. Ft.	4.7489 per MCF	Next	19,000 Cu. Ft.	4.6889 per MCF	Next	460,000 Cu. Ft.	4.6189 per MCF	Over	500,000 Cu. Ft.	4.4789 per MCF	<p style="text-align: right; color: red; font-size: 2em;">05-80</p>
	First	1,000 Cu. Ft. or Less Per Month	\$7.2239																
Next	10,000 Cu. Ft.	4.8189 per MCF																	
Next	10,000 Cu. Ft.	4.7489 per MCF																	
Next	19,000 Cu. Ft.	4.6889 per MCF																	
Next	460,000 Cu. Ft.	4.6189 per MCF																	
Over	500,000 Cu. Ft.	4.4789 per MCF																	

DATE OF ISSUE March 18, 1980 DATE EFFECTIVE February 11, 1980

ISSUED BY B. C. Phillips TITLE President  
Name of Officer

Issued by authority of an Order of the Energy Regulatory Commission of Kentucky in Case No. 7601-A dated February 15, 1980.

**CHECKED**  
Energy Regulatory Commission  
  
APR 1 1980  
by B. Richmond  
RATES AND TARIFFS

FOR West Liberty, Kentucky  
Community, Town or City

E. R. C. No. 10

Original SHEET NO. 1

CANCELLING P.S.C. NO. 9

10th Revision SHEET NO. 2

Elam Utility Company, Inc.  
Name of Issuing Corporation

CLASSIFICATION OF SERVICE		RATE PER UNIT
Residential, Commercial, and Industrial gas rates for our entire service area.		
Monthly:		
First 1,000 Cu. Ft. or less per month	Minimum bill	\$ 6.95 I
Next 10,000 Cu. Ft.	per MCF	4.545
Next 10,000 Cu. Ft.	per MCF	4.475
Next 19,000 Cu. Ft.	per MCF	4.415
Next 460,000 Cu. Ft.	per MCF	4.345
Over 500,000 Cu. Ft.	per MCF	4.205 I

*05-80*

DATE OF ISSUE January 24, 1980 DATE EFFECTIVE Jan. 09, 1980

ISSUED BY *[Signature]* TITLE President  
Name of Officer

Issued by authority of an Order of the Public Service Commission of Kentucky in Case No. 7601 dated January 9, 1980.

CHECKED  
Energy Regulatory Commission  
FEB 29 1980  
by *[Signature]*  
RATES AND TARIFFS

For West Liberty, Kentucky  
Community, Town or City

P. S. C. No. 9

9th Revision SHEET NO. 2

CANCELLING P.S.C. NO. 9

8th Revision SHEET NO. 2

Elam Utility Company, Inc.

Name of Issuing Corporation

CLASSIFICATION OF SERVICE																															
	RATE PER UNIT																														
<p style="text-align: right; color: red; font-size: 2em;">C3-80</p> <p>Residential, Commercial, and Industrial gas rates for our entire service area.</p> <p>Monthly:</p> <table border="0"> <tr> <td>First</td> <td>1,000 Cu. Ft. or less per month</td> <td>Minimum bill</td> <td>\$ 4.5555</td> <td>I</td> </tr> <tr> <td>Next</td> <td>10,000 Cu. Ft.</td> <td></td> <td>2.7585</td> <td> </td> </tr> <tr> <td>Next</td> <td>10,000 Cu. Ft.</td> <td></td> <td>2.7085</td> <td> </td> </tr> <tr> <td>Next</td> <td>19,000 Cu. Ft.</td> <td></td> <td>2.6585</td> <td> </td> </tr> <tr> <td>Next</td> <td>460,000 Cu. Ft.</td> <td></td> <td>2.6085</td> <td> </td> </tr> <tr> <td>Over</td> <td>500,000 Cu. Ft.</td> <td></td> <td>2.5085</td> <td>I</td> </tr> </table> <div style="border: 1px solid red; padding: 5px; margin: 10px auto; width: fit-content;"> <p style="text-align: center; color: red; font-weight: bold;">CHECKED</p> <p style="text-align: center; color: red;">Energy Regulatory Commission</p> <p style="text-align: center; color: red;">FEB 29 1980</p> <p style="text-align: center; color: red;">by <u>B. Richmond</u></p> <p style="text-align: center; color: red;">RATES AND TARIFFS</p> </div>	First	1,000 Cu. Ft. or less per month	Minimum bill	\$ 4.5555	I	Next	10,000 Cu. Ft.		2.7585		Next	10,000 Cu. Ft.		2.7085		Next	19,000 Cu. Ft.		2.6585		Next	460,000 Cu. Ft.		2.6085		Over	500,000 Cu. Ft.		2.5085	I	
First	1,000 Cu. Ft. or less per month	Minimum bill	\$ 4.5555	I																											
Next	10,000 Cu. Ft.		2.7585																												
Next	10,000 Cu. Ft.		2.7085																												
Next	19,000 Cu. Ft.		2.6585																												
Next	460,000 Cu. Ft.		2.6085																												
Over	500,000 Cu. Ft.		2.5085	I																											

DATE OF ISSUE September 17, 1979

DATE EFFECTIVE July 25, 1979

ISSUED BY B. C. Phillips  
Name of Officer

TITLE President

Issued by authority of an Order of the Public Service Commission of Kentucky in Case No. 6900-E dated July 25, 19 79.

Form for filing Rate Schedules

For West Liberty, Kentucky  
Community, Town or City

P.S.C. NO. 9

8th Revision SHEET NO. 2

CANCELLING P.S.C. NO. 9

7th Revision SHEET NO. 2

Elam Utility Company, Inc.  
 Name of Issuing Corporation

CLASSIFICATION OF SERVICE

	RATE PER UNIT
Residential, Commercial and Industrial gas rates for our entire service area.	
Monthly:	
First 1,000 Cu. Ft. or less per month Mimimum Bill	4.58 (R)
Next 10,000 Cu. Ft.	2.78
Next 10,000 Cu. Ft.	2.73
Next 19,000 Cu. Ft.	2.68
Next 460,000 Cu. Ft.	2.63
Over 500,000 Cu. Ft.	2.53 (R)

C 3 - 80



DATE OF ISSUE 9-7-78 DATE EFFECTIVE 6-1-78

ISSUED BY *B.C. Phillips* TITLE President  
 Name of Officer

Issued by authority of an Order of the Public Service Commission of Ky. in Case No. 6900-C dated June 1, 1978

FOR West Liberty, Kentucky

P.S.C. Ky. No. 9

1st Revision Sheet No. 1

Cancelling P.S.C. Ky. No. 9

Original Sheet No. 1

ELAM UTILITY COMPANY, INC.

**RULES AND REGULATIONS**

APPLICABLE: City of West Liberty, Kentucky.

*03-80*

AVAILABILITY OF SERVICE: To any customer desiring service to the extent that gas is available from our supplier and is available for all common uses except stand-by service, or an occasional demand use application.

RATES: See latest Revision of Sheet number 2.

MINIMUM CHARGE: \$4.50 per month for 1,000 cubic feet or less.

(I)

DELAYED PAYMENT CHARGE: A penalty of ten percent of the unpaid balance due after the 10th of each month or ten days from the mailing date on our bills.

TERM: Contracts are not executed for specific periods of time.

SPECIAL RULES: A service charge of \$10.00 is charged to cover expenses involved to establish gas service after a gas customer has requested service.

(I)

All Rules and Regulations pertaining to gas utilities listed in Kentucky Public Service Commission Law, Acts, Rules, Regulations and Forms is hereby adapted by Elam Utility Company, Inc.

**CHECKED**  
PUBLIC SERVICE COMMISSION  
JAN 10 1978  
by *[Signature]*  
ENGINEERING DIVISION

DATE OF ISSUE January 3, 1978  
Month Day Year

DATE EFFECTIVE December 13, 1977  
Month Day Year

ISSUED BY B. C. Phillips President West Liberty, Kentucky  
Name of Officer Title Address

FILED

Entire Service Area  
Original Sheet No. 3

ELAM UTILITY COMPANY, INC.  
Name of Utility

DEC 29 1958

PUBLIC SERVICE

- e. Only hard seat valves shall be used and all valves requiring packing shall be packed with asbestos material.
- f. A.G.A. listed flexible metal connectors, semi-rigid metal connectors, and semi-rigid metal tubing and fittings may be used in connecting domestic gas ranges, gas driers, gas refrigerators and water heaters.
- g. All gas piping or gas appliance installation shall be performed with the gas turned off to eliminate hazards from leakage of gas.
- h. The customer, at his own expense, shall install the house piping from the outlet of the meter to gas burning appliances.
- i. All branch pipes shall be taken from the top or sides of horizontal lines and not from the bottom.
- j. Gas pipe and fittings shall be clear and free from cutting burrs and defects in structure or threading. Pipe dope or thread lubricant is to be used sparingly and on male threads only.
- k. All pipe shall be securely supported by means of straps or hooks of permanent material to ceilings and walls and all strains on piping eliminated.

The following recommendations are given by this company for spacing of supports in piping installations:

Pipe Size Inches	Support Spacing Feet
$\frac{1}{2}$	6
$\frac{3}{4}$ or 1	8
$1\frac{1}{4}$ or larger (Horizontal)	10
$1\frac{1}{4}$ or larger (Vertical)	Each Floor Level

C 3-80

- l. Gas piping shall not be laid in a concrete floor slab.
- m. Piping inside any building shall not be run in or through an air duct, clothes chute, chimney or flue, ventilating duct, dumb waiter or elevator shaft.
- n. When installing piping which will be concealed (in partitions) the number of fittings shall be kept to a minimum. Unions and swing joints made of combinations made of combinations of fittings shall not be used.
- o. When a semi-rigid tubing connector or a connector of flexible metal tubing and fittings is used, it shall connect to a solid pipe outlet in the same room as the appliance. The length of the connection shall not exceed six feet and it shall be installed so as to be protected against mechanical injury. For water heaters the connection shall not exceed 2 feet.
- p. Outlet pipes shall be far enough from walls and floors and shall project far enough from them to permit the use of a pipe wrench of suitable size without straining or bending the pipe. All outlets are to be securely capped or plugged.

DATE OF ISSUE 12-22-58

CHECKED  
EFFECTIVE DATE 12-22-57

DEC 29 1958

ISSUED BY

B. Phillips, Vice President  
Name Title

Title

FILED

DEC 29 1958

Entire Service Area  
Original Sheet No. 4

ELAM UTILITY COMPANY, INC.

Name of Utility

PUBLIC SERVICE  
COMMISSION

- q. No connection shall be made between a gas line and any water line, air line, or any other line carrying a fluid or gas other than that in the Company's mains since, by accident or design, said water, air, fluid or foreign gas might enter the Company's mains. No regulator shall be installed to control the flow of gas which has gas on one side of the diaphragm and water, steam, or air at more than atmospheric pressure on the other side.
- r. Fuel piping to an appliance shall not be less in size than the manifold size or connection at the appliance. Piping and fittings to a central heating furnace or boiler shall not be less than 1 1/4". The drop line to the equipment may be the same size as the manifold.
- s. No piping or opening smaller than 3/4" will be approved except for supplying small incidental heaters, bunsen burners, refrigerators and clothes driers.
- t. The minimum size of house piping permitted for various types of appliances is shown below:

Single Houses

Minimum Size

- 1. Meter to first outlet
- 2. Outlet of meter to furnace drop line
- 3. To kitchen range
- 4. To instantaneous water heater
- 5. To storage type water heater
- 6. To each heating stove (20,000 BTU input)
- 7. To refrigerator
- 8. To clothes drier
- 9. To hot plate
- 10. Main supply line to second floor

1"   
 1"   
 3/4"   
 1"   
 3/4"   
 1"   
 1"   
 1"   
 3/4"

*C380*

- u. For larger piping installations such as large single dwellings, double houses, apartment houses, commercial buildings, churches and schools, the Gas Company should be consulted on the selection of adequate piping.
- v. In remodeling or extending existing piping, connections must be made so that sizes can be maintained in accordance with these requirements and specifications. Where sizes can not be maintained from old house piping, extensions shall be supplied by a separate line of pipe from the meter.
- w. A valve or stop shall be installed ahead of each gas burning appliance when required by local ordinance. The valve or stop shall be placed in an accessible position.
- x. Inspection is required on each job of service or house piping. A request for inspection and test must be made at the Gas Company's office at least 24 hours in advance of the time when inspection is desired. New piping will be subjected to an air pressure test of not less than ten (10) inches mercury column (5psi) and no loss in pressure must be shown over a period of not less than five minutes.

DATE OF ISSUE 12-22-58

EFFECTIVE DATE 12-22-57

ISSUED BY

*B. L. Phillips, Vice President*

Name

Title

CHECKED  
DEC 29 1958

ELAM UTILITY COMPANY, INC.

Entire Service Area  
Original Sheet No. 5

Exception: Medium or intermediate pressure services shall be tested at a pressure equivalent to 1.5 times the working pressure, but not in excess of 50 psig. On house lines this test will be made with manual shut-off valve the appliance should be disconnected and the line capped.

For piping larger than 2", consult the Gas Company for testing procedures.

Where existing piping is remodeled or extended the existing piping may be subjected to the same test as new portions.

In no case shall oxygen, acetylene, ether with air, or any inflammable material be used as a substitute for atmospheric air in testing lines.

At the time the line or lines are inspected and tested ,a report of the test of the lines by the owner or his representative and of the inspection of the installation by the Gas Company's representative shall be made on a form provided by the Gas Company, to indicate the conditions existing at the time of the test and inspection. The form shall be signed both by the Gas Company's representative and the owner or his representative. and a copy given to the owner or to such representative for delivery to the pwner.

The first inspection and test at any premises, including both service lines and house lines, shall be without charge. In the case of leak, error, patent defects or other unsatisfactory condition resulting in the disapproval of the line by the Gas Company, the necessary correction shall be made at the owners expense and then the line will be inspected and tested again by the Gas Company. Each additional inspection and test, when required after correction shall be subjected to a charge of \$2.00.

Final connection and/or service established between the Gas Company's service connection and the Customer's service line will be made by the representative of the Gas Company after it has been determined that the Gas Company Requirements and Specifications have been fully complied with.

DATE OF ISSUE 12-22-58

EFFECTIVE DATE 12-22-57

ISSUED BY

*[Signature]*  
Name

*[Signature]*  
Title

**FILED**  
**CHECKED**

DEC 29 1958 29 1958

PUBLIC SERVICE  
COMMISSION

*C3-80*

- y. The following appliances must be vented before service will be established and before a Gas Company serviceman may light or adjust them:
  1. Automatically controlled appliances which use more than 5,000 Btu per hour, except the following; domestic gas ranges, domestic gas clothes driers, gas refrigerators and gas hot plates.
  2. All space heating, steam and hot water boilers, warm air furnaces, floor furnaces, unit heaters, duct furnaces and recessed heaters.
  3. Conversion burners in coal furnaces or boilers.
  4. Circulating heaters having provision for a vent.
  5. Room Heaters in sleeping quarters.
  6. Room heaters installed in sleeping quarters for use of transients, as in hotels, motels and auto courts, shall be connected to an effective flue or vent and equipped with an automatic safety pilot.
  7. Room heaters installed at any location in institutions such as Homes for the Aged, Sanitariums, Convalescent Homes, Orphanages, etc., shall be connected to an effective flue or vent and equipped with an automatic safety pilot.
  8. Automatic water heaters of any type which contain a thermostatic device for regulating the gas to the main burner.
  9. Water heaters, automatic or non-automatic, installed in a bathroom, toilet, utility room or other confined space.
  10. Gas-fired incinerators.
- z. The following rules must be observed in the venting of a gas appliance.
  - 1.\* Appliances must be vented to a bonafide chimney flue of brick, tile, transite, or metal. Transite or metal flues are only effective when they run in the interior of the building.
  - 2.\* Flues should extend two feet above the highest point of the roof. In many instances, if the surrounding buildings are higher, the flue should extend above the highest roof in the vicinity to insure a good draft and prevent down drafts.
  - 3.\* Flues must not open into attics, under porches or similar spaces.
  4. No gas appliance shall be vented to a fireplace flue unless the fireplace and other openings in the flue above are effectively sealed.

DATE OF ISSUE 12-22-58

EFFECTIVE DATE 12-22-57

**CHECKED** ISSUED BY

DEC 23 1958

NAME [Signature]

BY [Signature]

**FILED**

DEC 29 1958

TITLE SERVICE  
COMMISSION

*03-80*

- 5. \* Flues should be constructed or installed in such a way as not to become a fire hazard. Where flue or vent connectors pass through partitions of combustible construction ventilated thimbles should be used. Horizontal runs should be supported at intervals of not over 6'.
- 6. The flue or vent connector shall maintain a continuous pitch or rise from the appliance to the flue or vent. A rise of at least  $\frac{1}{4}$ " to the foot (horizontal length) should be maintained.
- 7. The horizontal run of the connector should be as short as possible and the appliance located as near the flue or vent as practicable. The maximum length of horizontal run should not exceed 75 % of the height of the flue.
- 8. No manually operated damper shall be placed in any flue or vent connector. Fixed baffles ahead of draft hoods are nor classified as dampers.
- 9. The flue or vent connector shall not be smaller than the size of the flue collar or the size of the outlet of the draft hood supplied by the manufacturer of a gas designed appliance.
- 10. Two or more gas appliances may be vented through a common flue or vent connector when necessary, if joined by Y fittings as close as practicable to the flue or vent and provided the size of the common flue or vent is sufficient to accommodate the total volume of flue gases. Y fittings shall be made so that the angle at which the flue or vent connectors intersect is as small as possible and should not exceed 45 degrees. 90 degree tees are not permitted.
- 11. \*A draft hood shall be installed in the position for which it was designed with reference to the horizontal and vertical planes and shall be so located that the relief opening is not obstructed by any part of the appliance or adjacent construction. If the draft hood is not a part of the appliance or supplied by the appliance manufacturer, it shall be the same size as the appliance flue collar.
- 12. An automatic gas appliance vented into the same chimney flue or vent pipe with a furnace burning a solid or liquid fuel must have an automatic safety pilot.
- 13. If any gas appliance with an automatic pilot is lighted, the operation of the pilot safety must be checked.

DATE ISSUED 12-22-58

DATE EFFECTIVE 12-22-57

ISSUED BY

**FILED**

*[Signature]*  
 Name \_\_\_\_\_ Title \_\_\_\_\_

DEC 29 1958

PUBLIC SERVICE  
COMMISSION

*23-80*

**CHECKED**  
 DEC 29 1958  
*[Signature]*

Particular attention must be given to cases where more than one gas appliance is vented to the same flue to determine that the flue is large enough. In such cases add the inputs of the appliances together to determine if the area of the common flue is great enough to handle the total products of combustion. We recommend the following table for use in determining the proper flue size:

Total Input Btu per Hour	Round Flue Diameter Inches	Equivalent Rectangular Flue Inside Dimensions Inches X Inches	
30,000	3		
57,000	4		
95,000	5	3½x7	4x5
140,000	6	5x6	5½x5½
200,000	7	5x8	6x7
280,000	8	5x11	6x9
360,000	9	6x12	7x10
450,000	10	7x12	8x10
575,000	11	8x13	10x10
690,000	12	10x12	11x11

\* These specifications shall not apply to the installation of appliances approved under A.S.A. requirements for equipment having a sealed combustion chamber and direct air supply for complete combustion from the outside and direct discharge of all products of combustion to the outside, in which the vent is an integral part of such equipment.

C. Meters and Pressure Regulators.

1. The Gas Company will furnish and connect a meter for each customer, and this meter shall remain the property of the gas Company.
2. Where service is provided from intermediate or medium pressure lines the Company will furnish the necessary pressure regulator, and this pressure regulator shall remain the property of the Gas Company.
3. Gas meters should be installed as near as practicable to the point where the service enters the building and shall be so located as to be readily accessible for examination, reading and replacement.
4. The Gas meter shall not be installed in a small, unventilated or confined space.

DATE OF ISSUE 12-22-58

**FILED**

EFFECTIVE DATE 12-22-57

DEC 29 1958

ISSUED BY [Signature] PUBLIC SERVICE  
COMMISSION  
TITLE [Signature]

DEC 29 1958

[Signature]  
Name

**CHECKED**  
BY [Signature]

*C3-80*

- 5. It is required that all meters be installed outside the building, and the Company reserves the right to designate the location of the meter.
- 6. When customers are served from high pressure lines, the meter, regulator or regulators and safety devices shall be located as near to the utility's main as is practicable.

2. CUSTOMER RELATIONS

- A. The office of the Company is located at the corner of Main and Prestonsburg Streets in the city of West Liberty, Ky., and is a central location for all consumers. The office hours are 8:00 o'clock A.M. to 12:00 O'clock Noon and 1:00 o'clock P.M. to 4:00 o'clock P.M. Monday through Friday and 8:00 o'clock A.M. to 12:00 o'clock Noon on Saturday.
- B. The Elam Utility Company does not have meter testing equipment, but does have a contract with the Paintsville Gas Company, Paintsville, Ky. to do this type of work.
- C. The consumer may request a test of his meter, not oftener than once in twelve months. If the meter shall be found to register not more than 2% fast, the customer shall pay a fee to the Company for such test. The customer will be informed by writing the results of the test. If the meter is found to be in error more than 2% fast the Company shall recalculate the monthly bills, for a period equal to one-half of the time since the last previous test, but in no case shall this period exceed three months. After making such recalculation the Company shall refund to the customer the difference between the amount previously billed and the amount calculated as being the proper charge.  
When a meter upon periodic, request or complaint test is found to be more than 2% slow, the Company may recalculate the monthly bills for a period equal to one-half of the time elapsed since the last test, but in no case to exceed three months. After making such recalculation the Company may collect from the customer an amount ~~previously billed~~ equal to the difference between the amount previously billed, and the amount calculated as being the proper charge.
- D. When it becomes necessary to interrupt service for one or a number of customers, the customer or customers are notified before service is interrupted and also after service is resumed. When an unplanned interruption occurs, customers will be notified before service is resumed.

DATE OF ISSUE 12-22-58

**FILE**

DEC 29 1958

EFFECTIVE DATE 12-22-57

**CHECKED**  
DEC 29 1958  
*[Signature]*

ISSUED BY [Signature] PUBLIC SERVICE COMMISSION  
Name Title

*0380*

RECEIVED  
DEC 29 1958  
PUBLIC SERVICE  
COMMISSION

Entire Service Area  
Original Sheet No. 10

ELAM UTILITY COMPANY, INC.

- E. The established gas pressure of this Company is 8 ounces with a minimum of 4 ounces and a maximum of 12 ounces.
- F. The Company uses Emco # 0 meters with an hourly rated capacity of 175 cu. ft. on average size homes and larger meters on commercial customers. The regulators installed by this Company are Fisher type 106 with safety devices incorporated.
- G. The Company has an unlimited supply of gas available for any use.
- H. Discontinuance of Service -- Reconnection of service.
  - 1. Any customer desiring service discontinued or changed from one address to another shall give the Company notice provided such notice does not violate contractual obligations.
  - 2. Upon request that service be reconnected at any premises subsequent to the initial installation or connection to it's service lines, the Company charges the applicant \$2.00 for making such reconnection.
  - 3. If leaks or other hazardous conditions are detected in the service line, the Company shall have the right to discontinue service until such leaks or other hazardous conditions are repaired or remedied by the consumer.
  - 4. A customer may be disconnected for non-payment of a bill twenty days after the date of the bill provided he has been given written note on the fifteenth day. A penalty of 10% of the bill is added after the tenth day.
  - 5. A customer may be disconnected for fraudulent use of service, when the Company has discovered clear and convincing evidence that by fraudulent means a customer has obtained unauthorized service or has diverted the service for authorized use or has obtained service without same being properly registered upon the utility meter. The Company shall not restore service until the customer has complied with all reasonable rules of the Company designed to prevent a recurrence and the Company has been reimbursed for the full amount of the service rendered and the actual cost to the Company incurred by reason of the fraudulent use. When all conditions have been corrected, service will be restored.

DATE OF ISSUE 12-22-58

EFFECTIVE DATE: 12-22-57

CHECKED ISSUED BY  
 DEC 29 1958  
 Name [Signature]  
 BY [Signature]

FILED  
 DEC 29 1958  
 PUBLIC SERVICE  
 COMMISSION

C3-80

ELAM UTILITY COMPANY, INC.

Entire Service Area  
Original Sheet No. 11

- 8. A fee of \$2.00 may be charged for reconnecting a meter that has been disconnected for non-payment of bills or for violation of the Company's rules and regulations.
- I. The Company may refuse to serve an applicant service under the following conditions:
  - 1. If the applicant has failed to comply with the Commission's rules and regulations or the rules and regulations of the Company as filed with the Commission.
  - 2. If in the best judgment of the Company the applicant's installation for utilizing the service is hazardous or of such a nature that satisfactory service cannot be rendered.
  - 3. The company shall not be required to furnish service at any premises to any applicant for such service when such applicant at the time of application is indebted to the Company for similar service furnished either at same or at other premises, until such applicant shall have paid such indebtedness to the Company.
- J. A fee of 50¢ may be charged for a trip to collect a bill which is past due and after a written notice has been sent.
- K. The Company may require from any customer or applicant for service a cash deposit of \$5.00 as guaranty to secure payment of bills. The Company shall issue to every customer from whom a deposit is received a certificate of deposit, and the Company will pay to holders of these certificates of deposit interest at the rate of 6% per annum. Interest shall be payable annually upon demand of the customer or upon the return of the deposit.
- L. The utility shall at all reasonable hours have access to meters, service connections and other property owned by it and located on customer's premises for purpose of installation, maintenance, operation or removal of it's property at the time service is to be terminated.

DATE OF ISSUE 12-22-58

EFFECTIVE DATE 12-22-57

ISSUED BY

*W. H. ...*  
Name \_\_\_\_\_ Title *Vice President*

**CHECKED**  
DEC 29 1958  
*hw*

**FILED**  
DEC 29 1958  
PUBLIC SERVICE COMMISSION

*C-3-80*

BUDGET PAYMENT PLAN AGREEMENT

THIS AGREEMENT, made in duplicate between Elam Utility Company, Inc., a Kentucky Corporation with its principal office at West Liberty, Kentucky (hereinafter called "Elam Utility") and \_\_\_\_\_ (hereinafter called the "Consumer") located at \_\_\_\_\_.

WITNESSETH:

05-80

That in consideration of Consumer's request to make Natural Gas service payments under Elam Utility's Budget Payment Plan, the Consumer shall pay Elam Utility at a fixed amount each month in lieu of monthly billings based on actual usage; whereby, any difference in the actual billed amount and the fixed amount paid each month shall be adjusted in full each year upon receipt of the October billing.

It is further agreed:

1. The Consumer agrees that if at any time the Rate under which Elam Utility purchases Gas service at wholesale is modified, Elam Utility may make a corresponding modification in the rate for service hereunder and the budget payment amount shall be adjusted accordingly.

2. The Consumer agrees that if at any time the Rates and/or Terms and Conditions as set forth in Elam Utility's Rate are adjusted or changed and said adjustments and/or changes are approved by the Kentucky Energy Regulatory Commission said adjustments and/or will become effective and supercede, cancel and replace rates and/or terms and conditions provided in existing rate prior to the effective date as set forth in the Energy Regulatory Commission's Order approving the adjustments and/or changes.

3. The Consumer agrees that monthly budget payments are subject to change where a trend develops indicating the amount set up is insufficient to result in a reasonable balance due in the October Billing Period; at which time, the difference in the fixed amount and actual cost of gas service is payable in full.

4. It is agreed that the Consumer shall make payment each month in the full amount of the Budget Payment as stated herein, irregardless of any accumulated charges or credits for actual use. The accumulated charges or credits shall be adjusted completely on the October billing. Should the Consumer fail to make such budget payments by due date, service will be discontinued and entire balance becomes due and payable before service is restored. The Consumer shall be ineligible for future billings under the Budget Payment Plan.

5. This agreement shall continue from year to year, unless terminated by either party on written notice, subject to the provision stated in #4 above.

**CHECKED**  
Energy Regulatory Commission  
FEB 29 1980  
by B. Redmond  
**RATES AND TARIFFS**

THEREUPON, it is agreed that \_\_\_\_\_ shall pay to Elam Utility each month beginning with \_\_\_\_\_ billing, for gas service in the amount of \$ \_\_\_\_\_ under this Budget Billing Agreement.

Executed at West Liberty, Kentucky, this \_\_\_\_\_ day of \_\_\_\_\_, 1980.

Elam Utility Company, Inc.

By: \_\_\_\_\_  
Consumers Signature

By: \_\_\_\_\_  
Signature Title