DOC11R

Case Management System - KY Public Service Commission

Regular Cases Before the Commission as of April 29, 2024

2011-00205 RECEIVED: 06/14/11 FILED: 06/14/11 FINAL: 12/19/11 REOPENED:

SUSPENSION DATE:

CASE CODE

Weather Normalization Adjustment

UTILITIES:

Atmos Energy Corporation

INDEX OF EVENTS:

12/19/11	Order Entered:
	(1) Atmos's proposal to continue its WNA for three years is approved.
	(2) Atmos's proposal to continue its use of climate data from the period 1971 - 2000 is denied. Atmos
	shall immediately update its WNA calculation for 1981 - 2010 normal temperatures based on NOAA's
	2011 release, and shall revise its tariff accordingly.
	(3) Within 20 days of the date of this Order, Atmos shall file its revised WNA tariff.
10/24/11	Order Entered: Atmos shall continue to use its current WNA mechanism on an interim basis pending
	the Commission's final Order addressing the request for a three-year extension.
08/31/11	Atmos Energy's Responses to Commission Staff's Initial DR
08/17/11	Commission Staff's First Information Request to Atmos Energy Corporation
06/14/11	Acknowledge Receipt of Filing
06/14/11	Application of Atmos Energy Corporation for an Order Continuing the Weather Normalization
	Adjustment for Three Additional Years

Total Number of Cases: 1